

TABLES OF SOME INDEFINITE INTEGRALS OF BESSEL FUNCTIONS OF INTEGER ORDER

Integrals of the type

$$\int x J_0^2(x) dx \quad \text{or} \quad \int x J_0(ax) J_0(bx) dx$$

are well-known.

Most of the following integrals are not found in the widely used tables of GRADSTEIN/RYSHIK, BATEMAN/ERDÉLYI, ABRAMOWITZ/STEGUN, PRUDNIKOV/BRYCHKOV/MARICHEV or JAHNKE/EMDE/LÖSCH. The goal of this table was to get tables for practicians. So the integrals should be expressed by Bessel and Struve functions. Indeed, there occurred some exceptions. Generally, integrals of the type $\int x^\mu J_\nu(x) dx$ may be written with Lommel functions, see [8], 10 -74, or [3], III .

In many cases recurrence relations define more integrals in a simple way.

Partially the integrals may be found by MAPLE as well. In some cases MAPLE gives results with hypergeometric functions, see also [2], 9.6., or [4].

Some well-known integrals are included for completeness.

Here $Z_\nu(x)$ denotes some Bessel function or modified Bessel function of the first or second kind. Partially the functions $Y_\nu(x)$ [sometimes called Neumann's functions or Weber's functions and denoted by $N_\nu(x)$] and the Hankel functions $H_\nu^{(1)}(x)$ and $H_\nu^{(2)}(x)$ are also considered. The same holds for the modified Bessel function of the second kind $K_\nu(x)$.

When a formula is continued in the next line, then the last sign '+' or '-' is repeated in the beginning of the new line.

On page 509 the used special functions and defined functions are described.

I wish to express my thanks to B. Eckstein, S. O. Zafra, Yao Sun, F. Nougier, M. Carbonell, R. Oliver and Hunchul Jeong for their remarks.

References:

- [1] M. Abramowitz, I. Stegun: Handbook of Mathematical Functions, Dover Publications, NY, 1970
- [2] Y. L. Luke: Mathematical Functions and their Approximations, Academic Press, NY, 1975
- [3] Y. L. Luke: Integrals of Bessel Functions, McGraw-Hill, NY, 1962
- [4] А. П. Прудников, Ю. А. Брычков, О. И. Маричев:
Интегралы и ряды, т. 2: Специальные функции, Наука, Москва, 2003; ФИЗМАТЛИТ, 2003
- [5] E. Jahnke, F. Emde, F. Lösch: Tafeln höherer Funktionen, 6. Auflage, B. G. Teubner, Stuttgart, 1960
- [6] I. S. Gradstein, I. M. Ryshik: Summen-, Produkt- und Integraltafeln / Tables of Series, Products, and Integrals, Band 1 / Volume 1, Verlag Harri Deutsch, Thun · Frankfurt/M, 1981
- [7] I. S. Gradstein, I. M. Ryshik: Summen-, Produkt- und Integraltafeln / Tables of Series, Products, and Integrals, Band 2 / Volume 2, Verlag Harri Deutsch, Thun · Frankfurt/M, 1981
- [8] G. N. Watson: A Treatise on the Theory of Bessel Functions, Cambridge, University Press, 1922 / 1995
- [9] P. Humbert: Bessel-integral functions, Proceedings of the Edinburgh Mathematical Society (Series 2), 1933, 3:276-285
- [10] B. A. Peavy, Indefinite Integrals Involving Bessel Functions
JOURNAL OF RESEARCH of the National Bureau of Standards - B., vol. 718, Nos. 2 and 3,
April - September 1967, pp. 131 - 141
- [11] Б. Г. Корнев: Введение в теорию бесселевых функций, Наука, Москва, 1971
- [12] S. K. H. Auluck: Some integral identities involving products of general solutions of Bessel's equation of integral order, arxiv.org/abs/1006.4471
- [13] H. Bateman, A. Erdélyi: Tables of Integral Transforms, vol. I,
McGraw-Hill Book Company, Inc., New York, Toronto, London, 1954
- [14] H. Bateman, A. Erdélyi: Tables of Integral Transforms, vol. II,
McGraw-Hill Book Company, Inc., New York, Toronto, London, 1954
- [15] Б. И. Крылов, Приближенное вычисление интегралов, Наука, Москва 1967

Contents

1. Integrals with one Bessel function

<u>1. 1. $x^n Z_\nu(x)$ with integer values of n</u>		
1.1.1.	$x^{2n} Z_0(x)$	7
1.1.2.	$x^{2n+1} Z_0(x)$	11
1.1.3.	$x^{-2n-1} Z_0(x)$	13
1.1.4.	$x^{2n} Z_1(x)$	15
1.1.5.	$x^{-2n} Z_1(x)$	17
1.1.6.	$x^{2n+1} Z_1(x)$	19
1.1.7.	$x^n Z_\nu(x)$, $\nu > 1$	23
1.1.8.	Second Antiderivatives of $x^{2n+1-\nu} Z_\nu(x)$	44
	a) $x^{2n+1} Z_0(x)$	44
	b) $x^{2n} Z_1(x)$	45
1.1.9.	Higher Antiderivatives	48
1.1.10.	Some Integrals of the Type $x^{2n+1} Z_1(x^2 + \alpha)/(x^2 + \alpha)$	50
<u>1. 2. Elementary Function and Bessel Function</u>		
1.2.1.	$x^{n+1/2} Z_\nu(x)$	57
	a) $\int \sqrt{x} Z_\nu(x) dx$	57
	b) Integrals	62
	c) Recurrence Formulas	67
1.2.2.	$x^n e^{\pm x} \cdot \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\}$	68
	a) Integrals with e^x	68
	b) Integrals with e^{-x}	70
1.2.3.	$x^n \cdot \left\{ \begin{array}{l} \sinh \\ \cosh \end{array} \right\} x \cdot \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\}$	73
1.2.4.	$x^n \cdot \left\{ \begin{array}{l} \sin \\ \cos \end{array} \right\} x \cdot J_\nu(x)$	76
1.2.5.	$x^n \cdot e^{ax} \cdot Z_\nu(x)$	79
	a) General facts	79
	b) The Case $a > 0$	80
	c) The Case $a < 0$	88
	d) Integrals	93
	e) Special Cases	98
1.2.6.	$x^{-n-1/2} \cdot \left\{ \begin{array}{l} \sin \\ \cos \end{array} \right\} x \cdot J_\nu(x)$	101
1.2.7.	$x^{-n-1/2} \cdot e^{\pm x} \cdot \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\}$	104
	a) $x^{-n-1/2} \cdot e^x \cdot Z_\nu(x)$	104
	b) $x^{-n-1/2} \cdot e^{-x} \cdot Z_\nu(x)$	105
	c) General formulas	107
1.2.8.	$x^{-n-1/2} \left\{ \begin{array}{l} \sinh x \\ \cosh x \end{array} \right\} \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\}$	112
1.2.9.	$x^{2n+1} \ln x \cdot Z_0(x)$	117
1.2.10.	$x^{2n} \ln x \cdot Z_1(x)$	120
1.2.11.	$x^{2n+\nu} \ln x \cdot Z_\nu(x)$	122
	a) The Functions Λ_k and Λ_k^*	122
	b) Basic Integrals	126
	c) Integrals of $x^{2n} \ln x \cdot Z_0(x)$	129
	c) Integrals of $x^{2n+1} \ln x \cdot Z_1(x)$	132

1.2.12.	$x^n e^{\pm x} \ln x \cdot Z_\nu(x)$	135
1.2.13.	$x^n e^{-x^2} J_\nu(\alpha x)$ and $x^n e^{-x^2} I_\nu(\alpha x)$	148
	a) $J_\nu(\alpha x)$; The Case $\alpha = 1$, Basic Integrals	148
	b) Integrals ($\alpha = 1$)	156
	c) General Case $\alpha \neq 1$, Basic Integrals	158
	d) Integrals ($\alpha \neq 1$)	162
	e) Special Cases: $\nu = 0$	166
	f) Special Cases: $\nu = 1$	167
	g) $x^n e^{-(x+\beta)^2} J_\nu(\alpha x)$ or $x^n e^{-x^2} J_\nu(\alpha x + \gamma)$	168
	h) $I_\nu(\alpha x)$; Special Case: $\alpha = 1$	177
	i) General Case	182
1. 3. Special Function and Bessel Function		
1.3.1. Orthogonal Polynomials		
	a) Legendre Polynomials $P_n(x)$	186
	b) Chebyshev Polynomials of the First Kind $T_n(x)$	189
	c) Chebyshev Polynomials of the Second Kind $U_n(x)$	191
	d) Ultraspherical (Gegenbauer) Polynomials $C_n^{(\alpha)}(x)$	194
	e) Jacobi Polynomials $C_n^{(\alpha, \beta)}(x)$	199
	f) Laguerre Polynomials $L_n(x)$	204
	g) Generalized Laguerre Polynomials $L_n^{(\alpha)}(x)$	208
	h) Hermite Polynomials $H_n(x)$	214
1.3.2.	Exponential Integral	218
1.3.3.	Sine and Cosine Integral	221
1.3.4.	Error function: $\int x^n \operatorname{erf}(x) J_\nu(\alpha x)$ and $\int x^n \operatorname{erf}(x) I_\nu(\alpha x)$	224
	a) The Case $\alpha = 1$	224
	b) General Case	225
1.3.5.	Struve Functions	229
	a) Integrals	229
	b) Recurrence Relations	234
	c) Some Special Cases	235
1.3.6.	Complete Elliptic Integral $\mathbf{E}(x)$	239
1.4. Integrals with $f(x) \cdot Z_\nu(\sqrt{x+a})$ and $g(x) Z_\nu(\sqrt{x^2+ax+b})$		
1.4.1.	Integrals with $\int x^n Z_0(\sqrt{x+a}) dx$ and $\int x^n (x+a)^{-1/2} Z_1(\sqrt{x+a}) dx$??
1.4.2.	Special cases of $x^n (x+a)^{\pm 1/2} Z_\nu(\sqrt{x+a})$??
1.4.3.	Special cases of $Z_\nu(\sqrt{x+a})/(x+a)$??
1.4.4.	$\int x^n Z_0(\sqrt{x^2+a}) dx$ and $\int x^n (x+a)^{-1/2} Z_1(\sqrt{x^2+a}) dx$	241
1.4.5.	Special cases with $Z_\nu(\sqrt{x^2+a})$ and $Z_\nu(\sqrt{x^2+ax+b})$	244
1.4.6.	Integrals with $e^{\alpha x} Z_\nu(\sqrt{x+\beta})$	247
1.4.7.	Integrals with $\sin \alpha x Z_\nu(\sqrt{x+\beta})$ or $\sin \alpha x Z_\nu(\sqrt{x^2+\beta})$	257

2. Products of two Bessel Functions

2.1. Bessel Functions with the the same Argument x :

2.1.1.	$x^{2n+1} Z_\nu^2(x)$	270
2.1.2.	$x^{-2n} Z_\nu^2(x)$	275
2.1.3.	$x^{2n} Z_\nu^2(x)$	278
	a) The Functions $\Theta(x)$ and $\Omega(x)$	278
	b) Integrals	284
2.1.4.	$x^{2n} Z_0(x) Z_1(x)$	287
2.1.5.	$x^{2n+1} Z_0(x) Z_1(x)$	290
2.1.6.	$x^{-(2n+1)} Z_0(x) Z_1(x)$	292
2.1.7.	$x^{2n+1} J_\nu(x) I_\nu(x)$ and $x^{2n+1} J_\nu(x) K_\nu(x)$	295
	a) $\nu = 0$	295

	b) $\nu = 1$	296
	c) Recurrence Relations	297
2.1.8.	$x^{2n} J_\nu(x) I_{1-\nu}(x)$ and $x^{2n} J_\nu(x) K_{1-\nu}(x)$	298
	a) $\nu = 0$	298
	b) $\nu = 1$	299
	c) Recurrence Relations	300
2.1.9.	$x^{2n[+1]} J_\mu(x) Y_\nu(x)$	301
	a) $x^{2n+1} J_0(x) Y_0(x)$	301
	b) $x^{-2n} J_0(x) Y_0(x)$	302
	c) $x^{2n} J_0(x) Y_1(x)$	303
	d) $x^{-2n-1} J_0(x) Y_1(x)$	304
	e) $x^{2n} J_1(x) Y_0(x)$	305
	f) $x^{-2n-1} J_0(x) Y_0(x)$	306
	g) $x^{2n+1} J_1(x) Y_1(x)$	307
	h) $x^{-2n} J_1(x) Y_1(x)$	308

2.2. Bessel Functions with different Arguments αx and βx :

2.2.1.	$x^{2n} J_\nu(\alpha x) J_\nu(\beta x)$ and $x^{2n} I_\nu(\alpha x) I_\nu(\beta x)$	310
	a) Basic Integrals	310
	b) Integrals	320
2.2.2.	$x^{2n} Z_0(\alpha x) Z_1(\beta x)$ and $x^{2n} V_0(\alpha x) W_1(\beta x)$	325
2.2.3.	$x^{2n+1} Z_\nu(\alpha x) Z_\nu(\beta x)$ and $x^{2n+1} V_\nu(\alpha x) W_\nu(\beta x)$	332
	a) $\nu = 0$	332
	b) $\nu = 1$	336
2.2.4.	$x^{2n+1} J_\nu(\alpha x) Y_\nu(\beta x)$	341
2.2.5.	$x^{2n+1} J_0(\alpha x) J_1(\beta x)$ and $x^{2n+1} I_0(\alpha x) I_1(\beta x)$	342

2.3. Bessel Functions with different Arguments x and $x + \alpha$

2.3.1.	$x^{-1} Z_\nu(x) Z_1(x + \alpha)$ and $[x(x + \alpha)]^{-1} Z_1(x + \alpha) Z_1(x)$	344
--------	---	-----

2.4. Elementary Function and two Bessel Functions

2.4.1.	$\int x^{2n+1} \ln x Z_\nu^2(x) dx$ and $\int x^{2n} \ln x Z_0(x) Z_1(x) dx$	345
2.4.2.	$\int x^n \ln x Z_\nu(x) Z_\nu^*(x) dx$	353
	a) Integrals with $x^{4n+3} \ln x J_0(x) Z_0(x)$	353
	a) Integrals with $x^{4n+1} \ln x J_1(x) Z_1(x)$	353
	c) Integrals with $x^{2n+1} \ln x I_\nu(x) K_\nu(x)$	354
	d) Integrals with $x^{2n+} \ln x I_\nu(x) K_{1-\nu}(x)$	356
2.4.3.	Some Cases of $\int x^n \ln x Z_\nu(x) Z_\nu^*(\alpha x) dx$	360
2.4.4.	$\int x^{-1} \cdot \exp / \sin / \cos (2x) Z_\nu(x) Z_1(x) dx$	368
2.4.5.	Some Cases of $\int x^n \cdot e^{\alpha x} Z_\nu(x) Z_1(x) dx$	369
2.4.6.	Some Cases of $\int x^n \cdot \left\{ \begin{array}{l} \sin / \cos \\ \sinh / \cosh \end{array} \right\} \alpha x \cdot Z_\mu(x) Z_\nu^*(\beta x) dx$	372
	a) $\int x^n \cdot \left\{ \begin{array}{l} \sin \\ \cos \end{array} \right\} \alpha x \cdot Z_\mu(x) Z_\nu(\beta x) dx$	372
	b) $\int x^n \cdot \left\{ \begin{array}{l} \sinh \\ \cosh \end{array} \right\} \alpha x \cdot Z_\mu(x) Z_\nu(\beta x) dx$	378

3. Products of three Bessel Functions

3.1.	$x^n Z_0^m(x) Z_1^{3-m}(x)$	382
	a) Basic Integral $Z_0^3(x)$	382
	b) Basic Integral $Z_0(x) Z_1^2(x)$	386
	c) Basic Integral $Z_1^3(x)$	389
	d) Basic Integral $x^{-1} Z_0^3(x)$	393

e) $x^n Z_0^3(x)$	397
f) $x^n Z_0^2(x) Z_1(x)$	400
g) $x^n Z_0(x) Z_1^2(x)$	403
h) $x^n Z_1^3(x)$	405
i) Recurrence Relations	409
j) Different Functions and Different Arguments	410
3.2. $x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu(\gamma x)$	413
a) $x^n Z_\kappa(x) Z_\mu(x) Z_\nu(2x)$	413
b) $x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu((\alpha + \beta)x)$	424
c) $x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu(\sqrt{\alpha^2 \pm \beta^2} x)$	450

4. Products of four Bessel Functions

4.1. $x^m Z_0^n(x) Z_1^{4-n}(x)$	453
a) Explicit Integrals	453
b) Basic Integral $Z_0^4(x)$	454
c) Basic Integral $x Z_0^2(x) Z_1^2(x)$	453
d) Basic Integral $Z_1^4(x)$	453
e) Integrals of $x^m Z_0^4(x)$	465
f) Integrals of $x^m Z_0^3(x) Z_1(x)$	468
g) Integrals of $x^m Z_0^2(x) Z_1^2(x)$	472
h) Integrals of $x^m Z_0(x) Z_1^3(x)$	475
i) Integrals of $x^m Z_1^4(x)$	478
j) Recurrence relations	478
4.2. Different Functions and Different Arguments	484
a) $x^m Z_0^p(x) Z_1^{3-p}(x) Z_\nu^* \alpha x$	484
b) $x^m Z_0^p(x) Z_1^{2-p}(x) [Z_0^* \alpha x]^q [Z_1^* \alpha x]^{2-q}$	485

5. Quotients

5.1. Denominator $p(x) Z_0(x) + q(x) Z_1(x)$	492
a) Typ $f(x) Z_\mu(x) / [p(x) Z_0(x) + q(x) Z_1(x)]$	492
5.2. Denominator $[p(x) Z_0(x) + q(x) Z_1(x)]^2$	492
a) Typ $f(x) Z_\mu(x) / [p(x) Z_0(x) + q(x) Z_1(x)]^2$	492
b) Typ $f(x) Z_0^n(x) Z_1^{2-n}(x) / [p(x) Z_0(x) + q(x) Z_1(x)]^2, n = 0, 1, 2$	495
5.3. Denominator $[p(x) Z_0(x) + q(x) Z_1(x)]^3$	496
a) Typ $f(x) Z_\mu(x) / [p(x) Z_0(x) + q(x) Z_1(x)]^3$	496
5.4. Denominator $[p(x) Z_0(x) + q(x) Z_1(x)]^4$	497
a) Typ $f(x) Z_\mu(x) / [p(x) Z_0(x) + q(x) Z_1(x)]^4$	497
5.5. Denominator $p(x) Z_0^2(x) + q(x) Z_1^2(x)$	499
a) Typ $f(x) Z_0^n(x) Z_1^{2-n}(x) / [p(x) Z_0^2(x) + q(x) Z_1^2(x)], n = 0, 1, 2$	499
b) Typ $f(x) Z_0^n(x) Z_1^{2-n}(x) / [p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)], n = 0, 1, 2$	499
5.6. Denominator $\sqrt{a(x) Z_0(x) + b(x) Z_1(x) + p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)}$	499

6. Some Gaussian Quadrature Formulas for special Defined Integrals	502
---	------------

7. Miscellaneous	508
-------------------------	------------

8. Used special functions and defined functions	509
--	------------

1. Integrals with one Bessel Function:

See also [10], 2. .

1.1. $x^n Z_\nu(x)$ with integer values of n

1.1.1. Integrals of the type $\int x^{2n} Z_0(x) dx$

Let

$$\Phi(x) = \frac{\pi x}{2} [J_1(x) \cdot \mathbf{H}_0(x) - J_0(x) \cdot \mathbf{H}_1(x)] ,$$

where $\mathbf{H}_\nu(x)$ denotes the Struve function, see [1], chapter 11.1.7, 11.1.8 and 12.

And let

$$\Psi(x) = \frac{\pi x}{2} [I_0(x) \cdot \mathbf{L}_1(x) - I_1(x) \cdot \mathbf{L}_0(x)]$$

be defined with the modified Struve function $\mathbf{L}_\nu(x)$.

Furthermore, let

$$\Phi_Y(x) = \frac{\pi x}{2} [Y_1(x) \cdot \mathbf{H}_0(x) - Y_0(x) \cdot \mathbf{H}_1(x)] ,$$

$$\Phi_H^{(1)}(x) = \frac{\pi x}{2} [H_1^{(1)}(x) \cdot \mathbf{H}_0(x) - H_0^{(1)}(x) \cdot \mathbf{H}_1(x)] ,$$

$$\Phi_H^{(2)}(x) = \frac{\pi x}{2} [H_1^{(2)}(x) \cdot \mathbf{H}_0(x) - H_0^{(2)}(x) \cdot \mathbf{H}_1(x)]$$

and

$$\Psi_K(x) = \frac{\pi x}{2} [K_0(x) \cdot \mathbf{L}_1(x) + K_1(x) \cdot \mathbf{L}_0(x)]$$

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ and simultaneously $\Phi(x)$ by $\Phi_Y(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$ and $\Phi_H^{(p)}(x)$.

Well-known integrals:

$$\int J_0(x) dx = xJ_0(x) + \Phi(x) = \Lambda_0(x)$$

$$\int I_0(x) dx = xI_0(x) + \Psi(x) = \Lambda_0^*(x)$$

$$\int K_0(x) dx = xK_0(x) + \Psi_K(x)$$

The new-defined function $\Lambda_0(x)$ is discussed in 1.2.11 a) on page 122 and so is $\Lambda_0^*(x)$ on page 124.

See also [1], 11.1 .

$$\int Y_0(x) dx = xY_0(x) + \Phi_Y(x)$$

$$\int H_0^{(p)}(x) dx = xH_0^{(p)}(x) + \Phi_H^{(p)}(x) , \quad p = 1, 2$$

$$\int x^2 J_0(x) dx = x^2 J_1(x) - \Phi(x)$$

$$\int x^2 I_0(x) dx = x^2 I_1(x) + \Psi(x) \quad * E*$$

$$\int x^2 K_0(x) dx = -x^2 K_1(x) + \Psi_K(x)$$

$$\int x^4 J_0(x) dx = (x^4 - 9x^2)J_1(x) + 3x^3 J_0(x) + 9\Phi(x)$$

$$\int x^4 I_0(x) dx = (x^4 + 9x^2)I_1(x) - 3x^3 I_0(x) + 9\Psi(x)$$

$$\int x^4 K_0(x) dx = -(x^4 + 9x^2)K_1(x) - 3x^3 K_0(x) + 9\Psi_K(x)$$

$$\begin{aligned}\int x^6 J_0(x) dx &= (x^6 - 25x^4 + 225x^2)J_1(x) + (5x^5 - 75x^3)J_0(x) - 225\Phi(x) \\ \int x^6 I_0(x) dx &= (x^6 + 25x^4 + 225x^2)I_1(x) - (5x^5 + 75x^3)I_0(x) + 225\Psi(x) \\ \int x^6 K_0(x) dx &= -(x^6 + 25x^4 + 225x^2)K_1(x) - (5x^5 + 75x^3)K_0(x) + 225\Psi_K(x) \quad \text{and so on.}\end{aligned}$$

$$\int x^8 J_0(x) dx = (x^8 - 49x^6 + 1225x^4 - 11025x^2)J_1(x) + (7x^7 - 245x^5 + 3675x^3)J_0(x) + 11025\Phi(x)$$

$$\int x^8 I_0(x) dx = (x^8 + 49x^6 + 1225x^4 + 11025x^2)I_1(x) - (7x^7 + 245x^5 + 3675x^3)I_0(x) + 11025\Psi(x)$$

$$\begin{aligned}\int x^{10} J_0(x) dx &= (x^{10} - 81x^8 + 3969x^6 - 99225x^4 + 893025)J_1(x) + \\ &+ (9x^9 - 567x^7 + 19845x^5 - 297675x^3)J_0(x) - 893025\Phi(x)\end{aligned}$$

$$\begin{aligned}\int x^{10} I_0(x) dx &= (x^{10} + 81x^8 + 3969x^6 + 99225x^4 + 893025)I_1(x) - \\ &- (9x^9 + 567x^7 + 19845x^5 + 297675x^3)I_0(x) + 893025\Psi(x)\end{aligned}$$

$$\begin{aligned}\int x^{12} J_0(x) dx &= (11x^{11} - 1089x^9 + 68607x^7 - 2401245x^5 + 36018675x^3)J_0(x) + \\ &+ (x^{12} - 121x^{10} + 9801x^8 - 480249x^6 + 12006225x^4 - 108056025x^2)J_1(x) + 108056025\Phi(x)\end{aligned}$$

$$\begin{aligned}\int x^{12} I_0(x) dx &= (x^{12} + 121x^{10} + 9801x^8 + 480249x^6 + 12006225x^4 + 108056025x^2)I_1(x) - \\ &- (11x^{11} + 1089x^9 + 68607x^7 + 2401245x^5 + 36018675x^3)I_0(x) + 108056025\Psi(x)\end{aligned}$$

Let

$$n!! = \begin{cases} 2 \cdot 4 \cdot \dots \cdot (n-2) \cdot n & , \quad n = 2m \\ 1 \cdot 3 \cdot 5 \cdot \dots \cdot (n-2) \cdot n & , \quad n = 2m+1 \end{cases}$$

and $n!! = 1$ in the case $n \leq 0$.

General formulas:

$$\begin{aligned}\int x^{2n} J_0(x) dx &= \left(\sum_{k=0}^{n-2} (-1)^k \frac{[(2n-1)!!]^2 x^{2n-2k-1}}{[(2n-1-2k)!!] \cdot [(2n-3-2k)!!]} \right) J_0(x) + \\ &+ \left(\sum_{k=0}^{n-1} (-1)^k \left[\frac{(2n-1)!!}{(2n-1-2k)!!} \right]^2 x^{2n-2k} \right) J_1(x) + (-1)^n [(2n-1)!!]^2 \Phi(x) = \\ &= \left(\sum_{k=0}^{n-2} (-1)^k \frac{[(2n)!]^2 \cdot (n-k)! \cdot (n-k-1)! \cdot x^{2n-2k-1}}{2^{2k+1} \cdot (n!)^2 \cdot (2n-2k)! \cdot (2n-2-2k)!} \right) J_0(x) + \\ &+ \left(\sum_{k=0}^{n-1} (-1)^k \left[\frac{(2n)! \cdot (n-k)!}{2^k \cdot (n!) \cdot (2n-2k)!} \right]^2 x^{2n-2k} \right) J_1(x) + (-1)^n \left[\frac{(2n)!}{2^n \cdot n!} \right]^2 \Phi(x)\end{aligned}$$

and

$$\begin{aligned}\int x^{2n} I_0(x) dx &= \left(\sum_{k=0}^{n-1} \left[\frac{(2n-1)!!}{(2n-1-2k)!!} \right]^2 x^{2n-2k} \right) I_1(x) - \\ &- \left(\sum_{k=0}^{n-2} \frac{[(2n-1)!!]^2 x^{2n-2k-1}}{[(2n-1-2k)!!] \cdot [(2n-3-2k)!!]} \right) I_0(x) + [(2n-1)!!]^2 \Psi(x) =\end{aligned}$$

$$= \left(\sum_{k=0}^{n-1} \left[\frac{(2n)! \cdot (n-k)!}{2^k \cdot (n!) \cdot (2n-2k)!} \right]^2 x^{2n-2k} \right) I_1(x) -$$

$$- \left(\sum_{k=0}^{n-2} \frac{[(2n)!]^2 \cdot (n-k)! \cdot (n-k-1)! \cdot x^{2n-2k-1}}{2^{2k+1} \cdot (n!)^2 \cdot (2n-2k)! \cdot (2n-2-2k)!} \right) I_0(x) + \left[\frac{(2n)!}{2^n \cdot n!} \right]^2 \Psi(x)$$

Recurrence formulas:

$$\int x^{2n+2} J_0(x) dx = (2n+1)x^{2n+1} J_0(x) + x^{2n+2} J_1(x) - (2n+1)^2 \int x^{2n} J_0(x) dx$$

$$\int x^{2n+2} I_0(x) dx = -(2n+1)x^{2n+1} I_0(x) + x^{2n+2} I_1(x) + (2n+1)^2 \int x^{2n} I_0(x) dx$$

$$\int x^{2n+2} K_0(x) dx = -(2n+1)x^{2n+1} K_0(x) - x^{2n+2} K_1(x) + (2n+1)^2 \int x^{2n} K_0(x) dx$$

In the case $n < 0$ the previous formulas give

$$\int \frac{J_0(x)}{x^2} dx = J_1(x) - \frac{x^2+1}{x} J_0(x) - \Phi(x)$$

$$\int \frac{I_0(x)}{x^2} dx = \frac{x^2-1}{x} I_0(x) - I_1(x) + \Psi(x)$$

$$\int \frac{K_0(x)}{x^2} dx = \frac{x^2-1}{x} K_0(x) + K_1(x) + \Psi_K(x)$$

$$\int \frac{J_0(x)}{x^4} dx = \frac{1}{9} \left[\frac{x^4+x^2-3}{x^3} J_0(x) - \frac{x^2-1}{x^2} J_1(x) + \Phi(x) \right] \quad * E*$$

$$\int \frac{I_0(x)}{x^4} dx = \frac{1}{9} \left[\frac{x^4-x^2-3}{x^3} I_0(x) - \frac{x^2+1}{x^2} I_1(x) + \Psi(x) \right] \quad * E*$$

$$\int \frac{K_0(x)}{x^4} dx = \frac{1}{9} \left[\frac{x^4-x^2-3}{x^3} K_0(x) + \frac{x^2+1}{x^2} K_1(x) + \Psi_K(x) \right]$$

$$\int \frac{J_0(x)}{x^6} dx = \frac{1}{225} \left[\frac{x^4-x^2+9}{x^4} J_1(x) - \frac{x^6+x^4-3x^2+45}{x^5} J_0(x) - \Phi(x) \right]$$

$$\int \frac{I_0(x)}{x^6} dx = \frac{1}{225} \left[\frac{x^6-x^4-3x^2-45}{x^5} I_0(x) - \frac{x^4+x^2+9}{x^4} I_1(x) + \Psi(x) \right]$$

$$\int \frac{K_0(x)}{x^6} dx = \frac{1}{225} \left[\frac{x^6-x^4-3x^2-45}{x^5} K_0(x) + \frac{x^4+x^2+9}{x^4} K_1(x) + \Psi_K(x) \right] \quad \text{and so on.}$$

$$\int \frac{J_0(x)}{x^8} dx = \frac{1}{11025} \left[\frac{x^8+x^6-3x^4+45x^2-1575}{x^7} J_0(x) - \frac{x^6-x^4+9x^2-225}{x^6} J_1(x) + \Phi(x) \right]$$

$$\int \frac{I_0(x)}{x^8} dx = \frac{1}{11025} \left[\frac{x^8-x^6-3x^4-45x^2-1575}{x^7} I_0(x) - \frac{x^6+x^4+9x^2+225}{x^6} I_1(x) + \Psi(x) \right]$$

$$\int \frac{J_0(x)}{x^{10}} dx = \frac{1}{893025} \left[\frac{x^8-x^6+9x^4-225x^2+11025}{x^8} J_1(x) - \right.$$

$$\left. - \frac{x^{10}+x^8-3x^6+45x^4-1575x^2+99225}{x^9} J_0(x) - \Phi(x) \right]$$

$$\int \frac{I_0(x)}{x^{10}} dx = \frac{1}{893025} \left[\frac{x^{10}-x^8-3x^6-45x^4-1575x^2-99225}{x^9} I_0(x) - \right.$$

$$\begin{aligned}
& - \frac{x^8 + x^6 + 9x^4 + 225x^2 + 11025}{x^8} I_1(x) + \Psi(x) \Big] \\
\int \frac{J_0(x)}{x^{12}} dx &= \frac{1}{108056025} \left[\frac{x^{12} + x^{10} - 3x^8 + 45x^6 - 1575x^4 + 99225x^2 - 9823275}{x^{11}} J_0(x) - \right. \\
& \quad \left. - \frac{x^{10} - x^8 + 9x^6 - 225x^4 + 11025x^2 - 893025}{x^{10}} J_1(x) + \Phi(x) \right] \\
\int \frac{I_0(x)}{x^{12}} dx &= \frac{1}{108056025} \left[\frac{x^{12} - x^{10} - 3x^8 - 45x^6 - 1575x^4 - 99225x^2 - 9823275}{x^{11}} I_0(x) - \right. \\
& \quad \left. - \frac{x^{10} + x^8 + 9x^6 + 225x^4 + 11025x^2 + 893025}{x^{10}} I_1(x) + \Psi(x) \right]
\end{aligned}$$

General formula: With $n!!$ as defined on page 8 holds

$$\begin{aligned}
\int \frac{J_0(x) dx}{x^{2n}} &= \frac{(-1)^n}{[(2n-1)!!]^2} \left[\left(x + \sum_{k=0}^{n-1} (-1)^k \cdot (2k+1)!! \cdot (2k-1)!! \cdot x^{-2k-1} \right) J_0(x) - \right. \\
& \quad \left. - \left(1 - \sum_{k=0}^{n-2} (-1)^k \cdot [(2k+1)!!]^2 x^{-2k-2} \right) J_1(x) + \Phi(x) \right] = \\
&= \frac{(-1)^n \cdot 2^{2n} \cdot (n!)^2}{(2n)!} \left\{ \left(x + \sum_{k=0}^{n-1} (-1)^k \frac{(2k+2)! \cdot (2k)!}{2^{2k+1} \cdot (k+1)! \cdot k! \cdot x^{2k+1}} \right) J_0(x) - \right. \\
& \quad \left. - \left(1 - \sum_{k=0}^{n-2} \frac{(-1)^k}{x^{2k+2}} \left[\frac{(2k+2)!}{2^{k+1} \cdot (k+1)!} \right]^2 \right) J_1(x) + \Phi(x) \right\}
\end{aligned}$$

With obviously modifications one gets the the formulas for the integrals $\int x^{-2n} I_0(x) dx$ and $\int x^{-2n} K_0(x) dx$.

1.1.2. Integrals of the type $\int x^{2n+1} Z_0(x) dx$

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$.

$$\begin{aligned} \int x J_0(x) dx &= x J_1(x) \\ \int x I_0(x) dx &= x I_1(x) \\ \int x K_0(x) dx &= -x K_1(x) \\ \int x^3 J_0(x) dx &= x [2x J_0(x) + (x^2 - 4) J_1(x)] \\ \int x^3 I_0(x) dx &= x [(x^2 + 4) I_1(x) - 2x I_0(x)] \\ \int x^3 K_0(x) dx &= -x [(x^2 + 4) K_1(x) + 2x K_0(x)] \\ \int x^5 J_0(x) dx &= x [(4x^3 - 32x) J_0(x) + (x^4 - 16x^2 + 64) J_1(x)] \\ \int x^5 I_0(x) dx &= x [(x^4 + 16x^2 + 64) I_1(x) - (4x^3 + 32x) I_0(x)] \\ \int x^5 K_0(x) dx &= -x [(x^4 + 16x^2 + 64) K_1(x) + (4x^3 + 32x) K_0(x)] \\ \int x^7 J_0(x) dx &= x [(6x^5 - 144x^3 + 1152x) J_0(x) + (x^6 - 36x^4 + 576x^2 - 2304) J_1(x)] \\ \int x^7 I_0(x) dx &= x [(x^6 + 36x^4 + 576x^2 + 2304) I_1(x) - (6x^5 + 144x^3 + 1152x) I_0(x)] \\ \int x^7 K_0(x) dx &= -x [(x^6 + 36x^4 + 576x^2 + 2304) K_1(x) + (6x^5 + 144x^3 + 1152x) K_0(x)] \\ \int x^9 J_0(x) dx &= \\ &= x [(8x^7 - 384x^5 + 9216x^3 - 73728x) J_0(x) + (x^8 - 64x^6 + 2304x^4 - 36864x^2 + 147456) J_1(x)] \\ \int x^9 I_0(x) dx &= \\ &= x [(x^8 + 64x^6 + 2304x^4 + 36864x^2 + 147456) I_1(x) - (8x^7 + 384x^5 + 9216x^3 + 73728x) I_0(x)] \\ \int x^9 K_0(x) dx &= \\ &= -x [(x^8 + 64x^6 + 2304x^4 + 36864x^2 + 147456) K_1(x) + (8x^7 + 384x^5 + 9216x^3 + 73728x) K_0(x)] \end{aligned}$$

Let

$$\begin{aligned} \int x^m J_0(x) dx &= x[P_m(x)J_0(x) + Q_m(x)J_1(x)] \quad \text{and} \quad \int x^m I_0(x) dx = x[Q_m^*(x)I_1(x) - P_m^*(x)I_0(x)], \\ \int x^m K_0(x) dx &= -x[Q_m^*(x)K_1(x) + P_m^*(x)K_0(x)], \end{aligned}$$

then holds

$$\begin{aligned} P_{11}(x) &= 10x^9 - 800x^7 + 38400x^5 - 921600x^3 + 7372800x \\ Q_{11}(x) &= x^{10} - 100x^8 + 6400x^6 - 230400x^4 + 3686400x^2 - 14745600 \\ P_{11}^*(x) &= 10x^9 + 800x^7 + 38400x^5 + 921600x^3 + 7372800x \\ Q_{11}^*(x) &= x^{10} + 100x^8 + 6400x^6 + 230400x^4 + 3686400x^2 + 14745600 \end{aligned}$$

E

$$\begin{aligned}
P_{13}(x) &= 12x^{11} - 1440x^9 + 115200x^7 - 5529600x^5 + 132710400x^3 - 1061683200x \\
Q_{13}(x) &= x^{12} - 144x^{10} + 14400x^8 - 921600x^6 + 33177600x^4 - 530841600x^2 + 2123366400 \\
P_{13}^*(x) &= 12x^{11} + 1440x^9 + 115200x^7 + 5529600x^5 + 132710400x^3 + 1061683200x & *E^* \\
Q_{13}^*(x) &= x^{12} + 144x^{10} + 14400x^8 + 921600x^6 + 33177600x^4 + 530841600x^2 + 2123366400 \\
P_{15}(x) &= 14x^{13} - 2352x^{11} + 282240x^9 - 22579200x^7 + 1083801600x^5 - 26011238400x^3 + 208089907200x \\
Q_{15}(x) &= \\
& x^{14} - 196x^{12} + 28224x^{10} - 2822400x^8 + 180633600x^6 - 6502809600x^4 + 104044953600x^2 - 416179814400 \\
P_{15}^*(x) &= \\
& = 14x^{13} - 2352x^{11} + 282240x^9 + 22579200x^7 + 1083801600x^5 + 26011238400x^3 + 208089907200x & *E^* \\
Q_{15}^*(x) &= \\
& x^{14} + 196x^{12} + 28224x^{10} + 2822400x^8 + 180633600x^6 + 6502809600x^4 + 104044953600x^2 + 416179814400
\end{aligned}$$

Recurrence formulas:

$$\begin{aligned}
\int x^{2n+1} J_0(x) dx &= 2nx^{2n} J_0(x) + x^{2n+1} J_1(x) - 4n^2 \int x^{2n-1} J_0(x) dx \\
\int x^{2n+1} I_0(x) dx &= -2nx^{2n} I_0(x) + x^{2n+1} I_1(x) + 4n^2 \int x^{2n-1} I_0(x) dx \\
\int x^{2n+1} K_0(x) dx &= -2nx^{2n} K_0(x) - x^{2n+1} K_1(x) + 4n^2 \int x^{2n-1} K_0(x) dx
\end{aligned}$$

General formula: With $n!!$ as defined on page 8 holds

$$\begin{aligned}
\int x^{2n+1} J_0(x) dx &= \left(\sum_{k=0}^{n-1} (-1)^k \frac{[(2n)!!]^2 x^{2n-2k}}{[(2n-2k)!!] \cdot [(2n-2k-2)!!]} \right) J_0(x) + \\
& + \left(\sum_{k=0}^n (-1)^k \left[\frac{(2n)!!}{(2n-2k)!!} \right]^2 x^{2n+1-2k} \right) J_1(x) = \\
& = \left(\sum_{k=0}^{n-1} (-1)^k \frac{2^{2k+1} \cdot (n!)^2 x^{2n-2k}}{(n-k)! \cdot (n-k-1)!} \right) J_0(x) + \left(\sum_{k=0}^n (-1)^k \left[\frac{2^k \cdot n!}{(n-k)!} \right]^2 x^{2n+1-2k} \right) J_1(x) .
\end{aligned}$$

With obviously modifications one gets the the formulas for the integrals $\int x^{2n+1} I_0(x) dx$ and $\int x^{2n+1} K_0(x) dx$.

1.1.3. Integrals of the type $\int x^{-2n-1} \cdot Z_0(x) dx$

The basic integral

$$\int \frac{J_0(x) dx}{x} \text{ can be expressed by } \int_0^x \frac{1 - J_0(t)}{t} dt \text{ or } - \int_x^\infty \frac{J_0(t) dt}{t} = Ji_0(x),$$

see [1], equation 11.1.19 and the following formulas. There are given asymptotic expansions and polynomial approximations as well. Tables of these functions may be found by [1], [11.13] or [11.22]. The function $Ji_0(x)$ is introduced and discussed in [9].

For fast computations of this integrals one should use approximations with Chebyshev polynomials, see [2], tables 9.3 .

I got the information from F. Nougier, that there is an error in a formula in [9], p. 278.

The true formula is

$$Ji_0(x) - \ln x = \frac{\sin \pi x}{\pi x} (\gamma - \ln 2) + \frac{2x \sin \pi x}{\pi} \sum_{s=1}^{\infty} \frac{(-1)^{s-1}}{s^2 - x^2} [Ji_0(s) - \ln s].$$

The power series in

$$\int \frac{I_0(x) dx}{x} = \ln x + \sum_{k=1}^{\infty} \frac{1}{2k \cdot (k!)^2} \left(\frac{x}{2}\right)^{2k} \quad * E *$$

can be used without numerical problems.

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$.

$$\begin{aligned} \int \frac{J_0(x) dx}{x^3} &= -\frac{J_0(x)}{2x^2} + \frac{J_1(x)}{4x} - \frac{1}{4} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_0(x) dx}{x^3} &= -\frac{I_0(x)}{2x^2} - \frac{I_1(x)}{4x} + \frac{1}{4} \int \frac{I_0(x) dx}{x} \\ \int \frac{J_0(x) dx}{x^5} &= \left(\frac{1}{32x^2} - \frac{1}{4x^4}\right) J_0(x) + \left(-\frac{1}{64x} + \frac{1}{16x^3}\right) J_1(x) + \frac{1}{64} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_0(x) dx}{x^5} &= -\left(\frac{1}{32x^2} + \frac{1}{4x^4}\right) I_0(x) - \left(\frac{1}{64x} + \frac{1}{16x^3}\right) I_1(x) + \frac{1}{64} \int \frac{I_0(x) dx}{x} \\ \int \frac{J_0(x) dx}{x^7} &= \frac{-x^4 + 8x^2 - 192}{1152x^6} J_0(x) + \frac{x^4 - 4x^2 + 64}{2304x^5} J_1(x) - \frac{1}{2304} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_0(x) dx}{x^7} &= -\frac{x^4 + 8x^2 + 192}{1152x^6} I_0(x) - \frac{x^4 + 4x^2 + 64}{2304x^5} I_1(x) + \frac{1}{2304} \int \frac{I_0(x) dx}{x} \\ & \int \frac{J_0(x) dx}{x^9} = \\ &= \frac{x^6 - 8x^4 + 192x^2 - 9216}{73728x^8} J_0(x) + \frac{-x^6 + 4x^4 - 64x^2 + 2304}{147456x^7} J_1(x) + \frac{1}{147456} \int \frac{J_0(x) dx}{x} \\ & \int \frac{I_0(x) dx}{x^9} = \\ &= -\frac{x^6 + 8x^4 + 192x^2 + 9216}{73728x^8} I_0(x) - \frac{x^6 + 4x^4 + 64x^2 + 2304}{147456x^7} I_1(x) + \frac{1}{147456} \int \frac{I_0(x) dx}{x} \\ & \int \frac{J_0(x) dx}{x^{11}} = \frac{-x^8 + 8x^6 - 192x^4 + 9216x^2 - 737280}{7372800x^{10}} J_0(x) + \\ & + \frac{x^8 - 4x^6 + 64x^4 - 2304x^2 + 147456}{14745600x^9} J_1(x) - \frac{1}{14745600} \int \frac{J_0(x) dx}{x} \\ *E* & \int \frac{I_0(x) dx}{x^{11}} = -\frac{x^8 + 8x^6 + 192x^4 + 9216x^2 + 737280}{7372800x^{10}} I_0(x) - \\ & - \frac{x^8 + 4x^6 + 64x^4 + 2304x^2 + 147456}{14745600x^9} I_1(x) + \frac{1}{14745600} \int \frac{I_0(x) dx}{x} \end{aligned}$$

Descending recurrence formulas:

$$\int x^{-2n-1} J_0(x) dx = \frac{1}{4n^2} \left[x^{-2n+1} J_1(x) - 2nx^{-2n} J_0(x) - \int x^{-2n+1} J_0(x) dx \right]$$

$$\int x^{-2n-1} I_0(x) dx = \frac{1}{4n^2} \left[-x^{-2n+1} I_1(x) - 2nx^{-2n} I_0(x) + \int x^{-2n+1} I_0(x) dx \right]$$

General formula: With $n!!$ as defined on page 8 holds

$$\int \frac{J_0(x) dx}{x^{2n+1}} =$$

$$= \frac{(-1)^n}{[(2n)!!]^2} \left\{ \left(\sum_{k=0}^{n-1} (-1)^k \frac{(2k+2)!! \cdot (2k)!!}{x^{2k+2}} \right) J_0(x) - \left(\sum_{k=0}^{n-1} (-1)^k \frac{[(2k)!!]^2}{x^{2k+1}} \right) J_1(x) + \int \frac{J_0(x) dx}{x} \right\} = *E*$$

$$= \frac{(-1)^n}{2^{2n} \cdot (n!)^2} \left\{ \left(\sum_{k=0}^{n-1} (-1)^k \frac{2^{2k+1} \cdot (k+1)! \cdot k!}{x^{2k+2}} \right) J_0(x) - \left(\sum_{k=0}^{n-1} (-1)^k \frac{2^{2k} \cdot (k!)^2}{x^{2k+1}} \right) J_1(x) + \int \frac{J_0(x) dx}{x} \right\} *E*$$

With obviously modifications one gets the the formula for the integral $\int x^{-2n-1} I_0(x) dx$.

1.1.4. Integrals of the type $\int x^{2n} Z_1(x) dx$

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}$, $p = 1, 2$.

$$\begin{aligned} \int J_1(x) dx &= -J_0(x) \\ \int I_1(x) dx &= I_0(x) \\ \int K_1(x) dx &= -K_0(x) \\ \int x^2 J_1(x) dx &= x [2J_1(x) - x J_0(x)] \\ \int x^2 I_1(x) dx &= x [x I_0(x) - 2I_1(x)] \\ \int x^2 K_1(x) dx &= -x [x K_0(x) + 2K_1(x)] \\ \int x^4 J_1(x) dx &= x [(4x^2 - 16) J_1(x) - (x^3 - 8x) J_0(x)] \\ \int x^4 I_1(x) dx &= x [(x^3 + 8x) I_0(x) - (4x^2 + 16) I_1(x)] \\ \int x^4 K_1(x) dx &= -x [(x^3 + 8x) K_0(x) + (4x^2 + 16) K_1(x)] \\ \int x^6 J_1(x) dx &= x [(6x^4 - 96x^2 + 384) J_1(x) - (x^5 - 24x^3 + 192x) J_0(x)] \\ \int x^6 I_1(x) dx &= x [(x^5 + 24x^3 + 192x) I_0(x) - (6x^4 + 96x^2 + 384) I_1(x)] \\ \int x^6 K_1(x) dx &= -x [(x^5 + 24x^3 + 192x) K_0(x) + (6x^4 + 96x^2 + 384) K_1(x)] \\ \int x^8 J_1(x) dx &= \\ &= x [(8x^6 - 288x^4 + 4608x^2 - 18432) J_1(x) - (x^7 - 48x^5 + 1152x^3 - 9216x) J_0(x)] \\ \int x^8 I_1(x) dx &= \\ &= x [(x^7 + 48x^5 + 1152x^3 + 9216x) I_0(x) - (8x^6 + 288x^4 + 4608x^2 + 18432) I_1(x)] \\ \int x^8 K_1(x) dx &= \\ &= -x [(x^7 + 48x^5 + 1152x^3 + 9216x) K_0(x) + (8x^6 + 288x^4 + 4608x^2 + 18432) K_1(x)] \\ \int x^{10} J_1(x) dx &= x [(10x^8 - 640x^6 + 23040x^4 - 368640x^2 + 1474560) J_1(x) - \\ &\quad - (x^9 - 80x^7 + 3840x^5 - 92160x^3 + 737280x) J_0(x)] \\ \int x^{10} I_1(x) dx &= x [(x^9 + 80x^7 + 3840x^5 + 92160x^3 + 737280x) I_0(x) - \\ &\quad - (10x^8 + 640x^6 + 23040x^4 + 368640x^2 + 1474560) I_1(x)] \\ \int x^{10} K_1(x) dx &= -x [(x^9 + 80x^7 + 3840x^5 + 92160x^3 + 737280x) K_0(x) + \end{aligned}$$

$$+(10x^8 + 640x^6 + 23\,040x^4 + 368\,640x^2 + 1\,474\,560) K_1(x)]$$

Let

$$\int x^m J_1(x) dx = x[Q_m(x)J_1(x) - P_m(x)J_0(x)] \quad \text{and} \quad \int x^m I_1(x) dx = x[P_m^*(x)I_0(x) - Q_m^*(x)I_1(x)],$$

$$\int x^m K_1(x) dx = -x[P_m^*(x)I_0(x) + Q_m^*(x)I_1(x)],$$

then holds

$$P_{12}(x) = x^{11} - 120x^9 + 9600x^7 - 460800x^5 + 11059200x^3 - 88473600x$$

$$Q_{12}(x) = 12x^{10} - 1200x^8 + 76800x^6 - 2764800x^4 + 44236800x^2 - 176947200$$

$$P_{12}^*(x) = x^{11} + 120x^9 + 9600x^7 + 460800x^5 + 11059200x^3 + 88473600x$$

$$Q_{12}^*(x) = 12x^{10} + 1200x^8 + 76800x^6 + 2764800x^4 + 44236800x^2 + 176947200 \quad *E*$$

$$P_{14}(x) = x^{13} - 168x^{11} + 20160x^9 - 1612800x^7 + 77414400x^5 - 1857945600x^3 + 14863564800x$$

$$Q_{14}(x) = 14x^{12} - 2016x^{10} + 201600x^8 - 12902400x^6 + 464486400x^4 - 7431782400x^2 + 29727129600$$

$$P_{14}^*(x) = x^{13} + 168x^{11} + 20160x^9 + 1612800x^7 + 77414400x^5 + 1857945600x^3 + 14863564800x$$

$$Q_{14}^*(x) = 14x^{12} + 2016x^{10} + 201600x^8 + 12902400x^6 + 464486400x^4 + 7431782400x^2 + 29727129600$$

Recurrence formulas:

$$\int x^{2n+2} J_1(x) dx = -x^{2n+2} J_0(x) + (2n+2)x^{2n+1} J_1(x) - 4n(n+1) \int x^{2n} J_1(x) dx$$

$$\int x^{2n+2} I_1(x) dx = x^{2n+2} I_0(x) - (2n+2)x^{2n+1} I_1(x) + 4n(n+1) \int x^{2n} I_1(x) dx$$

$$\int x^{2n+2} K_1(x) dx = -x^{2n+2} K_0(x) - (2n+2)x^{2n+1} K_1(x) + 4n(n+1) \int x^{2n} K_1(x) dx$$

General formula: With $n!!$ as defined on page 8 holds

$$\begin{aligned} \int x^{2n} J_1(x) dx &= \left(\sum_{k=0}^{n-1} (-1)^k \frac{[(2n)!!] \cdot [(2n-2)!!] \cdot x^{2n-1-2k}}{[(2n-2-2k)!!]^2} \right) J_1(x) - \\ &- \left(\sum_{k=0}^{n-1} (-1)^k \frac{(2n)!! \cdot (2n-2)!! \cdot x^{2n-2k}}{[(2n-2k)!!] \cdot [(2n-2-2k)!!]} \right) J_0(x) = \\ &= \left(\sum_{k=0}^{n-1} (-1)^k \frac{2^{2k+1} \cdot (n!) \cdot (n-1)! \cdot x^{2n-1-2k}}{[(n-1-k)!]^2} \right) J_1(x) - \\ &- \left(\sum_{k=0}^{n-1} (-1)^k \frac{2^{2k} \cdot n! \cdot (n-1)!! \cdot x^{2n-2k}}{(n-k)! \cdot (n-1-k)!} \right) J_0(x) \end{aligned}$$

With obviously modifications one gets the the formulas for the integrals $\int x^{2n} I_1(x) dx$ and $\int x^{2n} K_1(x) dx$.

1.1.5. Integrals of the type $\int x^{-2n} \cdot Z_1(x) dx$

About the integrals

$$\int \frac{J_0(x) dx}{x} \quad \text{and} \quad \int \frac{I_0(x) dx}{x}$$

see 1.1.3, page 13.

In the following formulas $J_0(x)$ may be substituted by $Y_0(x)$ and simultaneously $J_1(x)$ by $Y_1(x)$.

$$\begin{aligned} \int \frac{J_1(x) dx}{x^2} &= -\frac{1}{2x} J_1(x) + \frac{1}{2} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_1(x) dx}{x^2} &= -\frac{1}{2x} I_1(x) + \frac{1}{2} \int \frac{I_0(x) dx}{x} \\ \int \frac{J_1(x) dx}{x^4} &= -\frac{1}{8x^2} J_0(x) + \frac{x^2 - 4}{16x^3} J_1(x) - \frac{1}{16} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_1(x) dx}{x^4} &= -\frac{1}{8x^2} I_0(x) - \frac{x^2 + 4}{16x^3} I_1(x) + \frac{1}{16} \int \frac{I_0(x) dx}{x} \\ \int \frac{J_1(x) dx}{x^6} &= \\ &= \frac{x^2 - 8}{192x^4} J_0(x) + \frac{-x^4 + 4x^2 - 64}{384x^5} J_1(x) + \frac{1}{384} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_1(x) dx}{x^6} &= -\frac{x^2 + 8}{192x^4} I_0(x) - \frac{x^4 + 4x^2 + 64}{384x^5} I_1(x) + \frac{1}{384} \int \frac{I_0(x) dx}{x} \\ \int \frac{J_1(x) dx}{x^8} &= \\ &= \frac{-x^4 + 8x^2 - 192}{9216x^6} J_0(x) + \frac{x^6 - 4x^4 + 64x^2 - 2304}{18432x^7} J_1(x) - \frac{1}{18432} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_1(x) dx}{x^8} &= -\frac{x^4 + 8x^2 + 192}{9216x^6} I_0(x) - \frac{x^6 + 4x^4 + 64x^2 + 2304}{18432x^7} I_1(x) + \frac{1}{18432} \int \frac{I_0(x) dx}{x} \\ \int \frac{J_1(x) dx}{x^{10}} &= \\ &= \frac{x^6 - 8x^4 + 192x^2 - 9216}{737280x^8} J_0(x) + \frac{-x^8 + 4x^6 - 64x^4 + 2304x^2 - 147456}{1474560x^9} J_1(x) + \\ &\quad + \frac{1}{1474560} \int \frac{J_0(x) dx}{x} \\ \int \frac{I_1(x) dx}{x^{10}} &= \\ &= -\frac{x^6 + 8x^4 + 192x^2 + 9216}{737280x^8} I_0(x) - \frac{x^8 + 4x^6 + 64x^4 + 2304x^2 + 147456}{1474560x^9} I_1(x) + \\ &\quad + \frac{1}{1474560} \int \frac{I_0(x) dx}{x} \end{aligned}$$

Recurrence formulas:

$$*E* \quad \int \frac{J_1(x) dx}{x^{2n+2}} = -\frac{J_0(x)}{4n(n+1)x^{2n}} - \frac{J_1(x)}{(2n+2)x^{2n+1}} - \frac{1}{4n(n+1)} \int \frac{J_1(x) dx}{x^{2n}}$$

$$*E* \quad \int \frac{I_1(x) dx}{x^{2n+2}} = -\frac{I_0(x)}{4n(n+1)x^{2n}} - \frac{I_1(x)}{(2n+2)x^{2n+1}} + \frac{1}{4n(n+1)} \int \frac{I_1(x) dx}{x^{2n}}$$

General formula: With $n!!$ as defined on page 8 holds

$$\begin{aligned}
& \int \frac{J_1(x) dx}{x^{2n}} = \frac{(-1)^{n+1}}{(2n)!! \cdot (2n-2)!!} \cdot \\
& \cdot \left\{ \left(\sum_{k=0}^{n-2} (-1)^k \frac{(2k+2)!! \cdot (2k)!!}{x^{2k+2}} \right) J_0(x) - \left(\sum_{k=0}^{n-1} (-1)^k \frac{[(2k)!!]^2}{x^{2k+1}} \right) J_1(x) + \int \frac{J_0(x) dx}{x} \right\} = \\
& = \frac{(-1)^{n+1}}{2^{2n-1} \cdot n! \cdot (n-1)!} \cdot \\
& \cdot \left[\left(\sum_{k=0}^{n-2} (-1)^k \frac{2^{2k+1} \cdot (k+1)! \cdot k!}{x^{2k+2}} \right) J_0(x) - \left(\sum_{k=0}^{n-1} (-1)^k \frac{2^{2k} \cdot (k!)^2}{x^{2k+1}} \right) J_1(x) + \int \frac{J_0(x) dx}{x} \right]
\end{aligned}$$

With obviously modifications one gets the the formula for the integral $\int x^{-2n} I_1(x) dx$.

1.1.6. Integrals of the type $\int x^{2n+1} Z_1(x) dx$

$\Phi(x)$, $\Phi_Y(x)$, $\Psi(x)$ and $\Psi_K(x)$ are the same as in 1.1.1, page 7 .

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ and simultaneously $\Phi(x)$ by $\Phi_Y(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$ and $\Phi_H^{(p)}(x)$.

$$\int x J_1(x) dx = \Phi(x)$$

$$\int x I_1(x) dx = -\Psi(x)$$

$$\int x K_1(x) dx = \Psi_K(x)$$

$$\int x^3 J_1(x) dx = 3x^2 J_1(x) - x^3 J_0(x) - 3\Phi(x)$$

$$\int x^3 I_1(x) dx = -3x^2 I_1(x) + x^3 I_0(x) - 3\Psi(x)$$

$$\int x^3 K_1(x) dx = -3x^2 K_1(x) - x^3 K_0(x) + 3\Psi_K(x)$$

$$\int x^5 J_1(x) dx = (5x^4 - 45x^2) J_1(x) - (x^5 - 15x^3) J_0(x) + 45\Phi(x)$$

$$\int x^5 I_1(x) dx = -(5x^4 + 45x^2) I_1(x) + (x^5 + 15x^3) I_0(x) - 45\Psi(x)$$

$$\int x^5 K_1(x) dx = -(5x^4 + 45x^2) K_1(x) - (x^5 + 15x^3) K_0(x) + 45\Psi_K(x)$$

$$\int x^7 J_1(x) dx = (7x^6 - 175x^4 + 1575x^2) J_1(x) - (x^7 - 35x^5 + 525x^3) J_0(x) - 1575\Phi(x) \quad *E*$$

$$\int x^7 I_1(x) dx = -(7x^6 + 175x^4 + 1575x^2) I_1(x) + (x^7 + 35x^5 + 525x^3) I_0(x) - 1575\Psi(x)$$

$$\int x^7 K_1(x) dx = -(7x^6 + 175x^4 + 1575x^2) K_1(x) - (x^7 + 35x^5 + 525x^3) K_0(x) + 1575\Psi_K(x)$$

$$\int x^9 J_1(x) dx =$$

$$= (9x^8 - 441x^6 + 11025x^4 - 99225x^2) J_1(x) - (x^9 - 63x^7 + 2205x^5 - 33075x^3) J_0(x) + 99225\Phi(x)$$

$$\int x^9 I_1(x) dx =$$

$$= -(9x^8 + 441x^6 + 11025x^4 + 99225x^2) I_1(x) + (x^9 + 63x^7 + 2205x^5 + 33075x^3) I_0(x) - 99225\Psi(x)$$

$$\int x^9 K_1(x) dx =$$

$$= -(9x^8 + 441x^6 + 11025x^4 + 99225x^2) K_1(x) - (x^9 + 63x^7 + 2205x^5 + 33075x^3) K_0(x) + 99225\Psi(x)$$

General formula: With $n!!$ as defined on page 8 holds

$$\begin{aligned} \int x^{2n+1} J_1(x) dx &= \left(\sum_{k=0}^{n-1} (-1)^k \frac{(2n+1)!! \cdot (2n-1)!! \cdot x^{2n-2k}}{[(2n-1-2k)!!]^2} \right) J_1(x) - \\ &- \left(\sum_{k=0}^{n-1} (-1)^k \frac{(2n+1)!! \cdot (2n-1)!! \cdot x^{2n+1-2k}}{(2n+1-2k)!! \cdot (2n-1-2k)!!} \right) J_0(x) + (-1)^n \cdot (2n+1)!! \cdot (2n-1)!! \Phi(x) = \end{aligned}$$

$$\begin{aligned}
&= \left(\sum_{k=0}^{n-1} (-1)^k \frac{(2n+2)! \cdot (2n)! \cdot [(n-k)!]^2 \cdot x^{2n-2k}}{2^{2k+1} \cdot (n+1)! \cdot n! \cdot [(2n-2k)!]^2} \right) J_1(x) \\
&- \left(\sum_{k=0}^{n-1} (-1)^k \frac{(2n+2)! \cdot (2n)! \cdot (n+1-k)! \cdot (n-k)! \cdot x^{2n+1-2k}}{2^{2k} \cdot (n+1)! \cdot n! \cdot (2n+2-2k)! \cdot (2n-2k)!} \right) J_0(x) + \\
&\quad + (-1)^n \frac{(2n+2)! \cdot (2n)!}{2^{2n+1} \cdot (n+1)! \cdot n!} \Phi(x)
\end{aligned}$$

With obviously modifications one gets the the formulas for the integrals $\int x^{2n+1} I_1(x) dx$ and $\int x^{2n+1} K_1(x) dx$.

Recurrence formulas:

$$\begin{aligned}
\int x^{2n+1} J_1(x) dx &= -x^{2n+1} J_0(x) + (2n+1)x^{2n} J_1(x) - (2n-1)(2n+1) \int x^{2n-1} J_1(x) dx \\
\int x^{2n+1} I_1(x) dx &= x^{2n+1} I_0(x) - (2n+1)x^{2n} I_1(x) + (2n-1)(2n+1) \int x^{2n-1} I_1(x) dx \\
\int x^{2n+1} K_1(x) dx &= -x^{2n+1} K_0(x) - (2n+1)x^{2n} K_1(x) + (2n-1)(2n+1) \int x^{2n-1} K_1(x) dx
\end{aligned}$$

Descending:

$$\begin{aligned}
\int \frac{J_1(x) dx}{x^{2n+1}} &= -\frac{J_0(x)}{(4n^2-1)x^{2n-1}} - \frac{J_1(x)}{(2n+1)x^{2n}} - \frac{1}{4n^2-1} \int \frac{J_1(x) dx}{x^{2n-1}} \\
\int \frac{I_1(x) dx}{x^{2n+1}} &= -\frac{I_0(x)}{(4n^2-1)x^{2n-1}} - \frac{I_1(x)}{(2n+1)x^{2n}} + \frac{1}{4n^2-1} \int \frac{I_1(x) dx}{x^{2n-1}} \\
\int \frac{K_1(x) dx}{x^{2n+1}} &= \frac{K_0(x)}{(4n^2-1)x^{2n-1}} - \frac{K_1(x)}{(2n+1)x^{2n}} + \frac{1}{4n^2-1} \int \frac{K_1(x) dx}{x^{2n-1}} \\
\int \frac{J_1(x)}{x} dx &= x \cdot J_0(x) - J_1(x) + \Phi(x) \\
\int \frac{I_1(x)}{x} dx &= x \cdot I_0(x) - I_1(x) + \Psi(x) \\
\int \frac{K_1(x)}{x} dx &= -x \cdot K_0(x) - K_1(x) - \Psi_K(x) \\
\int \frac{J_1(x)}{x^3} dx &= \frac{1}{3} \left[\frac{x^2-1}{x^2} J_1(x) - \frac{x^2+1}{x} J_0(x) - \Phi(x) \right] \\
\int \frac{I_1(x)}{x^3} dx &= \frac{1}{3} \left[-\frac{x^2+1}{x^2} I_1(x) + \frac{x^2-1}{x} I_0(x) + \Psi(x) \right] \\
\int \frac{K_1(x)}{x^3} dx &= \frac{1}{3} \left[-\frac{x^2+1}{x^2} K_1(x) - \frac{x^2-1}{x} K_0(x) - \Psi_K(x) \right] \\
\int \frac{J_1(x)}{x^5} dx &= \frac{1}{45} \left[\frac{x^4+x^2-3}{x^3} J_0(x) - \frac{x^4-x^2+9}{x^4} J_1(x) + \Phi(x) \right] \\
\int \frac{I_1(x)}{x^5} dx &= \frac{1}{45} \left[\frac{x^4-x^2-3}{x^3} I_0(x) - \frac{x^4+x^2+9}{x^4} I_1(x) + \Psi(x) \right] \\
\int \frac{K_1(x)}{x^5} dx &= \frac{1}{45} \left[-\frac{x^4-x^2-3}{x^3} K_0(x) - \frac{x^4+x^2+9}{x^4} K_1(x) - \Psi_K(x) \right] \\
\int \frac{J_1(x)}{x^7} dx &= \frac{1}{1575} \left[\frac{x^6-x^4+9x^2-225}{x^6} J_1(x) - \frac{x^6+x^4-3x^2+45}{x^5} J_0(x) - \Phi(x) \right]
\end{aligned}$$

$$\begin{aligned}
\int \frac{I_1(x)}{x^7} dx &= \frac{1}{1575} \left[-\frac{x^6 + x^4 + 9x^2 + 225}{x^6} I_1(x) + \frac{x^6 - x^4 - 3x^2 - 45}{x^5} I_0(x) + \Psi(x) \right] \\
\int \frac{K_1(x)}{x^7} dx &= \frac{1}{1575} \left[-\frac{x^6 + x^4 + 9x^2 + 225}{x^6} K_1(x) - \frac{x^6 - x^4 - 3x^2 - 45}{x^5} K_0(x) - \Psi_k(x) \right] \\
&\int \frac{J_1(x)}{x^9} dx = \\
&= \frac{1}{99225} \left[\frac{x^8 + x^6 - 3x^4 + 45x^2 - 1575}{x^7} J_0(x) - \frac{x^8 - x^6 + 9x^4 - 225x^2 + 11025}{x^8} J_1(x) + \Phi(x) \right] \\
&\int \frac{I_1(x)}{x^9} dx = \\
&= \frac{1}{99225} \left[\frac{x^8 - x^6 - 3x^4 - 45x^2 - 1575}{x^7} I_0(x) - \frac{x^8 + x^6 + 9x^4 + 225x^2 + 11025}{x^8} I_1(x) + \Psi(x) \right] \\
&\int \frac{K_1(x)}{x^9} dx = \\
&= \frac{1}{99225} \left[-\frac{x^8 - x^6 - 3x^4 - 45x^2 - 1575}{x^7} K_0(x) - \frac{x^8 + x^6 + 9x^4 + 225x^2 + 11025}{x^8} I_1(x) - \Psi_K(x) \right] \\
\int \frac{J_1(x)}{x^{11}} dx &= \frac{1}{9823275} \left[\frac{x^{10} - x^8 + 9x^6 - 225x^4 + 11025x^2 - 893025}{x^{10}} J_1(x) - \right. \\
&\quad \left. - \frac{x^{10} + x^8 - 3x^6 + 45x^4 - 1575x^2 + 99225}{x^9} J_0(x) - \Phi(x) \right] \\
\int \frac{I_1(x)}{x^{11}} dx &= \frac{1}{9823275} \left[-\frac{x^{10} + x^8 + 9x^6 + 225x^4 + 11025x^2 + 893025}{x^{10}} I_1(x) + \right. \\
&\quad \left. + \frac{x^{10} - x^8 - 3x^6 - 45x^4 - 1575x^2 - 99225}{x^9} I_0(x) + \Psi(x) \right] \\
\int \frac{K_1(x)}{x^{11}} dx &= \frac{1}{9823275} \left[-\frac{x^{10} + x^8 + 9x^6 + 225x^4 + 11025x^2 + 893025}{x^{10}} K_1(x) - \right. \\
&\quad \left. - \frac{x^{10} - x^8 - 3x^6 - 45x^4 - 1575x^2 - 99225}{x^9} K_0(x) + \Psi_K(x) \right]
\end{aligned}$$

General formula: With $n!!$ as defined on page 8 holds

$$\begin{aligned}
\int \frac{J_1(x) dx}{x^{2n+1}} &= \frac{(-1)^n}{(2n+1)!! \cdot (2n-1)!!} \left\{ \left(x + \sum_{k=0}^{n-1} \frac{(-1)^k \cdot (2k+1)!! \cdot (2k-1)!!}{x^{2k+1}} \right) J_0(x) - \right. \\
&\quad \left. - \left(1 - \sum_{k=0}^{n-1} (-1)^k \frac{[(2k+1)!!]^2}{x^{2k+2}} \right) J_1(x) + \Phi(x) \right\} = \\
&= \frac{2^{2n+1} \cdot (n+1)! \cdot n!}{(2n+2)! \cdot (2n)!} \left\{ \left(x - \sum_{k=0}^{n-1} (-1)^k \frac{(2k+2)! \cdot (2k)!}{2^{2k+1} \cdot (k+1)! \cdot k! \cdot x^{2k+1}} \right) J_0(x) - \right. \\
&\quad \left. - \left(1 - \sum_{k=0}^{n-1} (-1)^k \frac{[(2k+2)!]^2}{2^{2k+2} \cdot [(k+1)!]^2 \cdot x^{2k+2}} \right) J_1(x) + \Phi(x) \right\}
\end{aligned}$$

With obviously modifications one gets the the formulas for the integrals $\int x^{-2n-1} I_1(x) dx$ and $\int x^{-2n-1} K_1(x) dx$.

1.1.7. Integrals of the type $\int x^n Z_\nu(x) dx$, $\nu > 1$:

From the well-known recurrence relations one gets immediately

$$\int J_{\nu+1}(x) dx = -2J_\nu(x) + \int J_{\nu-1}(x) dx \quad \text{and} \quad \int I_{\nu+1}(x) dx = 2I_\nu(x) - \int I_{\nu-1}(x) dx .$$

With this formulas follows

$$\int_0^x J_{2\nu}(t) dt = \Lambda_0(x) - 2 \sum_{\kappa=1}^n J_{2\kappa-1}(x) , \quad \int_0^x J_{2\nu+1}(t) dt = 1 - J_0(x) - 2 \sum_{\kappa=1}^n J_{2\kappa}(x)$$

$$\int_0^x I_{2\nu}(t) dt = (-1)^n \Lambda_0^*(x) + 2 \sum_{\kappa=1}^n (-1)^{n+\kappa} I_{2\kappa-1}(x) , \quad \int_0^x I_{2\nu+1}(t) dt = (-1)^n [I_0(x) - 1] + 2 \sum_{\kappa=1}^n (-1)^{n+\kappa} I_{2\kappa}(x)$$

The integrals $\Lambda_0(x)$ and $\Lambda_0^*(x)$ are defined on page 7 and discussed on page 122 and 124.

Holds

$$\int Y_{2\nu}(x) dx = xY_0(x) + \Phi_Y(x) - 2 \sum_{\kappa=1}^n Y_{2\kappa-1}(x) , \quad \int Y_{2\nu+1}(x) dx = -Y_0(x) - 2 \sum_{\kappa=1}^n Y_{2\kappa-1}(x)$$

$$\int H_{2\nu}^{(1)}(x) dx = xH_0^{(1)}(x) + \Phi_H^{(1)}(x) - 2 \sum_{\kappa=1}^n H_{2\kappa-1}^{(1)}(x) , \quad \int H_{2\nu+1}^{(1)}(x) dx = -H_0^{(1)}(x) - 2 \sum_{\kappa=1}^n H_{2\kappa-1}^{(1)}(x)$$

$$\int H_{2\nu}^{(2)}(x) dx = xH_0^{(2)}(x) + \Phi_H^{(2)}(x) - 2 \sum_{\kappa=1}^n H_{2\kappa-1}^{(2)}(x) , \quad \int H_{2\nu+1}^{(2)}(x) dx = -H_0^{(2)}(x) - 2 \sum_{\kappa=1}^n H_{2\kappa-1}^{(2)}(x)$$

$$\int K_{2\nu}(x) dx = (-1)^n \left\{ xK_0(x) + \frac{\pi x}{2} [K_0(x)\mathbf{L}_1(x) + K_1(x)\mathbf{L}_0(x)] \right\} + 2 \sum_{\kappa=1}^n (-1)^{n+\kappa} K_{2\kappa-1}(x) ,$$

$$\int K_{2\nu+1}(x) dx = (-1)^{n+1} K_0(x) + 2 \sum_{\kappa=1}^n (-1)^{n+\kappa+1} K_{2\kappa}(x)$$

About the functions $\Phi_Y(x)$, $\Phi_H^{(1)}(x)$, $\Phi_H^{(2)}(x)$ see page 7.

Further on, holds

$$\int_0^x t J_{2\nu+1}(t) dt = (2\nu+1)\Lambda_0(x) - x \left[J_0(x) + 2 \sum_{\kappa=1}^{\nu} J_{2\kappa}(x) \right] - 4 \sum_{\kappa=0}^{\nu-1} (\nu - \kappa) J_{2\kappa+1}(x)$$

$$\int_0^x t J_{2\nu}(t) dt = -x \left[J_1(x) + 2 \sum_{\kappa=1}^{\nu-1} J_{2\kappa+1}(x) \right] + 2\nu[1 - J_0(x)] - 4 \sum_{\kappa=1}^{\nu-1} (\nu - \kappa) J_{2\kappa}(x)$$

$$\int_0^x t I_{2\nu+1}(t) dt = (-1)^{\nu+1} \left[(2\nu+1)\Lambda_0^*(x) - xI_0(x) - 2x \sum_{\kappa=1}^{\nu} (-1)^\kappa I_{2\kappa}(x) - 4 \sum_{\kappa=0}^{\nu-1} (-1)^\kappa (\nu - \kappa) I_{2\kappa+1}(x) \right]$$

$$\int_0^x t I_{2\nu}(t) dt = (-1)^{\nu+1} \left[xI_1(x) + 2x \sum_{\kappa=1}^{\nu-1} (-1)^\kappa I_{2\kappa+1}(x) + 2\nu[1 - I_0(x)] - 4 \sum_{\kappa=1}^{\nu-1} (-1)^\kappa (\nu - \kappa) I_{2\kappa}(x) \right]$$

Some of the previous sums may cause numerical problems, if x is located near 0. For instance, the sum

$$\int_0^x t I_6(t) dt = xJ_1(x) - 2xJ_3(x) + 2xJ_5(x) + 6 - 6J_0(x) + 8J_2(x) - 4J_4(x)$$

gives with $x = 0.3$

$$0.045\ 508\ 152\ 001 - 0.000\ 339\ 402\ 714 + 0.000\ 000\ 381\ 114 + 6 - 6.135\ 761\ 276\ 110 + 0.090\ 676\ 901\ 288 -$$

$$-0.000\ 084\ 755\ 400 = 6.136\ 185\ 434\ 403 - 6.136\ 185\ 434\ 224 = 0.000\ 000\ 000\ 179 ,$$

which means the loss of 10 decimal digits.

For that reason the value of such integrals should be computed by the power series or other formulas. See also the following remark.

In the following the integrals are expressed by $Z_0(x)$ and $Z_1(x)$.

Integrals with $-2 \leq n \leq 4$ are written explicitly: at first $n = 0, 1, 2, 3, 4$, after them $n = -1, -2$. In the other cases the functions $\mathcal{P}_\nu^{(n)}(x)$, $\mathcal{Q}_\nu^{(n)}(x)$ and the coefficients $\mathcal{R}_\nu^{(n)}$, $\mathcal{S}_\nu^{(n)}$ describe the integral

$$\int x^n \cdot J_\nu(x) dx = \mathcal{P}_\nu^{(n)}(x) J_0(x) + \mathcal{Q}_\nu^{(n)}(x) J_1(x) + \mathcal{R}_\nu^{(n)} \Lambda_0(x) + \mathcal{S}_\nu^{(n)} \int \frac{J_0(x) dx}{x}.$$

Furthermore, let

$$\int x^n \cdot I_\nu^*(x) dx = \mathcal{P}_\nu^{(n),*}(x) I_0(x) + \mathcal{Q}_\nu^{(n),*}(x) I_1(x) + \mathcal{R}_\nu^{(n),*} \Lambda_0^*(x) + \mathcal{S}_\nu^{(n),*} \int \frac{I_0(x) dx}{x}.$$

Concerning $\int x^{-1} \cdot Z_0(x) dx$ see 1.1.3., page 13.

Simple recurrence formula:

$$\begin{aligned} \int x^n \cdot J_{\nu+1}(x) dx &= 2\nu \int x^{n-1} \cdot J_\nu(x) dx - \int x^n \cdot J_{\nu-1}(x) dx \\ \int x^n \cdot I_{\nu+1}(x) dx &= -2\nu \int x^{n-1} \cdot J_\nu(x) dx + \int x^n \cdot J_{\nu-1}(x) dx \end{aligned}$$

The integrals of $x^n Z_0(x)$ and $x^n Z_1(x)$ to start this recurrences are already described.

Remark:

Let $F_\nu^{(m)}(x)$ denote the antiderivative of $x^m Z_\nu(x)$ as given in the following tables. They do not exist in the point $x = 0$ in the case $\nu + m < 0$. However, even if $\nu + m \geq 0$ the value of $F_\nu^{(m)}(0)$ sometimes turns out to be a limit of the type $\infty - \infty$. For instance, holds

$$\int \frac{J_3(x) dx}{x^2} = \frac{J_0(x)}{x^2} - \frac{2J_1(x)}{x^3} = F_3^{(-2)}(x) \quad \text{with} \quad \lim_{x \rightarrow 0} F_3^{(-2)}(x) = -\frac{1}{8}.$$

With $L_{\nu,m} = \lim_{x \rightarrow 0} F_\nu^{(m)}(x)$ for the Bessel functions $J_\nu(x)$ and $L_{\nu,m}^*$ for the modified Bessel functions $I_\nu(x)$ one has the following limits in the tables of integrals (The values $L_{\nu,m} = 0$ are omitted.):

$$\begin{aligned} L_{2,-1} &= -1/2, \quad L_{2,-1}^* = 1/2 \\ L_{3,0} &= -1, \quad L_{3,-2} = -1/8; \quad L_{3,0}^* = -1, \quad L_{3,-2}^* = 1/8 \\ L_{4,1} &= -4, \quad L_{4,-1} = -1/4, \quad L_{4,-3} = -1/48; \quad L_{4,1}^* = 4, \quad L_{4,-1}^* = -1/4, \quad L_{4,-3}^* = 1/48 \\ L_{5,2} &= -24, \quad L_{5,0} = -1, \quad L_{5,-2} = -1/24, \quad L_{5,-4} = -1/384; \\ L_{5,2}^* &= -24, \quad L_{5,0}^* = 1, \quad L_{5,-2}^* = -1/24, \quad L_{5,-4}^* = 1/384 \\ L_{6,3} &= -192, \quad L_{6,1} = -6, \quad L_{6,-1} = -1/6, \quad L_{6,-3} = -1/192, \quad L_{6,-5} = -1/3840; \\ L_{6,3}^* &= 192, \quad L_{6,1}^* = -6, \quad L_{6,-1}^* = 1/6, \quad L_{6,-3}^* = -1/192, \quad L_{6,-5}^* = 1/3840 \\ L_{7,4} &= -1920, \quad L_{7,2} = -48, \quad L_{7,0} = -1, \quad L_{7,-2} = -1/48, \quad L_{7,-4} = -1/1920, \quad L_{7,-6} = -1/46080; \\ L_{7,4}^* &= -1920, \quad L_{7,2}^* = 48, \quad L_{7,0}^* = -1, \quad L_{7,-2}^* = 1/48, \quad L_{7,-4}^* = -1/1920, \quad L_{7,-6}^* = 1/46080 \\ L_{8,5} &= -23040, \quad L_{8,3} = -480, \quad L_{8,1} = -8, \quad L_{8,-1} = -1/8, \quad L_{8,-3} = -1/480, \quad L_{8,-5} = -1/23040; \\ L_{8,5}^* &= 23040, \quad L_{8,3}^* = -480, \quad L_{8,1}^* = 8, \quad L_{8,-1}^* = -1/8, \quad L_{8,-3}^* = 1/480, \quad L_{8,-5}^* = -1/23040 \\ L_{9,6} &= -322560, \quad L_{9,4} = -5760, \quad L_{9,2} = -80, \quad L_{9,0} = -1, \quad L_{9,-2} = -1/80, \quad L_{9,-4} = -1/5760, \\ L_{9,-6} &= -1/322560; \\ L_{9,6}^* &= -322560, \quad L_{9,4}^* = 5760, \quad L_{9,2}^* = -80, \quad L_{9,0}^* = 1, \quad L_{9,-2}^* = -1/80, \quad L_{9,-4}^* = 1/5760, \\ L_{9,-6}^* &= -1/322560 \\ L_{10,7} &= -5160960, \quad L_{10,5} = -80640, \quad L_{10,3} = -960, \quad L_{10,1} = -10, \quad L_{10,-1} = -1/10, \quad L_{10,-3} = -1/960, \\ L_{10,-5} &= -1/80640; \\ L_{10,7}^* &= 5160960, \quad L_{10,5}^* = -80640, \quad L_{10,3}^* = 960, \quad L_{10,1}^* = -10, \quad L_{10,-1}^* = 1/10, \quad L_{10,-3}^* = -1/960, \\ L_{10,-5}^* &= 1/80640 \end{aligned}$$

$\mathbf{Z}_2(\mathbf{x})$:

$$\begin{aligned}
\int J_2(x) dx &= -2J_1(x) + \Lambda_0(x) \\
\int I_2(x) dx &= 2I_1(x) - \Lambda_0^*(x) \\
\int x J_2(x) dx &= -2J_0(x) - xJ_1(x) \\
\int x I_2(x) dx &= -2I_0(x) + xI_1(x) \\
\int x^2 J_2(x) dx &= -3xJ_0(x) - x^2J_1(x) + 3\Lambda_0(x) \\
\int x^2 I_2(x) dx &= -3xI_0(x) + x^2I_1(x) + 3\Lambda_0^*(x) \\
\int x^3 J_2(x) dx &= -4x^2J_0(x) - (x^2 - 8)xJ_1(x) \\
\int x^3 I_2(x) dx &= -4x^2I_0(x) + (x^2 + 8)xI_1(x) \\
\int x^4 J_2(x) dx &= -5x(x^2 - 3)J_0(x) - (x^2 - 15)x^2J_1(x) - 15\Lambda_0(x) \\
\int x^4 I_2(x) dx &= -5x(x^2 + 3)I_0(x) + (x^2 + 15)x^2I_1(x) + 15\Lambda_0^*(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{J_2(x) dx}{x} &= -\frac{J_1(x)}{x} \\
\int \frac{I_2(x) dx}{x} &= \frac{I_1(x)}{x} \\
\int \frac{J_2(x) dx}{x^2} &= \frac{1}{3x} J_0(x) - \frac{x^2 + 2}{3x^2} J_1(x) + \frac{1}{3} \Lambda_0(x) \\
\int \frac{I_2(x) dx}{x^2} &= -\frac{1}{3x} I_0(x) - \frac{x^2 - 2}{3x^2} I_1(x) + \frac{1}{3} \Lambda_0^*(x)
\end{aligned}$$

$$\begin{aligned}
\mathcal{P}_2^{(5)}(x) &= -6(x^2 - 8)x^2, & \mathcal{Q}_2^{(5)}(x) &= -(x^4 - 24x^2 + 96)x, & \mathcal{R}_2^{(5)} &= 0, & \mathcal{S}_2^{(5)} &= 0 \\
\mathcal{P}_2^{(5),*}(x) &= -6(x^2 + 8)x^2, & \mathcal{Q}_2^{(5),*}(x) &= x^5 + 24x^3 + 96x, & \mathcal{R}_2^{(5),*} &= 0, & \mathcal{S}_2^{(5),*} &= 0 \\
\mathcal{P}_2^{(6)}(x) &= -7(x^4 - 15x^2 + 45)x, & \mathcal{Q}_2^{(6)}(x) &= -(x^4 - 35x^2 + 315)x^2, & \mathcal{R}_2^{(6)} &= 315, & \mathcal{S}_2^{(6)} &= 0 \\
\mathcal{P}_2^{(6),*}(x) &= -7(x^5 + 15x^3 + 45x), & \mathcal{Q}_2^{(6),*}(x) &= x^6 + 35x^4 + 315x^2, & \mathcal{R}_2^{(6),*} &= 315, & \mathcal{S}_2^{(6),*} &= 0 \\
\mathcal{P}_2^{(7)}(x) &= -8(x^4 - 24x^2 + 192)x^2, & \mathcal{Q}_2^{(7)}(x) &= -(x^6 - 48x^4 + 768x^2 - 3072)x, & \mathcal{R}_2^{(7)} &= 0, & \mathcal{S}_2^{(7)} &= 0 \\
\mathcal{P}_2^{(7),*}(x) &= -(8x^4 + 192x^2 + 1536)x^2, & \mathcal{Q}_2^{(7),*}(x) &= x^7 + 48x^5 + 768x^3 + 3072x, & \mathcal{R}_2^{(7),*} &= 0, & \mathcal{S}_2^{(7),*} &= 0 \\
\mathcal{P}_2^{(8)}(x) &= -9(x^6 - 35x^4 + 525x^2 - 1575)x, & \mathcal{Q}_2^{(8)}(x) &= -(x^6 - 63x^4 + 1575x^2 - 14175)x^2, \\
& & \mathcal{R}_2^{(8)} &= -14175, & \mathcal{S}_2^{(8)} &= 0 \\
\mathcal{P}_2^{(8),*}(x) &= -(9x^7 + 315x^5 + 4725x^3 + 14175)x, & \mathcal{Q}_2^{(8),*}(x) &= x^8 + 63x^6 + 1575x^4 + 14175x^2, \\
& & \mathcal{R}_2^{(8),*} &= 14175, & \mathcal{S}_2^{(8),*} &= 0 \\
\mathcal{P}_2^{(9)}(x) &= -10(x^6 - 48x^4 + 1152x^2 - 9216)x^2, & \mathcal{Q}_2^{(9)}(x) &= -(x^8 - 80x^6 + 2880x^4 - 46080x^2 + 184320), \\
& & \mathcal{R}_2^{(9)} &= 0, & \mathcal{S}_2^{(9)} &= 0
\end{aligned}$$

$$\mathcal{P}_2^{(9),*}(x) = -(10x^8 + 480x^6 + 11520x^4 + 92160x^2), \quad \mathcal{Q}_2^{(9),*}(x) = x^9 + 80x^7 + 2880x^5 + 46080x^3 + 184320x,$$

$$\mathcal{R}_2^{(9),*} = 0, \quad \mathcal{S}_2^{(9),*} = 0$$

$$\mathcal{P}_2^{(10)}(x) = -11(x^8 - 63x^6 + 2205x^4 - 33075x^2 + 99225)x,$$

$$\mathcal{Q}_2^{(10)}(x) = -(x^8 - 99x^6 + 4851x^4 - 121275x^2 + 1091475)x^2, \quad \mathcal{R}_2^{(10)} = 1091475, \quad \mathcal{S}_2^{(10)} = 0$$

$$\mathcal{P}_2^{(10),*}(x) = -(11x^9 + 693x^7 + 24255x^5 + 363825x^3 + 1091475x),$$

$$\mathcal{Q}_2^{(10),*}(x) = x^{10} + 99x^8 + 4851x^6 + 121275x^4 + 1091475x^2, \quad \mathcal{R}_2^{(10),*} = 1091475, \quad \mathcal{S}_2^{(10),*} = 0$$

$$\mathcal{P}_2^{(-3)}(x) = \frac{1}{4x^2}, \quad \mathcal{Q}_2^{(-3)}(x) = -\frac{x^2 + 4}{8x^3}, \quad \mathcal{R}_2^{(-3)} = 0, \quad \mathcal{S}_2^{(-3)} = \frac{1}{8}$$

$$\mathcal{P}_2^{(-3),*}(x) = -\frac{1}{4x^2}, \quad \mathcal{Q}_2^{(-3),*}(x) = -\frac{x^2 - 4}{8x^3}, \quad \mathcal{R}_2^{(-3),*} = 0, \quad \mathcal{S}_2^{(-3),*} = \frac{1}{8}$$

$$\mathcal{P}_2^{(-4)}(x) = -\frac{x^2 - 3}{15x^3}, \quad \mathcal{Q}_2^{(-4)}(x) = \frac{x^4 - x^2 - 6}{15x^4}, \quad \mathcal{R}_2^{(-4)} = -\frac{1}{15}, \quad \mathcal{S}_2^{(-4)} = 0$$

$$\mathcal{P}_2^{(-4),*}(x) = -\frac{x^2 + 3}{15x^3}, \quad \mathcal{Q}_2^{(-4),*}(x) = -\frac{x^4 + x^2 - 6}{15x^4}, \quad \mathcal{R}_2^{(-4),*} = \frac{1}{15}, \quad \mathcal{S}_2^{(-4),*} = 0$$

$$\mathcal{P}_2^{(-5)}(x) = -\frac{x^2 - 8}{48x^4}, \quad \mathcal{Q}_2^{(-5)}(x) = \frac{x^4 - 4x^2 - 32}{96x^5}, \quad \mathcal{R}_2^{(-5)} = 0, \quad \mathcal{S}_2^{(-5)} = -\frac{1}{96}$$

$$\mathcal{P}_2^{(-5),*}(x) = -\frac{x^2 + 8}{48x^4}, \quad \mathcal{Q}_2^{(-5),*}(x) = -\frac{x^4 + 4x^2 - 32}{96x^5}, \quad \mathcal{R}_2^{(-5),*} = 0, \quad \mathcal{S}_2^{(-5),*} = \frac{1}{96}$$

$$\mathcal{P}_2^{(-6)}(x) = \frac{x^4 - 3x^2 + 45}{315x^5}, \quad \mathcal{Q}_2^{(-6)}(x) = -\frac{x^6 - x^4 + 9x^2 + 90}{315x^6}, \quad \mathcal{R}_2^{(-6)} = \frac{1}{315}, \quad \mathcal{S}_2^{(-6)} = 0$$

$$\mathcal{P}_2^{(-6),*}(x) = -\frac{x^4 + 3x^2 + 45}{315x^5}, \quad \mathcal{Q}_2^{(-6),*}(x) = -\frac{x^6 + x^4 + 9x^2 - 90}{315x^6}, \quad \mathcal{R}_2^{(-6),*} = \frac{1}{315}, \quad \mathcal{S}_2^{(-6),*} = 0$$

$\mathbf{Z}_3(\mathbf{x})$:

$$\int J_3(x) dx = J_0(x) - \frac{4}{x} J_1(x)$$

$$\int I_3(x) dx = I_0(x) - \frac{4}{x} I_1(x)$$

$$\int x J_3(x) dx = xJ_0(x) - 8J_1(x) + 3\Lambda_0(x)$$

$$\int x I_3(x) dx = xI_0(x) - 8I_1(x) + 3\Lambda_0^*(x)$$

$$\int x^2 J_3(x) dx = (x^2 - 8)J_0(x) - 6xJ_1(x)$$

$$\int x^2 I_3(x) dx = (x^2 + 8)I_0(x) - 6xI_1(x)$$

$$\int x^3 J_3(x) dx = (x^2 - 15)xJ_0(x) - 7x^2J_1(x) + 15\Lambda_0(x)$$

$$\int x^3 I_3(x) dx = (x^2 + 15)xI_0(x) - 7x^2I_1(x) - 15\Lambda_0^*(x)$$

$$\int x^4 J_3(x) dx = (x^2 - 24)x^2J_0(x) - 8(x^2 - 6)xJ_1(x)$$

$$\int x^4 I_3(x) dx = (x^2 + 24)x^2I_0(x) - 8(x^2 + 6)xI_1(x)$$

$$\int \frac{J_3(x) dx}{x} = \frac{4}{3x} J_0(x) - \frac{x^2 + 8}{3x^2} J_1(x) + \frac{1}{3} \Lambda_0(x)$$

$$\int \frac{I_3(x) dx}{x} = \frac{4}{3x} I_0(x) + \frac{x^2 - 8}{3x^2} I_1(x) - \frac{1}{3} \Lambda_0^*(x)$$

$$\int \frac{J_3(x) dx}{x^2} = \frac{J_0(x)}{x^2} - \frac{2J_1(x)}{x^3}$$

$$\int \frac{I_3(x) dx}{x^2} = \frac{I_0(x)}{x^2} - \frac{2I_1(x)}{x^3}$$

$$\begin{aligned} \mathcal{P}_3^{(5)}(x) &= x^5 - 35x^3 + 105x, & \mathcal{Q}_3^{(5)}(x) &= -(9x^4 - 105x^2), & \mathcal{R}_3^{(5)} &= -105, & \mathcal{S}_3^{(5)} &= 0 \\ \mathcal{P}_3^{(5),*}(x) &= x^5 + 35x^3 + 105x, & \mathcal{Q}_3^{(5),*}(x) &= -(9x^4 + 105x^2), & \mathcal{R}_3^{(5),*} &= -105, & \mathcal{S}_3^{(5),*} &= 0 \\ \mathcal{P}_3^{(6)}(x) &= x^6 - 48x^4 + 384x^2, & \mathcal{Q}_3^{(6)}(x) &= -(10x^5 - 192x^3 + 768x), & \mathcal{R}_3^{(6)} &= 0, & \mathcal{S}_3^{(6)} &= 0 \\ \mathcal{P}_3^{(6),*}(x) &= x^6 + 48x^4 + 384x^2, & \mathcal{Q}_3^{(6),*}(x) &= -(10x^5 + 192x^3 + 768x), & \mathcal{R}_3^{(6),*} &= 0, & \mathcal{S}_3^{(6),*} &= 0 \\ \mathcal{P}_3^{(7)}(x) &= x^7 - 63x^5 + 945x^3 - 2835x, & \mathcal{Q}_3^{(7)}(x) &= -(11x^6 - 315x^4 + 2835x^2), & \mathcal{R}_3^{(7)} &= 2835, & \mathcal{S}_3^{(7)} &= 0 \\ \mathcal{P}_3^{(7),*}(x) &= x^7 + 63x^5 + 945x^3 + 2835x, & \mathcal{Q}_3^{(7),*}(x) &= -(11x^6 + 315x^4 + 2835x^2), & \mathcal{R}_3^{(7),*} &= -2835, & \mathcal{S}_3^{(7),*} &= 0 \\ \mathcal{P}_3^{(8)}(x) &= x^8 - 80x^6 + 1920x^4 - 15360x^2, & \mathcal{Q}_3^{(8)}(x) &= -(12x^7 - 480x^5 + 7680x^3 - 30720x), & \mathcal{R}_3^{(8)} &= 0, & \mathcal{S}_3^{(8)} &= 0 \\ \mathcal{P}_3^{(8),*}(x) &= x^8 + 80x^6 + 1920x^4 + 15360x^2, & \mathcal{Q}_3^{(8),*}(x) &= -(12x^7 + 480x^5 + 7680x^3 + 30720x), & \mathcal{R}_3^{(8),*} &= 0, & \mathcal{S}_3^{(8),*} &= 0 \\ \mathcal{P}_3^{(9)}(x) &= x^9 - 99x^7 + 3465x^5 - 51975x^3 + 155925x, & \mathcal{Q}_3^{(9)}(x) &= -(13x^8 - 693x^6 + 17325x^4 - 155925x^2), & \mathcal{R}_3^{(9)} &= -155925, & \mathcal{S}_3^{(9)} &= 0 \\ \mathcal{P}_3^{(9),*}(x) &= x^9 + 99x^7 + 3465x^5 + 51975x^3 + 155925x, & \mathcal{Q}_3^{(9),*}(x) &= -(13x^8 + 693x^6 + 17325x^4 + 155925x^2), & \mathcal{R}_3^{(9),*} &= -155925, & \mathcal{S}_3^{(9),*} &= 0 \\ \mathcal{P}_3^{(10)}(x) &= x^{10} - 120x^8 + 5760x^6 - 138240x^4 + 1105920x^2, & \mathcal{Q}_3^{(10)}(x) &= -(14x^9 - 960x^7 + 34560x^5 - 552960x^3 + 2211840x), & \mathcal{R}_3^{(10)} &= 0, & \mathcal{S}_3^{(10)} &= 0 \\ \mathcal{P}_3^{(10),*}(x) &= x^{10} + 120x^8 + 5760x^6 + 138240x^4 + 1105920x^2, & \mathcal{Q}_3^{(10),*}(x) &= -(14x^9 + 960x^7 + 34560x^5 + 552960x^3 + 2211840x), & \mathcal{R}_3^{(10),*} &= 0, & \mathcal{S}_3^{(10),*} &= 0 \\ \mathcal{P}_3^{(-3)}(x) &= \frac{x^2 + 12}{15x^3}, & \mathcal{Q}_3^{(-3)}(x) &= -\frac{x^4 - x^2 + 24}{15x^4}, & \mathcal{R}_3^{(-3)} &= \frac{1}{15}, & \mathcal{S}_3^{(-3)} &= 0 \\ \mathcal{P}_3^{(-3),*}(x) &= -\frac{x^2 - 12}{15x^3}, & \mathcal{Q}_3^{(-3),*}(x) &= -\frac{x^4 + x^2 + 24}{15x^4}, & \mathcal{R}_3^{(-3),*} &= \frac{1}{15}, & \mathcal{S}_3^{(-3),*} &= 0 \\ \mathcal{P}_3^{(-4)}(x) &= \frac{x^2 + 16}{24x^4}, & \mathcal{Q}_3^{(-4)}(x) &= -\frac{x^4 - 4x^2 + 64}{48x^5}, & \mathcal{R}_3^{(-4)} &= 0, & \mathcal{S}_3^{(-4)} &= \frac{1}{48} \\ \mathcal{P}_3^{(-4),*}(x) &= -\frac{x^2 - 16}{24x^4}, & \mathcal{Q}_3^{(-4),*}(x) &= -\frac{x^4 + 4x^2 + 64}{48x^5}, & \mathcal{R}_3^{(-4),*} &= 0, & \mathcal{S}_3^{(-4),*} &= \frac{1}{48} \\ \mathcal{P}_3^{(-5)}(x) &= -\frac{x^4 - 3x^2 - 60}{105x^5}, & \mathcal{Q}_3^{(-5)}(x) &= \frac{x^6 - x^4 + 9x^2 - 120}{105x^6}, & \mathcal{R}_3^{(-5)} &= -\frac{1}{105}, & \mathcal{S}_3^{(-5)} &= 0 \\ \mathcal{P}_3^{(-5),*}(x) &= -\frac{x^4 + 3x^2 - 60}{105x^5}, & \mathcal{Q}_3^{(-5),*}(x) &= \frac{x^6 + x^4 + 9x^2 + 120}{105x^6}, & \mathcal{R}_3^{(-5),*} &= -\frac{1}{105}, & \mathcal{S}_3^{(-5),*} &= 0 \\ \mathcal{P}_3^{(-6)}(x) &= -\frac{x^4 - 8x^2 - 192}{384x^6}, & \mathcal{Q}_3^{(-6)}(x) &= \frac{x^6 - 4x^4 + 64x^2 - 768}{768x^7}, & \mathcal{R}_3^{(-6)} &= 0, & \mathcal{S}_3^{(-6)} &= -\frac{1}{768} \\ \mathcal{P}_3^{(-6),*}(x) &= -\frac{x^4 + 8x^2 - 192}{384x^6}, & \mathcal{Q}_3^{(-6),*}(x) &= -\frac{x^6 + 4x^4 + 64x^2 + 768}{768x^7}, & \mathcal{R}_3^{(-6),*} &= 0, & \mathcal{S}_3^{(-6),*} &= \frac{1}{768} \end{aligned}$$

$\mathbf{Z}_4(\mathbf{x})$:

$$\begin{aligned}
\int J_4(x) dx &= \frac{8J_0(x)}{x} - \frac{16J_1(x)}{x^2} + \Lambda_0(x) \\
\int I_4(x) dx &= -\frac{8I_0(x)}{x} + \frac{16I_1(x)}{x^2} + \Lambda_0^*(x) \\
\int x J_4(x) dx &= 8J_0(x) + \frac{x^2 - 24}{x} J_1(x) \\
\int x I_4(x) dx &= -8I_0(x) + \frac{x^2 + 24}{x} I_1(x) \\
\int x^2 J_4(x) dx &= 9xJ_0(x) + (x^2 - 48)J_1(x) + 15\Lambda_0(x) \\
\int x^2 I_4(x) dx &= -9xI_0(x) + (x^2 + 48)I_1(x) - 15\Lambda_0^*(x) \\
\int x^3 J_4(x) dx &= (10x^2 - 48)J_0(x) + (x^2 - 44)xJ_1(x) \\
\int x^3 I_4(x) dx &= -(10x^2 + 48)I_0(x) + (x^2 + 44)xI_1(x) \\
\int x^4 J_4(x) dx &= (11x^2 - 105)xJ_0(x) + (x^2 - 57)x^2J_1(x) + 105\Lambda_0(x) \\
\int x^4 I_4(x) dx &= -(11x^2 + 105)xI_0(x) + (x^2 + 57)x^2I_1(x) + 105\Lambda_0^*(x) \\
\int \frac{J_4(x) dx}{x} &= \frac{6J_0(x)}{x^2} + \frac{x^2 - 12}{x^3} J_1(x) \\
\int \frac{I_4(x) dx}{x} &= -\frac{6J_0(x)}{x^2} + \frac{x^2 + 12}{x^3} J_1(x) \\
\int \frac{J_4(x) dx}{x^2} &= \frac{x^2 + 72}{15x^3} J_0(x) - \frac{x^4 - 16x^2 + 144}{15x^4} J_1(x) + \frac{1}{15} \Lambda_0(x) \\
\int \frac{I_4(x) dx}{x^2} &= \frac{x^2 - 72}{15x^3} I_0(x) + \frac{x^4 + 16x^2 + 144}{15x^4} I_1(x) - \frac{1}{15} \Lambda_0^*(x) \\
\mathcal{P}_4^{(5)}(x) &= 12x^4 - 192x^2, \quad \mathcal{Q}_4^{(5)}(x) = x^5 - 72x^3 + 384x, \quad \mathcal{R}_4^{(5)} = 0, \quad \mathcal{S}_4^{(5)} = 0 \\
\mathcal{P}_4^{(5),*}(x) &= -(12x^4 + 192x^2), \quad \mathcal{Q}_4^{(5),*}(x) = x^5 + 72x^3 + 384x, \quad \mathcal{R}_4^{(5),*} = 0, \quad \mathcal{S}_4^{(5),*} = 0 \\
\mathcal{P}_4^{(6)}(x) &= 13x^5 - 315x^3 + 945x, \quad \mathcal{Q}_4^{(6)}(x) = x^6 - 89x^4 + 945x^2, \\
\mathcal{R}_4^{(6)} &= -945, \quad \mathcal{S}_4^{(6)} = 0 \\
\mathcal{P}_4^{(6),*}(x) &= -(13x^5 + 315x^3 + 945x), \quad \mathcal{Q}_4^{(6),*}(x) = x^6 + 89x^4 + 945x^2, \\
\mathcal{R}_4^{(6),*} &= 945, \quad \mathcal{S}_4^{(6),*} = 0 \\
\mathcal{P}_4^{(7)}(x) &= 14x^6 - 480x^4 + 3840x^2, \quad \mathcal{Q}_4^{(7)}(x) = x^7 - 108x^5 + 1920x^3 - 7680x, \\
\mathcal{R}_4^{(7)} &= 0, \quad \mathcal{S}_4^{(7)} = 0 \\
\mathcal{P}_4^{(7),*}(x) &= -(14x^6 + 480x^4 + 3840x^2), \quad \mathcal{Q}_4^{(7),*}(x) = x^7 + 108x^5 + 1920x^3 + 7680x, \\
\mathcal{R}_4^{(7),*} &= 0, \quad \mathcal{S}_4^{(7),*} = 0 \\
\mathcal{P}_4^{(8)}(x) &= 15x^7 - 693x^5 + 10395x^3 - 31185x, \quad \mathcal{Q}_4^{(8)}(x) = x^8 - 129x^6 + 3465x^4 - 31185x^2, \\
\mathcal{R}_4^{(8)} &= 31185, \quad \mathcal{S}_4^{(8)} = 0
\end{aligned}$$

$$\mathcal{P}_4^{(8),*}(x) = -(15x^7 + 693x^5 + 10395x^3 + 31185x), \quad \mathcal{Q}_4^{(8),*}(x) = x^8 + 129x^6 + 3465x^4 + 31185x^2,$$

$$\mathcal{R}_4^{(8),*} = 31185, \quad \mathcal{S}_4^{(8),*} = 0$$

$$\mathcal{P}_4^{(9)}(x) = 16x^8 - 960x^6 + 23040x^4 - 184320x^2,$$

$$\mathcal{Q}_4^{(9)}(x) = x^9 - 152x^7 + 5760x^5 - 92160x^3 + 368640x, \quad \mathcal{R}_4^{(9)} = 0, \quad \mathcal{S}_4^{(9)} = 0$$

$$\mathcal{P}_4^{(9),*}(x) = -(16x^8 + 960x^6 + 23040x^4 + 184320x^2),$$

$$\mathcal{Q}_4^{(9),*}(x) = x^9 + 152x^7 + 5760x^5 + 92160x^3 + 368640x, \quad \mathcal{R}_4^{(9),*} = 0, \quad \mathcal{S}_4^{(9),*} = 0$$

$$\mathcal{P}_4^{(10)}(x) = 17x^9 - 1287x^7 + 45045x^5 - 675675x^3 + 2027025x,$$

$$\mathcal{Q}_4^{(10)}(x) = x^{10} - 177x^8 + 9009x^6 - 225225x^4 + 2027025x^2,$$

$$\mathcal{R}_4^{(10)} = -2027025, \quad \mathcal{S}_4^{(10)} = 0$$

$$\mathcal{P}_4^{(10),*}(x) = -(17x^9 + 1287x^7 + 45045x^5 + 675675x^3 + 2027025x),$$

$$\mathcal{Q}_4^{(10),*}(x) = x^{10} + 177x^8 + 9009x^6 + 225225x^4 + 2027025x^2,$$

$$\mathcal{R}_4^{(10),*} = 2027025, \quad \mathcal{S}_4^{(10),*} = 0$$

$$\mathcal{P}_4^{(-3)}(x) = \frac{4}{x^4}, \quad \mathcal{Q}_4^{(-3)}(x) = \frac{x^2 - 8}{x^5}, \quad \mathcal{R}_4^{(-3)} = 0, \quad \mathcal{S}_4^{(-3)} = 0$$

$$\mathcal{P}_4^{(-3),*}(x) = -\frac{4}{x^4}, \quad \mathcal{Q}_4^{(-3),*}(x) = \frac{x^2 + 8}{x^5}, \quad \mathcal{R}_4^{(-3),*} = 0, \quad \mathcal{S}_4^{(-3),*} = 0$$

$$\mathcal{P}_4^{(-4)}(x) = \frac{x^4 - 3x^2 + 360}{105x^5}, \quad \mathcal{Q}_4^{(-4)}(x) = -\frac{x^6 - x^4 - 96x^2 + 720}{105x^6},$$

$$\mathcal{R}_4^{(-4)} = \frac{1}{105}, \quad \mathcal{S}_4^{(-4)} = 0$$

$$\mathcal{P}_4^{(-4),*}(x) = -\frac{x^4 + 3x^2 + 360}{105x^5}, \quad \mathcal{Q}_4^{(-4),*}(x) = -\frac{x^6 + x^4 - 96x^2 - 720}{105x^6},$$

$$\mathcal{R}_4^{(-4),*} = \frac{1}{105}, \quad \mathcal{S}_4^{(-4),*} = 0$$

$$\mathcal{P}_4^{(-5)}(x) = \frac{x^4 - 8x^2 + 576}{192x^6}, \quad \mathcal{Q}_4^{(-5)}(x) = -\frac{x^6 - 4x^4 - 320x^2 + 2304}{384x^7},$$

$$\mathcal{R}_4^{(-5)} = 0, \quad \mathcal{S}_4^{(-5)} = \frac{1}{384}$$

$$\mathcal{P}_4^{(-5),*}(x) = -\frac{x^4 + 8x^2 + 576}{192x^6}, \quad \mathcal{Q}_4^{(-5),*}(x) = -\frac{x^6 + 4x^4 - 320x^2 - 2304}{384x^7},$$

$$\mathcal{R}_4^{(-5),*} = 0, \quad \mathcal{S}_4^{(-5),*} = \frac{1}{384}$$

$$\mathcal{P}_4^{(-6)}(x) = -\frac{x^6 - 3x^4 + 45x^2 - 2520}{945x^7}, \quad \mathcal{Q}_4^{(-6)}(x) = \frac{x^8 - x^6 + 9x^4 + 720x^2 - 5040}{945x^8},$$

$$\mathcal{R}_4^{(-6)} = -\frac{1}{945}, \quad \mathcal{S}_4^{(-6)} = 0$$

$$\mathcal{P}_4^{(-6),*}(x) = -\frac{x^6 + 3x^4 + 45x^2 + 2520}{945x^7}, \quad \mathcal{Q}_4^{(-6),*}(x) = \frac{x^8 + x^6 + 9x^4 - 720x^2 - 5040}{945x^8},$$

$$\mathcal{R}_4^{(-6),*} = \frac{1}{945}, \quad \mathcal{S}_4^{(-6),*} = 0$$

$\mathbf{Z}_5(\mathbf{x})$:

$$\int J_5(x) dx = -\frac{x^2 - 48}{x^2} J_0(x) + \frac{12x^2 - 96}{x^3} J_1(x)$$

$$\begin{aligned}
\int I_5(x) dx &= \frac{x^2 + 48}{x^2} I_0(x) - \frac{12x^2 + 96}{x^3} I_1(x) \\
\int x J_5(x) dx &= -\frac{x^2 - 64}{x} J_0(x) + \frac{8x^2 - 128}{x^2} J_1(x) + 5\Lambda_0(x) \\
\int x I_5(x) dx &= \frac{x^2 + 64}{x} I_0(x) - \frac{8x^2 + 128}{x^2} I_1(x) - 5\Lambda_0^*(x) \\
\int x^2 J_5(x) dx &= -(x^2 - 72)J_0(x) + \frac{14x^2 - 192}{x} J_1(x) \\
\int x^2 I_5(x) dx &= (x^2 + 72)I_0(x) - \frac{14x^2 + 192}{x} I_1(x) \\
\int x^3 J_5(x) dx &= -(x^3 - 87x)J_0(x) + (15x^2 - 384)J_1(x) + 105\Lambda_0(x) \\
\int x^3 I_5(x) dx &= (x^3 + 87x)I_0(x) - (15x^2 + 384)I_1(x) + 105\Lambda_0^*(x) \\
\int x^4 J_5(x) dx &= -(x^4 - 104x^2 + 384)J_0(x) + (16x^3 - 400x)J_1(x) \\
\int x^4 I_5(x) dx &= (x^4 + 104x^2 + 384)I_0(x) - (16x^3 + 400x)I_1(x) \\
\int \frac{J_5(x)}{x} dx &= -\frac{4x^2 - 192}{5x^3} J_0(x) - \frac{x^4 - 56x^2 + 384}{5x^4} J_1(x) + \frac{1}{5} \Lambda_0(x) \\
\int \frac{I_5(x)}{x} dx &= \frac{4x^2 + 192}{5x^3} I_0(x) - \frac{x^4 + 56x^2 + 384}{5x^4} I_1(x) + \frac{1}{5} \Lambda_0^*(x) \\
\int \frac{J_5(x)}{x^2} dx &= -\frac{x^2 - 32}{x^4} J_0(x) + \frac{10x^2 - 64}{x^5} J_1(x) \\
\int \frac{I_5(x)}{x^2} dx &= \frac{x^2 + 32}{x^4} I_0(x) - \frac{10x^2 + 64}{x^5} I_1(x) \\
\mathcal{P}_5^{(5)}(x) &= -(x^5 - 123x^3 + 945x), \quad \mathcal{Q}_5^{(5)}(x) = 17x^4 - 561x^2, \quad \mathcal{R}_5^{(5)} = 945, \quad \mathcal{S}_5^{(5)} = 0 \\
\mathcal{P}_5^{(5),*}(x) &= x^5 + 123x^3 + 945x, \quad \mathcal{Q}_5^{(5),*}(x) = -(17x^4 + 561x^2), \quad \mathcal{R}_5^{(5),*} = -945, \quad \mathcal{S}_5^{(5),*} = 0 \\
\mathcal{P}_5^{(6)}(x) &= -(x^6 - 144x^4 + 1920x^2), \quad \mathcal{Q}_5^{(6)}(x) = 18x^5 - 768x^3 + 3840x, \\
\mathcal{R}_5^{(6)} &= 0, \quad \mathcal{S}_5^{(6)} = 0 \\
\mathcal{P}_5^{(6),*}(x) &= x^6 + 144x^4 + 1920x^2, \quad \mathcal{Q}_5^{(6),*}(x) = -(18x^5 + 768x^3 + 3840x), \\
\mathcal{R}_5^{(6),*} &= 0, \quad \mathcal{S}_5^{(6),*} = 0 \\
\mathcal{P}_5^{(7)}(x) &= -(x^7 - 167x^5 + 3465x^3 - 10395x), \quad \mathcal{Q}_5^{(7)}(x) = 19x^6 - 1027x^4 + 10395x^2, \\
\mathcal{R}_5^{(7)} &= -10395, \quad \mathcal{S}_5^{(7)} = 0 \\
\mathcal{P}_5^{(7),*}(x) &= x^7 + 167x^5 + 3465x^3 + 10395x, \quad \mathcal{Q}_5^{(7),*}(x) = -(19x^6 + 1027x^4 + 10395x^2), \\
\mathcal{R}_5^{(7),*} &= -10395, \quad \mathcal{S}_5^{(7),*} = 0 \\
\mathcal{P}_5^{(8)}(x) &= -(x^8 - 192x^6 + 5760x^4 - 46080x^2), \quad \mathcal{Q}_5^{(8)}(x) = 20x^7 - 1344x^5 + 23040x^3 - 92160x, \\
\mathcal{R}_5^{(8)} &= 0, \quad \mathcal{S}_5^{(8)} = 0 \\
\mathcal{P}_5^{(8),*}(x) &= x^8 + 192x^6 + 5760x^4 + 46080x^2, \quad \mathcal{Q}_5^{(8),*}(x) = -(20x^7 + 1344x^5 + 23040x^3 + 92160x), \\
\mathcal{R}_5^{(8),*} &= 0, \quad \mathcal{S}_5^{(8),*} = 0 \\
\mathcal{P}_5^{(9)}(x) &= -(x^9 - 219x^7 + 9009x^5 - 135135x^3 + 405405x), \\
\mathcal{Q}_5^{(9)}(x) &= 21x^8 - 1725x^6 + 45045x^4 - 405405x^2, \quad \mathcal{R}_5^{(9)} = 405405, \quad \mathcal{S}_5^{(9)} = 0
\end{aligned}$$

$$\begin{aligned}
& \mathcal{P}_5^{(9),*}(x) = x^9 + 219x^7 + 9009x^5 + 135135x^3 + 405405x, \\
& \mathcal{Q}_5^{(9),*}(x) = -(21x^8 + 1725x^6 + 45045x^4 + 405405x^2), \quad \mathcal{R}_5^{(9),*} = -405405, \quad \mathcal{S}_5^{(9),*} = 0 \\
& \mathcal{P}_5^{(10)}(x) = -(x^{10} - 248x^8 + 13440x^6 - 322560x^4 + 2580480x^2), \\
& \mathcal{Q}_5^{(10)}(x) = 22x^9 - 2176x^7 + 80640x^5 - 1290240x^3 + 5160960x, \quad \mathcal{R}_5^{(10)} = 0, \quad \mathcal{S}_5^{(10)} = 0 \\
& \mathcal{P}_5^{(10),*}(x) = x^{10} + 248x^8 + 13440x^6 + 322560x^4 + 2580480x^2, \\
& \mathcal{Q}_5^{(10),*}(x) = -(22x^9 + 2176x^7 + 80640x^5 + 1290240x^3 + 5160960x), \quad \mathcal{R}_5^{(10),*} = 0, \quad \mathcal{S}_5^{(10),*} = 0 \\
& \mathcal{P}_5^{(-3)}(x) = \frac{x^4 - 108x^2 + 2880}{105x^5}, \quad \mathcal{Q}_5^{(-3)}(x) = -\frac{x^6 - x^4 - 936x^2 + 5760}{105x^6}, \quad \mathcal{R}_5^{(-3)} = \frac{1}{105}, \quad \mathcal{S}_5^{(-3)} = 0 \\
& \mathcal{P}_5^{(-3),*}(x) = \frac{x^4 + 108x^2 + 2880}{105x^5}, \quad \mathcal{Q}_5^{(-3),*}(x) = \frac{x^6 + x^4 - 936x^2 - 5760}{105x^6}, \quad \mathcal{R}_5^{(-3),*} = -\frac{1}{105}, \quad \mathcal{S}_5^{(-3),*} = 0 \\
& \mathcal{P}_5^{(-4)}(x) = -\frac{x^2 - 24}{x^6}, \quad \mathcal{Q}_5^{(-4)}(x) = \frac{8x^2 - 48}{x^7}, \quad \mathcal{R}_5^{(-4)} = 0, \quad \mathcal{S}_5^{(-4)} = 0 \\
& \mathcal{P}_5^{(-4),*}(x) = \frac{x^2 + 24}{x^6}, \quad \mathcal{Q}_5^{(-4),*}(x) = -\frac{8x^2 + 48}{x^7}, \quad \mathcal{R}_5^{(-4),*} = 0, \quad \mathcal{S}_5^{(-4),*} = 0 \\
& \mathcal{P}_5^{(-5)}(x) = \frac{x^6 - 3x^4 - 900x^2 + 20160}{945x^7}, \quad \mathcal{Q}_5^{(-5)}(x) = -\frac{x^8 - x^6 + 9x^4 - 6840x^2 + 40320}{945x^8}, \\
& \mathcal{R}_5^{(-5)} = \frac{1}{945}, \quad \mathcal{S}_5^{(-5)} = 0 \\
& \mathcal{P}_5^{(-5),*}(x) = -\frac{x^6 + 3x^4 - 900x^2 - 20160}{945x^7}, \quad \mathcal{Q}_5^{(-5),*}(x) = -\frac{x^8 + x^6 + 9x^4 + 6840x^2 + 40320}{945x^8}, \\
& \mathcal{R}_5^{(-5),*} = \frac{1}{945}, \quad \mathcal{S}_5^{(-5),*} = 0 \\
& \mathcal{P}_5^{(-6)}(x) = \frac{x^6 - 8x^4 - 1728x^2 + 36864}{1920x^8}, \quad \mathcal{Q}_5^{(-6)}(x) = -\frac{x^8 - 4x^6 + 64x^4 - 25344x^2 + 147456}{3840x^9}, \\
& \mathcal{R}_5^{(-6)} = 0, \quad \mathcal{S}_5^{(-6)} = \frac{1}{3840} \\
& \mathcal{P}_5^{(-6),*}(x) = -\frac{x^6 + 8x^4 - 1728x^2 - 36864}{1920x^8}, \quad \mathcal{Q}_5^{(-6),*}(x) = -\frac{x^8 + 4x^6 + 64x^4 + 25344x^2 + 147456}{3840x^9}, \\
& \mathcal{R}_5^{(-6),*} = 0, \quad \mathcal{S}_5^{(-6),*} = \frac{1}{3840}
\end{aligned}$$

$\mathbf{Z}_6(\mathbf{x})$:

$$\begin{aligned}
& \int J_6(x) dx = -\frac{16x^2 - 384}{x^3} J_0(x) - \frac{2x^4 - 128x^2 + 768}{x^4} J_1(x) + \Lambda_0(x) \\
& \int I_6(x) dx = -\frac{16x^2 + 384}{x^3} I_0(x) + \frac{2x^4 + 128x^2 + 768}{x^4} I_1(x) - \Lambda_0^*(x) \\
& \int x J_6(x) dx = -\frac{18x^2 - 480}{x^2} J_0(x) - \frac{x^4 - 144x^2 + 960}{x^3} J_1(x) \\
& \int x I_6(x) dx = -\frac{18x^2 + 480}{x^2} I_0(x) + \frac{x^4 + 144x^2 + 960}{x^3} I_1(x) \\
& \int x^2 J_6(x) dx = -\frac{19x^2 - 640}{x} J_0(x) - \frac{x^4 - 128x^2 + 1280}{x^2} J_1(x) + 35\Lambda_0(x) \\
& \int x^2 I_6(x) dx = -\frac{19x^2 + 640}{x} I_0(x) + \frac{x^4 + 128x^2 + 1280}{x^2} I_1(x) + 35\Lambda_0^*(x) \\
& \int x^3 J_6(x) dx = -(20x^2 - 768) J_0(x) - \frac{x^4 - 184x^2 + 1920}{x} J_1(x)
\end{aligned}$$

$$\begin{aligned}
\int x^3 I_6(x) dx &= -(20x^2 + 768)I_0(x) + \frac{x^4 + 184x^2 + 1920}{x}I_1(x) \\
\int x^4 J_6(x) dx &= -(21x^3 - 975x)J_0(x) - (x^4 - 207x^2 + 3840)J_1(x) + 945\Lambda_0(x) \\
\int x^4 I_6(x) dx &= -(21x^3 + 975x)I_0(x) + (x^4 + 207x^2 + 3840)I_1(x) - 945\Lambda_0^*(x) \\
\int \frac{J_6(x) dx}{x} &= -\frac{16x^2 - 320}{x^4}J_0(x) - \frac{x^4 - 112x^2 + 640}{x^5}J_1(x) \\
\int \frac{I_6(x) dx}{x} &= -\frac{16x^2 + 320}{x^4}I_0(x) + \frac{x^4 + 112x^2 + 640}{x^5}I_1(x) \\
\int \frac{J_6(x) dx}{x^2} &= \frac{x^4 - 528x^2 + 9600}{35x^5}J_0(x) - \frac{x^6 + 34x^4 - 3456x^2 + 19200}{35x^6}J_1(x) + \frac{1}{35}\Lambda_0(x) \\
\int \frac{I_6(x) dx}{x^2} &= -\frac{x^4 + 528x^2 + 9600}{35x^5}I_0(x) - \frac{x^6 - 34x^4 - 3456x^2 - 19200}{35x^6}I_1(x) + \frac{1}{35}\Lambda_0^*(x) \\
\mathcal{P}_6^{(5)}(x) &= -(22x^4 - 1232x^2 + 3840), \quad \mathcal{Q}_6^{(5)}(x) = -(x^5 - 232x^3 + 4384x), \\
\mathcal{R}_6^{(5)} &= 0, \quad \mathcal{S}_6^{(5)} = 0 \\
\mathcal{P}_6^{(5),*}(x) &= -(22x^4 + 1232x^2 + 3840), \quad \mathcal{Q}_6^{(5),*}(x) = 22x^4 + 1232x^2 + 3840, \\
\mathcal{R}_6^{(5),*} &= 0, \quad \mathcal{S}_6^{(5),*} = 0 \\
\mathcal{P}_6^{(6)}(x) &= -(23x^5 - 1545x^3 + 10395x), \quad \mathcal{Q}_6^{(6)}(x) = -(x^6 - 259x^4 + 6555x^2), \\
\mathcal{R}_6^{(6)} &= 10395, \quad \mathcal{S}_6^{(6)} = 0 \\
\mathcal{P}_6^{(6),*}(x) &= -(23x^5 + 1545x^3 + 10395x), \quad \mathcal{Q}_6^{(6),*}(x) = x^6 + 259x^4 + 6555x^2, \\
\mathcal{R}_6^{(6),*} &= 10395, \quad \mathcal{S}_6^{(6),*} = 0 \\
\mathcal{P}_6^{(7)}(x) &= -(24x^6 - 1920x^4 + 23040x^2), \quad \mathcal{Q}_6^{(7)}(x) = -(x^7 - 288x^5 + 9600x^3 - 46080x), \\
\mathcal{R}_6^{(7)} &= 0, \quad \mathcal{S}_6^{(7)} = 0 \\
\mathcal{P}_6^{(7),*}(x) &= -(24x^6 + 1920x^4 + 23040x^2), \quad \mathcal{Q}_6^{(7),*}(x) = x^7 + 288x^5 + 9600x^3 + 46080x, \\
\mathcal{R}_6^{(7),*} &= 0, \quad \mathcal{S}_6^{(7),*} = 0 \\
\mathcal{P}_6^{(8)}(x) &= -(25x^7 - 2363x^5 + 45045x^3 - 135135x), \quad \mathcal{Q}_6^{(8)}(x) = -(x^8 - 319x^6 + 13735x^4 - 135135x^2), \\
\mathcal{R}_6^{(8)} &= -135135, \quad \mathcal{S}_6^{(8)} = 0 \\
\mathcal{P}_6^{(8),*}(x) &= -(25x^7 + 2363x^5 + 45045x^3 + 135135x), \quad \mathcal{Q}_6^{(8),*}(x) = x^8 + 319x^6 + 13735x^4 + 135135x^2, \\
\mathcal{R}_6^{(8),*} &= 135135, \quad \mathcal{S}_6^{(8),*} = 0 \\
\mathcal{P}_6^{(9)}(x) &= -(26x^8 - 2880x^6 + 80640x^4 - 645120x^2), \\
\mathcal{Q}_6^{(9)}(x) &= -(x^9 - 352x^7 + 19200x^5 - 322560x^3 + 1290240x), \quad \mathcal{R}_6^{(9)} = 0, \quad \mathcal{S}_6^{(9)} = 0 \\
\mathcal{P}_6^{(9),*}(x) &= -(26x^8 + 2880x^6 + 80640x^4 + 645120x^2), \\
\mathcal{Q}_6^{(9),*}(x) &= x^9 + 352x^7 + 19200x^5 + 322560x^3 + 1290240x, \quad \mathcal{R}_6^{(9),*} = 0, \quad \mathcal{S}_6^{(9),*} = 0 \\
\mathcal{P}_6^{(10)}(x) &= -(27x^9 - 3477x^7 + 135135x^5 - 2027025x^3 + 6081075x), \\
\mathcal{Q}_6^{(10)}(x) &= -(x^{10} - 387x^8 + 26259x^6 - 675675x^4 + 6081075x^2), \quad \mathcal{R}_6^{(10)} = 6081075, \quad \mathcal{S}_6^{(10)} = 0 \\
\mathcal{P}_6^{(10),*}(x) &= -(27x^9 + 3477x^7 + 135135x^5 + 2027025x^3 + 6081075x), \\
\mathcal{Q}_6^{(10),*}(x) &= x^{10} + 387x^8 + 26259x^6 + 675675x^4 + 6081075x^2, \quad \mathcal{R}_6^{(10),*} = 6081075, \quad \mathcal{S}_6^{(10),*} = 0
\end{aligned}$$

$$\begin{aligned}
\mathcal{P}_6^{(-3)}(x) &= -\frac{14x^2 - 240}{x^6}, & \mathcal{Q}_6^{(-3)}(x) &= -\frac{x^4 - 88x^2 + 480}{x^7}, & \mathcal{R}_6^{(-3)} &= 0, & \mathcal{S}_6^{(-3)} &= 0 \\
\mathcal{P}_6^{(-3),*}(x) &= -\frac{14x^2 + 240}{x^6}, & \mathcal{Q}_6^{(-3),*}(x) &= \frac{x^4 + 88x^2 + 480}{x^7}, & \mathcal{R}_6^{(-3),*} &= 0, & \mathcal{S}_6^{(-3),*} &= 0 \\
\mathcal{P}_6^{(-4)}(x) &= \frac{x^6 - 3x^4 - 12240x^2 + 201600}{945x^7}, & \mathcal{Q}_6^{(-4)}(x) &= -\frac{x^8 - x^6 + 954x^4 - 74880x^2 + 403200}{945x^8}, \\
& & \mathcal{R}_6^{(-4)} &= \frac{1}{945}, & \mathcal{S}_6^{(-4)} &= 0 \\
\mathcal{P}_6^{(-4),*}(x) &= \frac{x^6 + 3x^4 - 12240x^2 - 201600}{945x^7}, & \mathcal{Q}_6^{(-4),*}(x) &= \frac{x^8 + x^6 + 954x^4 + 74880x^2 + 403200}{945x^8}, \\
& & \mathcal{R}_6^{(-4),*} &= -\frac{1}{945}, & \mathcal{S}_6^{(-4),*} &= 0 \\
\mathcal{P}_6^{(-5)}(x) &= -\frac{12x^2 - 192}{x^8}, & \mathcal{Q}_6^{(-5)}(x) &= -\frac{x^4 - 72x^2 + 384}{x^9}, & \mathcal{R}_6^{(-5)} &= 0, & \mathcal{S}_6^{(-5)} &= 0 \\
\mathcal{P}_6^{(-5),*}(x) &= -\frac{12x^2 + 192}{x^8}, & \mathcal{Q}_6^{(-5),*}(x) &= \frac{x^4 + 72x^2 + 384}{x^9}, & \mathcal{R}_6^{(-5),*} &= 0, & \mathcal{S}_6^{(-5),*} &= 0 \\
\mathcal{P}_6^{(-6)}(x) &= \frac{x^8 - 3x^6 + 45x^4 - 115920x^2 + 1814400}{10395x^9}, \\
\mathcal{Q}_6^{(-6)}(x) &= -\frac{x^{10} - x^8 + 9x^6 + 10170x^4 - 685440x^2 + 3628800}{10395x^{10}}, \\
& & \mathcal{R}_6^{(-6)} &= \frac{1}{10395}, & \mathcal{S}_6^{(-6)} &= 0 \\
\mathcal{P}_6^{(-6),*}(x) &= -\frac{x^8 + 3x^6 + 45x^4 + 115920x^2 + 1814400}{10395x^9}, \\
\mathcal{Q}_6^{(-6),*}(x) &= -\frac{x^{10} + x^8 + 9x^6 - 10170x^4 - 685440x^2 - 3628800}{10395x^{10}}, \\
& & \mathcal{R}_6^{(-6),*} &= \frac{1}{10395}, & \mathcal{S}_6^{(-6),*} &= 0
\end{aligned}$$

$\mathbf{Z}_7(\mathbf{x})$:

$$\begin{aligned}
\int J_7(x) dx &= \frac{x^4 - 240x^2 + 3840}{x^4} J_0(x) - \frac{24x^4 - 1440x^2 + 7680}{x^5} J_1(x) \\
\int I_7(x) dx &= \frac{x^4 + 240x^2 + 3840}{x^4} I_0(x) - \frac{24x^4 + 1440x^2 + 7680}{x^5} I_1(x) \\
\int x J_7(x) dx &= \frac{x^4 - 256x^2 + 4608}{x^3} J_0(x) - \frac{32x^4 - 1664x^2 + 9216}{x^4} J_1(x) + 7\Lambda_0(x) \\
\int x I_7(x) dx &= \frac{x^4 + 256x^2 + 4608}{x^3} I_0(x) - \frac{32x^4 + 1664x^2 + 9216}{x^4} I_1(x) + 7\Lambda_0^*(x) \\
\int x^2 J_7(x) dx &= \frac{x^4 - 288x^2 + 5760}{x^2} J_0(x) - \frac{26x^4 - 1920x^2 + 11520}{x^3} J_1(x) \\
\int x^2 I_7(x) dx &= \frac{x^4 + 288x^2 + 5760}{x^2} I_0(x) - \frac{26x^4 + 1920x^2 + 11520}{x^3} I_1(x) \\
\int x^3 J_7(x) dx &= \frac{x^4 - 315x^2 + 7680}{x} J_0(x) - \frac{27x^4 - 1920x^2 + 15360}{x^2} J_1(x) + 315\Lambda_0(x) \\
\int x^3 I_7(x) dx &= \frac{x^4 + 315x^2 + 7680}{x} I_0(x) - \frac{27x^4 + 1920x^2 + 15360}{x^2} I_1(x) - 315\Lambda_0^*(x) \\
\int x^4 J_7(x) dx &= (x^4 - 344x^2 + 9600) J_0(x) - \frac{28x^4 - 2608x^2 + 23040}{x} J_1(x)
\end{aligned}$$

$$\begin{aligned}
\int x^4 I_7(x) dx &= (x^4 + 344x^2 + 9600)I_0(x) - \frac{28x^4 + 2608x^2 + 23040}{x}I_1(x) \\
\int \frac{J_7(x) dx}{x} &= \frac{8x^4 - 1536x^2 + 23040}{7x^5}J_0(x) - \frac{x^6 + 160x^4 - 8832x^2 + 46080}{7x^6}J_1(x) + \frac{1}{7}\Lambda_0(x) \\
\int \frac{I_7(x) dx}{x} &= \frac{8x^4 + 1536x^2 + 23040}{7x^5}I_0(x) + \frac{x^6 - 160x^4 - 8832x^2 - 46080}{7x^6}I_1(x) - \frac{1}{7}\Lambda_0^*(x) \\
\int \frac{J_7(x) dx}{x^2} &= \frac{x^4 - 200x^2 + 2880}{x^6}J_0(x) - \frac{22x^4 - 1120x^2 + 5760}{x^7}J_1(x) \\
\int \frac{I_7(x) dx}{x^2} &= \frac{x^4 + 200x^2 + 2880}{x^6}I_0(x) - \frac{22x^4 + 1120x^2 + 5760}{x^7}I_1(x) \\
\mathcal{P}_7^{(5)}(x) &= x^5 - 375x^3 + 12645x, \quad \mathcal{Q}_7^{(5)}(x) = -(29x^4 - 3045x^2 + 46080), \\
\mathcal{R}_7^{(5)} &= 10395, \quad \mathcal{S}_7^{(5)} = 0 \\
\mathcal{P}_7^{(5),*}(x) &= x^5 + 375x^3 + 12645x, \quad \mathcal{Q}_7^{(5),*}(x) = -(29x^4 + 3045x^2 + 46080), \\
\mathcal{R}_7^{(5),*} &= 10395, \quad \mathcal{S}_7^{(5),*} = 0 \\
\mathcal{P}_7^{(6)}(x) &= x^6 - 408x^4 + 16704x^2 - 46080, \quad \mathcal{Q}_7^{(6)}(x) = -(30x^5 - 3552x^3 + 56448x), \\
\mathcal{R}_7^{(6)} &= 0, \quad \mathcal{S}_7^{(6)} = 0 \\
\mathcal{P}_7^{(6),*}(x) &= x^6 + 408x^4 + 16704x^2 + 46080, \quad \mathcal{Q}_7^{(6),*}(x) = -(30x^5 + 3552x^3 + 56448x), \\
\mathcal{R}_7^{(6),*} &= 0, \quad \mathcal{S}_7^{(6),*} = 0 \\
\mathcal{P}_7^{(7)}(x) &= x^7 - 443x^5 + 22005x^3 - 135135x, \quad \mathcal{Q}_7^{(7)}(x) = -(31x^6 - 4135x^4 + 89055x^2), \\
\mathcal{R}_7^{(7)} &= 135135, \quad \mathcal{S}_7^{(7)} = 0 \\
\mathcal{P}_7^{(7),*}(x) &= x^7 + 443x^5 + 22005x^3 + 135135x, \quad \mathcal{Q}_7^{(7),*}(x) = -(31x^6 + 4135x^4 + 89055x^2), \\
\mathcal{R}_7^{(7),*} &= -135135, \quad \mathcal{S}_7^{(7),*} = 0 \\
\mathcal{P}_7^{(8)}(x) &= x^8 - 480x^6 + 28800x^4 - 322560x^2, \quad \mathcal{Q}_7^{(8)}(x) = -(32x^7 - 4800x^5 + 138240x^3 - 645120x), \\
\mathcal{R}_7^{(8)} &= 0, \quad \mathcal{S}_7^{(8)} = 0 \\
\mathcal{P}_7^{(8),*}(x) &= x^8 + 480x^6 + 28800x^4 + 322560x^2, \quad \mathcal{Q}_7^{(8),*}(x) = -(32x^7 + 4800x^5 + 138240x^3 + 645120x), \\
\mathcal{R}_7^{(8),*} &= 0, \quad \mathcal{S}_7^{(8),*} = 0 \\
\mathcal{P}_7^{(9)}(x) &= x^9 - 519x^7 + 37365x^5 - 675675x^3 + 2027025x, \\
\mathcal{Q}_7^{(9)}(x) &= -(33x^8 - 5553x^6 + 209865x^4 - 2027025x^2), \quad \mathcal{R}_7^{(9)} = -2027025, \quad \mathcal{S}_7^{(9)} = 0 \\
\mathcal{P}_7^{(9),*}(x) &= x^9 + 519x^7 + 37365x^5 + 675675x^3 + 2027025x, \\
\mathcal{Q}_7^{(9),*}(x) &= -(33x^8 + 5553x^6 + 209865x^4 + 2027025x^2), \quad \mathcal{R}_7^{(9),*} = -2027025, \quad \mathcal{S}_7^{(9),*} = 0 \\
\mathcal{P}_7^{(10)}(x) &= x^{10} - 560x^8 + 48000x^6 - 1290240x^4 + 10321920x^2, \\
\mathcal{Q}_7^{(10)}(x) &= -(34x^9 - 6400x^7 + 311040x^5 - 5160960x^3 + 20643840x), \quad \mathcal{R}_7^{(10)} = 0, \quad \mathcal{S}_7^{(10)} = 0 \\
\mathcal{P}_7^{(10),*}(x) &= x^{10} + 560x^8 + 48000x^6 + 1290240x^4 + 10321920x^2, \\
\mathcal{Q}_7^{(10),*}(x) &= -(34x^9 + 6400x^7 + 311040x^5 + 5160960x^3 + 20643840x), \quad \mathcal{R}_7^{(10),*} = 0, \quad \mathcal{S}_7^{(10),*} = 0 \\
\mathcal{P}_7^{(-3)}(x) &= \frac{x^6 + 312x^4 - 57600x^2 + 806400}{315x^7}, \\
\mathcal{Q}_7^{(-3)}(x) &= -\frac{x^8 - x^6 + 6624x^4 - 316800x^2 + 1612800}{315x^8}, \quad \mathcal{R}_7^{(-3)} = \frac{1}{315}, \quad \mathcal{S}_7^{(-3)} = 0
\end{aligned}$$

$$\begin{aligned}
\mathcal{P}_7^{(-3),*}(x) &= \frac{x^6 - 312x^4 - 57600x^2 - 806400}{315x^7}, \\
\mathcal{Q}_7^{(-3),*}(x) &= -\frac{x^8 + x^6 + 6624x^4 + 316800x^2 + 1612800}{315x^8}, \quad \mathcal{R}_7^{(-3),*} = \frac{1}{315}, \quad \mathcal{S}_7^{(-3),*} = 0 \\
\mathcal{P}_7^{(-4)}(x) &= \frac{x^4 - 168x^2 + 2304}{x^8}, \quad \mathcal{Q}_7^{(-4)}(x) = -\frac{20x^4 - 912x^2 + 4608}{x^9}, \quad \mathcal{R}_7^{(-4)} = 0, \quad \mathcal{S}_7^{(-4)} = 0 \\
\mathcal{P}_7^{(-4),*}(x) &= \frac{x^4 + 168x^2 + 2304}{x^8}, \quad \mathcal{Q}_7^{(-4),*}(x) = -\frac{20x^4 + 912x^2 + 4608}{x^9}, \quad \mathcal{R}_7^{(-4),*} = 0, \quad \mathcal{S}_7^{(-4),*} = 0 \\
\mathcal{P}_7^{(-5)}(x) &= \frac{x^8 - 3x^6 + 10440x^4 - 1612800x^2 + 21772800}{10395x^9}, \\
\mathcal{Q}_7^{(-5)}(x) &= -\frac{x^{10} - x^8 + 9x^6 + 197280x^4 - 8668800x^2 + 43545600}{10395x^{10}}, \quad \mathcal{R}_7^{(-5)} = \frac{1}{10395}, \quad \mathcal{S}_7^{(-5)} = 0 \\
\mathcal{P}_7^{(-5),*}(x) &= \frac{x^8 + 3x^6 + 10440x^4 + 1612800x^2 + 21772800}{10395x^9}, \\
\mathcal{Q}_7^{(-5),*}(x) &= \frac{x^{10} + x^8 + 9x^6 - 197280x^4 - 8668800x^2 - 43545600}{10395x^{10}}, \quad \mathcal{R}_7^{(-5),*} = -\frac{1}{10395}, \quad \mathcal{S}_7^{(-5),*} = 0 \\
\mathcal{P}_7^{(-6)}(x) &= \frac{x^4 - 144x^2 + 1920}{x^{10}}, \quad \mathcal{Q}_7^{(-6)}(x) = -\frac{18x^4 - 768x^2 + 3840}{x^{11}}, \quad \mathcal{R}_7^{(-6)} = 0, \quad \mathcal{S}_7^{(-6)} = 0 \\
\mathcal{P}_7^{(-6),*}(x) &= \frac{x^4 + 144x^2 + 1920}{x^{10}}, \quad \mathcal{Q}_7^{(-6),*}(x) = -\frac{18x^4 + 768x^2 + 3840}{x^{11}}, \quad \mathcal{R}_7^{(-6),*} = 0, \quad \mathcal{S}_7^{(-6),*} = 0
\end{aligned}$$

$\mathbf{Z}_8(\mathbf{x})$:

$$\begin{aligned}
\int J_8(x) dx &= \frac{32x^4 - 3456x^2 + 46080}{x^5} J_0(x) - \frac{448x^4 - 18432x^2 + 92160}{x^6} J_1(x) + \Lambda_0(x) \\
\int I_8(x) dx &= -\frac{32x^4 + 3456x^2 + 46080}{x^5} I_0(x) + \frac{448x^4 + 18432x^2 + 92160}{x^6} I_1(x) + \Lambda_0^*(x) \\
\int x J_8(x) dx &= \frac{32x^4 - 3840x^2 + 53760}{x^4} J_0(x) + \frac{x^6 - 480x^4 + 21120x^2 - 107520}{x^5} J_1(x) \\
\int x I_8(x) dx &= -\frac{32x^4 + 3840x^2 + 53760}{x^4} I_0(x) + \frac{x^6 + 480x^4 + 21120x^2 + 107520}{x^5} I_1(x) \\
\int x^2 J_8(x) dx &= \frac{33x^4 - 4224x^2 + 64512}{x^3} J_0(x) + \frac{x^6 - 576x^4 + 24576x^2 - 129024}{x^4} J_1(x) + 63\Lambda_0(x) \\
\int x^2 I_8(x) dx &= -\frac{33x^4 + 4224x^2 + 64512}{x^3} I_0(x) + \frac{x^6 + 576x^4 + 24576x^2 + 129024}{x^4} I_1(x) - 63\Lambda_0^*(x) \\
\int x^3 J_8(x) dx &= \frac{34x^4 - 4800x^2 + 80640}{x^2} J_0(x) + \frac{x^6 - 548x^4 + 28800x^2 - 161280}{x^3} J_1(x) \\
\int x^3 I_8(x) dx &= -\frac{34x^4 + 4800x^2 + 80640}{x^2} I_0(x) + \frac{x^6 + 548x^4 + 28800x^2 + 161280}{x^3} I_1(x) \\
\int x^4 J_8(x) dx &= \frac{35x^4 - 5385x^2 + 107520}{x} J_0(x) + \frac{x^6 - 585x^4 + 30720x^2 - 215040}{x^2} J_1(x) + 3465\Lambda_0(x) \\
\int x^4 I_8(x) dx &= -\frac{35x^4 + 5385x^2 + 107520}{x} I_0(x) + \frac{x^6 + 585x^4 + 30720x^2 + 215040}{x^2} I_1(x) + 3465\Lambda_0^*(x) \\
\int \frac{J_8(x)}{x} dx &= \frac{30x^4 - 3120x^2 + 40320}{x^6} J_0(x) + \frac{x^6 - 420x^4 + 16320x^2 - 80640}{x^7} J_1(x) \\
\int \frac{I_8(x)}{x} dx &= -\frac{30x^4 + 3120x^2 + 40320}{x^6} I_0(x) + \frac{x^6 + 420x^4 + 16320x^2 + 80640}{x^7} I_1(x) \\
\int \frac{J_8(x)}{x^2} dx &= \frac{x^6 + 1824x^4 - 178560x^2 + 2257920}{63x^7} J_0(x) -
\end{aligned}$$

$$\begin{aligned}
& -\frac{x^8 - 64x^6 + 24768x^4 - 921600x^2 + 4515840}{63x^8} J_1(x) + \frac{1}{63} \Lambda_0(x) \\
& \int \frac{I_8(x) dx}{x^2} = \frac{x^6 - 1824x^4 - 178560x^2 - 2257920}{63x^7} I_0(x) + \\
& + \frac{x^8 + 64x^6 + 24768x^4 + 921600x^2 + 4515840}{63x^8} I_1(x) - \frac{1}{63} \Lambda_0^*(x) \\
\mathcal{P}_8^{(5)}(x) &= 36x^4 - 6048x^2 + 138240, \quad \mathcal{Q}_8^{(5)}(x) = \frac{x^6 - 624x^4 + 40896x^2 - 322560}{x}, \\
\mathcal{R}_8^{(5)} &= 0, \quad \mathcal{S}_8^{(5)} = 0 \\
\mathcal{P}_8^{(5),*}(x) &= -(36x^4 + 6048x^2 + 138240), \quad \mathcal{Q}_8^{(5),*}(x) = \frac{x^6 + 624x^4 + 40896x^2 + 322560}{x}, \\
\mathcal{R}_8^{(5),*} &= 0, \quad \mathcal{S}_8^{(5),*} = 0 \\
\mathcal{P}_8^{(6)}(x) &= 37x^5 - 6795x^3 + 187425x, \quad \mathcal{Q}_8^{(6)}(x) = x^6 - 665x^4 + 49185x^2 - 645120, \\
\mathcal{R}_8^{(6)} &= 135135, \quad \mathcal{S}_8^{(6)} = 0 \\
\mathcal{P}_8^{(6),*}(x) &= -(37x^5 + 6795x^3 + 187425x), \quad \mathcal{Q}_8^{(6),*}(x) = x^6 + 665x^4 + 49185x^2 + 645120, \\
\mathcal{R}_8^{(6),*} &= -135135, \quad \mathcal{S}_8^{(6),*} = 0 \\
\mathcal{P}_8^{(7)}(x) &= 38x^6 - 7632x^4 + 256896x^2 - 645120, \quad \mathcal{Q}_8^{(7)}(x) = x^7 - 708x^5 + 59328x^3 - 836352x, \\
\mathcal{R}_8^{(7)} &= 0, \quad \mathcal{S}_8^{(7)} = 0 \\
\mathcal{P}_8^{(7),*}(x) &= -(38x^6 + 7632x^4 + 256896x^2 + 645120), \quad \mathcal{Q}_8^{(7),*}(x) = x^7 + 708x^5 + 59328x^3 + 836352x, \\
\mathcal{R}_8^{(7),*} &= 0, \quad \mathcal{S}_8^{(7),*} = 0 \\
\mathcal{P}_8^{(8)}(x) &= 39x^7 - 8565x^5 + 353115x^3 - 2027025x, \quad \mathcal{Q}_8^{(8)}(x) = x^8 - 753x^6 + 71625x^4 - 1381905x^2, \\
\mathcal{R}_8^{(8)} &= 2027025, \quad \mathcal{S}_8^{(8)} = 0 \\
\mathcal{P}_8^{(8),*}(x) &= -(39x^7 + 8565x^5 + 353115x^3 + 2027025x), \quad \mathcal{Q}_8^{(8),*}(x) = x^8 + 753x^6 + 71625x^4 + 1381905x^2, \\
\mathcal{R}_8^{(8),*} &= 2027025, \quad \mathcal{S}_8^{(8),*} = 0 \\
& \mathcal{P}_8^{(9)}(x) = 40x^8 - 9600x^6 + 483840x^4 - 5160960x^2, \\
\mathcal{Q}_8^{(9)}(x) &= x^9 - 800x^7 + 86400x^5 - 2257920x^3 + 10321920x, \quad \mathcal{R}_8^{(9)} = 0, \quad \mathcal{S}_8^{(9)} = 0 \\
& \mathcal{P}_8^{(9),*}(x) = -(40x^8 + 9600x^6 + 483840x^4 + 5160960x^2), \\
\mathcal{Q}_8^{(9),*}(x) &= x^9 + 800x^7 + 86400x^5 + 2257920x^3 + 10321920x, \quad \mathcal{R}_8^{(9),*} = 0, \quad \mathcal{S}_8^{(9),*} = 0 \\
& \mathcal{P}_8^{(10)}(x) = 41x^9 - 10743x^7 + 658245x^5 - 11486475x^3 + 34459425x, \\
\mathcal{Q}_8^{(10)}(x) &= x^{10} - 849x^8 + 104001x^6 - 3613785x^4 + 34459425x^2, \quad \mathcal{R}_8^{(10)} = -34459425, \quad \mathcal{S}_8^{(10)} = 0 \\
& \mathcal{P}_8^{(10),*}(x) = -(41x^9 + 10743x^7 + 658245x^5 + 11486475x^3 + 34459425x), \\
\mathcal{Q}_8^{(10),*}(x) &= x^{10} + 849x^8 + 104001x^6 + 3613785x^4 + 34459425x^2, \quad \mathcal{R}_8^{(10),*} = 34459425, \quad \mathcal{S}_8^{(10),*} = 0 \\
& \mathcal{P}_8^{(-3)}(x) = \frac{28x^4 - 2592x^2 + 32256}{x^8}, \quad \mathcal{Q}_8^{(-3)}(x) = \frac{x^6 - 368x^4 + 13248x^2 - 64512}{x^9}, \\
& \mathcal{R}_8^{(-3)} = 0, \quad \mathcal{S}_8^{(-3)} = 0 \\
& \mathcal{P}_8^{(-3),*}(x) = -\frac{28x^4 + 2592x^2 + 32256}{x^8}, \quad \mathcal{Q}_8^{(-3),*}(x) = \frac{x^6 + 368x^4 + 13248x^2 + 64512}{x^9}, \\
& \mathcal{R}_8^{(-3),*} = 0, \quad \mathcal{S}_8^{(-3),*} = 0 \\
& \mathcal{P}_8^{(-4)}(x) = \frac{x^8 - 3x^6 + 93600x^4 - 8265600x^2 + 101606400}{3465x^9},
\end{aligned}$$

$$\begin{aligned}
\mathcal{Q}_8^{(-4)}(x) &= -\frac{x^{10} - x^8 - 3456x^6 + 1195200x^4 - 41932800x^2 + 203212800}{3465x^{10}}, \\
\mathcal{R}_8^{(-4)} &= \frac{1}{3465}, \quad \mathcal{S}_8^{(-4)} = 0 \\
\mathcal{P}_8^{(-4),*}(x) &= -\frac{x^8 + 3x^6 + 93600x^4 + 8265600x^2 + 101606400}{3465x^9}, \\
\mathcal{Q}_8^{(-4),*}(x) &= -\frac{x^{10} + x^8 - 3456x^6 - 1195200x^4 - 41932800x^2 - 203212800}{3465x^{10}}, \\
\mathcal{R}_8^{(-4),*} &= \frac{1}{3465}, \quad \mathcal{S}_8^{(-4),*} = 0 \\
\mathcal{P}_8^{(-5)}(x) &= \frac{26x^4 - 2208x^2 + 26880}{x^{10}}, \quad \mathcal{Q}_8^{(-5)}(x) = \frac{x^6 - 324x^4 + 11136x^2 - 53760}{x^{11}}, \\
\mathcal{R}_8^{(-5)} &= 0, \quad \mathcal{S}_8^{(-5)} = 0 \\
\mathcal{P}_8^{(-5),*}(x) &= -\frac{26x^4 + 2208x^2 + 26880}{x^{10}}, \quad \mathcal{Q}_8^{(-5),*}(x) = \frac{x^6 + 324x^4 + 11136x^2 + 53760}{x^{11}}, \\
\mathcal{R}_8^{(-5),*} &= 0, \quad \mathcal{S}_8^{(-5),*} = 0 \\
\mathcal{P}_8^{(-6)}(x) &= \frac{x^{10} - 3x^8 + 45x^6 + 3376800x^4 - 277603200x^2 + 3353011200}{135135x^{11}}, \\
\mathcal{Q}_8^{(-6)}(x) &= -\frac{x^{12} - x^{10} + 9x^8 - 135360x^6 + 41227200x^4 - 1393459200x^2 + 6706022400}{135135x^{12}}, \\
\mathcal{R}_8^{(-6)} &= \frac{1}{135135}, \quad \mathcal{S}_8^{(-6)} = 0 \\
\mathcal{P}_8^{(-6),*}(x) &= \frac{x^{10} + 3x^8 + 45x^6 - 3376800x^4 - 277603200x^2 - 3353011200}{135135x^{11}}, \\
\mathcal{Q}_8^{(-6),*}(x) &= \frac{x^{12} + x^{10} + 9x^8 + 135360x^6 + 41227200x^4 + 1393459200x^2 + 6706022400}{135135x^{12}}, \\
\mathcal{R}_8^{(-6),*} &= -\frac{1}{135135}, \quad \mathcal{S}_8^{(-6),*} = 0
\end{aligned}$$

$\mathbf{Z}_9(\mathbf{x})$:

$$\begin{aligned}
\int J_9(x) dx &= -\frac{x^6 - 720x^4 + 53760x^2 - 645120}{x^6} J_0(x) + \frac{40x^6 - 8160x^4 + 268800x^2 - 1290240}{x^7} J_1(x) \\
\int I_9(x) dx &= \frac{x^6 + 720x^4 + 53760x^2 + 645120}{x^6} I_0(x) - \frac{40x^6 + 8160x^4 + 268800x^2 + 1290240}{x^7} I_1(x) \\
\int x J_9(x) dx &= \\
&= -\frac{x^6 - 768x^4 + 59904x^2 - 737280}{x^5} J_0(x) + \frac{32x^6 - 8832x^4 + 304128x^2 - 1474560}{x^6} J_1(x) + 9\Lambda_0(x) \\
\int x I_9(x) dx &= \\
&= \frac{x^6 + 768x^4 + 59904x^2 + 737280}{x^5} I_0(x) - \frac{32x^6 + 8832x^4 + 304128x^2 + 1474560}{x^6} I_1(x) - 9\Lambda_0^*(x) \\
\int x^2 J_9(x) dx &= -\frac{x^6 - 800x^4 + 67200x^2 - 860160}{x^4} J_0(x) + \frac{42x^6 - 9600x^4 + 349440x^2 - 1720320}{x^5} J_1(x) \\
\int x^2 I_9(x) dx &= \frac{x^6 + 800x^4 + 67200x^2 + 860160}{x^4} I_0(x) - \frac{42x^6 + 9600x^4 + 349440x^2 + 1720320}{x^5} I_1(x) \\
\int x^3 J_9(x) dx &= -\frac{x^6 - 843x^4 + 75264x^2 - 1032192}{x^3} J_0(x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{43x^6 - 11136x^4 + 408576x^2 - 2064384}{x^4} J_1(x) + 693\Lambda_0(x) \\
& \int x^3 I_9(x) dx = \frac{x^6 + 843x^4 + 75264x^2 + 1032192}{x^3} I_0(x) - \\
& - \frac{43x^6 + 11136x^4 + 408576x^2 + 2064384}{x^4} I_1(x) + 693\Lambda_0^*(x) \\
\int x^4 J_9(x) dx &= -\frac{x^6 - 888x^4 + 86400x^2 - 1290240}{x^2} J_0(x) + \frac{44x^6 - 11376x^4 + 483840x^2 - 2580480}{x^3} J_1(x) \\
\int x^4 I_9(x) dx &= \frac{x^6 + 888x^4 + 86400x^2 + 1290240}{x^2} I_0(x) - \frac{44x^6 + 11376x^4 + 483840x^2 + 2580480}{x^3} I_1(x) \\
\int \frac{J_9(x) dx}{x} &= -\frac{8x^6 - 6144x^4 + 437760x^2 - 5160960}{9x^7} J_0(x) - \\
& - \frac{x^8 - 352x^6 + 67968x^4 - 2165760x^2 + 10321920}{9x^8} J_1(x) + \frac{1}{9}\Lambda_0(x) \\
\int \frac{I_9(x) dx}{x} &= \frac{8x^6 + 6144x^4 + 437760x^2 + 5160960}{9x^7} I_0(x) - \\
& - \frac{x^8 + 352x^6 + 67968x^4 + 2165760x^2 + 10321920}{9x^8} I_1(x) + \frac{1}{9}\Lambda_0^*(x) \\
\int \frac{J_9(x) dx}{x^2} &= -\frac{x^6 - 648x^4 + 44352x^2 - 516096}{x^8} J_0(x) + \frac{38x^6 - 7008x^4 + 217728x^2 - 1032192}{x^9} J_1(x) \\
\int \frac{I_9(x) dx}{x^2} &= \frac{x^6 + 648x^4 + 44352x^2 + 516096}{x^8} I_0(x) - \frac{38x^6 + 7008x^4 + 217728x^2 + 1032192}{x^9} I_1(x) \\
\mathcal{P}_9^{(5)}(x) &= -\frac{x^6 - 935x^4 + 98805x^2 - 1720320}{x}, \quad \mathcal{Q}_9^{(5)}(x) = \frac{45x^6 - 12405x^4 + 537600x^2 - 3440640}{x^2}, \\
\mathcal{R}_9^{(5)} &= 45045, \quad \mathcal{S}_9^{(5)} = 0 \\
\mathcal{P}_9^{(5),*}(x) &= \frac{x^6 + 935x^4 + 98805x^2 + 1720320}{x}, \quad \mathcal{Q}_9^{(5),*}(x) = -\frac{45x^6 + 12405x^4 + 537600x^2 + 3440640}{x^2}, \\
\mathcal{R}_9^{(5),*} &= -45045, \quad \mathcal{S}_9^{(5),*} = 0 \\
\mathcal{P}_9^{(6)}(x) &= -(x^6 - 984x^4 + 113472x^2 - 2257920), \quad \mathcal{Q}_9^{(6)}(x) = \frac{46x^6 - 13536x^4 + 710784x^2 - 5160960}{x}, \\
\mathcal{R}_9^{(6)} &= 0, \quad \mathcal{S}_9^{(6)} = 0 \\
\mathcal{P}_9^{(6),*}(x) &= x^6 + 984x^4 + 113472x^2 + 2257920, \quad \mathcal{Q}_9^{(6),*}(x) = -\frac{46x^6 + 13536x^4 + 710784x^2 + 5160960}{x}, \\
\mathcal{R}_9^{(6),*} &= 0, \quad \mathcal{S}_9^{(6),*} = 0 \\
\mathcal{P}_9^{(7)}(x) &= -(x^7 - 1035x^5 + 130725x^3 - 3133935x), \quad \mathcal{Q}_9^{(7)}(x) = 47x^6 - 14775x^4 + 876015x^2 - 10321920, \\
\mathcal{R}_9^{(7)} &= 2027025, \quad \mathcal{S}_9^{(7)} = 0 \\
\mathcal{P}_9^{(7),*}(x) &= x^7 + 1035x^5 + 130725x^3 + 3133935x, \quad \mathcal{Q}_9^{(7),*}(x) = -(47x^6 + 14775x^4 + 876015x^2 + 10321920), \\
\mathcal{R}_9^{(7),*} &= 2027025, \quad \mathcal{S}_9^{(7),*} = 0 \\
\mathcal{P}_9^{(8)}(x) &= -(x^8 - 1088x^6 + 150912x^4 - 4432896x^2 + 10321920), \\
\mathcal{Q}_9^{(8)}(x) &= 48x^7 - 16128x^5 + 1087488x^3 - 14026752x, \quad \mathcal{R}_9^{(8)} = 0, \quad \mathcal{S}_9^{(8)} = 0 \\
\mathcal{P}_9^{(8),*}(x) &= x^8 + 1088x^6 + 150912x^4 + 4432896x^2 + 10321920, \\
\mathcal{Q}_9^{(8),*}(x) &= -(48x^7 + 16128x^5 + 1087488x^3 + 14026752x), \quad \mathcal{R}_9^{(8),*} = 0, \quad \mathcal{S}_9^{(8),*} = 0 \\
\mathcal{P}_9^{(9)}(x) &= -(x^9 - 1143x^7 + 174405x^5 - 6325515x^3 + 34459425x),
\end{aligned}$$

$$\begin{aligned}
\mathcal{Q}_9^{(9)}(x) &= 49x^8 - 17601x^6 + 1355865x^4 - 24137505x^2, \quad \mathcal{R}_9^{(9)} = 34459425, \quad \mathcal{S}_9^{(9)} = 0 \\
\mathcal{P}_9^{(9),*}(x) &= x^9 + 1143x^7 + 174405x^5 + 6325515x^3 + 34459425x, \\
\mathcal{Q}_9^{(9),*}(x) &= -(49x^8 + 17601x^6 + 1355865x^4 + 24137505x^2), \\
\mathcal{R}_9^{(9),*} &= -34459425, \quad \mathcal{S}_9^{(9),*} = 0 \\
\mathcal{P}_9^{(10)}(x) &= -(x^{10} - 1200x^8 + 201600x^6 - 9031680x^4 + 92897280x^2), \\
\mathcal{Q}_9^{(10)}(x) &= 50x^9 - 19200x^7 + 1693440x^5 - 41287680x^3 + 185794560x, \\
\mathcal{R}_9^{(10)} &= 0, \quad \mathcal{S}_9^{(10)} = 0 \\
\mathcal{P}_9^{(10),*}(x) &= x^{10} + 1200x^8 + 201600x^6 + 9031680x^4 + 92897280x^2, \\
\mathcal{Q}_9^{(10),*}(x) &= -(50x^9 + 19200x^7 + 1693440x^5 + 41287680x^3 + 185794560x), \\
\mathcal{R}_9^{(10),*} &= 0, \quad \mathcal{S}_9^{(10),*} = 0 \\
\mathcal{P}_9^{(-3)}(x) &= \frac{x^8 - 696x^6 + 426240x^4 - 28224000x^2 + 325140480}{693x^9}, \\
\mathcal{Q}_9^{(-3)}(x) &= -\frac{x^{10} - x^8 - 25632x^6 + 4521600x^4 - 137733120x^2 + 650280960}{693x^{10}}, \\
\mathcal{R}_9^{(-3)} &= \frac{1}{693}, \quad \mathcal{S}_9^{(-3)} = 0 \\
\mathcal{P}_9^{(-3),*}(x) &= \frac{x^8 + 696x^6 + 426240x^4 + 28224000x^2 + 325140480}{693x^9}, \\
\mathcal{Q}_9^{(-3),*}(x) &= \frac{x^{10} + x^8 - 25632x^6 - 4521600x^4 - 137733120x^2 - 650280960}{693x^{10}}, \\
\mathcal{R}_9^{(-3),*} &= -\frac{1}{693}, \quad \mathcal{S}_9^{(-3),*} = 0 \\
\mathcal{P}_9^{(-4)}(x) &= -\frac{x^6 - 584x^4 + 37632x^2 - 430080}{x^{10}}, \quad \mathcal{Q}_9^{(-4)}(x) = \frac{36x^6 - 6096x^4 + 182784x^2 - 860160}{x^{11}}, \\
\mathcal{R}_9^{(-4)} &= 0, \quad \mathcal{S}_9^{(-4)} = 0 \\
\mathcal{P}_9^{(-4),*}(x) &= \frac{x^6 + 584x^4 + 37632x^2 + 430080}{x^{10}}, \quad \mathcal{Q}_9^{(-4),*}(x) = -\frac{36x^6 + 6096x^4 + 182784x^2 + 860160}{x^{11}}, \\
\mathcal{R}_9^{(-4),*} &= 0, \quad \mathcal{S}_9^{(-4),*} = 0 \\
\mathcal{P}_9^{(-5)}(x) &= \frac{x^{10} - 3x^8 - 45000x^6 + 24998400x^4 - 1574899200x^2 + 17882726400}{45045x^{11}}, \\
\mathcal{Q}_9^{(-5)}(x) &= -\frac{x^{12} - x^{10} + 9x^8 - 1576800x^6 + 257443200x^4 - 7620480000x^2 + 35765452800}{45045x^{12}}, \\
\mathcal{R}_9^{(-5)} &= \frac{1}{45045}, \quad \mathcal{S}_9^{(-5)} = 0 \\
\mathcal{P}_9^{(-5),*}(x) &= -\frac{x^{10} + 3x^8 - 45000x^6 - 24998400x^4 - 1574899200x^2 - 17882726400}{45045x^{11}}, \\
\mathcal{Q}_9^{(-5),*}(x) &= -\frac{x^{12} + x^{10} + 9x^8 + 1576800x^6 + 257443200x^4 + 7620480000x^2 + 35765452800}{45045x^{12}}, \\
\mathcal{R}_9^{(-5),*} &= \frac{1}{45045}, \quad \mathcal{S}_9^{(-5),*} = 0 \\
\mathcal{P}_9^{(-6)}(x) &= -\frac{x^6 - 528x^4 + 32640x^2 - 368640}{x^{12}}, \\
\mathcal{Q}_9^{(-6)}(x) &= \frac{34x^6 - 5376x^4 + 157440x^2 - 737280}{x^{13}}, \quad \mathcal{R}_9^{(-6)} = 0, \quad \mathcal{S}_9^{(-6)} = 0
\end{aligned}$$

$$\mathcal{P}_9^{(-6),*}(x) = \frac{x^6 + 528x^4 + 32640x^2 + 368640}{x^{12}},$$

$$\mathcal{Q}_9^{(-6),*}(x) = -\frac{34x^6 + 5376x^4 + 157440x^2 + 737280}{x^{13}}, \quad \mathcal{R}_9^{(-6),*} = 0, \quad \mathcal{S}_9^{(-6),*} = 0$$

$\mathbf{Z}_{10}(\mathbf{x})$:

$$\begin{aligned} \int J_{10}(x) dx &= -\frac{48x^6 - 15744x^4 + 921600x^2 - 10321920}{x^7} J_0(x) - \\ &\frac{2x^8 - 1152x^6 + 154368x^4 - 4423680x^2 + 20643840}{x^8} J_1(x) + \Lambda_0(x) \\ \int I_{10}(x) dx &= -\frac{48x^6 + 15744x^4 + 921600x^2 + 10321920}{x^7} I_0(x) + \\ &+ \frac{2x^8 + 1152x^6 + 154368x^4 + 4423680x^2 + 20643840}{x^8} I_1(x) - \Lambda_0^*(x) \\ \int x J_{10}(x) dx &= -\frac{50x^6 - 16800x^4 + 1021440x^2 - 11612160}{x^6} J_0(x) - \\ &\frac{x^8 - 1200x^6 + 168000x^4 - 4945920x^2 + 23224320}{x^7} J_1(x) \\ \int x I_{10}(x) dx &= -\frac{50x^6 + 16800x^4 + 1021440x^2 + 11612160}{x^6} I_0(x) + \\ &+ \frac{x^8 + 1200x^6 + 168000x^4 + 4945920x^2 + 23224320}{x^7} I_1(x) \\ \int x^2 J_{10}(x) dx &= -\frac{51x^6 - 18048x^4 + 1142784x^2 - 13271040}{x^5} J_0(x) - \\ &\frac{x^8 - 1152x^6 + 183552x^4 - 5603328x^2 + 26542080}{x^6} J_1(x) + 99\Lambda_0(x) \\ \int x^2 I_{10}(x) dx &= -\frac{51x^6 + 18048x^4 + 1142784x^2 + 13271040}{x^5} I_0(x) + \\ &+ \frac{x^8 + 1152x^6 + 183552x^4 + 5603328x^2 + 26542080}{x^6} I_1(x) + 99\Lambda_0^*(x) \\ \int x^3 J_{10}(x) dx &= -\frac{52x^6 - 19200x^4 + 1290240x^2 - 15482880}{x^4} J_0(x) - \\ &\frac{x^8 - 1304x^6 + 201600x^4 - 6451200x^2 + 30965760}{x^5} J_1(x) \\ \int x^3 I_{10}(x) dx &= -\frac{52x^6 + 19200x^4 + 1290240x^2 + 15482880}{x^4} I_0(x) + \\ &+ \frac{x^8 + 1304x^6 + 201600x^4 + 6451200x^2 + 30965760}{x^5} I_1(x) \\ \int x^4 J_{10}(x) dx &= -\frac{53x^6 - 20559x^4 + 1462272x^2 - 18579456}{x^3} J_0(x) - \\ &\frac{x^8 - 1359x^6 + 231168x^4 - 7569408x^2 + 37158912}{x^4} J_1(x) + 9009\Lambda_0(x) \\ \int x^4 I_{10}(x) dx &= -\frac{53x^6 + 20559x^4 + 1462272x^2 + 18579456}{x^3} I_0(x) + \\ &+ \frac{x^8 + 1359x^6 + 231168x^4 + 7569408x^2 + 37158912}{x^4} I_1(x) - 9009\Lambda_0^*(x) \\ \int \frac{J_{10}(x) dx}{x} &= -\frac{48x^6 - 14784x^4 + 838656x^2 - 9289728}{x^8} J_0(x) - \end{aligned}$$

$$\begin{aligned}
& -\frac{x^8 - 1104x^6 + 142464x^4 - 3999744x^2 + 18579456}{x^9} J_1(x) \\
& \int \frac{I_{10}(x) dx}{x} = -\frac{48x^6 + 14784x^4 + 838656x^2 + 9289728}{x^8} I_0(x) + \\
& + \frac{x^8 + 1104x^6 + 142464x^4 + 3999744x^2 + 18579456}{x^9} I_1(x) \\
& \int \frac{J_{10}(x) dx}{x^2} = \frac{x^8 - 4656x^6 + 1376640x^4 - 76124160x^2 + 836075520}{99x^9} J_0(x) - \\
& - \frac{x^{10} + 98x^8 - 104832x^6 + 13075200x^4 - 361267200x^2 + 1672151040}{99x^{10}} J_1(x) + \frac{1}{99} \Lambda_0(x) \\
& \int \frac{I_{10}(x) dx}{x^2} = -\frac{x^8 + 4656x^6 + 1376640x^4 + 76124160x^2 + 836075520}{99x^9} I_0(x) - \\
& - \frac{x^{10} - 98x^8 - 104832x^6 - 13075200x^4 - 361267200x^2 - 1672151040}{99x^{10}} I_1(x) + \frac{1}{99} \Lambda_0^*(x) \\
& \mathcal{P}_{10}^{(5)}(x) = -\frac{54x^6 - 22032x^4 + 1693440x^2 - 23224320}{x^2}, \\
& \mathcal{Q}_{10}^{(5)}(x) = -\frac{x^8 - 1416x^6 + 245664x^4 - 9031680x^2 + 46448640}{x^3}, \quad \mathcal{R}_{10}^{(5)} = 0, \quad \mathcal{S}_{10}^{(5)} = 0 \\
& \mathcal{P}_{10}^{(5),*}(x) = -\frac{54x^6 + 22032x^4 + 1693440x^2 + 23224320}{x^2}, \\
& \mathcal{Q}_{10}^{(5),*}(x) = \frac{x^8 + 1416x^6 + 245664x^4 + 9031680x^2 + 46448640}{x^3}, \quad \mathcal{R}_{10}^{(5),*} = 0, \quad \mathcal{S}_{10}^{(5),*} = 0 \\
& \mathcal{P}_{10}^{(6)}(x) = -\frac{55x^6 - 23625x^4 + 1965915x^2 - 30965760}{x}, \\
& \mathcal{Q}_{10}^{(6)}(x) = -\frac{x^8 - 1475x^6 + 272475x^4 - 10321920x^2 + 61931520}{x^2}, \\
& \mathcal{R}_{10}^{(6)} = 675675, \quad \mathcal{S}_{10}^{(6)} = 0 \\
& \mathcal{P}_{10}^{(6),*}(x) = -\frac{55x^6 + 23625x^4 + 1965915x^2 + 30965760}{x}, \\
& \mathcal{Q}_{10}^{(6),*}(x) = \frac{x^8 + 1475x^6 + 272475x^4 + 10321920x^2 + 61931520}{x^2}, \\
& \mathcal{R}_{10}^{(6),*} = 675675, \quad \mathcal{S}_{10}^{(6),*} = 0 \\
& \mathcal{P}_{10}^{(7)}(x) = -(56x^6 - 25344x^4 + 2299392x^2 - 41287680), \\
& \mathcal{Q}_{10}^{(7)}(x) = -\frac{x^8 - 1536x^6 + 302976x^4 - 13630464x^2 + 92897280}{x}, \quad \mathcal{R}_{10}^{(7)} = 0, \quad \mathcal{S}_{10}^{(7)} = 0 \\
& \mathcal{P}_{10}^{(7),*}(x) = -(56x^6 + 25344x^4 + 2299392x^2 + 41287680), \\
& \mathcal{Q}_{10}^{(7),*}(x) = \frac{x^8 + 1536x^6 + 302976x^4 + 13630464x^2 + 92897280}{x}, \quad \mathcal{R}_{10}^{(7),*} = 0, \quad \mathcal{S}_{10}^{(7),*} = 0 \\
& \mathcal{P}_{10}^{(8)}(x) = -(57x^7 - 27195x^5 + 2706165x^3 - 58437855x), \\
& \mathcal{Q}_{10}^{(8)}(x) = -(x^8 - 1599x^6 + 337575x^4 - 17150175x^2 + 185794560), \\
& \mathcal{R}_{10}^{(8)} = 34459425, \quad \mathcal{S}_{10}^{(8)} = 0 \\
& \mathcal{P}_{10}^{(8),*}(x) = -(57x^7 + 27195x^5 + 2706165x^3 + 58437855x), \\
& \mathcal{Q}_{10}^{(8),*}(x) = x^8 + 1599x^6 + 337575x^4 + 17150175x^2 + 185794560, \\
& \mathcal{R}_{10}^{(8),*} = -34459425, \quad \mathcal{S}_{10}^{(8),*} = 0
\end{aligned}$$

$$\begin{aligned}
& \mathcal{P}_{10}^{(9)}(x) = -(58x^8 - 29184x^6 + 3200256x^4 - 84953088x^2 + 185794560), \\
& \mathcal{Q}_{10}^{(9)}(x) = -(x^9 - 1664x^7 + 376704x^5 - 21832704x^3 + 262803456x), \quad \mathcal{R}_{10}^{(9)} = 0, \quad \mathcal{S}_{10}^{(9)} = 0 \\
& \mathcal{P}_{10}^{(9),*}(x) = -(58x^8 + 29184x^6 + 3200256x^4 + 84953088x^2 + 185794560), \\
& \mathcal{Q}_{10}^{(9),*}(x) = x^9 + 1664x^7 + 376704x^5 + 21832704x^3 + 262803456x, \quad \mathcal{R}_{10}^{(9),*} = 0, \quad \mathcal{S}_{10}^{(9),*} = 0 \\
& \mathcal{P}_{10}^{(10)}(x) = -(59x^9 - 31317x^7 + 3797535x^5 - 125345745x^3 + 654729075x), \\
& \mathcal{Q}_{10}^{(10)}(x) = -(x^{10} - 1731x^8 + 420819x^6 - 28019355x^4 + 468934515x^2), \\
& \mathcal{R}_{10}^{(10)} = 654729075, \quad \mathcal{S}_{10}^{(10)} = 0 \\
& \mathcal{P}_{10}^{(10),*}(x) = -(59x^9 + 31317x^7 + 3797535x^5 + 125345745x^3 + 654729075x), \\
& \mathcal{Q}_{10}^{(10),*}(x) = x^{10} + 1731x^8 + 420819x^6 + 28019355x^4 + 468934515x^2, \\
& \mathcal{R}_{10}^{(10),*} = 654729075, \quad \mathcal{S}_{10}^{(10),*} = 0 \\
& \mathcal{P}_{10}^{(-3)}(x) = -\frac{46x^6 - 13104x^4 + 709632x^2 - 7741440}{x^{10}}, \\
& \mathcal{Q}_{10}^{(-3)}(x) = -\frac{x^8 - 1016x^6 + 122976x^4 - 3354624x^2 + 15482880}{x^{11}}, \quad \mathcal{R}_{10}^{(-3)} = 0, \quad \mathcal{S}_{10}^{(-3)} = 0 \\
& \mathcal{P}_{10}^{(-3),*}(x) = -\frac{46x^6 + 13104x^4 + 709632x^2 + 7741440}{x^{10}}, \\
& \mathcal{Q}_{10}^{(-3),*}(x) = \frac{x^8 + 1016x^6 + 122976x^4 + 3354624x^2 + 15482880}{x^{11}}, \quad \mathcal{R}_{10}^{(-3),*} = 0, \quad \mathcal{S}_{10}^{(-3),*} = 0 \\
& \mathcal{P}_{10}^{(-4)}(x) = \frac{x^{10} - 3x^8 - 405360x^6 + 111484800x^4 - 5933813760x^2 + 64377815040}{9009x^{11}}, \\
& \mathcal{Q}_{10}^{(-4)}(x) = -\frac{x^{12} - x^{10} + 9018x^8 - 8784000x^6 + 1035820800x^4 - 27962081280x^2 + 128755630080}{9009x^{12}}, \\
& \mathcal{R}_{10}^{(-4)} = \frac{1}{9009}, \quad \mathcal{S}_{10}^{(-4)} = 0 \\
& \mathcal{P}_{10}^{(-4),*}(x) = \frac{x^{10} + 3x^8 - 405360x^6 - 111484800x^4 - 5933813760x^2 - 64377815040}{9009x^{11}}, \\
& \mathcal{Q}_{10}^{(-4),*}(x) = \frac{x^{12} + x^{10} + 9018x^8 + 8784000x^6 + 1035820800x^4 + 27962081280x^2 + 128755630080}{9009x^{12}}, \\
& \mathcal{R}_{10}^{(-4),*} = -\frac{1}{9009}, \quad \mathcal{S}_{10}^{(-4),*} = 0 \\
& \mathcal{P}_{10}^{(-5)}(x) = -\frac{44x^6 - 11712x^4 + 614400x^2 - 6635520}{x^{12}}, \\
& \mathcal{Q}_{10}^{(-5)}(x) = -\frac{x^8 - 936x^6 + 107904x^4 - 2887680x^2 + 13271040}{x^{13}}, \\
& \mathcal{R}_{10}^{(-5)} = 0, \quad \mathcal{S}_{10}^{(-5)} = 0 \\
& \mathcal{P}_{10}^{(-5),*}(x) = -\frac{44x^6 + 11712x^4 + 614400x^2 + 6635520}{x^{12}}, \\
& \mathcal{Q}_{10}^{(-5),*}(x) = \frac{x^8 + 936x^6 + 107904x^4 + 2887680x^2 + 13271040}{x^{13}}, \\
& \mathcal{R}_{10}^{(-5),*} = 0, \quad \mathcal{S}_{10}^{(-5),*} = 0 \\
& \mathcal{P}_{10}^{(-6)}(x) = \frac{x^{12} - 3x^{10} + 45x^8 - 29055600x^6 + 7506172800x^4 - 388949299200x^2 + 4184557977600}{675675x^{13}}, \\
& \mathcal{Q}_{10}^{(-6)}(x) =
\end{aligned}$$

$$\begin{aligned}
& - \frac{x^{14} - x^{12} + 9x^{10} + 675450x^8 - 607420800x^6 + 68660524800x^4 - 1824038092800x^2 + 8369115955200}{675675x^{14}}, \\
& \mathcal{R}_{10}^{(-6)} = \frac{1}{675675}, \quad \mathcal{S}_{10}^{(-6)} = 0 \\
\mathcal{P}_{10}^{(-6),*}(x) &= - \frac{x^{12} + 3x^{10} + 45x^8 + 29055600x^6 + 7506172800x^4 + 388949299200x^2 + 4184557977600}{675675x^{13}}, \\
& \mathcal{Q}_{10}^{(-6),*}(x) = \\
& - \frac{x^{14} + x^{12} + 9x^{10} - 675450x^8 - 607420800x^6 - 68660524800x^4 - 1824038092800x^2 - 8369115955200}{675675x^{14}}, \\
& \mathcal{R}_{10}^{(-6),*} = \frac{1}{675675}, \quad \mathcal{S}_{10}^{(-6),*} = 0
\end{aligned}$$

1.1.8. Second Antiderivatives of $x^n Z_\nu(x)$:

$\Phi(x)$, $\Psi(x)$ and $\Psi_K(x)$ are the same as in I., page 7.

a) $x^{2n+1} Z_0(x)$:

With the functions $\Phi(x)$, $\Psi(x)$ and $\Psi_K(x)$ as defined on page ??? holds:

$$x J_0(x) = \frac{d^2 \Phi(x)}{dx^2}, \quad x I_0(x) = -\frac{d^2 \Psi(x)}{dx^2}, \quad x K_0(x) = -\frac{d^2 \Psi_K(x)}{dx^2}$$

$$x^3 J_0(x) = \frac{d^2}{dx^2} [-x^3 J_0(x) + 5x^2 J_1(x) - 9 \Phi(x)]$$

$$x^3 I_0(x) = \frac{d^2}{dx^2} [x^3 I_0(x) - 5x^2 I_1(x) + 9 \Psi(x)]$$

$$x^3 K_0(x) = \frac{d^2}{dx^2} [x^3 K_0(x) + 5x^2 K_1(x) - 9 \Psi_K(x)]$$

$$x^5 J_0(x) = \frac{d^2}{dx^2} [(-x^5 + 43x^3) J_0(x) + (9x^4 - 161x^2) J_1(x) + 225\Phi(x)]$$

$$x^5 I_0(x) = \frac{d^2}{dx^2} [(x^5 + 43x^3) I_0(x) - (9x^4 + 161x^2) I_1(x) + 225\Psi(x)]$$

$$x^5 K_0(x) = \frac{d^2}{dx^2} [(x^5 + 43x^3) K_0(x) + (9x^4 + 161x^2) K_1(x) - 225\Psi_K(x)]$$

$$x^7 J_0(x) = \frac{d^2}{dx^2} [(-x^7 + 101x^5 - 2523x^3) J_0(x) + (13x^6 - 649x^4 + 8721x^2) J_1(x) - 11025\Phi(x)]$$

$$x^7 I_0(x) = \frac{d^2}{dx^2} [(x^7 + 101x^5 + 2523x^3) I_0(x) - (13x^6 + 649x^4 + 8721x^2) I_1(x) + 11025\Psi(x)]$$

$$x^7 K_0(x) = \frac{d^2}{dx^2} [(x^7 + 101x^5 + 2523x^3) K_0(x) + (13x^6 + 649x^4 + 8721x^2) K_1(x) - 11025\Psi_K(x)]$$

The formulas for $I_1(x)$ and $K_1(x)$ vary in two signs.

$$x^9 J_0(x) = \frac{d^2}{dx^2} [(-x^9 + 183x^7 - 10629x^5 + 223947x^3) J_0(x) +$$

$$+ (17x^8 - 1665x^6 + 62361x^4 - 745569x^2) J_1(x) + 893025\Phi(x)]$$

$$x^9 I_0(x) = \frac{d^2}{dx^2} [(x^9 + 183x^7 + 10629x^5 + 223947x^3) I_0(x) -$$

$$- (17x^8 + 1665x^6 + 62361x^4 + 745569x^2) I_1(x) + 893025\Psi(x)]$$

$$x^{11} J_0(x) = \frac{d^2}{dx^2} [(-x^{11} + 289x^9 - 30207x^7 + 1479645x^5 - 28645875x^3) J_0(x) +$$

$$+ (21x^{10} - 3401x^8 + 249849x^6 - 8319825x^4 + 93310425x^2) J_1(x) - 108056025\Phi(x)]$$

$$x^{11} I_0(x) = \frac{d^2}{dx^2} [(x^{11} + 289x^9 + 30207x^7 + 1479645x^5 + 28645875x^3) I_0(x) -$$

$$- (21x^{10} + 3401x^8 + 249849x^6 + 8319825x^4 + 93310425x^2) I_1(x) + 108056025\Psi(x)]$$

$$x^{13} J_0(x) = \frac{d^2}{dx^2} [(-x^{13} + 419x^{11} - 68841x^9 + 6064983x^7 - 273100005x^5 + 5025472875x^3) J_0(x) +$$

$$+ (25x^{12} - 6049x^{10} + 734769x^8 - 47984481x^6 + 1498210425x^4 - 16138101825x^2) J_1(x) + 18261468225\Phi(x)]$$

$$x^{13} I_0(x) = \frac{d^2}{dx^2} [(x^{13} + 419x^{11} + 68841x^9 + 6064983x^7 + 273100005x^5 + 5025472875x^3) I_0(x) -$$

$$- (25x^{12} + 6049x^{10} + 734769x^8 + 47984481x^6 + 1498210425x^4 + 16138101825x^2) I_1(x) + 18261468225\Psi(x)]$$

$$x^{15} J_0(x) = \frac{d^2}{dx^2} [(-x^{15} + 573x^{13} - 136035x^{11} + 18830025x^9 - 1524979575x^7 + 65296102725x^5 -$$

$$\begin{aligned}
& -1161520209675 x^3) J_0(x) + (29 x^{14} - 9801 x^{12} + 1778625 x^{10} - 192049425 x^8 + 11758658625 x^6 - \\
& \quad - 352491752025 x^4 + 3692650536225 x^2) J_1(x) - 4108830350625 \Phi(x)] \\
x^{15} I_0(x) &= \frac{d^2}{dx^2} [(x^{15} + 573 x^{13} + 136035 x^{11} + 18830025 x^9 + 1524979575 x^7 + 65296102725 x^5 + \\
& \quad + 1161520209675 x^3) I_0(x) - (29 x^{14} + 9801 x^{12} + 1778625 x^{10} + 192049425 x^8 + 11758658625 x^6 + \\
& \quad + 352491752025 x^4 + 3692650536225 x^2) I_1(x) + 4108830350625 \Psi(x)]
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
x^{2n+3} J_0(x) &= \frac{d^2}{dx^2} \left\{ x^{2n} \left[\frac{2n(2n+1)(4n+5)}{4n+1} x - x^3 \right] J_0(x) + (4n+5)x^{2n+2} J_1(x) \right\} - \\
& \quad - \frac{x^{2n-1}[(4n+3)(8n^2+12n+3)x^2 + 4n^2(2n+1)^2(4n+5)] J_1(x)}{4n+1} \\
x^{2n+3} I_0(x) &= \frac{d^2}{dx^2} \left\{ x^{2n} \left[\frac{2n(2n+1)(4n+5)}{4n+1} x + x^3 \right] I_0(x) - (4n+5)x^{2n+2} I_1(x) \right\} + \\
& \quad + \frac{x^{2n-1}[(4n+3)(8n^2+12n+3)x^2 - 4n^2(2n+1)^2(4n+5)] I_1(x)}{4n+1} \\
x^{2n+3} K_0(x) &= \frac{d^2}{dx^2} \left\{ x^{2n} \left[\frac{2n(2n+1)(4n+5)}{4n+1} x + x^3 \right] K_0(x) + (4n+5)x^{2n+2} K_1(x) \right\} + \\
& \quad + \frac{x^{2n-1}[(4n+3)(8n^2+12n+3)x^2 - 4n^2(2n+1)^2(4n+5)] K_1(x)}{4n+1}
\end{aligned}$$

b) $x^{2n} Z_1(x)$:

With the functions $\Phi(x)$, $\Psi(x)$ and $\Psi_K(x)$ as defined on page 7 holds:

$$\begin{aligned}
J_1(x) &= \frac{d^2}{dx^2} [-x J_0(x) - \Phi(x)] , \quad I_1(x) = \frac{d^2}{dx^2} [x I_0(x) + \Psi(x)] , \quad K_1(x) = \frac{d^2}{dx^2} [-x K_0(x) - \Psi_K(x)] \\
x^2 J_1(x) &= \frac{d^2}{dx^2} [-x^2 J_1(x) + 3 \Phi(x)] \\
x^2 I_1(x) &= \frac{d^2}{dx^2} [x^2 I_1(x) + 3 \Psi(x)] \\
x^2 K_1(x) &= \frac{d^2}{dx^2} [x^2 K_1(x) - 3 \Psi_K(x)] \\
x^4 J_1(x) &= \frac{d^2}{dx^2} [-7x^3 J_0(x) + (-x^4 + 29x^2) J_1(x) - 45 \Phi(x)] \\
x^4 I_1(x) &= \frac{d^2}{dx^2} [-7 I_0(x) + (x^4 + 29x^2) I_1(x) + 45 \Psi(x)] \\
x^4 K_1(x) &= \frac{d^2}{dx^2} [7x^3 K_0(x) + (x^4 + 29x^2) K_1(x) - 45 \Psi_K(x)] \\
x^6 J_1(x) &= \frac{d^2}{dx^2} [(-11x^5 + 333x^3) J_0(x) + (-x^6 + 79x^4 - 1191x^2) J_1(x) + 1575 \Phi(x)] \\
x^6 I_1(x) &= \frac{d^2}{dx^2} [-(11x^5 + 333x^3) I_0(x) + (x^6 + 79x^4 + 1191x^2) I_1(x) + 1575 \Psi(x)] \\
x^6 K_1(x) &= \frac{d^2}{dx^2} [(11x^5 + 333x^3) K_0(x) + (x^6 + 79x^4 + 1191x^2) K_1(x) - 1575 \Psi_K(x)]
\end{aligned}$$

The formulas for $I_1(x)$ and $K_1(x)$ vary in two signs.

$$x^8 J_1(x) =$$

$$\begin{aligned}
&= \frac{d^2}{dx^2} [(-15x^7 + 1053x^5 - 23859x^3)J_0(x) + (-x^8 + 153x^6 - 6417x^4 + 80793x^2)J_1(x) - 99225\Phi(x)] \\
&\quad x^8 I_1(x) = \\
&= \frac{d^2}{dx^2} [-(15x^7 + 1053x^5 + 23859x^3)I_0(x) + (x^8 + 153x^6 + 6417x^4 + 80793x^2)I_1(x) - 99225\Psi(x)] \\
&\quad x^{10} J_1(x) = \frac{d^2}{dx^2} [(-19x^9 + 2397x^7 - 126135x^5 + 2537145x^3)J_0(x) + \\
&\quad + (-x^{10} + 251x^8 - 20619x^6 + 722835x^4 - 8348715x^2)J_1(x) + 9823275\Phi(x)] \\
&\quad x^{10} I_1(x) = \frac{d^2}{dx^2} [-(19x^9 + 2397x^7 + 126135x^5 + 2537145x^3)I_0(x) + \\
&\quad + (x^{10} + 251x^8 + 20619x^6 + 722835x^4 + 8348715x^2)I_1(x) + 9823275\Psi(x)] \\
&\quad x^{12} J_1(x) = \frac{d^2}{dx^2} [(-23x^{11} + 4557x^9 - 431091x^7 + 20156985x^5 - 379769175x^3)J_0(x) + \\
&\quad + (-x^{12} + 373x^{10} - 50613x^8 + 3478437x^6 - 111844125x^4 + 1227781125x^2)J_1(x) - \\
&\quad - 1404728325\Phi(x)] \\
&\quad x^{12} I_1(x) = \frac{d^2}{dx^2} [-(23x^{11} + 4557x^9 + 431091x^7 + 20156985x^5 + 379769175x^3)I_0(x) + \\
&\quad + (x^{12} + 373x^{10} + 50613x^8 + 3478437x^6 + 111844125x^4 + 1227781125x^2)I_1(x) + \\
&\quad + 1404728325\Psi(x)] \\
&\quad x^{14} J_1(x) = \\
&= \frac{d^2}{dx^2} [(-27x^{13} + 7725x^{11} - 1147815x^9 + 96504345x^7 - 4229210475x^5 + 76443776325x^3)J_0(x) + \\
&+ (-x^{14} + 519x^{12} - 105135x^{10} + 11943135x^8 - 752944815x^6 + 23003997975x^4 - 244194893775x^2)J_1(x) + \\
&\quad + 273922023375\Phi(x)] \\
&\quad x^{14} I_1(x) = \\
&= \frac{d^2}{dx^2} [-(27x^{13} + 7725x^{11} + 1147815x^9 + 96504345x^7 + 4229210475x^5 + 76443776325x^3)I_0(x) + \\
&+ (x^{14} + 519x^{12} + 105135x^{10} + 11943135x^8 + 752944815x^6 + 23003997975x^4 + 244194893775x^2)I_1(x) + \\
&\quad + 273922023375\Psi(x)] \\
&\quad x^{16} J_1(x) = \frac{d^2}{dx^2} [(-31x^{15} + 12093x^{13} - 2594835x^{11} + 342689625x^9 - 27008454375x^7 + 1136044984725x^5 - \\
&\quad - 19953933471675x^3)J_0(x) + (-x^{16} + 689x^{14} - 194841x^{12} + 33059025x^{10} - 3445473825x^8 + 206400006225x^6 - \\
&\quad - 6096404738025x^4 + 63191238930225x^2)J_1(x) - 69850115960625\Phi(x)] \\
&\quad x^{16} I_1(x) = \frac{d^2}{dx^2} [-(31x^{15} + 12093x^{13} + 2594835x^{11} + 342689625x^9 + 27008454375x^7 + 1136044984725x^5 + \\
&\quad + 19953933471675x^3)I_0(x) + (x^{16} + 689x^{14} + 194841x^{12} + 33059025x^{10} + 3445473825x^8 + 206400006225x^6 + \\
&\quad + 6096404738025x^4 + 63191238930225x^2)I_1(x) + 69850115960625\Psi(x)]
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
x^{2n+2} J_1(x) &= \frac{d^2}{dx^2} \left\{ \left[\frac{2n(4n+3)(2n+1)}{4n-1} - x^2 \right] x^{2n} J_1(x) - (4n+3)x^{2n+1} J_0(x) \right\} - \\
&\quad - \frac{(4n+1)(8n^2+4n-3)x^2 + 4n(n-1)(4n+3)(2n+1)(2n-1)}{4n-1} x^{2n-2} J_1(x)
\end{aligned}$$

$$\begin{aligned}
x^{2n+2} I_1(x) &= \frac{d^2}{dx^2} \left\{ \left[\frac{2n(4n+3)(2n+1)}{4n-1} + x^2 \right] x^{2n} I_1(x) - (4n+3) x^{2n+1} I_0(x) \right\} + \\
&\quad + \frac{(4n+1)(8n^2+4n-3)x^2 - 4n(n-1)(4n+3)(2n+1)(2n-1)}{4n-1} x^{2n-2} I_1(x) \\
x^{2n+2} K_1(x) &= \frac{d^2}{dx^2} \left\{ \left[\frac{2n(4n+3)(2n+1)}{4n-1} + x^2 \right] x^{2n} K_1(x) + (4n+3) x^{2n+1} K_0(x) \right\} + \\
&\quad + \frac{(4n+1)(8n^2+4n-3)x^2 - 4n(n-1)(4n+3)(2n+1)(2n-1)}{4n-1} x^{2n-2} K_1(x)
\end{aligned}$$

1.1.9. Higher antiderivatives:

$\Phi(x)$, $\Psi(x)$ and $\Psi_K(x)$ are the same as in I., page 7. See also [1], 11.2. .

$$\begin{aligned}
J_0(x) &= \frac{d^2}{dx^2} \left\{ x^2 J_0(x) - x J_1(x) + x \Phi(x) \right\} \\
&= \frac{d^3}{dx^3} \left\{ \frac{x^3}{2} J_0(x) - \frac{x^2}{2} J_1(x) + \frac{x^2-1}{2} \Phi(x) \right\} \\
&= \frac{d^4}{dx^4} \left\{ \frac{x^4-2x^2}{6} J_0(x) - \frac{x^3-4x}{6} J_1(x) + \frac{x^3-3x}{6} \Phi(x) \right\} \\
&= \frac{d^5}{dx^5} \left\{ \frac{x^5-5x^3}{24} J_0(x) - \frac{x^4-7x^2}{24} J_1(x) + \frac{x^4-6x^2+9}{24} \Phi(x) \right\} \\
&= \frac{d^6}{dx^6} \left\{ \frac{x^6-9x^4+32x^2}{120} J_0(x) - \frac{x^5-11x^3+64x}{120} J_1(x) + \frac{x^5-10x^3+45x}{120} \Phi(x) \right\} \\
&= \frac{d^7}{dx^7} \left\{ \frac{x^7-14x^5+117x^3}{720} J_0(x) - \frac{x^6-16x^4+159x^2}{720} J_1(x) + \frac{x^6-15x^4+135x^2-225}{720} \Phi(x) \right\} \\
I_0(x) &= \frac{d^2}{dx^2} \left\{ x^2 I_0(x) - x I_1(x) + x \Psi(x) \right\} \\
&= \frac{d^3}{dx^3} \left\{ \frac{x^3}{2} I_0(x) - \frac{x^2}{2} I_1(x) + \frac{x^2+1}{2} \Psi(x) \right\} \\
&= \frac{d^4}{dx^4} \left\{ \frac{x^4+2x^2}{6} I_0(x) - \frac{x^3+4x}{6} I_1(x) + \frac{x^3+3x}{6} \Psi(x) \right\} \\
&= \frac{d^5}{dx^5} \left\{ \frac{x^5+5x^3}{24} I_0(x) - \frac{x^4+7x^2}{24} I_1(x) + \frac{x^4+6x^2+9}{24} \Psi(x) \right\} \\
&= \frac{d^6}{dx^6} \left\{ \frac{x^6+9x^4+32x^2}{120} I_0(x) - \frac{x^5+11x^3+64x}{120} I_1(x) + \frac{x^5+10x^3+45x}{120} \Psi(x) \right\} \\
&= \frac{d^7}{dx^7} \left\{ \frac{x^7+14x^5+117x^3}{720} I_0(x) - \frac{x^6+16x^4+159x^2}{720} I_1(x) + \frac{x^6+15x^4+135x^2+225}{720} \Psi(x) \right\} \\
K_0(x) &= \frac{d^2}{dx^2} \left\{ x^2 K_0(x) - x K_1(x) + x \Psi_K(x) \right\} \\
&= \frac{d^3}{dx^3} \left\{ \frac{x^3}{2} K_0(x) - \frac{x^2}{2} K_1(x) + \frac{x^2+1}{2} \Psi_K(x) \right\} \\
&= \frac{d^4}{dx^4} \left\{ \frac{x^4+2x^2}{6} K_0(x) - \frac{x^3+4x}{6} K_1(x) + \frac{x^3+3x}{6} \Psi_K(x) \right\} \dots
\end{aligned}$$

The formulas for $K_0(x)$ are similar to such for $I_0(x)$.

Let

$$J_0(x) = \frac{d^n}{dx^n} \left\{ \frac{A_n(x) J_0(x) - B_n(x) J_1(x) + C_n(x) \Phi(x)}{(n-1)!} \right\},$$

then holds

A_8	$= x^8 - 20x^6 + 291x^4 - 1152x^2$
B_8	$= x^7 - 22x^5 + 345x^3 - 2304x$
C_8	$= x^7 - 21x^5 + 315x^3 - 1575x$
<hr/>	
A_9	$= x^9 - 27x^7 + 599x^5 - 5541x^3$
B_9	$= x^8 - 29x^6 + 667x^4 - 7407x^2$
C_9	$= x^8 - 28x^6 + 630x^4 - 6300x^2 + 11025$
<hr/>	
A_{10}	$= x^{10} - 35x^8 + 1095x^6 - 17613x^4 + 73728x^2$
B_{10}	$= x^9 - 37x^7 + 1179x^5 - 20583x^3 + 147456x$
C_{10}	$= x^9 - 36x^7 + 1134x^5 - 18900x^3 + 99225x$
<hr/>	
A_{11}	$= x^{11} - 44x^9 + 1842x^7 - 45180x^5 + 439605x^3$
B_{11}	$= x^{10} - 46x^8 + 1944x^6 - 49770x^4 + 581535x^2$
C_{11}	$= x^{10} - 45x^8 + 1890x^6 - 47250x^4 + 496125x^2 - 893025$
<hr/>	
A_{12}	$= x^{12} - 54x^{10} + 2912x^8 - 100770x^6 + 1702215x^4 - 7372800x^2$
B_{12}	$= x^{11} - 56x^9 + 3034x^7 - 107640x^5 + 1973205x^3 - 14745600x$
C_{12}	$= x^{11} - 55x^9 + 2970x^7 - 103950x^5 + 1819125x^3 - 9823275x$

$$\begin{aligned}
A_{13} &= x^{13} - 65x^{11} + 4386x^9 - 203202x^7 + 5231565x^5 - 52454925x^3 \\
B_{13} &= x^{12} - 67x^{10} + 4530x^8 - 213174x^6 + 5731245x^4 - 68891175x^2 \\
C_{13} &= x^{12} - 66x^{10} + 4455x^8 - 207900x^6 + 5457375x^4 - 58939650x^2 + 108056025 \\
A_{14} &= x^{14} - 77x^{12} + 6354x^{10} - 379386x^8 + 13778685x^6 - 239546025x^4 + 1061683200x^2 \\
B_{14} &= x^{13} - 79x^{11} + 6522x^9 - 393462x^7 + 14661765x^5 - 276270075x^3 + 2123366400x \\
C_{14} &= x^{13} - 78x^{11} + 6435x^9 - 386100x^7 + 14189175x^5 - 255405150x^3 + 1404728325x \\
A_{15} &= x^{15} - 90x^{13} + 8915x^{11} - 666348x^9 + 32399703x^7 - 858134970x^5 + 8776408725x^3 \\
B_{15} &= x^{14} - 92x^{12} + 9109x^{10} - 685728x^8 + 33896331x^6 - 937030500x^4 + 11465661375x^2 \\
C_{15} &= x^{14} - 91x^{12} + 9009x^{10} - 675675x^8 + 33108075x^6 - 893918025x^4 + 9833098275x^2 - \\
&\quad -18261468225 \\
A_{16} &= x^{16} - 104x^{14} + 12177x^{12} - 1113480x^{10} + 69776595x^8 - 2606612400x^6 + 46180633275x^4 - \\
&\quad -208089907200x^2 \\
B_{16} &= x^{15} - 106x^{13} + 12399x^{11} - 1139580x^9 + 72217215x^7 - 2767649850x^5 + 53076402225x^3 - \\
&\quad -416179814400x \\
C_{16} &= x^{15} - 105x^{13} + 12285x^{11} - 1126125x^9 + 70945875x^7 - 2681754075x^5 + 49165491375x^3 - \\
&\quad -273922023375x \\
A_{17} &= x^{17} - 119x^{15} + 16257x^{13} - 1785015x^{11} + 140033835x^9 - 7003021725x^7 + \\
&\quad +188956336275x^5 - 1959828398325x^3 \\
B_{17} &= x^{16} - 121x^{14} + 16509x^{12} - 1819485x^{10} + 143878995x^8 - 7315353675x^6 + \\
&\quad +205891548975x^4 - 2550046679775x^2 \\
C_{17} &= x^{16} - 120x^{14} + 16380x^{12} - 1801800x^{10} + 141891750x^8 - 7151344200x^6 + 196661965500x^4 - \\
&\quad -2191376187000x^2 + 4108830350625 \\
A_{18} &= x^{18} - 135x^{16} + 21281x^{14} - 2762727x^{12} + 265161195x^{10} - 17089901325x^8 + \\
&\quad +650296717875x^6 - 11675732422725x^4 + 53271016243200x^2 \\
B_{18} &= x^{17} - 137x^{15} + 21565x^{13} - 2807469x^{11} + 271036755x^9 - 17667841275x^7 + \\
&\quad +689522590575x^5 - 13385846919375x^3 + 106542032486400x \\
C_{18} &= x^{17} - 136x^{15} + 21420x^{13} - 2784600x^{11} + 268017750x^9 - 17367550200x^7 + \\
&\quad +668650682700x^5 - 12417798393000x^3 + 69850115960625x \\
A_{19} &= x^{19} - 152x^{17} + 27384x^{15} - 4148856x^{13} + 478163970x^{11} - 38580445800x^9 + \\
&\quad +1965171423600x^7 - 53722981355400x^5 + 563060968600725x^3 \\
B_{19} &= x^{18} - 154x^{16} + 27702x^{14} - 4206042x^{12} + 486902160x^{10} - 39605788350x^8 + \\
&\quad +2050859043450x^6 - 58451723167950x^4 + 730304613424575x^2 \\
C_{19} &= x^{18} - 153x^{16} + 27540x^{14} - 4176900x^{12} + 482431950x^{10} - 39076987950x^8 + \\
&\quad +2005952048100x^6 - 55880092768500x^4 + 628651043645625x^2 - 1187451971330625 \\
A_{20} &= x^{20} - 170x^{18} + 34710x^{16} - 6069258x^{14} + 827072928x^{12} - 81642319470x^{10} + \\
&\quad +5359374805050x^8 - 206598479046750x^6 + 3746290783676175x^4 - 17259809262796800x^2 \\
B_{20} &= x^{19} - 172x^{17} + 35064x^{15} - 6141348x^{13} + 839759706x^{11} - 83394724500x^9 + \\
&\quad +5536741392000x^7 - 218854228527900x^5 + 4287004731290925x^3 - 34519618525593600x \\
C_{20} &= x^{19} - 171x^{17} + 34884x^{15} - 6104700x^{13} + 833291550x^{11} - 82495863450x^9 + \\
&\quad +5444726987700x^7 - 212344352520300x^5 + 3981456609755625x^3 - 22561587455281875x
\end{aligned}$$

To get the functions for $I_0(x)$ or $K_0(x)$ one has to change all '-' in the fractions to '+'. .

The higher antiderivatives of $J_1(x)$, $I_1(x)$ and $K_1(x)$ follow from the previous tables and the formulas

$$J_1(x) = -J'_0(x) \text{ and } I_1(x) = I'_0(x), K_1(x) = -K'_0(x).$$

1.1.10. Some Integrals of the Type $x^{2n+1} Z_1(x^2 + \alpha)/(x^2 + \alpha)$

$$\begin{aligned}
\int \frac{x^5 J_1(x^2 + i) dx}{x^2 + i} &= \frac{1}{2} [-(x^2 - i) J_0(x^2 + i) + J_1(x^2 + i)] \\
\int \frac{x^5 J_1(x^2 - i) dx}{x^2 - i} &= -\frac{1}{2} [(x^2 + i) J_0(x^2 - i) - J_1(x^2 - i)] \\
\int \frac{x^5 I_1(x^2 + 1) dx}{x^2 + 1} &= \frac{1}{2} [(x^2 - 1) I_0(x^2 + 1) - I_1(x^2 + 1)] \\
\int \frac{x^5 I_1(x^2 - 1) dx}{x^2 - 1} &= \frac{1}{2} [(x^2 + 1) I_0(x^2 - 1) - I_1(x^2 - 1)] \\
\int \frac{x^5 K_1(x^2 + 1) dx}{x^2 + 1} &= -\frac{1}{2} [(x^2 - 1) K_0(x^2 + 1) + K_1(x^2 + 1)] \\
\int \frac{x^5 K_1(x^2 - 1) dx}{x^2 - 1} &= -\frac{1}{2} [(x^2 + 1) K_0(x^2 - 1) + K_1(x^2 - 1)] \\
\int \frac{x^7 J_1(x^2 + \sqrt{3}i) dx}{x^2 + \sqrt{3}i} &= \frac{1}{2} [(-x^4 + \sqrt{3}ix + 3) J_0(x^2 + \sqrt{3}i) + (2x^2 - \sqrt{3}i) J_1(x^2 + \sqrt{3}i)] \\
\int \frac{x^7 J_1(x^2 - \sqrt{3}i) dx}{x^2 - \sqrt{3}i} &= \frac{1}{2} [(-x^4 - \sqrt{3}ix + 3) J_0(x^2 - \sqrt{3}i) + (2x^2 + \sqrt{3}i) J_1(x^2 - \sqrt{3}i)] \\
\int \frac{x^7 I_1(x^2 + \sqrt{3}) dx}{x^2 + \sqrt{3}} &= \frac{1}{2} [(x^4 - \sqrt{3}x^2 + 3) I_0(x^2 + \sqrt{3}) + (-2x^2 + \sqrt{3}) I_1(x^2 + \sqrt{3})] \\
\int \frac{x^7 I_1(x^2 - \sqrt{3}) dx}{x^2 - \sqrt{3}} &= \frac{1}{2} [(x^4 + \sqrt{3}x^2 + 3) I_0(x^2 - \sqrt{3}) - (2x^2 + \sqrt{3}) I_1(x^2 - \sqrt{3})] \\
\int \frac{x^7 K_1(x^2 + \sqrt{3}) dx}{x^2 + \sqrt{3}} &= \frac{1}{2} [-(x^4 - \sqrt{3}x^2 + 3) K_0(x^2 + \sqrt{3}) + (-2x^2 + \sqrt{3}) K_1(x^2 + \sqrt{3})] \\
\int \frac{x^7 K_1(x^2 - \sqrt{3}) dx}{x^2 - \sqrt{3}} &= -\frac{1}{2} [(x^4 + \sqrt{3}x^2 + 3) K_0(x^2 - \sqrt{3}) + (2x^2 + \sqrt{3}) K_1(x^2 - \sqrt{3})]
\end{aligned}$$

$$\sqrt{2\sqrt{3}-3} = 0.68125\ 00386$$

$$\begin{aligned}
&\int \frac{x^9 J_1(x^2 + \sqrt{2\sqrt{3}-3}) dx}{x^2 + \sqrt{2\sqrt{3}-3}} = \\
&= \frac{1}{2} \left[\left(-x^6 + \sqrt{2\sqrt{3}-3}x^4 + 6x^2 - 2\sqrt{3}x^2 + 2\sqrt{2\sqrt{3}-3}\sqrt{3} \right) J_0 \left(x^2 + \sqrt{2\sqrt{3}-3} \right) + \right. \\
&\quad \left. + \left(3x^4 - 2\sqrt{2\sqrt{3}-3}x^2 - 6 + 2\sqrt{3} \right) J_1 \left(x^2 + \sqrt{2\sqrt{3}-3} \right) \right] \\
&\int \frac{x^9 J_1(x^2 - \sqrt{2\sqrt{3}-3}) dx}{x^2 - \sqrt{2\sqrt{3}-3}} = \\
&= \frac{1}{2} \left[- \left(x^6 + \sqrt{2\sqrt{3}-3}x^4 - 6x^2 + 2\sqrt{3}x^2 + 2\sqrt{2\sqrt{3}-3}\sqrt{3} \right) J_0 \left(x^2 - \sqrt{2\sqrt{3}-3} \right) + \right. \\
&\quad \left. + \left(3x^4 + 2\sqrt{2\sqrt{3}-3}x^2 - 6 + 2\sqrt{3} \right) J_1 \left(x^2 - \sqrt{2\sqrt{3}-3} \right) \right] \\
&\int \frac{x^9 I_1(x^2 + \sqrt{2\sqrt{3}-3}i) dx}{x^2 + \sqrt{2\sqrt{3}-3}i} = \\
&= \frac{1}{2} \left[\left(x^6 - \sqrt{2\sqrt{3}-3}ix^4 + 6x^2 - 2\sqrt{3}x^2 + 2i\sqrt{2\sqrt{3}-3}\sqrt{3} \right) I_0 \left(x^2 + \sqrt{2\sqrt{3}-3}i \right) + \right.
\end{aligned}$$

$$\begin{aligned}
& + \left(-3x^4 + 2i\sqrt{2\sqrt{3}-3}x^2 - 6 + 2\sqrt{3} \right) I_1 \left(x^2 + \sqrt{2\sqrt{3}-3}i \right) \Big] \\
& \quad \int \frac{x^9 I_1(x^2 - \sqrt{2\sqrt{3}-3}i) dx}{x^2 - \sqrt{2\sqrt{3}-3}i} = \\
& = \frac{1}{2} \left[\left(x^6 + \sqrt{2\sqrt{3}-3}ix^4 + 6x^2 - 2\sqrt{3}x^2 - 2i\sqrt{2\sqrt{3}-3\sqrt{3}} \right) I_0 \left(x^2 - \sqrt{2\sqrt{3}-3}i \right) + \right. \\
& \quad \left. + \left(-3x^4 - 2i\sqrt{2\sqrt{3}-3}x^2 - 6 + 2\sqrt{3} \right) I_1 \left(x^2 - \sqrt{2\sqrt{3}-3}i \right) \right] \\
& \quad \int \frac{x^9 K_1(x^2 + \sqrt{2\sqrt{3}-3}i) dx}{x^2 + \sqrt{2\sqrt{3}-3}i} = \\
& = \frac{1}{2} \left[\left(-x^6 + \sqrt{2\sqrt{3}-3}ix^4 - 6x^2 + 2\sqrt{3}x^2 - 2\sqrt{2\sqrt{3}-3\sqrt{3}}i \right) K_0 \left(x^2 + \sqrt{2\sqrt{3}-3}i \right) + \right. \\
& \quad \left. + \left(-3x^4 + 2\sqrt{2\sqrt{3}-3}ix^2 - 6 + 2\sqrt{3} \right) K_1 \left(x^2 + \sqrt{2\sqrt{3}-3}i \right) \right] \\
& \quad \int \frac{x^9 K_1(x^2 - \sqrt{2\sqrt{3}-3}i) dx}{x^2 - \sqrt{2\sqrt{3}-3}i} = \\
& = \frac{1}{2} \left[\left(-x^6 - \sqrt{2\sqrt{3}-3}ix^4 - 6x^2 + 2\sqrt{3}x^2 + 2\sqrt{2\sqrt{3}-3\sqrt{3}}i \right) K_0 \left(x^2 - \sqrt{2\sqrt{3}-3}i \right) + \right. \\
& \quad \left. + \left(-3x^4 - 2\sqrt{2\sqrt{3}-3}ix^2 - 6 + 2\sqrt{3} \right) K_1 \left(x^2 - \sqrt{2\sqrt{3}-3}i \right) \right] \\
& \sqrt{2\sqrt{3}+3} = 2.54245\ 97568 \\
& \quad \int \frac{x^9 J_1(x^2 + \sqrt{2\sqrt{3}+3}i) dx}{x^2 + \sqrt{2\sqrt{3}+3}i} = \\
& = \frac{1}{2} \left[\left(-x^6 + \sqrt{2\sqrt{3}+3}ix^4 + 6x^2 + 2\sqrt{3}x^2 - 2\sqrt{2\sqrt{3}+3\sqrt{3}}i \right) J_0 \left(x^2 + \sqrt{2\sqrt{3}+3}i \right) + \right. \\
& \quad \left. + \left(3x^4 - 2\sqrt{2\sqrt{3}+3}ix^2 - 6 - 2\sqrt{3} \right) J_1 \left(x^2 + \sqrt{2\sqrt{3}+3}i \right) \right] \\
& \quad \int \frac{x^9 J_1(x^2 - \sqrt{2\sqrt{3}+3}i) dx}{x^2 - \sqrt{2\sqrt{3}+3}i} = \\
& = \frac{1}{2} \left[\left(-x^6 - \sqrt{2\sqrt{3}+3}ix^4 + 6x^2 + 2\sqrt{3}x^2 + 2\sqrt{2\sqrt{3}+3\sqrt{3}}i \right) J_0 \left(x^2 - \sqrt{2\sqrt{3}+3}i \right) + \right. \\
& \quad \left. + \left(3x^4 + 2\sqrt{2\sqrt{3}+3}ix^2 - 6 - 2\sqrt{3} \right) J_1 \left(x^2 - \sqrt{2\sqrt{3}+3}i \right) \right] \\
& \quad \int \frac{x^9 I_1(x^2 + \sqrt{2\sqrt{3}+3}) dx}{x^2 + \sqrt{2\sqrt{3}+3}} = \\
& = \frac{1}{2} \left[\left(x^6 - \sqrt{2\sqrt{3}+3}x^4 + 6x^2 + 2\sqrt{3}x^2 - 2\sqrt{2\sqrt{3}+3\sqrt{3}} \right) I_0 \left(x^2 + \sqrt{2\sqrt{3}+3} \right) - \right. \\
& \quad \left. - \left(3x^4 - 2\sqrt{2\sqrt{3}+3}x^2 + 6 + 2\sqrt{3} \right) I_1 \left(x^2 + \sqrt{2\sqrt{3}+3} \right) \right] \\
& \quad \int \frac{x^9 I_1(x^2 - \sqrt{2\sqrt{3}+3}) dx}{x^2 - \sqrt{2\sqrt{3}+3}} = \\
& = \frac{1}{2} \left[\left(x^6 + \sqrt{2\sqrt{3}+3}x^4 + 6x^2 + 2\sqrt{3}x^2 + 2\sqrt{2\sqrt{3}+3\sqrt{3}} \right) I_0 \left(x^2 - \sqrt{2\sqrt{3}+3} \right) - \right.
\end{aligned}$$

$$\begin{aligned}
& - \left(3x^4 + 2\sqrt{2\sqrt{3} + 3}x^2 + 6 + 2\sqrt{3} \right) I_1 \left(x^2 - \sqrt{2\sqrt{3} + 3} \right) \Big] \\
& \int \frac{x^9 K_1(x^2 + \sqrt{2\sqrt{3} + 3}) dx}{x^2 + \sqrt{2\sqrt{3} + 3}} = \\
& = -\frac{1}{2} \left[\left(x^6 - \sqrt{2\sqrt{3} + 3}x^4 + 6x^2 + 2\sqrt{3}x^2 - 2\sqrt{2\sqrt{3} + 3}\sqrt{3} \right) K_0 \left(x^2 + \sqrt{2\sqrt{3} + 3} \right) + \right. \\
& \quad \left. + \left(3x^4 - 2\sqrt{2\sqrt{3} + 3}x^2 + 6 + 2\sqrt{3} \right) K_1 \left(x^2 + \sqrt{2\sqrt{3} + 3} \right) \right] \\
& \int \frac{x^9 K_1(x^2 - \sqrt{2\sqrt{3} + 3}) dx}{x^2 - \sqrt{2\sqrt{3} + 3}} = \\
& = -\frac{1}{2} \left[\left(x^6 + \sqrt{2\sqrt{3} + 3}x^4 + 6x^2 + 2\sqrt{3}x^2 + 2\sqrt{2\sqrt{3} + 3}\sqrt{3} \right) K_0 \left(x^2 - \sqrt{2\sqrt{3} + 3} \right) + \right. \\
& \quad \left. + \left(3x^4 + 2\sqrt{2\sqrt{3} + 3}x^2 + 6 + 2\sqrt{3} \right) K_1 \left(x^2 - \sqrt{2\sqrt{3} + 3} \right) \right]
\end{aligned}$$

$$\sqrt{2\sqrt{10} - 5} = 1.15089\ 32706$$

$$\begin{aligned}
& \int \frac{x^{11} J_1(x^2 + \sqrt{2\sqrt{10} - 5}) dx}{x^2 + \sqrt{2\sqrt{10} - 5}} = \frac{1}{2} \left[\left(-x^8 + \sqrt{2\sqrt{10} - 5}x^6 + 13x^4 - 2\sqrt{10}x^4 - 4\sqrt{2\sqrt{10} - 5}x^2 + \right. \right. \\
& \quad \left. \left. + 2\sqrt{2\sqrt{10} - 5}\sqrt{10}x^2 + 6\sqrt{10} - 30 \right) J_0 \left(x^2 + \sqrt{2\sqrt{10} - 5} \right) + \right. \\
& \quad \left. + \left(4x^6 - 3\sqrt{2\sqrt{10} - 5}x^4 - 26x^2 + 4\sqrt{10}x^2 + 4\sqrt{2\sqrt{10} - 5} - 2\sqrt{2\sqrt{10} - 5}\sqrt{10} \right) J_1 \left(x^2 + \sqrt{2\sqrt{10} - 5} \right) \right] \\
& \int \frac{x^{11} J_1(x^2 - \sqrt{2\sqrt{10} - 5}) dx}{x^2 - \sqrt{2\sqrt{10} - 5}} = \frac{1}{2} \left[\left(-x^8 - \sqrt{2\sqrt{10} - 5}x^6 + 13x^4 - 2\sqrt{10}x^4 + 4\sqrt{2\sqrt{10} - 5}x^2 - \right. \right. \\
& \quad \left. \left. - 2\sqrt{2\sqrt{10} - 5}\sqrt{10}x^2 + 6\sqrt{10} - 30 \right) J_0 \left(x^2 - \sqrt{2\sqrt{10} - 5} \right) + \right. \\
& \quad \left. + \left(4x^6 + 3\sqrt{2\sqrt{10} - 5}x^4 - 26x^2 + 4\sqrt{10}x^2 - (4 - 2\sqrt{10})\sqrt{2\sqrt{10} - 5} \right) J_1 \left(x^2 - \sqrt{2\sqrt{10} - 5} \right) \right] \\
& \int \frac{x^{11} I_1(x^2 + \sqrt{2\sqrt{10} - 5}i) dx}{x^2 + \sqrt{2\sqrt{10} - 5}i} = \frac{1}{2} \left[\left(x^8 - \sqrt{2\sqrt{10} - 5}ix^6 + 13x^4 - 2\sqrt{10}x^4 - 4\sqrt{2\sqrt{10} - 5}ix^2 + \right. \right. \\
& \quad \left. \left. + 2\sqrt{2\sqrt{10} - 5}\sqrt{10}ix^2 - 6\sqrt{10} + 30 \right) I_0 \left(x^2 + \sqrt{2\sqrt{10} - 5}i \right) + \right. \\
& \quad \left. + \left(-4x^6 + 3\sqrt{2\sqrt{10} - 5}ix^4 - 26x^2 + 4\sqrt{10}x^2 + (4 - 2\sqrt{10})\sqrt{2\sqrt{10} - 5}i \right) I_1 \left(x^2 + \sqrt{2\sqrt{10} - 5}i \right) \right] \\
& \int \frac{x^{11} I_1(x^2 - \sqrt{2\sqrt{10} - 5}i) dx}{x^2 - \sqrt{2\sqrt{10} - 5}i} = \frac{1}{2} \left[\left(x^8 + \sqrt{2\sqrt{10} - 5}ix^6 + 13x^4 - 2\sqrt{10}x^4 + 4\sqrt{2\sqrt{10} - 5}ix^2 + \right. \right. \\
& \quad \left. \left. - 2\sqrt{2\sqrt{10} - 5}\sqrt{10}ix^2 - 6\sqrt{10} + 30 \right) I_0 \left(x^2 - \sqrt{2\sqrt{10} - 5}i \right) + \right. \\
& \quad \left. + \left(-4x^6 - 3\sqrt{2\sqrt{10} - 5}ix^4 - 26x^2 + 4\sqrt{10}x^2 - (4 - 2\sqrt{10})\sqrt{2\sqrt{10} - 5}i \right) I_1 \left(x^2 - \sqrt{2\sqrt{10} - 5}i \right) \right] \\
& \int \frac{x^{11} K_1(x^2 + \sqrt{2\sqrt{10} - 5}i) dx}{x^2 + \sqrt{2\sqrt{10} - 5}i} = \frac{1}{2} \left[\left(-x^8 + \sqrt{2\sqrt{10} - 5}ix^6 - 13x^4 + 2\sqrt{10}x^4 + 4\sqrt{2\sqrt{10} - 5}ix^2 - \right. \right.
\end{aligned}$$

$$\begin{aligned}
& - 2\sqrt{2\sqrt{10} - 5\sqrt{10}ix^2 + 6\sqrt{10} - 30} \Big) K_0 \left(x^2 + \sqrt{2\sqrt{10} - 5i} \right) + \\
& + \left(-4x^6 + 3\sqrt{2\sqrt{10} - 5i}x^4 - 26x^2 + 4\sqrt{10}x^2 + (4 - 2\sqrt{10})\sqrt{2\sqrt{10} - 5i} \right) K_1 \left(x^2 + \sqrt{2\sqrt{10} - 5i} \right) \Big] \\
& \int \frac{x^{11} K_1(x^2 - \sqrt{2\sqrt{10} - 5i}) dx}{x^2 - \sqrt{2\sqrt{10} - 5i}} = \frac{1}{2} \left[\left(-x^8 - \sqrt{2\sqrt{10} - 5i}x^6 - 13x^4 + 2\sqrt{10}x^4 - 4\sqrt{2\sqrt{10} - 5i}x^2 + \right. \right. \\
& \quad \left. \left. + 2\sqrt{2\sqrt{10} - 5\sqrt{10}ix^2 + 6\sqrt{10} - 30} \right) K_0 \left(x^2 - \sqrt{2\sqrt{10} - 5i} \right) + \right. \\
& \left. + \left(-4x^6 - 3\sqrt{2\sqrt{10} - 5i}x^4 - 26x^2 + 4\sqrt{10}x^2 + (2\sqrt{10} - 4)\sqrt{2\sqrt{10} - 5i} \right) K_1 \left(x^2 - \sqrt{2\sqrt{10} - 5i} \right) \right]
\end{aligned}$$

$$\lambda = \sqrt{2\sqrt[3]{25} + 4\sqrt[3]{5} + 5} = 4.20570\ 31830$$

$$\begin{aligned}
& \int \frac{x^{13} J_1(x^2 + \lambda i) dx}{x^2 + \lambda i} = \frac{1}{2} \left\{ -x^{10} + \lambda i x^8 + 2(\sqrt[3]{25} + 2\sqrt[3]{5} + 10)x^6 - \lambda i [8 + 4\sqrt[3]{5} + 2\sqrt[3]{25}]x^4 - \right. \\
& - [120 + 36\sqrt[3]{5} + 24\sqrt[3]{25}]x^2 + 12\lambda i [\sqrt[3]{5} + \sqrt[3]{25}] \Big\} J_0(x^2 + \lambda i) + \frac{1}{2} \left\{ 5x^8 - 4\lambda i x^6 - 6[2\sqrt[3]{5} + \sqrt[3]{25} + 10]x^4 + \right. \\
& \quad \left. + 4\lambda i [(2\sqrt[3]{5} + \sqrt[3]{25} + 4)x^2 + 36\sqrt[3]{5} + 24\sqrt[3]{25} + 120] \right\} J_1(x^2 + \lambda i) \\
& \int \frac{x^{13} J_1(x^2 - \lambda i) dx}{x^2 - \lambda i} = \frac{1}{2} \left\{ -x^{10} - \lambda i x^8 + 2(\sqrt[3]{25} + 2\sqrt[3]{5} + 10)x^6 + \lambda i [8 + 4\sqrt[3]{5} + 2\sqrt[3]{25}]x^4 - \right. \\
& - [120 + 36\sqrt[3]{5} + 24\sqrt[3]{25}]x^2 - 12\lambda i [\sqrt[3]{5} + \sqrt[3]{25}] \Big\} J_0(x^2 - \lambda i) + \frac{1}{2} \left\{ 5x^8 + 4\lambda i x^6 - 6[2\sqrt[3]{5} + \sqrt[3]{25} + 10]x^4 - \right. \\
& \quad \left. - 4\lambda i [(2\sqrt[3]{5} + \sqrt[3]{25} + 4)x^2 + 36\sqrt[3]{5} + 24\sqrt[3]{25} + 120] \right\} J_1(x^2 - \lambda i) \\
& \int \frac{x^{13} I_1(x^2 + \lambda) dx}{x^2 + \lambda} = \frac{1}{2} \left\{ x^{10} - \lambda x^8 + 2(\sqrt[3]{25} + 2\sqrt[3]{5} + 10)x^6 - \lambda [8 + 4\sqrt[3]{5} + 2\sqrt[3]{25}]x^4 + \right. \\
& + [120 + 36\sqrt[3]{5} + 24\sqrt[3]{25}]x^2 - 12\lambda [\sqrt[3]{5} + \sqrt[3]{25}] \Big\} J_0(x^2 + \lambda) + \frac{1}{2} \left\{ -5x^8 + 4\lambda x^6 - 6[2\sqrt[3]{5} + \sqrt[3]{25} + 10]x^4 + \right. \\
& \quad \left. + 4\lambda [(2\sqrt[3]{5} + \sqrt[3]{25} + 4)x^2 - 36\sqrt[3]{5} - 24\sqrt[3]{25} - 120] \right\} I_1(x^2 + \lambda) \\
& \int \frac{x^{13} I_1(x^2 - \lambda) dx}{x^2 - \lambda} = \frac{1}{2} \left\{ x^{10} + \lambda x^8 + 2(\sqrt[3]{25} + 2\sqrt[3]{5} + 10)x^6 + \lambda [8 + 4\sqrt[3]{5} + 2\sqrt[3]{25}]x^4 + \right. \\
& + [120 + 36\sqrt[3]{5} + 24\sqrt[3]{25}]x^2 + 12\lambda [\sqrt[3]{5} + \sqrt[3]{25}] \Big\} J_0(x^2 - \lambda) - \frac{1}{2} \left\{ 5x^8 + 4\lambda x^6 [2\sqrt[3]{5} + \sqrt[3]{25} + 10]x^4 + \right. \\
& \quad \left. + 4\lambda [(2\sqrt[3]{5} + \sqrt[3]{25} + 4)x^2 + 36\sqrt[3]{5} + 24\sqrt[3]{25} + 120] \right\} I_1(x^2 - \lambda) \\
& \int \frac{x^{13} K_1(x^2 + \lambda) dx}{x^2 + \lambda} = \frac{1}{2} \left\{ -x^{10} + \lambda x^8 - 2(\sqrt[3]{25} + 2\sqrt[3]{5} + 10)x^6 + \lambda [8 + 4\sqrt[3]{5} + 2\sqrt[3]{25}]x^4 - \right. \\
& - [120 + 36\sqrt[3]{5} + 24\sqrt[3]{25}]x^2 + 12\lambda [\sqrt[3]{5} + \sqrt[3]{25}] \Big\} K_0(x^2 + \lambda) + \frac{1}{2} \left\{ -5x^8 + 4\lambda x^6 - 6[2\sqrt[3]{5} + \sqrt[3]{25} + 10]x^4 + \right. \\
& \quad \left. + 4\lambda [(2\sqrt[3]{5} + \sqrt[3]{25} + 4)x^2 - 36\sqrt[3]{5} - 24\sqrt[3]{25} - 120] \right\} K_1(x^2 + \lambda) \\
& \int \frac{x^{13} K_1(x^2 - \lambda) dx}{x^2 - \lambda} = -\frac{1}{2} \left\{ x^{10} + \lambda x^8 + 2(\sqrt[3]{25} + 2\sqrt[3]{5} + 10)x^6 + \lambda [8 + 4\sqrt[3]{5} + 2\sqrt[3]{25}]x^4 + \right. \\
& + [120 + 36\sqrt[3]{5} + 24\sqrt[3]{25}]x^2 + 12\lambda [\sqrt[3]{5} + \sqrt[3]{25}] \Big\} K_0(x^2 - \lambda) - \frac{1}{2} \left\{ 5x^8 + 4\lambda x^6 [2\sqrt[3]{5} + \sqrt[3]{25} + 10]x^4 + \right. \\
& \quad \left. + 4\lambda [(2\sqrt[3]{5} + \sqrt[3]{25} + 4)x^2 + 36\sqrt[3]{5} + 24\sqrt[3]{25} + 120] \right\} K_1(x^2 - \lambda)
\end{aligned}$$

$$\mu = \sqrt{5 - 2\sqrt[3]{5} - \sqrt[3]{25} + \sqrt{3}(2\sqrt[3]{5} - \sqrt[3]{25})} i = 0.35429\ 92342 + 1.21222\ 83526 i$$

$$\begin{aligned}
& \int \frac{x^{13} J_1(x^2 + \mu i) dx}{x^2 + \mu i} = \frac{1}{2} \left\{ -x^{10} + \mu i x^8 + \left[(2\sqrt{3} i - 2)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 20 \right] x^6 + \right. \\
& + \left[2(\sqrt{3} + i)\sqrt[3]{5} + (i - \sqrt{3})\sqrt[3]{25} - 8i \right] \mu x^4 + \left[18(1 - \sqrt{3} i)\sqrt[3]{5} + 12(1 + \sqrt{3} i)\sqrt[3]{25} - 120 \right] x^2 - \\
& \quad \left. - 6 \left[(\sqrt{3} + i)\sqrt[3]{5} - (\sqrt{3} - i)\sqrt[3]{25} \right] \mu \right\} J_0(x^2 + \mu i) + \\
& \quad + \frac{1}{2} \left\{ 5x^8 - 4\mu i x^6 + 3 \left[2(1 - \sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} - 20 \right] x^4 - \right. \\
& - 2 \left[2(\sqrt{3} + i)\sqrt[3]{5} - (\sqrt{3} - i)\sqrt[3]{25} - 8i \right] \mu x^2 + \left. \left[18(\sqrt{3} i - 1)\sqrt[3]{5} - 12(1 + \sqrt{3} i)\sqrt[3]{25} + 120 \right] \right\} J_1(x^2 + \mu i) \\
& \int \frac{x^{13} J_1(x^2 - \mu i) dx}{x^2 - \mu i} = \frac{1}{2} \left\{ -x^{10} - \mu i x^8 + \left[(2\sqrt{3} i - 2)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 20 \right] x^6 - \right. \\
& - \left[2(\sqrt{3} + i)\sqrt[3]{5} + (i - \sqrt{3})\sqrt[3]{25} - 8 \right] \mu x^4 + \left[18(1 - \sqrt{3} i)\sqrt[3]{5} + 12(1 + \sqrt{3} i)\sqrt[3]{25} - 120 \right] x^2 + \\
& \quad + 6 \left[(1 + \sqrt{3} i)\sqrt[3]{5} - (\sqrt{3} - i)\sqrt[3]{25} \right] \mu \right\} J_0(x^2 - \mu i) + \\
& \quad + \frac{1}{2} \left\{ 5x^8 + 4\mu i x^6 + \left[6(1 - \sqrt{3} i)\sqrt[3]{5} + 3(1 + \sqrt{3} i)\sqrt[3]{25} - 60 \right] x^4 + \right. \\
& + 2 \left[2(\sqrt{3} + i)\sqrt[3]{5} - (\sqrt{3} - i)\sqrt[3]{25} - 8i \right] \mu x^2 + \left. \left[18(\sqrt{3} i - 1)\sqrt[3]{5} - 12(1 + \sqrt{3} i)\sqrt[3]{25} + 120 \right] \right\} J_1(x^2 - \mu i) \\
& \int \frac{x^{13} I_1(x^2 + \mu) dx}{x^2 + \mu} = \frac{1}{2} \left\{ x^{10} - \mu x^8 + \left[(2\sqrt{3} i - 2)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 20 \right] x^6 + \right. \\
& + \left[(2 - 2\sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} - 8 \right] \mu x^4 + \left[18(\sqrt{3} i - 1)\sqrt[3]{5} - 12(1 + \sqrt{3} i)\sqrt[3]{25} + 120 \right] x^2 + \\
& \quad + 6 \left[(1 - \sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} \right] \mu \right\} I_0(x^2 + \mu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 + 4\mu x^6 + \left[6(1 - \sqrt{3} i)\sqrt[3]{5} + 3(1 + \sqrt{3} i)\sqrt[3]{25} - 60 \right] x^4 + \right. \\
& + 2 \left[2(\sqrt{3} i - 1)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 8 \right] \mu x^2 + \left. \left[18(1 - \sqrt{3} i)\sqrt[3]{5} + 12(1 + \sqrt{3} i)\sqrt[3]{25} - 120 \right] \right\} I_1(x^2 + \mu) \\
& \int \frac{x^{13} I_1(x^2 - \mu) dx}{x^2 - \mu} = \frac{1}{2} \left\{ x^{10} + \mu x^8 + \left[(2\sqrt{3} i - 2)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 20 \right] x^6 - \right. \\
& - \left[(2 - 2\sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} - 8 \right] \mu x^4 + \left[18(\sqrt{3} i - 1)\sqrt[3]{5} - 12(1 + \sqrt{3} i)\sqrt[3]{25} + 120 \right] x^2 - \\
& \quad - 6 \left[(1 - \sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} \right] \mu \right\} I_0(x^2 - \mu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 - 4\mu x^6 + \left[6(1 - \sqrt{3} i)\sqrt[3]{5} + 3(1 + \sqrt{3} i)\sqrt[3]{25} - 60 \right] x^4 - \right. \\
& - 2 \left[2(1 - \sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} - 8 \right] \mu x^2 + \left. \left[18(1 - \sqrt{3} i)\sqrt[3]{5} + 12(1 + \sqrt{3} i)\sqrt[3]{25} - 120 \right] \right\} I_1(x^2 - \mu) \\
& \int \frac{x^{13} K_1(x^2 + \mu) dx}{x^2 + \mu} = \frac{1}{2} \left\{ -x^{10} + \mu x^8 - \left[(2\sqrt{3} i - 2)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 20 \right] x^6 - \right. \\
& - \left[(2 - 2\sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} - 8 \right] \mu x^4 - \left[18(\sqrt{3} i - 1)\sqrt[3]{5} - 12(1 + \sqrt{3} i)\sqrt[3]{25} + 120 \right] x^2 - \\
& \quad - 6 \left[(1 - \sqrt{3} i)\sqrt[3]{5} + (1 + \sqrt{3} i)\sqrt[3]{25} \right] \mu \right\} K_0(x^2 + \mu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 + 4\mu x^6 + \left[6(1 - \sqrt{3} i)\sqrt[3]{5} + 3(1 + \sqrt{3} i)\sqrt[3]{25} - 60 \right] x^4 + \right. \\
& + 2 \left[2(\sqrt{3} i - 1)\sqrt[3]{5} - (1 + \sqrt{3} i)\sqrt[3]{25} + 8 \right] \mu x^2 + \left. \left[18(1 - \sqrt{3} i)\sqrt[3]{5} + 12(1 + \sqrt{3} i)\sqrt[3]{25} - 120 \right] \right\} K_1(x^2 + \mu)
\end{aligned}$$

$$\begin{aligned}
& \int \frac{x^{13} K_1(x^2 - \mu) dx}{x^2 - \mu} = \frac{1}{2} \left\{ -x^{10} - \mu x^8 + \left[(2 - 2\sqrt{3}i)\sqrt[3]{5} + (1 + \sqrt{3}i)\sqrt[3]{25} - 20 \right] x^6 - \right. \\
& - \left[(2 - 2\sqrt{3}i)\sqrt[3]{5} + (1 + \sqrt{3}i)\sqrt[3]{25} - 8 \right] \mu x^4 + \left[18(1 - \sqrt{3}i)\sqrt[3]{5} + 12(1 + \sqrt{3}i)\sqrt[3]{25} - 120 \right] x^2 + \\
& \quad \left. + 6 \left[(1 - \sqrt{3}i)\sqrt[3]{5} + (1 + \sqrt{3}i)\sqrt[3]{25} \right] \mu \right\} K_0(x^2 - \mu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 - 4\mu x^6 + \left[6(1 - \sqrt{3}i)\sqrt[3]{5} + 3(1 + \sqrt{3}i)\sqrt[3]{25} - 60 \right] x^4 - \right. \\
& - 2 \left[2(1 - \sqrt{3}i)\sqrt[3]{5} + (1 + \sqrt{3}i)\sqrt[3]{25} - 8 \right] \mu x^2 + \left. \left[18(1 - \sqrt{3}i)\sqrt[3]{5} + 12(1 + \sqrt{3}i)\sqrt[3]{25} - 120 \right] \right\} K_1(x^2 - \mu)
\end{aligned}$$

$$\nu = \sqrt{5 - 2\sqrt[3]{5} - \sqrt[3]{25} - \sqrt{3}(2\sqrt[3]{5} - \sqrt[3]{25})i} = 0.35429\ 92342 - 1.21222\ 83526\ i$$

$$\begin{aligned}
& \int \frac{x^{13} J_1(x^2 + \nu i) dx}{x^2 + \nu i} = \frac{1}{2} \left\{ -x^{10} + \nu i x^8 - \left[(2 + 2\sqrt{3}i)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} - 20 \right] x^6 + \right. \\
& + \left[(2(i - \sqrt{3})\sqrt[3]{5} + (\sqrt{3} + i)\sqrt[3]{25} - 8i) \nu x^4 + \left[18(1 + \sqrt{3}i)\sqrt[3]{5} + 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] x^2 - \right. \\
& \quad \left. - 6 \left[(i - \sqrt{3})\sqrt[3]{5} + (1 + \sqrt{3}i)\sqrt[3]{25} \right] \nu \right\} J_0(x^2 + \nu i) + \\
& \quad + \frac{1}{2} \left\{ 5x^8 - 4\nu i x^6 + \left[(6 + 6\sqrt{3}i)\sqrt[3]{5} + 3(1 - \sqrt{3}i)\sqrt[3]{25} - 60 \right] x^4 - \right. \\
& - 2 \left[2(i - \sqrt{3}i)\sqrt[3]{5} + (\sqrt{3} + i)\sqrt[3]{25} - 8i \right] \nu x^2 - \left. \left[18(\sqrt{3}i + 1)\sqrt[3]{5} + 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] \right\} J_1(x^2 + \nu i) \\
& \int \frac{x^{13} J_1(x^2 - \nu i) dx}{x^2 - \nu i} = \frac{1}{2} \left\{ -x^{10} - \nu i x^8 - \left[(2 + 2\sqrt{3}i)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} - 20 \right] x^6 - \right. \\
& - \left[2(i - \sqrt{3})\sqrt[3]{5} + (\sqrt{3} + i)\sqrt[3]{25} - 8i \right] \nu x^4 + \left[18(1 + \sqrt{3}i)\sqrt[3]{5} + 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] x^2 + \\
& \quad + 6 \left[(i - \sqrt{3})\sqrt[3]{5} + (\sqrt{3} + i)\sqrt[3]{25} \right] \nu \right\} J_0(x^2 - \nu i) + \\
& \quad + \frac{1}{2} \left\{ 5x^8 + 4\nu i x^6 + \left[6(1 + \sqrt{3}i)\sqrt[3]{5} - 3(1 - \sqrt{3}i)\sqrt[3]{25} - 60 \right] x^4 + \right. \\
& + 2 \left[2(i - \sqrt{3})\sqrt[3]{5} + (\sqrt{3} + i)\sqrt[3]{25} - 8i \right] \nu x^2 - \left. \left[18(\sqrt{3}i + 1)\sqrt[3]{5} - 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] \right\} J_1(x^2 - \nu i) \\
& \int \frac{x^{13} I_1(x^2 + \nu) dx}{x^2 + \nu} = \frac{1}{2} \left\{ x^{10} - \nu x^8 - \left[(2 + 2\sqrt{3}i)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} - 20 \right] x^6 + \right. \\
& + \left[(2\sqrt{3}i + 2)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} - 8 \right] \nu x^4 - \left[18(1 + \sqrt{3}i)\sqrt[3]{5} + 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] x^2 + \\
& \quad + 6 \left[(\sqrt{3}i + 1)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} \right] \nu \right\} I_0(x^2 + \nu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 + 4\nu x^6 + \left[(6 + 6\sqrt{3}i)\sqrt[3]{5} + 3(1 - \sqrt{3}i)\sqrt[3]{25} - 60 \right] x^4 - \right. \\
& - 2 \left[2(1 + \sqrt{3}i)\sqrt[3]{5} - (\sqrt{3}i - 1)\sqrt[3]{25} - 8 \right] \nu x^2 + \left. \left[18(\sqrt{3}i + 1)\sqrt[3]{5} + 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] \right\} I_1(x^2 + \nu) \\
& \int \frac{x^{13} I_1(x^2 - \nu) dx}{x^2 - \nu} = \frac{1}{2} \left\{ x^{10} + \nu x^8 - \left[(2 + 2\sqrt{3}i)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} - 20 \right] x^6 - \right. \\
& - \left[(2\sqrt{3}i + 2)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} - 8 \right] \nu x^4 - \left[18(1 + \sqrt{3}i)\sqrt[3]{5} + 12(1 - \sqrt{3}i)\sqrt[3]{25} - 120 \right] x^2 - \\
& \quad - 6 \left[(\sqrt{3}i + 1)\sqrt[3]{5} + (1 - \sqrt{3}i)\sqrt[3]{25} \right] \nu \right\} I_0(x^2 - \nu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 - 4\nu x^6 + \left[6(1 + \sqrt{3}i)\sqrt[3]{5} + 3(1 - \sqrt{3}i)\sqrt[3]{25} - 60 \right] x^4 + \right.
\end{aligned}$$

$$\begin{aligned}
& +2 \left[2(1 + \sqrt{3}i)^{\sqrt[3]{5}} + (\sqrt{3}i - 1)^{\sqrt[3]{25}} - 8 \right] \nu x^2 + \left[18(\sqrt{3}i + 1)^{\sqrt[3]{5}} + 12(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 120 \right] \left. \vphantom{\left[2(1 + \sqrt{3}i)^{\sqrt[3]{5}} + (\sqrt{3}i - 1)^{\sqrt[3]{25}} - 8 \right]} \right\} I_1(x^2 - \nu) \\
& \quad \int \frac{x^{13} K_1(x^2 + \nu) dx}{x^2 + \nu} = \frac{1}{2} \left\{ -x^{10} + \nu x^8 + \left[(2 + 2\sqrt{3}i)^{\sqrt[3]{5}} + (1 - \sqrt{3}i)^{\sqrt[3]{25}} - 20 \right] x^6 - \right. \\
& \quad - \left[(2\sqrt{3}i + 2)^{\sqrt[3]{5}} + (1 - \sqrt{3}i)^{\sqrt[3]{25}} - 8 \right] \nu x^4 + \left[18(1 + \sqrt{3}i)^{\sqrt[3]{5}} + 12(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 120 \right] x^2 - \\
& \quad \quad \left. - 6 \left[(\sqrt{3}i + 1)^{\sqrt[3]{5}} + (1 - \sqrt{3}i)^{\sqrt[3]{25}} \right] \nu \right\} K_0(x^2 + \nu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 + 4\nu x^6 + \left[6(1 + \sqrt{3}i)^{\sqrt[3]{5}} + 3(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 60 \right] x^4 - \right. \\
& -2 \left[2(1 + \sqrt{3}i)^{\sqrt[3]{5}} - (\sqrt{3}i - 1)^{\sqrt[3]{25}} - 8 \right] \nu x^2 + \left[18(\sqrt{3}i + 1)^{\sqrt[3]{5}} + 12(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 120 \right] \left. \vphantom{\left[2(1 + \sqrt{3}i)^{\sqrt[3]{5}} - (\sqrt{3}i - 1)^{\sqrt[3]{25}} - 8 \right]} \right\} K_1(x^2 + \nu) \\
& \quad \int \frac{x^{13} K_1(x^2 - \nu) dx}{x^2 - \nu} = \frac{1}{2} \left\{ -x^{10} - \nu x^8 + \left[(2 + 2\sqrt{3}i)^{\sqrt[3]{5}} + (1 - \sqrt{3}i)^{\sqrt[3]{25}} - 20 \right] x^6 + \right. \\
& \quad + \left[(2\sqrt{3}i + 2)^{\sqrt[3]{5}} + (1 - \sqrt{3}i)^{\sqrt[3]{25}} - 8 \right] \nu x^4 + \left[18(1 + \sqrt{3}i)^{\sqrt[3]{5}} + 12(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 120 \right] x^2 + \\
& \quad \quad \left. + 6 \left[(\sqrt{3}i + 1)^{\sqrt[3]{5}} + (1 - \sqrt{3}i)^{\sqrt[3]{25}} \right] \nu \right\} K_0(x^2 - \nu) + \\
& \quad + \frac{1}{2} \left\{ -5x^8 - 4\nu x^6 + \left[6(1 + \sqrt{3}i)^{\sqrt[3]{5}} + 3(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 60 \right] x^4 + \right. \\
& +2 \left[2(1 + \sqrt{3}i)^{\sqrt[3]{5}} - (\sqrt{3}i - 1)^{\sqrt[3]{25}} - 8 \right] \nu x^2 + \left[18(\sqrt{3}i + 1)^{\sqrt[3]{5}} + 12(1 - \sqrt{3}i)^{\sqrt[3]{25}} - 120 \right] \left. \vphantom{\left[2(1 + \sqrt{3}i)^{\sqrt[3]{5}} - (\sqrt{3}i - 1)^{\sqrt[3]{25}} - 8 \right]} \right\} K_1(x^2 - \nu)
\end{aligned}$$

1.2. Elementary Function and Bessel Function

1.2.1. Integrals of the type $\int x^{n+1/2} \cdot Z_\nu(x) dx$

With the Lommel functions $s_{\mu,\nu}$ (see [7], 8.57, or [8], 10-7) holds:

$$\int \sqrt{x} J_0(x) dx = \sqrt{x} J_1(x) - \frac{x}{4} [2s_{-1/2,1}(x) J_0(x) + s_{-3/2,0}(x) J_1(x)] ,$$


$$\int \sqrt{x} J_1(x) dx = \frac{x}{2} [s_{-1/2,0}(x) J_1(x) - 2s_{1/2,0}(x) J_0(x)] .$$

$$x = t^2 \implies \int x^{(2n-1)/2} J_\nu(x) dx = 2 \int t^{2n} J_\nu(t^2) dt$$

Differential equations:

$$\int \sqrt{x} J_0(x) dx = y(x) \implies x^2 y''' + \left(x^2 + \frac{1}{4}\right) y' = 0$$

$$\int \sqrt{x} J_1(x) dx = z(x) \implies x^2 z''' + \left(x^2 - \frac{3}{4}\right) z' = 0$$



Function $J_0(x)$:

Approximation by Chebyshev polynomials, based on [2], 9.7.:


For $0 \leq x \leq 8$ holds

$$\int_0^x \sqrt{t} J_0(t) dt \approx \sqrt{x} \cdot \sum_{k=0}^{17} p_k T_{2k+1} \left(\frac{x}{8} \right)$$

with the following coefficients:

k	p_k	k	p_k
0	0.29396 17718 67412 06150	9	-0.00000 03762 56494 36038
1	-0.09593 33355 26137 75008	10	0.00000 00146 30781 61468
2	0.39583 39734 26816 07917	11	-0.00000 00004 68853 72762
3	-0.26902 16631 32696 96017	12	0.00000 00000 12605 05370
4	0.07963 03030 17678 07362	13	-0.00000 00000 00288 52942
5	-0.01366 63037 73087 91164	14	0.00000 00000 00005 69318
6	0.00155 43936 32776 04348	15	-0.00000 00000 00000 09787
7	-0.00012 67196 60682 08202	16	0.00000 00000 00000 00148
8	0.00000 77998 70507 77089	17	-0.00000 00000 00000 00002

This approximation differs from the true function as shown:



Asymptotic expansions for $x \rightarrow +\infty$:

$$\int_0^x \sqrt{t} J_0(t) dt \sim \frac{\Gamma^2(3/4)}{\pi} + \sqrt{\frac{2}{\pi}} \sum_{k=0}^{\infty} \frac{a_k}{x^k} \sin \left(x - \frac{2k+1}{4} \pi \right)$$

$$\frac{\Gamma^2(3/4)}{\pi} = 0.477\ 988\ 797\ 486\ 125$$

$$a_0 = 1, \quad a_1 = \frac{1}{8}, \quad a_2 = \frac{25}{128}, \quad a_3 = \frac{475}{1024}, \quad a_4 = \frac{49275}{32768}, \quad a_5 = \frac{1636335}{262144}, \quad a_6 = \frac{133308045}{4194304},$$

$$a_7 = \frac{6456759075}{33554432}, \quad a_8 = \frac{2905671971475}{2147483648}, \quad a_9 = \frac{186381860485275}{17179869184}, \dots$$

k	a_k	a_k/a_{k-1}	k	a_k	a_k/a_{k-1}
0	1.000 000 000	-	5	6.242 122 650	4.1510
1	0.125 000 000	0.1250	6	31.783 114 67	5.0917
2	0.195 312 500	1.5625	7	192.426 415 5	6.0544
3	0.463 867 188	2.3750	8	1 353.058 951	7.0316
4	1.503 753 662	3.2418	9	10 848.852 14	8.0180

Let

$$D_{0,n}(x) = \frac{\Gamma^2(3/4)}{\pi} + \sqrt{\frac{2}{\pi}} \sum_{k=0}^n \frac{a_k}{x^k} \sin\left(x - \frac{2k+1}{4}\pi\right) - \int_0^x \sqrt{t} J_0(t) dt,$$

then its first maximum and minimum values of interest are $D_{0,n}(x_{i,n}^*)$.

In the case $x > x_{i,n}^*$ holds $|D_{0,n}(x)| < |D_{0,n}(x_{i,n}^*)|$.

$n = 0, i =$	1	2	3	4	5	6	7	8	9	10
$x_{i,0}^*$	1.143	4.058	7.146	10.264	13.394	16.527	19.664	22.801	25.940	29.079
$10^3 D_{0,0}(x_i^*)$	50.87	-21.784	13.293	-9.4707	7.3310	-5.9717	5.0342	-4.3496	3.8281	-3.4179
$n = 1, i =$	1	2	3	4	5	6	7	8	9	10
$x_{i,1}^*$	2.473	5.561	8.681	11.812	14.947	18.085	21.223	24.363	27.503	30.643
$10^4 D_{0,1}(x_i^*)$	158.930	-43.0361	19.1585	-10.6855	6.7779	-4.6705	3.4092	-2.5962	2.0420	-1.6478
$n = 2, i =$	3	4	5	6	7	8	9	10	11	12
$x_{i,2}^*$	7.100	10.233	13.369	16.508	19.647	22.787	25.927	29.068	32.209	35.350
$10^5 D_{0,2}(x_i^*)$	-85.8809	31.2037	-14.5367	7.8808	-4.7310	3.0556	-2.0851	1.4850	-1.0945	0.8296
$n = 3, i =$	4	5	6	7	8	9	10	11	12	13
$x_{i,3}^*$	11.793	14.932	18.072	21.213	24.353	27.494	30.635	33.777	36.918	40.059
$10^7 D_{0,3}(x_i^*)$	548.133	-222.407	106.176	-56.7759	33.0053	-20.4558	13.3362	-9.0584	6.3648	-4.6012
$n = 4, i =$	5	6	7	8	9	10	11	12	13	14
$x_{i,4}^*$	16.499	19.649	22.780	25.922	29.063	32.204	35.345	38.487	41.628	44.770
$10^8 D_{0,4}(x_i^*)$	-369.198	158.653	-76.8752	40.7761	-23.2093	13.9787	-8.8181	5.7815	-3.9164	2.7284

For $8 \leq x \leq 30$ the special approximation holds:

$$\int_0^x \sqrt{t} J_0(t) dt \approx 0.477\,988\,797\,935 + \sum_{k=0}^9 \frac{c_k^{(0)}}{x^k} \sin\left(x - \frac{2k+1}{4}\pi\right)$$

with

$$-5.0 \cdot 10^{-9} < 0.477\,988\,797\,935 + \sum_{k=0}^9 \frac{c_k^{(0)}}{x^k} \sin\left(x - \frac{2k+1}{4}\pi\right) - \int_0^x \sqrt{t} J_0(t) dt < 6 \cdot 10^{-9}.$$

k	$c_k^{(0)}$	k	$c_k^{(0)}$
1	0.797 884 516 538	6	4.733 533 047 132
2	0.099 735 119 074	7	18.859 909 855 69
3	0.155 775 947 720	8	99.846 038 227 04
4	0.369 550 899 387	9	256.775 583 671 0
5	1.170 795 416 963	10	1 527.508 571 668

Function $J_1(x)$:


Approximation by Chebyshev polynomials, based on [2], 9.7.:

$$\int_0^x \sqrt{t} J_1(t) dt \approx \sqrt{x} \cdot \sum_{k=0}^{17} q_k T_{2k} \left(\frac{x}{8} \right), \quad 0 \leq x \leq 8$$

with the coefficients:

k	q_k	k	q_k
0	0.37975 25427 04720 47384	9	0.00000 17101 75937 74175
1	-0.24153 71053 32677 35417	10	-0.00000 00740 94524 46089
2	-0.12554 99442 21699 83184	11	0.00000 00026 16214 44822
3	0.31360 55017 12763 75964	12	-0.00000 00000 76805 72461
4	-0.14432 03488 73845 84716	13	0.00000 00000 01905 60154
5	0.03274 98779 87894 78550	14	-0.00000 00000 00040 50286
6	-0.00458 83639 64558 05653	15	0.00000 00000 00000 74601
7	0.00044 24559 29648 31876	16	-0.00000 00000 00000 01203
8	-0.00003 13683 81557 99050	17	0.00000 00000 00000 00017

Difference between approximation and true function:



Asymptotic expansion for $x \rightarrow \infty$:

$$\int_0^x \sqrt{t} J_1(t) dt \sim \frac{4\Gamma^2(5/4)}{\pi} - \sqrt{\frac{2}{\pi}} \sum_{k=0}^{\infty} \frac{b_k}{x^k} \sin \left(x + \frac{2k+1}{4} \pi \right)$$

$$\frac{4\Gamma^2(5/4)}{\pi} = 1.046\ 049\ 620\ 053\ 102$$

$$b_0 = 1, \quad b_1 = \frac{3}{8}, \quad b_2 = -\frac{63}{128}, \quad b_3 = \frac{1113}{1024}, \quad b_4 = -\frac{111573}{32768}, \quad b_5 = \frac{3643101}{262144}, \quad b_6 = -\frac{294285915}{4194304},$$

$$b_7 = \frac{14192615745}{33554432}, \quad b_8 = -\frac{6373074947085}{2147483648}, \quad b_9 = \frac{408344927902065}{17179869184}, \dots$$

k	b_k	$ b_k/b_{k-1} $	k	b_k	$ b_k/b_{k-1} $
0	1.000 000 000	-	5	13.897 327 42	4.0815
1	0.375 000 000	0.3750	6	-70.163 229 70	5.0487
2	-0.492 187 500	1.3125	7	422.972 910 0	6.0284
3	1.086 914 063	2.2083	8	-2 967.694 284	7.0163
4	-3.404 937 744	3.1327	9	23 768.803 10	8.0092

Let

$$D_{1,n}(x) = \frac{4\Gamma^2(5/4)}{\pi} - \sqrt{\frac{2}{\pi}} \sum_{k=0}^n \frac{b_k}{x^k} \sin\left(x + \frac{2k+1}{4}\pi\right) - \int_0^x \sqrt{t} J_1(t) dt,$$

then its first maximum and minimum values of interest are $D_{1,n}(x_{i,n}^*)$.

In the case $x > x_{i,n}^*$ holds $|D_{1,n}(x)| < |D_{1,n}(x_{i,n}^*)|$.

$n = 0, i =$	1	2	3	4	5	6	7	8	9	10
$x_{i,0}^*$	2.470	6.470	8.675	11.807	14.943	18.081	21.220	24.360	27.500	30.641
$10^3 D_{1,0}(x_i^*)$	-98.4511	50.5537	-33.4821	24.9168	-19.8073	16.4242	-14.0227	12.2312	-10.8443	9.7390
$n = 1, i =$	2	3	4	5	6	7	8	9	10	11
$x_{i,1}^*$	3.974	7.097	10.230	13.367	15.506	16.645	22.786	25.926	29.067	32.208
$10^4 D_{1,1}(x_i^*)$	-194.456	70.4454	-35.5457	21.2582	-14.0945	10.0128	-7.4731	5.7878	-4.6133	3.7625
$n = 2, i =$	3	4	5	6	7	8	9	10	11	12
$x_{i,2}^*$	8.654	12.654	14.931	18.071	21.212	24.353	27.494	30.635	33.776	36.917
$10^5 D_{1,2}(x_i^*)$	117.286	-48.9485	24.7672	-14.1826	8.8517	-5.8853	4.1071	-2.9778	2.2269	-1.7083
$n = 3, i =$	4	5	6	7	8	9	10	11	12	13
$x_{i,3}^*$	13.358	16.498	19.639	22.780	29.921	29.063	32.204	35.345	38.487	41.628
$10^7 D_{0,3}(x_i^*)$	-773.343	342.802	-173.926	97.2278	-58.4641	37.2099	-24.7842	17.1337	-12.2177	8.9436
$n = 4, i =$	4	5	6	7	8	9	10	11	12	13
$x_{i,4}^*$	11.785	14.926	18.067	21.208	24.349	27.491	30.632	33.774	36.915	40.057
$10^7 D_{1,4}(x_i^*)$	409.325	-133.167	53.0102	-24.2927	12.3500	-6.7990	3.9863	-2.4597	1.5831	-1.0557

For $8 \leq x \leq 30$ holds

$$\int_0^x \sqrt{t} J_1(t) dt \approx 1.046\ 049046\ 618046\ 299 + \sum_{k=0}^9 \frac{c_k^{(1)}}{x^k} \sin\left(x + \frac{2k+1}{4}\pi\right)$$

with

$$-7.0 \cdot 10^{-9} < 1.046\ 049\ 046\ 618 + \sum_{k=0}^9 \frac{c_k^{(1)}}{x^k} \sin\left(x + \frac{2k+1}{4}\pi\right) - \int_0^x \sqrt{t} J_0(t) dt < 5 \cdot 10^{-9}.$$

k	$c_k^{(1)}$	k	$c_k^{(1)}$
1	-0.797 884 661 354	6	-10.914 764 692 58
2	-0.299 206 773 536	7	40.086 327 439 47
3	0.392 563 542 201	8	-264.350 611 778 9
4	-0.867 123 732 390	9	464.583 909 606 6
5	2.645 254 609 577	10	-5 043.243 969 567

Modified Bessel Functions:

$$\begin{aligned} \int_0^x \sqrt{t} I_0(t) dt &= 2\sqrt{x} \sum_{k=0}^{\infty} \frac{x^{2n+1}}{4^k \cdot (k!)^2 \cdot (4k+3)} = \\ &= 2\sqrt{x} \left(\frac{x}{3} + \frac{x^3}{28} + \frac{x^5}{704} + \frac{x^7}{34\ 560} + \frac{x^9}{2\ 801\ 664} + \frac{x^{11}}{339\ 148\ 800} + \frac{x^{13}}{57\ 330\ 892\ 800} + \frac{x^{15}}{12\ 901\ 574\ 246\ 400} + \dots \right) \\ \int_0^x \sqrt{t} I_1(t) dt &= \sqrt{x} \sum_{k=0}^{\infty} \frac{x^{2n+2}}{4^k \cdot (k!)^2 \cdot (4k+5) \cdot (k+1)} = \\ &= \sqrt{x} \left(\frac{x^2}{5} + \frac{x^4}{72} + \frac{x^6}{2\ 496} + \frac{x^8}{156\ 672} + \frac{x^{10}}{15\ 482\ 880} + \frac{x^{12}}{2\ 211\ 840\ 000} + \frac{x^{14}}{431\ 043\ 379\ 200} + \dots \right) \end{aligned}$$

1.2.1. b) Integrals:

$$\int x^{3/2} J_0(x) dx = x^{3/2} J_1(x) - \frac{1}{2} \int \sqrt{x} J_1(x) dx$$

$$\int x^{3/2} J_1(x) dx = -x^{3/2} J_0(x) + \frac{3}{2} \int \sqrt{x} J_0(x) dx$$

$$\int x^{3/2} I_0(x) dx = x^{3/2} I_1(x) - \frac{1}{2} \int \sqrt{x} I_1(x) dx$$

$$\int x^{3/2} I_1(x) dx = x^{3/2} I_0(x) - \frac{3}{2} \int \sqrt{x} I_0(x) dx$$

$$\int x^{5/2} J_0(x) dx = \sqrt{x} \left[\frac{3x}{2} J_0(x) + x^2 J_1(x) \right] - \frac{9}{4} \int \sqrt{x} J_0(x) dx$$

$$\int x^{5/2} J_1(x) dx = \sqrt{x} \left[-x^2 J_0(x) + \frac{5}{2} x J_1(x) \right] - \frac{5}{4} \int \sqrt{x} J_1(x) dx$$

$$\int x^{5/2} I_0(x) dx = \sqrt{x} \left[-\frac{3x}{2} I_0(x) + x^2 I_1(x) \right] + \frac{9}{4} \int \sqrt{x} I_0(x) dx$$

$$\int x^{5/2} I_1(x) dx = \sqrt{x} \left[x^2 J_0(x) - \frac{5}{2} x I_1(x) \right] + \frac{5}{4} \int \sqrt{x} I_1(x) dx$$

$$\int x^{7/2} J_0(x) dx = \sqrt{x} \left[\frac{5x^2}{2} J_0(x) + \left(x^3 - \frac{25}{4} x \right) J_1(x) \right] + \frac{25}{8} \int \sqrt{x} J_1(x) dx$$

$$\int x^{7/2} J_1(x) dx = \sqrt{x} \left[\left(-x^3 + \frac{21}{4} x \right) J_0(x) + \frac{7}{2} x^2 J_1(x) \right] - \frac{63}{8} \int \sqrt{x} J_0(x) dx$$

$$\int x^{7/2} I_0(x) dx = \sqrt{x} \left[-\frac{5x^2}{2} I_0(x) + \left(x^3 + \frac{25}{4} x \right) I_1(x) \right] - \frac{25}{8} \int \sqrt{x} I_1(x) dx$$

$$\int x^{7/2} I_1(x) dx = \sqrt{x} \left[\left(x^3 + \frac{21}{4} x \right) I_0(x) - \frac{7}{2} x^2 I_1(x) \right] - \frac{63}{8} \int \sqrt{x} I_0(x) dx$$

$$\int x^{9/2} J_0(x) dx = \sqrt{x} \left[\left(\frac{7}{2} x^3 - \frac{147}{8} x \right) J_0(x) + \left(x^4 - \frac{49}{4} x^2 \right) J_1(x) \right] + \frac{441}{16} \int \sqrt{x} J_0(x) dx$$

$$\int x^{9/2} J_1(x) dx = \sqrt{x} \left[\left(-x^4 + \frac{45}{4} x^2 \right) J_0(x) + \left(\frac{9}{2} x^3 - \frac{225}{8} x \right) J_1(x) \right] + \frac{225}{16} \int \sqrt{x} J_1(x) dx$$

$$\int x^{9/2} I_0(x) dx = \sqrt{x} \left[-\left(\frac{7}{2} x^3 + \frac{147}{8} x \right) I_0(x) + \left(x^4 + \frac{49}{4} x^2 \right) I_1(x) \right] + \frac{441}{16} \int \sqrt{x} I_0(x) dx$$

$$\int x^{9/2} I_1(x) dx = \sqrt{x} \left[\left(x^4 + \frac{45}{4} x^2 \right) I_0(x) - \left(\frac{9}{2} x^3 + \frac{225}{8} x \right) I_1(x) \right] + \frac{225}{16} \int \sqrt{x} I_1(x) dx$$

To find $\int x^{(2n+1)/2} I_\nu(x) dx$ with $n > 4$ use the recurrence formulas (see page 67).

$$\int x^{11/2} J_0(x) dx = \sqrt{x} \left[\left(\frac{9}{2} x^4 - \frac{405}{8} x^2 \right) J_0(x) + \left(x^5 - \frac{81}{4} x^3 + \frac{2025}{16} x \right) J_1(x) \right] - \frac{2025}{32} \int \sqrt{x} J_1(x) dx$$

$$\int x^{11/2} J_1(x) dx = \sqrt{x} \left[\left(-x^5 + \frac{77}{4} x^3 - \frac{1617}{16} x \right) J_0(x) + \left(\frac{11}{2} x^4 - \frac{539}{8} x^2 \right) J_1(x) \right] + \frac{4851}{32} \int \sqrt{x} J_0(x) dx$$

$$\int x^{13/2} J_0(x) dx = \sqrt{x} \left[\left(\frac{11}{2} x^5 - \frac{847}{8} x^3 + \frac{17787}{32} x \right) J_0(x) + \left(x^6 - \frac{121}{4} x^4 + \frac{5929}{16} x^2 \right) J_1(x) \right] - \frac{53361}{64} \int \sqrt{x} J_0(x) dx$$

$$\begin{aligned}
\int x^{13/2} J_1(x) dx &= \sqrt{x} \left[\left(-x^6 + \frac{117}{4} x^4 - \frac{5265}{16} x^2 \right) J_0(x) + \left(\frac{13}{2} x^5 - \frac{1053}{8} x^3 + \frac{26325}{32} x \right) J_1(x) \right] - \\
&\quad - \frac{26325}{64} \int \sqrt{x} J_1(x) dx \\
E \quad \int x^{15/2} J_0(x) dx &= \sqrt{x} \left[\left(\frac{13}{2} x^6 - \frac{1521}{8} x^4 + \frac{68445}{32} x^2 \right) J_0(x) + \right. \\
&\quad \left. + \left(x^7 - \frac{169}{4} x^5 + \frac{13689}{16} x^3 - \frac{342225}{64} x \right) J_1(x) \right] + \frac{342225}{128} \int \sqrt{x} J_1(x) dx \\
\int x^{15/2} J_1(x) dx &= \sqrt{x} \left[\left(-x^7 + \frac{165}{4} x^5 - \frac{12705}{16} x^3 + \frac{266805}{64} x \right) J_0(x) + \right. \\
&\quad \left. + \left(\frac{15}{2} x^6 - \frac{1815}{8} x^4 + \frac{88935}{32} x^2 \right) J_1(x) \right] - \frac{800415}{128} \int \sqrt{x} J_0(x) dx \\
\int x^{17/2} J_0(x) dx &= \sqrt{x} \left[\left(\frac{15}{2} x^7 - \frac{2475}{8} x^5 + \frac{190575}{32} x^3 - \frac{4002075}{128} x \right) J_0(x) + \right. \\
&\quad \left. + \left(x^8 - \frac{225}{4} x^6 + \frac{27225}{16} x^4 - \frac{1334025}{64} x^2 \right) J_1(x) \right] + \frac{12006225}{256} \int \sqrt{x} J_0(x) dx \\
\int x^{17/2} J_1(x) dx &= \sqrt{x} \left[\left(-x^8 + \frac{221}{4} x^6 - \frac{25857}{16} x^4 + \frac{1163565}{64} x^2 \right) J_0(x) + \right. \\
&\quad \left. + \left(\frac{17}{2} x^7 - \frac{2873}{8} x^5 + \frac{232713}{32} x^3 - \frac{5817825}{128} x \right) J_1(x) \right] + \frac{5817825}{256} \int \sqrt{x} J_1(x) dx \\
\int x^{19/2} J_0(x) dx &= \sqrt{x} \left[\left(\frac{17}{2} x^8 - \frac{3757}{8} x^6 + \frac{439569}{32} x^4 - \frac{19780605}{128} x^2 \right) J_0(x) + \right. \\
&\quad \left. + \left(x^9 - \frac{289}{4} x^7 + \frac{48841}{16} x^5 - \frac{3956121}{64} x^3 + \frac{98903025}{256} x \right) J_1(x) \right] - \frac{98903025}{512} \int \sqrt{x} J_1(x) dx \\
\int x^{19/2} J_1(x) dx &= \sqrt{x} \left[\left(-x^9 + \frac{285}{4} x^7 - \frac{47025}{16} x^5 + \frac{3620925}{64} x^3 - \frac{76039425}{256} x \right) J_0(x) + \right. \\
&\quad \left. + \left(\frac{19}{2} x^8 - \frac{4275}{8} x^6 + \frac{517275}{32} x^4 - \frac{25346475}{128} x^2 \right) J_1(x) \right] + \frac{228118275}{512} \int \sqrt{x} J_0(x) dx \\
\int x^{21/2} J_0(x) dx &= \\
&\quad \sqrt{x} \left[\left(\frac{19}{2} x^9 - \frac{5415}{8} x^7 + \frac{893475}{32} x^5 - \frac{68797575}{128} x^3 + \frac{1444749075}{512} x \right) J_0(x) + \right. \\
&\quad \left. + \left(x^{10} - \frac{361}{4} x^8 + \frac{81225}{16} x^6 - \frac{9828225}{64} x^4 + \frac{481583025}{256} x^2 \right) J_1(x) \right] - \\
&\quad - \frac{4334247225}{1024} \int \sqrt{x} J_0(x) dx \\
\int x^{21/2} J_1(x) dx &= \sqrt{x} \left[\left(-x^{10} + \frac{357}{4} x^8 - \frac{78897}{16} x^6 + \frac{9230949}{64} x^4 - \frac{415392705}{256} x^2 \right) J_0(x) + \right. \\
&\quad \left. + \left(\frac{21}{2} x^9 - \frac{6069}{8} x^7 + \frac{1025661}{32} x^5 - \frac{83078541}{128} x^3 + \frac{2076963525}{512} x \right) J_1(x) \right] - \frac{2076963525}{1024} \int \sqrt{x} J_1(x) dx \\
\int x^{23/2} J_0(x) dx &= \sqrt{x} \left[\left(\frac{21}{2} x^{10} - \frac{7497}{8} x^8 + \frac{1656837}{32} x^6 - \frac{193849929}{128} x^4 + \frac{8723246805}{512} x^2 \right) J_0(x) + \right. \\
&\quad \left. + \left(x^{11} - \frac{441}{4} x^9 + \frac{127449}{16} x^7 - \frac{21538881}{64} x^5 + \frac{1744649361}{256} x^3 - \frac{43616234025}{1024} x \right) J_1(x) \right] +
\end{aligned}$$

$$\begin{aligned}
& + \frac{43616234025}{2048} \int \sqrt{x} J_1(x) dx \\
& \int x^{23/2} J_1(x) dx = \\
& = \sqrt{x} \left[\left(-x^{11} + \frac{437}{4} x^9 - \frac{124545}{16} x^7 + \frac{20549925}{64} x^5 - \frac{1582344225}{256} x^3 + \frac{33229228725}{1024} x \right) J_0(x) + \right. \\
& \quad \left. + \left(\frac{23}{2} x^{10} - \frac{8303}{8} x^8 + \frac{1868175}{32} x^6 - \frac{226049175}{128} x^4 + \frac{11076409575}{512} x^2 \right) J_1(x) \right] - \\
& \quad - \frac{99687686175}{2048} \int \sqrt{x} J_0(x) dx \\
& \int x^{25/2} J_0(x) dx = \\
& = \sqrt{x} \left[\left(\frac{23}{2} x^{11} - \frac{10051}{8} x^9 + \frac{2864535}{32} x^7 - \frac{472648275}{128} x^5 + \frac{36393917175}{512} x^3 - \frac{764272260675}{2048} x \right) J_0(x) + \right. \\
& \quad \left. + \left(x^{12} - \frac{529}{4} x^{10} + \frac{190969}{16} x^8 - \frac{42968025}{64} x^6 + \frac{5199131025}{256} x^4 - \frac{254757420225}{1024} x^2 \right) J_1(x) \right] + \\
& \quad + \frac{2292816782025}{4096} \int \sqrt{x} J_0(x) dx \\
& \int x^{25/2} J_1(x) dx = \\
& = \sqrt{x} \left[\left(-x^{12} + \frac{525}{4} x^{10} - \frac{187425}{16} x^8 + \frac{41420925}{64} x^6 - \frac{4846248225}{256} x^4 + \frac{218081170125}{1024} x^2 \right) J_0(x) + \right. \\
& \quad \left. + \left(\frac{25}{2} x^{11} - \frac{11025}{8} x^9 + \frac{3186225}{32} x^7 - \frac{538472025}{128} x^5 + \frac{43616234025}{512} x^3 - \frac{1090405850625}{2048} x \right) J_1(x) \right] + \\
& \quad + \frac{1090405850625}{4096} \int \sqrt{x} J_1(x) dx \\
& \int x^{27/2} J_0(x) dx = \\
& = \sqrt{x} \left[\left(\frac{25}{2} x^{12} - \frac{13125}{8} x^{10} + \frac{4685625}{32} x^8 - \frac{1035523125}{128} x^6 + \frac{121156205625}{512} x^4 - \frac{5452029253125}{2048} x^2 \right) J_0(x) + \right. \\
& \quad \left. + \left(x^{13} - \frac{625}{4} x^{11} + \frac{275625}{16} x^9 - \frac{79655625}{64} x^7 + \frac{13461800625}{256} x^5 - \frac{1090405850625}{1024} x^3 + \right. \right. \\
& \quad \left. \left. + \frac{27260146265625}{4096} x \right) J_1(x) \right] - \frac{27260146265625}{8192} \int \sqrt{x} J_1(x) dx \\
& \int x^{27/2} J_1(x) dx = \sqrt{x} \left[\left(-x^{13} + \frac{621}{4} x^{11} - \frac{271377}{16} x^9 + \frac{77342445}{64} x^7 - \frac{12761503425}{256} x^5 + \right. \right. \\
& \quad \left. \left. \frac{982635763725}{1024} x^3 - \frac{20635351038225}{4096} x \right) J_0(x) + \left(\frac{27}{2} x^{12} - \frac{14283}{8} x^{10} + \frac{5156163}{32} x^8 - \frac{1160136675}{128} x^6 + \right. \right. \\
& \quad \left. \left. + \frac{140376537675}{512} x^4 - \frac{6878450346075}{2048} x^2 \right) J_1(x) \right] + \frac{61906053114675}{8192} \int \sqrt{x} J_0(x) dx \\
& \int x^{29/2} J_0(x) dx = \sqrt{x} \left[\left(\frac{27}{2} x^{13} - \frac{16767}{8} x^{11} + \frac{7327179}{32} x^9 - \frac{2088246015}{128} x^7 + \frac{344560592475}{512} x^5 - \right. \right. \\
& \quad \left. \left. - \frac{26531165620575}{2048} x^3 + \frac{557154478032075}{8192} x \right) J_0(x) + \left(x^{14} - \frac{729}{4} x^{12} + \frac{385641}{16} x^{10} - \frac{139216401}{64} x^8 + \right. \right.
\end{aligned}$$

$$\begin{aligned}
& + \frac{31323690225}{256} x^6 - \frac{3790166517225}{1024} x^4 + \frac{185718159344025}{4096} x^2 \Big) J_1(x) \Big] - \frac{1671463434096225}{16384} \int \sqrt{x} J_0(x) dx \\
& \int x^{29/2} J_1(x) dx = \sqrt{x} \left[\left(-x^{14} + \frac{725}{4} x^{12} - \frac{380625}{16} x^{10} + \frac{135883125}{64} x^8 - \frac{30030170625}{256} x^6 + \right. \right. \\
& + \frac{3513529963125}{1024} x^4 - \frac{158108848340625}{4096} x^2 \Big) J_0(x) + \left(\frac{29}{2} x^{13} - \frac{18125}{8} x^{11} + \frac{7993125}{32} x^9 - \frac{2310013125}{128} x^7 + \right. \\
& + \frac{390392218125}{512} x^5 - \frac{31621769668125}{2048} x^3 + \frac{790544241703125}{8192} x \Big) J_1(x) \Big] - \frac{790544241703125}{16384} \int \sqrt{x} J_1(x) dx \\
& \int \frac{J_0(x)}{\sqrt{x}} dx = 2\sqrt{x}J_0(x) + 2 \int \sqrt{x}J_1(x) dx \\
& \int \frac{J_1(x)}{\sqrt{x}} dx = -2\sqrt{x}J_1(x) + 2 \int \sqrt{x}J_0(x) dx \\
& \int \frac{I_0(x)}{\sqrt{x}} dx = 2\sqrt{x}I_0(x) - 2 \int \sqrt{x}J_1(x) dx \\
& \int \frac{I_1(x)}{\sqrt{x}} dx = -2\sqrt{x}I_1(x) + 2 \int \sqrt{x}I_0(x) dx \\
& \int x^{-3/2} \cdot J_0(x) dx = \frac{\sqrt{x}}{x} [-2J_0(x) + 4xJ_1(x)] - 4 \int \sqrt{x}J_0(x) dx \\
& \int x^{-3/2} \cdot J_1(x) dx = \frac{\sqrt{x}}{3x} [4xJ_0(x) - 2J_1(x)] + \frac{4}{3} \int \sqrt{x}J_1(x) dx \\
& \int x^{-3/2} \cdot I_0(x) dx = -\frac{\sqrt{x}}{x} [2I_0(x) + 4xI_1(x)] + 4 \int \sqrt{x}I_0(x) dx \\
& \int x^{-3/2} \cdot I_1(x) dx = \frac{\sqrt{x}}{3x} [4xI_0(x) - 2I_1(x)] - \frac{4}{3} \int \sqrt{x}I_1(x) dx \\
& \int x^{-5/2} \cdot J_0(x) dx = \frac{\sqrt{x}}{9x^2} [(-8x^2 - 6) J_0(x) + 4xJ_1(x)] - \frac{8}{9} \int \sqrt{x}J_1(x) dx \\
& \int x^{-5/2} \cdot J_1(x) dx = \frac{\sqrt{x}}{5x^2} [-4xJ_0(x) + (8x^2 - 2)J_1(x)] - \frac{8}{5} \int \sqrt{x}J_0(x) dx \\
& \int x^{-5/2} \cdot I_0(x) dx = \frac{\sqrt{x}}{9x^2} [(8x^2 - 6) I_0(x) - 4xI_1(x)] - \frac{8}{9} \int \sqrt{x}I_1(x) dx \\
& \int x^{-5/2} \cdot I_1(x) dx = \frac{\sqrt{x}}{5x^2} [-4xI_0(x) - (8x^2 + 2)I_1(x)] + \frac{8}{5} \int \sqrt{x}I_0(x) dx \\
& \int x^{-7/2} \cdot J_0(x) dx = \frac{\sqrt{x}}{25x^3} [(8x^2 - 10)J_0(x) + (-16x^3 + 4x)J_1(x)] + \frac{16}{25} \int \sqrt{x}J_0(x) dx \\
& \int x^{-7/2} \cdot J_1(x) dx = \frac{\sqrt{x}}{63x^3} [(-16x^3 - 12x)J_0(x) + (8x^2 - 18)J_1(x)] - \frac{16}{63} \int \sqrt{x}J_1(x) dx \\
& \int x^{-7/2} \cdot I_0(x) dx = -\frac{\sqrt{x}}{25x^3} [(8x^2 + 10)I_0(x) + (16x^3 + 4x)I_1(x)] + \frac{16}{25} \int \sqrt{x}I_0(x) dx \\
& \int x^{-7/2} \cdot I_1(x) dx = \frac{\sqrt{x}}{63x^3} [(16x^3 - 12x)I_0(x) - (8x^2 + 18)I_1(x)] - \frac{16}{63} \int \sqrt{x}I_1(x) dx
\end{aligned}$$

To find $\int x^{-(2n+1)/2} I_\nu(x) dx$ with $n > 4$ use the recurrence formulas (see page 67).

$$\int x^{-9/2} \cdot J_0(x) dx = \frac{\sqrt{x}}{441x^4} [(32x^4 + 24x^2 - 126) J_0(x) + (-16x^3 + 36x)J_1(x)] + \frac{32}{441} \int \sqrt{x}J_1(x) dx$$

$$\begin{aligned}
\int x^{-9/2} \cdot J_1(x) dx &= \frac{\sqrt{x}}{225 x^4} [(16 x^3 - 20 x) J_0(x) + (-32 x^4 + 8 x^2 - 50) J_1(x)] + \frac{32}{225} \int \sqrt{x} J_0(x) dx \\
\int x^{-11/2} \cdot J_0(x) dx &= \frac{\sqrt{x}}{2025 x^5} [(-32 x^4 + 40 x^2 - 450) J_0(x) + (64 x^5 - 16 x^3 + 100 x) J_1(x)] - \frac{64}{2025} \int \sqrt{x} J_0(x) dx \\
\int x^{-11/2} \cdot J_1(x) dx &= \frac{\sqrt{x}}{4851 x^5} [(64 x^5 + 48 x^3 - 252 x) J_0(x) + (-32 x^4 + 72 x^2 - 882) J_1(x)] + \frac{64}{4851} \int \sqrt{x} J_1(x) dx \\
\int x^{-13/2} \cdot J_0(x) dx &= \\
&= \frac{\sqrt{x}}{53361 x^6} [(-128 x^6 - 96 x^4 + 504 x^2 - 9702) J_0(x) + (64 x^5 - 144 x^3 + 1764 x) J_1(x)] - \frac{128}{53361} \int \sqrt{x} J_1(x) dx \\
\int x^{-13/2} \cdot J_1(x) dx &= \frac{\sqrt{x}}{26325 x^6} [(-64 x^5 + 80 x^3 - 900 x) J_0(x) + \\
&+ (128 x^6 - 32 x^4 + 200 x^2 - 4050) J_1(x)] - \frac{128}{26325} \int \sqrt{x} J_0(x) dx \\
\int x^{-15/2} \cdot J_0(x) dx &= \frac{\sqrt{x}}{342225 x^7} [(128 x^6 - 160 x^4 + 1800 x^2 - 52650) J_0(x) + \\
&+ (-256 x^7 + 64 x^5 - 400 x^3 + 8100 x) J_1(x)] + \frac{256}{342225} \int \sqrt{x} J_0(x) dx \\
\int x^{-15/2} \cdot J_1(x) dx &= \frac{\sqrt{x}}{800415 x^7} [(-256 x^7 - 192 x^5 + 1008 x^3 - 19404 x) J_0(x) + \\
&+ (128 x^6 - 288 x^4 + 3528 x^2 - 106722) J_1(x)] - \frac{256}{800415} \int \sqrt{x} J_1(x) dx \\
\int x^{-17/2} \cdot J_0(x) dx &= \frac{\sqrt{x}}{12006225 x^8} [(512 x^8 + 384 x^6 - 2016 x^4 + 38808 x^2 - 1600830) J_0(x) + \\
&+ (-256 x^7 + 576 x^5 - 7056 x^3 + 213444 x) J_1(x)] + \frac{512}{12006225} \int \sqrt{x} J_1(x) dx \\
\int x^{-17/2} \cdot J_1(x) dx &= \frac{\sqrt{x}}{5817825 x^8} [(256 x^7 - 320 x^5 + 3600 x^3 - 105300 x) J_0(x) + \\
&+ (-512 x^8 + 128 x^6 - 800 x^4 + 16200 x^2 - 684450) J_1(x)] + \frac{512}{5817825} \int \sqrt{x} J_0(x) dx \\
\int x^{-19/2} \cdot J_0(x) dx &= \frac{\sqrt{x}}{98903025 x^9} [(-512 x^8 + 640 x^6 - 7200 x^4 + 210600 x^2 - 11635650) J_0(x) + \\
&+ (1024 x^9 - 256 x^7 + 1600 x^5 - 32400 x^3 + 1368900 x) J_1(x)] - \frac{1024}{98903025} \int \sqrt{x} J_0(x) dx \\
\int x^{-19/2} \cdot J_1(x) dx &= \frac{\sqrt{x}}{228118275 x^9} [(1024 x^9 + 768 x^7 - 4032 x^5 + 77616 x^3 - 3201660 x) J_0(x) + \\
&+ (-512 x^8 + 1152 x^6 - 14112 x^4 + 426888 x^2 - 24012450) J_1(x)] + \frac{1024}{228118275} \int \sqrt{x} J_1(x) dx \quad * E* \\
\int x^{-21/2} \cdot J_0(x) dx &= \\
&= \frac{\sqrt{x}}{4334247225 x^{10}} [(-2048 x^{10} - 1536 x^8 + 8064 x^6 - 155232 x^4 + 6403320 x^2 - 456236550) J_0(x) +
\end{aligned}$$

$$\begin{aligned}
& +(1024x^9 - 2304x^7 + 28224x^5 - 853776x^3 + 48024900x)J_1(x) - \frac{2048}{4334247225} + \frac{1024}{228118275} \int \sqrt{x}J_1(x) dx \\
& \int x^{-21/2} \cdot J_1(x) dx = \frac{\sqrt{x}}{2076963525x^{10}} [(-1024x^9 + 1280x^7 - 14400x^5 + 421200x^3 - 23271300x)J_0(x) + \\
& +(2048x^{10} - 512x^8 + 3200x^6 - 64800x^4 + 2737800x^2 - 197806050)J_1(x)] - \frac{2048}{2076963525} \int \sqrt{x}J_0(x) dx \\
& \int x^{-23/2} \cdot J_0(x) dx = \\
& = \frac{\sqrt{x}}{43616234025x^{11}} [(2048x^{10} - 2560x^8 + 28800x^6 - 842400x^4 + 46542600x^2 - 4153927050)J_0(x) + \\
& + (-4096x^{11} + 1024x^9 - 6400x^7 + 129600x^5 - 5475600x^3 + 395612100x)J_1(x)] + \frac{4096}{43616234025} \int \sqrt{x}J_0(x) dx \\
& \int x^{-23/2} \cdot J_1(x) dx = \\
& = \frac{\sqrt{x}}{99687686175x^{11}} [(-4096x^{11} - 3072x^9 + 16128x^7 - 310464x^5 + 12806640x^3 - 912473100x)J_0(x) + \\
& +(2048x^{10} - 4608x^8 + 56448x^6 - 1707552x^4 + 96049800x^2 - 8668494450)J_1(x)] - \frac{4096}{99687686175} \int \sqrt{x}J_1(x) dx \\
& \int x^{-25/2} \cdot J_0(x) dx = \frac{\sqrt{x}}{2292816782025x^{12}} [(8192x^{12} + 6144x^{10} - 32256x^8 + 620928x^6 - 25613280x^4 + \\
& + 1824946200x^2 - 199375372350)J_0(x) + (-4096x^{11} + 9216x^9 - 112896x^7 + 3415104x^5 - 192099600x^3 + \\
& + 17336988900x)J_1(x)] + \frac{8192}{2292816782025} \int \sqrt{x}J_1(x) dx \\
& \int x^{-25/2} \cdot J_1(x) dx = \\
& = \frac{\sqrt{x}}{1090405850625x^{12}} [(4096x^{11} - 5120x^9 + 57600x^7 - 1684800x^5 + 93085200x^3 - 8307854100x)J_0(x) + \\
& + (-8192x^{12} + 2048x^{10} - 12800x^8 + 259200x^6 - 10951200x^4 + 791224200x^2 - 87232468050)J_1(x)] + \\
& + \frac{8192}{1090405850625} \int \sqrt{x}J_0(x) dx
\end{aligned}$$

1.2.1. c) Recurrence Formulas:

$$\begin{aligned}
\int x^{n+5/2} J_0(x) dx &= x^{n+3/2} \left[\left(n + \frac{3}{2} \right) J_0(x) + x J_1(x) \right] - \left(n + \frac{3}{2} \right)^2 \int x^{n+1/2} J_0(x) dx \\
\int x^{n+5/2} J_1(x) dx &= x^{n+3/2} \left[\left(n + \frac{5}{2} \right) J_1(x) - x J_0(x) \right] - \frac{(2n+1)(2n+5)}{4} \int x^{n+1/2} J_1(x) dx \\
\int x^{n+5/2} I_0(x) dx &= x^{n+3/2} \left[x I_1(x) - \left(n + \frac{3}{2} \right) I_0(x) \right] + \left(n + \frac{3}{2} \right)^2 \int x^{n+1/2} I_0(x) dx \\
\int x^{n+5/2} I_1(x) dx &= x^{n+3/2} \left[x I_0(x) - \left(n + \frac{5}{2} \right) I_1(x) \right] + \frac{(2n+1)(2n+5)}{4} \int x^{n+1/2} I_1(x) dx
\end{aligned}$$

1.2.2. Integrals of the type $\int x^n e^{\pm x} \cdot \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\} dx$

See also [1], 11.3.

a) Integrals with e^x :

$$\begin{aligned} \int e^x I_0(x) dx &= x e^x [I_0(x) - I_1(x)] , & \int \frac{e^x \cdot I_1(x) dx}{x} &= e^x [I_0(x) - I_1(x)] \\ \int e^x K_0(x) dx &= x e^x [K_0(x) + K_1(x)] , & \int \frac{e^x K_1(x) dx}{x} &= -e^x [K_0(x) + K_1(x)] \\ \int e^x I_1(x) dx &= e^x [(1-x)I_0(x) + xI_1(x)] \\ \int e^x K_1(x) dx &= -e^x [(1-x)K_0(x) - xK_1(x)] \\ \int x e^x I_0(x) dx &= \frac{x e^x}{3} [xI_0(x) + (1-x)I_1(x)] \\ \int x e^x K_0(x) dx &= \frac{x e^x}{3} [xK_0(x) + (x-1)K_1(x)] \\ \int x e^x I_1(x) dx &= \frac{x e^x}{3} [-xI_0(x) + (2+x)I_1(x)] \\ \int x e^x K_1(x) dx &= \frac{x e^x}{3} [xK_0(x) + (x+2)K_1(x)] \\ \int x^2 e^x I_0(x) dx &= \frac{x e^x}{15} [(2x + 3x^2)I_0(x) + (-4 + 4x - 3x^2)I_1(x)] \\ \int x^2 e^x K_0(x) dx &= \frac{x e^x}{15} [(3x^2 + 2x)K_0(x) + (3x^2 - 4x + 4)K_1(x)] \\ \int x^2 e^x I_1(x) dx &= \frac{x e^x}{5} [(x - x^2)I_0(x) + (-2 + 2x + x^2)I_1(x)] \\ \int x^2 e^x K_1(x) dx &= \frac{x e^x}{5} [(x^2 - x)K_0(x) + (x^2 + 2x - 2)K_1(x)] \\ \int x^3 e^x I_0(x) dx &= \frac{x e^x}{35} [(-6x + 6x^2 + 5x^3)I_0(x) + (12 - 12x + 9x^2 - 5x^3)I_1(x)] \\ \int x^3 e^x K_0(x) dx &= \frac{x e^x}{35} [(5x^3 + 6x^2 - 6x)K_0(x) + (5x^3 - 9x^2 + 12x - 12)K_1(x)] \\ \int x^3 e^x I_1(x) dx &= \frac{x e^x}{35} [(-8x + 8x^2 - 5x^3)I_0(x) + (16 - 16x + 12x^2 + 5x^3)I_1(x)] \\ \int x^3 e^x K_1(x) dx &= \frac{x e^x}{35} [(5x^3 - 8x^2 + 8x)K_0(x) + (5x^3 + 12x^2 - 16x + 16)K_1(x)] \\ \int x^4 e^x I_0(x) dx &= \frac{x e^x}{315} [(96x - 96x^2 + 60x^3 + 35x^4)I_0(x) + (-192 + 192x - 144x^2 + 80x^3 - 35x^4)I_1(x)] \\ \int x^4 e^x K_0(x) dx &= \frac{x e^x}{315} [(35x^4 + 60x^3 - 96x^2 + 96x)K_0(x) + (35x^4 - 80x^3 + 144x^2 - 192x + 192)K_1(x)] \\ \int x^4 e^x I_1(x) dx &= \frac{x e^x}{63} [(24x - 24x^2 + 15x^3 - 7x^4)I_0(x) + (-48 + 48x - 36x^2 + 20x^3 + 7x^4)I_1(x)] \\ \int x^4 e^x K_1(x) dx &= \frac{x e^x}{63} [(7x^4 - 15x^3 + 24x^2 - 24x)K_0(x) + (7x^4 + 20x^3 - 36x^2 + 48x - 48)K_1(x)] \\ \int x^5 e^x I_0(x) dx &= \frac{x e^x}{693} [(-480x + 480x^2 - 300x^3 + 140x^4 + 63x^5)I_0(x) + \\ &+ (960 - 960x + 720x^2 - 400x^3 + 175x^4 - 63x^5)I_1(x)] \end{aligned}$$

$$\begin{aligned}
\int x^5 e^x K_0(x) dx &= \frac{x e^x}{693} [(63 x^5 + 140 x^4 - 300 x^3 + 480 x^2 - 480 x) K_0(x) + \\
&\quad + (63 x^5 - 175 x^4 + 400 x^3 - 720 x^2 + 960 x - 960) K_1(x)] \\
\int x^5 e^x I_1(x) dx &= \frac{x e^x}{231} [(-192 x + 192 x^2 - 120 x^3 + 56 x^4 - 21 x^5) I_0(x) + \\
&\quad + (384 - 384 x + 288 x^2 - 160 x^3 + 70 x^4 + 21 x^5) I_1(x)] \\
\int x^5 e^x K_1(x) dx &= \frac{x e^x}{231} [(21 x^5 - 56 x^4 + 120 x^3 - 192 x^2 + 192 x) K_0(x) + \\
&\quad + (21 x^5 + 70 x^4 - 160 x^3 + 288 x^2 - 384 x + 384) K_1(x)] \\
\int x^6 e^x I_0(x) dx &= \frac{x e^x}{1001} [(1920 x - 1920 x^2 + 1200 x^3 - 560 x^4 + 210 x^5 + 77 x^6) I_0(x) + \\
&\quad + (-3840 + 3840 x - 2880 x^2 + 1600 x^3 - 700 x^4 + 252 x^5 - 77 x^6) I_1(x)] \\
\int x^6 e^x K_0(x) dx &= \frac{x e^x}{1001} [(77 x^6 + 210 x^5 - 560 x^4 + 1200 x^3 - 1920 x^2 + 1920 x) K_0(x) + \\
&\quad + (77 x^6 - 252 x^5 + 700 x^4 - 1600 x^3 + 2880 x^2 - 3840 x + 3840) K_1(x)] \\
\int x^6 e^x I_1(x) dx &= \frac{x e^x}{429} [(960 x - 960 x^2 + 600 x^3 - 280 x^4 + 105 x^5 - 33 x^6) I_0(x) + \\
&\quad + (-1920 + 1920 x - 1440 x^2 + 800 x^3 - 350 x^4 + 126 x^5 + 33 x^6) I_1(x)] \\
\int x^6 e^x K_1(x) dx &= \frac{x e^x}{429} [(33 x^6 - 105 x^5 + 280 x^4 - 600 x^3 + 960 x^2 - 960 x) K_0(x) + \\
&\quad + (33 x^6 + 126 x^5 - 350 x^4 + 800 x^3 - 1440 x^2 + 1920 x - 1920) K_1(x)] \\
\int x^7 e^x I_0(x) dx &= \frac{x e^x}{2145} [(-13440 x + 13440 x^2 - 8400 x^3 + 3920 x^4 - 1470 x^5 + 462 x^6 + 143 x^7) I_0(x) + \\
&\quad + (26880 - 26880 x + 20160 x^2 - 11200 x^3 + 4900 x^4 - 1764 x^5 + 539 x^6 - 143 x^7) I_1(x)] \\
\int x^7 e^x K_0(x) dx &= \frac{x e^x}{2145} [(143 x^7 + 462 x^6 - 1470 x^5 + 3920 x^4 - 8400 x^3 + 13440 x^2 - 13440 x) K_0(x) + \\
&\quad + (143 x^7 - 539 x^6 + 1764 x^5 - 4900 x^4 + 11200 x^3 - 20160 x^2 + 26880 x - 26880) K_1(x)] \\
\int x^7 e^x I_1(x) dx &= \frac{x e^x}{2145} [(-15360 x + 15360 x^2 - 9600 x^3 + 4480 x^4 - 1680 x^5 + 528 x^6 - 143 x^7) I_0(x) + \\
&\quad + (30720 - 30720 x + 23040 x^2 - 12800 x^3 + 5600 x^4 - 2016 x^5 + 616 x^6 + 143 x^7) I_1(x)] \\
\int x^7 e^x K_1(x) dx &= \frac{x e^x}{2145} [(143 x^7 - 528 x^6 + 1680 x^5 - 4480 x^4 + 9600 x^3 - 15360 x^2 + 15360 x) K_0(x) + \\
&\quad + (143 x^7 + 616 x^6 - 2016 x^5 + 5600 x^4 - 12800 x^3 + 23040 x^2 - 30720 x + 30720) K_1(x)]
\end{aligned}$$

Recurrence formulas:

$$\int x^n e^x I_0(x) dx = \frac{x^n e^x}{2n+1} [(n+x)I_0(x) - xI_1(x)] - \frac{n^2}{2n+1} \int x^{n-1} e^x I_0(x) dx \quad (*)$$

$$\int x^n e^x I_1(x) dx = \frac{x^n e^x}{2n+1} [(n+1-x)I_0(x) + xI_1(x)] - \frac{n(n+1)}{2n+1} \int x^{n-1} e^x I_0(x) dx \quad (*)$$

The last formula refers to $I_0(x)$ instead of $I_1(x)$.

$$\int x^n e^x K_0(x) dx = \frac{x^n e^x}{2n+1} [(n+x)K_0(x) + xK_1(x)] - \frac{n^2}{2n+1} \int x^{n-1} e^x K_0(x) dx$$

$$\int x^n e^x K_1(x) dx = \frac{x^n e^x}{2n+1} [(x-n-1)K_0(x) + xK_1(x)] + \frac{n(n+1)}{2n+1} \int x^{n-1} e^x K_0(x) dx$$

The last formula refers to $K_0(x)$ instead of $K_1(x)$.

b) Integrals with e^{-x} :

$$\begin{aligned}
\int e^{-x} I_0(x) dx &= x e^{-x} [I_0(x) + I_1(x)] , & \int \frac{e^{-x} \cdot I_1(x) dx}{x} &= e^{-x} [I_0(x) + I_1(x)] \\
\int e^{-x} K_0(x) dx &= x e^{-x} [K_0(x) - K_1(x)] , & \int \frac{e^{-x} K_1(x) dx}{x} &= e^{-x} [K_0(x) - K_1(x)] \\
\int e^{-x} I_1(x) dx &= e^{-x} [(1+x)I_0(x) + xI_1(x)] \\
\int e^{-x} K_1(x) dx &= -e^{-x} [(1+x)K_0(x) - xK_1(x)] \\
\int x e^{-x} I_0(x) dx &= \frac{x e^{-x}}{3} [xI_0(x) + (1+x)I_1(x)] \\
\int x e^{-x} K_0(x) dx &= \frac{x e^{-x}}{3} [xK_0(x) - (x+1)K_1(x)] \\
\int x e^{-x} I_1(x) dx &= \frac{x e^{-x}}{3} [xI_0(x) + (-2+x)I_1(x)] \\
\int x e^{-x} K_1(x) dx &= \frac{x e^{-x}}{3} [-xK_0(x) + (x-2)K_1(x)] \\
\int x^2 e^{-x} I_0(x) dx &= \frac{x e^{-x}}{15} [(-2x + 3x^2)I_0(x) + (4 + 4x + 3x^2)I_1(x)] \\
\int x^2 e^{-x} K_0(x) dx &= \frac{x e^{-x}}{15} [(3x^2 - 2x)K_0(x) - (3x^2 + 4x + 4)K_1(x)] \\
\int x^2 e^{-x} I_1(x) dx &= \frac{x e^{-x}}{5} [(x + x^2)I_0(x) + (-2 - 2x + x^2)I_1(x)] \\
\int x^2 e^{-x} K_1(x) dx &= \frac{x e^{-x}}{5} [-(x^2 + x)K_0(x) + (x^2 - 2x - 2)K_1(x)] \\
\int x^3 e^{-x} I_0(x) dx &= \frac{x e^{-x}}{35} [(-6x - 6x^2 + 5x^3)I_0(x) + (12 + 12x + 9x^2 + 5x^3)I_1(x)] \\
\int x^3 e^{-x} K_0(x) dx &= \frac{x e^{-x}}{35} [(5x^3 - 6x^2 - 6x)K_0(x) - (5x^3 + 9x^2 + 12x + 12)K_1(x)] \\
\int x^3 e^{-x} I_1(x) dx &= \frac{x e^{-x}}{35} [(8x + 8x^2 + 5x^3)I_0(x) + (-16 - 16x - 12x^2 + 5x^3)I_1(x)] \\
\int x^3 e^{-x} K_1(x) dx &= \frac{x e^{-x}}{35} [-(5x^3 + 8x^2 + 8x)K_0(x) + (5x^3 - 12x^2 - 16x - 16)K_1(x)] \\
\int x^4 e^{-x} I_0(x) dx &= \frac{x e^{-x}}{315} [(-96x - 96x^2 - 60x^3 + 35x^4)I_0(x) + (192 + 192x + 144x^2 + 80x^3 + 35x^4)I_1(x)] \\
\int x^4 e^{-x} K_0(x) dx &= \\
&= \frac{x e^{-x}}{315} [(35x^4 - 60x^3 - 96x^2 - 96x)K_0(x) - (35x^4 + 80x^3 + 144x^2 + 192x + 192)K_1(x)] \\
\int x^4 e^{-x} I_1(x) dx &= \frac{x e^{-x}}{63} [(24x + 24x^2 + 15x^3 + 7x^4)I_0(x) + (-48 - 48x - 36x^2 - 20x^3 + 7x^4)I_1(x)] \\
\int x^4 e^{-x} K_1(x) dx &= \\
&= \frac{x e^{-x}}{63} [-(7x^4 + 15x^3 + 24x^2 + 24x)K_0(x) + (7x^4 - 20x^3 - 36x^2 - 48x - 48)K_1(x)]
\end{aligned}$$

$$\begin{aligned}
\int x^5 e^{-x} I_0(x) dx &= \frac{x e^{-x}}{693} [(-480x - 480x^2 - 300x^3 - 140x^4 + 63x^5)I_0(x) + \\
&\quad + (960 + 960x + 720x^2 + 400x^3 + 175x^4 + 63x^5)I_1(x)] \\
\int x^5 e^{-x} K_0(x) dx &= \frac{x e^{-x}}{693} [(63x^5 - 140x^4 - 300x^3 - 480x^2 - 480x)K_0(x) - \\
&\quad - (63x^5 + 175x^4 + 400x^3 + 720x^2 + 960x + 960)K_1(x)] \\
\int x^5 e^{-x} I_1(x) dx &= \frac{x e^{-x}}{231} [(192x + 192x^2 + 120x^3 + 56x^4 + 21x^5)I_0(x) + \\
&\quad + (-384 - 384x - 288x^2 - 160x^3 - 70x^4 + 21x^5)I_1(x)] \\
\int x^5 e^{-x} K_1(x) dx &= \frac{x e^{-x}}{231} [-(21x^5 + 56x^4 + 120x^3 + 192x^2 + 192x)K_0(x) + \\
&\quad + (21x^5 - 70x^4 - 160x^3 - 288x^2 - 384x - 384)K_1(x)] \\
\int x^6 e^{-x} I_0(x) dx &= \frac{x e^{-x}}{1001} [(-1920x - 1920x^2 - 1200x^3 - 560x^4 - 210x^5 + 77x^6)I_0(x) + \\
&\quad + (3840 + 3840x + 2880x^2 + 1600x^3 + 700x^4 + 252x^5 + 77x^6)I_1(x)] \\
\int x^6 e^{-x} K_0(x) dx &= \frac{x e^{-x}}{1001} [(77x^6 - 210x^5 - 560x^4 - 1200x^3 - 1920x^2 - 1920x)K_0(x) - \\
&\quad - (77x^6 + 252x^5 + 700x^4 + 1600x^3 + 2880x^2 + 3840x + 3840)K_1(x)] \\
\int x^6 e^{-x} I_1(x) dx &= \frac{x e^{-x}}{429} [(960x + 960x^2 + 600x^3 + 280x^4 + 105x^5 + 33x^6)I_0(x) + \\
&\quad + (-1920 - 1920x - 1440x^2 - 800x^3 - 350x^4 - 126x^5 + 33x^6)I_1(x)] \\
\int x^6 e^{-x} K_1(x) dx &= \frac{x e^{-x}}{429} [-(33x^6 + 105x^5 + 280x^4 + 600x^3 + 960x^2 + 960x)K_0(x) + \\
&\quad + (33x^6 - 126x^5 - 350x^4 - 800x^3 - 1440x^2 - 1920x - 1920)K_1(x)] \\
\int x^7 e^{-x} I_0(x) dx &= \frac{x e^{-x}}{2145} [(-13440x - 13440x^2 - 8400x^3 - 3920x^4 - 1470x^5 - 462x^6 + 143x^7)I_0(x) + \\
&\quad + (26880 + 26880x + 20160x^2 + 11200x^3 + 4900x^4 + 1764x^5 + 539x^6 + 143x^7)I_1(x)] \\
\int x^7 e^{-x} K_0(x) dx &= \\
&= \frac{x e^{-x}}{2145} [(143x^7 - 462x^6 - 1470x^5 - 3920x^4 - 8400x^3 - 13440x^2 - 13440x)K_0(x) - \\
&\quad - (143x^7 + 539x^6 + 1764x^5 + 4900x^4 + 11200x^3 + 20160x^2 + 26880x + 26880)K_1(x)] \\
\int x^7 e^{-x} I_1(x) dx &= \frac{x e^{-x}}{2145} [(15360x + 15360x^2 + 9600x^3 + 4480x^4 + 1680x^5 + 528x^6 + 143x^7)I_0(x) + \\
&\quad + (-30720 - 30720x - 23040x^2 - 12800x^3 - 5600x^4 - 2016x^5 - 616x^6 + 143x^7)I_1(x)] \\
\int x^7 e^{-x} K_1(x) dx &= \\
&= \frac{x e^{-x}}{2145} [-(143x^7 + 528x^6 + 1680x^5 + 4480x^4 + 9600x^3 + 15360x^2 + 15360x)K_0(x) + \\
&\quad + (143x^7 - 616x^6 - 2016x^5 - 5600x^4 - 12800x^3 - 23040x^2 - 30720x - 30720)K_1(x)]
\end{aligned}$$

Recurrence formulas:

$$\int x^n e^{-x} I_0(x) dx = \frac{x^n e^{-x}}{2n+1} [(x-n)I_0(x) + xI_1(x)] + \frac{n^2}{2n+1} \int x^{n-1} e^{-x} I_0(x) dx \quad (*)$$

$$\int x^n e^{-x} I_1(x) dx = \frac{x^n e^{-x}}{2n+1} [(n+1+x)I_0(x) + xI_1(x)] - \frac{n(n+1)}{2n+1} \int x^{n-1} e^{-x} I_0(x) dx \quad (*)$$

The last formula refers to $I_0(x)$ instead of $I_1(x)$.

$$\int x^n e^{-x} K_0(x) dx = \frac{x^n e^{-x}}{2n+1} [(x-n)K_0(x) - xK_1(x)] + \frac{n^2}{2n+1} \int x^{n-1} e^{-x} K_0(x) dx$$

$$\int x^n e^{-x} K_1(x) dx = \frac{x^n e^{-x}}{2n+1} [-(x+n+1)K_0(x) + xK_1(x)] + \frac{n(n+1)}{2n+1} \int x^{n-1} e^{-x} K_0(x) dx$$

The last formula refers to $K_0(x)$ instead of $K_1(x)$.

1.2.3. Integrals of the type $\int x^n \cdot \left\{ \begin{array}{l} \sinh \\ \cosh \end{array} \right\} x \cdot I_\nu(x) dx$

$$\int \frac{\sinh x I_1(x) dx}{x} = x \cosh x I_0(x) - \sinh x I_1(x)$$

$$\int \frac{\cosh x I_1(x) dx}{x} = x \sinh x I_0(x) - \cosh x I_1(x)$$

$$\int \sinh x I_0(x) dx = x \sinh x I_0(x) - x \cosh x I_1(x)$$

$$\int \cosh x I_0(x) dx = x \cosh x I_0(x) - x \sinh x I_1(x)$$

$$\int \sinh x I_1(x) dx = \sinh x I_0(x) - x \cosh x I_0(x) + x \sinh x I_1(x)$$

$$\int \cosh x I_1(x) dx = -x \sinh x I_0(x) + \cosh x I_0(x) + x \cosh x I_1(x)$$

$$\int x \sinh x I_0(x) dx = \frac{x^2}{3} \sinh x I_0(x) + \frac{x}{3} \sinh x I_1(x) - \frac{x^2}{3} \cosh x I_1(x)$$

$$\int x \cosh x I_0(x) dx = \frac{x^2}{3} \cosh x I_0(x) - \frac{x^2}{3} \sinh x I_1(x) + \frac{x}{3} \cosh x I_1(x)$$

$$\int x \sinh x I_1(x) dx = -\frac{x^2}{3} \cosh x I_0(x) + \frac{x^2}{3} \sinh x I_1(x) + \frac{2x}{3} \cosh x I_1(x)$$

$$\int x \cosh x I_1(x) dx = -\frac{x^2}{3} \sinh x I_0(x) + \frac{2x}{3} \sinh x I_1(x) + \frac{x^2}{3} \cosh x I_1(x)$$

$$\int x^2 \sinh x I_0(x) dx = \frac{x^3}{5} \sinh x I_0(x) + \frac{2x^2}{15} \cosh x I_0(x) + \frac{4x^2}{15} \sinh x I_1(x) - \frac{3x^3 + 4x}{15} \cosh x I_1(x)$$

$$\int x^2 \cosh x I_0(x) dx = \frac{2x^2}{15} \sinh x I_0(x) + \frac{x^3}{5} \cosh x I_0(x) - \frac{3x^3 + 4x}{15} \sinh x I_1(x) + \frac{4x^2}{15} \cosh x I_1(x)$$

$$\int x^2 \sinh x I_1(x) dx = \frac{x^2}{5} \sinh x I_0(x) - \frac{x^3}{5} \cosh x I_0(x) + \frac{x^3 - 2x}{5} \sinh x I_1(x) + \frac{2x^2}{5} \cosh x I_1(x)$$

$$\int x^2 \cosh x I_1(x) dx = -\frac{x^3}{5} \sinh x I_0(x) + \frac{x^2}{5} \cosh x I_0(x) + \frac{2x^2}{5} \sinh x I_1(x) + \frac{x^3 - 2x}{5} \cosh x I_1(x)$$

$$\int x^3 \sinh x I_0(x) dx =$$

$$= \frac{5x^4 - 6x^2}{35} \sinh x I_0(x) + \frac{6x^3}{35} \cosh x I_0(x) + \frac{9x^3 + 12x}{35} \sinh x I_1(x) - \frac{5x^4 + 12x^2}{35} \cosh x I_1(x)$$

$$\int x^3 \cosh x I_0(x) dx =$$

$$= \frac{6x^3}{35} \sinh x I_0(x) + \frac{5x^4 - 6x^2}{35} \cosh x I_0(x) - \frac{5x^4 + 12x^2}{35} \sinh x I_1(x) + \frac{9x^3 + 12x}{35} \cosh x I_1(x)$$

$$\int x^3 \sinh x I_1(x) dx =$$

$$= \frac{8x^3}{35} \sinh x I_0(x) - \frac{5x^4 + 8x^2}{35} \cosh x I_0(x) + \frac{5x^4 - 16x^2}{35} \sinh x I_1(x) + \frac{12x^3 + 16x}{35} \cosh x I_1(x)$$

$$\int x^3 \cosh x I_1(x) dx =$$

$$= -\frac{5x^4 + 8x^2}{35} \sinh x I_0(x) + \frac{8x^3}{35} \cosh x I_0(x) + \frac{12x^3 + 16x}{35} \sinh x I_1(x) + \frac{5x^4 - 16x^2}{35} \cosh x I_1(x)$$

$$\begin{aligned}
\int x^4 \sinh x I_0(x) dx &= \frac{35x^5 - 96x^3}{315} \sinh x I_0(x) + \frac{20x^4 + 32x^2}{105} \cosh x I_0(x) + \\
&\quad + \frac{80x^4 + 192x^2}{315} \sinh x I_1(x) - \frac{35x^5 + 144x^3 + 192x}{315} \cosh x I_1(x) \\
\int x^4 \cosh x I_0(x) dx &= \frac{20x^4 + 32x^2}{105} \sinh x I_0(x) + \frac{35x^5 - 96x^3}{315} \cosh x I_0(x) - \\
&\quad - \frac{35x^5 + 144x^3 + 192x}{315} \sinh x I_1(x) + \frac{80x^4 + 192x^2}{315} \cosh x I_1(x) \\
\int x^4 \sinh x I_1(x) dx &= \frac{5x^4 + 8x^2}{21} \sinh x I_0(x) - \frac{7x^5 + 24x^3}{63} \cosh x I_0(x) + \\
&\quad + \frac{7x^5 - 36x^3 - 48x}{63} \sinh x I_1(x) + \frac{20x^4 + 48x^2}{63} \cosh x I_1(x) \\
\int x^4 \cosh x I_1(x) dx &= -\frac{7x^5 + 24x^3}{63} \sinh x I_0(x) + \frac{5x^4 + 8x^2}{21} \cosh x I_0(x) + \\
&\quad + \frac{20x^4 + 48x^2}{63} \sinh x I_1(x) + \frac{7x^5 - 36x^3 - 48x}{63} \cosh x I_1(x) \\
\int x^5 \sinh x I_0(x) dx &= \frac{21x^6 - 100x^4 - 160x^2}{231} \sinh x I_0(x) + \frac{140x^5 + 480x^3}{693} \cosh x I_0(x) + \\
&\quad + \frac{175x^5 + 720x^3 + 960x}{693} \sinh x I_1(x) - \frac{63x^6 + 400x^4 + 960x^2}{693} \cosh x I_1(x) \\
\int x^5 \cosh x I_0(x) dx &= \frac{140x^5 + 480x^3}{693} \sinh x I_0(x) + \frac{21x^6 - 100x^4 - 160x^2}{231} \cosh x I_0(x) - \\
&\quad - \frac{63x^6 + 400x^4 + 960x^2}{693} \sinh x I_1(x) + \frac{175x^5 + 720x^3 + 960x}{693} \cosh x I_1(x) \\
\int x^5 \sinh x I_1(x) dx &= \frac{56x^5 + 192x^3}{231} \sinh x I_0(x) - \frac{7x^6 + 40x^4 + 64x^2}{77} \cosh x I_0(x) + \\
&\quad + \frac{21x^6 - 160x^4 - 384x^2}{231} \sinh x I_1(x) + \frac{70x^5 + 288x^3 + 384x}{231} \cosh x I_1(x) \\
\int x^5 \cosh x I_1(x) dx &= -\frac{7x^6 + 40x^4 + 64x^2}{77} \sinh x I_0(x) + \frac{56x^5 + 192x^3}{231} \cosh x I_0(x) + \\
&\quad + \frac{70x^5 + 288x^3 + 384x}{231} \sinh x I_1(x) + \frac{21x^6 - 160x^4 - 384x^2}{231} \cosh x I_1(x) \\
\int x^6 \sinh x I_0(x) dx &= \frac{77x^7 - 560x^5 - 1920x^3}{1001} \sinh x I_0(x) + \frac{210x^6 + 1200x^4 + 1920x^2}{1001} \cosh x I_0(x) + \\
&\quad + \frac{252x^6 + 1600x^4 + 3840x^2}{1001} \sinh x I_1(x) - \frac{77x^7 + 700x^5 + 2880x^3 + 3840x}{1001} \cosh x I_1(x) \\
\int x^6 \cosh x I_0(x) dx &= \frac{210x^6 + 1200x^4 + 1920x^2}{1001} \sinh x I_0(x) + \frac{77x^7 - 560x^5 - 1920x^3}{1001} \cosh x I_0(x) - \\
&\quad - \frac{77x^7 + 700x^5 + 2880x^3 + 3840x}{1001} \sinh x I_1(x) + \frac{252x^6 + 1600x^4 + 3840x^2}{1001} \cosh x I_1(x) \\
\int x^6 \sinh x I_1(x) dx &= \frac{35x^6 + 200x^4 + 320x^2}{143} \sinh x I_0(x) - \frac{33x^7 + 280x^5 + 960x^3}{429} \cosh x I_0(x) + \\
&\quad + \frac{33x^7 - 350x^5 - 1440x^3 - 1920x}{429} \sinh x I_1(x) + \frac{126x^6 + 800x^4 + 1920x^2}{429} \cosh x I_1(x) \\
\int x^6 \cosh x I_1(x) dx &= -\frac{33x^7 + 280x^5 + 960x^3}{429} \sinh x I_0(x) + \frac{35x^6 + 200x^4 + 320x^2}{143} \cosh x I_0(x) + \\
&\quad + \frac{126x^6 + 800x^4 + 1920x^2}{429} \sinh x I_1(x) + \frac{33x^7 - 350x^5 - 1440x^3 - 1920x}{429} \cosh x I_1(x)
\end{aligned}$$

Recurrence formulas:

$$\begin{aligned}
 & \int x^{n+1} \sinh x \cdot I_0(x) dx = \\
 &= \frac{x^{n+1}}{2n+3} [x \sinh x \cdot I_0(x) + (n+1) \cosh x \cdot I_0(x) - x \cosh x \cdot I_1(x)] - \frac{(n+1)^2}{2n+3} \int x^n \cosh x \cdot I_0(x) dx \\
 & \int x^{n+1} \cosh x \cdot I_0(x) dx = \\
 &= \frac{x^{n+1}}{2n+3} [(n+1) \sinh x \cdot I_0(x) + x \cosh x \cdot I_0(x) - x \sinh x \cdot I_1(x)] - \frac{(n+1)^2}{2n+3} \int x^n \sinh x \cdot I_0(x) dx \\
 & \int x^{n+1} \cosh x \cdot I_0(x) dx = \\
 &= \frac{x^{n+1}}{2n+3} [(n+2) \sinh x \cdot I_0(x) - x \cosh x \cdot I_0(x) + x \sinh x \cdot I_1(x)] - \frac{(n+1)(n+2)}{2n+3} \int x^n \sinh x \cdot I_0(x) dx \\
 & \int x^{n+1} \cosh x \cdot I_0(x) dx = \\
 &= \frac{x^{n+1}}{2n+3} [-x \sinh x \cdot I_0(x) + (n+2) \cosh x \cdot I_0(x) + x \cosh x \cdot I_1(x)] - \frac{(n+1)}{2n+3} \int x^n \cosh x \cdot I_0(x) dx
 \end{aligned}$$

1.2.4. Integrals of the type $\int x^n \cdot \left\{ \begin{array}{c} \sin \\ \cos \end{array} \right\} x \cdot J_\nu(x) dx$

See also [1], 11.3.

$$\begin{aligned} \int \frac{\sin x \cdot J_0(x) dx}{x} &= -\sin x J_1(x) - \cos x J_0(x) \\ \int \frac{\cos x \cdot J_0(x) dx}{x} &= \sin x J_0(x) - \cos x J_1(x) \\ \int \sin x \cdot J_0(x) dx &= x[\sin x \cdot J_0(x) - \cos x \cdot J_1(x)] \\ \int \cos x \cdot J_0(x) dx &= x[\cos x \cdot J_0(x) + \sin x \cdot J_1(x)] \\ \int \sin x \cdot J_1(x) dx &= (x \cos x - \sin x)J_0(x) + x \sin x \cdot J_1(x) \\ \int \cos x \cdot J_1(x) dx &= -(x \sin x + \cos x)J_0(x) + x \cos x \cdot J_1(x) \\ \int x \sin x \cdot J_0(x) dx &= \frac{x^2}{3} \sin x \cdot J_0(x) + \frac{x \sin x - x^2 \cos x}{3} \cdot J_1(x) \\ \int x \cos x \cdot J_0(x) dx &= \frac{x^2}{3} \cos x \cdot J_0(x) + \frac{x^2 \sin x - x \cos x}{3} \cdot J_1(x) \\ \int x \sin x \cdot J_1(x) dx &= \frac{x^2}{3} \cdot \cos x \cdot J_0(x) + \frac{x^2 \sin x - 2x \cos x}{3} \cdot J_1(x) \\ \int x \cos x \cdot J_1(x) dx &= -\frac{x^2}{3} \sin x \cdot J_0(x) + \frac{2x \sin x + x^2 \cos x}{3} \cdot J_1(x) \\ \int x^2 \sin x \cdot J_0(x) dx &= \frac{1}{15} \{ [3x^3 \sin x - 2x^2 \cos x] \cdot J_0(x) + [4x^2 \sin x + (4x - 3x^3) \cos x] \cdot J_1(x) \} \\ \int x^2 \cos x \cdot J_0(x) dx &= \frac{1}{15} \{ [2x^2 \sin x + 3x^3 \cos x] \cdot J_0(x) + [(-4x + 3x^3) \sin x + 4x^2 \cos x] \cdot J_1(x) \} \\ \int x^2 \sin x \cdot J_1(x) dx &= \frac{1}{5} \{ [-x^2 \sin x + x^3 \cos x] \cdot J_0(x) + [(2x + x^3) \sin x - 2x^2 \cos x] \cdot J_1(x) \} \\ \int x^2 \cos x \cdot J_1(x) dx &= \frac{1}{5} \{ [-x^3 \sin x - x^2 \cos x] \cdot J_0(x) + [2x^2 \sin x + (2x + x^3) \cos x] \cdot J_1(x) \} \\ \int x^3 \sin x \cdot J_0(x) dx &= \frac{1}{35} \{ [(6x^2 + 5x^4) \sin x - 6x^3 \cos x] \cdot J_0(x) + \\ &\quad + [(-12x + 9x^3) \sin x + (12x^2 - 5x^4) \cos x] \cdot J_1(x) \} \\ \int x^3 \cos x \cdot J_0(x) dx &= \frac{1}{35} \{ [6x^3 \sin x + (6x^2 + 5x^4) \cos x] \cdot J_0(x) + \\ &\quad + [(-12x^2 + 5x^4) \sin x + (-12x + 9x^3) \cos x] \cdot J_1(x) \} \\ \int x^3 \sin x \cdot J_1(x) dx &= \frac{1}{35} \{ [-8x^3 \sin x + (-8x^2 + 5x^4) \cos x] \cdot J_0(x) + \\ &\quad + [(16x^2 + 5x^4) \sin x + (16x - 12x^3) \cos x] \cdot J_1(x) \} \\ \int x^3 \cos x \cdot J_1(x) dx &= \frac{1}{35} \{ [(8x^2 - 5x^4) \sin x - 8x^3 \cos x] \cdot J_0(x) + \\ &\quad + [(-16x + 12x^3) \sin x + (16x^2 + 5x^4) \cos x] \cdot J_1(x) \} \\ \int x^4 \sin x \cdot J_0(x) dx &= \frac{1}{315} \{ [(96x^3 + 35x^5) \sin x + (96x^2 - 60x^4) \cos x] \cdot J_0(x) + \\ &\quad + [(-192x^2 + 80x^4) \sin x + (-192x + 144x^3 - 35x^5) \cos x] \cdot J_1(x) \} \end{aligned}$$

$$\begin{aligned}
\int x^4 \cos x \cdot J_0(x) dx &= \frac{1}{315} \{ [(-96x^2 + 60x^4) \sin x + (96x^3 + 35x^5) \cos x] \cdot J_0(x) + \\
&\quad + [(192x - 144x^3 + 35x^5) \sin x + (-192x^2 + 80x^4) \cos x] \cdot J_1(x) \} \\
\int x^4 \sin x \cdot J_1(x) dx &= \frac{1}{315} \{ [(120x^2 - 75x^4) \sin x + (-120x^3 + 35x^5) \cos x] \cdot J_0(x) + \\
&\quad + [(-240x + 180x^3 + 35x^5) \sin x + (240x^2 - 100x^4) \cos x] \cdot J_1(x) \} \\
\int x^4 \cos x \cdot J_1(x) dx &= \frac{1}{315} \{ [(120x^3 - 35x^5) \sin x + (120x^2 - 75x^4) \cos x] \cdot J_0(x) + \\
&\quad + [(-240x^2 + 100x^4) \sin x + (-240x + 180x^3 + 35x^5) \cos x] \cdot J_1(x) \} \\
\int x^5 \sin x \cdot J_0(x) dx &= \frac{1}{693} \{ [(-480x^2 + 300x^4 + 63x^6) \sin x + (480x^3 - 140x^5) \cos x] \cdot J_0(x) + \\
&\quad + [(960x - 720x^3 + 175x^5) \sin x + (-960x^2 + 400x^4 - 63x^6) \cos x] \cdot J_1(x) \} \\
\int x^5 \cos x \cdot J_0(x) dx &= \frac{1}{693} \{ [(-480x^3 + 140x^5) \sin x + (-480x^2 + 300x^4 + 63x^6) \cos x] \cdot J_0(x) + \\
&\quad + [(960x^2 - 400x^4 + 63x^6) \sin x + (960x - 720x^3 + 175x^5) \cos x] \cdot J_1(x) \} \\
\int x^5 \sin x \cdot J_1(x) dx &= \frac{1}{231} \{ [(192x^3 - 56x^5) \sin x + (192x^2 - 120x^4 + 21x^6) \cos x] \cdot J_0(x) + \\
&\quad + [(-384x^2 + 160x^4 + 21x^6) \sin x + (-384x + 288x^3 - 70x^5) \cos x] \cdot J_1(x) \} \\
\int x^5 \cos x \cdot J_1(x) dx &= \frac{1}{231} \{ [(-192x^2 + 120x^4 - 21x^6) \sin x + (192x^3 - 56x^5) \cos x] \cdot J_0(x) + \\
&\quad + [(384x - 288x^3 + 70x^5) \sin x + (-384x^2 + 160x^4 + 21x^6) \cos x] \cdot J_1(x) \} \\
\int x^6 \sin x \cdot J_0(x) dx &= \\
&= \frac{1}{1001} \{ [(-1920x^3 + 560x^5 + 77x^7) \sin x + (-1920x^2 + 1200x^4 - 210x^6) \cos x] \cdot J_0(x) + \\
&\quad + [(3840x^2 - 1600x^4 + 252x^6) \sin x + (3840x - 2880x^3 + 700x^5 - 77x^7) \cos x] \cdot J_1(x) \} \\
\int x^6 \cos x \cdot J_0(x) dx &= \\
&= \frac{1}{1001} \{ [(1920x^2 - 1200x^4 + 210x^6) \sin x + (-1920x^3 + 560x^5 + 77x^7) \cos x] \cdot J_0(x) + \\
&\quad + [(-3840x + 2880x^3 - 700x^5 + 77x^7) \sin x + (3840x^2 - 1600x^4 + 252x^6) \cos x] \cdot J_1(x) \} \\
\int x^6 \sin x \cdot J_1(x) dx &= \\
&= \frac{1}{429} \{ [(-960x^2 + 600x^4 - 105x^6) \sin x + (960x^3 - 280x^5 + 33x^7) \cos x] \cdot J_0(x) + \\
&\quad + [(1920x - 1440x^3 + 350x^5 + 33x^7) \sin x + (-1920x^2 + 800x^4 - 126x^6) \cos x] \cdot J_1(x) \} \\
\int x^6 \cos x \cdot J_1(x) dx &= \\
&= \frac{1}{429} \{ [(-960x^3 + 280x^5 - 33x^7) \sin x + (-960x^2 + 600x^4 - 105x^6) \cos x] \cdot J_0(x) + \\
&\quad + [(1920x^2 - 800x^4 + 126x^6) \sin x + (1920x - 1440x^3 + 350x^5 + 33x^7) \cos x] \cdot J_1(x) \} \\
\int x^7 \sin x \cdot J_0(x) dx &= \\
&= \frac{1}{2145} \{ [(13440x^2 - 8400x^4 + 1470x^6 + 143x^8) \sin x + (-13440x^3 + 3920x^5 - 462x^7) \cos x] \cdot J_0(x) + \\
&\quad + [(-26880x + 20160x^3 - 4900x^5 + 539x^7) \sin x + (26880x^2 - 11200x^4 + 1764x^6 - 143x^8) \cos x] \cdot J_1(x) \}
\end{aligned}$$

$$\begin{aligned}
& \int x^7 \cos x \cdot J_0(x) dx = \\
&= \frac{1}{2145} \{ [(13440x^3 - 3920x^5 + 462x^7) \sin x + (13440x^2 - 8400x^4 + 1470x^6 + 143x^8) \cos x] \cdot J_0(x) + \\
&+ [(-26880x^2 + 11200x^4 - 1764x^6 + 143x^8) \sin x + (-26880x + 20160x^3 - 4900x^5 + 539x^7) \cos x] \cdot J_1(x) \} \\
& \int x^7 \sin x \cdot J_1(x) dx = \\
&= \frac{1}{2145} \{ [(-15360x^3 + 4480x^5 - 528x^7) \sin x + (-15360x^2 + 9600x^4 - 1680x^6 + 143x^8) \cos x] \cdot J_0(x) + \\
&+ [(30720x^2 - 12800x^4 + 2016x^6 + 143x^8) \sin x + (30720x - 23040x^3 + 5600x^5 - 616x^7) \cos x] \cdot J_1(x) \} \\
& \int x^7 \cos x \cdot J_1(x) dx = \\
&= \frac{1}{2145} \{ [(15360x^2 - 9600x^4 + 1680x^6 - 143x^8) \sin x + (-15360x^3 + 4480x^5 - 528x^7) \cos x] \cdot J_0(x) + \\
&+ [(-30720x + 23040x^3 - 5600x^5 + 616x^7) \sin x + (30720x^2 - 12800x^4 + 2016x^6 + 143x^8) \cos x] \cdot J_1(x) \}
\end{aligned}$$

Recurrence formulas:

Let

$$S_n^{(\nu)} = \int x^n \sin x \cdot J_\nu(x) dx \quad , \quad C_n^{(\nu)} = \int x^n \cos x \cdot J_\nu(x) dx$$

and

$$\sigma_n^{(\nu)} = x^n \sin x \cdot J_\nu(x) \quad , \quad \gamma_n^{(\nu)} = x^n \cos x \cdot J_\nu(x) \quad ,$$

then holds

$$\begin{aligned}
S_n^{(0)} &= \frac{n^2 C_{n-1}^{(0)} - n \gamma_n^{(0)} + \sigma_{n+1}^{(0)} - \gamma_{n+1}^{(1)}}{2n+1} \quad , \quad S_n^{(1)} = \frac{n(n+1) S_{n-1}^{(0)} - (n+1) \sigma_n^{(0)} + \gamma_{n+1}^{(0)} + \sigma_{n+1}^{(1)}}{2n+1} \quad , \\
C_n^{(0)} &= \frac{n \sigma_n^{(0)} - n^2 S_{n-1}^{(0)} + \gamma_{n+1}^{(0)} + \sigma_{n+1}^{(1)}}{2n+1} \quad , \quad C_n^{(1)} = \frac{n(n+1) C_{n-1}^{(0)} - (n+1) \gamma_n^{(0)} - \sigma_{n+1}^{(0)} + \gamma_{n+1}^{(1)}}{2n+1} \quad .
\end{aligned}$$

1.2.5. Integrals of the type $\int x^n \cdot e^{ax} \cdot Z_\nu(x) dx$

a) General facts:

Holds

$$\int e^{ax} J_0(x) dx = \int e^{-a \cdot (-x)} J_0(-x) dx ,$$

therefore the integral on the left hand side is discussed, assuming $x \geq 0$ and treating the cases $a > 0$ and $a < 0$ separately.

Let $\mathfrak{H}_\nu(x, a)$ denote the following functions:

$$\mathfrak{H}_1(x, a) = \sum_{k=1}^{\infty} b_k(a) x^k , \quad \mathfrak{H}_0(x, a) = \sum_{k=1}^{\infty} c_k(a) x^k$$

with

$$b_1(a) = 1 , \quad b_2(a) = 0 , \quad b_{k+2}(a) = -\frac{a(1+2k)b_{k+1}(a) + (1+a^2)b_k(a)}{k(k+2)} , \quad k \geq 1$$

and

$$c_k(a) = -(k+1)b_{k+1}(a) - a b_k(a) .$$

Then holds with $a \in \mathbb{R}$

$$\int_0^x e^{at} J_0(t) dt = e^{ax} [\mathfrak{H}_1(x, a) J_0(x) + \mathfrak{H}_0(x, a) J_1(x)] .$$

In the case $a = 0$ one has with the Struve functions

$$\mathfrak{H}_1(x, 0) = x - \frac{\pi x}{2} \mathbf{H}_1(x) , \quad \mathfrak{H}_0(x, 0) = \frac{\pi x}{2} \mathbf{H}_0(x) .$$



First terms of the power series:

$$\begin{aligned} \mathfrak{H}_1(x, a) = x - (a^2 + 1) & \left[\frac{x^3}{3} - \frac{5a}{24} x^4 + \frac{27a^2 - 8}{360} x^5 - \frac{7a(8a^2 - 7)}{2880} x^6 + \frac{400a^4 - 691a^2 + 64}{100800} x^7 - \right. \\ & - \frac{a(1080a^4 - 3076a^2 + 849)}{1612800} x^8 + \frac{9800a^6 - 41484a^4 + 22767a^2 - 1024}{101606400} x^9 - \\ & - \frac{11a(1792a^6 - 10536a^4 + 9588a^2 - 1289)}{1625702400} x^{10} + \\ & + \frac{217728a^8 - 1695080a^6 + 2303364a^4 - 617289a^2 + 16384}{160944537600} x^{11} - \\ & \left. - \frac{13(67200a^8 - 668576a^6 + 1266744a^4 - 564120a^2 + 44815)a}{6437781504000} x^{12} + \dots \right] \end{aligned}$$

and

$$\begin{aligned} \mathfrak{H}_0(x, a) = -ax + (a^2 + 1) & \left[x^2 - \frac{a}{2} x^3 + \frac{3a^2 - 2}{18} x^4 - \frac{a(12a^2 - 23)}{288} x^5 + \frac{60a^4 - 223a^2 + 32}{7200} x^6 - \right. \\ & - \frac{a(40a^4 - 242a^2 + 103)}{28800} x^7 + \frac{280a^6 - 2494a^4 + 2103a^2 - 128}{1411200} x^8 - \\ & - \frac{a(2240a^6 - 27512a^4 + 38356a^2 - 6967)}{90316800} x^9 + \frac{20160a^8 - 326008a^6 + 677076a^4 - 244839a^2 + 8192}{7315660800} x^{10} - \\ & - \frac{(40320a^8 - 829424a^6 + 2397216a^4 - 1438890a^2 + 143995)}{146313216000} x^{11} + \\ & \left. + \frac{443520a^{10} - 11300944a^8 + 43320176a^6 - 38861430a^4 + 7756835a^2 - 163840}{17703899136000} x^{12} - \dots \right] . \end{aligned}$$


b) The case $a > 0$:



The special case $a = 1$:

$$\int_0^x e^t J_0(t) dt = e^x \left[\left(x - \frac{2x^3}{3} + \frac{5}{12}x^4 - \frac{19}{180}x^4 + \frac{7x^6}{1440}x^4 + \frac{227x^7}{50400} - \frac{1147x^8}{806400} + \frac{9941x^9}{50803200} + \dots \right) J_0(x) + \left(-x + 2x^2 - x^3 + \frac{x^4}{9} + \frac{11}{144}x^5 - \frac{131x^6}{3600} + \frac{11x^7}{1600} - \frac{239x^8}{705600} - \frac{2039x^9}{15052800} + \dots \right) J_1(x) \right]$$

k	$b_k(1)$	$b_k(1)$	$c_k(1)$	$c_k(1)$
1	1	1.000000000000000	-1	-1.000000000000000
2	0	0.000000000000000	2	2.000000000000000
3	$-2/3$	-0.666666666666667	-1	-1.000000000000000
4	$\frac{5}{12}$	0.416666666666667	$1/9$	0.111111111111111
5	$-\frac{19}{180}$	-0.105555555555556	$\frac{11}{144}$	0.076388888888889
6	$\frac{7}{1440}$	0.004861111111111	$-\frac{131}{3600}$	-0.036388888888889
7	$\frac{227}{50400}$	0.004503968253968	$\frac{11}{1600}$	0.006875000000000
8	$-\frac{1147}{806400}$	-0.001422371031746	$-\frac{239}{705600}$	-0.000338718820862
9	$\frac{9941}{50803200}$	0.000195676650290	$-\frac{2039}{15052800}$	-0.000135456526361
10	$-\frac{979}{162570240}$	-0.000006022012393	$\frac{134581}{3657830400}$	0.000036792575183
11	$-\frac{225107}{80472268800}$	-0.000002797323890	$-\frac{313217}{73156608000}$	-0.000004281458758
12	$\frac{1898819}{3218890752000}$	0.000000589898554	$\frac{1194317}{8851949568000}$	0.000000134921352
13	$-\frac{8554759}{153433792512000}$	-0.000000055755377	$\frac{16109741}{424893579264000}$	0.000000037914767
14	$\frac{14077813}{11047233060864000}$	0.000000001274329	$-\frac{517397957}{71807014895616000}$	-0.000000007205396
15	$\frac{18928541}{47871343263744000}$	0.000000000395404	$\frac{1217807483}{2010596417077248000}$	0.000000000605695
16	$-\frac{402561241}{6433908534647193600}$	-0.000000000062569	$-\frac{422808761}{30158946256158720000}$	-0.000000000014019
17	$\frac{36957033251}{8203233381675171840000}$	0.000000000004505	$-\frac{23427152899}{7720690241576632320000}$	-0.000000000003034
18	$-\frac{21450103637}{262503468213605498880000}$	-0.000000000000082	$\frac{76121087023}{171636883062742056960000}$	0.000000000000444
19	$\frac{1614496500769}{84788620232994576138240000}$	-0.000000000000019	$-\frac{781266674809}{26775353757787760885760000}$	-0.000000000000029
20	$\frac{4906209165197}{2034926885591869827317760000}$	0.000000000000002	$\frac{5157087816757}{9665902706561381679759360000}$	0.000000000000001



Asymptotic formulas for $x \rightarrow +\infty$ in the case $a > 0$:

$$\begin{aligned} \mathfrak{H}_1(x, a) &\sim \frac{a}{1+a^2} - \frac{1}{(1+a^2)^2 x} - \frac{3a}{(1+a^2)^3 x^2} - \frac{3(4a^2-1)}{(1+a^2)^4 x^3} - \frac{15a(4a^2-3)}{(1+a^2)^5 x^4} - \\ &\frac{360a^4-540a^2+45}{(1+a^2)^6 x^5} - \frac{315a(8a^4-20a^2+5)}{(1+a^2)^7 x^6} - \frac{20160a^6-75600a^4+37800a^2-1575}{(1+a^2)^8 x^7} - \dots \\ \mathfrak{H}_0(x, a) &\sim \frac{1}{1+a^2} + \frac{a}{(1+a^2)^2 x} + \frac{2a^2-1}{(1+a^2)^3 x^2} + \frac{3a(2a^2-3)}{(1+a^2)^4 x^3} + \frac{24a^4-72a^2+9}{(1+a^2)^5 x^4} + \\ &+ \frac{15a(8a^4-40a^2+15)}{(1+a^2)^6 x^5} + \frac{720a^6-5400a^4+4050a^2-225}{(1+a^2)^7 x^6} + \frac{315a(16a^6-168a^4+210a^2-35)}{(1+a^2)^8 x^7} + \dots \end{aligned}$$

The greater a the better these formulas. They cannot be used with $a = 0$.

The following tables show some relative errors. x_k denotes consecutive maxima or minima of this difference.

$$D_0(x) = \frac{aJ_0(x) + J_1(x)}{1+a^2} - \int_0^x e^{a(t-x)} J_0(t) dt \quad :$$

$a = 0.1$		$a = 0.3$		$a = 1$		$a = 3$	
x_k	$D_0(x_k)$	x_k	$D_0(x_k)$	x_k	$D_0(x_k)$	x_k	$D_0(x_k)$
60.226	-4.072E-3	13.386	-3.089E-3	2.399	-1.085E-1	1.757	-1.101E-2
63.622	-1.710E-4	15.961	-1.866E-2	6.200	1.879E-2	5.495	2.073E-3
66.565	-2.720E-3	19.421	5.504E-3	9.308	-1.068E-2	8.759	-1.015E-3
69.863	4.271E-4	22.413	-7.812E-3	12.481	6.748E-3	11.956	6.306E-4
72.883	-1.942E-3	25.632	5.035E-3	15.639	-4.767E-3	15.129	-4.404E-4
76.120	6.932E-4	28.741	-4.770E-3	18.791	3.595E-3	18.290	3.299E-4
79.188	-1.478E-3	31.900	3.866E-3	21.941	-2.835E-3	21.446	-2.590E-4
82.387	7.898E-4	35.036	-3.439E-3	25.089	2.310E-3	24.598	2.104E-4
85.485	-1.188E-3	38.182	2.988E-3	28.235	-1.929E-3	27.748	-1.753E-4
88.661	8.025E-4	41.323	-2.666E-3	31.381	1.642E-3	30.896	1.490E-4
91.776	-9.978E-4	44.466	2.382E-3	34.525	-1.420E-3	34.043	-1.286E-4
91.776	-9.978E-4	47.608	-2.151E-3	37.670	1.244E-3	37.189	1.126E-4

$$D_1(x) = \left(\frac{a}{1+a^2} - \frac{1}{(1+a^2)^2 x} \right) J_0(x) + \left(\frac{1}{1+a^2} + \frac{a}{(1+a^2)^2 x} \right) J_1(x) - \int_0^x e^{a(t-x)} J_0(t) dt \quad :$$

$a = 0.1$		$a = 0.3$		$a = 1$		$a = 3$	
x_k	$D_1(x_k)$	x_k	$D_1(x_k)$	x_k	$D_1(x_k)$	x_k	$D_1(x_k)$
111.782	-1.972E-5	29.538	-2.864E-4	2.061	-5.622E-2	1.816	-3.195E-3
115.333	-4.255E-6	33.053	7.320E-5	6.836	2.161E-3	5.526	2.229E-4
118.158	-1.252E-5	36.018	-1.159E-4	9.729	-1.174E-3	8.831	-6.917E-5
121.548	-3.783E-7	39.248	7.100E-5	12.930	5.554E-4	12.050	3.163E-5
124.497	-8.467E-6	42.348	-6.756E-5	16.086	-3.201E-4	15.237	-1.750E-5
127.789	1.493E-6	45.509	5.293E-5	19.240	2.033E-4	18.408	1.087E-5
130.814	-6.122E-6	48.642	-4.618E-5	22.391	-1.384E-4	21.571	-7.286E-6
134.046	2.317E-6	51.788	3.894E-5	25.540	9.919E-5	24.728	5.164E-6
137.118	-4.708E-6	54.928	-3.381E-5	28.687	-7.393E-5	27.882	-3.817E-6
140.313	2.604E-6	58.070	2.933E-5	31.833	5.683E-5	31.033	2.915E-6

If $x \rightarrow +\infty$, then the following direct asymptotic formula holds in the case $a > 0$:

$$\int_0^x e^{at} \cdot J_0(t) dt \sim \frac{e^{ax}}{\sqrt{\pi x}} \left[\sum_{k=0}^{\infty} \frac{\lambda_k}{x^k} \sin x + \sum_{k=0}^{\infty} \frac{\mu_k}{x^k} \cos x \right]$$

with

$$\lambda_0 = \frac{a+1}{a^2+1}, \quad \mu_0 = \frac{a-1}{a^2+1}$$

$$\lambda_1 = \frac{a^3 + 3a^2 + 9a - 5}{8(a^2+1)^2}, \quad \mu_1 = \frac{-a^3 + 3a^2 - 9a - 5}{8(a^2+1)^2}$$

$$\lambda_2 = \frac{-9a^5 + 15a^4 + 30a^3 + 270a^2 - 345a - 129}{128(a^2+1)^3}$$

$$\mu_2 = \frac{-9a^5 - 15a^4 + 30a^3 - 270a^2 - 345a + 129}{128(a^2+1)^3}$$

$$\lambda_3 = \frac{-75a^7 - 105a^6 - 105a^5 + 525a^4 + 5775a^3 - 12075a^2 - 9555a + 2655}{1024(a^2+1)^4}$$

$$\mu_3 = \frac{75a^7 - 105a^6 + 105a^5 + 525a^4 - 5775a^3 - 12075a^2 + 9555a + 2655}{1024(a^2+1)^4}$$

$$\lambda_4 = \left[32768(a^2+1)^5 \right]^{-1} \cdot [3675a^9 - 4725a^8 + 11340a^7 - 8820a^6 + 92610a^5 + 727650a^4 - 1984500a^3 - 2407860a^2 + 1371195a + 301035]$$

$$\mu_4 = \left[32768(a^2+1)^5 \right]^{-1} \cdot [3675a^9 + 4725a^8 + 11340a^7 + 8820a^6 + 92610a^5 - 727650a^4 - 1984500a^3 + 2407860a^2 + 1371195a - 301035]$$

$$\lambda_5 = \left[262144(a^2+1)^6 \right]^{-1} \cdot [59535a^{11} + 72765a^{10} + 259875a^9 + 280665a^8 + 686070a^7 + 3056130a^6 + 30124710a^5 - 98232750a^4 - 157827285a^3 + 135748305a^2 + 60259815a - 10896795]$$

$$\mu_5 = \left[262144(a^2+1)^6 \right]^{-1} \cdot [-59535a^{11} + 72765a^{10} - 259875a^9 + 280665a^8 - 686070a^7 + 3056130a^6 - 30124710a^5 - 98232750a^4 + 157827285a^3 + 135748305a^2 - 60259815a - 10896795]$$


$$\lambda_6 = \left[4194304(a^2+1)^7 \right]^{-1} \cdot [-2401245a^{13} + 2837835a^{12} - 13243230a^{11} + 14864850a^{10} - 34189155a^9 + 49054005a^8 + 160540380a^7 + 2871889020a^6 - 11331475155a^5 - 22569301755a^4 + 25820244450a^3 - 17234307090a^2 - 6264182925a - 961319205]$$

$$\mu_6 = \left[4194304(a^2+1)^7 \right]^{-1} \cdot [-2401245a^{13} - 2837835a^{12} - 13243230a^{11} - 14864850a^{10} - 34189155a^9 - 49054005a^8 + 160540380a^7 - 2871889020a^6 - 11331475155a^5 + 22569301755a^4 + 25820244450a^3 - 17234307090a^2 - 6264182925a + 961319205]$$



Let

$$D_n(x, a) = \frac{1}{\sqrt{\pi x}} \left[\sum_{k=0}^n \frac{\lambda_k}{x^k} \sin x + \sum_{k=0}^n \frac{\mu_k}{x^k} \cos x \right] - e^{-ax} \int_0^x e^{at} \cdot J_0(t) dt$$

describe the 'relative difference' between the asymptotic approximation and the true function. With $a = 0.3$, $a = 1$ and $a = 3$ one has the following behaviour at $10 \leq x \leq 40$:



Note that there is a quadratic scale on the D_n -axis. The first zero of $D_2(x, 0.3)$ is near $x = 48$.



Furthermore, let $\mathfrak{H}_\nu^*(x, a)$ denote the following functions:

$$\mathfrak{H}_1^*(x, a) = \sum_{k=1}^{\infty} b_k^*(a) x^k \quad , \quad \mathfrak{H}_0^*(x, a) = \sum_{k=1}^{\infty} c_k^*(a) x^k$$

with

$$b_1^*(a) = 1 \quad , \quad b_2^*(a) = 0 \quad , \quad b_{k+2}^*(a) = -\frac{a(1+2k)b_{k+1}^*(a) + (1-a^2)b_k^*(a)}{k(k+2)} \quad , \quad k \geq 1$$

and

$$c_k^*(a) = -(k+1)b_{k+1}^*(a) - a b_k^*(a) \quad .$$

Then holds with $a \in \mathbb{R}$

$$\int_0^x e^{at} I_0(t) dt = e^{ax} [\mathfrak{H}_1^*(x, a) I_0(x) + \mathfrak{H}_0^*(x, a) I_1(x)] \quad .$$



In the case $a = 0$ one has with the Struve functions

$$\mathfrak{H}_1^*(x, 0) = x - \frac{\pi x}{2} \mathbf{L}_1(x) \quad , \quad \mathfrak{H}_0^*(x, 0) = \frac{\pi x}{2} \mathbf{L}_0(x) \quad .$$

With $a = 1$ holds $\mathfrak{H}_1^*(x, 1) = -\mathfrak{H}_0^*(x, 1) = x$ (see page 68).

First terms of the power series:

$$\begin{aligned} \mathfrak{H}_1^*(x, a) &= x - \frac{a^2 - 1}{3} x^3 + \frac{5a^3 - 5a}{24} x^4 - \frac{27a^4 - 19a^2 - 8}{360} x^5 + \frac{56a^5 - 7a^3 - 49a}{2880} x^6 - \\ &\quad - \frac{400a^6 + 291a^4 - 627a^2 - 64}{100800} x^7 + \frac{1080a^7 + 1996a^5 - 2227a^3 - 849a}{1612800} x^8 - \\ &\quad - \frac{9800a^8 + 31684a^6 - 18717a^4 - 21743a^2 - 1024}{101606400} x^9 + \\ &\quad + \frac{19712a^9 + 96184a^7 - 10428a^5 - 91289a^3 - 14179a}{1625702400} x^{10} - \\ &\quad - \frac{217728a^{10} + 1477352a^8 + 608284a^6 - 1686075a^4 - 600905a^2 - 16384}{160944537600} x^{11} + \\ &\quad + \frac{873600a^{11} + 7817888a^9 + 7776184a^7 - 9134112a^5 - 6750965a^3 - 582595a}{6437781504000} x^{12} - \dots \\ \mathfrak{H}_0^*(x, a) &= -ax + (a^2 - 1)x^2 - \frac{a^3 - a}{2} x^3 + \frac{3a^4 - a^2 - 2}{18} x^4 - \frac{12a^5 + 11a^3 - 23a}{288} x^5 + \\ &\quad + \frac{60a^6 + 163a^4 - 191a^2 - 32}{7200} x^6 - \frac{40a^7 + 202a^5 - 139a^3 - 103a}{28800} x^7 + \\ &\quad + \frac{280a^8 + 2214a^6 - 391a^4 - 1975a^2 - 128}{1411200} x^8 - \\ &\quad - \frac{2240a^9 + 25272a^7 + 10844a^5 - 31389a^3 - 6967a}{90316800} x^9 + \\ &\quad + \frac{20160a^{10} + 305848a^8 + 351068a^6 - 432237a^4 - 236647a^2 - 8192}{7315660800} x^{10} - \\ &\quad - \frac{40320a^{11} + 789104a^9 + 1567792a^7 - 958326a^5 - 1294895a^3 - 143995a}{146313216000} x^{11} + \\ &\quad + \frac{443520a^{12} + 10857424a^{10} + 32019232a^8 - 4458746a^6 - 31104595a^4 - 7592995a^2 - 163840}{17703899136000} x^{12} - \dots \end{aligned}$$



If $0 < a < 1$, then $\mathfrak{H}_1^*(x, a)$ and $-\mathfrak{H}_0^*(x, a)$ are growing rapidly with $x \rightarrow +\infty$.

Asymptotic behaviour for $x \rightarrow +\infty$ and $a > 1$:

$$\begin{aligned} \mathfrak{H}_1^*(x, a) &\sim \frac{a}{a^2 - 1} + \frac{1}{(a^2 - 1)^2 x} + \frac{3a}{(a^2 - 1)^3 x^2} + \frac{12a^2 + 3}{(a^2 - 1)^4 x^3} + \frac{15a(4a^2 + 3)}{(a^2 - 1)^5 x^4} + \frac{360a^4 + 540a^2 + 45}{(a^2 - 1)^6 x^5} + \\ &\quad + \frac{315a(8a^4 + 20a^2 + 5)}{(a^2 - 1)^7 x^6} + \frac{20160a^6 + 75600a^4 + 37800a^2 + 1575}{(a^2 - 1)^8 x^7} + \dots \\ \mathfrak{H}_0^*(x, a) &\sim -\frac{1}{a^2 - 1} - \frac{a}{(a^2 - 1)^2 x} - \frac{2a^2 + 1}{(a^2 - 1)^3 x^2} - \frac{3a(2a^2 + 3)}{(a^2 - 1)^4 x^3} - \frac{24a^4 + 72a^2 + 9}{(a^2 - 1)^5 x^4} - \\ &\quad - \frac{15a(8a^4 + 40a^2 + 15)}{(a^2 - 1)^6 x^5} - \frac{720a^6 + 5400a^4 + 4050a^2 + 225}{(a^2 - 1)^7 x^6} - \\ &\quad - \frac{315(16a^6 + 168a^4 + 210a^2 + 35)a}{(a^2 - 1)^8 x^7} - \dots \end{aligned}$$

Direct asymptotic formula for the case $x \rightarrow +\infty$, $a > 0$:

$$\begin{aligned} \int_0^x e^{at} \cdot I_0(t) dt &\sim \frac{e^{(1+a)x}}{\sqrt{2\pi x}(1+a)} \sum_{k=0}^{\infty} \frac{\beta_k(a)}{x^k} = \frac{e^{(1+a)x}}{\sqrt{2\pi x}(1+a)} \left[1 + \frac{a+5}{8(1+a)x} + \right. \\ &\quad + \frac{9a^2 + 42a + 129}{128(1+a)^2 x^2} + \frac{75a^3 + 405a^2 + 1065a + 2655}{1024(1+a)^3 x^3} + \\ &\quad + \frac{3675a^4 + 23100a^3 + 67410a^2 + 133980a + 301035}{32768(1+a)^4 x^4} + \\ &\quad + \frac{59535a^5 + 429975a^4 + 1426950a^3 + 3022110a^2 + 5120955a + 10896795}{262144(1+a)^5 x^5} + \\ &\quad + \frac{2401245a^6 + 19646550a^5 + 73856475a^4 + 173596500a^3 + 301964355a^2 + 465051510a + 961319205}{4194304(1+a)^6 x^6} + \\ &\quad \left. + \frac{135135(370345 + 181955a + 125205a^2 + 81815a^3 + 43435a^4 + 16569a^5 + 3927a^6 + 429a^7)}{33554432(1+a)^7 x^7} + \dots \right] \end{aligned}$$

Some coefficients:

k	$\beta_k(0.1)$	$\beta_k(0.3)$	$\beta_k(1)$	$\beta_k(3)$	$\beta_k(10)$
1	0.579545	0.509615	0.375000	0.250000	0.170455
2	0.860602	0.658330	0.351563	0.164063	0.093556
3	2.029155	1.339262	0.512695	0.175781	0.094505
4	6.568555	3.717857	1.009369	0.265961	0.142222
5	27.098470	13.096614	2.498188	0.526314	0.285290
6	136.064853	55.981252	7.442518	1.296183	0.715146
7	805.747313	281.633987	25.915913	3.834025	2.150314

With fixed $x > 0$ and $a \rightarrow +\infty$ holds

$$\begin{aligned} \int_0^x e^{at} J_0(t) dt &\sim e^{ax} \left[\left(\frac{1}{a} - \frac{1}{a^3} - \frac{1}{a^4 x} + \frac{x^2 - 3}{a^5 x^2} + \frac{2x^2 - 12}{a^6 x^3} - \frac{x^4 - 9x^2 + 60}{a^7 x^4} - \frac{3x^4 - 51x^2 + 360}{a^8 x^5} + \right. \right. \\ &\quad \left. \left. \frac{x^6 - 18x^4 + 345x^2 - 2520}{a^9 x^6} + \frac{4x^6 - 132x^4 + 2700x^2 - 20160}{a^{10} x^7} + \dots \right) J_0(x) + \right. \\ &\quad + \left(\frac{1}{a^2} + \frac{1}{a^3 x} - \frac{x^2 - 2}{a^4 x^2} - \frac{2x^2 - 6}{a^5 x^3} + \frac{x^4 - 7x^2 + 24}{a^6 x^4} + \frac{3x^4 - 33x^2 + 120}{a^7 x^5} - \frac{x^6 - 15x^4 + 192x^2 - 720}{a^8 x^6} - \right. \\ &\quad \left. - \frac{4x^6 - 96x^4 + 1320x^2 - 5040}{a^9 x^7} + \frac{x^8 - 26x^6 + 729x^4 - 10440x^2 + 40320}{a^{10} x^8} + \dots \right) J_1(x) \Big] \end{aligned}$$

and

$$\int_0^x e^{at} I_0(t) dt \sim e^{ax} \left[\left(\frac{1}{a} + \frac{1}{a^3} + \frac{1}{a^4 x} + \frac{x^2 + 3}{a^5 x^2} + \frac{2x^2 + 12}{a^6 x^3} + \frac{x^4 + 9x^2 + 60}{a^7 x^4} + \frac{3x^4 + 51x^2 + 360}{a^8 x^5} + \frac{x^6 + 18x^4 + 345x^2 + 2520}{a^9 x^6} + \frac{4x^6 + 132x^4 + 2700x^2 + 20160}{a^{10} x^7} + \dots \right) I_0(x) - \left(\frac{1}{a^2} + \frac{1}{a^3 x} + \frac{x^2 + 2}{a^4 x^2} + \frac{2x^2 + 6}{a^5 x^3} + \frac{x^4 + 7x^2 + 24}{a^6 x^4} + \frac{3x^4 + 33x^2 + 120}{a^7 x^5} + \frac{x^6 + 15x^4 + 192x^2 + 720}{a^8 x^6} + \frac{4x^6 + 96x^4 + 1320x^2 + 5040}{a^9 x^7} + \frac{x^8 + 26x^6 + 729x^4 + 10440x^2 + 40320}{a^{10} x^8} \right) I_1(x) \right].$$

c) The case $a < 0$:

To express this fact clearly it is written $a = -\alpha$ with $\alpha > 0$.

One has the Lipschitz integral (see [11], part I, §21, or the tables of Laplace transforms)

$$\int_0^\infty e^{ax} J_0(x) dx = \int_0^\infty e^{-\alpha x} J_0(x) dx = \frac{1}{\sqrt{1+\alpha^2}} = \frac{1}{\sqrt{1+a^2}}.$$

The representation

$$\int_0^x e^{at} J_0(t) dt = e^{ax} [\mathfrak{H}_1(x, a) J_0(x) + \mathfrak{H}_0(x, a) J_1(x)]$$

keeps being true, but $\mathfrak{H}_0(x, a)$ and $\mathfrak{H}_1(x, a)$ are rapidly growing with x . For that reason other formulas are more applicable.

$$\int_0^x e^{-\alpha t} J_0(t) dt = \frac{1}{\sqrt{1+\alpha^2}} - e^{-\alpha x} \left[\frac{1}{\sqrt{1+\alpha^2}} - \sum_{k=1}^{\infty} \varphi_k(\alpha) \cdot x^{2k-1} \cdot \left(1 + \frac{\alpha x}{2k}\right) \right]$$

with

$$\varphi_k(\alpha) = \frac{(-1)^{k-1}}{(2k-1)! \cdot a^2} \sum_{i=0}^{\infty} \frac{(-1)^i \cdot (2i+2k)!}{2^{2i+2k} \cdot [(i+k)!]^2 \cdot a^{2i}}$$

Some first functions:

$$\begin{aligned} \varphi_1(\alpha) &= \frac{\sqrt{1+\alpha^2} - \alpha}{\sqrt{1+\alpha^2}} \\ \varphi_2(\alpha) &= \frac{1}{6} \cdot \frac{(2\alpha^2 - 1)\sqrt{1+\alpha^2} - 2\alpha^3}{2\sqrt{1+\alpha^2}} \\ \varphi_3(\alpha) &= \frac{1}{120} \cdot \frac{(8\alpha^4 - 4\alpha^2 + 3)\sqrt{1+\alpha^2} - 8\alpha^5}{8\sqrt{1+\alpha^2}} \\ \varphi_4(\alpha) &= \frac{1}{5040} \cdot \frac{(16\alpha^6 - 8\alpha^4 + 6\alpha^2 - 5)\sqrt{1+\alpha^2} - 16\alpha^7}{16\sqrt{1+\alpha^2}} \\ \varphi_5(\alpha) &= \frac{1}{362880} \cdot \frac{(128\alpha^8 - 64\alpha^6 + 48\alpha^4 - 40\alpha^2 + 35)\sqrt{1+\alpha^2} - 128\alpha^9}{128\sqrt{1+\alpha^2}} \\ \varphi_6(\alpha) &= \frac{1}{2916800} \cdot \frac{(256\alpha^{10} - 128\alpha^8 + 96\alpha^6 - 80\alpha^4 + 70\alpha^2 - 63)\sqrt{1+\alpha^2} - 256\alpha^{11}}{256\sqrt{1+\alpha^2}} \\ \varphi_7(\alpha) &= \frac{1}{1307674368000} \cdot \frac{+(1024\alpha^{12} - 512\alpha^{10} + 384\alpha^8 - 320\alpha^6 + 280\alpha^4 - 252\alpha^2 + 231)\sqrt{1+\alpha^2} - 1024\alpha^{13}}{1024\sqrt{1+\alpha^2}} \end{aligned}$$

Special values for the case $\alpha = 1$:

$$\varphi_1(1) = \frac{\sqrt{2}}{2+2\sqrt{2}} = 0.292893218813452, \quad \varphi_2(1) = \frac{1-\sqrt{2}}{12} = -0.034517796864425,$$

$$\begin{aligned}\varphi_3(1) &= -\frac{1}{240}\sqrt{2} + \frac{7}{960} = 0.001399110156779, & \varphi_4(1) &= -\frac{1}{10080}\sqrt{2} + \frac{1}{8960} = -0.000028691821664, \\ \varphi_5(1) &= -\frac{1}{725760}\sqrt{2} + \frac{107}{46448640} = 0.000000355022924, \\ \varphi_6(1) &= -\frac{1}{79833600}\sqrt{2} + \frac{151}{10218700800} = -0.000000002937686, \\ \varphi_7(1) &= -\frac{1}{12454041600}\sqrt{2} + \frac{167}{1275293859840} = 0.00000000017396, \\ \varphi_8(1) &= -\frac{1}{2615348736000}\sqrt{2} + \frac{1241}{2678117105664000} = -0.000000000000077,\end{aligned}$$

Asymptotic behaviour of $\varphi_k(\alpha)$ for $\alpha \rightarrow +\infty$:

$$\begin{aligned}\frac{1}{\sqrt{1+\alpha^2}} &\sim \alpha^{-1} - \frac{1}{2}\alpha^{-3} + \frac{3}{8}\alpha^{-5} - \frac{5}{16}\alpha^{-7} + \frac{35}{128}\alpha^{-9} + \dots \\ \varphi_1(\alpha) &\sim \frac{1}{2}\alpha^{-2} - \frac{3}{8}\alpha^{-4} + \frac{5}{16}\alpha^{-6} - \frac{35}{128}\alpha^{-8} + \dots \\ 3! \varphi_2(\alpha) &\sim -\frac{3}{8}\alpha^{-2} + \frac{5}{16}\alpha^{-4} - \frac{35}{128}\alpha^{-6} + \frac{63}{256}\alpha^{-8} + \dots \\ 5! \varphi_3(\alpha) &\sim \frac{5}{16}\alpha^{-2} - \frac{35}{128}\alpha^{-4} + \frac{63}{256}\alpha^{-6} - \frac{231}{1024}\alpha^{-8} + \dots \\ 7! \varphi_4(\alpha) &\sim -\frac{35}{128}\alpha^{-2} + \frac{63}{256}\alpha^{-4} - \frac{231}{1024}\alpha^{-6} + \frac{429}{2048}\alpha^{-8} + \dots \\ 9! \varphi_5(\alpha) &\sim \frac{63}{256}\alpha^{-2} - \frac{231}{1024}\alpha^{-4} + \frac{429}{2048}\alpha^{-6} - \frac{6435}{32768}\alpha^{-8} + \dots \\ 11! \varphi_6(\alpha) &\sim -\frac{231}{1024}\alpha^{-2} + \frac{429}{2048}\alpha^{-4} - \frac{6435}{32768}\alpha^{-6} + \frac{12155}{65536}\alpha^{-8} + \dots \\ 13! \varphi_7(\alpha) &\sim \frac{429}{2048}\alpha^{-2} - \frac{6435}{32768}\alpha^{-4} + \frac{12155}{65536}\alpha^{-6} - \frac{46189}{262144}\alpha^{-8} + \dots\end{aligned}$$

Direct asymptotic formula for $x \rightarrow \infty$:

$$\begin{aligned}\int_0^x e^{-\alpha t} J_0(t) dt &\sim \frac{1}{\sqrt{1+\alpha^2}} + \frac{e^{-\alpha x}}{\sqrt{\pi x}} \left\{ \left[-\frac{\alpha-1}{1+\alpha^2} - \frac{\alpha^3-3\alpha^2+9\alpha+5}{8(1+\alpha^2)^2 x} + \right. \right. \\ &\quad \left. \left. + \frac{3(3\alpha^5+5\alpha^4-10\alpha^3+90\alpha^2+115\alpha-43)}{128(1+\alpha^2)^3 x^2} + \right. \right. \\ &\quad \left. \left. + \frac{15(5\alpha^7-7\alpha^6+7\alpha^5+35\alpha^4-385\alpha^3-805\alpha^2+637\alpha+177)}{1024(1+\alpha^2)^4 x^3} - \right. \right. \\ &\quad \left. \left. - \frac{105(35\alpha^9+45\alpha^8+108\alpha^7+84\alpha^6+882\alpha^5-6930\alpha^4-18900\alpha^3+22932\alpha^2+13059\alpha-2867)}{32768(1+\alpha^2)^5 x^4} + \right. \right. \\ &\quad \left. \left. - \frac{945 s_5}{262144(1+\alpha^2)^6 x^5} - \frac{34459425 s_6}{17179869184(1+\alpha^2)^7 x^6} - \frac{135135 s_7}{33554432(1+\alpha^2)^8 x^7} - \frac{2027025 s_8}{2147483648(1+\alpha^2)^9 x^8} \right. \right. \\ &\quad \left. \left. - \frac{34459425 s_9}{17179869184(1+\alpha^2)^{10} x^9} + \frac{654729075 s_{10}}{274877906944(1+\alpha^2)^{11} x^{10}} + \dots \right\} \sin x + \\ &\quad + \left[-\frac{1+\alpha}{1+\alpha^2} + \frac{\alpha^3+3\alpha^2+9\alpha-5}{8(1+\alpha^2)^2 x} + \frac{3(3\alpha^5-5\alpha^4-10\alpha^3-90\alpha^2+115\alpha+43)}{128(1+\alpha^2)^3 x^2} - \right. \\ &\quad \left. - \frac{15(5\alpha^7+7\alpha^6+7\alpha^5-35\alpha^4-385\alpha^3+805\alpha^2+637\alpha-177)}{(1+\alpha^2)^4 x^3} - \right. \\ &\quad \left. - \frac{105(35\alpha^9-45\alpha^8+108\alpha^7-84\alpha^6+882\alpha^5+6930\alpha^4-18900\alpha^3-22932\alpha^2+13059\alpha+2867)}{32768(1+\alpha^2)^5 x^4} + \right.\end{aligned}$$

$$+ \left. \begin{aligned} & \frac{945 c_5}{262144 (1 + \alpha^2)^6 x^5} + \frac{10395 c_6}{4194304 (1 + \alpha^2)^7 x^6} - \frac{135135 c_7}{33554432 (1 + \alpha^2)^8 x^7} - \frac{2027025 c_8}{2147483648 (1 + \alpha^2)^9 x^8} + \\ & + \frac{34459425 c_9}{17179869184 (1 + \alpha^2)^{10} x^9} + \frac{654729075 274877906944 c_{10}}{274877906944 (1 + \alpha^2)^{11} x^{10}} + \dots \end{aligned} \right\} \cos x$$

$$s_5 = 63 \alpha^{11} - 77 \alpha^{10} + 275 \alpha^9 - 297 \alpha^8 + 726 \alpha^7 - 3234 \alpha^6 + 31878 \alpha^5 + 103950 \alpha^4 - 167013 \alpha^3 - \\ -143649 \alpha^2 + 63767 \alpha + 11531$$

$$c_5 = 63 \alpha^{11} + 77 \alpha^{10} + 275 \alpha^9 + 297 \alpha^8 + 726 \alpha^7 + 3234 \alpha^6 + 31878 \alpha^5 - 103950 \alpha^4 - \\ -167013 \alpha^3 + 143649 \alpha^2 + 63767 \alpha - 11531$$

$$s_6 = 231 \alpha^{13} + 273 \alpha^{12} + 1274 \alpha^{11} + 1430 \alpha^{10} + 3289 \alpha^9 + 4719 \alpha^8 - 15444 \alpha^7 + 276276 \alpha^6 + 1090089 \alpha^5 - \\ -2171169 \alpha^4 - 2483910 \alpha^3 + 1657942 \alpha^2 + 602615 \alpha - 92479$$

$$c_6 = 231 \alpha^{13} - 273 \alpha^{12} + 1274 \alpha^{11} - 1430 \alpha^{10} + 3289 \alpha^9 - 4719 \alpha^8 - 15444 \alpha^7 - 276276 \alpha^6 + 1090089 \alpha^5 + \\ +2171169 \alpha^4 - 2483910 \alpha^3 - 1657942 \alpha^2 + 602615 \alpha + 92479$$

$$s_7 = 429 \alpha^{15} - 495 \alpha^{14} + 2835 \alpha^{13} - 3185 \alpha^{12} + 8385 \alpha^{11} - 9867 \alpha^{10} + 9295 \alpha^9 + 57915 \alpha^8 - 1151865 \alpha^7 - \\ -5450445 \alpha^6 + 13054041 \alpha^5 + 18629325 \alpha^4 - 16564405 \alpha^3 - 9039225 \alpha^2 + 2780805 \alpha + 370345$$

$$c_7 = 429 \alpha^{15} + 495 \alpha^{14} + 2835 \alpha^{13} + 3185 \alpha^{12} + 8385 \alpha^{11} + 9867 \alpha^{10} + 9295 \alpha^9 - 57915 \alpha^8 - 1151865 \alpha^7 + \\ +5450445 \alpha^6 + 13054041 \alpha^5 - 18629325 \alpha^4 - 16564405 \alpha^3 + 9039225 \alpha^2 + 2780805 \alpha - 370345$$

$$s_8 = 6435 \alpha^{17} + 7293 \alpha^{16} + 49368 \alpha^{15} + 55080 \alpha^{14} + 168980 \alpha^{13} + 190060 \alpha^{12} + 312936 \alpha^{11} + 252824 \alpha^{10} + \\ +2601170 \alpha^9 - 39163410 \alpha^8 - 210913560 \alpha^7 + 591783192 \alpha^6 + 1014047892 \alpha^5 - 1126379540 \alpha^4 - \\ -819264680 \alpha^3 + 378189480 \alpha^2 + 100843235 \alpha - 11857475$$

$$c_8 = 6435 \alpha^{17} - 7293 \alpha^{16} + 49368 \alpha^{15} - 55080 \alpha^{14} + 168980 \alpha^{13} - 190060 \alpha^{12} + 312936 \alpha^{11} - 252824 \alpha^{10} + \\ +2601170 \alpha^9 + 39163410 \alpha^8 - 210913560 \alpha^7 - 591783192 \alpha^6 + 1014047892 \alpha^5 + 1126379540 \alpha^4 - \\ -819264680 \alpha^3 - 378189480 \alpha^2 + 100843235 \alpha + 11857475$$

$$s_9 = 12155 \alpha^{19} - 13585 \alpha^{18} + 105963 \alpha^{17} - 117249 \alpha^{16} + 414732 \alpha^{15} - 458660 \alpha^{14} + 936700 \alpha^{13} - 990964 \alpha^{12} + \\ +1771978 \alpha^{11} - 9884446 \alpha^{10} + 168589850 \alpha^9 + 1001839410 \alpha^8 - 3209765988 \alpha^7 - 6422303316 \alpha^6 + \\ +8562147308 \alpha^5 + 7783014460 \alpha^4 - 4789707245 \alpha^3 - 1916021465 \alpha^2 + 450814995 \alpha + 47442055$$

$$c_9 = 12155 \alpha^{19} + 13585 \alpha^{18} + 105963 \alpha^{17} + 117249 \alpha^{16} + 414732 \alpha^{15} + 458660 \alpha^{14} + 936700 \alpha^{13} + 990964 \alpha^{12} + \\ +1771978 \alpha^{11} + 9884446 \alpha^{10} + 168589850 \alpha^9 - 1001839410 \alpha^8 - 3209765988 \alpha^7 + 6422303316 \alpha^6 +$$

$$+8562147308 \alpha^5 - 7783014460 \alpha^4 - 4789707245 \alpha^3 + 1916021465 \alpha^2 + 450814995 \alpha - 47442055$$

$$\begin{aligned} s_{10} = & 46189 \alpha^{21} + 51051 \alpha^{20} + 450450 \alpha^{19} + 494494 \alpha^{18} + 1988217 \alpha^{17} + 2177343 \alpha^{16} + 5191256 \alpha^{15} + \\ & + 5620200 \alpha^{14} + 9265578 \alpha^{13} + 12403846 \alpha^{12} - 53260116 \alpha^{11} + 1416154740 \alpha^{10} + 9373133770 \alpha^9 - \\ & - 33702542874 \alpha^8 - 77051011752 \alpha^7 + 119870062312 \alpha^6 + 130763372649 \alpha^5 - 100583852145 \alpha^4 - \\ & - 53645367790 \alpha^3 + 18934229790 \alpha^2 + 3986102589 \alpha - 379582629 \end{aligned}$$

$$\begin{aligned} c_{10} = & 46189 \alpha^{21} - 51051 \alpha^{20} + 450450 \alpha^{19} - 494494 \alpha^{18} + 1988217 \alpha^{17} - 2177343 \alpha^{16} + 5191256 \alpha^{15} - \\ & - 5620200 \alpha^{14} + 9265578 \alpha^{13} - 12403846 \alpha^{12} - 53260116 \alpha^{11} - 1416154740 \alpha^{10} + 9373133770 \alpha^9 + \\ & + 33702542874 \alpha^8 - 77051011752 \alpha^7 - 119870062312 \alpha^6 + 130763372649 \alpha^5 + 100583852145 \alpha^4 - \\ & - 53645367790 \alpha^3 - 18934229790 \alpha^2 + 3986102589 \alpha + 379582629 \end{aligned}$$

In the special case $\alpha = 1$ holds

$$\int_0^x e^{-t} J_0(t) dt \sim \frac{1}{\sqrt{2}} + \frac{e^{-x}}{\sqrt{\pi x}} \left[\left(\sum_{k=0}^{\infty} \frac{s_k^*}{x^k} \right) \sin x + \left(\sum_{k=0}^{\infty} \frac{c_k^*}{x^k} \right) \cos x \right]$$

with

k	s_k^*	s_k^*	c_k^*	c_k^*
0	0	0	-1	-1
1	$-\frac{3}{8}$	-0.3750000000000000	$\frac{1}{4}$	0.2500000000000000
2	$\frac{15}{32}$	0.4687500000000000	$\frac{21}{128}$	0.1640625000000000
3	$-\frac{315}{1024}$	-0.3076171875000000	$-\frac{405}{512}$	-0.7910156250000000
4	$-\frac{3465}{4096}$	-0.8459472656250000	$\frac{59325}{32768}$	1.810455322265625
5	$\frac{1507275}{262144}$	5.749797821044922	$-\frac{284445}{131072}$	-2.170143127441406
6	$-\frac{22837815}{1048576}$	-21.77983760833740	$-\frac{38887695}{4194304}$	-9.271548986434937
7	$\frac{1422025605}{33554432}$	42.37966552376747	$\frac{1693106415}{16777216}$	100.9170064330101
8	$\frac{29462808375}{134217728}$	219.5150284096599	$-\frac{1167021130275}{2147483648}$	-543.4365618391894
9	$-\frac{56125340496225}{17179869184}$	-3266.924788257165	$\frac{11825475336675}{8589934592}$	1376.666517075500
10	$\frac{1515749532221925}{68719476736}$	22057.05870033016	$\frac{2498294907783675}{274877906944}$	9088.743928382155

The Laplace transform of $I_0(x)$ exists only in the case $\alpha > 1$:

$$*E* \quad \int_0^{\infty} e^{\alpha x} I_0(x) dx = \int_0^{\infty} e^{-\alpha x} I_0(x) dx = \frac{1}{\sqrt{\alpha^2 - 1}} = \frac{1}{\sqrt{a^2 - 1}}.$$

If $\alpha > 1$ one has

$$\int_0^x e^{-\alpha t} I_0(t) dt = \frac{1}{\sqrt{\alpha^2 - 1}} - e^{-\alpha x} \left[\frac{1}{\sqrt{\alpha^2 - 1}} + \sum_{k=1}^{\infty} \varphi_k^*(\alpha) \cdot x^{2k-1} \cdot \left(1 + \frac{\alpha x}{2k} \right) \right]$$

with

$$\varphi_k^*(\alpha) = \frac{1}{(2k-1)! \cdot a^2} \sum_{i=0}^{\infty} \frac{(2i+2k)!}{2^{2i+2k} \cdot [(i+k)!]^2 \cdot a^{2i}}$$

This series fails to converge in the case $0 < \alpha \leq 1$.

If $\alpha = 1$, then see page 68 for solutions with elementary functions.

Some first functions $\varphi_k^*(\alpha)$:

$$\begin{aligned}\varphi_1^*(\alpha) &= \frac{\alpha - \sqrt{\alpha^2 - 1}}{\sqrt{\alpha^2 - 1}} \\ \varphi_2^*(\alpha) &= \frac{1}{6} \cdot \frac{2\alpha^3 - (2\alpha^2 + 1)\sqrt{\alpha^2 - 1}}{2\sqrt{\alpha^2 - 1}} \\ \varphi_3^*(\alpha) &= \frac{1}{120} \cdot \frac{8\alpha^5 - (8\alpha^4 + 4\alpha^2 + 3)\sqrt{\alpha^2 - 1}}{8\sqrt{\alpha^2 - 1}} \\ \varphi_4^*(\alpha) &= \frac{1}{5040} \cdot \frac{16\alpha^7 - (16\alpha^6 + 8\alpha^4 + 6\alpha^2 + 5)\sqrt{\alpha^2 - 1}}{16\sqrt{\alpha^2 - 1}} \\ \varphi_5^*(\alpha) &= \frac{1}{362880} \cdot \frac{128\alpha^9 - (128\alpha^8 + 64\alpha^6 + 48\alpha^4 + 40\alpha^2 + 35)\sqrt{\alpha^2 - 1}}{128\sqrt{\alpha^2 - 1}} \\ \varphi_6^*(\alpha) &= \frac{1}{39916800} \cdot \frac{(256\alpha^{10} + 128\alpha^8 + 96\alpha^6 + 80\alpha^4 + 70\alpha^2 + 63)\sqrt{\alpha^2 - 1}}{256\sqrt{\alpha^2 - 1}}\end{aligned}$$

Asymptotic behaviour of $\varphi_k^*(\alpha)$ for $\alpha \rightarrow +\infty$:

$$\begin{aligned}\frac{1}{\sqrt{\alpha^2 - 1}} &\sim \alpha^{-1} + \frac{1}{2}\alpha^{-3} + \frac{3}{8}\alpha^{-5} + \frac{5}{16}\alpha^{-7} + \frac{35}{128}\alpha^{-9} + \dots \\ \varphi_1^*(\alpha) &\sim \frac{1}{2}\alpha^{-2} + \frac{3}{8}\alpha^{-4} + \frac{5}{16}\alpha^{-6} + \frac{35}{128}\alpha^{-8} + \dots \\ 6\varphi_2^*(\alpha) &\sim \frac{3}{8}\alpha^{-2} + \frac{5}{16}\alpha^{-4} + \frac{35}{128}\alpha^{-6} + \frac{63}{256}\alpha^{-8} + \dots \\ 120\varphi_3^*(\alpha) &\sim \frac{5}{16}\alpha^{-2} + \frac{35}{128}\alpha^{-4} + \frac{63}{256}\alpha^{-6} + \frac{231}{1024}\alpha^{-8} + \dots \\ 5040\varphi_4^*(\alpha) &\sim \frac{35}{128}\alpha^{-2} + \frac{63}{256}\alpha^{-4} + \frac{231}{1024}\alpha^{-6} + \frac{429}{2048}\alpha^{-8} + \dots \\ 362880\varphi_5^*(\alpha) &\sim \frac{63}{256}\alpha^{-2} + \frac{231}{1024}\alpha^{-4} + \frac{429}{2048}\alpha^{-6} + \frac{6435}{32768}\alpha^{-8} + \dots \\ 39916800\varphi_6^*(\alpha) &\sim \frac{231}{1024}\alpha^{-2} + \frac{429}{2048}\alpha^{-4} + \frac{6435}{32768}\alpha^{-6} + \frac{12155}{65536}\alpha^{-8} + \dots \\ 6227020800\varphi_7^*(\alpha) &\sim \frac{429}{2048}\alpha^{-2} + \frac{6435}{32768}\alpha^{-4} + \frac{12155}{65536}\alpha^{-6} + \frac{46189}{262144}\alpha^{-8} + \dots\end{aligned}$$

If $0 < \alpha \leq 1 \iff -1 \leq a < 0$ and x is not very large, then $\mathfrak{H}_\nu^*(x, a)$ may be used.

With $0 < \alpha < 1$, $x \gg 1$ one has the direct asymptotic formula

$$\begin{aligned}\int_0^x e^{-\alpha t} I_0(t) dt &\sim \frac{e^{(1-\alpha)x}}{\sqrt{2\pi x}} \sum_{k=0}^{\infty} \frac{w_k(\alpha)}{x^k} = \frac{e^{(1-\alpha)x}}{\sqrt{2\pi x}} \left[\frac{1}{1-\alpha} - \frac{\alpha-5}{8(1-\alpha)^2 x} - \frac{9\alpha^2-42\alpha+129}{128(1-\alpha)^3 x^2} \right. \\ &\quad - \frac{75\alpha^3-405\alpha^2+1065\alpha-2655}{1024(1-\alpha)^4 x^3} - \frac{3675\alpha^4-23100\alpha^3+67410\alpha^2-133980\alpha+301035}{32768(1-\alpha)^5 x^4} \\ &\quad - \frac{59535\alpha^5-429975\alpha^4+1426950\alpha^3-3022110\alpha^2+5120955\alpha-10896795}{262144(1-\alpha)^6 x^5} \\ &\quad - \frac{10395}{4194304} \cdot \frac{z_6}{(1-\alpha)^7 x^6} - \frac{135135}{33554432} \cdot \frac{z_7}{(1-\alpha)^8 x^7} - \frac{2027025}{2147483648} \cdot \frac{z_8}{(1-\alpha)^9 x^8} \\ &\quad \left. - \frac{34459425}{17179869184} \cdot \frac{z_9}{(1-\alpha)^{10} x^9} - \frac{654729075}{274877906944} \cdot \frac{z_{10}}{(1-\alpha)^{11} x^{10}} + \dots \right] \\ z_6 &= 231\alpha^6 - 1890\alpha^5 + 7105\alpha^4 - 16700\alpha^3 + 29049\alpha^2 - 44738\alpha + 92479 \\ z_7 &= 429\alpha^7 - 3927\alpha^6 + 16569\alpha^5 - 43435\alpha^4 + 81815\alpha^3 - 125205\alpha^2 + 181955\alpha - 370345 \\ z_8 &= 6435\alpha^8 - 65208\alpha^7 + 305844\alpha^6 - 890568\alpha^5 + 1840370\alpha^4 - 2978440\alpha^3 + 4186740\alpha^2 - 5874040\alpha + 11857475\end{aligned}$$

$$z_9 = 12155 \alpha^9 - 135135 \alpha^8 + 698412 \alpha^7 - 2244396 \alpha^6 + 5093802 \alpha^5 - 8893010 \alpha^4 + 12934780 \alpha^3 - 17184540 \alpha^2 + 23605555 \alpha - 47442055$$

$$z_{10} = 46189 \alpha^{10} - 559130 \alpha^9 + 3159585 \alpha^8 - 11129976 \alpha^7 + 27654858 \alpha^6 - 52390044 \alpha^5 + 80843770 \alpha^4 - 109020920 \alpha^3 + 139554825 \alpha^2 - 189306330 \alpha + 379582629$$

The first functions $w_k(\alpha)$:

x	$w_0(\alpha)$	$w_1(\alpha)$	$w_2(\alpha)$	$w_3(\alpha)$	$w_4(\alpha)$	$w_5(\alpha)$	$w_6(\alpha)$	$w_7(\alpha)$
0.1	1.1111E+00	7.5617E-01	1.3384E+00	3.7992E+00	1.4899E+01	7.4749E+01	4.5743E+02	3.3056E+03
0.2	1.2500E+00	9.3750E-01	1.8457E+00	5.8594E+00	2.5775E+01	1.4527E+02	9.9943E+02	8.1226E+03
0.3	1.4286E+00	1.1990E+00	2.6697E+00	9.6392E+00	4.8356E+01	3.1119E+02	2.4459E+03	2.2714E+04
0.4	1.6667E+00	1.5972E+00	4.1102E+00	1.7248E+01	1.0080E+02	7.5638E+02	6.9345E+03	7.5126E+04
0.5	2.0000E+00	2.2500E+00	6.8906E+00	3.4600E+01	2.4242E+02	2.1822E+03	2.4006E+04	3.1208E+05
0.6	2.5000E+00	3.4375E+00	1.3066E+01	8.1848E+01	7.1645E+02	8.0606E+03	1.1084E+05	1.8011E+06
0.7	3.3333E+00	5.9722E+00	3.0095E+01	2.5104E+02	2.9292E+03	4.3938E+04	8.0554E+05	1.7453E+07
0.8	5.0000E+00	1.3125E+01	9.8789E+01	1.2352E+03	2.1617E+04	4.8639E+05	1.3376E+07	4.3471E+08
0.9	1.0000E+01	5.1250E+01	7.6945E+02	1.9237E+04	6.7330E+05	3.0298E+07	1.6664E+09	1.0832E+11

With fixed $x >$ and $a = -\alpha \rightarrow -\infty$ holds

$$\int_0^x e^{-\alpha t} J_0(t) dt \sim \frac{1}{a} - \frac{1}{2a^3} + \frac{3}{8a^5} - \frac{5}{16a^7} + \frac{35}{128a^9} - \frac{63}{256a^{11}} + \dots =$$

$$= \frac{1}{a} - \frac{0.5}{a^3} + \frac{0.375}{a^5} - \frac{0.3125}{a^7} + \frac{0.2734375}{a^9} - \frac{0.24609375}{a^{11}} + \dots$$

and

$$\int_0^x e^{-\alpha t} I_0(t) dt \sim \frac{1}{a} + \frac{1}{2a^3} + \frac{3}{8a^5} + \frac{5}{16a^7} + \frac{35}{128a^9} + \frac{63}{256a^{11}} + \dots$$

d) Integrals:

Concerning the case 'a = ±1 and modified Bessel function' see page 68.

$$\int e^{ax} J_1(x) dx = -e^{ax} J_0(x) + a \int e^{ax} J_0(x) dx$$

$$\int e^{ax} I_1(x) dx = e^{ax} I_0(x) - a \int e^{ax} I_0(x) dx$$

$$\int x e^{ax} J_0(x) dx = e^{ax} \left[\frac{ax}{a^2 + 1} J_0(x) + \frac{x}{a^2 + 1} J_1(x) \right] - \frac{a}{a^2 + 1} \int e^{ax} J_0(x) dx$$

$$\int x e^{ax} I_0(x) dx = e^{ax} \left[\frac{ax}{a^2 - 1} I_0(x) - \frac{x}{a^2 - 1} I_1(x) \right] - \frac{a}{a^2 - 1} \int e^{ax} I_0(x) dx$$

$$\int x e^{ax} J_1(x) dx = e^{ax} \left[-\frac{x}{a^2 + 1} J_0(x) + \frac{ax}{1 + a^2} J_1(x) \right] + \frac{1}{a^2 + 1} \int e^{ax} J_0(x) dx$$

$$\int x e^{ax} I_1(x) dx = e^{ax} \left[-\frac{x}{a^2 - 1} I_0(x) + \frac{ax}{a^2 - 1} I_1(x) \right] + \frac{1}{a^2 - 1} \int e^{ax} I_0(x) dx$$

$$\int x^2 e^{ax} J_0(x) dx = e^{ax} \left[\frac{a(a^2 + 1)x^2 + (-2a^2 + 1)x}{(a^2 + 1)^2} J_0(x) + \frac{(a^2 + 1)x^2 - 3ax}{(a^2 + 1)^2} J_1(x) \right] + \frac{2a^2 - 1}{(a^2 + 1)^2} \int e^{ax} J_0(x) dx$$

$$\int x^2 e^{ax} I_0(x) dx = e^{ax} \left[\frac{a(a^2 - 1)x^2 - (2a^2 + 1)x}{(a^2 - 1)^2} I_0(x) + \frac{-(a^2 - 1)x^2 + 3ax}{(a^2 - 1)^2} I_1(x) \right] + \frac{2a^2 + 1}{(a^2 - 1)^2} \int e^{ax} I_0(x) dx$$

$$\int x^2 e^{ax} J_1(x) dx = e^{ax} \left[\frac{-(a^2 + 1)x^2 + 3ax}{(a^2 + 1)^2} J_0(x) + \frac{a(a^2 + 1)x^2 + (2 - a^2)x}{(a^2 + 1)^2} J_1(x) \right] - \frac{3a}{(a^2 + 1)^2} \int e^{ax} J_0(x) dx$$

$$\int x^2 e^{ax} I_1(x) dx = e^{ax} \left[\frac{-(a^2 - 1)x^2 + 3ax}{(a^2 - 1)^2} I_0(x) + \frac{a(a^2 - 1)x^2 - (a^2 + 2)x}{(a^2 - 1)^2} I_1(x) \right] - \frac{3a}{(a^2 - 1)^2} \int e^{ax} I_0(x) dx$$

$$\begin{aligned}
\int x^3 e^{ax} J_0(x) dx &= e^{ax} \left[\frac{a(1+a^2)^2 x^3 - (3a^2-2)(1+a^2)x^2 + 3a(2a^2-3)x}{(a^2+1)^3} J_0(x) + \right. \\
&\quad \left. + \frac{(1+a^2)^2 x^3 - 5a(1+a^2)x^2 + (11a^2-4)x}{(a^2+1)^3} J_1(x) \right] - \frac{3a(2a^2-3)}{(a^2+1)^3} \int e^{ax} J_0(x) dx \\
\int x^3 e^{ax} I_0(x) dx &= e^{ax} \left[\frac{a(a^2-1)^2 x^3 - (3a^2+2)(a^2-1)x^2 + 3a(2a^2+3)x}{(a^2-1)^3} I_0(x) + \right. \\
&\quad \left. + \frac{-(a^2-1)^2 x^3 + 5a(a^2-1)x^2 - (11a^2+4)x}{(a^2-1)^3} I_1(x) \right] - \frac{3a(2a^2+3)}{(a^2-1)^3} \int e^{ax} I_0(x) dx \\
\int x^3 e^{ax} J_1(x) dx &= e^{ax} \left[\frac{-(1+a^2)^2 x^3 + 5a(1+a^2)x^2 - 3(4a^2-1)x}{(a^2+1)^3} J_0(x) + \right. \\
&\quad \left. + \frac{a(1+a^2)^2 x^3 - (2a^2-3)(1+a^2)x^2 + a(2a^2-13)x}{(a^2+1)^3} J_1(x) \right] + \frac{12a^2-3}{(a^2+1)^3} \int e^{ax} J_0(x) dx \\
\int x^3 e^{ax} I_1(x) dx &= e^{ax} \left[\frac{-(a^2-1)^2 x^3 + 5a(a^2-1)x^2 - 3(4a^2+1)x}{(a^2-1)^3} I_0(x) + \right. \\
&\quad \left. + \frac{a(a^2-1)^2 x^3 - (2a^2+3)(a^2-1)x^2 + a(2a^2+13)x}{(a^2-1)^3} I_1(x) \right] - \frac{3(4a^2+1)}{(a^2-1)^3} \int e^{ax} I_0(x) dx
\end{aligned}$$

Let

$$\int x^n e^{ax} J_\nu(x) dx = e^{ax} \left[\frac{P_n^{(\nu)}}{(a^2+1)^n} J_0(x) + \frac{Q_n^{(\nu)}}{(a^2+1)^n} J_1(x) \right] + \frac{R_n^{(\nu)}}{(a^2+1)^n} \int e^{ax} J_0(x) dx$$

and

$$\int x^n e^{ax} I_\nu(x) dx = e^{ax} \left[\frac{\mathfrak{P}_n^{(\nu)}}{(a^2-1)^n} I_0(x) + \frac{\mathfrak{Q}_n^{(\nu)}}{(a^2-1)^n} I_1(x) \right] + \frac{\mathfrak{R}_n^{(\nu)}}{(a^2-1)^n} \int e^{ax} I_0(x) dx,$$

then holds

$$P_4^{(0)} = a(1+a^2)^3 x^4 - (4a^2-3)(1+a^2)^2 x^3 + a(12a^2-23)(1+a^2)x^2 + (-24a^4+72a^2-9)x$$

$$Q_4^{(0)} = (1+a^2)^3 x^4 - 7a(1+a^2)^2 x^3 + (26a^2-9)(1+a^2)x^2 - 5a(10a^2-11)x$$

$$R_4^{(0)} = 24a^4 - 72a^2 + 9$$

$$\mathfrak{P}_4^{(0)} = a(a^2-1)^3 x^4 - (4a^2+3)(a^2-1)^2 x^3 + a(12a^2+23)(a^2-1)x^2 - (24a^4+72a^2+9)x$$

$$\mathfrak{Q}_4^{(0)} = -(a^2-1)^3 x^4 + 7a(a^2-1)^2 x^3 - (26a^2+9)(a^2-1)x^2 + 5a(10a^2+11)x$$

$$\mathfrak{R}_4^{(0)} = 24a^4 + 72a^2 + 9$$

$$P_4^{(1)} = -(1+a^2)^3 x^4 + 7a(1+a^2)^2 x^3 - (27a^2-8)(1+a^2)x^2 + 15a(4a^2-3)x$$

$$Q_4^{(1)} = a(1+a^2)^3 x^4 - (3a^2-4)(1+a^2)^2 x^3 + a(6a^2-29)(1+a^2)x^2 + (-6a^4+83a^2-16)x$$

$$R_4^{(1)} = -15a(4a^2-3)$$

$$\mathfrak{P}_4^{(1)} = -(a^2-1)^3 x^4 + 7a(a^2-1)^2 x^3 - (27a^2+8)(a^2-1)x^2 + 15a(4a^2+3)x$$

$$\mathfrak{Q}_4^{(1)} = a(a^2-1)^3 x^4 - (4+3a^2)(a^2-1)^2 x^3 + a(6a^2+29)(a^2-1)x^2 - (6a^4+83a^2+16)x$$

$$\mathfrak{R}_4^{(1)} = -15a (4a^2 + 3)$$

$$P_5^{(0)} = a(1+a^2)^4 x^5 - (5a^2 - 4)(a^2 + 1)^3 x^4 + a(20a^2 - 43)(a^2 + 1)^2 x^3 - \\ - (a^2 + 1)(60a^4 - 223a^2 + 32)x^2 + 15(8a^4 - 40a^2 + 15)ax$$

$$Q_5^{(0)} = (a^2 + 1)^4 x^5 - 9a(a^2 + 1)^3 x^4 + (47a^2 - 16)(a^2 + 1)^2 x^3 - \\ - 7a(22a^2 - 23)(a^2 + 1)x^2 + (274a^4 - 607a^2 + 64)x$$

$$R_5^{(0)} = -15a(8a^4 - 40a^2 + 15)$$

$$\mathfrak{P}_5^{(0)} = a(a^2 - 1)^4 x^5 - (4 + 5a^2)(a^2 - 1)^3 x^4 + a(20a^2 + 43)(a^2 - 1)^2 x^3 - \\ - (60a^4 + 223a^2 + 32)(a^2 - 1)x^2 + 15a(8a^4 + 40a^2 + 15)x$$

$$\mathfrak{Q}_5^{(0)} = - (a^2 - 1)^4 x^5 + 9a(a^2 - 1)^3 x^4 - (16 + 47a^2)(a^2 - 1)^2 x^3 + 7a(22a^2 + 23)(a^2 - 1)x^2 - \\ - (274a^4 + 607a^2 + 64)x$$

$$\mathfrak{R}_5^{(0)} = -15a(8a^4 + 40a^2 + 15)$$

$$P_5^{(1)} = - (a^2 + 1)^4 x^5 + 9(a^2 + 1)^3 ax^4 - 3(16a^2 - 5)(a^2 + 1)^2 x^3 + 21a(8a^2 - 7)(a^2 + 1)x^2 + \\ + (-360a^4 + 540a^2 - 45)x$$

$$Q_5^{(1)} = a(a^2 + 1)^4 x^5 - (-5 + 4a^2)(a^2 + 1)^3 x^4 + 3a(4a^2 - 17)(a^2 + 1)^2 x^3 - \\ - 3(a^2 + 1)(8a^4 - 82a^2 + 15)x^2 + 3a(8a^4 - 194a^2 + 113)x$$

$$R_5^{(1)} = 360a^4 - 540a^2 + 45$$

$$\mathfrak{P}_5^{(1)} = - (a^2 - 1)^4 x^5 + 9a(a^2 - 1)^3 x^4 - 3(16a^2 + 5)(a^2 - 1)^2 x^3 + 21a(8a^2 + 7)(a^2 - 1)x^2 - \\ - (360a^4 + 540a^2 + 45)x$$

$$\mathfrak{Q}_5^{(1)} = a(a^2 - 1)^4 x^5 - (4a^2 + 5)(a^2 - 1)^3 x^4 + 3a(4a^2 + 17)(a^2 - 1)^2 x^3 - \\ - 3(a^2 - 1)(8a^4 + 82a^2 + 15)x^2 + 3a(8a^4 + 194a^2 + 113)x$$

$$\mathfrak{R}_5^{(1)} = 360a^4 + 540a^2 + 45$$

$$P_6^{(0)} = a(a^2 + 1)^5 x^6 - (6a^2 - 5)(a^2 + 1)^4 x^5 + 3a(10a^2 - 23)(a^2 + 1)^3 x^4 - \\ - 3(40a^4 - 166a^2 + 25)(a^2 + 1)^2 x^3 + 9a(a^2 + 1)(40a^4 - 242a^2 + 103)x^2 + \\ + (-720a^6 + 5400a^4 - 4050a^2 + 225)x$$

$$Q_6^{(0)} = (a^2 + 1)^5 x^6 - 11a(a^2 + 1)^4 x^5 + (74a^2 - 25)(a^2 + 1)^3 x^4 - 9a(38a^2 - 39)(a^2 + 1)^2 x^3 + \\ + 9(a^2 + 1)(116a^4 - 244a^2 + 25)x^2 - 63(28a^4 - 104a^2 + 33)ax$$

$$R_6^{(0)} = 720a^6 - 5400a^4 + 4050a^2 - 225$$

$$\mathfrak{P}_6^{(0)} = a(a^2 - 1)^5 x^6 - (6a^2 + 5)(a^2 - 1)^4 x^5 + 3a(10a^2 + 23)(a^2 - 1)^3 x^4 - \\ - 3(40a^4 + 166a^2 + 25)(a^2 - 1)^2 x^3 + 9a(40a^4 + 242a^2 + 103)(a^2 - 1)x^2 - (720a^6 + 5400a^4 + 4050a^2 + 225)x$$

$$\mathfrak{Q}_6^{(0)} = - (a^2 - 1)^5 x^6 + 11a(a^2 - 1)^4 x^5 - (74a^2 + 25)(a^2 - 1)^3 x^4 + 9a(38a^2 + 39)(a^2 - 1)^2 x^3 - \\ - 9(116a^4 + 244a^2 + 25)(a^2 - 1)x^2 + 63a(28a^4 + 104a^2 + 33)x$$

$$\mathfrak{R}_6^{(0)} = 720 a^6 + 5400 a^4 + 4050 a^2 + 225$$

$$\begin{aligned} P_6^{(1)} &= -(a^2 + 1)^5 x^6 + 11 a (a^2 + 1)^4 x^5 - 3 (25 a^2 - 8) (a^2 + 1)^3 x^4 + 9 a (40 a^2 - 37) (a^2 + 1)^2 x^3 - \\ &\quad - 3 (a^2 + 1) (400 a^4 - 691 a^2 + 64) x^2 + 315 (8 a^4 - 20 a^2 + 5) a x \\ Q_6^{(1)} &= a (a^2 + 1)^5 x^6 - (5 a^2 - 6) (a^2 + 1)^4 x^5 + a (20 a^2 - 79) (a^2 + 1)^3 x^4 - \\ &\quad - 3 (20 a^4 - 179 a^2 + 32) (a^2 + 1)^2 x^3 + 3 a (a^2 + 1) (40 a^4 - 718 a^2 + 397) x^2 + \\ &\quad + (-120 a^6 + 4554 a^4 - 5337 a^2 + 384) x \\ R_6^{(1)} &= -315 (8 a^4 - 20 a^2 + 5) a \end{aligned}$$

$$\begin{aligned} \mathfrak{P}_6^{(1)} &= -(a^2 - 1)^5 x^6 + 11 a (a^2 - 1)^4 x^5 - 3 (25 a^2 + 8) (a^2 - 1)^3 x^4 + 9 a (40 a^2 + 37) (a^2 - 1)^2 x^3 - \\ &\quad - 3 (400 a^4 + 691 a^2 + 64) (a^2 - 1) x^2 + 315 a (8 a^4 + 20 a^2 + 5) x \\ \mathfrak{Q}_6^{(1)} &= a (a^2 - 1)^5 x^6 - (5 a^2 + 6) (a^2 - 1)^4 x^5 + a (20 a^2 + 79) (a^2 - 1)^3 x^4 - \\ &\quad - 3 (20 a^4 + 179 a^2 + 32) (a^2 - 1)^2 x^3 + 3 a (a^2 - 1) (40 a^4 + 718 a^2 + 397) x^2 - \\ &\quad - (120 a^6 + 4554 a^4 + 5337 a^2 + 384) x \\ \mathfrak{R}_6^{(1)} &= -315 (8 a^4 + 20 a^2 + 5) a \end{aligned}$$

$$\begin{aligned} P_7^{(0)} &= a (1 + a^2)^6 x^7 - (7 a^2 - 6) (a^2 + 1)^5 x^6 + a (42 a^2 - 101) (a^2 + 1)^4 x^5 - \\ &\quad - 3 (70 a^4 - 311 a^2 + 48) (a^2 + 1)^3 x^4 + 3 a (280 a^4 - 1882 a^2 + 841) (a^2 + 1)^2 x^3 + \\ &\quad - 9 (a^2 + 1) (280 a^6 - 2494 a^4 + 2103 a^2 - 128) x^2 + 315 (16 a^6 - 168 a^4 + 210 a^2 - 35) a x \\ Q_7^{(0)} &= (a^2 + 1)^6 x^7 - 13 a (a^2 + 1)^5 x^6 + (107 a^2 - 36) (a^2 + 1)^4 x^5 - 11 (58 a^2 - 59) (a^2 + 1)^3 a x^4 + \\ &\quad + 9 (306 a^4 - 631 a^2 + 64) (a^2 + 1)^2 x^3 - 9 (a^2 + 1) (892 a^4 - 3144 a^2 + 969) a x^2 + \\ &\quad + (13068 a^6 - 73188 a^4 + 46575 a^2 - 2304) x \\ R_7^{(0)} &= -315 (16 a^6 - 168 a^4 + 210 a^2 - 35) a \end{aligned}$$

$$\begin{aligned} \mathfrak{P}_7^{(0)} &= a (a^2 - 1)^6 x^7 - (7 a^2 + 6) (a^2 - 1)^5 x^6 + a (101 + 42 a^2) (a^2 - 1)^4 x^5 - \\ &\quad - 3 (70 a^4 + 311 a^2 + 48) (a^2 - 1)^3 x^4 + 3 a (280 a^4 + 1882 a^2 + 841) (a^2 - 1)^2 x^3 - \\ &\quad - 9 (280 a^6 + 2494 a^4 + 2103 a^2 + 128) (a^2 - 1) x^2 + 315 a (16 a^6 + 168 a^4 + 210 a^2 + 35) x \\ \mathfrak{Q}_7^{(0)} &= -(a^2 - 1)^6 x^7 + 13 a (a^2 - 1)^5 x^6 - (107 a^2 + 36) (a^2 - 1)^4 x^5 + 11 a (59 + 58 a^2) (a^2 - 1)^3 x^4 - \\ &\quad - 9 (306 a^4 + 631 a^2 + 64) (a^2 - 1)^2 x^3 + 9 a (892 a^4 + 3144 a^2 + 969) (a^2 - 1) x^2 - \\ &\quad - (13068 a^6 + 73188 a^4 + 46575 a^2 + 2304) x \\ \mathfrak{R}_7^{(0)} &= -315 a (16 a^6 + 168 a^4 + 210 a^2 + 35) \end{aligned}$$

$$\begin{aligned} P_7^{(1)} &= -(1 + a^2)^6 x^7 + 13 a (a^2 + 1)^5 x^6 - (108 a^2 - 35) (a^2 + 1)^4 x^5 + 33 a (20 a^2 - 19) (a^2 + 1)^3 x^4 - \\ &\quad - 3 (1000 a^4 - 1828 a^2 + 175) (a^2 + 1)^2 x^3 + 9 a (a^2 + 1) (1080 a^4 - 3076 a^2 + 849) x^2 + \\ &\quad + (-20160 a^6 + 75600 a^4 - 37800 a^2 + 1575) x \\ Q_7^{(1)} &= a (a^2 + 1)^6 x^7 - (6 a^2 - 7) (a^2 + 1)^5 x^6 + a (30 a^2 - 113) (a^2 + 1)^4 x^5 - \end{aligned}$$

$$\begin{aligned}
& - (120a^4 - 992a^2 + 175)(a^2 + 1)^3 x^4 + 9a(40a^4 - 624a^2 + 337)(a^2 + 1)^2 x^3 - \\
& - 9(a^2 + 1)(80a^6 - 2248a^4 + 2502a^2 - 175)x^2 + 9a(80a^6 - 4408a^4 + 8654a^2 - 1873)x \\
& R_7^{(1)} = 20160a^6 - 75600a^4 + 37800a^2 - 1575
\end{aligned}$$

$$\begin{aligned}
\mathfrak{P}_7^{(1)} &= - (a^2 - 1)^6 x^7 + 13a(a^2 - 1)^5 x^6 - (108a^2 + 35)(a^2 - 1)^4 x^5 + \\
& + 33a(20a^2 + 19)(a^2 - 1)^3 x^4 - 3(1000a^4 + 1828a^2 + 175)(a^2 - 1)^2 x^3 + \\
& + 9a(1080a^4 + 3076a^2 + 849)(a^2 - 1) - (20160a^6 + 75600a^4 + 37800a^2 + 1575)x \\
\mathfrak{Q}_7^{(1)} &= a(a^2 - 1)^6 x^7 - (6a^2 + 7)(a^2 - 1)^5 x^6 + a(30a^2 + 113)(a^2 - 1)^4 x^5 - \\
& - (120a^4 + 992a^2 + 175)(a^2 - 1)^3 x^4 + 9a(40a^4 + 624a^2 + 337)(a^2 - 1)^2 x^3 - \\
& - 9(80a^6 + 2248a^4 + 2502a^2 + 175)(a^2 - 1)x^2 + 9a(80a^6 + 4408a^4 + 8654a^2 + 1873)x \\
\mathfrak{R}_7^{(1)} &= 20160a^6 + 75600a^4 + 37800a^2 + 1575
\end{aligned}$$

$$\begin{aligned}
P_8^{(0)} &= a(a^2 + 1)^7 x^8 - (8a^2 - 7)(a^2 + 1)^6 x^7 + a(56a^2 - 139)(a^2 + 1)^5 x^6 - \\
& - (336a^4 - 1564a^2 + 245)(a^2 + 1)^4 x^5 + 3a(560a^4 - 4028a^2 + 1847)(a^2 + 1)^3 x^4 - \\
& - 3(2240a^6 - 22056a^4 + 19524a^2 - 1225)(a^2 + 1)^2 x^3 + \\
& + 9a(a^2 + 1)(2240a^6 - 27512a^4 + 38356a^2 - 6967)x^2 + \\
& + (-40320a^8 + 564480a^6 - 1058400a^4 + 352800a^2 - 11025)x \\
Q_8^{(0)} &= (a^2 + 1)^7 x^8 - 15a(a^2 + 1)^6 x^7 + (146a^2 - 49)(a^2 + 1)^5 x^6 - 13a(82a^2 - 83)(a^2 + 1)^4 x^5 + \\
& + (5944a^4 - 12136a^2 + 1225)(a^2 + 1)^3 x^4 - 99a(248a^4 - 856a^2 + 261)(a^2 + 1)^2 x^3 + \\
& + 9(a^2 + 1)(7696a^6 - 40888a^4 + 25266a^2 - 1225)x^2 - 9a(12176a^6 - 95912a^4 + 101978a^2 - 15159)x \\
R_8^{(0)} &= 40320a^8 - 564480a^6 + 1058400a^4 - 352800a^2 + 11025
\end{aligned}$$

$$\begin{aligned}
\mathfrak{P}_8^{(0)} &= a(a^2 - 1)^7 x^8 - (8a^2 + 7)(a^2 - 1)^6 x^7 + a(56a^2 + 139)(a^2 - 1)^5 x^6 - \\
& - (336a^4 + 1564a^2 + 245)(a^2 - 1)^4 x^5 + 3a(560a^4 + 4028a^2 + 1847)(a^2 - 1)^3 x^4 - \\
& - 3(2240a^6 + 22056a^4 + 19524a^2 + 1225)(a^2 - 1)^2 x^3 + \\
& + 9a(2240a^6 + 27512a^4 + 38356a^2 + 6967)(a^2 - 1)x^2 - \\
& - (40320a^8 + 564480a^6 + 1058400a^4 + 352800a^2 + 11025)x \\
\mathfrak{Q}_8^{(0)} &= - (a^2 - 1)^7 x^8 + 15a(a^2 - 1)^6 x^7 - (146a^2 + 49)(a^2 - 1)^5 x^6 + 13a(82a^2 + 83)(a^2 - 1)^4 x^5 - \\
& - (5944a^4 + 12136a^2 + 1225)(a^2 - 1)^3 x^4 + 99a(248a^4 + 856a^2 + 261)(a^2 - 1)^2 x^3 - \\
& - 9(7696a^6 + 40888a^4 + 25266a^2 + 1225)(a^2 - 1)x^2 + \\
& + 9a(12176a^6 + 95912a^4 + 101978a^2 + 15159)x \\
\mathfrak{R}_8^{(0)} &= 40320a^8 + 564480a^6 + 1058400a^4 + 352800a^2 + 11025
\end{aligned}$$

$$\begin{aligned}
P_8^{(1)} &= - (a^2 + 1)^7 x^8 + 15a(a^2 + 1)^6 x^7 - 3(49a^2 - 16)(a^2 + 1)^5 x^6 + 39a(28a^2 - 27)(a^2 + 1)^4 x^5 - \\
& - 9(700a^4 - 1317a^2 + 128)(a^2 + 1)^3 x^4 + 99a(280a^4 - 844a^2 + 241)(a^2 + 1)^2 x^3 - \\
& - 9(a^2 + 1)(9800a^6 - 41484a^4 + 22767a^2 - 1024)x^2 + 2835a(64a^6 - 336a^4 + 280a^2 - 35)x
\end{aligned}$$

$$\begin{aligned}
Q_8^{(1)} &= a(a^2+1)^7 x^8 - (7a^2-8)(a^2+1)^6 x^7 + 3a(14a^2-51)(a^2+1)^5 x^6 - \\
&- 3(70a^4-549a^2+96)(a^2+1)^4 x^5 + 3a(280a^4-4016a^2+2139)(a^2+1)^3 x^4 - \\
&- 9(280a^6-6816a^4+7407a^2-512)(a^2+1)^2 x^3 + 9a(a^2+1)(560a^6-22872a^4+42666a^2-8977)x^2 + \\
&+ (-5040a^8+382248a^6-1130706a^4+490599a^2-18432)x \\
R_8^{(1)} &= -2835a(64a^6-336a^4+280a^2-35)
\end{aligned}$$

$$\begin{aligned}
\mathfrak{P}_8^{(1)} &= -(a^2-1)^7 x^8 + 15a(a^2-1)^6 x^7 - 3(49a^2+16)(a^2-1)^5 x^6 + 39a(28a^2+27)(a^2-1)^4 x^5 - \\
&- 9(700a^4+1317a^2+128)(a^2-1)^3 x^4 + 99a(280a^4+844a^2+241)(a^2-1)^2 x^3 - \\
&- 9(9800a^6+41484a^4+22767a^2+1024)(a^2-1)x^2 + 2835a(64a^6+336a^4+280a^2+35)x \\
\mathfrak{Q}_8^{(1)} &= a(a^2-1)^7 x^8 - (7a^2+8)(a^2-1)^6 x^7 + 3a(14a^2+51)(a^2-1)^5 x^6 - \\
&- 3(70a^4+549a^2+96)(a^2-1)^4 x^5 + 3a(280a^4+4016a^2+2139)(a^2-1)^3 x^4 - \\
&- 9(280a^6+6816a^4+7407a^2+512)(a^2-1)^2 x^3 + 9a(560a^6+22872a^4+42666a^2+8977)(a^2-1)x^2 - \\
&- (5040a^8+382248a^6+1130706a^4+490599a^2+18432)x \\
\mathfrak{R}_8^{(1)} &= -2835a(64a^6+336a^4+280a^2+35)
\end{aligned}$$

Recurrence formulas: Let

$$\mathbf{J}_n^{(\nu)} = \int x^n e^{ax} J_\nu(x) dx, \quad \mathbf{I}_n^{(\nu)} = \int x^n e^{ax} I_\nu(x) dx,$$

then holds

$$\begin{aligned}
\mathbf{J}_{n+1}^{(0)} &= \frac{x^{n+1} e^{ax} [aJ_0(x) + J_1(x)] - (n+1)a\mathbf{J}_n^{(0)} - n\mathbf{J}_n^{(1)}}{a^2+1}, \\
\mathbf{J}_{n+1}^{(1)} &= \frac{x^{n+1} e^{ax} [aJ_1(x) - J_0(x)] + (n+1)\mathbf{J}_n^{(0)} - a n\mathbf{J}_n^{(1)}}{a^2+1}
\end{aligned}$$

and

$$\begin{aligned}
\mathbf{I}_{n+1}^{(0)} &= \frac{x^{n+1} e^{ax} [aI_0(x) - I_1(x)] - (n+1)a\mathbf{I}_n^{(0)} + n\mathbf{I}_n^{(1)}}{a^2-1}, \\
\mathbf{I}_{n+1}^{(1)} &= \frac{x^{n+1} e^{ax} [aI_1(x) - I_0(x)] + (n+1)\mathbf{I}_n^{(0)} - a n\mathbf{I}_n^{(1)}}{a^2-1}.
\end{aligned}$$

e) Special Cases:

$$\begin{aligned}
\int x^2 \exp\left(\frac{x}{\sqrt{2}}\right) J_0(x) dx &= \frac{x}{3} \left[\sqrt{2}x J_0(x) + 2(x-\sqrt{2}) J_1(x) \right] \exp\left(\frac{x}{\sqrt{2}}\right) \\
\int x^2 \exp\left(-\frac{x}{\sqrt{2}}\right) J_0(x) dx &= \frac{x}{3} \left[-\sqrt{2}x J_0(x) + 2(x+\sqrt{2}) J_1(x) \right] \exp\left(-\frac{x}{\sqrt{2}}\right) \\
\int x^3 \exp\left(\sqrt{\frac{3}{2}}x\right) J_0(x) dx &= \frac{x}{5} \left[(\sqrt{6}x^2 - 2x) J_0(x) + (x^2 - \sqrt{6}x + 2) J_1(x) \right] \exp\left(\sqrt{\frac{3}{2}}x\right) \\
\int x^3 \exp\left(-\sqrt{\frac{3}{2}}x\right) J_0(x) dx &= \frac{x}{5} \left[-(\sqrt{6}x^2 + 2x) J_0(x) + (x^2 + \sqrt{6}x + 2) J_1(x) \right] \exp\left(-\sqrt{\frac{3}{2}}x\right) \\
\int x^3 \exp\left(\frac{x}{2}\right) J_0(x) dx &= \frac{2x}{5} \left[-(2x^2 - 4x) J_0(x) + (x^2 + 4x - 8) J_1(x) \right] \exp\left(\frac{x}{2}\right)
\end{aligned}$$

$$\int x^3 \exp\left(-\frac{x}{2}\right) J_0(x) dx = -\frac{2x}{5} [(2x^2 + 4x) J_0(x) + (x^2 - 4x - 8) J_1(x)] \exp\left(-\frac{x}{2}\right)$$

$$w = \pm \frac{\sqrt{6 \pm \sqrt{30}}}{2} = \pm \{0.361\,516; 1.693\,903\}$$

$$\int x^4 e^{wx} J_0(x) dx = \frac{x}{5w(4w^2 - 3)} \{[(12w^2 - 3)x^3 - 24wx^2 + 24x] J_0(x) + [(8w^3 - 12w)x^3 + (-24w^2 + 12)x^2 + 48wx - 48] J_1(x)\} e^{wx}$$

$$w = \pm \frac{\sqrt{3}}{2} = \pm 0.866\,025$$

$$\int x^4 e^{wx} J_1(x) dx = \frac{x}{8w^4 - 24w^2 + 3} \{[(12w^2 - 3)x^3 - 24wx^2 + 24x] J_0(x) + [(8w^3 - 12w)x^3 + (-24w^2 + 12)x^2 + 48wx - 48] J_1(x)\} e^{wx}$$

$$w = \pm \frac{\sqrt{10 \pm \sqrt{70}}}{2} = \pm \{0.639\,023; 2.142\,814\}$$

$$\int x^5 e^{wx} J_0(x) dx = \frac{x}{3(8w^4 - 12w^2 + 1)} \{[(16w^3 - 12w)x^4 + (-48w^2 + 12)x^3 + 96wx - 96x] J_0(x) + [(8w^4 - 24w^2 + 3)x^4 + (-32w^3 + 48w)x^3 + (96w^2 - 48)x^2 - 192wx + 192] J_1(x)\} e^{wx}$$

$$w = \pm \frac{\sqrt{3 \pm \sqrt{7}}}{2} = \pm \{0.297\,594; 1.188\,039\}$$

$$\int x^5 e^{wx} J_1(x) dx = \frac{x}{w(8w^4 - 40w^2 + 15)} \{[(16w^3 - 12w)x^4 + (-48w^2 + 12)x^3 + 96wx^2 - 96x] J_0(x) + [(8w^4 - 24w^2 + 3)x^4 + (-32w^3 + 48w)x^3 + (96w^2 - 48)x^2 - 192wx + 192] J_1(x)\} e^{wx}$$

$$16w^6 - 120w^4 + 90w^2 - 5 = 0 \implies w \in \{\pm 0.245\,717\,164, \pm 0.881\,375\,831, \pm 2.581\,239\,958\}$$

$$\int x^6 e^{wx} J_0(x) dx = \frac{x}{7w(8w^4 - 20w^2 + 5)} \cdot \{[(40w^4 - 60w^2 + 5)x^5 + (-160w^3 + 120w)x^4 + (480w^2 - 120)x^3 - 960wx^2 + 960x] J_0(x) + [(16w^5 - 80w^3 + 30w)x^5 + (-80w^4 + 240w^2 - 30)x^4 + (320w^3 - 480w)x^3 + (-960w^2 + 480)x^2 + 1920wx - 1920] J_1(x)\} e^{wx}$$

$$w = \pm \frac{\sqrt{5 \pm \sqrt{15}}}{2} = \pm \{0.530\,805, 1.489\,378\}$$

$$\int x^6 e^{wx} J_1(x) dx = \frac{x}{16w^6 - 120w^4 + 90w^2 - 5} \{[(40w^4 - 60w^2 + 5)x^5 + (-160w^3 + 120w)x^4 + (480w^2 - 120)x^3 - 960wx^2 + 960w] J_0(x) + [(16w^5 - 80w^3 + 30w)x^5 + (-80w^4 + 240w^2 - 30)x^4 + (320w^3 - 480w)x^3 + (-960w^2 + 480)x^2 + 1920x - 1920] J_1(x)\} e^{wx}$$

$$16w^6 - 168w^4 + 210w^2 - 35 = 0 \quad \Rightarrow \quad w \in \{\pm 0.444\ 060\ 144, \pm 1.105\ 247\ 947, \pm 3.013\ 509\ 178\}$$

$$\begin{aligned} \int x^7 e^{wx} J_0(x) dx &= \frac{x}{64w^6 - 240w^4 + 120w^2 - 5} \left\{ [(48w^5 - 120w^3 + 30w)x^6 + (-240w^4 + 360w^2 - 30)x^5 + \right. \\ &\quad \left. + (960w^3 - 720w)x^4 + (-2880w^2 + 720)x^3 + 5760wx^2 - 5760x] J_0(x) + \right. \\ &\quad \left. + [(16w^6 - 120w^4 + 90w^2 - 5)x^6 + (-96w^5 + 480w^3 - 180w)x^5 + (480w^4 - 1440w^2 + 180)x^4 + \right. \\ &\quad \left. + (-1920w^3 + 2880w)x^3 + (5760w^2 - 2880)x^2 - 11520wx + 11520] J_1(x) \right\} e^{wx} \end{aligned}$$

$$64w^6 - 240w^4 + 120w^2 - 5 = 0 \quad \Rightarrow \quad w \in \{\pm 0.214\ 039\ 849, \pm 0.733\ 975\ 352, \pm 1.779\ 175\ 968\}$$

$$\begin{aligned} \int x^7 e^{wx} J_1(x) dx &= \frac{x}{w(16w^6 - 168w^4 + 210w^2 - 35)} \cdot \\ &\quad \cdot \left\{ [(48w^5 - 120w^3 + 30w)x^6 + (-240w^4 + 360w^2 - 30)x^5 + (960w^3 - 720w)x^4 \right. \\ &\quad \left. + (-2880w^2 + 720)x^3 + 5760wx^2 - 5760] J_0(x) + \right. \\ &\quad \left. + [(16w^6 - 120w^4 + 90w^2 - 5)x^6 + (-96w^5 + 480w^3 - 180w)x^5 + (480w^4 - 1440w^2 + 180)x^4 + \right. \\ &\quad \left. + (-1920w^3 + 2880w)x^3 + (5760w^2 - 2880)x^2 - 11520wx + 11520] J_1(x) \right\} e^{wx} \end{aligned}$$

1.2.6. Integrals of the type $\int x^{-n-1/2} \sin x J_\nu(x) dx$ and $\int x^{-n-1/2} \cos x J_\nu(x) dx$

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$.

The next four integrals are special cases of the general integral 1.8.2.7 from [4].

$$\begin{aligned}\int \frac{\sin x J_0(x) dx}{x^{3/2}} &= \frac{(4x \cos x - 2 \sin x)J_0(x) + 4x \sin x J_1(x)}{\sqrt{x}} \\ \int \frac{\cos x J_0(x) dx}{x^{3/2}} &= \frac{(-4x \sin x - 2 \cos x)J_0(x) + 4x \cos x J_1(x)}{\sqrt{x}} \\ \int \frac{\sin x J_1(x) dx}{x^{3/2}} &= \frac{4x \sin x J_0(x) - (4x \cos x + 2 \sin x) J_1(x)}{3\sqrt{x}} \\ \int \frac{\cos x J_1(x) dx}{x^{3/2}} &= \frac{4x \cos x J_0(x) + (4x \sin x - 2 \cos x)J_1(x)}{3\sqrt{x}}\end{aligned}$$

$$\begin{aligned}\int \frac{\sin x J_0(x) dx}{x^{5/2}} &= \frac{[(-32x^2 - 6) \sin x - 12x \cos x] J_0(x) + [4x \sin x + 32x^2 \cos x] J_1(x)}{9x^{3/2}} \\ \int \frac{\cos x J_0(x) dx}{x^{5/2}} &= \frac{[12x \sin x - (32x^2 + 6) \cos x] J_0(x) + [-32x^2 \sin x + 4x \cos x] J_1(x)}{9x^{3/2}} \\ \int \frac{\sin x J_1(x) dx}{x^{5/2}} &= \frac{[-12x \sin x + 32x^2 \cos x] J_0(x) + [(32x^2 - 6) \sin x - 4x \cos x] J_1(x)}{15x^{3/2}} \\ \int \frac{\cos x J_1(x) dx}{x^{5/2}} &= \frac{[-32x^2 \sin x - 12x \cos x] J_0(x) + [4x \sin x + (32x^2 - 6) \cos x] J_1(x)}{15x^{3/2}} \\ & \int \frac{\sin x J_0(x) dx}{x^{7/2}} = \\ &= \frac{[(192x^2 - 90) \sin x + (-512x^3 - 60x) \cos x] J_0(x) + [(-512x^3 + 36x) \sin x + 64x^2 \cos x] J_1(x)}{225x^{5/2}} \\ & \int \frac{\cos x J_0(x) dx}{x^{7/2}} = \\ &= \frac{[(512x^3 + 60x) \sin x + (192x^2 - 90) \cos x] J_0(x) + [-64x^2 \sin x + (-512x^3 + 36x) \cos x] J_1(x)}{225x^{5/2}} \\ & \int \frac{\sin x J_1(x) dx}{x^{7/2}} = \\ &= \frac{[(-512x^3 - 60x) \sin x - 192x^2 \cos x] J_0(x) + [(64x^2 - 90) \sin x + (512x^3 - 36x) \cos x] J_1(x)}{315x^{5/2}} \\ & \int \frac{\cos x J_1(x) dx}{x^{7/2}} = \\ &= \frac{[192x^2 \sin x + (-512x^3 - 60x) \cos x] J_0(x) + [(-512x^3 + 36x) \sin x + (64x^2 - 90) \cos x] J_1(x)}{315x^{5/2}}\end{aligned}$$

Let

$$\int \frac{\sin x J_\nu(x) dx}{x^{n+1/2}} = \frac{[P_n^{(s,\nu)}(x) \sin x + Q_n^{(s,\nu)}(x) \cos x] J_0(x) + [R_n^{(s,\nu)}(x) \sin x + S_n^{(s,\nu)}(x) \cos x] J_1(x)}{N_n^{(s,\nu)} x^{n-1/2}}$$

and

$$\int \frac{\cos x J_\nu(x) dx}{x^{n+1/2}} = \frac{[P_n^{(c,\nu)}(x) \sin x + Q_n^{(c,\nu)}(x) \cos x] J_0(x) + [R_n^{(c,\nu)}(x) \sin x + S_n^{(c,\nu)}(x) \cos x] J_1(x)}{N_n^{(c,\nu)} x^{n-1/2}},$$

then holds

$$\begin{aligned}
P_4^{(s,0)}(x) &= 4096x^4 + 480x^2 - 1050, & Q_4^{(s,0)}(x) &= 1536x^3 - 420x, & R_4^{(s,0)}(x) &= -512x^3 + 300x, \\
S_4^{(s,0)}(x) &= -4096x^4 + 288x^2, & N_4^{(s,0)} &= 3675 \\
P_4^{(c,0)}(x) &= -1536x^3 + 420x, & Q_4^{(c,0)}(x) &= 4096x^4 + 480x^2 - 1050, & R_4^{(c,0)}(x) &= 4096x^4 - 288x^2, \\
S_4^{(c,0)}(x) &= -512x^3 + 300x, & N_4^{(c,0)} &= 3675 \\
P_4^{(s,1)}(x) &= 1536x^3 - 420x, & Q_4^{(s,1)}(x) &= -4096x^4 - 480x^2, & R_4^{(s,1)}(x) &= -4096x^4 + 288x^2 - 1050, \\
S_4^{(s,1)}(x) &= 512x^3 - 300x, & N_4^{(s,1)} &= 4725 \\
P_4^{(c,1)}(x) &= 4096x^4 + 480x^2, & Q_4^{(c,1)}(x) &= 1536x^3 - 420x, & R_4^{(c,1)}(x) &= -512x^3 + 300x, \\
S_4^{(c,1)}(x) &= -4096x^4 + 288x^2 - 1050, & N_4^{(c,1)} &= 4725 \\
\\
P_5^{(s,0)}(x) &= -49152x^4 + 13440x^2 - 66150, & Q_5^{(s,0)}(x) &= 131072x^5 + 15360x^3 - 18900x, \\
R_5^{(s,0)}(x) &= 131072x^5 - 9216x^3 + 14700x, & S_5^{(s,0)}(x) &= -16384x^4 + 9600x^2, & N_5^{(s,0)} &= 297675 \\
P_5^{(c,0)}(x) &= -131072x^5 - 15360x^3 + 18900x, & Q_5^{(c,0)}(x) &= -49152x^4 + 13440x^2 - 66150, \\
R_5^{(c,0)}(x) &= 16384x^4 - 9600x^2, & S_5^{(c,0)}(x) &= 131072x^5 - 9216x^3 + 14700x, & N_5^{(c,0)} &= 297675 \\
P_5^{(s,1)}(x) &= 131072x^5 + 15360x^3 - 18900x, & Q_5^{(s,1)}(x) &= 49152x^4 - 13440x^2, \\
R_5^{(s,1)}(x) &= -16384x^4 + 9600x^2 - 66150, & S_5^{(s,1)}(x) &= -131072x^5 + 9216x^3 - 14700x, & N_5^{(s,1)} &= 363825 \\
P_5^{(c,1)}(x) &= -49152x^4 + 13440x^2, & Q_5^{(c,1)}(x) &= 131072x^5 + 15360x^3 - 18900x, \\
R_5^{(c,1)}(x) &= 131072x^5 - 9216x^3 + 14700x, & S_5^{(c,1)}(x) &= -16384x^4 + 9600x^2 - 66150, & N_5^{(c,1)} &= 363825 \\
\\
P_6^{(s,0)}(x) &= -1048576x^6 - 122880x^4 + 151200x^2 - 1309770, & Q_6^{(s,0)}(x) &= -393216x^5 + 107520x^3 - 291060x, \\
R_6^{(s,0)}(x) &= 131072x^5 - 76800x^3 + 238140x, & S_6^{(s,0)}(x) &= 1048576x^6 - 73728x^4 + 117600x^2, & N_6^{(s,0)} &= 7203735 \\
P_6^{(c,0)}(x) &= 393216x^5 - 107520x^3 + 291060x, & Q_6^{(c,0)}(x) &= -1048576x^6 - 122880x^4 + 151200x^2 - 1309770, \\
R_6^{(c,0)}(x) &= -1048576x^6 + 73728x^4 - 117600x^2, & S_6^{(c,0)}(x) &= 131072x^5 - 76800x^3 + 238140x, \\
N_6^{(c,0)} &= 7203735 \\
P_6^{(s,1)}(x) &= -393216x^5 + 107520x^3 - 291060x, & Q_6^{(s,1)}(x) &= 1048576x^6 + 122880x^4 - 151200x^2, \\
R_6^{(s,1)}(x) &= 1048576x^6 - 73728x^4 + 117600x^2 - 1309770, & S_6^{(s,1)}(x) &= -131072x^5 + 76800x^3 - 238140x, \\
N_6^{(s,1)} &= 8513505 \\
P_6^{(c,1)}(x) &= -1048576x^6 - 122880x^4 + 151200x^2, & Q_6^{(c,1)}(x) &= -393216x^5 + 107520x^3 - 291060x, \\
R_6^{(c,1)}(x) &= 131072x^5 - 76800x^3 + 238140x, & S_6^{(c,1)}(x) &= 1048576x^6 - 73728x^4 + 117600x^2 - 1309770, \\
N_6^{(c,1)} &= 8513505 \\
\\
P_7^{(s,0)}(x) &= 6291456x^6 - 1720320x^4 + 4656960x^2 - 62432370, \\
Q_7^{(s,0)}(x) &= -16777216x^7 - 1966080x^5 + 2419200x^3 - 11351340x, \\
R_7^{(s,0)}(x) &= -16777216x^7 + 1179648x^5 - 1881600x^3 + 9604980x, \\
S_7^{(s,0)}(x) &= 2097152x^6 - 1228800x^4 + 3810240x^2, & N_7^{(s,0)} &= 405810405
\end{aligned}$$

$$\begin{aligned}
P_7^{(c,0)}(x) &= 16777216 x^7 + 1966080 x^5 - 2419200 x^3 + 11351340 x, \\
Q_7^{(c,0)}(x) &= 6291456 x^6 - 1720320 x^4 + 4656960 x^2 - 62432370, \\
R_7^{(c,0)}(x) &= -2097152 x^6 + 1228800 x^4 - 3810240 x^2, \\
S_7^{(c,0)}(x) &= -16777216 x^7 + 1179648 x^5 - 1881600 x^3 + 9604980 x, \quad N_7^{(c,0)} = 405810405 \\
P_7^{(s,1)}(x) &= -16777216 x^7 - 1966080 x^5 + 2419200 x^3 - 11351340 x, \\
Q_7^{(s,1)}(x) &= -6291456 x^6 + 1720320 x^4 - 4656960 x^2, \\
R_7^{(s,1)}(x) &= 2097152 x^6 - 1228800 x^4 + 3810240 x^2 - 62432370, \\
S_7^{(s,1)}(x) &= 16777216 x^7 - 1179648 x^5 + 1881600 x^3 - 9604980 x, \quad N_7^{(s,1)} = 468242775 \\
P_7^{(c,1)}(x) &= 6291456 x^6 - 1720320 x^4 + 4656960 x^2, \\
Q_7^{(c,1)}(x) &= -16777216 x^7 - 1966080 x^5 + 2419200 x^3 - 11351340 x, \\
R_7^{(c,1)}(x) &= -16777216 x^7 + 1179648 x^5 - 1881600 x^3 + 9604980 x, \\
S_7^{(c,1)}(x) &= 2097152 x^6 - 1228800 x^4 + 3810240 x^2 - 62432370, \quad N_7^{(c,1)} = 468242775 \\
P_8^{(s,0)}(x) &= 134217728 x^8 + 15728640 x^6 - 19353600 x^4 + 90810720 x^2 - 1739187450, \\
Q_8^{(s,0)}(x) &= 50331648 x^7 - 13762560 x^5 + 37255680 x^3 - 267567300 x, \\
R_8^{(s,0)}(x) &= -16777216 x^7 + 9830400 x^5 - 30481920 x^3 + 231891660 x, \\
S_8^{(s,0)}(x) &= -134217728 x^8 + 9437184 x^6 - 15052800 x^4 + 76839840 x^2, \quad N_8^{(s,0)} = 13043905875 \\
P_8^{(c,0)}(x) &= -50331648 x^7 + 13762560 x^5 - 37255680 x^3 + 267567300 x, \\
Q_8^{(c,0)}(x) &= 134217728 x^8 + 15728640 x^6 - 19353600 x^4 + 90810720 x^2 - 1739187450, \\
R_8^{(c,0)}(x) &= 134217728 x^8 - 9437184 x^6 + 15052800 x^4 - 76839840 x^2, \\
S_8^{(c,0)}(x) &= -16777216 x^7 + 9830400 x^5 - 30481920 x^3 + 231891660 x, \quad N_8^{(c,0)} = 13043905875 \\
P_8^{(s,1)}(x) &= 50331648 x^7 - 13762560 x^5 + 37255680 x^3 - 267567300 x, \\
Q_8^{(s,1)}(x) &= -134217728 x^8 - 15728640 x^6 + 19353600 x^4 - 90810720 x^2, \\
R_8^{(s,1)}(x) &= -134217728 x^8 + 9437184 x^6 - 15052800 x^4 + 76839840 x^2 - 1739187450, \\
S_8^{(s,1)}(x) &= 16777216 x^7 - 9830400 x^5 + 30481920 x^3 - 231891660 x, \quad N_8^{(s,1)} = 14783093325 \\
P_8^{(c,1)}(x) &= 134217728 x^8 + 15728640 x^6 - 19353600 x^4 + 90810720 x^2, \\
Q_8^{(c,1)}(x) &= 50331648 x^7 - 13762560 x^5 + 37255680 x^3 - 267567300 x, \\
R_8^{(c,1)}(x) &= -16777216 x^7 + 9830400 x^5 - 30481920 x^3 + 231891660 x, \\
S_8^{(c,1)}(x) &= -134217728 x^8 + 9437184 x^6 - 15052800 x^4 + 76839840 x^2 - 1739187450, \\
N_8^{(c,1)} &= 14783093325
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
\text{Let } I_n^{(s,\nu)} &= \int \frac{\sin x J_\nu(x) dx}{x^{n+1/2}} \quad \text{and} \quad I_n^{(c,\nu)} = \int \frac{\cos x J_\nu(x) dx}{x^{n+1/2}}, \quad \text{then holds} \\
I_{n+1}^{(s,0)} &= \frac{2}{2n+1} \left[I_n^{(c,0)} - I_n^{(s,1)} - \frac{\sin x \cdot J_0(x)}{x^{n+1/2}} \right], \quad I_{n+1}^{(s,1)} = \frac{2}{2n+3} \left[I_n^{(s,0)} + I_n^{(c,1)} - \frac{\sin x \cdot J_1(x)}{x^{n+1/2}} \right] \\
I_{n+1}^{(c,0)} &= \frac{2}{2n+1} \left[-I_n^{(s,0)} - I_n^{(c,1)} - \frac{\cos x \cdot J_0(x)}{x^{n+1/2}} \right], \quad I_{n+1}^{(c,1)} = \frac{2}{2n+3} \left[I_n^{(c,0)} - I_n^{(s,1)} - \frac{\cos x \cdot J_1(x)}{x^{n+1/2}} \right]
\end{aligned}$$

1.2.7. Integrals of the Type $\int x^{-n-1/2} e^{\pm x} \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\} dx$

a) Integrals $\int x^{-n-1/2} e^x I_\nu(x) dx$:

See also [4], 1.11.2. and 1.11.? .

$$\int \frac{e^x I_0(x) dx}{x^{3/2}} = \frac{(4x-2)I_0(x) - 4xI_1(x)}{\sqrt{x}} e^x$$

$$\int \frac{e^x I_1(x) dx}{x^{3/2}} = \frac{4xI_0(x) - (2+4x)I_1(x)}{3\sqrt{x}} e^x$$

$$\int \frac{e^x K_0(x) dx}{x^{3/2}} = \frac{(4x-2)K_0(x) + 4xK_1(x)}{\sqrt{x}} e^x$$

$$\int \frac{e^x K_1(x) dx}{x^{3/2}} = -\frac{4xK_0(x) + (2+4x)K_1(x)}{3\sqrt{x}} e^x$$

$$\int \frac{e^x I_0(x) dx}{x^{5/2}} = \frac{(-6-12x+32x^2)I_0(x) - (4x+32x^2)I_1(x)}{9x^{3/2}} e^x$$

$$\int \frac{e^x I_1(x) dx}{x^{5/2}} = \frac{(-12x+32x^2)I_0(x) - (6+4x+32x^2)I_1(x)}{15x^{3/2}} e^x$$

$$\int \frac{e^x K_0(x) dx}{x^{5/2}} = \frac{(-6-12x+32x^2)K_0(x) + (4x+32x^2)K_1(x)}{9x^{3/2}} e^x$$

$$\int \frac{e^x K_1(x) dx}{x^{5/2}} = \frac{(12x-32x^2)K_0(x) - (6+4x+32x^2)K_1(x)}{15x^{3/2}} e^x$$

$$\int \frac{e^x I_0(x) dx}{x^{7/2}} = \frac{(512x^3 - 192x^2 - 60x - 90)I_0(x) - (512x^3 + 64x^2 + 36x)I_1(x)}{225x^{5/2}} e^x$$

$$\int \frac{e^x I_1(x) dx}{x^{7/2}} = \frac{(512x^3 - 192x^2 - 60x)I_0(x) - (512x^3 + 64x^2 + 36x + 90)I_1(x)}{315x^{5/2}} e^x$$

$$\int \frac{e^x K_0(x) dx}{x^{7/2}} = \frac{(512x^3 - 192x^2 - 60x - 90)K_0(x) + (512x^3 + 64x^2 + 36x)K_1(x)}{225x^{5/2}} e^x$$

$$\int \frac{e^x K_1(x) dx}{x^{7/2}} = \frac{(-512x^3 + 192x^2 + 60x)K_0(x) - (512x^3 + 64x^2 + 36x + 90)K_1(x)}{315x^{5/2}} e^x$$

Let

$$\int \frac{e^x I_0(x) dx}{x^{n+1/2}} = \frac{P_n^{(0,+)}(x)I_0(x) - Q_n^{(0,+)}(x)I_1(x)}{N_n^{(0,+)}x^{n-1/2}} e^x,$$

$$\int \frac{e^x I_1(x) dx}{x^{n+1/2}} = \frac{P_n^{(1,+)}(x)I_0(x) - Q_n^{(1,+)}(x)I_1(x)}{N_n^{(1,+)}x^{n-1/2}} e^x,$$

then holds¹ with the same coefficients P_n and Q_n

$$\int \frac{e^x K_0(x) dx}{x^{n+1/2}} = \frac{P_n^{(0,+)}(x)K_0(x) + Q_n^{(0,+)}(x)K_1(x)}{N_n^{(0,+)}x^{n-1/2}} e^x,$$

$$\int \frac{e^x K_1(x) dx}{x^{n+1/2}} = \frac{-P_n^{(1,+)}(x)K_0(x) - Q_n^{(1,+)}(x)K_1(x)}{N_n^{(1,+)}x^{n-1/2}} e^x.$$

$$P_4^{(0,+)}(x) = 4096x^4 - 1536x^3 - 480x^2 - 420x - 1050,$$

¹Note that there are signs '-' in the numerators!

$$Q_4^{(0,+)}(x) = 4096x^4 + 512x^3 + 288x^2 + 300x, \quad N_4^{(0,+)} = 3675$$

$$P_4^{(1,+)}(x) = 4096x^4 - 1536x^3 - 480x^2 - 420x,$$

$$Q_4^{(1,+)}(x) = 4096x^4 + 512x^3 + 288x^2 + 300x + 1050, \quad N_4^{(1,+)} = 4725$$

$$P_5^{(0,+)}(x) = 131072x^5 - 49152x^4 - 15360x^3 - 13440x^2 - 18900x - 66150,$$

$$Q_5^{(0,+)}(x) = 131072x^5 + 16384x^4 + 9216x^3 + 9600x^2 + 14700x, \quad N_5^{(0,+)} = 297675$$

$$P_5^{(1,+)}(x) = 131072x^5 - 49152x^4 - 15360x^3 - 13440x^2 - 18900x,$$

$$Q_5^{(1,+)}(x) = 131072x^5 + 16384x^4 + 9216x^3 + 9600x^2 + 14700x + 66150, \quad N_5^{(1,+)} = 363825$$

$$P_6^{(0,+)}(x) = 1048576x^6 - 393216x^5 - 122880x^4 - 107520x^3 - 151200x^2 - 291060x - 1309770$$

$$Q_6^{(0,+)}(x) = 1048576x^6 + 131072x^5 + 73728x^4 + 76800x^3 + 117600x^2 + 238140x,$$

$$N_6^{(0,+)} = 7203735$$

$$P_6^{(1,+)}(x) = 1048576x^6 - 393216x^5 - 122880x^4 - 107520x^3 - 151200x^2 - 291060x,$$

$$Q_6^{(1,+)}(x) = 1048576x^6 + 131072x^5 + 73728x^4 + 76800x^3 + 117600x^2 + 238140x + 1309770,$$

$$N_6^{(1,+)} = 8513505$$

$$P_7^{(0,+)}(x) =$$

$$= 16777216x^7 - 6291456x^6 - 1966080x^5 - 1720320x^4 - 2419200x^3 - 4656960x^2 - 11351340x - 62432370,$$

$$Q_7^{(0,+)}(x) =$$

$$= 16777216x^7 + 2097152x^6 + 1179648x^5 + 1228800x^4 + 1881600x^3 + 3810240x^2 + 9604980x,$$

$$N_7^{(0,+)} = 405810405$$

$$P_7^{(1,+)}(x) =$$

$$= 16777216x^7 - 6291456x^6 - 1966080x^5 - 1720320x^4 - 2419200x^3 - 4656960x^2 - 11351340x,$$

$$Q_7^{(1,+)}(x) =$$

$$= 16777216x^7 + 2097152x^6 + 1179648x^5 + 1228800x^4 + 1881600x^3 + 3810240x^2 + 9604980x + 62432370,$$

$$N_7^{(1,+)} = 468242775$$

Recurrence relations:

$$\text{With } \mathbf{I}_n^{(\nu,+)} = \int \frac{e^x I_\nu(x) dx}{x^{n+1/2}} \quad \text{and} \quad \mathbf{K}_n^{(\nu,+)} = \int \frac{e^x K_\nu(x) dx}{x^{n+1/2}} \quad \text{holds}$$

$$\mathbf{I}_n^{(0,+)} = \frac{2}{2n-1} \left[\mathbf{I}_{n-1}^{(0,+)} + \mathbf{I}_{n-1}^{(1,+)} - \frac{e^x I_0(x)}{x^{n-1/2}} \right], \quad \mathbf{I}_n^{(1,+)} = \frac{2}{2n+1} \left[\mathbf{I}_{n-1}^{(0,+)} + \mathbf{I}_{n-1}^{(1,+)} - \frac{e^x I_1(x)}{x^{n-1/2}} \right],$$

$$\mathbf{K}_n^{(0,+)} = \frac{2}{2n-1} \left[\mathbf{K}_{n-1}^{(0,+)} - \mathbf{K}_{n-1}^{(1,+)} - \frac{e^x K_0(x)}{x^{n-1/2}} \right], \quad \mathbf{K}_n^{(1,+)} = \frac{2}{2n+1} \left[-\mathbf{K}_{n-1}^{(0,+)} + \mathbf{K}_{n-1}^{(1,+)} - \frac{e^x K_1(x)}{x^{n-1/2}} \right]$$

b) Integrals $\int x^{-n-1/2} e^{-x} I_\nu(x) dx$:

See also [4], 1.11.2.1 and 1.11.?. .

$$\int \frac{e^{-x} I_0(x) dx}{x^{3/2}} = -\frac{(4x+2)I_0(x) + 4xI_1(x)}{\sqrt{x}} e^{-x}$$

$$\int \frac{e^{-x} I_1(x) dx}{x^{3/2}} = \frac{4xI_0(x) + (4x-2)I_1(x)}{3\sqrt{x}} e^{-x}$$

$$\int \frac{e^{-x} K_0(x) dx}{x^{3/2}} = \frac{-(4x+2)K_0(x) + 4xK_1(x)}{\sqrt{x}} e^{-x}$$

$$\int \frac{e^{-x} K_1(x) dx}{x^{3/2}} = \frac{-4xK_0(x) + (4x-2)K_1(x)}{3\sqrt{x}} e^{-x}$$

$$\int \frac{e^{-x} I_0(x) dx}{x^{5/2}} = \frac{(32x^2 + 12x - 6)I_0(x) + (32x^2 - 4x)I_1(x)}{9x^{3/2}} e^{-x}$$

$$\int \frac{e^{-x} I_1(x) dx}{x^{5/2}} = \frac{(-32x^2 - 12x)I_0(x) + (-32x^2 + 4x - 6)I_1(x)}{15x^{3/2}} e^{-x}$$

$$\int \frac{e^{-x} K_0(x) dx}{x^{5/2}} = \frac{(32x^2 + 12x - 6)K_0(x) - (32x^2 - 4x)K_1(x)}{9x^{3/2}} e^{-x}$$

$$\int \frac{e^{-x} K_1(x) dx}{x^{5/2}} = \frac{(32x^2 + 12x)K_0(x) + (-32x^2 + 4x - 6)K_1(x)}{15x^{3/2}} e^{-x}$$

$$\int \frac{e^{-x} I_0(x) dx}{x^{7/2}} = \frac{(-512x^3 - 192x^2 + 60x - 90)I_0(x) + (-512x^3 + 64x^2 - 36x)I_1(x)}{225x^{5/2}} e^{-x}$$

$$\int \frac{e^{-x} I_1(x) dx}{x^{7/2}} = \frac{(512x^3 + 192x^2 - 60x)I_0(x) + (512x^3 - 64x^2 + 36x - 90)I_1(x)}{315x^{5/2}} e^{-x}$$

$$\int \frac{e^{-x} K_0(x) dx}{x^{7/2}} = \frac{(-512x^3 - 192x^2 + 60x - 90)K_0(x) - (-512x^3 + 64x^2 - 36x)K_1(x)}{225x^{5/2}} e^{-x}$$

$$\int \frac{e^{-x} K_1(x) dx}{x^{7/2}} = \frac{-(512x^3 + 192x^2 - 60x)K_0(x) + (512x^3 - 64x^2 + 36x - 90)K_1(x)}{315x^{5/2}} e^{-x}$$

Let

$$\int \frac{e^{-x} I_0(x) dx}{x^{n+1/2}} = \frac{P_n^{(0,-)}(x) I_0(x) + Q_n^{(0,-)}(x) I_1(x)}{N_n^{(0,-)} x^{n-1/2}} e^x,$$

$$\int \frac{e^{-x} I_1(x) dx}{x^{n+1/2}} = \frac{P_n^{(1,-)}(x) I_0(x) + Q_n^{(1,-)}(x) I_1(x)}{N_n^{(1,-)} x^{n-1/2}} e^x,$$

then holds

$$\int \frac{e^{-x} K_0(x) dx}{x^{n+1/2}} = \frac{P_n^{(0,-)}(x) K_0(x) - Q_n^{(0,-)}(x) K_1(x)}{N_n^{(0,-)} x^{n-1/2}} e^x,$$

$$\int \frac{e^{-x} K_1(x) dx}{x^{n+1/2}} = \frac{-P_n^{(1,-)}(x) K_0(x) + Q_n^{(1,-)}(x) K_1(x)}{N_n^{(1,-)} x^{n-1/2}} e^x.$$

$$P_4^{(0,-)}(x) = 4096x^4 + 1536x^3 - 480x^2 + 420x - 1050,$$

$$Q_4^{(0,-)}(x) = 4096x^4 - 512x^3 + 288x^2 - 300x, \quad N_4^{(0,-)} = 3675$$

$$P_4^{(1,-)}(x) = -4096x^4 - 1536x^3 + 480x^2 - 420x,$$

$$Q_4^{(1,-)}(x) = -4096x^4 + 512x^3 - 288x^2 + 300x - 1050, \quad N_4^{(1,-)} = 4725$$

$$P_5^{(0,-)}(x) = -131072x^5 - 49152x^4 + 15360x^3 - 13440x^2 + 18900x - 66150,$$

$$Q_5^{(0,-)}(x) = -131072x^5 + 16384x^4 - 9216x^3 + 9600x^2 - 14700x, \quad N_5^{(0,-)} = 297675$$

$$P_5^{(1,-)}(x) = 131072x^5 + 49152x^4 - 15360x^3 + 13440x^2 - 18900x,$$

$$Q_5^{(1,-)}(x) = 131072x^5 - 16384x^4 + 9216x^3 - 9600x^2 + 14700x - 66150, \quad N_5^{(1,-)} = 363825$$

$$P_6^{(0,-)}(x) = 1048576 x^6 + 393216 x^5 - 122880 x^4 + 107520 x^3 - 151200 x^2 + 291060 x - 1309770 ,$$

$$Q_6^{(0,-)}(x) = 1048576 x^6 - 131072 x^5 + 73728 x^4 - 76800 x^3 + 117600 x^2 - 238140 x ,$$

$$N_6^{(0,-)} = 7203735$$

$$P_6^{(1,-)}(x) = -1048576 x^6 - 393216 x^5 + 122880 x^4 - 107520 x^3 + 151200 x^2 - 291060 x ,$$

$$Q_6^{(1,-)}(x) = -1048576 x^6 + 131072 x^5 - 73728 x^4 + 76800 x^3 - 117600 x^2 + 238140 x - 1309770 ,$$

$$N_6^{(1,-)} = 8513505$$

$$P_7^{(0,-)}(x) =$$

$$= -16777216 x^7 - 6291456 x^6 + 1966080 x^5 - 1720320 x^4 + 2419200 x^3 - 4656960 x^2 + 11351340 x - 62432370 ,$$

$$Q_7^{(0,-)}(x) = -16777216 x^7 + 2097152 x^6 - 1179648 x^5 + 1228800 x^4 - 1881600 x^3 + 3810240 x^2 - 9604980 x ,$$

$$N_7^{(0,-)} = 405810405$$

$$P_7^{(1,-)}(x) = 16777216 x^7 + 6291456 x^6 - 1966080 x^5 + 1720320 x^4 - 2419200 x^3 + 4656960 x^2 - 11351340 x ,$$

$$Q_7^{(1,-)}(x) =$$

$$= 16777216 x^7 - 2097152 x^6 + 1179648 x^5 - 1228800 x^4 + 1881600 x^3 - 3810240 x^2 + 9604980 x - 62432370 ,$$

$$N_7^{(1,-)} = 468242775$$

Recurrence relations:

$$\text{With } \mathbf{I}_n^{(\nu,-)} = \int \frac{e^{-x} I_\nu(x) dx}{x^{n+1/2}} \quad \text{and} \quad \mathbf{K}_n^{(\nu,-)} = \int \frac{e^{-x} K_\nu(x) dx}{x^{n+1/2}} \quad \text{holds}$$

$$\mathbf{I}_n^{(0,-)} = \frac{2}{2n-1} \left[-\mathbf{I}_{n-1}^{(0,-)} + \mathbf{I}_{n-1}^{(1,-)} - \frac{e^{-x} I_0(x)}{x^{n-1/2}} \right] , \quad \mathbf{I}_n^{(1,-)} = \frac{2}{2n+1} \left[\mathbf{I}_{n-1}^{(0,-)} - \mathbf{I}_{n-1}^{(1,-)} - \frac{e^{-x} I_1(x)}{x^{n-1/2}} \right] ,$$

$$\mathbf{K}_n^{(0,-)} = -\frac{2}{2n-1} \left[\mathbf{K}_{n-1}^{(0,-)} + \mathbf{K}_{n-1}^{(1,-)} + \frac{e^{-x} K_0(x)}{x^{n-1/2}} \right] , \quad \mathbf{K}_n^{(1,-)} = -\frac{2}{2n+1} \left[\mathbf{K}_{n-1}^{(0,-)} + \mathbf{K}_{n-1}^{(1,-)} + \frac{e^{-x} K_1(x)}{x^{n-1/2}} \right]$$

c) General formulas

Let

$$P_n^{(\nu,\pm)}(x) = \sum_{k=0}^n \vartheta_k^{(n,\nu,\pm)} x^k \quad \text{and} \quad Q_n^{(\nu,\pm)}(x) = \sum_{k=0}^n \eta_k^{(n,\nu,\pm)} x^k ,$$

then holds

$$\int \frac{e^{\pm x} I_\nu(x) dx}{x^{n+1/2}} = \frac{P_n^{(\nu,\pm)}(x) I_0(x) + Q_n^{(\nu,\pm)}(x) I_1(x)}{x^{n-1/2}} .$$

The integrals with $K_\nu(x)$ may be expressed as described before.

I. $\nu = 0$, e^x :

$$\vartheta_0^{(n,0,+)} = -\frac{2}{2n-1} , \quad \vartheta_1^{(n,0,+)} = -\frac{2^2}{(2n-1)(2n-3)} ,$$

$$\vartheta_2^{(n,0,+)} = -\frac{2^5(n-1)}{(2n-1)^2(2n-3)(2n-5)} = \frac{2^3(n-1)}{(2n-1)(2n-5)} \vartheta_1^{(n,0,+)} ,$$

$$\vartheta_3^{(n,0,+)} = -\frac{2^8(n-1)(n-2)}{(2n-1)^2(2n-3)^2(2n-5)(2n-7)} = \frac{2^3(n-2)}{(2n-3)(2n-7)} \vartheta_2^{(n,0,+)} ,$$

$$\vartheta_4^{(n,0,+)} = -\frac{2^{11}(n-1)(n-2)(n-3)}{(2n-1)^2(2n-3)^2(2n-5)^2(2n-7)(2n-9)} = \frac{2^3(n-3)}{(2n-5)(2n-9)} \vartheta_3^{(n,0,+)} , \quad \dots ,$$

which gives $\vartheta_0^{(n,0,+)} = -2/(2n-1)$ and

$$\vartheta_k^{(n,0,+)} = -\frac{2^{k-1} \cdot \Gamma(n-k-\frac{1}{2}) \cdot \Gamma(n-k+\frac{3}{2}) \cdot (n-1)!}{\Gamma^2(n+\frac{1}{2}) \cdot (n-k)!} , \quad k > 0 .$$

Furthermore

$$\eta_1^{(n,0,+)} = -\frac{2^2}{(2n-1)^2} , \quad \eta_2^{(n,0,+)} = -\frac{2^5(n-1)}{(2n-1)^2(2n-3)^2} = \frac{2^3(n-1)}{(2n-3)^2} \eta_1^{(n,0,+)} ,$$

$$\eta_3^{(n,0,+)} = -\frac{2^8(n-1)(n-2)}{(2n-1)^2(2n-3)^2(2n-5)^2} = \frac{2^3(n-2)}{(2n-5)^2} \eta_2^{(n,0,+)} , \quad \dots ,$$

which gives $\eta_0^{(n,0,+)} = 0$ and

$$\eta_k^{(n,0,+)} = -\frac{2^{k-1} \cdot \Gamma^2(n-k+\frac{1}{2}) \cdot (n-1)!}{\Gamma^2(n+\frac{1}{2}) \cdot (n-k)!} , \quad k > 0 .$$

II. $\nu = 1, e^x$:

$$\vartheta_0^{(n,1,+)} = 0 , \quad \vartheta_1^{(n,1,+)} = -\frac{2^2}{(2n+1)(2n-3)} ,$$

$$\vartheta_2^{(n,1,+)} = -\frac{2^5(n-1)}{(2n+1)(2n-1)(2n-3)(2n-5)} = \frac{2^3(n-1)}{(2n-1)(2n-5)} \vartheta_1^{(n,1,+)} ,$$

$$\vartheta_3^{(n,1,+)} = -\frac{2^8(n-1)(n-2)}{(2n+1)(2n-1)(2n-3)^2(2n-5)(2n-7)} = \frac{2^3(n-2)}{(2n-3)(2n-7)} \vartheta_2^{(n,1,+)} ,$$

$$\vartheta_4^{(n,1,+)} = -\frac{2^{11}(n-1)(n-2)(n-3)}{(2n+1)(2n-1)(2n-3)^2(2n-5)^2(2n-7)(2n-9)} = \frac{2^3(n-3)}{(2n-5)(2n-9)} \vartheta_3^{(n,1,+)} , \quad \dots ,$$

which gives $\vartheta_0^{(n,1,+)} = 0$ and

$$\vartheta_k^{(n,1,+)} = -\frac{2^{k-1} \cdot \Gamma(n-k-\frac{1}{2}) \cdot \Gamma(n-k+\frac{3}{2}) \cdot (n-1)!}{\Gamma(n+\frac{3}{2}) \cdot \Gamma(n-\frac{1}{2}) \cdot (n-k)!} , \quad k > 0 .$$

Furthermore

$$\eta_0^{(n,1,+)} = -\frac{2}{2n+1} , \quad \eta_1^{(n,1,+)} = -\frac{2^2}{(2n+1)(2n-1)} ,$$

$$\eta_2^{(n,1,+)} = -\frac{2^5(n-1)}{(2n+1)(2n-1)(2n-3)^2} = \frac{2^3(n-1)}{(2n-3)^2} \eta_1^{(n,1,+)} ,$$

$$\eta_3^{(n,1,+)} = -\frac{2^8(n-1)(n-2)}{(2n+1)(2n-1)(2n-3)^2(2n-5)^2} = \frac{2^3(n-2)}{(2n-5)^2} \eta_2^{(n,1,+)} , \quad \dots ,$$

which gives $\eta_0^{(n,1,+)} = -2/(2n+1)$ and

$$\eta_k^{(n,1,+)} = -\frac{2^{k-1} \cdot \Gamma^2(n-k+\frac{1}{2}) \cdot (n-1)!}{\Gamma(n+\frac{3}{2}) \cdot \Gamma(n-\frac{1}{2}) \cdot (n-k)!} , \quad k > 1 .$$

III. $\nu = 0, e^{-x}$:

$$\vartheta_0^{(n,0,-)} = -2/(2n-1) , \quad \vartheta_1^{(n,0,-)} = \frac{2^2}{(2n-1)(2n-3)} ,$$

$$\vartheta_2^{(n,0,-)} = -\frac{2^5(n-1)}{(2n-1)^2(2n-3)(2n-5)} = -\frac{2^3(n-1)}{(2n-1)(2n-5)} \vartheta_1^{(n,0,-)} ,$$

$$\vartheta_3^{(n,0,-)} = \frac{2^8(n-1)(n-2)}{(2n-1)^2(2n-3)^2(2n-5)(2n-7)} = \frac{2^3(n-2)}{(2n-3)(2n-7)} \vartheta_2^{(n,0,-)} ,$$

$$\vartheta_4^{(n,0,-)} = -\frac{2^{11}(n-1)(n-2)(n-3)}{(2n-1)^2(2n-3)^2(2n-5)^2(2n-7)(2n-9)} = \frac{2^3(n-3)}{(2n-5)(2n-9)} \vartheta_3^{(n,0,-)}, \quad \dots,$$

which gives $\vartheta_0^{(n,0,-)} = -2/(2n-1)$ and

$$\vartheta_k^{(n,0,-)} = \frac{(-2)^{k-1} \cdot \Gamma(n-k-\frac{1}{2}) \cdot \Gamma(n-k+\frac{3}{2}) \cdot (n-1)!}{\Gamma^2(n+\frac{1}{2}) \cdot (n-k)!}, \quad k > 0.$$

Furthermore

$$\eta_1^{(n,0,-)} = -\frac{2^2}{(2n-1)^2}, \quad \eta_2^{(n,0,-)} = \frac{2^5(n-1)}{(2n-1)^2(2n-3)^2} = -\frac{2^3(n-1)}{(2n-3)^2} \eta_1^{(n,0,-)},$$

$$\eta_3^{(n,0,-)} = -\frac{2^8(n-1)(n-2)}{(2n-1)^2(2n-3)^2(2n-5)^2} = -\frac{2^3(n-2)}{(2n-5)^2} \eta_2^{(n,0,-)}, \quad \dots,$$

which gives $\eta_0^{(n,0,-)} = 0$ and

$$\eta_k^{(n,0,-)} = -\frac{(-2)^{k-1} \cdot \Gamma^2(n-k+\frac{1}{2}) \cdot (n-1)!}{\Gamma^2(n+\frac{1}{2}) \cdot (n-k)!}, \quad k > 0.$$

IV. $\nu = 1, e^{-x}$:

$$\vartheta_0^{(n,1,-)} = 0, \quad \vartheta_1^{(n,1,-)} = -\frac{2^2}{(2n+1)(2n-3)},$$

$$\vartheta_2^{(n,1,-)} = \frac{2^5(n-1)}{(2n+1)(2n-1)(2n-3)(2n-5)} = -\frac{2^3(n-1)}{(2n-1)(2n-5)} \vartheta_1^{(n,1,-)},$$

$$\vartheta_3^{(n,1,-)} = \frac{2^8(n-1)(n-2)}{(2n+1)(2n-1)(2n-3)^2(2n-5)(2n-7)} = -\frac{2^3(n-2)}{(2n-3)(2n-7)} \vartheta_2^{(n,1,-)},$$

$$\vartheta_4^{(n,1,-)} = -\frac{2^{11}(n-1)(n-2)(n-3)}{(2n+1)(2n-1)(2n-3)^2(2n-5)^2(2n-7)(2n-9)} = -\frac{2^3(n-3)}{(2n-5)(2n-9)} \vartheta_3^{(n,1,-)}, \quad \dots,$$

which gives $\vartheta_0^{(n,1,-)} = 0$ and

$$\vartheta_k^{(n,1,-)} = -\frac{(-2)^{k-1} \cdot \Gamma(n-k-\frac{1}{2}) \cdot \Gamma(n-k+\frac{3}{2}) \cdot (n-1)!}{\Gamma(n+\frac{3}{2}) \cdot \Gamma(n-\frac{1}{2}) \cdot (n-k)!}, \quad k > 0.$$

Furthermore

$$\eta_0^{(n,1,-)} = -\frac{2}{2n+1}, \quad \eta_1^{(n,1,-)} = \frac{2^2}{(2n+1)(2n-1)},$$

$$q\eta_2^{(n,1,-)} = -\frac{2^5(n-1)}{(2n+1)(2n-1)(2n-3)^2} = \frac{2^3(n-1)}{(2n-3)^2} \eta_1^{(n,1,-)},$$

$$\eta_3^{(n,1,-)} = \frac{2^8(n-1)(n-2)}{(2n+1)(2n-1)(2n-3)^2(2n-5)^2} = \frac{2^3(n-2)}{(2n-5)^2} \eta_2^{(n,1,-)}, \quad \dots,$$

which gives $\eta_0^{(n,1,-)} = -2/(2n+1)$ and

$$\eta_k^{(n,1,-)} = \frac{(-2)^{k-1} \cdot \Gamma^2(n-k+\frac{1}{2}) \cdot (n-1)!}{\Gamma(n+\frac{3}{2}) \cdot \Gamma(n-\frac{1}{2}) \cdot (n-k)!}.$$

When $n > 0$, then the functions $P_n^{(\nu, \pm)}(x)$ and $Q_n^{(\nu, \pm)}(x)$ are polynomials. In the case $n \leq 0$ they are power series with the radius of convergence $R = +\infty$. Their coefficients may be found by the given recurrence relations.

$$P_0^{(0,+)} = 2 - \frac{4}{3}x + \frac{32}{15}x^2 - \frac{512}{315}x^3 + \frac{4096}{4725}x^4 - \frac{131072}{363825}x^5 + \frac{1048576}{8513505}x^6 - \frac{16777216}{468242775}x^7 + \frac{134217728}{14783093325}x^8 - \frac{8589934592}{4213181597625}x^9 + \frac{68719476736}{167122870039125}x^{10} + \dots$$

$$Q_0^{(0,+)} = -4x + \frac{32}{9}x^2 - \frac{512}{225}x^3 + \frac{4096}{3675}x^4 - \frac{131072}{297675}x^5 + \frac{1048576}{7203735}x^6 - \frac{16777216}{405810405}x^7 + \frac{134217728}{13043905875}x^8 - \frac{8589934592}{3769688797875}x^9 + \frac{68719476736}{151206406225875}x^{10} + \dots$$

$$P_{-1}^{(0,+)} = \frac{2}{3} - \frac{4}{15}x + \frac{64}{315}x^2 - \frac{512}{4725}x^3 + \frac{16384}{363825}x^4 - \frac{131072}{8513505}x^5 + \frac{2097152}{468242775}x^6 - \frac{16777216}{14783093325}x^7 + \frac{1073741824}{4213181597625}x^8 - \frac{8589934592}{167122870039125}x^9 + \frac{137438953472}{14606538841419525}x^{10} + \dots$$

$$Q_{-1}^{(0,+)} = -\frac{4}{9}x + \frac{64}{225}x^2 - \frac{512}{3675}x^3 + \frac{16384}{297675}x^4 - \frac{131072}{7203735}x^5 + \frac{2097152}{405810405}x^6 - \frac{16777216}{13043905875}x^7 + \frac{1073741824}{3769688797875}x^8 - \frac{8589934592}{151206406225875}x^9 + \frac{137438953472}{13336405029122175}x^{10} + \dots$$

$$P_{-2}^{(0,+)} = \frac{2}{5} - \frac{4}{35}x + \frac{32}{525}x^2 - \frac{1024}{40425}x^3 + \frac{8192}{945945}x^4 - \frac{131072}{52026975}x^5 + \frac{1048576}{1642565925}x^6 - \frac{67108864}{468131288625}x^7 + \frac{536870912}{18569207782125}x^8 - \frac{8589934592}{1622948760157725}x^9 + \frac{68719476736}{77458918098436875}x^{10} + \dots$$

$$Q_{-2}^{(0,+)} = -\frac{4}{25}x + \frac{96}{1225}x^2 - \frac{1024}{33075}x^3 + \frac{8192}{800415}x^4 - \frac{131072}{45090045}x^5 + \frac{1048576}{1449322875}x^6 - \frac{67108864}{418854310875}x^7 + \frac{536870912}{16800711802875}x^8 - \frac{8589934592}{1481822781013575}x^9 + \frac{68719476736}{71262204650561925}x^{10} + \dots$$

$$P_0^{(1,+)} = \frac{4}{3}x - \frac{32}{15}x^2 + \frac{512}{315}x^3 - \frac{4096}{4725}x^4 + \frac{131072}{363825}x^5 - \frac{1048576}{8513505}x^6 + \frac{16777216}{468242775}x^7 - \frac{134217728}{14783093325}x^8 + \frac{8589934592}{4213181597625}x^9 - \frac{68719476736}{167122870039125}x^{10} + \dots$$

$$Q_0^{(1,+)} = \frac{2}{3} - \frac{4}{15}x + \frac{32}{245}x^2 - \frac{1024}{19845}x^3 + \frac{8192}{480249}x^4 - \frac{131072}{27054027}x^5 + \frac{1048576}{869593725}x^6 - \frac{67108864}{251312586525}x^7 + \frac{536870912}{10080427081725}x^8 - \frac{8589934592}{889093668608145}x^9 + \frac{68719476736}{42757322790337155}x^{10} + \dots$$

$$P_{-1}^{(1,+)} = -\frac{4}{5}x + \frac{64}{105}x^2 - \frac{512}{1575}x^3 + \frac{16384}{121275}x^4 - \frac{131072}{2837835}x^5 + \frac{2097152}{156080925}x^6 - \frac{16777216}{4927697775}x^7 + \frac{1073741824}{1404393865875}x^8 - \frac{8589934592}{55707623346375}x^9 + \frac{137438953472}{4868846280473175}x^{10} + \dots$$

$$Q_{-1}^{(1,+)} = 2 - \frac{4}{3}x + \frac{64}{75}x^2 - \frac{512}{1225}x^3 + \frac{16384}{99225}x^4 - \frac{131072}{2401245}x^5 + \frac{2097152}{135270135}x^6 - \frac{16777216}{4347968625}x^7 + \frac{1073741824}{1256562932625}x^8 - \frac{8589934592}{50402135408625}x^9 + \frac{137438953472}{4445468343040725}x^{10} + \dots$$

$$P_{-2}^{(1,+)} = -\frac{4}{21}x + \frac{32}{315}x^2 - \frac{1024}{24255}x^3 + \frac{8192}{567567}x^4 - \frac{131072}{31216185}x^5 + \frac{1048576}{985539555}x^6 - \frac{67108864}{280878773175}x^7 + \frac{536870912}{11141524669275}x^8 - \frac{8589934592}{973769256094635}x^9 + \frac{68719476736}{46475350859062125}x^{10} + \dots$$

$$Q_{-2}^{(1,+)} = \frac{2}{3} - \frac{4}{15}x + \frac{32}{245}x^2 - \frac{1024}{19845}x^3 + \frac{8192}{480249}x^4 - \frac{131072}{27054027}x^5 + \frac{1048576}{869593725}x^6 - \frac{67108864}{251312586525}x^7 +$$

$$+\frac{536870912}{10080427081725}x^8 - \frac{8589934592}{889093668608145}x^9 + \frac{68719476736}{42757322790337155}x^{10} + \dots$$

$$P_0^{(0,-)} = 2 + \frac{4}{3}x + \frac{32}{15}x^2 + \frac{512}{315}x^3 + \frac{4096}{4725}x^4 + \frac{131072}{363825}x^5 + \frac{1048576}{8513505}x^6 + \frac{16777216}{468242775}x^7 + \frac{134217728}{14783093325}x^8 +$$

$$+\frac{8589934592}{4213181597625}x^9 + \frac{68719476736}{167122870039125}x^{10} + \dots$$

$$Q_0^{(0,-)} = -4x - \frac{32}{9}x^2 - \frac{512}{225}x^3 - \frac{4096}{3675}x^4 - \frac{131072}{297675}x^5 - \frac{1048576}{7203735}x^6 - \frac{16777216}{405810405}x^7 - \frac{134217728}{13043905875}x^8 -$$

$$-\frac{8589934592}{3769688797875}x^9 - \frac{68719476736}{151206406225875}x^{10} + \dots$$

$$P_{-1}^{(0,-)} = \frac{2}{3} + \frac{4}{15}x + \frac{64}{315}x^2 + \frac{512}{4725}x^3 + \frac{16384}{363825}x^4 + \frac{131072}{8513505}x^5 + \frac{2097152}{468242775}x^6 + \frac{16777216}{14783093325}x^7 +$$

$$+\frac{1073741824}{4213181597625}x^8 + \frac{8589934592}{167122870039125}x^9 + \frac{137438953472}{14606538841419525}x^{10} + \dots$$

$$Q_{-1}^{(0,-)} = -\frac{4}{9}x - \frac{64}{225}x^2 - \frac{512}{3675}x^3 - \frac{16384}{297675}x^4 - \frac{131072}{7203735}x^5 - \frac{2097152}{405810405}x^6 - \frac{16777216}{13043905875}x^7 -$$

$$-\frac{1073741824}{3769688797875}x^8 - \frac{8589934592}{151206406225875}x^9 - \frac{137438953472}{13336405029122175}x^{10} + \dots$$

$$P_{-2}^{(0,-)} = \frac{2}{5} + \frac{4}{35}x + \frac{32}{525}x^2 + \frac{1024}{40425}x^3 + \frac{8192}{945945}x^4 + \frac{131072}{52026975}x^5 + \frac{1048576}{1642565925}x^6 + \frac{67108864}{468131288625}x^7 +$$

$$+\frac{536870912}{18569207782125}x^8 + \frac{8589934592}{1622948760157725}x^9 + \frac{68719476736}{77458918098436875}x^{10} + \dots$$

$$Q_{-2}^{(0,-)} = -\frac{4}{25}x - \frac{96}{1225}x^2 - \frac{1024}{33075}x^3 - \frac{8192}{800415}x^4 - \frac{131072}{45090045}x^5 - \frac{1048576}{1449322875}x^6 - \frac{67108864}{418854310875}x^7 -$$

$$-\frac{536870912}{16800711802875}x^8 - \frac{8589934592}{1481822781013575}x^9 - \frac{68719476736}{71262204650561925}x^{10} + \dots$$

$$P_0^{(1,-)} = \frac{4}{3}x + \frac{32}{15}x^2 + \frac{512}{315}x^3 + \frac{4096}{4725}x^4 + \frac{131072}{363825}x^5 + \frac{1048576}{8513505}x^6 + \frac{16777216}{468242775}x^7 + \frac{134217728}{14783093325}x^8 +$$

$$+\frac{8589934592}{4213181597625}x^9 + \frac{68719476736}{167122870039125}x^{10} + \dots$$

$$Q_0^{(1,-)} = -2 - 4x - \frac{32}{9}x^2 - \frac{512}{225}x^3 - \frac{4096}{3675}x^4 - \frac{131072}{297675}x^5 - \frac{1048576}{7203735}x^6 - \frac{16777216}{405810405}x^7 - \frac{134217728}{13043905875}x^8 -$$

$$-\frac{8589934592}{3769688797875}x^9 - \frac{68719476736}{151206406225875}x^{10} + \dots$$

$$P_{-1}^{(1,-)} = -\frac{4}{5}x - \frac{64}{105}x^2 - \frac{512}{1575}x^3 - \frac{16384}{121275}x^4 - \frac{131072}{2837835}x^5 - \frac{2097152}{156080925}x^6 - \frac{16777216}{4927697775}x^7 -$$

$$-\frac{1073741824}{1404393865875}x^8 - \frac{8589934592}{55707623346375}x^9 - \frac{137438953472}{4868846280473175}x^{10} + \dots$$

$$Q_{-1}^{(1,-)} = 2 + \frac{4}{3}x + \frac{64}{75}x^2 + \frac{512}{1225}x^3 + \frac{16384}{99225}x^4 + \frac{131072}{2401245}x^5 + \frac{2097152}{135270135}x^6 + \frac{16777216}{4347968625}x^7 +$$

$$-\frac{1073741824}{1256562932625}x^8 + \frac{8589934592}{50402135408625}x^9 + \frac{137438953472}{4445468343040725}x^{10} + \dots$$

$$P_{-2}^{(1,-)} = -\frac{4}{21}x - \frac{32}{315}x^2 - \frac{1024}{24255}x^3 - \frac{8192}{567567}x^4 - \frac{131072}{31216185}x^5 - \frac{1048576}{985539555}x^6 - \frac{67108864}{280878773175}x^7 -$$

$$-\frac{536870912}{11141524669275}x^8 - \frac{8589934592}{973769256094635}x^9 - \frac{68719476736}{46475350859062125}x^{10} + \dots$$

$$Q_{-2}^{(1,-)} = \frac{2}{3} + \frac{4}{15}x + \frac{32}{245}x^2 + \frac{1024}{19845}x^3 + \frac{8192}{480249}x^4 + \frac{131072}{27054027}x^5 + \frac{1048576}{869593725}x^6 + \frac{67108864}{251312586525}x^7 +$$

$$+\frac{536870912}{10080427081725}x^8 + \frac{8589934592}{889093668608145}x^9 + \frac{68719476736}{42757322790337155}x^{10} + \dots$$

1.2.8. Integrals of the Type $\int x^{-n-1/2} \left\{ \begin{array}{l} \sinh x \\ \cosh x \end{array} \right\} \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\} dx$

$$\int x^{-3/2} \sinh x \cdot I_0(x) dx = \frac{2}{\sqrt{x}} [-\sinh x I_0(x) + 2x \cosh x I_0(x) - 2x \sinh x I_1(x)]$$

$$\int x^{-3/2} \sinh x \cdot I_1(x) dx = \frac{2}{3\sqrt{x}} [2x \sinh x I_0(x) - \sinh x I_1(x) - 2x \cosh x I_1(x)]$$

$$\int x^{-3/2} \sinh x \cdot K_0(x) dx = \frac{2}{\sqrt{x}} [-\sinh x K_0(x) + 2x \cosh x K_0(x) + 2x \sinh x K_1(x)]$$

$$\int x^{-3/2} \sinh x \cdot K_1(x) dx = -\frac{2}{3\sqrt{x}} [2x \sinh x K_0(x) + \sinh x K_1(x) + 2x \cosh x K_1(x)]$$

$$\int x^{-3/2} \cosh x \cdot I_0(x) dx = \frac{2}{\sqrt{x}} [2x \sinh x I_0(x) - \cosh x I_0(x) - 2x \cosh x I_1(x)]$$

$$\int x^{-3/2} \cosh x \cdot I_1(x) dx = \frac{2}{3\sqrt{x}} [2x \cosh x I_0(x) - 2x \sinh x I_1(x) - \cosh x I_1(x)]$$

$$\int x^{-3/2} \cosh x \cdot K_0(x) dx = \frac{2}{\sqrt{x}} [2x \sinh x K_0(x) - \cosh x K_0(x) + 2x \cosh x K_1(x)]$$

$$\int x^{-3/2} \cosh x \cdot K_1(x) dx = -\frac{2}{3\sqrt{x}} [2x \cosh x K_0(x) + 2x \sinh x K_1(x) + \cosh x K_1(x)]$$

$$\int x^{-5/2} \sinh x I_0(x) dx =$$

$$= \frac{2}{9x^{3/2}} [(16x^2 - 3) \sinh x I_0(x) - 6x \cosh x I_0(x) - 2x \sinh x I_1(x) - 16x^2 \cosh x I_1(x)]$$

$$\int x^{-5/2} \sinh x \cdot I_1(x) dx =$$

$$= \frac{2}{15x^{3/2}} [-6x \sinh x I_0(x) + 16x^2 \cosh x I_0(x) - (16x^2 + 3) \sinh x I_1(x) - 2x \cosh x I_1(x)]$$

$$\int x^{-5/2} \sinh x \cdot K_0(x) dx =$$

$$= \frac{2}{9x^{3/2}} [(16x^2 - 3) \sinh x K_0(x) - 6x \cosh x K_0(x) + 2x \sinh x K_1(x) + 16x^2 \cosh x K_1(x)]$$

$$\int x^{-5/2} \sinh x \cdot K_1(x) dx =$$

$$= \frac{2}{15x^{3/2}} [6x \sinh x K_0(x) - 16x^2 \cosh x K_0(x) - (16x^2 + 3) \sinh x K_1(x) - 2x \cosh x K_1(x)]$$

$$\int x^{-5/2} \cosh x \cdot I_0(x) dx =$$

$$= \frac{2}{9x^{3/2}} [-6x \sinh x I_0(x) + (16x^2 - 3) \cosh x I_0(x) - 16x^2 \sinh x I_1(x) - 2x \cosh x I_1(x)]$$

$$\int x^{-5/2} \cosh x \cdot I_1(x) dx =$$

$$= \frac{2}{15x^{3/2}} [16x^2 \sinh x I_0(x) - 6x \cosh x I_0(x) - 2x \sinh x I_1(x) - (16x^2 + 3) \cosh x I_1(x)]$$

$$\begin{aligned} & \int x^{-5/2} \cosh x \cdot K_0(x) dx = \\ & = \frac{2}{9x^{3/2}} [-6x \sinh x K_0(x) + (16x^2 - 3) \cosh x K_0(x) + 16x^2 \sinh x K_1(x) + 2x \cosh x K_1(x)] \end{aligned}$$

$$\begin{aligned} & \int x^{-5/2} \cosh x \cdot K_1(x) dx = \\ & = \frac{2}{15x^{3/2}} [-16x^2 \sinh x K_0(x) + 6x \cosh x K_0(x) - 2x \sinh x K_1(x) - (3 + 16x^2) \cosh x K_1(x)] \end{aligned}$$

Let

$$\begin{aligned} & \int x^{-(2n+1)/2} \sinh x \cdot I_0(x) dx = \\ & = \frac{1}{M_n x^{(2n-1)/2}} \left[P_n^{(s0)}(x) \sinh x I_0(x) + Q_n^{(s0)}(x) \cosh x I_0(x) + R_n^{(s0)}(x) \sinh x I_1(x) + S_n^{(s0)}(x) \cosh x I_1(x) \right], \end{aligned}$$

$$\begin{aligned} & \int x^{-(2n+1)/2} \sinh x \cdot I_1(x) dx = \\ & = \frac{1}{N_n x^{(2n-1)/2}} \left[P_n^{(s1)}(x) \sinh x I_0(x) + Q_n^{(s1)}(x) \cosh x I_0(x) + R_n^{(s1)}(x) \sinh x I_1(x) + S_n^{(s1)}(x) \cosh x I_1(x) \right], \end{aligned}$$

$$\begin{aligned} & \int x^{-(2n+1)/2} \cosh x \cdot I_0(x) dx = \\ & = \frac{1}{M_n x^{(2n-1)/2}} \left[P_n^{(c0)}(x) \sinh x I_0(x) + Q_n^{(c0)}(x) \cosh x I_0(x) + R_n^{(c0)}(x) \sinh x I_1(x) + S_n^{(c0)}(x) \cosh x I_1(x) \right], \end{aligned}$$

$$\begin{aligned} & \int x^{-(2n+1)/2} \cosh x \cdot I_1(x) dx = \\ & = \frac{1}{N_n x^{(2n-1)/2}} \left[P_n^{(c1)}(x) \sinh x I_0(x) + Q_n^{(c1)}(x) \cosh x I_0(x) + R_n^{(c1)}(x) \sinh x I_1(x) + S_n^{(c1)}(x) \cosh x I_1(x) \right], \end{aligned}$$

then holds

$$\begin{aligned} & \int x^{-(2n+1)/2} \sinh x \cdot K_0(x) dx = \\ & = \frac{1}{M_n x^{(2n-1)/2}} \left[P_n^{(s0)}(x) \sinh x K_0(x) + Q_n^{(s0)}(x) \cosh x K_0(x) - R_n^{(s0)}(x) \sinh x K_1(x) - S_n^{(s0)}(x) \cosh x K_1(x) \right], \end{aligned}$$

$$\begin{aligned} & \int x^{-(2n+1)/2} \sinh x \cdot K_1(x) dx = \\ & = \frac{1}{N_n x^{(2n-1)/2}} \left[-P_n^{(s1)}(x) \sinh x K_0(x) - Q_n^{(s1)}(x) \cosh x K_0(x) + R_n^{(s1)}(x) \sinh x K_1(x) + S_n^{(s1)}(x) \cosh x K_1(x) \right], \end{aligned}$$

$$\begin{aligned} & \int x^{-(2n+1)/2} \cosh x \cdot K_0(x) dx = \\ & = \frac{1}{M_n x^{(2n-1)/2}} \left[P_n^{(c0)}(x) \sinh x K_0(x) + Q_n^{(c0)}(x) \cosh x K_0(x) - R_n^{(c0)}(x) \sinh x K_1(x) - S_n^{(c0)}(x) \cosh x K_1(x) \right], \end{aligned}$$

$$\begin{aligned} & \int x^{-(2n+1)/2} \cosh x \cdot K_1(x) dx = \\ & = \frac{1}{N_n x^{(2n-1)/2}} \left[-P_n^{(c1)}(x) \sinh x K_0(x) - Q_n^{(c1)}(x) \cosh x K_0(x) + R_n^{(c1)}(x) \sinh x K_1(x) + S_n^{(c1)}(x) \cosh x K_1(x) \right]. \end{aligned}$$

$$\begin{aligned} M_3 &= 225, P_3^{(s0)}(x) = -192x^2 - 90, Q_3^{(s0)}(x) = 512x^3 - 60x, R_3^{(s0)}(x) = -512x^3 - 36x, S_3^{(s0)}(x) = -64x^2 \\ P_3^{(c0)}(x) &= 512x^3 - 60x, Q_3^{(c0)}(x) = -192x^2 - 90, R_3^{(c0)}(x) = -64x^2, S_3^{(c0)}(x) = -512x^3 - 36x \end{aligned}$$

$$N_3 = 315, P_3^{(s1)}(x) = 512x^3 - 60x, Q_3^{(s1)}(x) = -192x^2, R_3^{(s1)}(x) = -64x^2 - 90, S_3^{(s1)}(x) = -512x^3 - 36x$$

$$P_3^{(c1)}(x) = -192x^2, Q_3^{(c1)}(x) = 512x^3 - 60x, R_3^{(c1)}(x) = -512x^3 - 36x, S_3^{(c1)}(x) = -64x^2 - 90$$

$$M_4 = 3675, P_4^{(s0)}(x) = 4096x^4 - 480x^2 - 1050, Q_4^{(s0)}(x) = -1536x^3 - 420x$$

$$R_4^{(s0)}(x) = -512x^3 - 300x, S_4^{(s0)}(x) = -4096x^4 - 288x^2$$

$$P_4^{(c0)}(x) = -1536x^3 - 420x, Q_4^{(c0)}(x) = 4096x^4 - 480x^2 - 1050,$$

$$R_4^{(c0)}(x) = -4096x^4 - 288x^2, S_4^{(c0)}(x) = -512x^3 - 300x$$

$$N_4 = 4725, P_4^{(s1)}(x) = -1536x^3 - 420x, Q_4^{(s1)}(x) = 4096x^4 - 480x^2,$$

$$R_4^{(s1)}(x) = -4096x^4 - 288x^2 - 1050, S_4^{(s1)}(x) = -512x^3 - 300x$$

$$P_4^{(c1)}(x) = 4096x^4 - 480x^2, Q_4^{(c1)}(x) = -1536x^3 - 420x,$$

$$R_4^{(c1)}(x) = -512x^3 - 300x, S_4^{(c1)}(x) = -4096x^4 - 288x^2 - 1050$$

$$M_5 = 297675, P_5^{(s0)}(x) = -49152x^4 - 13440x^2 - 66150, Q_5^{(s0)}(x) = 131072x^5 - 15360x^3 - 18900x,$$

$$R_5^{(s0)}(x) = -131072x^5 - 9216x^3 - 14700x, S_5^{(s0)}(x) = -16384x^4 - 9600x^2$$

$$P_5^{(c0)}(x) = 131072x^5 - 15360x^3 - 18900x, Q_5^{(c0)}(x) = -49152x^4 - 13440x^2 - 66150,$$

$$R_5^{(c0)}(x) = -16384x^4 - 9600x^2, S_5^{(c0)}(x) = -131072x^5 - 9216x^3 - 14700x$$

$$N_5 = 363825, P_5^{(s1)}(x) = 131072x^5 - 15360x^3 - 18900x, Q_5^{(s1)}(x) = -49152x^4 - 13440x^2,$$

$$R_5^{(s1)}(x) = -16384x^4 - 9600x^2 - 66150, S_5^{(s1)}(x) = -131072x^5 - 9216x^3 - 14700x$$

$$P_5^{(c1)}(x) = -49152x^4 - 13440x^2, Q_5^{(c1)}(x) = 131072x^5 - 15360x^3 - 18900x,$$

$$R_5^{(c1)}(x) = -131072x^5 - 9216x^3 - 14700x, S_5^{(c1)}(x) = -16384x^4 - 9600x^2 - 66150$$

$$M_6 = 7203735,$$

$$P_6^{(s0)}(x) = 1048576x^6 - 122880x^4 - 151200x^2 - 1309770, Q_6^{(s0)}(x) = -393216x^5 - 107520x^3 - 291060x,$$

$$R_6^{(s0)}(x) = -131072x^5 - 76800x^3 - 238140x, S_6^{(s0)}(x) = -1048576x^6 - 73728x^4 - 117600x^2$$

$$P_6^{(c0)}(x) = -393216x^5 - 107520x^3 - 291060x, Q_6^{(c0)}(x) = 1048576x^6 - 122880x^4 - 151200x^2 - 1309770,$$

$$R_6^{(c0)}(x) = -1048576x^6 - 73728x^4 - 117600x^2, S_6^{(c0)}(x) = -131072x^5 - 76800x^3 - 238140x$$

$$N_6 = 8513505, P_6^{(s1)}(x) = -393216x^5 - 107520x^3 - 291060x, Q_6^{(s1)}(x) = 1048576x^6 - 122880x^4 - 151200x^2,$$

$$R_6^{(s1)}(x) = -1048576x^6 - 73728x^4 - 117600x^2 - 1309770, S_6^{(s1)}(x) = -131072x^5 - 76800x^3 - 238140x$$

$$P_6^{(c1)}(x) = 1048576x^6 - 122880x^4 - 151200x^2, Q_6^{(c1)}(x) = -393216x^5 - 107520x^3 - 291060x,$$

$$R_6^{(c1)}(x) = -131072x^5 - 76800x^3 - 238140x, S_6^{(c1)}(x) = -1048576x^6 - 73728x^4 - 117600x^2 - 1309770$$

$$M_7 = 405810405, P_7^{(s0)}(x) = -6291456x^6 - 1720320x^4 - 4656960x^2 - 62432370,$$

$$Q_7^{(s0)}(x) = 16777216x^7 - 1966080x^5 - 2419200x^3 - 11351340x,$$

$$R_7^{(s0)}(x) = -16777216x^7 - 1179648x^5 - 1881600x^3 - 9604980x,$$

$$S_7^{(s0)}(x) = -2097152x^6 - 1228800x^4 - 3810240x^2$$

$$\begin{aligned}
P_7^{(c0)}(x) &= 16777216 x^7 - 1966080 x^5 - 2419200 x^3 - 11351340 x, \\
Q_7^{(c0)}(x) &= -6291456 x^6 - 1720320 x^4 - 4656960 x^2 - 62432370, \\
R_7^{(c0)}(x) &= -2097152 x^6 - 1228800 x^4 - 3810240 x^2, \\
S_7^{(c0)}(x) &= -16777216 x^7 - 1179648 x^5 - 1881600 x^3 - 9604980 x
\end{aligned}$$

$$\begin{aligned}
N_7 &= 468242775, \quad P_7^{(s1)}(x) = 16777216 x^7 - 1966080 x^5 - 2419200 x^3 - 11351340 x, \\
Q_7^{(s1)}(x) &= -6291456 x^6 - 1720320 x^4 - 4656960 x^2, \\
R_7^{(s1)}(x) &= -2097152 x^6 - 1228800 x^4 - 3810240 x^2 - 62432370, \\
S_7^{(s1)}(x) &= -16777216 x^7 - 1179648 x^5 - 1881600 x^3 - 9604980 x \\
P_7^{(c1)}(x) &= -6291456 x^6 - 1720320 x^4 - 4656960 x^2, \\
Q_7^{(c1)}(x) &= 16777216 x^7 - 1966080 x^5 - 2419200 x^3 - 11351340 x, \\
R_7^{(c1)}(x) &= -16777216 x^7 - 1179648 x^5 - 1881600 x^3 - 9604980 x, \\
S_7^{(c1)}(x) &= -2097152 x^6 - 1228800 x^4 - 3810240 x^2 - 62432370
\end{aligned}$$

$$\begin{aligned}
M_8 &= 13043905875, \quad P_8^{(s0)}(x) = 134217728 x^8 - 15728640 x^6 - 19353600 x^4 - 90810720 x^2 - 1739187450, \\
Q_8^{(s0)}(x) &= -50331648 x^7 - 13762560 x^5 - 37255680 x^3 - 267567300 x, \\
R_8^{(s0)}(x) &= -16777216 x^7 - 9830400 x^5 - 30481920 x^3 - 231891660 x, \\
S_8^{(s0)}(x) &= -134217728 x^8 - 9437184 x^6 - 15052800 x^4 - 76839840 x^2 \\
P_8^{(c0)}(x) &= -50331648 x^7 - 13762560 x^5 - 37255680 x^3 - 267567300 x, \\
Q_8^{(c0)}(x) &= 134217728 x^8 - 15728640 x^6 - 19353600 x^4 - 90810720 x^2 - 1739187450, \\
R_8^{(c0)}(x) &= -134217728 x^8 - 9437184 x^6 - 15052800 x^4 - 76839840 x^2, \\
S_8^{(c0)}(x) &= -16777216 x^7 - 9830400 x^5 - 30481920 x^3 - 231891660 x
\end{aligned}$$

$$\begin{aligned}
N_8 &= 14783093325, \quad P_8^{(s1)}(x) = -50331648 x^7 - 13762560 x^5 - 37255680 x^3 - 267567300 x, \\
Q_8^{(s1)}(x) &= 134217728 x^8 - 15728640 x^6 - 19353600 x^4 - 90810720 x^2, \\
R_8^{(s1)}(x) &= -134217728 x^8 - 9437184 x^6 - 15052800 x^4 - 76839840 x^2 - 1739187450, \\
S_8^{(s1)}(x) &= -16777216 x^7 - 9830400 x^5 - 30481920 x^3 - 231891660 x \\
P_8^{(c1)}(x) &= 134217728 x^8 - 15728640 x^6 - 19353600 x^4 - 90810720 x^2, \\
Q_8^{(c1)}(x) &= -50331648 x^7 - 13762560 x^5 - 37255680 x^3 - 267567300 x, \\
R_8^{(c1)}(x) &= -16777216 x^7 - 9830400 x^5 - 30481920 x^3 - 231891660 x, \\
S_8^{(c1)}(x) &= -134217728 x^8 - 9437184 x^6 - 15052800 x^4 - 76839840 x^2 - 1739187450
\end{aligned}$$

Recurrence Relations:

$$\begin{aligned}
& \int x^{-(n+1/2)} \sinh x \cdot I_0(x) dx = \frac{8(n-1)}{(2n-1)^2} \int x^{-(n-1/2)} \cosh x \cdot I_0(x) dx - \\
& - \frac{2x^{-n+1/2}}{(2n-1)^2} [(2n-1) \sinh x \cdot I_0(x) - 2x \cosh x \cdot I_0(x) + 2x \sinh x \cdot I_1(x)] \\
& \int x^{-(n+1/2)} \cosh x \cdot I_0(x) dx = \frac{8(n-1)}{(2n-1)^2} \int x^{-(n-1/2)} \sinh x \cdot I_0(x) dx - \\
& - \frac{2x^{-n+1/2}}{(2n-1)^2} [(2n-1) \cosh x \cdot I_0(x) + 2x \cosh x \cdot I_1(x) - 2x \sinh x \cdot I_0(x)] \\
& \int x^{-(n+1/2)} \sinh x \cdot I_1(x) dx = \frac{8(n-1)}{4n^2-1} \int x^{-(n-1/2)} \sinh x \cdot I_0(x) dx + \\
& + \frac{2x^{-n+1/2}}{4n^2-1} [2x \sinh x \cdot I_0(x) - 2x \cosh x \cdot I_1(x) - (2n-1) \sinh x \cdot I_1(x)] \\
& \int x^{-(n+1/2)} \cosh x \cdot I_1(x) dx = \frac{8(n-1)}{4n^2-1} \int x^{-(n-1/2)} \cosh x \cdot I_0(x) dx + \\
& + \frac{2x^{-n+1/2}}{4n^2-1} [2x \cosh x \cdot I_0(x) - 2x \sinh x \cdot I_1(x) - (2n-1) \cosh x \cdot I_1(x)] \\
& \int x^{-(n+1/2)} \sinh x \cdot K_0(x) dx = \frac{8(n-1)}{(2n-1)^2} \int x^{-(n-1/2)} \cosh x \cdot K_0(x) dx + \\
& + \frac{2x^{-n+1/2}}{(2n-1)^2} [-(2n-1) \sinh x \cdot K_0(x) + 2x \cosh x \cdot K_0(x) + 2x \sinh x \cdot K_1(x)] \\
& \int x^{-(n+1/2)} \cosh x \cdot K_0(x) dx = \frac{8(n-1)}{(2n-1)^2} \int x^{-(n-1/2)} \sinh x \cdot K_0(x) dx + \\
& + \frac{2x^{-n+1/2}}{(2n-1)^2} [-(2n-1) \cosh x \cdot K_0(x) + 2x \cosh x \cdot K_1(x) + 2x \sinh x \cdot K_0(x)] \\
& \int x^{-(n+1/2)} \sinh x \cdot K_1(x) dx = -\frac{8(n-1)}{4n^2-1} \int x^{-(n-1/2)} \sinh x \cdot K_0(x) dx - \\
& - \frac{2x^{-n+1/2}}{4n^2-1} [2x \sinh x \cdot K_0(x) + 2x \cosh x \cdot K_1(x) + (2n-1) \sinh x \cdot K_1(x)] \\
& \int x^{-(n+1/2)} \cosh x \cdot K_1(x) dx = -\frac{8(n-1)}{4n^2-1} \int x^{-(n-1/2)} \cosh x \cdot K_0(x) dx - \\
& - \frac{2x^{-n+1/2}}{4n^2-1} [2x \cosh x \cdot K_0(x) + 2x \sinh x \cdot K_1(x) + (2n-1) \cosh x \cdot K_1(x)]
\end{aligned}$$

1.2.9. Integrals of the type $\int x^{2n+1} \ln x \cdot Z_0(x) dx$

$$\begin{aligned}\int x \ln x \cdot J_0(x) dx &= J_0(x) + x \ln x \cdot J_1(x) \\ \int x \ln x \cdot I_0(x) dx &= -I_0(x) + x \ln x \cdot I_1(x) \\ \int x \ln x \cdot K_0(x) dx &= -K_0(x) - x \ln x \cdot K_1(x) \\ \int x^3 \ln x \cdot J_0(x) dx &= (x^2 - 4 + 2x^2 \ln x) J_0(x) + [-4x + (x^3 - 4x) \ln x] J_1(x) \\ \int x^3 \ln x \cdot I_0(x) dx &= (-x^2 - 4 - 2x^2 \ln x) I_0(x) + [4x + (x^3 + 4x) \ln x] I_1(x) \\ \int x^3 \ln x \cdot K_0(x) dx &= (-x^2 - 4 - 2x^2 \ln x) K_0(x) - [4x + (x^3 + 4x) \ln x] K_1(x)\end{aligned}$$

$$\begin{aligned}\int x^5 \ln x \cdot J_0(x) dx &= \\ &= [x^4 - 32x^2 + 64 + (4x^4 - 32x^2) \ln x] J_0(x) + [-8x^3 + 96x + (x^5 - 16x^3 + 64x) \ln x] J_1(x) \\ \int x^5 \ln x \cdot I_0(x) dx &= \\ &= [-x^4 - 32x^2 - 64 + (-4x^4 - 32x^2) \ln x] I_0(x) + [8x^3 + 96x + (x^5 + 16x^3 + 64x) \ln x] I_1(x) \\ \int x^5 \ln x \cdot K_0(x) dx &= \\ &= [-x^4 - 32x^2 - 64 + (-4x^4 - 32x^2) \ln x] K_0(x) - [8x^3 + 96x + (x^5 + 16x^3 + 64x) \ln x] K_1(x)\end{aligned}$$

The integrals with $K_0(x)$ can be found by comparison with the integrals for $I_0(x)$.

$$\begin{aligned}\int x^7 \ln x \cdot J_0(x) dx &= [x^6 - 84x^4 + 1536x^2 - 2304 + (6x^6 - 144x^4 + 1152x^2) \ln x] J_0(x) + \\ &+ [-12x^5 + 480x^3 - 4224x + (x^7 - 36x^5 + 576x^3 - 2304x) \ln x] J_1(x) \\ \int x^7 \ln x \cdot I_0(x) dx &= [-x^6 - 84x^4 - 1536x^2 - 2304 + (-6x^6 - 144x^4 - 1152x^2) \ln x] I_0(x) + \\ &+ [12x^5 + 480x^3 + 4224x + (x^7 + 36x^5 + 576x^3 + 2304x) \ln x] I_1(x) \\ \int x^9 \ln x \cdot J_0(x) dx &= \\ &= [x^8 - 160x^6 + 7680x^4 - 116736x^2 + 147456 + (8x^8 - 384x^6 + 9216x^4 - 73728x^2) \ln x] J_0(x) + \\ &+ [-16x^7 + 1344x^5 - 39936x^3 + 307200x + (x^9 - 64x^7 + 2304x^5 - 36864x^3 + 147456x) \ln x] J_1(x) \\ \int x^9 \ln x \cdot I_0(x) dx &= \\ &= [-x^8 - 160x^6 - 7680x^4 - 116736x^2 - 147456 + (-8x^8 - 384x^6 - 9216x^4 - 73728x^2) \ln x] I_0(x) + \\ &+ [16x^7 + 1344x^5 + 39936x^3 + 307200x + (x^9 + 64x^7 + 2304x^5 + 36864x^3 + 147456x) \ln x] I_1(x)\end{aligned}$$

Let

$$\begin{aligned}\int x^n \ln x \cdot J_0(x) dx &= (P_n(x) + Q_n(x) \ln x) J_0(x) + (R_n(x) + S_n(x) \ln x) J_1(x), \\ \int x^n \ln x \cdot I_0(x) dx &= (P_n^*(x) + Q_n^*(x) \ln x) I_0(x) + (R_n^*(x) + S_n^*(x) \ln x) I_1(x), \\ \int x^n \ln x \cdot K_0(x) dx &= (P_n^*(x) + Q_n^*(x) \ln x) K_0(x) - (R_n^*(x) + S_n^*(x) \ln x) K_1(x),\end{aligned}$$

then holds

$$\begin{aligned}
P_{11} &= x^{10} - 260x^8 + 23680x^6 - 952320x^4 + 13148160x^2 - 14745600 \\
Q_{11} &= 10x^{10} - 800x^8 + 38400x^6 - 921600x^4 + 7372800x^2 \\
R_{11} &= -20x^9 + 2880x^7 - 180480x^5 + 4730880x^3 - 33669120x \\
S_{11} &= x^{11} - 100x^9 + 6400x^7 - 230400x^5 + 3686400x^3 - 14745600x \\
P_{11}^* &= -x^{10} - 260x^8 - 23680x^6 - 952320x^4 - 13148160x^2 - 14745600 \\
Q_{11}^* &= -10x^{10} - 800x^8 - 38400x^6 - 921600x^4 - 7372800x^2 \\
R_{11}^* &= 20x^9 + 2880x^7 + 180480x^5 + 4730880x^3 + 33669120x \\
S_{11}^* &= x^{11} + 100x^9 + 6400x^7 + 230400x^5 + 3686400x^3 + 14745600x
\end{aligned}$$

$$\begin{aligned}
P_{13} &= x^{12} - 384x^{10} + 56640x^8 - 4331520x^6 + 159252480x^4 - 2070282240x^2 + 2123366400 \\
Q_{13} &= 12x^{12} - 1440x^{10} + 115200x^8 - 5529600x^6 + 132710400x^4 - 1061683200x^2 \\
R_{13} &= -24x^{11} + 5280x^9 - 568320x^7 + 31518720x^5 - 769720320x^3 + 5202247680x \\
S_{13} &= x^{13} - 144x^{11} + 14400x^9 - 921600x^7 + 33177600x^5 - 530841600x^3 + 2123366400x \\
P_{13}^* &= -x^{12} - 384x^{10} - 56640x^8 - 4331520x^6 - 159252480x^4 - 2070282240x^2 - 2123366400 \\
Q_{13}^* &= -12x^{12} - 1440x^{10} - 115200x^8 - 5529600x^6 - 132710400x^4 - 1061683200x^2 \\
R_{13}^* &= 24x^{11} + 5280x^9 + 568320x^7 + 31518720x^5 + 769720320x^3 + 5202247680x \\
S_{13}^* &= x^{13} + 144x^{11} + 14400x^9 + 921600x^7 + 33177600x^5 + 530841600x^3 + 2123366400x
\end{aligned}$$

$$\begin{aligned}
P_{15} &= x^{14} - 532x^{12} + 115584x^{10} - 14327040x^8 + 1003806720x^6 - \\
&\quad - 34929377280x^4 + 435502448640x^2 - 416179814400 \\
Q_{15} &= 14x^{14} - 2352x^{12} + 282240x^{10} - 22579200x^8 + \\
&\quad + 1083801600x^6 - 26011238400x^4 + 208089907200x^2 \\
R_{15} &= -28x^{13} + 8736x^{11} - 1438080x^9 + 137195520x^7 - \\
&\quad - 7106641920x^5 + 165728747520x^3 - 1079094804480x \\
S_{15} &= x^{15} - 196x^{13} + 28224x^{11} - 2822400x^9 + 180633600x^7 - \\
&\quad - 6502809600x^5 + 104044953600x^3 - 416179814400x \\
P_{15}^* &= -x^{14} - 532x^{12} - 115584x^{10} - 14327040x^8 - 1003806720x^6 - \\
&\quad - 34929377280x^4 - 435502448640x^2 - 416179814400 \\
Q_{15}^* &= -14x^{14} - 2352x^{12} - 282240x^{10} - 22579200x^8 - \\
&\quad - 1083801600x^6 - 26011238400x^4 - 208089907200x^2 \\
R_{15}^* &= 28x^{13} + 8736x^{11} + 1438080x^9 + 137195520x^7 + \\
&\quad + 7106641920x^5 + 165728747520x^3 + 1079094804480x \\
S_{15}^* &= x^{15} + 196x^{13} + 28224x^{11} + 2822400x^9 + 180633600x^7 + \\
&\quad + 6502809600x^5 + 104044953600x^3 + 416179814400x
\end{aligned}$$

Recurrence formulas:

$$\begin{aligned}
& \int x^{2n+1} \cdot \ln x \cdot J_0(x) dx = \\
& = x^{2n} \ln x [2nJ_0(x) + xJ_1(x)] - 2n \int x^{2n-1} J_0(x) dx - \int x^{2n} J_1(x) dx - 4n^2 \int x^{2n-1} \cdot \ln x \cdot J_0(x) dx \\
& \int x^{2n+1} \cdot \ln x \cdot I_0(x) dx = \\
& = x^{2n} \ln x [xI_1(x) - 2nI_0(x)] + 2n \int x^{2n-1} I_0(x) dx - \int x^{2n} I_1(x) dx + 4n^2 \int x^{2n-1} \cdot \ln x \cdot I_0(x) dx \\
& \int x^{2n+1} \cdot \ln x \cdot K_0(x) dx = \\
& = -x^{2n} \ln x [2nJ_0(x) + xJ_1(x)] + 2n \int x^{2n-1} J_0(x) dx + \int x^{2n} J_1(x) dx + 4n^2 \int x^{2n-1} \cdot \ln x \cdot J_0(x) dx
\end{aligned}$$

The integrals of the type $\int x^m Z_\nu(x) dx$ are described before.

1.2.10. Integrals of the type $\int x^{2n} \ln x \cdot Z_1(x) dx$

$$\int \ln x \cdot J_1(x) dx = -\ln x \cdot J_0(x) + \int \frac{J_0(x)}{x} dx$$

$$\int \ln x \cdot I_1(x) dx = \ln x \cdot I_0(x) - \int \frac{I_0(x)}{x} dx$$

Concerning the integrals on the right hand side see 1.1.3, page 13.

$$\int x^2 \ln x \cdot J_1(x) dx = (2 - x^2 \ln x) J_0(x) + x(1 + 2 \ln x) J_1(x)$$

$$\int x^2 \ln x \cdot I_1(x) dx = (2 + x^2 \ln x) I_0(x) - x(1 + 2 \ln x) I_1(x)$$

$$\int x^4 \ln x \cdot J_1(x) dx = [6x^2 - 16 + (-x^4 + 8x^2) \ln x] J_0(x) + [x^3 - 20x + (4x^3 - 16x) \ln x] J_1(x)$$

$$\int x^4 \ln x \cdot I_1(x) dx = [6x^2 + 16 + (x^4 + 8x^2) \ln x] I_0(x) + [-x^3 - 20x + (-4x^3 - 16x) \ln x] I_1(x)$$

$$\int x^6 \ln x \cdot J_1(x) dx = [10x^4 - 224x^2 + 384 + (-x^6 + 24x^4 - 192x^2) \ln x] J_0(x) +$$

$$+ [x^5 - 64x^3 + 640x + (6x^5 - 96x^3 + 384x) \ln x] J_1(x)$$

$$\int x^6 \ln x \cdot I_1(x) dx = [10x^4 + 224x^2 + 384 + (x^6 + 24x^4 + 192x^2) \ln x] I_0(x) +$$

$$+ [-x^5 - 64x^3 - 640x + (-6x^5 - 96x^3 - 384x) \ln x] I_1(x)$$

$$\int x^8 \ln x \cdot J_1(x) dx = [14x^6 - 816x^4 + 13440x^2 - 18432 + (-x^8 + 48x^6 - 1152x^4 + 9216x^2) \ln x] J_0(x) +$$

$$+ [x^7 - 132x^5 + 4416x^3 - 36096x + (8x^7 - 288x^5 + 4608x^3 - 18432x) \ln x] J_1(x)$$

$$\int x^8 \ln x \cdot I_1(x) dx = [14x^6 + 816x^4 + 13440x^2 + 18432 + (x^8 + 48x^6 + 1152x^4 + 9216x^2) \ln x] I_0(x) +$$

$$+ [-x^7 - 132x^5 - 4416x^3 - 36096x + (-8x^7 - 288x^5 - 4608x^3 - 18432x) \ln x] I_1(x)$$

Let

$$\int x^n \ln x \cdot J_1(x) dx = [P_n(x) + Q_n(x) \ln x] J_0(x) + [R_n(x) + S_n(x) \ln x] J_1(x),$$

$$\int x^n \ln x \cdot I_1(x) dx = [P_n^*(x) + Q_n^*(x) \ln x] I_0(x) + [R_n^*(x) + S_n^*(x) \ln x] I_1(x),$$

then holds:

$$P_{10}(x) = 18x^8 - 1984x^6 + 86016x^4 - 1241088x^2 + 1474560$$

$$Q_{10}(x) = -x^{10} + 80x^8 - 3840x^6 + 92160x^4 - 737280x^2$$

$$R_{10}(x) = x^9 - 224x^7 + 15744x^5 - 436224x^3 + 3219456x$$

$$S_{10}(x) = 10x^9 - 640x^7 + 23040x^5 - 368640x^3 + 1474560x$$

$$P_{10}^*(x) = 18x^8 + 1984x^6 + 86016x^4 + 1241088x^2 + 1474560$$

$$Q_{10}^*(x) = x^{10} + 80x^8 + 3840x^6 + 92160x^4 + 737280x^2$$

$$R_{10}^*(x) = -x^9 - 224x^7 - 15744x^5 - 436224x^3 - 3219456x$$

$$S_{10}^*(x) = -10x^9 - 640x^7 - 23040x^5 - 368640x^3 - 1474560x$$

$$P_{12}(x) = 22x^{10} - 3920x^8 + 322560x^6 - 12349440x^4 + 165150720x^2 - 176947200$$

$$Q_{12}(x) = -x^{12} + 120x^{10} - 9600x^8 + 460800x^6 - 11059200x^4 + 88473600x^2$$

$$\begin{aligned}
R_{12}(x) &= x^{11} - 340x^9 + 40960x^7 - 2396160x^5 + 60456960x^3 - 418775040x \\
S_{12}(x) &= 12x^{11} - 1200x^9 + 76800x^7 - 2764800x^5 + 44236800x^3 - 176947200x \\
P_{12}^*(x) &= 22x^{10} + 3920x^8 + 322560x^6 + 12349440x^4 + 165150720x^2 + 176947200 \\
Q_{12}^*(x) &= x^{12} + 120x^{10} + 9600x^8 + 460800x^6 + 11059200x^4 + 88473600x^2 \\
R_{12}^*(x) &= -x^{11} - 340x^9 - 40960x^7 - 2396160x^5 - 60456960x^3 - 418775040x \\
S_{12}^*(x) &= -12x^{11} - 1200x^9 - 76800x^7 - 2764800x^5 - 44236800x^3 - 176947200x
\end{aligned}$$

$$\begin{aligned}
P_{14}(x) &= 26x^{12} - 6816x^{10} + 908160x^8 - 66170880x^6 + \\
&\quad + 2362245120x^4 - 30045634560x^2 + 29727129600 \\
Q_{14}(x) &= -x^{14} + 168x^{12} - 20160x^{10} + 1612800x^8 - \\
&\quad - 77414400x^6 + 1857945600x^4 - 14863564800x^2 \\
R_{14}(x) &= x^{13} - 480x^{11} + 88320x^9 - 8878080x^7 + \\
&\quad + 474439680x^5 - 11306926080x^3 + 74954833920x \\
S_{14}(x) &= 14x^{13} - 2016x^{11} + 201600x^9 - 12902400x^7 + \\
&\quad + 464486400x^5 - 7431782400x^3 + 29727129600x \\
P_{14}^*(x) &= 26x^{12} + 6816x^{10} + 908160x^8 + 66170880x^6 + \\
&\quad + 2362245120x^4 + 30045634560x^2 + 29727129600 \\
Q_{14}^*(x) &= x^{14} + 168x^{12} + 20160x^{10} + 1612800x^8 + \\
&\quad + 77414400x^6 + 1857945600x^4 + 14863564800x^2 \\
R_{14}^*(x) &= -x^{13} - 480x^{11} - 88320x^9 - 8878080x^7 - \\
&\quad - 474439680x^5 - 11306926080x^3 - 74954833920x \\
S_{14}^*(x) &= -14x^{13} - 2016x^{11} - 201600x^9 - 12902400x^7 - \\
&\quad - 464486400x^5 - 7431782400x^3 - 29727129600x
\end{aligned}$$

Recurrence formulas:

$$\begin{aligned}
&\int x^{2n+2} \cdot \ln x \cdot J_1(x) dx = x^{2n+1} \ln x [(2n+2)J_1(x) - xJ_0(x)] + \\
&+ \int x^{2n+1} J_0(x) dx - (2n+2) \int x^{2n} J_1(x) dx - 4n(n+1) \int x^{2n} \cdot \ln x \cdot J_1(x) dx \\
&\int x^{2n+2} \cdot \ln x \cdot I_1(x) dx = x^{2n+1} \ln x [xI_0(x) - (2n+2)I_1(x)] - \\
&- \int x^{2n+1} I_0(x) dx + (2n+2) \int x^{2n} I_1(x) dx + 4n(n+1) \int x^{2n} \cdot \ln x \cdot I_1(x) dx
\end{aligned}$$

The integrals of the type $\int x^m Z_\nu(x) dx$ are described before.

1.2.11. Integrals of the type $\int x^{2n+\nu} \ln x \cdot Z_\nu(x) dx$

a) The Functions Λ_k and Λ_k^* , $k = 0, 1$:

Let

$$\Lambda_0(x) = \sum_{k=0}^{\infty} \alpha_k x^{2k+1} = \sum_{k=0}^{\infty} \frac{(-1)^k}{2^{2k} \cdot (k!)^2 \cdot (2k+1)} x^{2k+1} = \int_0^x J_0(t) dt = x J_0(x) + \Phi(x).$$

($\Phi(x)$ and further on $\Psi(x)$ defined as on page 7)

$$\Lambda_0(x) = x - \frac{x^3}{12} + \frac{x^5}{320} - \frac{x^7}{16128} + \frac{x^9}{1327104} - \frac{x^{11}}{162201600} + \frac{x^{13}}{27603763200} - \frac{x^{15}}{6242697216000} + \dots$$

k	α_k	$1/\alpha_k$
0	1.0000000000000000E+00	1
1	-8.3333333333333329E-02	-12
2	3.1250000000000002E-03	320
3	-6.2003968253968251E-05	-16128
4	7.5352044753086416E-07	1327104
5	-6.1651672979797980E-09	-162201600
6	3.6226944592830012E-11	27603763200
7	-1.6018716996829596E-13	-6242697216000
8	5.5211570531352012E-16	1811214552268800
9	-1.5246859958300586E-18	-655872751986278400
10	3.4486945143775135E-21	289964795614986240000
11	-6.5058017249306315E-24	-153708957370763182080000
12	1.0391211088430869E-26	96235173310390861824000000
13	-1.4232975959389203E-29	-70259375330450160400465920000
14	1.6902284962328838E-32	59163598426411660994999746560000
15	-1.7568683294176930E-35	-56919461934375356612430790656000000
16	1.6117104111016952E-38	-56919461934375356612430790656000000
17	-1.3145438350557573E-41	-76072016263922024994318857577431040000000
18	9.5948102742224525E-45	104223009253931112643645081672942092288000000
19	-6.3038564554696844E-48	-158633053760659041611878822148470455926784000000
20	3.7477195390749646E-51	266828931453826490506134634177940048943513600000000

Values of this function may be found in [1], Table 11.1 .




FIGURE 1 : Function $\Lambda_0(x)$

Approximations with Chebyshev polynomials are given in [1], table 9.3 .

The maxima and minima of $\Lambda_0(x)$ are situated in the zeros of $J_0(x)$:

k	1	2	3	4	5	6	7	8
max	1.470300	1.268168	1.205654	1.172888	1.151982	1.137178	1.125991	1.117157
min	0.668846	0.769119	0.812831	0.838567	0.855986	0.868771	0.878666	0.886617

Asymptotic expansion:

$$\Lambda_0(x) \sim 1 + \sqrt{\frac{2}{\pi x}} \sum_{k=0}^{\infty} \frac{\lambda_k}{x^k} \sin\left(x + \frac{2k-1}{4}\pi\right)$$

Recurrence relation:

$$\lambda_{k+1} = -\frac{2k+1}{16(k+1)} [(12k+10)\lambda_k + (4k^2-1)\lambda_{k-1}]$$

If $k > 1$, then up to $k \approx 30$ holds

$$\lambda_k \approx (-1)^k \Gamma(s_k) \quad \text{with} \quad s_k = k + \frac{1}{2} - \frac{1}{3\sqrt{k}}.$$

Coefficients of the asymptotic formula:

k	λ_k	λ_k	$q_k = \lambda_k/\lambda_{k-1} $	$ \lambda_k /\Gamma(s_k)$
0	1	1	-	-
1	$-\frac{5}{8}$	-0.625	0.625	-
2	$\frac{129}{128}$	1.007812500	1.612500000	0.882203509
3	$-\frac{2655}{1024}$	-2.592773438	2.572674419	0.958684418
4	$\frac{301035}{32768}$	9.186859131	3.543255650	0.992044824
5	$-\frac{10896795}{262144}$	-41.56797409	4.524720963	1.007474317
6	$\frac{961319205}{4194304}$	229.1963589	5.513772656	1.014554883
7	$-\frac{50046571575}{33554432}$	-1491.504060	6.507538198	1.017456390
8	$\frac{24035398261875}{2147483648}$	11192.35450	7.504072427	1.018151550
9	$-\frac{1634825936118375}{17179869184}$	-95159.39374	8.502178320	1.017633944
10	$\frac{248523783571238175}{274877906944}$	904124.2577	9.501156135	1.016430975
11	$-\frac{20877210220441199625}{2199023255552}$	-9493856.042	10.50060980	1.014835786
12	$\frac{7683027147736313147775}{70368744177664}$	109182382.6	11.50032001	1.014835786

Roughly spoken, the item

$$\frac{\lambda_k}{x^k} \sin\left(x + \frac{2k-1}{4}\pi\right)$$

in the asymptotic series should not be used if $|x| < q_k$.

Let

$$d_n(x) = 1 + \sqrt{\frac{2}{\pi x}} \sum_{k=0}^n \frac{\lambda_k}{x^k} \sin\left(x + \frac{2k-1}{4}\pi\right) - \Lambda_0(x).$$

The following table gives some consecutive maxima and minima of interest of this functions:

$n = 0$		$n = 1$		$n = 2$		$n = 3$	
x	$d_n(x)$	x	$d_n(x)$	x	$d_n(x)$	x	$d_n(x)$
3.953	-5.390E-2	5.510	-9.219-3	3.936	1.020E-2	5.501	2.128E-3
7.084	2.479E-2	8.647	3.315E-3	7.074	-1.751-3	8.642	-3.501E-4
10.221	-1.475E-2	11.787	-1.592E-3	10.214	5.360E-4	11.783	9.561E-5
13.360	1.000E-2	14.927	9.002E-4	13.355	-2.197E-4	14.924	-3.469E-5
16.500	-7.337E-3	18.068	-5.647E-4	16.496	1.076E-4	18.065	1.511E-5




FIGURE 1 : Differences $d_0(x) \dots d_3(x)$

Let

$$\Lambda_0^*(x) = \sum_{k=0}^{\infty} |\alpha_k| x^{2k+1} = \sum_{k=0}^{\infty} \frac{1}{2^{2k} \cdot (k!)^2 \cdot (2k+1)} x^{2k+1} = \int_0^x I_0(t) dt = x I_0(x) + \Psi(x).$$

Asymptotic expansion (see $\Lambda_0(x)$):

$$\Lambda_0^*(x) = \frac{e^x}{\sqrt{2\pi x}} \left[1 + \frac{5}{8x} + \frac{129}{128x^2} + \frac{2655}{1024x^3} + \dots \right]$$

Furthermore, let

$$\Lambda_1(x) = \sum_{k=0}^{\infty} \beta_k x^{2k+1} = \sum_{k=0}^{\infty} \frac{(-1)^k}{2^{2k} \cdot (k!)^2 \cdot (2k+1)^2} x^{2k+1} = \sum_{k=0}^{\infty} \frac{\alpha_k}{2k+1} x^{2k+1}.$$

$\Lambda_1(x)$ can be written as a hypergeometric function.

One has

$$\Lambda_0(x) = x \Lambda_1'(x), \quad \Lambda_1(0) = 0 \quad \iff \quad \Lambda_1(x) = \int_0^x \frac{\Lambda_0(t) dt}{t}.$$

$$\Lambda_1(x) = x - \frac{x^3}{36} + \frac{x^5}{1600} - \frac{x^7}{112896} + \frac{x^9}{11943936} - \frac{x^{11}}{1784217600} + \frac{x^{13}}{358848921600} - \frac{x^{15}}{9364045824000} + \dots$$




FIGURE 2 : *Function $\Lambda_1(x)$, dots: $C + \ln 2x$*

Asymptotic series with Euler's constant $\mathbf{C} = 0.577\ 215\ 664\ 901\ 533$:

$$\Lambda_1(x) \sim C + \ln 2x - \sqrt{\frac{2}{\pi x}} \sum_{k=1}^{\infty} \frac{\mu_k}{x^k} \sin\left(x + \frac{2k-1}{4} \pi\right)$$

k	μ_k	μ_k	$ \mu_k/\mu_{k-1} $
1	1	1	1
2	$-\frac{17}{8}$	-2.125	2.125
3	$\frac{809}{128}$	6.320 312 500	2.974
4	$-\frac{25307}{1024}$	-24.713 867 187 500	3.910
5	$\frac{3945243}{32768}$	120.399 261 474 609	4.871
6	$-\frac{184487487}{262144}$	-703.763 912 200 928	5.845
7	$\frac{20148017853}{4194304}$	4 803.661 788 225 174	6.826
8	$-\frac{1258927642755}{33554432}$	-37 518.967 472 166	7.810
9	$\frac{708892035920595}{2147483648}$	330 103.578 008 988	8.798
10	$-\frac{55510620666083595}{17179869184}$	-3 231 143.384 827 510	9.788
11	$\frac{9574308055473282135}{274877906944}$	34 831 129.798 379	10.780
12	$-\frac{901713551323983156045}{2199023255552}$	-410 051 848.723 007	11.773

Some consecutive maxima and minima of the differences

$$\delta_n(x) = C + \ln 2x - \sqrt{\frac{2}{\pi x}} \sum_{k=1}^n \frac{\mu_k}{x^k} \sin\left(x + \frac{3-2k}{4}\pi\right) - \Lambda_1(x)$$

$n = 1$	x	2.4704	5.569	8.689	11.819	14.953	18.090
	$\delta_n(x)$	9.374E-2	-1.855E-2	6.824E-3	-3.309E-3	1.880E-3	-1.182E-3
$n = 2$	x	3.991	7.115	10.246	13.380	16.517	19.655
	$\delta_n(x)$	2.312E-2	-4.117E-3	1.279E-3	-5.284E-4	2.598E-4	-1.436E-4
$n = 3$	x	5.541	8.673	11.808	14.945	18.083	21.222
	$\delta_n(x)$	5.439E-3	-9.148E-4	2.525E-4	-9.214E-5	4.028E-5	-1.997E-5
$n = 4$	x	10.237	13.374	16.512	19.651	22.791	25.931
	$\delta_n(x)$	-2.043E-4	5.163E-5	-1.707E-5	6.771E-6	-3.061E-6	1.527E-6

Let

$$\Lambda_1^*(x) = \sum_{k=0}^{\infty} |\beta_k| x^{2k+1} = \sum_{k=0}^{\infty} \frac{x^{2k+1}}{2^{2k} \cdot (k!)^2 \cdot (2k+1)^2}.$$

b) Basic Integrals:

$$\int \ln x \cdot J_0(x) dx = \Lambda_0(x) \cdot \ln x - \Lambda_1(x) + c$$

$$\int \ln x \cdot I_0(x) dx = \Lambda_0^*(x) \cdot \ln x - \Lambda_1^*(x) + c$$

In particular, let

$$\int_0^x \ln t \cdot J_0(t) dt = F(x) \quad \text{and} \quad \int_0^x \ln t \cdot I_0(t) dt = F^*(x).$$




FIGURE 3 : Functions $F(x)$ and $F^*(x)$

Holds ([7], 6.772) with Euler's constant $\mathbf{C} = 0.577\dots$

$$\lim_{x \rightarrow \infty} F(x) = -\ln 2 - \mathbf{C} = -1.270\,362\,845\,461\,478\,170\dots$$

Asymptotic expansion:

$$\begin{aligned} F(x) &\sim -\ln 2 - \mathbf{C} + \sqrt{\frac{2}{\pi x}} \left[\ln x \cdot \sin\left(x - \frac{\pi}{4}\right) + \sum_{k=1}^{\infty} \frac{\lambda_k \ln x + \mu_k}{x^k} \cdot \sin\left(x + \frac{(2k-1)\pi}{4}\right) \right] = \\ &= -\ln 2 - \mathbf{C} + \sqrt{\frac{2}{\pi x}} \left[\ln x \cdot \sin\left(x - \frac{\pi}{4}\right) - \frac{5 \ln x + 8}{8x} \sin\left(x + \frac{\pi}{4}\right) + \frac{129 \ln x + 272}{128x^2} \sin\left(x + \frac{3\pi}{4}\right) - \right. \\ &\quad \left. - \frac{2\,655 \ln x + 6\,472}{1\,024x^3} \sin\left(x + \frac{5\pi}{4}\right) + \frac{301\,035 \ln x + 809\,824}{32\,768x^4} \sin\left(x + \frac{7\pi}{4}\right) + \dots \right] \end{aligned}$$

Let

$$\Delta_n(x) = -\ln 2 - \mathbf{C} + \sqrt{\frac{2}{\pi x}} \left[\ln x \cdot \sin\left(x - \frac{\pi}{4}\right) + \sum_{k=1}^n \frac{\lambda_k \ln x + \mu_k}{x^k} \cdot \sin\left(x + \frac{(2k-1)\pi}{4}\right) \right] - F(x)$$




FIGURE 4 : $\Delta_n(x)$, $n = 1 - 4$, $5 \leq x \leq 20$




FIGURE 5 : $\Delta_n(x)$, $n = 2 - 4$, $10 \leq x \leq 30$

Some consecutive maxima and minima of the differences $\Delta_n(x)$:

$n = 1$	x	11.822	14.944	18.079	21.217	24.356	27.496
	$\Delta_n(x)$	-6.213E-4	5.541E-4	-4.520E-4	3.644E-4	-2.959E-4	2.431E-4
$n = 2$	x	7.046	10.134	13.404	16.513	19.647	22.785
	$\Delta_n(x)$	6.878E-4	-3.344E-5	-4.133E-5	4.183E-5	-3.303E-5	2.498E-5
$n = 3$	x	18.083	21.215	24.354	27.494	30.634	33.775
	$\Delta_n(x)$	3.458E-6	-2.863E-6	2.100E-6	-1.507E-6	1.087E-6	-7.949E-7
$n = 4$	x	22.785	25.923	29.063	32.204	35.345	38.486
	$\Delta_n(x)$	-2.648E-7	1.982E-7	-1.385E-7	9.570E-8	-6.666E-8	4.709E-8

c) Integrals of $x^{2n} \ln x \cdot Z_0(x)$:

$$\begin{aligned} \int \ln x \cdot J_0(x) dx &= [x J_0(x) + \Phi(x)] \cdot \ln x - \Lambda_1(x) \\ \int \ln x \cdot I_0(x) dx &= [x I_0(x) + \Psi(x)] \cdot \ln x - \Lambda_1^*(x) \\ \int x^2 \ln x \cdot J_0(x) dx &= [x^2 J_1(x) - \Phi(x)] \cdot \ln x - x J_0(x) + \Lambda_1(x) - 2\Phi(x) \\ \int x^2 \ln x \cdot I_0(x) dx &= [x^2 I_1(x) + \Psi(x)] \cdot \ln x + x I_0(x) - \Lambda_1^*(x) + 2\Psi(x) \\ \int x^4 \ln x \cdot J_0(x) dx &= \\ &= [3x^3 J_0(x) + (x^4 - 9x^2) J_1(x) + 9\Phi(x)] \cdot \ln x + (x^3 + 9x) J_0(x) - 6x^2 J_1(x) - 9\Lambda_1(x) + 24\Phi(x) \\ \int x^4 \ln x \cdot I_0(x) dx &= \\ &= [-3x^3 I_0(x) + (x^4 + 9x^2) I_1(x) + 9\Psi(x)] \cdot \ln x + (-x^3 + 9x) I_0(x) + 6x^2 I_1(x) - 9\Lambda_1^*(x) + 24\Psi(x) \end{aligned}$$

Let

$$\begin{aligned} \int x^n \ln x \cdot J_0(x) dx &= \\ &= [P_n(x) J_0(x) + Q_n(x) J_1(x) + p_n \Phi(x)] \cdot \ln x + R_n(x) J_0(x) + S_n(x) J_1(x) - p_n \Lambda_1(x) + q_n \Phi(x) \end{aligned}$$

and

$$\begin{aligned} \int x^n \ln x \cdot I_0(x) dx &= \\ &= [P_n^*(x) I_0(x) + Q_n^*(x) I_1(x) + p_n^* \Psi(x)] \cdot \ln x + R_n^*(x) I_0(x) + S_n^*(x) I_1(x) - p_n^* \Lambda_1^*(x) + q_n^* \Psi(x), \end{aligned}$$

then holds

$$\begin{aligned} P_6(x) &= 5x^5 - 75x^3, & Q_6(x) &= x^6 - 25x^4 + 225x^2, & R_6(x) &= x^5 - 55x^3 - 225x \\ S_6(x) &= -10x^4 + 240x^2, & p_6 &= -225, & q_6 &= -690 \\ P_6^*(x) &= -5x^5 - 75x^3, & Q_6^*(x) &= x^6 + 25x^4 + 225x^2, & R_6^*(x) &= -x^5 - 55x^3 + 225x \\ S_6^*(x) &= 10x^4 + 240x^2, & p_6^* &= 225, & q_6^* &= 690 \end{aligned}$$

$$\begin{aligned} P_8(x) &= 7x^7 - 245x^5 + 3675x^3, & Q_8(x) &= x^8 - 49x^6 + 1225x^4 - 11025x^2 \\ R_8(x) &= x^7 - 119x^5 + 3745x^3 + 11025x, & S_8(x) &= -14x^6 + 840x^4 - 14910x^2, & p_8 &= 11025, & q_8 &= 36960 \\ P_8^*(x) &= -7x^7 - 245x^5 - 3675x^3, & Q_8^*(x) &= x^8 + 49x^6 + 1225x^4 + 11025x^2 \\ R_8^*(x) &= -x^7 - 119x^5 - 3745x^3 + 11025x, & S_8^*(x) &= 14x^6 + 840x^4 + 14910x^2, & p_8^* &= 11025, & q_8^* &= 36960 \end{aligned}$$

$$P_{10}(x) = 9x^9 - 567x^7 + 19845x^5 - 297675x^3, \quad Q_{10}(x) = x^{10} - 81x^8 + 3969x^6 - 99225x^4 + 893025x^2$$

$$R_{10}(x) = x^9 - 207x^7 + 14049x^5 - 369495x^3 - 893025x, \quad S_{10}(x) = -18x^8 + 2016x^6 - 90090x^4 + 1406160x^2$$

$$p_{10} = -893025, \quad q_{10} = -3192210$$

$$P_{10}^*(x) = -9x^9 - 567x^7 - 19845x^5 - 297675x^3, \quad Q_{10}^*(x) = x^{10} + 81x^8 + 3969x^6 + 99225x^4 + 893025x^2$$

$$R_{10}^*(x) = -x^9 - 207x^7 - 14049x^5 - 369495x^3 + 893025x, \quad S_{10}^*(x) = 18x^8 + 2016x^6 + 90090x^4 + 1406160x^2$$

$$p_{10}^* = 893025, \quad q_{10}^* = 3192210$$

$$P_{12}(x) = 11x^{11} - 1089x^9 + 68607x^7 - 2401245x^5 + 36018675x^3$$

$$Q_{12}(x) = x^{12} - 121x^{10} + 9801x^8 - 480249x^6 + 12006225x^4 - 108056025x^2$$

$$R_{12}(x) = x^{11} - 319x^9 + 37521x^7 - 2136519x^5 + 51257745x^3 + 108056025x$$

$$S_{12}(x) = -22x^{10} + 3960x^8 - 331254x^6 + 13083840x^4 - 189791910x^2$$

$$p_{12} = 108056025, \quad q_{12} = 405903960$$

$$P_{12}^*(x) = -11x^{11} - 1089x^9 - 68607x^7 - 2401245x^5 - 36018675x^3$$

$$Q_{12}^*(x) = x^{12} + 121x^{10} + 9801x^8 + 480249x^6 + 12006225x^4 + 108056025x^2$$

$$R_{12}^*(x) = -x^{11} - 319x^9 - 37521x^7 - 2136519x^5 - 51257745x^3 + 108056025x$$

$$Q_{12}^*(x) = 22x^{10} + 3960x^8 + 331254x^6 + 13083840x^4 + 189791910x^2$$

$$p_{12}^* = 108056025, \quad q_{12}^* = 405903960$$

$$P_{14}(x) = 13x^{13} - 1859x^{11} + 184041x^9 - 11594583x^7 + 405810405x^5 - 6087156075x^3$$

$$Q_{14}(x) = x^{14} - 169x^{12} + 20449x^{10} - 1656369x^8 + 81162081x^6 - 2029052025x^4 + 18261468225x^2$$

$$R_{14}(x) = x^{13} - 455x^{11} + 82225x^9 - 8124831x^7 + 423504081x^5 - 9599044455x^3 - 18261468225x$$

$$S_{14}(x) = -26x^{12} + 6864x^{10} - 924066x^8 + 68468400x^6 - 2523330810x^4 + 34884289440x^2$$

$$p_{14} = -18261468225, \quad q_{14} = -71407225890$$

$$P_{14}^*(x) = -13x^{13} - 1859x^{11} - 184041x^9 - 11594583x^7 - 405810405x^5 - 6087156075x^3$$

$$Q_{14}^*(x) = x^{14} + 169x^{12} + 20449x^{10} + 1656369x^8 + 81162081x^6 + 2029052025x^4 + 18261468225x^2$$

$$R_{14}^*(x) = -x^{13} - 455x^{11} - 82225x^9 - 8124831x^7 - 423504081x^5 - 9599044455x^3 + 18261468225x$$

$$S_{14}^*(x) = 26x^{12} + 6864x^{10} + 924066x^8 + 68468400x^6 + 2523330810x^4 + 34884289440x^2$$

$$p_{14}^* = 18261468225, \quad q_{14}^* = 71407225890$$

$$P_{16}(x) = 15x^{15} - 2925x^{13} + 418275x^{11} - 41409225x^9 + 2608781175x^7 - 91307341125x^5 + 1369610116875x^3$$

$$Q_{16}(x) = x^{16} - 225x^{14} + 38025x^{12} - 4601025x^{10} + 372683025x^8 - 18261468225x^6 +$$

$$+ 456536705625x^4 - 4108830350625x^2$$

$$R_{16}(x) = x^{15} - 615x^{13} + 158145x^{11} - 24021855x^9 + 2175924465x^7 - 107462730375x^5 +$$

$$+ 2342399684625x^3 + 4108830350625x$$

$$S_{16}(x) = -30x^{14} + 10920x^{12} - 2157870x^{10} + 257605920x^8 - 17840252430x^6 +$$

$$+ 628620993000x^4 - 8396809170750x^2$$

$$p_{16} = 4108830350625, \quad q_{16} = 16614469872000$$

$$\begin{aligned}
P_{16}^*(x) &= -15x^{15} - 2925x^{13} - 418275x^{11} - 41409225x^9 - 2608781175x^7 - 91307341125x^5 - 1369610116875x^3 \\
Q_{16}^*(x) &= x^{16} + 225x^{14} + 38025x^{12} + 4601025x^{10} + 372683025x^8 + 18261468225x^6 + \\
&\quad + 456536705625x^4 + 4108830350625x^2 \\
R_{16}^*(x) &= -x^{15} - 615x^{13} - 158145x^{11} - 24021855x^9 - 2175924465x^7 - 107462730375x^5 - \\
&\quad - 2342399684625x^3 + 4108830350625x \\
S_{16}^*(x) &= 30x^{14} + 10920x^{12} + 2157870x^{10} + 257605920x^8 + 17840252430x^6 + \\
&\quad + 628620993000x^4 + 8396809170750x^2 \\
p_{16}^* &= 4108830350625, \quad q_{16}^* = 16614469872000
\end{aligned}$$

$$\begin{aligned}
P_{18}(x) &= 17x^{17} - 4335x^{15} + 845325x^{13} - 120881475x^{11} + 11967266025x^9 - 753937759575x^7 + \\
&\quad + 26387821585125x^5 - 395817323776875x^3 \\
Q_{18}(x) &= x^{18} - 289x^{16} + 65025x^{14} - 10989225x^{12} + 1329696225x^{10} - 107705394225x^8 + \\
&\quad + 5277564317025x^6 - 131939107925625x^4 + 1187451971330625x^2 \\
R_{18}(x) &= x^{17} - 799x^{15} + 277185x^{13} - 59925255x^{11} + 8350229745x^9 - 717540730335x^7 + \\
&\quad + 34161178676625x^5 - 723520252830375x^3 - 1187451971330625x \\
S_{18}(x) &= -34x^{16} + 16320x^{14} - 4448730x^{12} + 780059280x^{10} - 87119333730x^8 + 5776722871920x^6 - \\
&\quad - 197193714968250x^4 + 2566378082268000x^2 \\
p_{18} &= -1187451971330625, \quad q_{18} = -4941282024929250 \\
P_{18}^*(x) &= -17x^{17} - 4335x^{15} - 845325x^{13} - 120881475x^{11} - 11967266025x^9 - 753937759575x^7 - \\
&\quad - 26387821585125x^5 - 395817323776875x^3 \\
Q_{18}^*(x) &= x^{18} + 289x^{16} + 65025x^{14} + 10989225x^{12} + 1329696225x^{10} + 107705394225x^8 + \\
&\quad + 5277564317025x^6 + 131939107925625x^4 + 1187451971330625x^2 \\
R_{18}^*(x) &= -x^{17} - 799x^{15} - 277185x^{13} - 59925255x^{11} - 8350229745x^9 - 717540730335x^7 - \\
&\quad - 34161178676625x^5 - 723520252830375x^3 + 1187451971330625x \\
S_{18}^*(x) &= 34x^{16} + 16320x^{14} + 4448730x^{12} + 780059280x^{10} + 87119333730x^8 + 5776722871920x^6 + \\
&\quad + 197193714968250x^4 + 2566378082268000x^2 \\
p_{18}^* &= 1187451971330625, \quad q_{18}^* = 4941282024929250
\end{aligned}$$

Recurrence formulas:

$$\begin{aligned}
&\int x^{2n+2} \cdot \ln x \cdot J_0(x) dx = x^{2n+1} \ln x [(2n+1)J_0(x) + xJ_1(x)] - \\
&-(2n+1) \int x^{2n} J_0(x) dx - \int x^{2n+1} J_1(x) dx - (2n+1)^2 \int x^{2n} \cdot \ln x \cdot J_0(x) dx \\
&\int x^{2n+2} \cdot \ln x \cdot I_0(x) dx = -x^{2n+1} \ln x [(2n+1)I_0(x) - xI_1(x)] + \\
&+(2n+1) \int x^{2n} I_0(x) dx - \int x^{2n+1} I_1(x) dx + (2n+1)^2 \int x^{2n} \cdot \ln x \cdot I_0(x) dx
\end{aligned}$$

The integrals of the type $\int x^m Z_\nu(x) dx$ are described before.

d) Integrals of $x^{2n+1} \ln x \cdot Z_1(x)$:

$$\int x \ln x \cdot J_1(x) dx = \Phi(x) \cdot \ln x + x J_0(x) - \Lambda_1(x) + \Phi(x)$$

$$\int x \ln x \cdot I_1(x) dx = -\Psi(x) \cdot \ln x - x I_0(x) + \Lambda_1^*(x) - \Psi(x)$$

$$\int x^3 \ln x \cdot J_1(x) dx = [-x^3 J_0(x) + 3x^2 J_1(x) - 3\Phi(x)] \ln x - 3x J_0(x) + x^2 J_1(x) + 3\Lambda_1(x) - 7\Phi(x)$$

$$\int x^3 \ln x \cdot I_1(x) dx = [x^3 I_0(x) - 3x^2 I_1(x) - 3\Psi(x)] \ln x - 3x I_0(x) - x^2 I_1(x) + 3\Lambda_1^*(x) - 7\Psi(x)$$

Let

$$\int x^n \ln x \cdot J_0(x) dx =$$

$$= [P_n(x) J_0(x) + Q_n(x) J_1(x) + p_n \Phi(x)] \cdot \ln x + R_n(x) J_0(x) + S_n(x) J_1(x) - p_n \Lambda_1(x) + q_n \Phi(x)$$

and

$$\int x^n \ln x \cdot I_0(x) dx =$$

$$= [P_n^*(x) I_0(x) + Q_n^*(x) I_1(x) + p_n^* \Psi(x)] \cdot \ln x + R_n^*(x) I_0(x) + S_n^*(x) I_1(x) - p_n^* \Lambda_1^*(x) + q_n^* \Psi(x),$$

then holds

$$P_5(x) = -x^5 + 15x^3, \quad Q_5(x) = 5x^4 - 45x^2, \quad R_5(x) = 8x^3 + 45x, \quad S_5(x) = x^4 - 39x^2,$$

$$p_5 = 45, \quad q_5 = 129$$

$$P_5^*(x) = x^5 + 15x^3, \quad Q_5^*(x) = -5x^4 - 45x^2, \quad R_5^*(x) = 8x^3 - 45x, \quad S_5^*(x) = -x^4 - 39x^2$$

$$p_5^* = -45, \quad q_5^* = -129$$

$$P_7(x) = -x^7 + 35x^5 - 525x^3, \quad Q_7(x) = 7x^6 - 175x^4 + 1575x^2$$

$$R_7(x) = 12x^5 - 460x^3 - 1575x, \quad S_7(x) = x^6 - 95x^4 + 1905x^2, \quad p_7 = -1575, \quad q_7 = -5055$$

$$P_7^*(x) = x^7 + 35x^5 + 525x^3, \quad Q_7^*(x) = -7x^6 - 175x^4 - 1575x^2$$

$$R_7^*(x) = 12x^5 + 460x^3 - 1575x, \quad S_7^*(x) = -x^6 - 95x^4 - 1905x^2, \quad p_7^* = -1575, \quad q_7^* = 5055$$

$$P_9(x) = -x^9 + 63x^7 - 2205x^5 + 33075x^3, \quad Q_9(x) = 9x^8 - 441x^6 + 11025x^4 - 99225x^2$$

$$R_9(x) = 16x^7 - 1316x^5 + 37380x^3 + 99225x, \quad S_9(x) = x^8 - 175x^6 + 8785x^4 - 145215x^2$$

$$p_9 = 99225, \quad q_9 = 343665$$

$$P_9^*(x) = x^9 + 63x^7 + 2205x^5 + 33075x^3, \quad Q_9^*(x) = -9x^8 - 441x^6 - 11025x^4 - 99225x^2$$

$$R_9^*(x) = 16x^7 + 1316x^5 + 37380x^3 - 99225x, \quad S_9^*(x) = -x^8 - 175x^6 - 8785x^4 - 145215x^2$$

$$p_9^* = -99225, \quad q_9^* = -343665$$

$$P_{11}(x) = -x^{11} + 99x^9 - 6237x^7 + 218295x^5 - 3274425x^3$$

$$Q_{11}(x) = 11x^{10} - 891x^8 + 43659x^6 - 1091475x^4 + 9823275x^2$$

$$R_{11}(x) = 20x^9 - 2844x^7 + 174384x^5 - 4362120x^3 - 9823275x$$

$$S_{11}(x) = x^{10} - 279x^8 + 26145x^6 - 1090215x^4 + 16360785x^2$$

$$p_{11} = -9823275, \quad q_{11} = -36007335$$

$$\begin{aligned}
P_{11}^*(x) &= x^{11} + 99x^9 + 6237x^7 + 218295x^5 + 3274425x^3 \\
Q_{11}^*(x) &= -11x^{10} - 891x^8 - 43659x^6 - 1091475x^4 - 9823275x^2 \\
R_{11}^*(x) &= 20x^9 + 2844x^7 + 174384x^5 + 4362120x^3 - 9823275x \\
R_{11}^*(x) &= -x^{10} - 279x^8 - 26145x^6 - 1090215x^4 - 16360785x^2 \\
p_{11}^* &= -9823275, \quad q_{11}^* = -36007335
\end{aligned}$$

$$\begin{aligned}
P_{13}(x) &= -x^{13} + 143x^{11} - 14157x^9 + 891891x^7 - 31216185x^5 + 468242775x^3 \\
Q_{13}(x) &= 13x^{12} - 1573x^{10} + 127413x^8 - 6243237x^6 + 156080925x^4 - 1404728325x^2 \\
R_{13}(x) &= 24x^{11} - 5236x^9 + 556380x^7 - 30175992x^5 + 702369360x^3 + 1404728325x \\
S_{13}(x) &= x^{12} - 407x^{10} + 61281x^8 - 4786551x^6 + 182096145x^4 - 2575350855x^2 \\
p_{13} &= 1404728325, \quad q_{13} = 5384807505
\end{aligned}$$

$$\begin{aligned}
P_{13}^*(x) &= x^{13} + 143x^{11} + 14157x^9 + 891891x^7 + 31216185x^5 + 468242775x^3 \\
R_{13}^*(x) &= -13x^{12} - 1573x^{10} - 127413x^8 - 6243237x^6 - 156080925x^4 - 1404728325x^2 \\
R_{13}^*(x) &= 24x^{11} + 5236x^9 + 556380x^7 + 30175992x^5 + 702369360x^3 - 1404728325x \\
S_{13}^*(x) &= -x^{12} - 407x^{10} - 61281x^8 - 4786551x^6 - 182096145x^4 - 2575350855x^2 \\
p_{13}^* &= -1404728325, \quad q_{13}^* = -5384807505
\end{aligned}$$

$$\begin{aligned}
P_{15}(x) &= -x^{15} + 195x^{13} - 27885x^{11} + 2760615x^9 - 173918745x^7 + \\
&\quad + 6087156075x^5 - 91307341125x^3 \\
Q_{15}(x) &= 15x^{14} - 2535x^{12} + 306735x^{10} - 24845535x^8 + 1217431215x^6 - \\
&\quad - 30435780375x^4 + 273922023375x^2 \\
R_{15}(x) &= 28x^{13} - 8684x^{11} + 1417416x^9 - 133467048x^7 + 6758371620x^5 - \\
&\quad - 150072822900x^3 - 273922023375x \\
S_{15}(x) &= x^{14} - 559x^{12} + 123409x^{10} - 15517359x^8 + 1108188081x^6 - \\
&\quad - 39879014175x^4 + 541525809825x^2 \\
p_{15} &= -273922023375, \quad q_{15} = -1089369856575
\end{aligned}$$

$$\begin{aligned}
P_{15}^*(x) &= x^{15} + 195x^{13} + 27885x^{11} + 2760615x^9 + 173918745x^7 + \\
&\quad + 6087156075x^5 + 91307341125x^3 \\
Q_{15}^*(x) &= -15x^{14} - 2535x^{12} - 306735x^{10} - 24845535x^8 - 1217431215x^6 - \\
&\quad - 30435780375x^4 - 273922023375x^2 \\
R_{15}^*(x) &= 28x^{13} + 8684x^{11} + 1417416x^9 + 133467048x^7 + 6758371620x^5 + \\
&\quad + 150072822900x^3 - 273922023375x \\
S_{15}^*(x) &= -x^{14} - 559x^{12} - 123409x^{10} - 15517359x^8 - 1108188081x^6 - \\
&\quad - 39879014175x^4 - 541525809825x^2 \\
p_{15}^* &= -273922023375, \quad q_{15}^* = -1089369856575
\end{aligned}$$

$$\begin{aligned}
P_{17}(x) &= -x^{17} + 255x^{15} - 49725x^{13} + 7110675x^{11} - 703956825x^9 + 44349279975x^7 - \\
&\quad - 1552224799125x^5 + 23283371986875x^3
\end{aligned}$$

$$\begin{aligned}
Q_{17}(x) &= 17x^{16} - 3825x^{14} + 646425x^{12} - 78217425x^{10} + 6335611425x^8 - 310444959825x^6 + \\
&\quad + 7761123995625x^4 - 69850115960625x^2 \\
R_{17}(x) &= 32x^{15} - 13380x^{13} + 3106740x^{11} - 449780760x^9 + 39599497080x^7 - 1918173757500x^5 + \\
&\quad + 41190404755500x^3 + 69850115960625x \\
S_{17}(x) &= x^{16} - 735x^{14} + 223665x^{12} - 41284815x^{10} + 4751983665x^8 - 321545759535x^6 + \\
&\quad + 11143093586625x^4 - 146854586253375x^2 \\
p_{17} &= 69850115960625, \quad q_{17} = 286554818174625 \\
P_{17}^*(x) &= x^{17} + 255x^{15} + 49725x^{13} + 7110675x^{11} + 703956825x^9 + 44349279975x^7 + 1552224799125x^5 + \\
&\quad + 23283371986875x^3 \\
Q_{17}^*(x) &= -17x^{16} - 3825x^{14} - 646425x^{12} - 78217425x^{10} - 6335611425x^8 - 310444959825x^6 - \\
&\quad - 7761123995625x^4 - 69850115960625x^2 \\
R_{17}^*(x) &= 32x^{15} + 13380x^{13} + 3106740x^{11} + 449780760x^9 + 39599497080x^7 + 1918173757500x^5 + \\
&\quad + 41190404755500x^3 - 69850115960625x \\
S_{17}^*(x) &= -x^{16} - 735x^{14} - 223665x^{12} - 41284815x^{10} - 4751983665x^8 - 321545759535x^6 - \\
&\quad - 11143093586625x^4 - 146854586253375x^2 \\
p_{17}^* &= -69850115960625, \quad q_{17}^* = -286554818174625
\end{aligned}$$

$$\begin{aligned}
P_{19}(x) &= -x^{19} + 323x^{17} - 82365x^{15} + 16061175x^{13} - 2296748025x^{11} + 227378054475x^9 - \\
&\quad - 14324817431925x^7 + 501368610117375x^5 - 7520529151760625x^3 \\
Q_{19}(x) &= 19x^{18} - 5491x^{16} + 1235475x^{14} - 208795275x^{12} + 25264228275x^{10} - 2046402490275x^8 + \\
&\quad + 100273722023475x^6 - 2506843050586875x^4 + 22561587455281875x^2 \\
R_{19}(x) &= 36x^{17} - 19516x^{15} + 6111840x^{13} - 1259461320x^{11} + 170621631180x^9 - 14387211635940x^7 + \\
&\quad + 675450216441000x^5 - 14142702127554000x^3 - 22561587455281875x \\
S_{19}(x) &= x^{18} - 935x^{16} + 375105x^{14} - 95515095x^{12} + 16150822545x^{10} - 1762972735095x^8 + \\
&\quad + 115035298883505x^6 - 3878619692322375x^4 + 49948635534422625x^2 \\
p_{19} &= -22561587455281875, \quad q_{19} = -95071810444986375 \\
P_{19}^*(x) &= x^{19} + 323x^{17} + 82365x^{15} + 16061175x^{13} + 2296748025x^{11} + 227378054475x^9 + \\
&\quad + 14324817431925x^7 + 501368610117375x^5 + 7520529151760625x^3 \\
Q_{19}^*(x) &= -19x^{18} - 5491x^{16} - 1235475x^{14} - 208795275x^{12} - 25264228275x^{10} - 2046402490275x^8 - \\
&\quad - 100273722023475x^6 - 2506843050586875x^4 - 22561587455281875x^2 \\
R_{19}^*(x) &= 36x^{17} + 19516x^{15} + 6111840x^{13} + 1259461320x^{11} + 170621631180x^9 + 14387211635940x^7 + \\
&\quad + 675450216441000x^5 + 14142702127554000x^3 - 22561587455281875x \\
S_{19}^*(x) &= -x^{18} - 935x^{16} - 375105x^{14} - 95515095x^{12} - 16150822545x^{10} - 1762972735095x^8 - \\
&\quad - 115035298883505x^6 - 3878619692322375x^4 - 49948635534422625x^2 \\
p_{19}^* &= -22561587455281875, \quad q_{19}^* = -95071810444986375
\end{aligned}$$

Recurrence formulas:

$$\begin{aligned}
&\int x^{2n+1} \cdot \ln x \cdot J_1(x) dx = x^{2n} \ln x [(2n+1)J_1(x) - xJ_0(x)] + \\
&+ \int x^{2n} J_0(x) dx - (2n+1) \int x^{2n-1} J_1(x) dx - (4n^2-1) \int x^{2n-1} \cdot \ln x \cdot J_1(x) dx \\
&\int x^{2n+1} \cdot \ln x \cdot I_1(x) dx = -x^{2n} \ln x [xI_0(x) - (2n+1)I_1(x)] - \\
&- \int x^{2n} I_0(x) dx + (2n+1) \int x^{2n-1} I_1(x) dx + (4n^2-1) \int x^{2n-1} \cdot \ln x \cdot I_1(x) dx
\end{aligned}$$

The integrals of the type $\int x^m Z_\nu x(x) dx$ are described before.

1.2.12. Integrals of the type $\int x^n e^{\pm x} \ln x \cdot Z_\nu(x) dx$

n = 0:

$$\begin{aligned}\int e^x \ln x I_0(x) dx &= e^x \{(1 - 2x) I_0(x) + 2x I_1(x) + \ln x [x I_0(x) - x I_1(x)]\} \\ \int e^{-x} \ln x I_0(x) dx &= e^{-x} \{-(1 + 2x) I_0(x) - 2x I_1(x) + \ln x [x I_0(x) + x I_1(x)]\} \\ \int e^x \ln x K_0(x) dx &= e^x \{(1 - 2x) K_0(x) - 2x K_1(x) + \ln x [x K_0(x) + x K_1(x)]\} \\ \int e^{-x} \ln x K_0(x) dx &= e^{-x} \{-(1 + 2x) K_0(x) + 2x K_1(x) + \ln x [x K_0(x) - x K_1(x)]\}\end{aligned}$$

n = 1:

$$\begin{aligned}& \int x e^x \ln x I_0(x) dx = \\ &= \frac{e^x}{9} \{(-2x^2 + 3x - 3) I_0(x) + (2x^2 - 2x) I_1(x) + \ln x [3x^2 I_0(x) - (3x^2 - 3x) I_1(x)]\} \\ & \int x e^{-x} \ln x I_0(x) dx = \\ &= \frac{e^{-x}}{9} \{-(2x^2 + 3x + 3) I_0(x) - (2x^2 + 2x) I_1(x) + \ln x [3x^2 I_0(x) + (3x^2 + 3x) I_1(x)]\} \\ & \int x e^x \ln x K_0(x) dx = \\ &= \frac{e^x}{9} \{(-2x^2 + 3x - 3) K_0(x) + (-2x^2 + 2x) K_1(x) + \ln x [3x^2 K_0(x) + (3x^2 - 3x) K_1(x)]\} \\ & \int x e^{-x} \ln x K_0(x) dx = \\ &= \frac{e^{-x}}{9} \{-(2x^2 + 3x + 3) K_0(x) + (2x^2 + 2x) K_1(x) + \ln x [3x^2 K_0(x) - (3x^2 + 3x) K_1(x)]\} \\ & \int x e^x \ln x I_1(x) dx = \\ &= \frac{e^x}{9} \{(2x^2 + 6x - 6) I_0(x) - (2x^2 + 7x) I_1(x) + \ln x [-3x^2 I_0(x) + (3x^2 + 6x) I_1(x)]\} \\ & \int x e^{-x} \ln x I_1(x) dx = \\ &= \frac{e^{-x}}{9} \{(-2x^2 + 6x + 6) I_0(x) - (2x^2 - 7x) I_1(x) + \ln x [3x^2 I_0(x) + (3x^2 - 6x) I_1(x)]\} \\ & \int x e^x \ln x K_1(x) dx = \\ &= \frac{e^x}{9} \{-(2x^2 + 6x - 6) K_0(x) - (2x^2 + 7x) K_1(x) + \ln x [3x^2 K_0(x) + (3x^2 + 6x) K_1(x)]\} \\ & \int x e^{-x} \ln x K_1(x) dx = \\ &= \frac{e^{-x}}{9} \{(2x^2 - 6x - 6) K_0(x) - (2x^2 - 7x) K_1(x) - \ln x [3x^2 K_0(x) - (3x^2 - 3x) K_1(x)]\}\end{aligned}$$

n = 2:

$$\begin{aligned}\int x^2 e^x \ln x I_0(x) dx &= \frac{e^x}{225} \{(-18x^3 + 13x^2 - 60x + 60) I_0(x) + (18x^3 - 4x^2 + 4x) I_1(x) + \\ & \quad + \ln x [(45x^3 + 30x^2) I_0(x) + (-45x^3 + 60x^2 - 60x) I_1(x)]\}\end{aligned}$$

$$\begin{aligned}
\int x^2 e^{-x} \ln x I_0(x) dx &= \frac{e^{-x}}{225} \{-(18x^3 + 13x^2 + 60x + 60) I_0(x) - (18x^3 + 4x^2 + 4x) I_1(x) + \\
&\quad + \ln x [(45x^3 - 30x^2) I_0(x) + (45x^3 + 60x^2 + 60x) I_1(x)] \} \\
\int x^2 e^x \ln x K_0(x) dx &= \frac{e^x}{225} \{(-18x^3 + 13x^2 - 60x + 60) K_0(x) + (-18x^3 + 4x^2 - 4x) K_1(x) + \\
&\quad + \ln x [(45x^3 + 30x^2) K_0(x) + (45x^3 - 60x^2 + 60x) K_1(x)] \} \\
\int x^2 e^{-x} \ln x K_0(x) dx &= \frac{e^{-x}}{225} \{-(18x^3 + 13x^2 + 60x + 60) K_0(x) + (18x^3 + 4x^2 + 4x) K_1(x) + \\
&\quad + \ln x [(45x^3 - 30x^2) K_0(x) - (45x^3 + 60x^2 + 60x) K_1(x)] \} \\
\int x^2 e^x \ln x I_1(x) dx &= \frac{e^x}{75} \{(6x^3 + 4x^2 - 30x + 30) I_0(x) + (-6x^3 - 7x^2 + 7x) I_1(x) + \\
&\quad + \ln x [(-15x^3 + 15x^2) I_0(x) + (15x^3 + 30x^2 - 30x) I_1(x)] \} \\
\int x^2 e^{-x} \ln x I_1(x) dx &= \frac{e^{-x}}{75} \{(-6x^3 + 4x^2 + 30x + 30) I_0(x) + (-6x^3 + 7x^2 + 7x) I_1(x) + \\
&\quad + \ln x [(15x^3 + 15x^2) I_0(x) + (15x^3 - 30x^2 - 30x) I_1(x)] \} \\
\int x^2 e^x \ln x K_1(x) dx &= \frac{e^x}{75} \{(-6x^3 - 4x^2 + 30x - 30) K_0(x) + (-6x^3 - 7x^2 + 7x) K_1(x) + \\
&\quad + \ln x [(15x^3 - 15x^2) K_0(x) + (15x^3 + 30x^2 - 30x) K_1(x)] \} \\
\int x^2 e^{-x} \ln x K_1(x) dx &= \frac{e^{-x}}{75} \{(6x^3 - 4x^2 - 30x - 30) K_0(x) + (-6x^3 + 7x^2 + 7x) K_1(x) + \\
&\quad + \ln x [(-15x^3 - 15x^2) K_0(x) + (15x^3 - 30x^2 - 30x) K_1(x)] \}
\end{aligned}$$

n = 3:

$$\begin{aligned}
&\int x^3 e^x \ln x I_0(x) dx = \\
&= \frac{e^x}{1225} \{(-50x^4 + 31x^3 - 171x^2 + 420x - 420) I_0(x) + (50x^4 - 6x^3 - 132x^2 + 132x) I_1(x) + \\
&\quad + \ln x [(175x^4 + 210x^3 - 210x^2) I_0(x) + (-175x^4 + 315x^3 - 420x^2 + 420x) I_1(x)] \} \\
&\int x^3 e^{-x} \ln x I_0(x) dx = \\
&= \frac{e^{-x}}{1225} \{(-50x^4 + 31x^3 + 171x^2 + 420x + 420) I_0(x) - (50x^4 + 6x^3 - 132x^2 - 132x) I_1(x) + \\
&\quad + \ln x [(175x^4 - 210x^3 - 210x^2) I_0(x) + (175x^4 + 315x^3 + 420x^2 + 420x) I_1(x)] \} \\
&\int x^3 e^x \ln x K_0(x) dx = \\
&= \frac{e^x}{1225} \{(-50x^4 + 31x^3 - 171x^2 + 420x - 420) K_0(x) + (-50x^4 + 6x^3 + 132x^2 - 132x) K_1(x) + \\
&\quad + \ln x [(175x^4 + 210x^3 - 210x^2) K_0(x) + (175x^4 - 315x^3 + 420x^2 - 420x) K_1(x)] \} \\
&\int x^3 e^{-x} \ln x K_0(x) dx = \\
&= \frac{e^{-x}}{1225} \{(-50x^4 + 31x^3 + 171x^2 + 420x + 420) K_0(x) + (50x^4 + 6x^3 - 132x^2 - 132x) K_1(x) + \\
&\quad + \ln x [(175x^4 - 210x^3 - 210x^2) K_0(x) - (175x^4 + 315x^3 + 420x^2 + 420x) K_1(x)] \} \\
&\int x^3 e^x \ln x I_1(x) dx = \\
&= \frac{e^x}{3675} \{(150x^4 + 54x^3 - 614x^2 + 1680x - 1680) I_0(x) + (-150x^4 - 129x^3 - 388x^2 + 388x) I_1(x) +
\end{aligned}$$

$$\begin{aligned}
& + \ln x [(-525 x^4 + 840 x^3 - 840 x^2) I_0(x) + (525 x^4 + 1260 x^3 - 1680 x^2 + 1680 x) I_1(x)] \} \\
& \int x^3 e^{-x} \ln x I_1(x) dx = \\
& = \frac{e^{-x}}{3675} \{(-150 x^4 + 54 x^3 + 614 x^2 + 1680 x + 1680) I_0(x) + (-150 x^4 + 129 x^3 - 388 x^2 - 388 x) I_1(x) + \\
& \quad + \ln x [(525 x^4 + 840 x^3 + 840 x^2) I_0(x) + (525 x^4 - 1260 x^3 - 1680 x^2 - 1680 x) I_1(x)] \} \\
& \int x^3 e^x \ln x K_1(x) dx = \\
& = \frac{e^x}{3675} \{(-150 x^4 - 54 x^3 + 614 x^2 - 1680 x + 1680) K_0(x) + (-150 x^4 - 129 x^3 - 388 x^2 + 388 x) K_1(x) + \\
& \quad + \ln x [(525 x^4 - 840 x^3 + 840 x^2) K_0(x) + (525 x^4 + 1260 x^3 - 1680 x^2 + 1680 x) K_1(x)] \} \\
& \int x^3 e^{-x} \ln x K_1(x) dx = \\
& = \frac{e^{-x}}{3675} \{(150 x^4 - 54 x^3 - 614 x^2 - 1680 x - 1680) K_0(x) + (-150 x^4 + 129 x^3 - 388 x^2 - 388 x) K_1(x) + \\
& \quad + \ln x [(-525 x^4 - 840 x^3 - 840 x^2) K_0(x) + (525 x^4 - 1260 x^3 - 1680 x^2 - 1680 x) K_1(x)] \}
\end{aligned}$$

n = 4:

$$\begin{aligned}
& \int x^4 e^x \ln x I_0(x) dx = \frac{e^x}{99225} \{(-2450 x^5 + 1425 x^4 - 12864 x^3 + 33024 x^2 - 60480 x + 60480) I_0(x) + \\
& + (2450 x^5 - 200 x^4 - 11736 x^3 + 35808 x^2 - 35808 x) I_1(x) + \ln x [(11025 x^5 + 18900 x^4 - 30240 x^3 + 30240 x^2) I_0(x) + \\
& \quad + (-11025 x^5 + 25200 x^4 - 45360 x^3 + 60480 x^2 - 60480 x) I_1(x)] \} \\
& \int x^4 e^{-x} \ln x I_0(x) dx = \frac{e^{-x}}{99225} \{-(2450 x^5 + 1425 x^4 + 12864 x^3 + 33024 x^2 + 60480 x + 60480) I_0(x) - \\
& - (2450 x^5 + 200 x^4 - 11736 x^3 - 35808 x^2 - 35808 x) I_1(x) + \ln x [(11025 x^5 - 18900 x^4 - 30240 x^3 - 30240 x^2) I_0(x) + \\
& \quad + (11025 x^5 + 25200 x^4 + 45360 x^3 + 60480 x^2 + 60480 x) I_1(x)] \} \\
& \int x^4 e^x \ln x K_0(x) dx = \frac{e^x}{99225} \{(-2450 x^5 + 1425 x^4 - 12864 x^3 + 33024 x^2 - 60480 x + 60480) K_0(x) + \\
& + (-2450 x^5 + 200 x^4 + 11736 x^3 - 35808 x^2 + 35808 x) K_1(x) + \ln x [(11025 x^5 + 18900 x^4 - 30240 x^3 + \\
& \quad + 30240 x^2) K_0(x) + (11025 x^5 - 25200 x^4 + 45360 x^3 - 60480 x^2 + 60480 x) K_1(x)] \} \\
& \int x^4 e^{-x} \ln x K_0(x) dx = \frac{e^{-x}}{99225} \{-(2450 x^5 + 1425 x^4 + 12864 x^3 + 33024 x^2 + 60480 x + 60480) K_0(x) + \\
& + (2450 x^5 + 200 x^4 - 11736 x^3 - 35808 x^2 - 35808 x) K_1(x) + \ln x [(11025 x^5 - 18900 x^4 - 30240 x^3 - \\
& \quad - 30240 x^2) K_0(x) - (11025 x^5 + 25200 x^4 + 45360 x^3 + 60480 x^2 + 60480 x) K_1(x)] \} \\
& \int x^4 e^x \ln x I_1(x) dx = \frac{e^x}{19845} \{(490 x^5 + 120 x^4 - 2838 x^3 + 7878 x^2 - 15120 x + 15120) I_0(x) + \\
& + (-490 x^5 - 365 x^4 - 2367 x^3 + 8196 x^2 - 8196 x) I_1(x) + \ln x [(-2205 x^5 + 4725 x^4 - 7560 x^3 + 7560 x^2) I_0(x) + \\
& \quad + (2205 x^5 + 6300 x^4 - 11340 x^3 + 15120 x^2 - 15120 x) I_1(x)] \} \\
& \int x^4 e^{-x} \ln x I_1(x) dx = \frac{e^{-x}}{19845} \{(-490 x^5 + 120 x^4 + 2838 x^3 + 7878 x^2 + 15120 x + 15120) I_0(x) + \\
& + (-490 x^5 + 365 x^4 - 2367 x^3 - 8196 x^2 - 8196 x) I_1(x) + \ln x [(2205 x^5 + 4725 x^4 + 7560 x^3 + 7560 x^2) I_0(x) + \\
& \quad + (2205 x^5 - 6300 x^4 - 11340 x^3 - 15120 x^2 - 15120 x) I_1(x)] \} \\
& \int x^4 e^x \ln x K_1(x) dx = \frac{e^x}{19845} \{(-490 x^5 - 120 x^4 + 2838 x^3 - 7878 x^2 + 15120 x - 15120) K_0(x) +
\end{aligned}$$

$$\begin{aligned}
& +(-490 x^5 - 365 x^4 - 2367 x^3 + 8196 x^2 - 8196 x) K_1(x) + \ln x [(2205 x^5 - 4725 x^4 + 7560 x^3 - 7560 x^2) K_0(x) + \\
& \quad + (2205 x^5 + 6300 x^4 - 11340 x^3 + 15120 x^2 - 15120 x) K_1(x)] \} \\
& \int x^4 e^{-x} \ln x K_1(x) dx = \frac{e^{-x}}{19845} \{(490 x^5 - 120 x^4 - 2838 x^3 - 7878 x^2 - 15120 x - 15120) K_0(x) + \\
& +(-490 x^5 + 365 x^4 - 2367 x^3 - 8196 x^2 - 8196 x) K_1(x) + \ln x [(-2205 x^5 - 4725 x^4 - 7560 x^3 - 7560 x^2) K_0(x) + \\
& \quad + (2205 x^5 - 6300 x^4 - 11340 x^3 - 15120 x^2 - 15120 x) K_1(x)] \}
\end{aligned}$$

n = 5:

$$\begin{aligned}
& \int x^5 e^x \ln x I_0(x) dx = \\
& = \frac{e^x}{480249} \{(-7938 x^6 + 4459 x^5 - 61035 x^4 + 214080 x^3 - 435840 x^2 + 665280 x - 665280) I_0(x) + \\
& \quad + (7938 x^6 - 490 x^5 - 58280 x^4 + 237960 x^3 - 539040 x^2 + 539040 x) I_1(x) + \\
& \quad + \ln x [(43659 x^6 + 97020 x^5 - 207900 x^4 + 332640 x^3 - 332640 x^2) I_0(x) + \\
& \quad + (-43659 x^6 + 121275 x^5 - 277200 x^4 + 498960 x^3 - 665280 x^2 + 665280 x) I_1(x)] \} \\
& \int x^5 e^{-x} \ln x I_0(x) dx = \\
& = \frac{e^{-x}}{480249} \{(-7938 x^6 + 4459 x^5 + 61035 x^4 + 214080 x^3 + 435840 x^2 + 665280 x + 665280) I_0(x) - \\
& \quad - (7938 x^6 + 490 x^5 - 58280 x^4 - 237960 x^3 - 539040 x^2 - 539040 x) I_1(x) + \\
& \quad + \ln x [(43659 x^6 - 97020 x^5 - 207900 x^4 - 332640 x^3 - 332640 x^2) I_0(x) + \\
& \quad - (43659 x^6 + 121275 x^5 + 277200 x^4 + 498960 x^3 + 665280 x^2 + 665280 x) I_1(x)] \} \\
& \int x^5 e^x \ln x K_0(x) dx = \\
& = \frac{e^x}{480249} \{(-7938 x^6 + 4459 x^5 - 61035 x^4 + 214080 x^3 - 435840 x^2 + 665280 x - 665280) K_0(x) + \\
& \quad + (-7938 x^6 + 490 x^5 + 58280 x^4 - 237960 x^3 + 539040 x^2 - 539040 x) K_1(x) + \\
& \quad + \ln x [(43659 x^6 + 97020 x^5 - 207900 x^4 + 332640 x^3 - 332640 x^2) K_0(x) + \\
& \quad + (43659 x^6 - 121275 x^5 + 277200 x^4 - 498960 x^3 + 665280 x^2 - 665280 x) K_1(x)] \} \\
& \int x^5 e^{-x} \ln x K_0(x) dx = \\
& = \frac{e^{-x}}{480249} \{(-7938 x^6 + 4459 x^5 + 61035 x^4 + 214080 x^3 + 435840 x^2 + 665280 x + 665280) K_0(x) + \\
& \quad + (7938 x^6 + 490 x^5 - 58280 x^4 - 237960 x^3 - 539040 x^2 - 539040 x) K_1(x) + \\
& \quad + \ln x [(43659 x^6 - 97020 x^5 - 207900 x^4 - 332640 x^3 - 332640 x^2) K_0(x) - \\
& \quad - (43659 x^6 + 121275 x^5 + 277200 x^4 + 498960 x^3 + 665280 x^2 + 665280 x) K_1(x)] \} \\
& \int x^5 e^x \ln x I_1(x) dx = \\
& = \frac{e^x}{800415} \{(13230 x^6 + 2450 x^5 - 108210 x^4 + 405984 x^3 - 849504 x^2 + 1330560 x - 1330560) I_0(x) + \\
& \quad + (-13230 x^6 - 9065 x^5 - 98080 x^4 + 442656 x^3 - 1033728 x^2 + 1033728 x) I_1(x) + \\
& \quad + \ln x [(-72765 x^6 + 194040 x^5 - 415800 x^4 + 665280 x^3 - 665280 x^2) I_0(x) + \\
& \quad + (72765 x^6 + 242550 x^5 - 554400 x^4 + 997920 x^3 - 1330560 x^2 + 1330560 x) I_1(x)] \} \\
& \int x^5 e^{-x} \ln x I_1(x) dx =
\end{aligned}$$

$$\begin{aligned}
&= \frac{e^{-x}}{800415} \{(-13230 x^6 + 2450 x^5 + 108210 x^4 + 405984 x^3 + 849504 x^2 + 1330560 x + 1330560) I_0(x) + \\
&\quad + (-13230 x^6 + 9065 x^5 - 98080 x^4 - 442656 x^3 - 1033728 x^2 - 1033728 x) I_1(x) + \\
&\quad + \ln x [(72765 x^6 + 194040 x^5 + 415800 x^4 + 665280 x^3 + 665280 x^2) I_0(x) + \\
&\quad + (72765 x^6 - 242550 x^5 - 554400 x^4 - 997920 x^3 - 1330560 x^2 - 1330560 x) I_1(x)] \} \\
&\quad \int x^5 e^x \ln x K_1(x) dx = \\
&= \frac{e^x}{800415} \{(-13230 x^6 - 2450 x^5 + 108210 x^4 - 405984 x^3 + 849504 x^2 - 1330560 x + 1330560) K_0(x) + \\
&\quad + (-13230 x^6 - 9065 x^5 - 98080 x^4 + 442656 x^3 - 1033728 x^2 + 1033728 x) K_1(x) + \\
&\quad + \ln x [(72765 x^6 - 194040 x^5 + 415800 x^4 - 665280 x^3 + 665280 x^2) K_0(x) + \\
&\quad + (72765 x^6 + 242550 x^5 - 554400 x^4 + 997920 x^3 - 1330560 x^2 + 1330560 x) K_1(x)] \} \\
&\quad \int x^5 e^{-x} \ln x K_1(x) dx = \\
&= \frac{e^{-x}}{800415} \{(13230 x^6 - 2450 x^5 - 108210 x^4 - 405984 x^3 - 849504 x^2 - 1330560 x - 1330560) K_0(x) + \\
&\quad + (-13230 x^6 + 9065 x^5 - 98080 x^4 - 442656 x^3 - 1033728 x^2 - 1033728 x) K_1(x) + \\
&\quad + \ln x [(-72765 x^6 - 194040 x^5 - 415800 x^4 - 665280 x^3 - 665280 x^2) K_0(x) + \\
&\quad + (72765 x^6 - 242550 x^5 - 554400 x^4 - 997920 x^3 - 1330560 x^2 - 1330560 x) K_1(x)] \}
\end{aligned}$$

n = 6:

$$\begin{aligned}
&\quad \int x^6 e^x \ln x I_0(x) dx = \\
&= \frac{e^x}{9018009} \{(-106722 x^7 + 58653 x^6 - 1137388 x^5 + 5114220 x^4 - 14236800 x^3 + 25768320 x^2 - 34594560 x + \\
&\quad + 34594560) I_0(x) + (106722 x^7 - 5292 x^6 - 1106420 x^5 + 5617760 x^4 - 17030880 x^3 + 34239360 x^2 - \\
&\quad - 34239360 x) I_1(x) + \ln x [(693693 x^7 + 1891890 x^6 - 5045040 x^5 + 10810800 x^4 - 17297280 x^3 + 17297280 x^2) I_0(x) + \\
&\quad + (-693693 x^7 + 2270268 x^6 - 6306300 x^5 + 14414400 x^4 - 25945920 x^3 + 34594560 x^2 - 34594560 x) I_1(x)] \} \\
&\quad \int x^6 e^{-x} \ln x I_0(x) dx = \\
&= \frac{e^{-x}}{9018009} \{(-106722 x^7 + 58653 x^6 + 1137388 x^5 + 5114220 x^4 + 14236800 x^3 + 25768320 x^2 + 34594560 x + \\
&\quad + 34594560) I_0(x) - (106722 x^7 + 5292 x^6 - 1106420 x^5 - 5617760 x^4 - 17030880 x^3 - 34239360 x^2 - \\
&\quad - 34239360 x) I_1(x) + \ln x [(693693 x^7 - 1891890 x^6 - 5045040 x^5 - 10810800 x^4 - 17297280 x^3 - 17297280 x^2) I_0(x) + \\
&\quad + (693693 x^7 + 2270268 x^6 + 6306300 x^5 + 14414400 x^4 + 25945920 x^3 + 34594560 x^2 + 34594560 x) I_1(x)] \} \\
&\quad \int x^6 e^x \ln x K_0(x) dx = \\
&= \frac{e^x}{9018009} \{(-106722 x^7 + 58653 x^6 - 1137388 x^5 + 5114220 x^4 - 14236800 x^3 + 25768320 x^2 - 34594560 x + \\
&\quad + 34594560) K_0(x) + (-106722 x^7 + 5292 x^6 + 1106420 x^5 - 5617760 x^4 + 17030880 x^3 - 34239360 x^2 + \\
&\quad + 34239360 x) K_1(x) + \ln x [(693693 x^7 + 1891890 x^6 - 5045040 x^5 + 10810800 x^4 - 17297280 x^3 + \\
&\quad + 17297280 x^2) K_0(x) + (693693 x^7 - 2270268 x^6 + 6306300 x^5 - 14414400 x^4 + 25945920 x^3 - 34594560 x^2 + \\
&\quad + 34594560 x) K_1(x)] \} \\
&\quad \int x^6 e^{-x} \ln x K_0(x) dx =
\end{aligned}$$

$$\begin{aligned}
&= \frac{e^{-x}}{9018009} \{-(106722 x^7 + 58653 x^6 + 1137388 x^5 + 5114220 x^4 + 14236800 x^3 + 25768320 x^2 + 34594560 x + \\
&\quad + 34594560) K_0(x) + (106722 x^7 + 5292 x^6 - 1106420 x^5 - 5617760 x^4 - 17030880 x^3 - 34239360 x^2 - \\
&\quad - 34239360 x) K_1(x) + \ln x [(693693 x^7 - 1891890 x^6 - 5045040 x^5 - 10810800 x^4 - 17297280 x^3 - \\
&\quad - 17297280 x^2) K_0(x) - (693693 x^7 + 2270268 x^6 + 6306300 x^5 + 14414400 x^4 + 25945920 x^3 + 34594560 x^2 + \\
&\quad + 34594560 x) K_1(x)] \} \\
\int x^6 e^x \ln x I_1(x) dx &= \frac{e^x}{3864861} \{(45738 x^7 + 6804 x^6 - 508634 x^5 + 2428410 x^4 - 6912480 x^3 + 12678240 x^2 - \\
&- 17297280 x + 17297280) I_0(x) + (-45738 x^7 - 29673 x^6 - 478135 x^5 + 2637280 x^4 - 8206560 x^3 + 16707840 x^2 - \\
&- 16707840 x) I_1(x) + \ln x [(-297297 x^7 + 945945 x^6 - 2522520 x^5 + 5405400 x^4 - 8648640 x^3 + 8648640 x^2) I_0(x) + \\
&+ (297297 x^7 + 1135134 x^6 - 3153150 x^5 + 7207200 x^4 - 12972960 x^3 + 17297280 x^2 - 17297280 x) I_1(x)] \} \\
\int x^6 e^{-x} \ln x I_1(x) dx &= \frac{e^{-x}}{3864861} \{(-45738 x^7 + 6804 x^6 + 508634 x^5 + 2428410 x^4 + 6912480 x^3 + 12678240 x^2 + \\
&+ 17297280 x + 17297280) I_0(x) + (-45738 x^7 + 29673 x^6 - 478135 x^5 - 2637280 x^4 - 8206560 x^3 - 16707840 x^2 - \\
&- 16707840 x) I_1(x) + \ln x [(297297 x^7 + 945945 x^6 + 2522520 x^5 + 5405400 x^4 + 8648640 x^3 + 8648640 x^2) I_0(x) + \\
&+ (297297 x^7 - 1135134 x^6 - 3153150 x^5 - 7207200 x^4 - 12972960 x^3 - 17297280 x^2 - 17297280 x) I_1(x)] \} \\
\int x^6 e^x \ln x K_1(x) dx &= \frac{e^x}{3864861} \{(-45738 x^7 - 6804 x^6 + 508634 x^5 - 2428410 x^4 + 6912480 x^3 - 12678240 x^2 + \\
&+ 17297280 x - 17297280) K_0(x) + (-45738 x^7 - 29673 x^6 - 478135 x^5 + 2637280 x^4 - 8206560 x^3 + 16707840 x^2 - \\
&- 16707840 x) K_1(x) + \ln x [(297297 x^7 - 945945 x^6 + 2522520 x^5 - 5405400 x^4 + 8648640 x^3 - 8648640 x^2) K_0(x) + \\
&+ (297297 x^7 + 1135134 x^6 - 3153150 x^5 + 7207200 x^4 - 12972960 x^3 + 17297280 x^2 - 17297280 x) K_1(x)] \} \\
\int x^6 e^{-x} \ln x K_1(x) dx &= \frac{e^{-x}}{3864861} \{(45738 x^7 - 6804 x^6 - 508634 x^5 - 2428410 x^4 - 6912480 x^3 - 12678240 x^2 - \\
&- 17297280 x - 17297280) K_0(x) + (-45738 x^7 + 29673 x^6 - 478135 x^5 - 2637280 x^4 - 8206560 x^3 - 16707840 x^2 - \\
&- 16707840 x) K_1(x) + \ln x [(-297297 x^7 - 945945 x^6 - 2522520 x^5 - 5405400 x^4 - 8648640 x^3 - 8648640 x^2) K_0(x) + \\
&+ (297297 x^7 - 1135134 x^6 - 3153150 x^5 - 7207200 x^4 - 12972960 x^3 - 17297280 x^2 - 17297280 x) K_1(x)] \}
\end{aligned}$$

n = 7:

$$\begin{aligned}
\int x^7 e^x \ln x I_0(x) dx &= \frac{e^x}{13803075} \{(-122694 x^8 + 66429 x^7 - 1734705 x^6 + 9530780 x^5 - 33807900 x^4 + \\
&+ 84362880 x^3 - 142020480 x^2 + 172972800 x - 172972800) I_0(x) + (122694 x^8 - 5082 x^7 - 1703268 x^6 + \\
&+ 10336900 x^5 - 39071200 x^4 + 104922720 x^3 - 197554560 x^2 + 197554560 x) I_1(x) + \\
&+ \ln x [(920205 x^8 + 2972970 x^7 - 9459450 x^6 + 25225200 x^5 - 54054000 x^4 + 86486400 x^3 - 86486400 x^2) I_0(x) + \\
&+ (-920205 x^8 + 3468465 x^7 - 11351340 x^6 + 31531500 x^5 - 72072000 x^4 + 129729600 x^3 - 172972800 x^2 + \\
&+ 172972800 x) I_1(x)] \} \\
\int x^7 e^{-x} \ln x I_0(x) dx &= \frac{e^{-x}}{13803075} \{(-122694 x^8 - 66429 x^7 - 1734705 x^6 - 9530780 x^5 - 33807900 x^4 - \\
&- 84362880 x^3 - 142020480 x^2 - 172972800 x - 172972800) I_0(x) + (-122694 x^8 - 5082 x^7 + 1703268 x^6 + \\
&+ 10336900 x^5 + 39071200 x^4 + 104922720 x^3 + 197554560 x^2 + 197554560 x) I_1(x) + \\
&+ \ln x [(920205 x^8 - 2972970 x^7 - 9459450 x^6 - 25225200 x^5 - 54054000 x^4 - 86486400 x^3 - 86486400 x^2) I_0(x) + \\
&+ (920205 x^8 + 3468465 x^7 + 11351340 x^6 + 31531500 x^5 + 72072000 x^4 + 129729600 x^3 + 172972800 x^2 + \\
&+ 172972800 x) I_1(x)] \}
\end{aligned}$$

$$\int x^7 e^x \ln x K_0(x) dx = \frac{e^x}{13803075} \{(-122694 x^8 + 66429 x^7 - 1734705 x^6 + 9530780 x^5 - 33807900 x^4 + 84362880 x^3 - 142020480 x^2 + 172972800 x - 172972800) K_0(x) + (-122694 x^8 + 5082 x^7 + 1703268 x^6 - 10336900 x^5 + 39071200 x^4 - 104922720 x^3 + 197554560 x^2 - 197554560 x) K_1(x) + \ln x [(920205 x^8 + 2972970 x^7 - 9459450 x^6 + 25225200 x^5 - 54054000 x^4 + 86486400 x^3 - 86486400 x^2) K_0(x) + (920205 x^8 - 3468465 x^7 + 11351340 x^6 - 31531500 x^5 + 72072000 x^4 - 129729600 x^3 + 172972800 x^2 - 172972800 x) K_1(x)] \}$$

$$\int x^7 e^{-x} \ln x K_0(x) dx = \frac{e^{-x}}{13803075} \{-(122694 x^8 + 66429 x^7 + 1734705 x^6 + 9530780 x^5 + 33807900 x^4 + 84362880 x^3 + 142020480 x^2 + 172972800 x + 172972800) K_0(x) + (122694 x^8 + 5082 x^7 - 1703268 x^6 - 10336900 x^5 - 39071200 x^4 - 104922720 x^3 - 197554560 x^2 - 197554560 x) K_1(x) + \ln x [(920205 x^8 - 2972970 x^7 - 9459450 x^6 - 25225200 x^5 - 54054000 x^4 - 86486400 x^3 - 86486400 x^2) K_0(x) - (920205 x^8 + 3468465 x^7 + 11351340 x^6 + 31531500 x^5 + 72072000 x^4 + 129729600 x^3 + 172972800 x^2 + 172972800 x) K_1(x)] \}$$

$$\int x^7 e^x \ln x I_1(x) dx = \frac{e^x}{96621525} \{(858858 x^8 + 106722 x^7 - 12526290 x^6 + 72642640 x^5 - 262741200 x^4 + 662547840 x^3 - 1123808640 x^2 + 1383782400 x - 1383782400) I_0(x) + (-858858 x^8 - 536151 x^7 - 12004524 x^6 + 78190700 x^5 - 302273600 x^4 + 820848960 x^3 - 1555726080 x^2 + 1555726080 x) I_1(x) + \ln x [(-6441435 x^8 + 23783760 x^7 - 75675600 x^6 + 201801600 x^5 - 432432000 x^4 + 691891200 x^3 - 691891200 x^2) I_0(x) + (6441435 x^8 + 27747720 x^7 - 90810720 x^6 + 252252000 x^5 - 576576000 x^4 + 1037836800 x^3 - 1383782400 x^2 + 1383782400 x) I_1(x)] \}$$

$$\int x^7 e^{-x} \ln x I_1(x) dx = \frac{e^{-x}}{96621525} \{(-858858 x^8 + 106722 x^7 + 12526290 x^6 + 72642640 x^5 + 262741200 x^4 + 662547840 x^3 + 1123808640 x^2 + 1383782400 x + 1383782400) I_0(x) + (-858858 x^8 + 536151 x^7 - 12004524 x^6 - 78190700 x^5 - 302273600 x^4 - 820848960 x^3 - 1555726080 x^2 - 1555726080 x) I_1(x) + \ln x [(6441435 x^8 + 23783760 x^7 + 75675600 x^6 + 201801600 x^5 + 432432000 x^4 + 691891200 x^3 + 691891200 x^2) I_0(x) + (6441435 x^8 - 27747720 x^7 - 90810720 x^6 - 252252000 x^5 - 576576000 x^4 - 1037836800 x^3 - 1383782400 x^2 - 1383782400 x) I_1(x)] \}$$

$$\int x^7 e^x \ln x K_1(x) dx = \frac{e^x}{96621525} \{(-858858 x^8 - 106722 x^7 + 12526290 x^6 - 72642640 x^5 + 262741200 x^4 - 662547840 x^3 + 1123808640 x^2 - 1383782400 x + 1383782400) K_0(x) + (-858858 x^8 - 536151 x^7 - 12004524 x^6 + 78190700 x^5 - 302273600 x^4 + 820848960 x^3 - 1555726080 x^2 + 1555726080 x) K_1(x) + \ln x [(6441435 x^8 - 23783760 x^7 + 75675600 x^6 - 201801600 x^5 + 432432000 x^4 - 691891200 x^3 + 691891200 x^2) K_0(x) + (6441435 x^8 + 27747720 x^7 - 90810720 x^6 + 252252000 x^5 - 576576000 x^4 + 1037836800 x^3 - 1383782400 x^2 + 1383782400 x) K_1(x)] \}$$

$$\int x^7 e^{-x} \ln x K_1(x) dx = \frac{e^{-x}}{96621525} \{(858858 x^8 - 106722 x^7 - 12526290 x^6 - 72642640 x^5 - 262741200 x^4 - 662547840 x^3 - 1123808640 x^2 - 1383782400 x - 1383782400) K_0(x) + (-858858 x^8 + 536151 x^7 - 12004524 x^6 - 78190700 x^5 - 302273600 x^4 - 820848960 x^3 - 1555726080 x^2 - 1555726080 x) K_1(x) + \ln x [(-6441435 x^8 - 23783760 x^7 - 75675600 x^6 - 201801600 x^5 - 432432000 x^4 - 691891200 x^3 - 691891200 x^2) K_0(x) + (6441435 x^8 - 27747720 x^7 - 90810720 x^6 - 252252000 x^5 - 576576000 x^4 -$$

$$-1037836800 x^3 - 1383782400 x^2 - 1383782400 x) K_1(x)] \}$$

n = 8:

$$\begin{aligned} \int x^8 e^x \ln x I_0(x) dx &= \frac{e^x}{3989088675} \{(-27606150 x^9 + 14784627 x^8 - 500382432 x^7 + 3249519840 x^6 - \\ &\quad -14001917440 x^5 + 44566771200 x^4 - 104240855040 x^3 + 166972323840 x^2 - 188194406400 x + \\ &\quad +188194406400) I_0(x) + (27606150 x^9 - 981552 x^8 - 493929744 x^7 + 3487748544 x^6 - 15787083200 x^5 + \\ &\quad +52887833600 x^4 - 132836981760 x^3 + 239847444480 x^2 - 239847444480 x) I_1(x) + \\ &\quad + \ln x [(234652275 x^9 + 876035160 x^8 - 3234591360 x^7 + 10291881600 x^6 - 27445017600 x^5 + 58810752000 x^4 - \\ &\quad -94097203200 x^3 + 94097203200 x^2) I_0(x) + (-234652275 x^9 + 1001183040 x^8 - 3773689920 x^7 + \\ &\quad +12350257920 x^6 - 34306272000 x^5 + 78414336000 x^4 - 141145804800 x^3 + 188194406400 x^2 - \\ &\quad -188194406400 x) I_1(x)] \} \\ \int x^8 e^{-x} \ln x I_0(x) dx &= \frac{e^{-x}}{3989088675} \{(-27606150 x^9 - 14784627 x^8 - 500382432 x^7 - 3249519840 x^6 - \\ &\quad -14001917440 x^5 - 44566771200 x^4 - 104240855040 x^3 - 166972323840 x^2 - 188194406400 x - \\ &\quad -188194406400) I_0(x) + (-27606150 x^9 - 981552 x^8 + 493929744 x^7 + 3487748544 x^6 + 15787083200 x^5 + \\ &\quad +52887833600 x^4 + 132836981760 x^3 + 239847444480 x^2 + 239847444480 x) I_1(x) + \\ &\quad + \ln x [(234652275 x^9 - 876035160 x^8 - 3234591360 x^7 - 10291881600 x^6 - 27445017600 x^5 - 58810752000 x^4 - \\ &\quad -94097203200 x^3 - 94097203200 x^2) I_0(x) + (234652275 x^9 + 1001183040 x^8 + 3773689920 x^7 + \\ &\quad +12350257920 x^6 + 34306272000 x^5 + 78414336000 x^4 + 141145804800 x^3 + 188194406400 x^2 + \\ &\quad +188194406400 x) I_1(x)] \} \\ \int x^8 e^x \ln x K_0(x) dx &= \frac{e^x}{3989088675} \{(-27606150 x^9 + 14784627 x^8 - 500382432 x^7 + 3249519840 x^6 - \\ &\quad -14001917440 x^5 + 44566771200 x^4 - 104240855040 x^3 + 166972323840 x^2 - 188194406400 x + \\ &\quad +188194406400) K_0(x) + (-27606150 x^9 + 981552 x^8 + 493929744 x^7 - 3487748544 x^6 + 15787083200 x^5 - \\ &\quad -52887833600 x^4 + 132836981760 x^3 - 239847444480 x^2 + 239847444480 x) K_1(x) + \\ &\quad + \ln x [(234652275 x^9 + 876035160 x^8 - 3234591360 x^7 + 10291881600 x^6 - 27445017600 x^5 + 58810752000 x^4 - \\ &\quad -94097203200 x^3 + 94097203200 x^2) K_0(x) + (234652275 x^9 - 1001183040 x^8 + 3773689920 x^7 - 12350257920 x^6 + \\ &\quad +34306272000 x^5 - 78414336000 x^4 + 141145804800 x^3 - 188194406400 x^2 + 188194406400 x) K_1(x)] \} \\ \int x^8 e^{-x} \ln x K_0(x) dx &= \frac{e^{-x}}{3989088675} \{-(27606150 x^9 + 14784627 x^8 + 500382432 x^7 + 3249519840 x^6 + \\ &\quad +14001917440 x^5 + 44566771200 x^4 + 104240855040 x^3 + 166972323840 x^2 + 188194406400 x + \\ &\quad +188194406400) K_0(x) + (27606150 x^9 + 981552 x^8 - 493929744 x^7 - 3487748544 x^6 - 15787083200 x^5 - \\ &\quad -52887833600 x^4 - 132836981760 x^3 - 239847444480 x^2 - 239847444480 x) K_1(x) + \\ &\quad + \ln x [(234652275 x^9 - 876035160 x^8 - 3234591360 x^7 - 10291881600 x^6 - 27445017600 x^5 - 58810752000 x^4 - \\ &\quad -94097203200 x^3 - 94097203200 x^2) K_0(x) - (234652275 x^9 + 1001183040 x^8 + 3773689920 x^7 + 12350257920 x^6 + \\ &\quad +34306272000 x^5 + 78414336000 x^4 + 141145804800 x^3 + 188194406400 x^2 + 188194406400 x) K_1(x)] \} \\ \int x^8 e^x \ln x I_1(x) dx &= \frac{e^x}{443232075} \{(3067350 x^9 + 327184 x^8 - 56932194 x^7 + 388322130 x^6 - 1702592080 x^5 + \\ &\quad +5468744400 x^4 - 12866743680 x^3 + 20708177280 x^2 - 23524300800 x + 23524300800) I_0(x) + (-3067350 x^9 - \\ &\quad -1860859 x^8 - 55189673 x^7 + 414527148 x^6 - 1913825900 x^5 + 6474843200 x^4 - 16359577920 x^3 + \end{aligned}$$

$$+29654204160 x^2 - 29654204160 x) I_1(x) + \ln x [(-26072475 x^9 + 109504395 x^8 - 404323920 x^7 + 1286485200 x^6 - 3430627200 x^5 + 7351344000 x^4 - 11762150400 x^3 + 11762150400 x^2) I_0(x) + (26072475 x^9 + 125147880 x^8 - 471711240 x^7 + 1543782240 x^6 - 4288284000 x^5 + 9801792000 x^4 - 17643225600 x^3 + 23524300800 x^2 - 23524300800 x) I_1(x)] \}$$

$$\int x^8 e^{-x} \ln x I_1(x) dx = \frac{e^{-x}}{443232075} \{(-3067350 x^9 + 327184 x^8 + 56932194 x^7 + 388322130 x^6 + 1702592080 x^5 + 5468744400 x^4 + 12866743680 x^3 + 20708177280 x^2 + 23524300800 x + 23524300800) I_0(x) + (-3067350 x^9 + 1860859 x^8 - 55189673 x^7 - 414527148 x^6 - 1913825900 x^5 - 6474843200 x^4 - 16359577920 x^3 - 29654204160 x^2 - 29654204160 x) I_1(x) + \ln x [(26072475 x^9 + 109504395 x^8 + 404323920 x^7 + 1286485200 x^6 + 3430627200 x^5 + 7351344000 x^4 + 11762150400 x^3 + 11762150400 x^2) I_0(x) + (26072475 x^9 - 125147880 x^8 - 471711240 x^7 - 1543782240 x^6 - 4288284000 x^5 - 9801792000 x^4 - 17643225600 x^3 - 23524300800 x^2 - 23524300800 x) I_1(x)] \}$$

$$\int x^8 e^x \ln x K_1(x) dx = \frac{e^x}{443232075} \{(-3067350 x^9 - 327184 x^8 + 56932194 x^7 - 388322130 x^6 + 1702592080 x^5 - 5468744400 x^4 + 12866743680 x^3 - 20708177280 x^2 + 23524300800 x - 23524300800) K_0(x) + (-3067350 x^9 - 1860859 x^8 - 55189673 x^7 + 414527148 x^6 - 1913825900 x^5 + 6474843200 x^4 - 16359577920 x^3 + 29654204160 x^2 - 29654204160 x) K_1(x) + \ln x [(26072475 x^9 - 109504395 x^8 + 404323920 x^7 - 1286485200 x^6 + 3430627200 x^5 - 7351344000 x^4 + 11762150400 x^3 - 11762150400 x^2) K_0(x) + (26072475 x^9 + 125147880 x^8 - 471711240 x^7 + 1543782240 x^6 - 4288284000 x^5 + 9801792000 x^4 - 17643225600 x^3 + 23524300800 x^2 - 23524300800 x) K_1(x)] \}$$

$$\int x^8 e^{-x} \ln x K_1(x) dx = \frac{e^{-x}}{443232075} \{(3067350 x^9 - 327184 x^8 - 56932194 x^7 - 388322130 x^6 - 1702592080 x^5 - 5468744400 x^4 - 12866743680 x^3 - 20708177280 x^2 - 23524300800 x - 23524300800) K_0(x) + (-3067350 x^9 + 1860859 x^8 - 55189673 x^7 - 414527148 x^6 - 1913825900 x^5 - 6474843200 x^4 - 16359577920 x^3 - 29654204160 x^2 - 29654204160 x) K_1(x) + \ln x [(-26072475 x^9 - 109504395 x^8 - 404323920 x^7 - 1286485200 x^6 - 3430627200 x^5 - 7351344000 x^4 - 11762150400 x^3 - 11762150400 x^2) K_0(x) + (26072475 x^9 - 125147880 x^8 - 471711240 x^7 - 1543782240 x^6 - 4288284000 x^5 - 9801792000 x^4 - 17643225600 x^3 - 23524300800 x^2 - 23524300800 x) K_1(x)] \}$$

n = 9:

$$\int x^9 e^x \ln x I_0(x) dx = \frac{e^x}{53335593025} \{(-295488050 x^{10} + 156946075 x^9 - 6682958139 x^8 + 50085741024 x^7 - 253835174880 x^6 + 981076078080 x^5 - 2932377638400 x^4 + 6569043425280 x^3 - 10144737146880 x^2 + 10727081164800 x - 10727081164800) I_0(x) + (295488050 x^{10} - 9202050 x^9 - 6618605136 x^8 + 53311928208 x^7 - 281136719808 x^6 + 1128572222400 x^5 - 3537368755200 x^4 + 8512679992320 x^3 - 14925933711360 x^2 + 14925933711360 x) I_1(x) + \ln x [(2807136475 x^{10} + 11889048600 x^9 - 49934004120 x^8 + 184371707520 x^7 - 586637251200 x^6 + 1564366003200 x^5 - 3352212864000 x^4 + 5363540582400 x^3 - 5363540582400 x^2) I_0(x) + (-2807136475 x^{10} + 13375179675 x^9 - 57067433280 x^8 + 215100325440 x^7 - 703964701440 x^6 + 1955457504000 x^5 - 4469617152000 x^4 + 8045310873600 x^3 - 10727081164800 x^2 + 10727081164800 x) I_1(x)] \}$$

$$\int x^9 e^{-x} \ln x I_0(x) dx = \frac{e^{-x}}{53335593025} \{(-295488050 x^{10} - 156946075 x^9 - 6682958139 x^8 - 50085741024 x^7 -$$

$$\begin{aligned}
& -253835174880 x^6 - 981076078080 x^5 - 2932377638400 x^4 - 6569043425280 x^3 - 10144737146880 x^2 - \\
& -10727081164800 x - 10727081164800) I_0(x) + (-295488050 x^{10} - 9202050 x^9 + 6618605136 x^8 + 53311928208 x^7 + \\
& + 281136719808 x^6 + 1128572222400 x^5 + 3537368755200 x^4 + 8512679992320 x^3 + 14925933711360 x^2 + \\
& + 14925933711360 x) I_1(x) + \ln x [(2807136475 x^{10} - 11889048600 x^9 - 49934004120 x^8 - 184371707520 x^7 - \\
& - 586637251200 x^6 - 1564366003200 x^5 - 3352212864000 x^4 - 5363540582400 x^3 - 5363540582400 x^2) I_0(x) + \\
& + (2807136475 x^{10} + 13375179675 x^9 + 57067433280 x^8 + 215100325440 x^7 + 703964701440 x^6 + 1955457504000 x^5 + \\
& + 4469617152000 x^4 + 8045310873600 x^3 + 10727081164800 x^2 + 10727081164800 x) I_1(x)] \} \\
\int x^9 e^x \ln x K_0(x) dx &= \frac{e^x}{53335593025} \{ (-295488050 x^{10} + 156946075 x^9 - 6682958139 x^8 + 50085741024 x^7 - \\
& - 253835174880 x^6 + 981076078080 x^5 - 2932377638400 x^4 + 6569043425280 x^3 - 10144737146880 x^2 + \\
& + 10727081164800 x - 10727081164800) K_0(x) + (-295488050 x^{10} + 9202050 x^9 + 6618605136 x^8 - 53311928208 x^7 + \\
& + 281136719808 x^6 - 1128572222400 x^5 + 3537368755200 x^4 - 8512679992320 x^3 + 14925933711360 x^2 - \\
& - 14925933711360 x) K_1(x) + \ln x [(2807136475 x^{10} + 11889048600 x^9 - 49934004120 x^8 + 184371707520 x^7 - \\
& - 586637251200 x^6 + 1564366003200 x^5 - 3352212864000 x^4 + 5363540582400 x^3 - 5363540582400 x^2) K_0(x) + \\
& + (2807136475 x^{10} - 13375179675 x^9 + 57067433280 x^8 - 215100325440 x^7 + 703964701440 x^6 - 1955457504000 x^5 + \\
& + 4469617152000 x^4 - 8045310873600 x^3 + 10727081164800 x^2 - 10727081164800 x) K_1(x)] \} \\
\int x^9 e^{-x} \ln x K_0(x) dx &= \frac{e^{-x}}{53335593025} \{ (-295488050 x^{10} + 156946075 x^9 + 6682958139 x^8 + 50085741024 x^7 + \\
& + 253835174880 x^6 + 981076078080 x^5 + 2932377638400 x^4 + 6569043425280 x^3 + 10144737146880 x^2 + \\
& + 10727081164800 x + 10727081164800) K_0(x) + (295488050 x^{10} + 9202050 x^9 - 6618605136 x^8 - 53311928208 x^7 - \\
& - 281136719808 x^6 - 1128572222400 x^5 - 3537368755200 x^4 - 8512679992320 x^3 - 14925933711360 x^2 - \\
& - 14925933711360 x) K_1(x) + \ln x [(2807136475 x^{10} - 11889048600 x^9 - 49934004120 x^8 - 184371707520 x^7 - \\
& - 586637251200 x^6 - 1564366003200 x^5 - 3352212864000 x^4 - 5363540582400 x^3 - 5363540582400 x^2) K_0(x) - \\
& - (2807136475 x^{10} + 13375179675 x^9 + 57067433280 x^8 + 215100325440 x^7 + 703964701440 x^6 + 1955457504000 x^5 + \\
& + 4469617152000 x^4 + 8045310873600 x^3 + 10727081164800 x^2 + 10727081164800 x) K_1(x)] \} \\
\int x^9 e^x \ln x I_1(x) dx &= \frac{e^x}{32001355815} \{ (177292830 x^{10} + 16563690 x^9 - 4085423914 x^8 + 32024777664 x^7 - \\
& - 164877988800 x^6 + 642462822400 x^5 - 1930087219200 x^4 + 4339632353280 x^3 - 6723428167680 x^2 + \\
& + 7151387443200 x - 7151387443200) I_0(x) + (-177292830 x^{10} - 105210105 x^9 - 3989681696 x^8 + 33947949728 x^7 - \\
& - 182209926528 x^6 + 737896611200 x^5 - 2325137561600 x^4 + 5615525099520 x^3 - 9871162613760 x^2 + \\
& + 9871162613760 x) I_1(x) + \ln x [(-1684281885 x^{10} + 7926032400 x^9 - 33289336080 x^8 + 122914471680 x^7 - \\
& - 391091500800 x^6 + 1042910668800 x^5 - 2234808576000 x^4 + 3575693721600 x^3 - 3575693721600 x^2) I_0(x) + \\
& + (1684281885 x^{10} + 8916786450 x^9 - 38044955520 x^8 + 143400216960 x^7 - 469309800960 x^6 + 1303638336000 x^5 - \\
& - 2979744768000 x^4 + 5363540582400 x^3 - 7151387443200 x^2 + 7151387443200 x) I_1(x)] \} \\
\int x^9 e^{-x} \ln x I_1(x) dx &= \frac{e^{-x}}{32001355815} \{ (-177292830 x^{10} + 16563690 x^9 + 4085423914 x^8 + 32024777664 x^7 + \\
& + 164877988800 x^6 + 642462822400 x^5 + 1930087219200 x^4 + 4339632353280 x^3 + 6723428167680 x^2 + \\
& + 7151387443200 x + 7151387443200) I_0(x) + (-177292830 x^{10} + 105210105 x^9 - 3989681696 x^8 - 33947949728 x^7 - \\
& - 182209926528 x^6 - 737896611200 x^5 - 2325137561600 x^4 - 5615525099520 x^3 - 9871162613760 x^2 - \\
& - 9871162613760 x) I_1(x) + \ln x [(1684281885 x^{10} + 7926032400 x^9 + 33289336080 x^8 + 122914471680 x^7 + \\
& + 391091500800 x^6 + 1042910668800 x^5 + 2234808576000 x^4 + 3575693721600 x^3 + 3575693721600 x^2) I_0(x) +
\end{aligned}$$

$$\begin{aligned}
& +(1684281885 x^{10} - 8916786450 x^9 - 38044955520 x^8 - 143400216960 x^7 - 469309800960 x^6 - 1303638336000 x^5 - \\
& \quad - 2979744768000 x^4 - 5363540582400 x^3 - 7151387443200 x^2 - 7151387443200 x) I_1(x) \} \\
\int x^9 e^x \ln x K_1(x) dx &= \frac{e^x}{32001355815} \{ (-177292830 x^{10} - 16563690 x^9 + 4085423914 x^8 - 32024777664 x^7 + \\
& \quad + 164877988800 x^6 - 642462822400 x^5 + 1930087219200 x^4 - 4339632353280 x^3 + 6723428167680 x^2 - \\
& \quad - 7151387443200 x + 7151387443200) K_0(x) + (-177292830 x^{10} - 105210105 x^9 - 3989681696 x^8 + 33947949728 x^7 - \\
& \quad - 182209926528 x^6 + 737896611200 x^5 - 2325137561600 x^4 + 5615525099520 x^3 - 9871162613760 x^2 + \\
& \quad + 9871162613760 x) K_1(x) + \ln x [(1684281885 x^{10} - 7926032400 x^9 + 33289336080 x^8 - 122914471680 x^7 + \\
& \quad + 391091500800 x^6 - 1042910668800 x^5 + 2234808576000 x^4 - 3575693721600 x^3 + 3575693721600 x^2) K_0(x) + \\
& \quad + (1684281885 x^{10} + 8916786450 x^9 - 38044955520 x^8 + 143400216960 x^7 - 469309800960 x^6 + 1303638336000 x^5 - \\
& \quad - 2979744768000 x^4 + 5363540582400 x^3 - 7151387443200 x^2 + 7151387443200 x) K_1(x) \} \\
\int x^9 e^{-x} \ln x K_1(x) dx &= \frac{e^{-x}}{32001355815} \{ (177292830 x^{10} - 16563690 x^9 - 4085423914 x^8 - 32024777664 x^7 - \\
& \quad - 164877988800 x^6 - 642462822400 x^5 - 1930087219200 x^4 - 4339632353280 x^3 - 6723428167680 x^2 - \\
& \quad - 7151387443200 x - 7151387443200) K_0(x) + (-177292830 x^{10} + 105210105 x^9 - 3989681696 x^8 - 33947949728 x^7 - \\
& \quad - 182209926528 x^6 - 737896611200 x^5 - 2325137561600 x^4 - 5615525099520 x^3 - 9871162613760 x^2 - \\
& \quad - 9871162613760 x) K_1(x) + \ln x [(-1684281885 x^{10} - 7926032400 x^9 - 33289336080 x^8 - 122914471680 x^7 - \\
& \quad - 391091500800 x^6 - 1042910668800 x^5 - 2234808576000 x^4 - 3575693721600 x^3 - 3575693721600 x^2) K_0(x) + \\
& \quad + (1684281885 x^{10} - 8916786450 x^9 - 38044955520 x^8 - 143400216960 x^7 - 469309800960 x^6 - 1303638336000 x^5 - \\
& \quad - 2979744768000 x^4 - 5363540582400 x^3 - 7151387443200 x^2 - 7151387443200 x) K_1(x) \}
\end{aligned}$$

n = 10:

$$\begin{aligned}
\int x^{10} e^x \ln x I_0(x) dx &= \frac{e^x}{940839860961} \{ (-4266847442 x^{11} + 2251618941 x^{10} - 117807097980 x^9 + \\
& \quad + 1000787719932 x^8 - 5829673272192 x^7 + 26484562500480 x^6 - 96176811386880 x^5 + 275819194828800 x^4 - \\
& \quad - 598998804848640 x^3 + 899357077463040 x^2 - 901074817843200 x + 901074817843200) I_0(x) + \\
& \quad + (4266847442 x^{11} - 118195220 x^{10} - 116928608940 x^9 + 1058156244288 x^8 - 6371084833344 x^7 + \\
& \quad + 29810373836544 x^6 - 112008092716800 x^5 + 336471606374400 x^4 - 785863855042560 x^3 + \\
& \quad + 1348176746004480 x^2 - 1348176746004480 x) I_1(x) + \ln x [(44801898141 x^{11} + 212219517510 x^{10} - \\
& \quad - 998680082400 x^9 + 4194456346080 x^8 - 15487223431680 x^7 + 49277529100800 x^6 - 131406744268800 x^5 + \\
& \quad + 281585880576000 x^4 - 450537408921600 x^3 + 450537408921600 x^2) I_0(x) + \\
& \quad + (-44801898141 x^{11} + 235799463900 x^{10} - 1123515092700 x^9 + 4793664395520 x^8 - 18068427336960 x^7 + \\
& \quad + 59133034920960 x^6 - 164258430336000 x^5 + 375447840768000 x^4 - 675806113382400 x^3 + \\
& \quad + 901074817843200 x^2 - 901074817843200 x) I_1(x) \} \\
\int x^{10} e^{-x} \ln x I_0(x) dx &= \frac{e^{-x}}{940839860961} \{ (-4266847442 x^{11} - 2251618941 x^{10} - 117807097980 x^9 - \\
& \quad - 1000787719932 x^8 - 5829673272192 x^7 - 26484562500480 x^6 - 96176811386880 x^5 - 275819194828800 x^4 - \\
& \quad - 598998804848640 x^3 - 899357077463040 x^2 - 901074817843200 x - 901074817843200) I_0(x) + \\
& \quad + (-4266847442 x^{11} - 118195220 x^{10} + 116928608940 x^9 + 1058156244288 x^8 + 6371084833344 x^7 + \\
& \quad + 29810373836544 x^6 + 112008092716800 x^5 + 336471606374400 x^4 + 785863855042560 x^3 + 1348176746004480 x^2 + \\
& \quad + 1348176746004480 x) I_1(x) + \ln x [(44801898141 x^{11} - 212219517510 x^{10} - 998680082400 x^9 - 4194456346080 x^8 -
\end{aligned}$$

$$\begin{aligned}
& -15487223431680 x^7 - 49277529100800 x^6 - 131406744268800 x^5 - 281585880576000 x^4 - \\
& -450537408921600 x^3 - 450537408921600 x^2) I_0(x) + (44801898141 x^{11} + 235799463900 x^{10} + \\
& +1123515092700 x^9 + 4793664395520 x^8 + 18068427336960 x^7 + 59133034920960 x^6 + 164258430336000 x^5 + \\
& +375447840768000 x^4 + 675806113382400 x^3 + 901074817843200 x^2 + 901074817843200 x) I_1(x) \} \\
& \int x^{10} e^x \ln x K_0(x) dx = \frac{e^x}{940839860961} \{(-4266847442 x^{11} + 2251618941 x^{10} - 117807097980 x^9 + \\
& +1000787719932 x^8 - 5829673272192 x^7 + 26484562500480 x^6 - 96176811386880 x^5 + 275819194828800 x^4 - \\
& -598998804848640 x^3 + 899357077463040 x^2 - 901074817843200 x + 901074817843200) K_0(x) + \\
& +(-4266847442 x^{11} + 118195220 x^{10} + 116928608940 x^9 - 1058156244288 x^8 + 6371084833344 x^7 - \\
& -29810373836544 x^6 + 112008092716800 x^5 - 336471606374400 x^4 + 785863855042560 x^3 - 1348176746004480 x^2 + \\
& +1348176746004480 x) K_1(x) + \ln x [(44801898141 x^{11} + 212219517510 x^{10} - 998680082400 x^9 + \\
& +4194456346080 x^8 - 15487223431680 x^7 + 49277529100800 x^6 - 131406744268800 x^5 + 281585880576000 x^4 - \\
& -450537408921600 x^3 + 450537408921600 x^2) K_0(x) + (44801898141 x^{11} - 235799463900 x^{10} + \\
& +1123515092700 x^9 - 4793664395520 x^8 + 18068427336960 x^7 - 59133034920960 x^6 + 164258430336000 x^5 - \\
& -375447840768000 x^4 + 675806113382400 x^3 - 901074817843200 x^2 + 901074817843200 x) K_1(x) \} \\
& \int x^{10} e^{-x} \ln x K_0(x) dx = \frac{e^{-x}}{940839860961} \{-(4266847442 x^{11} + 2251618941 x^{10} + 117807097980 x^9 + \\
& +1000787719932 x^8 + 5829673272192 x^7 + 26484562500480 x^6 + 96176811386880 x^5 + 275819194828800 x^4 + \\
& +598998804848640 x^3 + 899357077463040 x^2 + 901074817843200 x + 901074817843200) K_0(x) + \\
& +(4266847442 x^{11} + 118195220 x^{10} - 116928608940 x^9 - 1058156244288 x^8 - 6371084833344 x^7 - \\
& -29810373836544 x^6 - 112008092716800 x^5 - 336471606374400 x^4 - 785863855042560 x^3 - \\
& -1348176746004480 x^2 - 1348176746004480 x) K_1(x) + \ln x [(44801898141 x^{11} - 212219517510 x^{10} - \\
& -998680082400 x^9 - 4194456346080 x^8 - 15487223431680 x^7 - 49277529100800 x^6 - 131406744268800 x^5 - \\
& -281585880576000 x^4 - 450537408921600 x^3 - 450537408921600 x^2) K_0(x) - (44801898141 x^{11} + \\
& +235799463900 x^{10} + 1123515092700 x^9 + 4793664395520 x^8 + 18068427336960 x^7 + 59133034920960 x^6 + \\
& +164258430336000 x^5 + 375447840768000 x^4 + 675806113382400 x^3 + 901074817843200 x^2 + \\
& +901074817843200 x) K_1(x) \} \\
& \int x^{10} e^x \ln x I_1(x) dx = \frac{e^x}{427654482255} \{(1939476110 x^{11} + 161175300 x^{10} - 54364094070 x^9 + \\
& +481328149302 x^8 - 2844440165952 x^7 + 13018292481600 x^6 - 47491102310400 x^5 + 136629661593600 x^4 - \\
& -297451505111040 x^3 + 447630641418240 x^2 - 450537408921600 x + 450537408921600) I_0(x) + \\
& +(-1939476110 x^{11} - 1130913355 x^{10} - 53357417685 x^9 + 507288738528 x^8 - 3103413201504 x^7 + \\
& +14636400395904 x^6 - 55257417129600 x^5 + 166529222092800 x^4 - 389860081551360 x^3 + 669992578375680 x^2 - \\
& -669992578375680 x) I_1(x) + \ln x [(-20364499155 x^{11} + 106109758755 x^{10} - 499340041200 x^9 + \\
& +2097228173040 x^8 - 7743611715840 x^7 + 24638764550400 x^6 - 65703372134400 x^5 + 140792940288000 x^4 - \\
& -225268704460800 x^3 + 225268704460800 x^2) I_0(x) + (20364499155 x^{11} + 117899731950 x^{10} - 561757546350 x^9 + \\
& +2396832197760 x^8 - 9034213668480 x^7 + 29566517460480 x^6 - 82129215168000 x^5 + 187723920384000 x^4 - \\
& -337903056691200 x^3 + 450537408921600 x^2 - 450537408921600 x) I_1(x) \} \\
& \int x^{10} e^{-x} \ln x I_1(x) dx = \frac{e^{-x}}{427654482255} \{(-1939476110 x^{11} + 161175300 x^{10} + 54364094070 x^9 + \\
& +481328149302 x^8 + 2844440165952 x^7 + 13018292481600 x^6 + 47491102310400 x^5 + 136629661593600 x^4 +
\end{aligned}$$

$$\begin{aligned}
& +297451505111040 x^3 + 447630641418240 x^2 + 450537408921600 x + 450537408921600) I_0(x) + \\
& +(-1939476110 x^{11} + 1130913355 x^{10} - 53357417685 x^9 - 507288738528 x^8 - 3103413201504 x^7 - \\
& -14636400395904 x^6 - 55257417129600 x^5 - 166529222092800 x^4 - 389860081551360 x^3 - 669992578375680 x^2 - \\
& -669992578375680 x) I_1(x) + \ln x [(20364499155 x^{11} + 106109758755 x^{10} + 499340041200 x^9 + \\
& +2097228173040 x^8 + 7743611715840 x^7 + 24638764550400 x^6 + 65703372134400 x^5 + 140792940288000 x^4 + \\
& +225268704460800 x^3 + 225268704460800 x^2) I_0(x) + (20364499155 x^{11} - 117899731950 x^{10} - 561757546350 x^9 - \\
& -2396832197760 x^8 - 9034213668480 x^7 - 29566517460480 x^6 - 82129215168000 x^5 - 187723920384000 x^4 - \\
& -337903056691200 x^3 - 450537408921600 x^2 - 450537408921600 x) I_1(x)] \} \\
\int x^{10} e^x \ln x K_1(x) dx &= \frac{e^x}{427654482255} \{(-1939476110 x^{11} - 161175300 x^{10} + 54364094070 x^9 - \\
& -481328149302 x^8 + 2844440165952 x^7 - 13018292481600 x^6 + 47491102310400 x^5 - 136629661593600 x^4 + \\
& +297451505111040 x^3 - 447630641418240 x^2 + 450537408921600 x - 450537408921600) K_0(x) + \\
& +(-1939476110 x^{11} - 1130913355 x^{10} - 53357417685 x^9 + 507288738528 x^8 - 3103413201504 x^7 + \\
& +14636400395904 x^6 - 55257417129600 x^5 + 166529222092800 x^4 - 389860081551360 x^3 + 669992578375680 x^2 - \\
& -669992578375680 x) K_1(x) + \ln x [(20364499155 x^{11} - 106109758755 x^{10} + 499340041200 x^9 - \\
& -2097228173040 x^8 + 7743611715840 x^7 - 24638764550400 x^6 + 65703372134400 x^5 - 140792940288000 x^4 + \\
& +225268704460800 x^3 - 225268704460800 x^2) K_0(x) + (20364499155 x^{11} + 117899731950 x^{10} - 561757546350 x^9 + \\
& +2396832197760 x^8 - 9034213668480 x^7 + 29566517460480 x^6 - 82129215168000 x^5 + 187723920384000 x^4 - \\
& -337903056691200 x^3 + 450537408921600 x^2 - 450537408921600 x) K_1(x)] \} \\
\int x^{10} e^{-x} \ln x K_1(x) dx &= \frac{e^{-x}}{427654482255} \{(1939476110 x^{11} - 161175300 x^{10} - 54364094070 x^9 - \\
& -481328149302 x^8 - 2844440165952 x^7 - 13018292481600 x^6 - 47491102310400 x^5 - 136629661593600 x^4 - \\
& -297451505111040 x^3 - 447630641418240 x^2 - 450537408921600 x - 450537408921600) K_0(x) + \\
& +(-1939476110 x^{11} + 1130913355 x^{10} - 53357417685 x^9 - 507288738528 x^8 - 3103413201504 x^7 - \\
& -14636400395904 x^6 - 55257417129600 x^5 - 166529222092800 x^4 - 389860081551360 x^3 - 669992578375680 x^2 - \\
& -669992578375680 x) K_1(x) + \ln x [(-20364499155 x^{11} - 106109758755 x^{10} - 499340041200 x^9 - \\
& -2097228173040 x^8 - 7743611715840 x^7 - 24638764550400 x^6 - 65703372134400 x^5 - 140792940288000 x^4 - \\
& -225268704460800 x^3 - 225268704460800 x^2) K_0(x) + (20364499155 x^{11} - 117899731950 x^{10} - 561757546350 x^9 - \\
& -2396832197760 x^8 - 9034213668480 x^7 - 29566517460480 x^6 - 82129215168000 x^5 - 187723920384000 x^4 - \\
& -337903056691200 x^3 - 450537408921600 x^2 - 450537408921600 x) K_1(x)] \}
\end{aligned}$$

Recurrence relations:

About the recurrence relations for the integrals $\int x^n e^{\pm x} I_\nu(x) dx$ and $\int x^n e^{\pm x} K_\nu(x) dx$ see the pages 69 and 72.

$$\begin{aligned}\int x^{n+1} e^x \ln(x) I_0(x) dx &= \frac{x^{n+1} e^x}{2n+3} \{[(n+1+x) I_0(x) - x I_1(x)] \ln(x) - I_0(x)\} - \\ &\quad - \frac{(n+1)^2}{2n+3} \int x^n \ln x e^x I_0(x) dx + \frac{2}{2n+3} \int x^{n+1} e^x I_1(x) dx \\ \int x^{n+1} e^x \ln(x) K_0(x) dx &= \frac{x^{n+1} e^x}{2n+3} \{[(n+1+x) K_0(x) + x K_1(x)] \ln(x) - K_0(x)\} - \\ &\quad - \frac{(n+1)^2}{2n+3} \int x^n \ln x e^x K_0(x) dx - \frac{2}{2n+3} \int x^{n+1} e^x K_1(x) dx \\ \int x^{n+1} e^{-x} \ln(x) I_0(x) dx &= \frac{x^{n+1} e^{-x}}{2n+3} \{[-(n+1-x) I_0(x) + x I_1(x)] \ln(x) + I_0(x)\} + \\ &\quad + \frac{(n+1)^2}{2n+3} \int x^n \ln x e^x I_0(x) dx - \frac{2}{2n+3} \int x^{n+1} e^x I_1(x) dx \\ \int x^{n+1} e^{-x} \ln(x) K_0(x) dx &= \frac{x^{n+1} e^{-x}}{2n+3} \{[(x-n-1) K_0(x) - x K_1(x)] \ln(x) + K_0(x)\} + \\ &\quad + \frac{(n+1)^2}{2n+3} \int x^n \ln x e^x K_0(x) dx + \frac{2}{2n+3} \int x^{n+1} e^x K_1(x) dx\end{aligned}$$

The following recurrence relations for the integrals $\int x^{n+1} e^{\pm x} Z_1(x) dx$ refer to $\int x^n e^{\pm x} Z_0(x) dx$ instead of $\int x^n e^{\pm x} Z_1(x) dx$.

$$\begin{aligned}\int x^{n+1} e^x \ln(x) I_1(x) dx &= \frac{x^{n+1} e^x}{2n+3} \{[(n+2-x) I_0(x) + x I_1(x)] \ln(x) - \frac{n+2}{n+1} I_0(x)\} - \\ &\quad - \frac{(n+1)(n+2)}{2n+3} \int x^n \ln x e^x I_0(x) dx + \frac{1}{n+1} \int x^{n+1} e^x I_0(x) dx + \frac{1}{(n+1)(2n+3)} \int x^{n+1} e^x I_1(x) dx \\ \int x^{n+1} e^{-x} \ln(x) I_1(x) dx &= \frac{x^{n+1} e^{-x}}{2n+3} \{[(n+2+x) I_0(x) + x I_1(x)] \ln(x) - \frac{n+2}{n+1} I_0(x)\} - \\ &\quad - \frac{(n+1)(n+2)}{2n+3} \int x^n \ln x e^x I_0(x) dx - \frac{1}{n+1} \int x^{n+1} e^x I_0(x) dx - \frac{1}{(n+1)(2n+3)} \int x^{n+1} e^x I_1(x) dx \\ \int x^{n+1} e^x \ln(x) K_1(x) dx &= \frac{x^{n+1} e^x}{2n+3} \{[(x-n-2) K_0(x) + x K_1(x)] \ln(x) + \frac{n+2}{n+1} K_0(x)\} + \\ &\quad + \frac{(n+1)(n+2)}{2n+3} \int x^n \ln x e^x K_0(x) dx - \frac{1}{n+1} \int x^{n+1} e^x K_0(x) dx + \frac{1}{(n+1)(2n+3)} \int x^{n+1} e^x K_1(x) dx \\ \int x^{n+1} e^{-x} \ln(x) K_1(x) dx &= \frac{x^{n+1} e^{-x}}{2n+3} \{[-(n+2+x) K_0(x) + x K_1(x)] \ln(x) + \frac{n+2}{n+1} K_0(x)\} + \\ &\quad + \frac{(n+1)(n+2)}{2n+3} \int x^n \ln x e^x K_0(x) dx + \frac{1}{n+1} \int x^{n+1} e^x K_0(x) dx + \frac{1}{(n+1)(2n+3)} \int x^{n+1} e^x K_1(x) dx\end{aligned}$$

1.2.13. $\int x^n e^{-x^2} J_\nu(\alpha x) dx$

a) The Case $\alpha = 1$, Basic Integrals:

Some improper integrals: From [13], 4.14. (34) and (35) one has (or [14], 8.2.(21); see also [7], 6.643 and 9.235; or [4], 2.12.9.1.-3.)

$$\begin{aligned} \int_0^\infty e^{-x^2} J_0(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{2} I_0\left(\frac{1}{8}\right) = 0.78515\ 05503 \\ \int_0^\infty x e^{-x^2} J_0(x) dx &= \frac{e^{-1/4}}{2} = 0.38940\ 03915 \\ \int_0^\infty x^2 e^{-x^2} J_0(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{16} \left[3I_0\left(\frac{1}{8}\right) + I_1\left(\frac{1}{8}\right) \right] = 0.30055\ 34957 \\ \int_0^\infty x^3 e^{-x^2} J_0(x) dx &= \frac{3e^{-1/4}}{8} = 0.29205\ 02937 \\ \int_0^\infty x^4 e^{-x^2} J_0(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{64} \left[13I_0\left(\frac{1}{8}\right) + 7I_1\left(\frac{1}{8}\right) \right] = 0.32968\ 09799 \\ \int_0^\infty x^5 e^{-x^2} J_0(x) dx &= \frac{17e^{-1/4}}{32} = 0.41373\ 79160 \\ \int_0^\infty x^6 e^{-x^2} J_0(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{256} \left[87I_0\left(\frac{1}{8}\right) + 69I_1\left(\frac{1}{8}\right) \right] = 0.56005\ 83093 \\ \\ \int_0^\infty \frac{e^{-x^2} J_1(x) dx}{x} &= \frac{\sqrt{\pi} e^{-1/8}}{4} \left[I_0\left(\frac{1}{8}\right) + I_1\left(\frac{1}{8}\right) \right] = 0.41706\ 34325 \\ \int_0^\infty e^{-x^2} J_1(x) dx &= 1 - e^{-1/4} = 0.22119\ 92169 \\ \int_0^\infty x e^{-x^2} J_1(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{8} \left[I_0\left(\frac{1}{8}\right) - I_1\left(\frac{1}{8}\right) \right] = 0.18404\ 35589 \\ \int_0^\infty x^2 e^{-x^2} J_1(x) dx &= \frac{e^{-1/4}}{4} = 0.19470\ 01958 \\ \int_0^\infty x^3 e^{-x^2} J_1(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{32} \left[5I_0\left(\frac{1}{8}\right) - I_1\left(\frac{1}{8}\right) \right] = 0.24229\ 85273 \\ \int_0^\infty x^4 e^{-x^2} J_1(x) dx &= \frac{7e^{-1/4}}{16} = 0.34072\ 53426 \\ \int_0^\infty x^5 e^{-x^2} J_1(x) dx &= \frac{\sqrt{\pi} e^{-1/8}}{128} \left[43I_0\left(\frac{1}{8}\right) + I_1\left(\frac{1}{8}\right) \right] = 0.52828\ 82809 \\ \int_0^\infty x^6 e^{-x^2} J_1(x) dx &= \frac{73e^{-1/4}}{64} = 0.88831\ 96432 \end{aligned}$$

Let

$$F_\nu(x) = \int_0^x e^{-t^2} J_\nu(t) dt = \nu + e^{-x^2} [P_\nu(x) J_0(x) + Q_\nu(x) J_1(x)] , \quad \nu = 0, 1,$$

with

$$P_\nu(x) = \sum_{k=0}^{\infty} a_k^{(\nu)} x^{2k+1-\nu} = \sum_{k=0}^{\infty} \frac{\alpha_k^{(\nu)}}{\gamma_k^{(\nu)}} x^{2k+1-\nu} \quad \text{and} \quad Q_\nu(x) = \sum_{k=0}^{\infty} b_k^{(\nu)} x^{2k+\nu} = \sum_{k=0}^{\infty} \frac{\beta_k^{(\nu)}}{\delta_k^{(\nu)}} x^{2k+\nu} .$$

Furthermore, let

$$F_-(x) = \int_0^x \frac{e^{-t^2} J_1(t) dt}{t} = e^{-x^2} [P_-(x) J_0(x) + Q_-(x) J_1(x)]$$

with

$$P_-(x) = \sum_{k=0}^{\infty} a_k^{(-)} x^{2k+1} = \sum_{k=0}^{\infty} \frac{\alpha_k^{(-)}}{\gamma_k^{(-)}} x^{2k+1} \quad \text{and} \quad Q_-(x) = \sum_{k=0}^{\infty} b_k^{(-)} x^{2k+\nu} = \sum_{k=0}^{\infty} \frac{\beta_k^{(-)}}{\delta_k^{(-)}} x^{2k} .$$

The minimum and maximum values of $F_s(x)$ are located in the zeros $x_k^{(\nu)}$ of $J_\nu(x)$, $0 < x_k^{(\nu)} < x_{k+1}^{(\nu)}$.
Let $F_s(x_k^{(\nu)}) = \Delta_k^{(s)} + \lim_{x \rightarrow \infty} F_s(x)$.

The following table shows, that $F_s(x)$ must not be computed for large values of x .

s	Value	k = 1	k = 2	k = 3	k = 4
0	x_k	2.4048	5.5201	8.6537	11.7915
	$\Delta_k^{(0)}$	$5.1225 \cdot 10^{-5}$	$-1.5215 \cdot 10^{-16}$	$2.6395 \cdot 10^{-36}$	$-1.6974 \cdot 10^{-64}$
1	x_k	3.8317	7.0156	10.1735	13.3237
	$\Delta_k^{(1)}$	$2.5200 \cdot 10^{-9}$	$-6.1486 \cdot 10^{-25}$	$6.6365 \cdot 10^{-49}$	$-2.4330 \cdot 10^{-81}$
-	$\Delta_k^{(-)}$	$6.2084 \cdot 10^{-10}$	$-8.5976 \cdot 10^{-26}$	$6.4624 \cdot 10^{-50}$	$-1.8160 \cdot 10^{-82}$

Remark: In any case, if $F_s(x)$ is written as

$$F_s(x) = e^{-x^2} \psi_s(x) + \lim_{x \rightarrow \infty} F_s(x) ,$$

then one has

x	1.52	2.15	2.63	3.03	3.39	3.72	4.01	4.29	4.55	4.80
$\exp(-x^2)$	10^{-1}	10^{-2}	10^{-3}	10^{-4}	10^{-5}	10^{-6}	10^{-7}	10^{-8}	10^{-9}	10^{-10}

The influence of $\psi_s(x)$ vanishes soon.

I) $s = 0$:

With $k \geq 1$ holds

$$a_{k+1}^{(0)} = \frac{(8k+3)a_k^{(0)} - 4a_{k-1}^{(0)}}{(2k+1)(2k+3)} , \quad b_{k+1}^{(0)} = \frac{(8k-1)b_k^{(0)} - 4b_{k-1}^{(0)}}{(2k+1)^2} .$$

$$\int_0^x e^{-t^2} J_0(t) dt = e^{-x^2} \left[\left(x + \frac{x^3}{3} - \frac{x^5}{45} - \frac{79}{1575} x^7 - \dots \right) J_0(x) + \left(x^2 + \frac{7}{9} x^4 + \frac{23}{75} x^6 + \dots \right) J_1(x) \right]$$

k	$\alpha_k^{(0)}$	$\gamma_k^{(0)}$	$a_k^{(0)}$
0	1	1	1.00000 00000
1	1	3	0.33333 33333
2	-1	45	-0.02222 22222
3	-79	1575	-0.05015 87302
4	-1993	99225	-0.02008 56639
5	-7121	1403325	-0.00507 43769
6	-1354193	1404728325	-0.00096 40248
7	-40551359	273922023375	-0.00014 80398
8	-1336259641	69850115960625	-0.00001 91304
9	-48167009767	22561587455281875	-0.00000 21349
10	-1886078276353	9002073394657468125	-0.00000 02095
11	-79669949349167	4348001449619557104375	-0.00000 00183
12	-515151737265743	357157261933035047859375	-0.00000 00014
13	-9145224759056621	88819371717557400059765625	-0.00000 00001

k	$\beta_k^{(0)}$	$\delta_k^{(0)}$	$b_k^{(0)}$
0	0	1	0.00000 00000
1	1	1	1.00000 00000
2	7	9	0.77777 77778
3	23	75	0.3066666667
4	887	11025	0.0804535147
5	13973	893025	0.0156468184
6	85853	36018675	0.0023835691
7	5342341	18261468225	0.0002925472
8	119718871	4108830350625	0.0000291370
9	33755333	14659900880625	0.0000023026
10	5066536837	38970014695486875	0.0000001300
11	26744808373	11120208311047460625	0.0000000024
12	-19585169733827	33334677780416604466875	-0.0000000006
13	-594894329175841	5682047348934648488671875	-0.0000000001

One has $a_0^{(0)}, a_1^{(0)} > 0$, $a_2^{(0)}, \dots, a_{22}^{(0)} < 0$, but $a_{23}^{(0)} > 0$. Holds $b_{11}^{(0)} \cdot b_{12}^{(0)} < 0$ and $b_{41}^{(0)} \cdot b_{42}^{(0)} < 0$.

First positive zeros of $P_0(x)$: 1.5091, 4.8104, 7.9822 .

Maxima: $P_0(1.1915) = 1.3870$, $P_0(7.9191) = 3.6414 \cdot 10^{26}$, minimum: $P_0(4.7057) = -1.1187 \cdot 10^9$.


First positive zeros of $Q_0(x)$: 3.3521, 6.4769, 9.6124.

Maxima: $Q_0(3.2008) = 9162.0$, $Q_0(9.5602) = 9.5630 \cdot 10^{38}$, minimum: $Q_0(6.3994) = -1.4373 \cdot 10^{17}$

Approximation:

$$F_0(x) \approx \tilde{F}_0(x) = 0.7851505503 \operatorname{erf}(x) + e^{-x^2} \sum_{k=0}^5 c_k^{(0)} x^{2k+1}$$

k	$c_k^{(0)}$	k	$c_k^{(0)}$	k	$c_k^{(0)}$
0	$1.14052 47597 \cdot 10^{-1}$	1	$-7.29834 93536 \cdot 10^{-3}$	2	$2.05660 25858 \cdot 10^{-4}$
3	$-3.24389 43744 \cdot 10^{-6}$	4	$3.26550 30992 \cdot 10^{-8}$	5	$-2.27888 93576 \cdot 10^{-10}$



Asymptotic expansion:

$$\int_0^x e^{-t^2} J_0(t) dt \sim \frac{\sqrt{\pi} e^{-1/8}}{2} I_0\left(\frac{1}{8}\right) + \frac{\sqrt{2}e^{-x^2}}{\sqrt{\pi x}} \left[\left(-\frac{1}{2x} + \frac{129}{256x^3} - \frac{76203}{65536x^5} + \dots \right) \sin\left(x + \frac{\pi}{4}\right) + \left(-\frac{3}{16x^2} + \frac{921}{2048x^4} - \frac{775773}{524288x^6} + \dots \right) \cos\left(x + \frac{\pi}{4}\right) \right]$$

See the remark on page 150.

Let

$$\varphi_1(x) = e^{x^2} \left[\int_0^x e^{-t^2} J_0(t) dt - \frac{\sqrt{\pi} e^{-1/8}}{2} I_0\left(\frac{1}{8}\right) \right], \quad \varphi_2(x) = -\frac{\sqrt{2}}{\sqrt{\pi x}} \cdot \frac{1}{2x} \sin\left(x + \frac{\pi}{4}\right),$$

$$\varphi_3(x) = -\frac{\sqrt{2}}{\sqrt{\pi x}} \left[\frac{1}{2x} \sin\left(x + \frac{\pi}{4}\right) + \frac{3}{16x^2} \cos\left(x + \frac{\pi}{4}\right) \right].$$


The following figure shows that $\varphi_1(x) \approx \varphi_2(x)$ if $x > 2$. From this

$$e^{x^2} \left[\int_0^x e^{-t^2} J_0(t) dt - \frac{\sqrt{\pi} e^{-1/8}}{2} I_0\left(\frac{1}{8}\right) \right] \approx -\frac{\sqrt{2}}{\sqrt{\pi x}} \cdot \frac{1}{2x} \sin\left(x + \frac{\pi}{4}\right)$$

and therefore holds

$$\int_0^x e^{-t^2} J_0(t) dt \approx \frac{\sqrt{\pi} e^{-1/8}}{2} I_0\left(\frac{1}{8}\right) - \frac{\sqrt{2}}{\sqrt{\pi x}} \cdot \frac{e^{-x^2}}{2x} \sin\left(x + \frac{\pi}{4}\right).$$

It can be seen that $\varphi_3(x)$ is better than $\varphi_2(x)$ if $x > 4$.



II) $s = 1$:

With $k \geq 1$ holds

$$a_{k+1}^{(1)} = \frac{(8k-1)a_k^{(1)} - 4a_{k-1}^{(1)}}{4k(k+1)}, \quad b_{k+1}^{(1)} = \frac{(8k+3)b_k^{(1)} - 4b_{k-1}^{(1)}}{4(k+1)^2}.$$

$$\int_0^x e^{-t^2} J_1(t) dt = 1 + e^{-x^2} \left[\left(-1 - x^2 - \frac{3}{8}x^3 - \frac{13}{192}x^5 - \dots \right) J_0(x) + \left(-\frac{x^3}{2} - \frac{11}{32}x^5 - \frac{145}{1152}x^7 - \dots \right) J_1(x) \right]$$

k	$\alpha_k^{(1)}$	$\gamma_k^{(1)}$	$a_k^{(1)}$
0	-1	1	-1.00000 00000
1	-1	1	-1.00000 00000
2	-3	8	-0.37500 00000
3	-13	192	-0.06770 83333
4	-11	9216	-0.00119 35764
5	431	147456	0.00292 29058
6	17513	17694720	0.00098 97303
7	88033	424673280	0.00020 72958
8	3160567	95126814720	0.00003 32248
9	17176879	3913788948480	0.00000 43888
10	4895935679	9862748150169600	0.00000 04964
11	213635978321	4339609186074624000	0.00000 00492
12	9969483318887	2291313650247401472000	0.00000 00044
13	495901729080313	1429779717754378518528000	0.00000 00003

k	$\beta_k^{(1)}$	$\delta_k^{(1)}$	$b_k^{(1)}$
0	0	1	0.00000 00000
1	-1	2	-0.50000 00000
2	-11	32	-0.34375 00000
3	-145	1152	-0.12586 80556
4	-259	8192	-0.03161 62109
5	-8893	1474560	-0.00603 09516
6	-195919	212336640	-0.00092 26811
7	-231881	1981808640	-0.00011 70047
8	-19100009	1522029035520	-0.00001 25490
9	-567362171	493137407508480	-0.00000 11505
10	-5932850387	65751654334464000	-0.00000 00902
11	-569500272763	95471402093641728000	-0.00000 00060
12	-17366529773737	54991527605937635328000	-0.00000 00003

One has $a_4^{(1)} \cdot a_5^{(1)} < 0$, $a_{27}^{(1)} \cdot a_{28}^{(1)} < 0$ and $b_{13}^{(1)} \cdot b_{14}^{(1)} < 0$, $b_{47}^{(1)} \cdot b_{48}^{(1)} < 0$.

First positive zeros of $P_1(x)$: 2.0140, 5.2565 and 8.4241.

Minima: $P_1(1.7541) = -7.0905$ and $P_1(8.3646) = -4.1348 \cdot 10^{29}$, maximum: $P_1(5.1608) = 7.8803 \cdot 10^{10}$

First positive zeros of $Q_1(x)$: 3.7880, 6.9155 and 10.0515.


Minima: $Q_1(3.6545) = -1.5968 \cdot 10^5$ and $Q_1(10.0017) = -4.3429 \cdot 10^{42}$,

maximum: $Q_1(6.8429) = 4.0769 \cdot 10^{19}$

Approximation:

$$F_1(x) \approx \tilde{F}_1(x) = 0.22119\ 92169 + e^{-x^2} \left[-0.22119\ 92169 + \sum_{k=1}^6 c_k^{(1)} x^{2k} \right]$$

k	$c_k^{(1)}$	k	$c_k^{(1)}$	k	$c_k^{(1)}$
1	$2.88007\ 83071 \cdot 10^{-2}$	2	$-1.22460\ 84642 \cdot 10^{-3}$	3	$2.58249\ 56345 \cdot 10^{-5}$
4	$-3.25444\ 94146 \cdot 10^{-7}$	5	$2.72785\ 19850 \cdot 10^{-9}$	6	$-1.63082\ 82205 \cdot 10^{-11}$



Asymptotic expansion:


$$\int_0^x e^{-t^2} J_1(t) dt \sim 1 - e^{-1/4} + \frac{\sqrt{2}e^{-x^2}}{\sqrt{\pi x}} \left[\left(\frac{1}{2x} - \frac{137}{256x^3} + \frac{85019}{65536x^5} + \dots \right) \cos \left(x + \frac{\pi}{4} \right) + \left(-\frac{7}{16x^2} + \frac{1773}{2048x^4} - \frac{1434089}{524288x^6} + \dots \right) \sin \left(x + \frac{\pi}{4} \right) \right]$$

See the remark on page 150.

Let

$$\varphi_1(x) = e^{x^2} \left[\int_0^x e^{-t^2} J_1(t) dt - 1 + e^{-1/4} \right], \quad \varphi_2(x) = \frac{\sqrt{2}}{\sqrt{\pi x}} \cdot \frac{1}{2x} \cos \left(x + \frac{\pi}{4} \right),$$

$$\varphi_3(x) = \frac{\sqrt{2}}{\sqrt{\pi x}} \left[\frac{1}{2x} \cos \left(x + \frac{\pi}{4} \right) - \frac{7}{16x^2} \sin \left(x + \frac{\pi}{4} \right) \right].$$



III) $s = -$:

With $k \geq 1$ holds

$$a_{k+1}^{(-)} = \frac{(8k+3)a_k^{(-)} - 4a_{k-1}^{(-)}}{(2k+1)(2k+3)}, \quad b_{k+1}^{(-)} = \frac{(8k-1)b_k^{(-)} - 4b_{k-1}^{(-)}}{(2k+1)^2}.$$

$$\int_0^x \frac{e^{-t^2} J_0(t) dt}{t} = e^{-x^2} \left[\left(x + x^3 + \frac{7x^5}{15} + \frac{73}{525} x^7 - \dots \right) J_0(x) + \left(-1 - x^2 - \frac{x^4}{3} - \frac{x^6}{25} + \dots \right) J_1(x) \right]$$

k	$\alpha_k^{(0)}$	$\gamma_k^{(0)}$	$a_k^{(0)}$
0	1	1	1.00000 00000
1	1	1	1.00000 00000
2	7	15	0.46666 66667
3	73	525	0.13904 76190
4	991	33075	0.02996 22071
5	2327	467775	0.00497 46139
6	307991	468242775	0.00065 77592
7	6390233	91307341125	0.00006 99860
8	136790767	23283371986875	0.00000 58750
9	2646943729	7520529151760625	0.00000 03520
10	21787108711	3000691131552489375	0.00000 00726
11	-2416192168471	1449333816539852368125	-0.00000 00017
12	-37423740194359	119052420644345015953125	-0.00000 00003

k	$\beta_k^{(-)}$	$\delta_k^{(-)}$	$b_k^{(-)}$
0	-1	1	-1.00000 00000
1	-1	1	-1.00000 00000
2	-1	3	-0.33333 33333
3	-1	25	-0.0400 00000
4	31	3675	0.00843 53741
5	1549	297675	0.00520 36617
6	16789	12006225	0.00139 83579
7	1617533	6087156075	0.00026 57289
8	54916223	1369610116875	0.00004 00962
9	24740029	4886633626875	0.00000 50628
10	7163341181	12990004898495625	0.00000 05145
11	195955925549	3706736103682486875	0.00000 00529
12	50273780536949	11111559260138868155625	0.00000 00045
13	661736445380167	1894015782978216162890625	0.00000 00003

One has $a_{10}^{(-)} \cdot a_{11}^{(-)} < 0$, $a_{41}^{(-)} \cdot a_{42}^{(-)} < 0$ and $b_3^{(-)} \cdot b_4^{(-)} < 0$, $b_{25}^{(-)} \cdot b_{26}^{(-)} < 0$, $b_{65}^{(-)} \cdot b_{66}^{(-)} < 0$.

First positive zeros of $P_-(x)$: 3.2793, 6.4739 and 9.6341.

Maxima: $P_-(3.1244) = 4757.3$ and $P_-(9.5821) = 1.2302 \cdot 10^{39}$, minimum: $P_-(6.3963) = -1.1684 \cdot 10^{17}$


First positive zeros of $Q_-(x)$: 1.8812, 4.9850 and 8.1173.

Minima: $Q_-(1.6008) = -4.7895$ and $Q_-(8.0555) = -2.7233 \cdot 10^{27}$, maximum: $Q_-(4.8841) = 5.2197 \cdot 10^9$

Approximation:

$$F_-(x) \approx \tilde{F}_-(x) = 0.41706 \ 34325 \operatorname{erf}(x) + e^{-x^2} \sum_{k=0}^5 c_k^{(-)} x^{2k+1}$$

k	$c_k^{(-)}$	k	$c_k^{(-)}$	k	$c_k^{(-)}$
0	2.93943 11364 $\cdot 10^{-2}$	1	-1.23712 57573 $\cdot 10^{-3}$	2	2.59830 30409 $\cdot 10^{-5}$
3	-3.26773 05781 $\cdot 10^{-7}$	4	2.73580 96839 $\cdot 10^{-9}$	5	-1.63439 98979 $\cdot 10^{-11}$



Asymptotic expansion:


$$\int_0^x \frac{e^{-t^2} J_1(t) dt}{t} \sim \frac{\sqrt{\pi} e^{-1/8}}{4} \left[I_0\left(\frac{1}{8}\right) + I_1\left(\frac{1}{8}\right) \right] + \sqrt{\frac{2}{\pi x}} e^{-x^2} \left[\left(\frac{1}{2x^2} - \frac{201}{256x^4} + \frac{150683}{65536x^6} - \dots \right) \cos\left(x + \frac{\pi}{4}\right) + \left(-\frac{7}{16x^3} + \frac{2477}{2048x^5} - \frac{2419305}{524288x^7} + \dots \right) \sin\left(x + \frac{\pi}{4}\right) \right]$$

See the remark on page 150.

Let

$$\varphi_1(x) = e^{x^2} \left[\int_0^x \frac{e^{-t^2} J_1(t) dt}{t} - \frac{\sqrt{\pi} e^{-1/8}}{4} \right], \quad \varphi_2(x) = \frac{\sqrt{2}}{\sqrt{\pi x}} \cdot \frac{1}{2x^2} \cos\left(x + \frac{\pi}{4}\right),$$

$$\varphi_3(x) = \frac{\sqrt{2}}{\sqrt{\pi x}} \left[\frac{1}{2x^2} \cos\left(x + \frac{\pi}{4}\right) - \frac{7}{16x^3} \sin\left(x + \frac{\pi}{4}\right) \right].$$



b) Integrals ($\alpha = 1$)

Let

$$\begin{aligned} \mathcal{J}_\nu &= \int e^{-x^2} J_\nu(x) dx, \quad \nu = 0, 1 \quad \text{and} \quad \mathcal{J}_- = \int \frac{e^{-x^2} J_\nu(x) dx}{x}. \\ \int x e^{-x^2} J_0(x) dx &= -\frac{1}{2} e^{-x^2} J_0(x) - \frac{1}{2} \mathcal{J}_1 \\ \int x e^{-x^2} J_1(x) dx &= -\frac{1}{2} e^{-x^2} J_1(x) + \frac{1}{2} \mathcal{J}_0 - \frac{1}{2} \mathcal{J}_- \\ \int x^2 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{4} [-2xJ_0(x) + J_1(x)] + \frac{1}{4} \mathcal{J}_0 + \frac{1}{4} \mathcal{J}_- \\ \int x^2 e^{-x^2} J_1(x) dx &= \frac{e^{-x^2}}{4} [-J_0(x) - 2xJ_1(x)] - \frac{1}{4} \mathcal{J}_1 \\ \int x^3 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{8} [-(4x^2 + 3)J_0(x) + 2xJ_1(x)] - \frac{3}{8} \mathcal{J}_1 \\ \int x^3 e^{-x^2} J_1(x) dx &= -\frac{e^{-x^2}}{8} [2xJ_0(x) + (4x^2 + 1)J_1(x)] + \frac{3}{8} \mathcal{J}_0 - \frac{1}{8} \mathcal{J}_- \\ \int x^4 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{16} [-(8x^3 + 10x)J_0(x) + (4x^2 + 7)J_1(x)] + \frac{3}{16} \mathcal{J}_0 + \frac{7}{16} \mathcal{J}_- \\ \int x^4 e^{-x^2} J_1(x) dx &= -\frac{e^{-x^2}}{16} [(4x^2 + 7)J_0(x) + (8x^3 + 6x)J_1(x)] - \frac{7}{16} \mathcal{J}_1 \\ \int x^5 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{32} [-(16x^4 + 28x^2 + 17)J_0(x) + (8x^3 + 22x)J_1(x)] - \frac{17}{32} \mathcal{J}_1 \end{aligned}$$

$$\begin{aligned}
\int x^5 e^{-x^2} J_1(x) dx &= -\frac{e^{-x^2}}{32} [(8x^3 + 22x)J_0(x) + (16x^4 + 20x^2 - 1)J_1(x)] + \frac{21}{32} \mathcal{J}_0 + \frac{1}{32} \mathcal{J}_- \\
\int x^6 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{64} [-(32x^5 + 72x^3 + 78x)J_0(x) + (16x^4 + 66x^2 + 69)J_1(x)] + \frac{9}{64} \mathcal{J}_0 + \frac{69}{64} \mathcal{J}_- \\
\int x^6 e^{-x^2} J_1(x) dx &= -\frac{e^{-x^2}}{64} [(16x^4 + 60x^2 + 73)J_0(x) + (32x^5 + 56x^3 + 26x)J_1(x)] - \frac{73}{64} \mathcal{J}_1 \\
\int x^7 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{128} [-(64x^6 + 176x^4 + 276x^2 + 131)J_0(x) + (32x^5 + 152x^3 + 290x)J_1(x)] - \frac{131}{128} \mathcal{J}_1 \\
\int x^7 e^{-x^2} J_1(x) dx &= \\
&= -\frac{e^{-x^2}}{128} [(32xu + 152x^3 + 298x)J_0(x) + (64x^6 + 144x^4 + 140x^2 + 79)J_1(x)] + \frac{219}{128} \mathcal{J}_0 + \frac{79}{128} \mathcal{J}_1 \\
\int x^8 e^{-x^2} J_0(x) dx &= \\
&= \frac{e^{-x^2}}{256} [-(128x^7 + 416x^5 + 856x^3 + 794x)J_0(x) + (64x^6 + 368x^4 + 980x^2 + 887)J_1(x)] - \frac{93}{256} \mathcal{J}_0 + \frac{887}{256} \mathcal{J}_- \\
\int x^8 e^{-x^2} J_1(x) dx &= \\
&= -\frac{e^{-x^2}}{256} [(64x^6 + 368x^4 + 996x^2 + 1007)J_0(x) + (128x^7 + 352x^5 + 520x^3 + 22x)J_1(x)] - \frac{1007}{256} \mathcal{J}_1 \\
\int x^9 e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{512} [-(256x^8 + 960x^6 + 2448x^4 + 3420x^2 + 1089)J_0(x) \\
&\quad + (128x^7 + 864x^5 + 2952x^3 + 4662x)J_1(x)] - \frac{1089}{512} \mathcal{J}_1 \\
\int x^9 e^{-x^2} J_1(x) dx &= -\frac{e^{-x^2}}{512} [(128x^7 + 864x^5 + 2984x^3 + 4966x)J_0(x) + \\
&\quad + (256x^8 + 832x^6 + 1648x^4 + 980x^2 - 1993)J_1(x)] + \frac{2973}{512} \mathcal{J}_0 + \frac{1993}{512} \mathcal{J}_- \\
\int x^{10} e^{-x^2} J_0(x) dx &= \frac{e^{-x^2}}{1024} [-(512x^9 + 2176x^7 + 6624x^5 + 12424x^3 + 9326x)J_0(x) + \\
&\quad + (256x^8 + 1984x^6 + 8272x^4 + 18620x^2 + 13973)J_1(x)] - \frac{4647}{1025} \mathcal{J}_0 + \frac{13973}{1024} \mathcal{J}_- \\
\int x^{10} e^{-x^2} J_1(x) dx &= -\frac{e^{-x^2}}{1024} [(256x^8 + 1984x^6 + 8336x^4 + 19356x^2 + 17201)J_0(x) + \\
&\quad + (512x^9 + 1920x^7 + 4768x^5 + 5368x^3 - 4310x)J_1(x)] - \frac{17201}{1024} \mathcal{J}_1
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
&\int x^{2n+2} e^{-x^2} J_0(x) dx = \\
&= \frac{x^{2n} e^{-x^2}}{4} [J_1(x) - 2xJ_0(x)] + \frac{4n+1}{4} \int x^{2n} e^{-x^2} J_0(x) dx - \frac{2n-1}{4} \int x^{2n-1} e^{-x^2} J_1(x) dx \\
\int x^{2n+1} e^{-x^2} J_0(x) dx &= -\frac{x^{2n} e^{-x^2}}{2} J_0(x) + n \int x^{2n-1} e^{-x^2} J_0(x) dx - \frac{1}{2} \int x^{2n} e^{-x^2} J_1(x) dx \\
&\int x^{2n+2} e^{-x^2} J_1(x) dx =
\end{aligned}$$

$$= -\frac{x^{2n} e^{-x^2}}{2} [J_0(x) + 2xJ_1(x)] + \frac{n}{2} \int x^{2n-1} e^{-x^2} J_0(x) dx + \frac{4n-1}{4} \int x^{2n} e^{-x^2} J_1(x) dx$$

$$\int x^{2n+1} e^{-x^2} J_1(x) dx = -\frac{x^{2n} e^{-x^2}}{2} J_1(x) + \frac{1}{2} \int x^{2n} e^{-x^2} J_0(x) dx + \frac{2n-1}{2} \int x^{2n-1} e^{-x^2} J_1(x) dx$$

c) General Case $\alpha \neq 1$, Basic Integrals

Some improper integrals:

$$\int_0^\infty e^{-x^2} J_0(\alpha x) dx = \frac{\sqrt{\pi}}{2} e^{-\alpha^2/8} I_0\left(\frac{\alpha^2}{8}\right)$$

$$\int_0^\infty e^{-x^2} J_1(\alpha x) dx = \frac{1 - e^{-\alpha^2/4}}{\alpha}$$

$$\int_0^\infty \frac{e^{-x^2} J_1(\alpha x) dx}{x} = \frac{\sqrt{\pi}}{4} e^{-\alpha^2/8} \left[I_0\left(\frac{\alpha^2}{8}\right) + I_1\left(\frac{\alpha^2}{8}\right) \right]$$

Let

$$F_\nu(x; \alpha) = \int_0^x e^{-t^2} J_\nu(\alpha t) dt = \frac{\nu}{\alpha} + e^{-x^2} [P_\nu(x; \alpha) J_0(\alpha x) + Q_\nu(x; \alpha) J_1(\alpha x)], \quad \nu = 0, 1,$$

with

$$P_\nu(x; \alpha) = \sum_{k=0}^{\infty} a_k^{(\nu; \alpha)} x^{2k+1-\nu} = \sum_{k=0}^{\infty} \frac{\alpha_k^{(\nu; \alpha)}}{\gamma_k^{(\nu)}} x^{2k+1-\nu} \quad \text{and} \quad Q_\nu(x; \alpha) = \sum_{k=0}^{\infty} b_k^{(\nu; \alpha)} x^{2k+\nu} = \sum_{k=0}^{\infty} \frac{\beta_k^{(\nu; \alpha)}}{\delta_k^{(\nu)}} x^{2k+\nu}.$$

Furthermore, let

$$F_-(x; \alpha) = \int_0^x \frac{e^{-t^2} J_1(\alpha t) dt}{t} = e^{-x^2} [P_-(x; \alpha) J_0(\alpha x) + Q_-(x; \alpha) J_1(\alpha x)]$$

with

$$P_-(x) = \sum_{k=0}^{\infty} a_k^{(-; \alpha)} x^{2k+1} = \sum_{k=0}^{\infty} \frac{\alpha_k^{(-; \alpha)}}{\gamma_k^{(-)}} x^{2k+1} \quad \text{and} \quad Q_-(x; \alpha) = \sum_{k=0}^{\infty} b_k^{(-; \alpha)} x^{2k+\nu} = \sum_{k=0}^{\infty} \frac{\beta_k^{(-; \alpha)}}{\delta_k^{(-)}} x^{2k}.$$

I) $s = 0$:

$$F_0(x; \alpha) = e^{-x^2} \left[\left(x + \frac{2-\alpha^2}{3} x^3 + \frac{\alpha^4 - 14\alpha^2 + 12}{45} x^5 + \frac{-\alpha^6 + 34\alpha^4 - 232\alpha^2 + 120}{1575} x^7 + \dots \right) J_0(\alpha x) + \left(\alpha x^2 + \frac{8\alpha - \alpha^3}{9} x^4 + \frac{\alpha^5 - 24\alpha^3 + 92\alpha}{225} x^6 \dots \right) J_1(\alpha x) \right]$$

Recurrence relations:

$$a_{k+1}^{(0; \alpha)} = \frac{(4k+2-\alpha^2)a_k^{(0; \alpha)} - 2\alpha b_k^{(0; \alpha)}}{(2k+1)(2k+3)}, \quad b_{k+1}^{(0; \alpha)} = \frac{2b_k^{(0; \alpha)} + \alpha a_k^{(0; \alpha)}}{2k+1}$$

Approximation:

$$F_0(x; \alpha) = \frac{\sqrt{\pi}}{2} e^{-\alpha^2/8} I_0\left(\frac{\alpha^2}{8}\right) \operatorname{erf}(x) + e^{-x^2} \sum_{k=0}^5 c_k^{(0; \alpha)} x^{2k+1}$$

$$c_0^{(0; \alpha)} = -\frac{77}{1006632960} \alpha^{12} + \frac{21}{10485760} \alpha^{10} - \frac{35}{786432} \alpha^8 + \frac{5}{6144} \alpha^6 - \frac{3}{256} \alpha^4 + \frac{\alpha^2}{8} =$$

$$= -0.0000000765 \alpha^{12} + 0.0000020027 \alpha^{10} - 0.0000445048 \alpha^8 + 0.0008138021 \alpha^6 -$$

$$-0.0117187500 \alpha^4 + 0.1250000000 \alpha^2$$

$$c_1^{(0; \alpha)} = -0.0000000510 \alpha^{12} + 0.0000013351 \alpha^{10} - 0.0000296699 \alpha^8 + 0.0005425347 \alpha^6 - 0.0078125000 \alpha^4$$

$$c_2^{(0;\alpha)} = -0.00000\ 00204\ \alpha^{12} + 0.00000\ 05341\ \alpha^{10} - 0.00001\ 18679\ \alpha^8 + 0.00021\ 70139\ \alpha^6$$

$$c_3^{(0;\alpha)} = -0.00000\ 00058\ \alpha^{12} + 0.00000\ 01526\ \alpha^{10} - 0.00000\ 33908\ \alpha^8$$

$$c_4^{(0;\alpha)} = -0.00000\ 00013\ \alpha^{12} + 0.00000\ 00339\ \alpha^{10}$$

$$c_5^{(0;\alpha)} = -0.00000\ 00002\ \alpha^{12}$$

In the case of small values of $|x|$ and $\alpha \gg 1$ the following approximation may be used ($\Phi(x)$ defined as on page 7):

$$F_0(x; \alpha) = \sigma^{(0)}(\alpha) \Phi(\alpha x) + \left[\sum_{k=0}^7 \varphi_k^{(0)}(\alpha) x^{2k+1} \right] J_0(\alpha x) + \left[\sum_{k=0}^7 \psi_k^{(0)}(\alpha) x^{2k+2} \right] J_1(\alpha x)$$

$$\sigma^{(0)}(\alpha) = 1 + \frac{1}{\alpha^2} + \frac{9}{2\alpha^4} + \frac{75}{2\alpha^6} + \frac{3675}{8\alpha^8} + \frac{59535}{8\alpha^{10}} + \frac{2401245}{16\alpha^{12}} + \frac{57972915}{16\alpha^{14}} + \frac{13043905875}{128\alpha^{16}} + \frac{418854310875}{128\alpha^{18}} +$$

$$+ \frac{30241281245175}{256\alpha^{20}} + \frac{1212400457192925}{256\alpha^{22}} + \frac{213786613951685775}{1024\alpha^{24}} + \frac{10278202593831046875}{1024\alpha^{26}} +$$

$$+ \frac{1070401384414690453125}{2048\alpha^{28}} + \frac{60013837619516978071875}{2048\alpha^{30}} =$$

$$= 1 + 0.04 \left(\frac{5}{\alpha}\right)^2 + 0.0072 \left(\frac{5}{\alpha}\right)^4 + 0.0024 \left(\frac{5}{\alpha}\right)^6 + 0.001176 \left(\frac{5}{\alpha}\right)^8 + 0.000762048 \left(\frac{5}{\alpha}\right)^{10} + 0.0006147187 \left(\frac{5}{\alpha}\right)^{12} +$$

$$+ 0.0005936426 \left(\frac{5}{\alpha}\right)^{14} + 0.0006678479808 \left(\frac{5}{\alpha}\right)^{16} + 0.0008578136287 \left(\frac{5}{\alpha}\right)^{-18} + 0.0012386829 \left(\frac{5}{\alpha}\right)^{20} +$$

$$+ 0.0019863969 \left(\frac{5}{\alpha}\right)^{22} + 0.0035026799 \left(\frac{5}{\alpha}\right)^{24} + 0.006735922852 \left(\frac{5}{\alpha}\right)^{26} + 0.01402996503 \left(\frac{5}{\alpha}\right)^{28} +$$

$$+ 0.0314645349 \left(\frac{5}{\alpha}\right)^{30}$$

Let

$$\varphi_k^{(0)}(\alpha) = \sum_{j=0}^7 s_j^{(k,0)} \left(\frac{5}{\alpha}\right)^{2k} \quad \text{and} \quad \psi_k^{(0)}(\alpha) = \sum_{j=0}^7 t_j^{(k,0)} \left(\frac{5}{\alpha}\right)^{2k+1}$$

$s_j^{(k,0)}$:

j	$k=0$	$k=1$	$k=2$	$k=3$	$k=4$	$k=5$	$k=6$	$k=7$
0	1	0	0	0	0	0	0	0
1	0	0.0600000000	-0.0333333333	0.0116666667	-0.0030000000	0.0006111111	-0.0001031746	0.0000148810
2	0	0.0200000000	-0.0163333333	0.0075600000	-0.0024200000	0.0005901587	-0.0001160714	0.0000191138
3	0	0.0098000000	-0.0105840000	0.0060984000	-0.0023370286	0.0006639286	-0.0001490873	0.0000276003
4	0	0.0063504000	-0.0085377600	0.0058893120	-0.0026291571	0.0008527794	-0.0002152821	0.0000442608
5	0	0.0051226560	-0.0082450368	0.0066254760	-0.0033770063	0.0012314134	-0.0003452341	0.0000780465
6	0	0.0049470221	-0.0092756664	0.0085100558	-0.0048763971	0.0019747393	-0.0006087629	0.0001500895
7	0	0.0055653998	-0.0119140782	0.0122885206	-0.0078199677	0.0034821237	-0.0011706978	0.0003126149

$t_j^{(k,0)}$:

j	$k=0$	$k=1$	$k=2$	$k=3$	$k=4$	$k=5$	$k=6$	$k=7$
0	-0.2000000000	0.1000000000	-0.0333333333	0.0083333333	-0.0016666667	0.0002777778	-0.0000396825	0.0000049603
1	-0.0360000000	0.0333333333	-0.0163333333	0.0054000000	-0.0013444444	0.0002682540	-0.0000446429	0.0000063713
2	-0.0120000000	0.0163333333	-0.0105840000	0.0043560000	-0.0012983492	0.0003017857	-0.0000573413	0.0000092001
3	-0.0058800000	0.0105840000	-0.0085377600	0.0042066514	-0.0014606429	0.0003876270	-0.0000828008	0.0000147536
4	-0.0038102400	0.0085377600	-0.0082450368	0.0047324829	-0.0018761146	0.0005597334	-0.0001327824	0.0000260155
5	-0.0030735936	0.0082450368	-0.0092756664	0.0060786113	-0.0027091095	0.0008976088	-0.0002341396	0.0000500298
6	-0.0029682132	0.0092756664	-0.0119140782	0.0087775147	-0.0043444265	0.0015827835	-0.0004502684	0.0001042050
7	-0.0033392399	0.0119140782	-0.0172039289	0.0140759418	-0.0076606720	0.0030438144	-0.0009378448	0.0002336970

Asymptotic expansion:

$$F_0(x; \alpha) \sim \frac{\sqrt{\pi}}{2} e^{-\alpha^2/8} I_0\left(\frac{\alpha^2}{8}\right) +$$

$$+ \frac{2e^{-x^2}}{\sqrt{\pi\alpha x}} \left[\left(\frac{1}{2x} - \frac{32\alpha^4 + 120\alpha^2 - 15}{256x^3} - \frac{2048\alpha^8 + 32256\alpha^6 + 60480\alpha^4 - 5040\alpha^2 - 4725}{65536x^5} + \dots \right) \cos\left(x + \frac{\pi}{4}\right) + \right. \\ \left. + \left(-\frac{4\alpha^2 + 3}{16x^2} + \frac{128\alpha^6 + 1120\alpha^4 + 420\alpha^2 + 105}{2048x^4} - \frac{8192\alpha^{10} + 202752\alpha^8 + 887040\alpha^6 + 221760\alpha^4 + 41580\alpha^2 + 72765}{524288x^6} + \dots \right) \sin\left(x + \frac{\pi}{4}\right) \right]$$

II) $s = 1$:

$$\int_0^x e^{-t^2} J_1(\alpha t) dt = \\ = \frac{1}{\alpha} + \frac{e^{-x^2}}{\alpha} \left[\left(-1 - x^2 + \frac{\alpha^2 - 4}{8} x^4 - \frac{\alpha^4 - 20\alpha^2 + 32}{192} x^6 + \frac{\alpha^6 - 44\alpha^4 + 416\alpha^2 - 384}{9216} x^8 + \dots \right) J_0(\alpha x) + \right. \\ \left. + \left(-\frac{\alpha}{2} x^3 + \frac{\alpha^3 - 12\alpha}{32} x^5 - \frac{\alpha^5 - 32\alpha^3 + 176\alpha}{1152} x^7 + \frac{\alpha^7 - 60\alpha^5 + 928\alpha^3 - 3200\alpha}{73728} x^9 + \dots \right) J_1(\alpha x) \right]$$

Recurrence relations:

$$a_{k+1}^{(1;\alpha)} = \frac{2a_k^{(1;\alpha)} - \alpha b_k^{(1;\alpha)}}{2k+2}, \quad b_{k+1}^{(1;\alpha)} = \frac{2\alpha a_k^{(1;\alpha)} + (4k+4-\alpha^2)b_k^{(1;\alpha)}}{(2k+2)^2}$$

Approximation:

$$F_1(x; \alpha) = c_0^{(1;\alpha)} (1 - e^{-x^2}) + e^{-x^2} \sum_{k=1}^5 c_k^{(1;\alpha)} x^{2k}$$

$$c_0^{(1;\alpha)} = -0.00000\ 03391\ \alpha^{11} + 0.00000\ 81380\ \alpha^9 - 0.00016\ 27604\ \alpha^7 + 0.00260\ 41667\ \alpha^5 - 0.03125\ \alpha^3 + 0.25\ \alpha$$

$$c_1^{(1;\alpha)} = 0.00000\ 03391\ \alpha^{11} - 0.00000\ 81380\ \alpha^9 + 0.00016\ 27604\ \alpha^7 - 0.00260\ 41667\ \alpha^5 + 0.03125\ \alpha^3$$

$$c_2^{(1;\alpha)} = 0.00000\ 01695\ \alpha^{11} - 0.00000\ 40690\ \alpha^9 + 0.00008\ 13802\ \alpha^7 - 0.00130\ 20833\ \alpha^5$$

$$c_3^{(1;\alpha)} = 0.00000\ 00565\ \alpha^{11} - 0.00000\ 13563\ \alpha^9 + 0.00002\ 71267\ \alpha^7$$

$$c_4^{(1;\alpha)} = 0.00000\ 00141\ \alpha^{11} - 0.00000\ 03391\ \alpha^9, \quad c_5^{(1;\alpha)} = 0.00000\ 00028\ \alpha^{11}$$

In the case of small values of $|x|$ and $\alpha \gg 1$ the following approximation may be used:

$$F_1(x; \alpha) = \left[\sum_{k=1}^7 \varphi_k^{(1)}(\alpha) x^{2k} \right] J_0(\alpha x) + \left[\sum_{k=0}^7 \psi_k^{(1)}(\alpha) x^{2k+1} \right] J_1(\alpha x)$$

Let

$$\varphi_k^{(1)}(\alpha) = \sum_{j=0}^7 s_j^{(k,1)} \left(\frac{5}{\alpha} \right)^{2k+1} \quad \text{and} \quad \psi_k^{(1)}(\alpha) = \sum_{j=0}^7 t_j^{(k,1)} \left(\frac{5}{\alpha} \right)^{2k+2}$$

$s_j^{(k,1)}$:

j	$k = 1$	$k = 2$	$k = 3$	$k = 4$	$k = 5$	$k = 6$	$k = 7$
0	0.2000000000	-0.1000000000	0.0333333333	-0.0083333333	0.0016666667	-0.0002777778	0.0000396825
1	0.0320000000	-0.0320000000	0.0160000000	-0.0053333333	0.0013333333	-0.0002666667	0.0000444444
2	0.0102400000	-0.0153600000	0.0102400000	-0.0042666667	0.0012800000	-0.0002986667	0.0000568889
3	0.0049152000	-0.0098304000	0.0081920000	-0.0040960000	0.0014336000	-0.0003822933	0.0000819200
4	0.0031457280	-0.0078643200	0.0078643200	-0.0045875200	0.0018350080	-0.0005505024	0.0001310720
5	0.0025165824	-0.0075497472	0.0088080384	-0.0058720256	0.0026424115	-0.0008808038	0.0002306867
6	0.0024159191	-0.0084557169	0.0112742892	-0.0084557169	0.0042278584	-0.0015502148	0.0004429185
7	0.0027058294	-0.0108233176	0.0162349764	-0.0135291470	0.0074410308	-0.0029764123	0.0009212705

$t_j^{(k,1)}$:

j	$k = 0$	$k = 1$	$k = 2$	$k = 3$	$k = 4$	$k = 5$	$k = 6$	$k = 7$
0	-0.0800000000	0.0800000000	-0.0400000000	0.0133333333	-0.0033333333	0.0006666667	-0.0001111111	0.0000158730
1	-0.0128000000	0.0256000000	-0.0192000000	0.0085333333	-0.0026666667	0.0006400000	-0.0001244444	0.0000203175
2	-0.0040960000	0.0122880000	-0.0122880000	0.0068266667	-0.0025600000	0.0007168000	-0.0001592889	0.0000292571
3	-0.0019660800	0.0078643200	-0.0098304000	0.0065536000	-0.0028672000	0.0009175040	-0.0002293760	0.0000468114
4	-0.0012582912	0.0062914560	-0.0094371840	0.0073400320	-0.0036700160	0.0013212058	-0.0003670016	0.0000823881
5	-0.0010066330	0.0060397978	-0.0105696461	0.0093952410	-0.0052848230	0.0021139292	-0.0006459228	0.0001581852
6	-0.0009663676	0.0067645735	-0.0135291470	0.0135291470	-0.0084557169	0.0037205154	-0.0012401718	0.0003290252
7	-0.0010823318	0.0086586541	-0.0194819717	0.0216466352	-0.0148820617	0.0071433896	-0.0025795574	0.0007370164

Asymptotic expansion:

$$F_1(x; \alpha) \sim \frac{1 - e^{-\alpha^2/4}}{\alpha} + \sqrt{\frac{2}{\pi\alpha x}} e^{-x^2} \cdot \left[\left(\frac{1}{2} - \frac{32\alpha^4 + 88\alpha^2 - 15}{256\alpha^2 x^2} + \frac{2048\alpha^8 + 26112\alpha^6 + 38976\alpha^4 - 4080\alpha^2 - 4725}{65536\alpha^4 x^4} + \dots \right) \cos\left(x + \frac{\pi}{4}\right) - \left(\frac{4\alpha^2 + 3}{16\alpha x} - \frac{128\alpha^6 + 864\alpha^4 + 324\alpha^2 + 105}{2048\alpha^3 x^3} + \dots \right) + \frac{8192\alpha^{10} + 169984\alpha^8 + 598272\alpha^6 + 149568\alpha^4 + 34860\alpha^2 + 72765}{524288\alpha^5 x^5} + \dots \right] \sin\left(x + \frac{\pi}{4}\right)$$

III) $s = -$:

$$F_-(x; \alpha) = e^{-x^2} \left[\left(\alpha x + \frac{4\alpha - \alpha^3}{3} x^3 + \frac{\alpha^5 - 16\alpha^3 + 36\alpha}{45} x^5 + \frac{-\alpha^7 + 36\alpha^4 - 296\alpha^3 + 480}{1575} x^7 + \dots \right) J_0(\alpha x) + \left(-1 + (\alpha^2 - 2)x^2 + \frac{-\alpha^4 + 10\alpha^2 - 12}{9} x^4 + \frac{\alpha^6 - 26\alpha^4 + 136\alpha^2 - 120}{225} x^6 + \dots \right) J_1(\alpha x) \right]$$

Recurrence relations:

$$a_{k+1}^{(-;\alpha)} = \frac{(4k + 2 - \alpha^2)a_k^{(-;\alpha)} - 2\alpha b_k^{(-;\alpha)}}{(2k + 1)(2k + 3)}, \quad b_{k+1}^{(-;\alpha)} = \frac{2b_k^{(-;\alpha)} + \alpha a_k^{(-;\alpha)}}{2k + 1}$$

Approximation:

$$F_-(x; \alpha) = c_0^{(-;\alpha)} \operatorname{erf}(x) + e^{-x^2} \sum_{k=1}^5 c_k^{(-;\alpha)} x^{2k-1}$$

$$c_0^{(-;\alpha)} = -0.00000\ 01479\ \alpha^{11} + 0.00000\ 39441\ \alpha^9 - 0.00009\ 01517\ \alpha^7 + 0.00173\ 09120\ \alpha^5 - 0.02769\ 45914\ \alpha^3 + 0.44311\ 34627\ \alpha$$

$$c_1^{(-;\alpha)} = 0.00000\ 016689\ \alpha^{11} - 0.00000\ 44505\ \alpha^9 + 0.00010\ 17253\ \alpha^7 - 0.00195\ 3125\ \alpha^5 + 0.03125\ \alpha^3$$

$$c_2^{(-;\alpha)} = 0.00000\ 01113\ \alpha^{11} - 0.00000\ 29670\ \alpha^9 + 0.00006\ 78168\ \alpha^7 - 0.00130\ 20833\ \alpha^5$$

$$c_3^{(-;\alpha)} = 0.00000\ 00445\ \alpha^{11} - 0.00000\ 11868\ \alpha^9 + 0.00002\ 71267\ \alpha^7$$

$$c_4^{(-;\alpha)} = 0.00000\ 00127\ \alpha^{11} - 0.00000\ 03391\ \alpha^9, \quad c_5^{(-;\alpha)} = 0.00000\ 00028\ \alpha^{11}$$

In the case of small values of $|x|$ and $\alpha \gg 1$ the following approximation may be used ($\Phi(x)$ defined as on page 7):

$$F_-(x; \alpha) = \sigma^{(-)}(\alpha) \Phi(\alpha x) + \left[\sum_{k=0}^7 \varphi_k^{(-)}(\alpha) x^{2k+1} \right] J_0(\alpha x) + \left[\sum_{k=0}^7 \psi_k^{(-)}(\alpha) x^{2k} \right] J_1(\alpha x)$$

Let

$$\varphi_k^{(0)}(\alpha) = \sum_{j=0}^7 s_j^{(k,0)} \left(\frac{5}{\alpha} \right)^{2k-1} \quad \text{and} \quad \psi_k^{(-)}(\alpha) = \sum_{j=0}^7 t_j^{(k,-)} \left(\frac{5}{\alpha} \right)^{2k}$$

$s_j^{(k,-)}$:

j	$k=0$	$k=1$	$k=2$	$k=3$	$k=4$	$k=5$	$k=6$	$k=7$
0	5	0	0	0	0	0	0	0
1	0	-0.1000000000	0.0333333333	-0.0083333333	0.0016666667	-0.0002777778	0.0000396825	-0.0000049603
2	0	-0.0200000000	0.0116666667	-0.0042000000	0.0011000000	-0.0002269841	0.0000386905	-0.0000056217
3	0	-0.0070000000	0.0058800000	-0.0027720000	0.0008988571	-0.0002213095	0.0000438492	-0.0000072632
4	0	-0.0035280000	0.0038808000	-0.0022651200	0.0008763857	-0.0002508175	0.0000566532	-0.0000105383
5	0	-0.0023284800	0.0031711680	-0.0022084920	0.0009932371	-0.0003240562	0.0000821986	-0.0000169666
6	0	-0.0019027008	0.0030918888	-0.0025029576	0.0012832624	-0.0004701760	0.0001323398	-0.0000300179
7	0	-0.0018551333	0.0035041406	-0.0032338212	0.0018618971	-0.0007569834	0.0002341396	-0.0000578917

$t_j^{(k,-)}$:

j	$k=0$	$k=1$	$k=2$	$k=3$	$k=4$	$k=5$	$k=6$	$k=7$
0	1	0	0	0	0	0	0	0
1	0	0.0600000000	-0.0333333333	0.0116666667	-0.0030000000	0.0006111111	-0.0001031746	0.0000148810
2	0	0.0120000000	-0.0116666667	0.0058800000	-0.0019800000	0.0004993651	-0.0001005952	0.0000168651
3	0	0.0042000000	-0.0058800000	0.0038808000	-0.0016179429	0.0004868810	-0.0001140079	0.0000217897
4	0	0.0021168000	-0.0038808000	0.0031711680	-0.0015774943	0.0005517984	-0.0001472983	0.0000316148
5	0	0.0013970880	-0.0031711680	0.0030918888	-0.0017878269	0.0007129235	-0.0002137164	0.0000508999
6	0	0.0011416205	-0.0030918888	0.0035041406	-0.0023098723	0.0010343873	-0.0003440834	0.0000900537
7	0	0.0011130800	-0.0035041406	0.0045273497	-0.0033514147	0.0016653635	-0.0006087629	0.0001736750

Asymptotic expansion:

$$F_-(x; \alpha) \sim \frac{\sqrt{\pi}}{4} e^{-\alpha^2/8} \left[I_0\left(\frac{\alpha^2}{8}\right) + I_1\left(\frac{\alpha^2}{8}\right) \right] + \sqrt{\frac{2}{\pi\alpha x}} e^{-x^2}.$$

$$\cdot \left[\left(\frac{1}{2x} - \frac{-32\alpha^4 - 152\alpha^2 + 15}{256\alpha^2 x^3} + \frac{2048\alpha^8 + 38400\alpha^6 + 86080\alpha^4 - 6000\alpha^2 - 4725}{65536\alpha^4 x^5} + \dots \right) \cos\left(x + \frac{\pi}{4}\right) - \right. \\ \left. - \left(\frac{4\alpha^2 + 3}{16\alpha x^2} - \frac{128\alpha^6 + 1376\alpha^4 + 516\alpha^2 + 105}{2048\alpha^3 x^4} + \dots \right) + \right. \\ \left. + \frac{8192\alpha^{10} + 235520\alpha^8 + 1224960\alpha^6 + 306240\alpha^4 + 48300\alpha^2 + 72765}{524288\alpha^5 x^6} + \dots \right] \sin\left(x + \frac{\pi}{4}\right)$$

d) Integrals ($\alpha \neq 1$)

$$\int x e^{-x^2} J_0(\alpha x) dx = -\frac{e^{-x^2}}{2} J_0(\alpha x) - \frac{\alpha}{2} \int e^{-x^2} J_1(\alpha x) dx \\ \int x e^{-x^2} J_1(\alpha x) dx = -\frac{e^{-x^2}}{2} J_1(\alpha x) - \frac{\alpha}{2} \int e^{-x^2} J_0(\alpha x) dx - \frac{1}{2} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx$$

Let

$$\int x^{2n+\nu} e^{-x^2} J_\nu(\alpha x) dx = \\ = e^{-x^2} [A_{n;\nu}(x; \alpha) J_0(\alpha x) + B_{n;\nu}(x; \alpha) J_1(\alpha x)] + P_{n;\nu} \int e^{-x^2} J_0(\alpha x) dx + Q_{n;\nu} \int \frac{e^{-x^2} J_1(\alpha x) dx}{x}$$

and

$$\int x^{2n+1-\nu} e^{-x^2} J_\nu(\alpha x) dx = e^{-x^2} [C_{n;\nu}(x; \alpha) J_0(\alpha x) + D_{n;\nu}(x; \alpha) J_1(\alpha x)] + R_{n;\nu} \int e^{-x^2} J_1(\alpha x) dx .$$

$$A_{1;0}(x; \alpha) = -\frac{x}{2}, \quad B_{1;0}(x; \alpha) = \frac{\alpha}{4}, \quad P_{1;0}(\alpha) = \frac{-\alpha^2 + 2}{4}, \quad Q_{1;0}(x; \alpha) = \frac{\alpha}{4} \\ A_{1;1}(x; \alpha) = -\frac{\alpha x}{8}, \quad B_{1;1}(x; \alpha) = \frac{-4x^2 + \alpha^2 - 2}{8}, \quad P_{1;1}(\alpha) = \frac{-\alpha^3 + 4\alpha}{8}, \quad Q_{1;1}(x; \alpha) = \frac{\alpha^2 - 2}{8} \\ C_{1;0}(x; \alpha) = \frac{-4x^2 + \alpha^2 - 4}{8}, \quad D_{1;0}(x; \alpha) = \frac{\alpha x}{4}, \quad R_{1;0}(\alpha) = \frac{\alpha^3 - 4\alpha}{8}$$

$$\begin{aligned}
C_{1;1}(x; \alpha) &= -\frac{\alpha}{4}, & D_{1;1}(x; \alpha) &= -\frac{x}{2}, & R_{1;1}(\alpha) &= -\frac{\alpha^2}{4} \\
A_{2;0}(x; \alpha) &= \frac{-4x^3 + (\alpha^2 - 6)x}{8}, & B_{2;0}(x; \alpha) &= \frac{4\alpha x^2 - \alpha^3 + 8\alpha}{16}, \\
P_{2;0}(\alpha) &= \frac{\alpha^4 - 10\alpha^2 + 12}{16}, & Q_{2;0}(x; \alpha) &= \frac{-\alpha^3 + 8\alpha}{16} \\
A_{2;1}(x; \alpha) &= \frac{-4\alpha x^3 + (\alpha^3 - 12\alpha)x}{16}, & B_{2;1}(x; \alpha) &= \frac{-12 - 16x^4 + (4\alpha^2 - 24)x^2 - \alpha^4 + 14\alpha^2}{32}, \\
P_{2;1}(\alpha) &= \frac{\alpha^5 - 16\alpha^3 + 36\alpha}{32}, & Q_{2;1}(x; \alpha) &= \frac{-\alpha^4 + 14\alpha^2 - 12}{32} \\
C_{2;0}(x; \alpha) &= \frac{-16x^4 + (4\alpha^2 - 32)x^2 - \alpha^4 + 16\alpha^2 - 32}{32}, & D_{2;0}(x; \alpha) &= \frac{4\alpha x^3 + (-\alpha^3 + 12\alpha)x}{16}, \\
R_{2;0}(\alpha) &= \frac{-\alpha^5 + 16\alpha^3 - 32\alpha}{32} \\
C_{2;1}(x; \alpha) &= \frac{-4\alpha x^2 + \alpha^3 - 8\alpha}{16}, & D_{2;1}(x; \alpha) &= \frac{-4x^3 + (\alpha^2 - 4)x}{8}, & R_{2;1}(\alpha) &= \frac{\alpha^4 - 8\alpha^2}{16} \\
A_{3;0}(x; \alpha) &= \frac{-16x^5 + (4\alpha^2 - 40)x^3 - (\alpha^4 - 22\alpha^2 + 60)x}{32}, \\
B_{3;0}(x; \alpha) &= \frac{16\alpha x^4 + (64\alpha - 4\alpha^3)x^2 + \alpha^5 - 24\alpha^3 + 92\alpha}{64}, \\
P_{3;0}(\alpha) &= \frac{-\alpha^6 + 26\alpha^4 - 136\alpha^2 + 120}{64}, & Q_{3;0}(x; \alpha) &= \frac{\alpha^5 - 24\alpha^3 + 92\alpha}{64} \\
A_{3;1}(x; \alpha) &= \frac{-16\alpha x^5 + (4\alpha^3 - 80\alpha)x^3 + (-\alpha^5 + 32\alpha^3 - 180\alpha)x}{64}, \\
B_{3;1}(x; \alpha) &= \frac{-64x^6 + (16\alpha^2 - 160)x^4 + (-4\alpha^4 + 104\alpha^2 - 240)x^2 + \alpha^6 - 34\alpha^4 + 232\alpha^2 - 120}{128}, \\
P_{3;1}(\alpha) &= \frac{-\alpha^7 + 36\alpha^5 - 296\alpha^3 + 480\alpha}{128}, & Q_{3;1}(x; \alpha) &= \frac{\alpha^6 - 34\alpha^4 + 232\alpha^2 - 120}{128} \\
C_{3;0}(x; \alpha) &= \frac{-64x^6 + (16\alpha^2 - 192)x^4 + (-4\alpha^4 + 112\alpha^2 - 384)x^2 + \alpha^6 - 36\alpha^4 + 288\alpha^2 - 384}{128}, \\
D_{3;0}(x; \alpha) &= \frac{16\alpha x^5 + (-4\alpha^3 + 80\alpha)x^3 + (\alpha^5 - 32\alpha^3 + 176\alpha)x}{54}, \\
R_{3;0}(\alpha) &= \frac{\alpha^7 - 36\alpha^5 + 288\alpha^3 - 384\alpha}{128} \\
C_{3;1}(x; \alpha) &= \frac{-16\alpha x^4 + (4\alpha^3 - 64\alpha)x^2 - \alpha^5 + 24\alpha^3 - 96\alpha}{64}, \\
D_{3;1}(x; \alpha) &= \frac{-16x^5 + (4\alpha^2 - 32)x^3 + (-\alpha^4 + 20\alpha^2 - 32)x}{32}, \\
R_{3;1}(\alpha) &= \frac{-\alpha^6 + 24\alpha^4 - 96\alpha^2}{64} \\
A_{4;0}(x; \alpha) &= \frac{-64x^7 + (16\alpha^2 - 224)x^5 + (-4\alpha^4 + 136\alpha^2 - 560)x^3 + (\alpha^6 - 46\alpha^4 + 488\alpha^2 - 840)x}{128}, \\
B_{4;0}(x; \alpha) &= \frac{64\alpha x^6 + (-16\alpha^3 + 384\alpha)x^4 + (4\alpha^5 - 160\alpha^3 + 1136\alpha)x^2 - \alpha^7 + 48\alpha^5 - 568\alpha^3 + 1408\alpha}{256}, \\
P_{4;0}(\alpha) &= \frac{\alpha^8 - 50\alpha^6 + 660\alpha^4 - 2384\alpha^2 + 1680}{256}, & Q_{4;0}(x; \alpha) &= \frac{-\alpha^7 + 48\alpha^5 - 568\alpha^3 + 1408\alpha}{256} \\
A_{4;1}(x; \alpha) &= \frac{-64\alpha x^7 + (16\alpha^3 - 448\alpha)x^5 + (-4\alpha^5 + 192\alpha^3 - 1680\alpha)x^3 + (\alpha^7 - 60\alpha^5 + 936\alpha^3 - 3360\alpha)x}{256},
\end{aligned}$$

$$\begin{aligned}
B_{4;1}(x; \alpha) &= \frac{1}{512} [-256 x^8 + (64 \alpha^2 - 896) x^6 + (-16 \alpha^4 + 608 \alpha^2 - 2240) x^4 + \\
&+ (4 \alpha^6 - 216 \alpha^4 + 2592 \alpha^2 - 3360) x^2 - \alpha^8 + 62 \alpha^6 - 1044 \alpha^4 + 4656 \alpha^2 - 1680], \\
P_{4;1}(\alpha) &= \frac{\alpha^9 - 64 \alpha^7 + 1164 \alpha^5 - 6528 \alpha^3 + 8400 \alpha}{512}, \\
Q_{4;1}(x; \alpha) &= \frac{-\alpha^8 + 62 \alpha^6 - 1044 \alpha^4 + 4656 \alpha^2 - 1680}{512} \\
C_{4;0}(x; \alpha) &= \frac{1}{512} [-256 x^8 + (64 \alpha^2 - 1024) x^6 + (-16 \alpha^4 + 640 \alpha^2 - 3072) x^4 + \\
&+ (4 \alpha^6 - 224 \alpha^4 + 2944 \alpha^2 - 6144) x^2 - \alpha^8 + 64 \alpha^6 - 1152 \alpha^4 + 6144 \alpha^2 - 6144], \\
D_{4;0}(x; \alpha) &= \frac{64 \alpha x^7 + (-16 \alpha^3 + 448 \alpha) x^5 + (4 \alpha^5 - 192 \alpha^3 + 1664 \alpha) x^3 + (-\alpha^7 + 60 \alpha^5 - 928 \alpha^3 + 3200 \alpha) x}{256}, \\
R_{4;0}(\alpha) &= \frac{-\alpha^9 + 64 \alpha^7 - 1152 \alpha^5 + 6144 \alpha^3 - 6144 \alpha}{512} \\
C_{4;1}(x; \alpha) &= \frac{-64 \alpha x^6 + (16 \alpha^3 - 384 \alpha) x^4 + (-4 \alpha^5 + 160 \alpha^3 - 1152 \alpha) x^2 + \alpha^7 - 48 \alpha^5 + 576 \alpha^3 - 1536 \alpha}{256}, \\
D_{4;1}(x; \alpha) &= \frac{-64 x^7 + (16 \alpha^2 - 192) x^5 + (-4 \alpha^4 + 128 \alpha^2 - 384) x^3 + (\alpha^6 - 44 \alpha^4 + 416 \alpha^2 - 384) x}{128}, \\
R_{4;1}(\alpha) &= \frac{\alpha^8 - 48 \alpha^6 + 576 \alpha^4 - 1536 \alpha^2}{256} \\
A_{5;0}(x; \alpha) &= \frac{1}{512} [-256 x^9 + (64 \alpha^2 - 1152) x^7 + (-16 \alpha^4 + 736 \alpha^2 - 4032) x^5 + \\
&+ (4 \alpha^6 - 264 \alpha^4 + 4128 \alpha^2 - 10080) x^3 + (-\alpha^8 + 78 \alpha^6 - 1764 \alpha^4 + 12144 \alpha^2 - 15120) x], \\
B_{5;0}(x; \alpha) &= \frac{1}{1024} [256 \alpha x^8 + (-64 \alpha^3 + 2048 \alpha) x^6 + (16 \alpha^5 - 896 \alpha^3 + 9152 \alpha) x^4 + \\
&+ (-4 \alpha^7 + 288 \alpha^5 - 5472 \alpha^3 + 23808 \alpha) x^2 + \alpha^9 - 80 \alpha^7 + 1908 \alpha^5 - 14880 \alpha^3 + 27024 \alpha], \\
P_{5;0}(\alpha) &= \frac{-\alpha^{10} + 82 \alpha^8 - 2064 \alpha^6 + 18408 \alpha^4 - 51312 \alpha^2 + 30240}{1024}, \\
Q_{5;0}(x; \alpha) &= \frac{\alpha^9 - 80 \alpha^7 + 1908 \alpha^5 - 14880 \alpha^3 + 27024 \alpha}{1024} \\
A_{5;1}(x; \alpha) &= \frac{1}{1024} [-256 \alpha x^9 + (64 \alpha^3 - 2304 \alpha) x^7 + (-16 \alpha^5 + 1024 \alpha^3 - 12096 \alpha) x^5 + \\
&+ (4 \alpha^7 - 336 \alpha^5 + 7584 \alpha^3 - 40320 \alpha) x^3 + (-\alpha^9 + 96 \alpha^7 - 2844 \alpha^5 + 28992 \alpha^3 - 75600 \alpha) x], \\
B_{5;1}(x; \alpha) &= \frac{1}{2048} [-1024 x^{10} + (256 \alpha^2 - 4608) x^8 + (-64 \alpha^4 + 3200 \alpha^2 - 16128) x^6 + \\
&+ (16 \alpha^6 - 1184 \alpha^4 + 20096 \alpha^2 - 40320) x^4 + (-4 \alpha^8 + 360 \alpha^6 - 9360 \alpha^4 + 70464 \alpha^2 - 60480) x^2 + \\
&+ \alpha^{10} - 98 \alpha^8 + 3024 \alpha^6 - 33672 \alpha^4 + 110832 \alpha^2 - 30240], \\
P_{5;1}(\alpha) &= \frac{-\alpha^{11} + 100 \alpha^9 - 3216 \alpha^7 + 39360 \alpha^5 - 168816 \alpha^3 + 181440 \alpha}{2048}, \\
Q_{5;1}(x; \alpha) &= \frac{\alpha^{10} - 98 \alpha^8 + 3024 \alpha^6 - 33672 \alpha^4 + 110832 \alpha^2 - 30240}{2048} \\
C_{5;0}(x; \alpha) &= \frac{1}{2048} [-1024 x^{10} + (256 \alpha^2 - 5120) x^8 + (-64 \alpha^4 + 3328 \alpha^2 - 20480) x^6 + \\
&+ (16 \alpha^6 - 1216 \alpha^4 + 22016 \alpha^2 - 61440) x^4 + (-4 \alpha^8 + 368 \alpha^6 - 9984 \alpha^4 + 83456 \alpha^2 - 122880) x^2 + \\
&+ \alpha^{10} - 100 \alpha^8 + 3200 \alpha^6 - 38400 \alpha^4 + 153600 \alpha^2 - 122880], \\
D_{5;0}(x; \alpha) &= \frac{1}{1024} [256 \alpha x^9 + (-64 \alpha^3 + 2304 \alpha) x^7 + (16 \alpha^5 - 1024 \alpha^3 + 12032 \alpha) x^5 +
\end{aligned}$$

$$\begin{aligned}
& + (-4\alpha^7 + 336\alpha^5 - 7552\alpha^3 + 39424\alpha)x^3 + (\alpha^9 - 96\alpha^7 + 2832\alpha^5 - 28416\alpha^3 + 70144\alpha)x], \\
R_{5;0}(\alpha) &= \frac{\alpha^{11} - 100\alpha^9 + 3200\alpha^7 - 38400\alpha^5 + 153600\alpha^3 - 122880\alpha}{2048} \\
C_{5;1}(x; \alpha) &= \frac{1}{1024} [-256\alpha x^8 + (64\alpha^3 - 2048\alpha)x^6 + (-16\alpha^5 + 896\alpha^3 - 9216\alpha)x^4 + \\
& + (4\alpha^7 - 288\alpha^5 + 5504\alpha^3 - 24576\alpha)x^2 - \alpha^9 + 80\alpha^7 - 1920\alpha^5 + 15360\alpha^3 - 30720\alpha], \\
D_{5;1}(x; \alpha) &= \frac{1}{512} [-256x^9 + (64\alpha^2 - 1024)x^7 + (-16\alpha^4 + 704\alpha^2 - 3072)x^5 + \\
& + (4\alpha^6 - 256\alpha^4 + 3712\alpha^2 - 6144)x^3 + (-\alpha^8 + 76\alpha^6 - 1632\alpha^4 + 9856\alpha^2 - 6144)x], \\
R_{5;1}(\alpha) &= \frac{-\alpha^{10} + 80\alpha^8 - 1920\alpha^6 + 15360\alpha^4 - 30720\alpha^2}{1024} \\
A_{6;0}(x; \alpha) &= \frac{1}{2048} [-1024x^{11} + (256\alpha^2 - 5632)x^9 + (-64\alpha^4 + 3712\alpha^2 - 25344)x^7 + \\
& + (16\alpha^6 - 1376\alpha^4 + 28288\alpha^2 - 88704)x^5 + (-4\alpha^8 + 424\alpha^6 - 13392\alpha^4 + 131136\alpha^2 - 221760)x^3 + \\
& + (\alpha^{10} - 118\alpha^8 + 4560\alpha^6 - 67800\alpha^4 + 342768\alpha^2 - 332640)x], \\
B_{6;0}(x; \alpha) &= \frac{1}{4096} [1024\alpha x^{10} + (-256\alpha^3 + 10240\alpha)x^8 + (64\alpha^5 - 4608\alpha^3 + 61184\alpha)x^6 + \\
& + (-16\alpha^7 + 1536\alpha^5 - 39808\alpha^3 + 241664\alpha)x^4 + (4\alpha^9 - 448\alpha^7 + 15696\alpha^5 - 190848\alpha^3 + 584256\alpha)x^2 - \\
& - \alpha^{11} + 120\alpha^9 - 4784\alpha^7 + 75648\alpha^5 - 438192\alpha^3 + 624768\alpha], \\
P_{6;0}(\alpha) &= \frac{\alpha^{12} - 122\alpha^{10} + 5020\alpha^8 - 84768\alpha^6 + 573792\alpha^4 - 1310304\alpha^2 + 665280}{4096}, \\
Q_{6;0}(x; \alpha) &= \frac{-\alpha^{11} + 120\alpha^9 - 4784\alpha^7 + 75648\alpha^5 - 438192\alpha^3 + 624768\alpha}{4096} \\
A_{6;1}(x; \alpha) &= \frac{1}{4096} [-1024\alpha x^{11} + (256\alpha^3 - 11264\alpha)x^9 + (-64\alpha^5 + 5120\alpha^3 - 76032\alpha)x^7 + \\
& + (16\alpha^7 - 1728\alpha^5 + 50816\alpha^3 - 354816\alpha)x^5 + (-4\alpha^9 + 512\alpha^7 - 20784\alpha^5 + 297984\alpha^3 - 1108800\alpha)x^3 + \\
& + (\alpha^{11} - 140\alpha^9 + 6672\alpha^7 - 130368\alpha^5 + 980592\alpha^3 - 1995840\alpha)x], \\
B_{6;1}(x; \alpha) &= \frac{1}{8192} [-4096x^{12} + (1024\alpha^2 - 22528)x^{10} + (-256\alpha^4 + 15872\alpha^2 - 101376)x^8 + \\
& + (64\alpha^6 - 6016\alpha^4 + 131584\alpha^2 - 354816)x^6 + (-16\alpha^8 + 1888\alpha^6 - 65856\alpha^4 + 683776\alpha^2 - 887040)x^4 + \\
& + (4\alpha^{10} - 536\alpha^8 + 23616\alpha^6 - 396768\alpha^4 + 2134464\alpha^2 - 1330560)x^2 - \\
& - \alpha^{12} + 142\alpha^{10} - 6940\alpha^8 + 142176\alpha^6 - 1178976\alpha^4 + 3063072\alpha^2 - 665280], \\
P_{6;1}(\alpha) &= \frac{\alpha^{13} - 144\alpha^{11} + 7220\alpha^9 - 155520\alpha^7 + 1439712\alpha^5 - 5024256\alpha^3 + 4656960\alpha}{8192}, \\
Q_{6;1}(x; \alpha) &= \frac{-\alpha^{12} + 142\alpha^{10} - 6940\alpha^8 + 142176\alpha^6 - 1178976\alpha^4 + 3063072\alpha^2 - 665280}{8192} \\
C_{6;0}(x; \alpha) &= \frac{1}{8192} [-4096x^{12} + (1024\alpha^2 - 24576)x^{10} + (-256\alpha^4 + 16384\alpha^2 - 122880)x^8 + \\
& + (64\alpha^6 - 6144\alpha^4 + 141312\alpha^2 - 491520)x^6 + (-16\alpha^8 + 1920\alpha^6 - 69120\alpha^4 + 774144\alpha^2 - 1474560)x^4 + \\
& + (4\alpha^{10} - 544\alpha^8 + 24576\alpha^6 - 433152\alpha^4 + 2617344\alpha^2 - 2949120)x^2 - \\
& - \alpha^{12} + 144\alpha^{10} - 7200\alpha^8 + 153600\alpha^6 - 1382400\alpha^4 + 4423680\alpha^2 - 2949120], \\
D_{6;0}(x; \alpha) &= \frac{1}{4096} [1024\alpha x^{11} + (-256\alpha^3 + 11264\alpha)x^9 + (64\alpha^5 - 5120\alpha^3 + 75776\alpha)x^7 + \\
& + (-16\alpha^7 + 1728\alpha^5 - 50688\alpha^3 + 350208\alpha)x^5 + (4\alpha^9 - 512\alpha^7 + 20736\alpha^5 - 294912\alpha^3 + 1069056\alpha)x^3 + \\
& + (-\alpha^{11} + 140\alpha^9 - 6656\alpha^7 + 129024\alpha^5 - 949248\alpha^3 + 1806336\alpha)x],
\end{aligned}$$

$$R_{6;0}(\alpha) = \frac{-\alpha^{13} + 144\alpha^{11} - 7200\alpha^9 + 153600\alpha^7 - 1382400\alpha^5 + 4423680\alpha^3 - 2949120\alpha}{8192}$$

$$C_{6;1}(x; \alpha) = \frac{1}{4096} [-1024\alpha x^{10} + (256\alpha^3 - 10240\alpha)x^8 + (-64\alpha^5 + 4608\alpha^3 - 61440\alpha)x^6 + (16\alpha^7 - 1536\alpha^5 + 39936\alpha^3 - 245760\alpha)x^4 + (-4\alpha^9 + 448\alpha^7 - 15744\alpha^5 + 193536\alpha^3 - 614400\alpha)x^2 + \alpha^{11} - 120\alpha^9 + 4800\alpha^7 - 76800\alpha^5 + 460800\alpha^3 - 737280\alpha],$$

$$D_{6;1}(x; \alpha) = \frac{1}{2048} [-1024x^{11} + (256\alpha^2 - 5120)x^9 + (-64\alpha^4 + 3584\alpha^2 - 20480)x^7 + (16\alpha^6 - 1344\alpha^4 + 26112\alpha^2 - 61440)x^5 + (-4\alpha^8 + 416\alpha^6 - 12672\alpha^4 + 113664\alpha^2 - 122880)x^3 + (\alpha^{10} - 116\alpha^8 + 4352\alpha^6 - 61056\alpha^4 + 267264\alpha^2 - 122880)x],$$

$$R_{6;1}(\alpha) = \frac{\alpha^{12} - 120\alpha^{10} + 4800\alpha^8 - 76800\alpha^6 + 460800\alpha^4 - 737280\alpha^2}{4096}$$

Recurrence relations:

$$\begin{aligned} & \int x^{2n+2} e^{-x^2} J_0(\alpha x) dx = \\ &= \frac{x^{2n} e^{-x^2}}{4} [\alpha J_1(\alpha x) - 2x J_0(\alpha x)] + \frac{4n+2-\alpha}{4} \int x^{2n} e^{-x^2} J_0(\alpha x) dx - \frac{(2n-1)\alpha}{4} \int x^{2n-1} e^{-x^2} J_1(\alpha x) dx \\ & \int x^{2n+1} e^{-x^2} J_0(\alpha x) dx = -\frac{x^{2n} e^{-x^2}}{2} J_0(\alpha x) + n \int x^{2n-1} e^{-x^2} J_0(\alpha x) dx - \frac{\alpha}{2} \int x^{2n} e^{-x^2} J_1(\alpha x) dx \\ & \int x^{2n+2} e^{-x^2} J_1(\alpha x) dx = \\ &= -\frac{x^{2n} e^{-x^2}}{4} [\alpha J_0(\alpha x) + 2x J_1(\alpha x)] + \frac{\alpha n}{2} \int x^{2n-1} e^{-x^2} J_0(\alpha x) dx + \frac{4n-\alpha^2}{4} \int x^{2n} e^{-x^2} J_1(\alpha x) dx \\ & \int x^{2n+1} e^{-x^2} J_1(\alpha x) dx = -\frac{x^{2n} e^{-x^2}}{2} J_1(\alpha x) + \frac{\alpha}{2} \int x^{2n} e^{-x^2} J_0(\alpha x) dx + \frac{2n-1}{2} \int x^{2n-1} e^{-x^2} J_1(\alpha x) dx \end{aligned}$$

e) Special Cases: $\nu = 0$

$$\int x^3 e^{-x^2} J_0(2x) dx = \frac{x}{2} e^{-x^2} [J_1(2x) - x J_0(2x)]$$

$$\int x^3 e^{x^2} I_0(2x) dx = \frac{x}{2} e^{x^2} [x I_0(2x) - I_1(2x)]$$

$$\int x^3 e^{x^2} K_0(2x) dx = \frac{x}{2} e^{x^2} [x K_0(2x) + K_1(2x)]$$

$$2\sqrt{2+\sqrt{2}} = 3.69551\ 81300, \quad 2\sqrt{2-\sqrt{2}} = 1.53073\ 37295$$

$$\begin{aligned} & \int x^5 e^{-x^2} J_0\left(2\sqrt{2+\sqrt{2}}x\right) dx = \\ &= \frac{x}{2} e^{-x^2} \left[x(\sqrt{2}-x^2) J_0\left(2\sqrt{2+\sqrt{2}}x\right) + \sqrt{2+\sqrt{2}}(x^2+1-\sqrt{2}) J_1\left(2\sqrt{2+\sqrt{2}}x\right) \right] \\ & \int x^5 e^{x^2} I_0\left(2\sqrt{2+\sqrt{2}}x\right) dx = \\ &= \frac{x}{2} e^{x^2} \left[x(\sqrt{2}+x^2) I_0\left(2\sqrt{2+\sqrt{2}}x\right) - \sqrt{2+\sqrt{2}}(x^2-1+\sqrt{2}) I_1\left(2\sqrt{2+\sqrt{2}}x\right) \right] \\ & \int x^5 e^{x^2} K_0\left(2\sqrt{2+\sqrt{2}}x\right) dx = \end{aligned}$$

$$\begin{aligned}
&= \frac{x}{2} e^{x^2} \left[x(\sqrt{2} + x^2) K_0 \left((2\sqrt{2} + \sqrt{2}x) \right) + \sqrt{2 + \sqrt{2}} (x^2 - 1 + \sqrt{2}) K_1 \left(2\sqrt{2 + \sqrt{2}}x \right) \right] \\
&\quad \int x^5 e^{-x^2} J_0 \left(2\sqrt{2 - \sqrt{2}}x \right) dx = \\
&= \frac{x}{2} e^{-x^2} \left[-x(\sqrt{2} + x^2) J_0 \left((2\sqrt{2} - \sqrt{2}x) \right) + \sqrt{2 - \sqrt{2}} (x^2 + 1 + \sqrt{2}) J_1 \left(2\sqrt{2 - \sqrt{2}}x \right) \right] \\
&\quad \int x^5 e^{x^2} I_0 \left(2\sqrt{2 - \sqrt{2}}x \right) dx = \\
&= \frac{x}{2} e^{x^2} \left[x(x^2 - \sqrt{2}) I_0 \left((2\sqrt{2} - \sqrt{2}x) \right) - \sqrt{2 - \sqrt{2}} (x^2 - 1 - \sqrt{2}) I_1 \left(2\sqrt{2 - \sqrt{2}}x \right) \right] \\
&\quad \int x^5 e^{x^2} K_0 \left(2\sqrt{2 - \sqrt{2}}x \right) dx = \\
&= \frac{x}{2} e^{x^2} \left[x(x^2 - \sqrt{2}) K_0 \left((2\sqrt{2} - \sqrt{2}x) \right) + \sqrt{2 - \sqrt{2}} (x^2 - 1 - \sqrt{2}) K_1 \left(2\sqrt{2 - \sqrt{2}}x \right) \right]
\end{aligned}$$

f) Special Cases: $\nu = 1$

$$\int x^4 e^{-x^2} J_1(2\sqrt{2}x) dx = \frac{x}{\sqrt{2}} e^{-x^2} [(1 - x^2)J_1(2\sqrt{2}x) - x\sqrt{2}J_0(2\sqrt{2}x)]$$

$$\int x^4 e^{x^2} I_1(2\sqrt{2}x) dx = \frac{x}{\sqrt{2}} e^{x^2} [(1 + x^2)I_1(2\sqrt{2}x) - x\sqrt{2}I_0(2\sqrt{2}x)]$$

$$\int x^4 e^{x^2} K_1(2\sqrt{2}x) dx = \frac{x}{\sqrt{2}} e^{x^2} [(1 + x^2)K_1(2\sqrt{2}x) + x\sqrt{2}K_0(2\sqrt{2}x)]$$

$$2\sqrt{3 + \sqrt{3}} = 4.35065\ 54943, \quad 2\sqrt{3 - \sqrt{3}} = 2.25206\ 50012$$

$$\int x^6 e^{-x^2} J_1 \left(2\sqrt{3 + \sqrt{3}}x \right) dx =$$

$$= \frac{x}{2} e^{-x^2} \left[(-x^4 + (1 + \sqrt{3})x^2 - \sqrt{3} + 1) J_1 \left((2\sqrt{3 + \sqrt{3}}x) \right) - \sqrt{3 + \sqrt{3}}x (x^2 + 1 - \sqrt{3}) J_0 \left(2\sqrt{3 + \sqrt{3}}x \right) \right]$$

$$\int x^6 e^{x^2} I_1 \left(2\sqrt{3 + \sqrt{3}}x \right) dx =$$

$$= \frac{x}{2} e^{x^2} \left[(x^4 + (1 + \sqrt{3})x^2 + \sqrt{3} - 1) I_1 \left((2\sqrt{3 + \sqrt{3}}x) \right) - \sqrt{3 + \sqrt{3}}x (x^2 - 1 + \sqrt{3}) I_0 \left(2\sqrt{3 + \sqrt{3}}x \right) \right]$$

$$\int x^6 e^{x^2} K_1 \left(2\sqrt{3 + \sqrt{3}}x \right) dx =$$

$$= \frac{x}{2} e^{x^2} \left[(x^4 + (1 + \sqrt{3})x^2 + \sqrt{3} - 1) K_1 \left((2\sqrt{3 + \sqrt{3}}x) \right) + \sqrt{3 + \sqrt{3}}x (x^2 - 1 + \sqrt{3}) K_0 \left(2\sqrt{3 + \sqrt{3}}x \right) \right]$$

$$\int x^6 e^{-x^2} J_1 \left(2\sqrt{3 - \sqrt{3}}x \right) dx =$$

$$= \frac{x}{2} e^{-x^2} \left[(-x^4 + (1 - \sqrt{3})x^2 + \sqrt{3} + 1) J_1 \left((2\sqrt{3 - \sqrt{3}}x) \right) - \sqrt{3 - \sqrt{3}}x (x^2 + 1 + \sqrt{3}) J_0 \left(2\sqrt{3 - \sqrt{3}}x \right) \right]$$

$$\int x^6 e^{x^2} I_1 \left(2\sqrt{3 - \sqrt{3}}x \right) dx =$$

$$\begin{aligned}
&= \frac{x}{2} e^{x^2} \left[(x^4 + (1 - \sqrt{3})x^2 - \sqrt{3} - 1) I_1 \left((2\sqrt{3} - \sqrt{3}x) - \sqrt{3 - \sqrt{3}x} (x^2 - 1 - \sqrt{3}) I_0 \left(2\sqrt{3} - \sqrt{3}x \right) \right) \right. \\
&\quad \left. \int x^6 e^{x^2} K_1 \left(2\sqrt{3} - \sqrt{3}x \right) dx = \right. \\
&= \frac{x}{2} e^{x^2} \left[(x^4 + (1 - \sqrt{3})x^2 - \sqrt{3} - 1) K_1 \left((2\sqrt{3} - \sqrt{3}x) + \sqrt{3 - \sqrt{3}x} (x^2 - 1 - \sqrt{3}) K_0 \left(2\sqrt{3} - \sqrt{3}x \right) \right) \right]
\end{aligned}$$

g) Integrals of $x^n e^{-(x+\beta)^2} J_\nu(\alpha x)$ or $x^n e^{-x^2} J_\nu(\alpha x + \gamma)$

With $z = x + \beta$ follows

$$\int x^n e^{-(x+\beta)^2} J_\nu(\alpha x) dx = \int (z - \beta)^n e^{-z^2} J_\nu(\alpha z - \alpha\beta) dz .$$


About the integrals on the right side see page 175. To describe the left integrals three basic integrals must be defined:


$$\begin{aligned}
\int e^{-(x+\beta)^2} J_0(\alpha x) dx &= F_0(x; \alpha, \beta) = e^{-(x+\beta)^2} \left[\left(\sum_{k=0}^{\infty} p_k^{(0)}(\alpha, \beta) x^k \right) J_0(\alpha x) + \left(\sum_{k=0}^{\infty} q_k^{(0)}(\alpha, \beta) x^k \right) J_1(\alpha x) \right] \\
\int e^{-(x+\beta)^2} J_1(\alpha x) dx &= F_1(x; \alpha, \beta) = \\
&= e^{-(x+\beta)^2} \left[\left(\sum_{k=0}^{\infty} p_k^{(1)}(\alpha, \beta) x^k \right) J_0(\alpha x) + \left(\sum_{k=0}^{\infty} q_k^{(1)}(\alpha, \beta) x^k \right) J_1(\alpha x) \right] - p_0 e^{-\beta^2} \\
\int \frac{e^{-(x+\beta)^2} J_1(\alpha x) dx}{x} &= F_-(x; \alpha, \beta) = e^{-(x+\beta)^2} \left[\left(\sum_{k=0}^{\infty} p_k^{(-)}(\alpha, \beta) x^k \right) J_0(\alpha x) + \left(\sum_{k=0}^{\infty} q_k^{(-)}(\alpha, \beta) x^k \right) J_1(\alpha x) \right]
\end{aligned}$$

1) $F_0(x; \alpha, \beta)$:

$$\begin{aligned}
&p_0^{(0)} = 0, \quad p_1^{(0)} = 1, \quad q_0^{(0)} = 0, \quad q_1^{(0)} = 0, \\
p_{n+1}^{(0)} &= \frac{2p_{n-1}^{(0)}(\alpha, \beta) + 2\beta p_n^{(0)}(\alpha, \beta) - \alpha q_n^{(0)}(\alpha, \beta)}{n+1}, \quad q_{n+1}^{(0)}(\alpha, \beta) = \frac{2q_{n-1}^{(0)}(\alpha, \beta) + 2\beta q_n^{(0)}(\alpha, \beta) + \alpha p_n^{(0)}(\alpha, \beta)}{n} \\
F_0(x; \alpha, \beta) &= e^{-(x+\beta)^2} \left[\left(x + \beta x^2 + \frac{2\beta^2 - \alpha^2 + 2}{3} x^3 + \frac{\beta}{24} (8\beta^2 - 13\alpha^2 + 20) x^4 + \dots \right) J_0(\alpha x) + \right. \\
&\quad \left. + \left(\alpha x^2 + \frac{3\alpha\beta}{2} x^3 + \frac{\alpha}{9} (11\beta^2 - \alpha^2 + 8) x^4 + \frac{\alpha\beta (200\beta^2 - 55\alpha^2 + 404)}{288} x^5 + \dots \right) J_1(\alpha x) \right]
\end{aligned}$$

About the using of this formula see page ??, concerning $a_k^{(0;\alpha)}$ and $b_k^{(0;\alpha)}$.







Let

$$U_0(\alpha, \beta) = \int_0^\infty e^{-(x-\beta)^2} J_0(\alpha x) dx .$$

The following pictures show some of this functions:





II) $F_1(x; \alpha, \beta)$:

$$p_0^{(1)} = -\frac{1}{\alpha}, \quad p_1^{(1)} = -\frac{2\beta}{\alpha}, \quad q_0^{(1)} = 0, \quad q_1^{(1)} = 0,$$


$$p_{n+1}^{(1)} = \frac{2p_{n-1}^{(1)}(\alpha, \beta) + 2\beta p_n^{(1)}(\alpha, \beta) - \alpha q_n^{(1)}(\alpha, \beta)}{n+1},$$


$$q_{n+1}^{(1)}(\alpha, \beta) = \frac{2q_{n-1}^{(1)}(\alpha, \beta) + 2\beta q_n^{(1)}(\alpha, \beta) + \alpha p_n^{(1)}(\alpha, \beta)}{n}$$

$$F_1(x; \alpha, \beta) = \frac{e^{-\beta^2}}{\alpha} -$$

$$-e^{-(x+\beta)^2} \left[\left(\frac{1}{\alpha} + \frac{2\beta x}{\alpha} + \frac{2\beta^2 + 1}{\alpha} x^2 + \frac{4\beta^3 + 2\beta(3 - 2\alpha^2)}{3\alpha} x^3 + \frac{16\beta^4 + \beta^2(48 - 26\alpha^2) + 12 - 3\alpha^2}{24\alpha} x^4 + \dots \right) J_0(\alpha x) + \right. \\ \left. + \left(2\beta x^2 + \frac{6\beta^2 + 1}{2} x^3 + \frac{22\beta^3 + \beta(21 - 2\alpha^2)}{9} x^4 + \frac{400\beta^4 + \beta^2(912 - 110\alpha^2) + 108 - 9\alpha^2}{288} x^5 + \dots \right) J_1(\alpha x) \right]$$

About the using of this formula see page ??, concerning $a_k^{(0;\alpha)}$ and $b_k^{(0;\alpha)}$.







Let

$$U_1(\alpha, \beta) = \int_0^\infty e^{-(x-\beta)^2} J_1(\alpha x) dx .$$

The following pictures show some of this functions:





III) $F_-(x; \alpha, \beta)$:


$$p_0^{(-)} = \frac{2\beta}{\alpha}, \quad p_1^{(-)} = \frac{\alpha^2 + 4\beta^2}{\alpha}, \quad q_0^{(-)} = -1, \quad q_1^{(-)} = 0,$$


$$p_{n+1}^{(-)} = \frac{2p_{n-1}^{(-)}(\alpha, \beta) + 2\beta p_n^{(-)}(\alpha, \beta) - \alpha q_n^{(-)}(\alpha, \beta)}{n+1},$$

$$q_{n+1}^{(-)}(\alpha, \beta) = \frac{2q_{n-1}^{(-)}(\alpha, \beta) + 2\beta q_n^{(-)}(\alpha, \beta) + \alpha p_n^{(-)}(\alpha, \beta)}{n}$$

$$F_-(x; \alpha, \beta) = e^{-(x+\beta)^2} \left[\left(\frac{2\beta}{\alpha} + \frac{\alpha^2 + 4\beta^2}{\alpha} x + \frac{\beta(4\beta^2 + \alpha^2 + 2)}{\alpha} x^2 + \frac{8\beta^3 + \beta^2(12 - 2\alpha^2) + \alpha^2(4 - \alpha^2)}{\alpha} x^3 + \dots \right) J_0(\alpha x) + \left(-x + (4\beta^2 + \alpha^2 - 2)x^2 + \frac{\beta(12\beta^2 + 3\alpha^2 - 2)}{2} x^3 + \frac{44\beta^4 + \beta^2(30 + 7\alpha^2) - \alpha^4 + 10\alpha^2 - 12}{9} x^4 + \dots \right) J_1(\alpha x) \right] - \frac{2\beta e^{-\beta^2}}{\alpha}$$

About the using of this formula see page ??, concerning $a_k^{(0;\alpha)}$ and $b_k^{(0;\alpha)}$.







Let

$$U_-(\alpha, \beta) = \int_0^\infty \frac{e^{-(x-\beta)^2} J_1(\alpha x) dx}{x} .$$

The following pictures show some of this functions:





IV) Integrals:

$$\begin{aligned}
 \int x e^{-(x+\beta)^2} J_0(\alpha x) dx &= -\frac{e^{-(x+\beta)^2} J_0(\alpha x)}{2} - \beta F_0(x; \alpha, \beta) - \frac{\alpha}{2} F_1(x; \alpha, \beta) \\
 \int x e^{-(x+\beta)^2} J_1(\alpha x) dx &= -\frac{e^{-(x+\beta)^2} J_1(\alpha x)}{2} + \frac{\alpha}{2} F_0(x; \alpha, \beta) - \beta F_1(x; \alpha, \beta) - \frac{1}{2} F_-(x; \alpha, \beta) \\
 \int x^2 e^{-(x+\beta)^2} J_0(\alpha x) dx &= \\
 &= e^{-(x+\beta)^2} \left[\frac{\beta-x}{2} J_0(\alpha x) + \frac{\alpha}{4} J_1(\alpha x) \right] + \frac{2+4\beta^2-\alpha^2}{4} F_0(x; \alpha, \beta) + \alpha\beta F_1(x; \alpha, \beta) + \frac{\alpha}{4} F_-(x; \alpha, \beta) \\
 \int x^2 e^{-(x+\beta)^2} J_1(\alpha x) dx &= e^{-(x+\beta)^2} \left[-\frac{\alpha}{4} J_0(\alpha x) + \frac{\beta-x}{2} J_1(\alpha x) \right] - \\
 &\quad -4\alpha\beta F_0(x; \alpha, \beta) + \frac{4\beta^2-\alpha^2}{4} F_1(x; \alpha, \beta) + \frac{\beta}{2} F_-(x; \alpha, \beta) \\
 \int x^3 e^{-(x+\beta)^2} J_0(\alpha x) dx &= e^{-(x+\beta)^2} \left[\frac{\alpha^2-4\beta^2-4+4\beta x-4x^2}{8} J_0(\alpha x) + \frac{\alpha(x-2\beta)}{4} J_1(\alpha x) \right] - \\
 &\quad -\frac{\beta(4\beta^2+6-3\alpha^2)}{4} F_0(x; \alpha, \beta) - \frac{\alpha(12\beta^2+4-\alpha^2)}{8} F_1(x; \alpha, \beta) - \frac{\alpha\beta}{2} F_-(x; \alpha, \beta) \\
 \int x^3 e^{-(x+\beta)^2} J_1(\alpha x) dx &= e^{-(x+\beta)^2} \left[\frac{\alpha(2\beta-x)}{4} J_0(\alpha x) - \frac{4\beta^2+2-\alpha^2-4\beta x+4x^2}{8} J_1(\alpha x) \right] + \\
 &\quad + \frac{\alpha(12\beta^2+4-\alpha^2)}{8} F_0(x; \alpha, \beta) - \frac{\beta(4\beta^2+2-3\alpha^2)}{4} F_1(x; \alpha, \beta) - \frac{4\beta^2+2-\alpha^2}{8} F_-(x; \alpha, \beta) \\
 \int x^4 e^{-(x+\beta)^2} J_0(\alpha x) dx &= e^{-(x+\beta)^2} \left[\frac{-4x^3+4\beta x^2+x(\alpha^2-4\beta^2-6)+\beta(4\beta^2-3\alpha^2+10)}{8} J_0(\alpha x) + \right. \\
 &\quad + \frac{\alpha[4x(x-2\beta+12\beta^2+8-\alpha^2)]}{16} J_1(\alpha x) \left. \right] + \frac{16\beta^4+24\beta^2(2-\alpha^2)+\alpha^4-10\alpha^2+12}{16} F_0(x; \alpha, \beta) + \\
 &\quad + \frac{\alpha\beta(8\beta^2-2\alpha^2+9)}{4} F_1(x; \alpha, \beta) + \frac{\alpha(12\beta^2+8-\alpha^2)}{16} F_-(x; \alpha, \beta) \\
 \int x^4 e^{-(x+\beta)^2} J_1(\alpha x) dx &= e^{-(x+\beta)^2} \left[\frac{\alpha[-4x^2+8\beta x-12\beta^2-8+\alpha^2]}{16} J_0(\alpha x) + \right. \\
 &\quad + \frac{-4x^3+4\beta x^2+x(\alpha^2-4\beta^2-4)+\beta(4\beta^2+6-3\alpha^2)}{8} J_1(\alpha x) \left. \right] + \frac{\alpha\beta(2\alpha^2-8\beta^2-9)}{4} F_0(x; \alpha, \beta) +
 \end{aligned}$$

$$+ \frac{\alpha^4 - 24\alpha^2\beta^2 + 16\beta^4 - 8\alpha^2 + 24\beta^2}{16} F_1(x; \alpha, \beta) + \frac{\beta(4\beta^2 + 6 - 3\alpha^2)}{8} F_-(x; \alpha, \beta)$$

Recurrence relations:

$$\text{Let } I_m^{(\nu)} = \int x^m e^{-(x+\beta)^2} J_\nu(\alpha x) dx .$$

$$I_{2n+1}^{(0)} = - \frac{x^{2n} e^{-(x+\beta)^2} J_0(\alpha x)}{2} - \beta I_{2n}^{(0)} + n I_{2n-1}^{(0)} - \frac{\alpha}{2} I_{2n}^{(1)}$$

$$I_{2n+1}^{(1)} = - \frac{x^{2n} e^{-(x+\beta)^2} J_1(\alpha x)}{2} + \frac{\alpha}{2} I_{2n}^{(0)} - \beta I_{2n}^{(1)} + \frac{2n-1}{2} I_{2n-1}^{(1)}$$

$$I_{2n+2}^{(0)} = - \frac{x^{2n+1} e^{-(x+\beta)^2} J_0(\alpha x)}{2} + \frac{2n+1}{2} I_{2n}^{(0)} - \frac{\alpha}{2} I_{2n+1}^{(1)} - \beta I_{2n+1}^{(0)}$$

$$I_{2n+2}^{(1)} = - \frac{x^{2n+1} e^{-(x+\beta)^2} J_1(\alpha x)}{2} + n I_{2n}^{(1)} - \beta I_{2n+1}^{(1)} + \frac{\alpha}{2} I_{2n+1}^{(0)}$$

Integrals of the type $\int x^n e^{-x^2} J_\nu(\alpha x + \gamma) dx :$

$$\int e^{-x^2} J_0(\alpha x + \gamma) dx = F_0\left(x - \frac{\gamma}{\alpha}; \alpha, -\frac{\gamma}{\alpha}\right), \quad \int e^{-x^2} J_1(\alpha x + \gamma) dx = F_1\left(x - \frac{\gamma}{\alpha}; \alpha, -\frac{\gamma}{\alpha}\right)$$

The integral $\int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{x}$ cannot be expressed by F_- .

$$\int_0^y \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{x} \text{ is not defined if } J_1(\gamma) \neq 0.$$

$$\int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} = \frac{1}{\alpha} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{x + \gamma/\alpha} = \frac{1}{\alpha} F_-\left(x - \frac{\gamma}{\alpha}; \alpha, -\frac{\gamma}{\alpha}\right)$$

Integrals:

$$\int x e^{-x^2} J_0(\alpha x + \gamma) dx = - \frac{e^{-x^2} J_0(\alpha x + \gamma)}{2} - \frac{\alpha}{2} \int e^{-x^2} J_1(\alpha x + \gamma) dx$$

$$\int x e^{-x^2} J_1(\alpha x + \gamma) dx =$$

$$= - \frac{e^{-x^2} J_1(\alpha x + \gamma)}{2} + \frac{\alpha}{2} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \frac{\alpha}{2} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma}$$

$$\int \frac{x e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} = \frac{1}{\alpha} \int e^{-x^2} J_1(\alpha x + \gamma) dx - \frac{\gamma}{\alpha} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma}$$

$$\int x^2 e^{-x^2} J_0(\alpha x + \gamma) dx =$$

$$= \frac{e^{-x^2}}{4} [a J_1(\alpha x + \gamma) - 2x J_0(\alpha x + \gamma)] + \frac{2 - \alpha^2}{4} \int e^{-x^2} J_0(\alpha x + \gamma) dx + \frac{\alpha^2}{4} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma}$$

$$\int x^2 e^{-x^2} J_1(\alpha x + \gamma) dx =$$

$$= - \frac{e^{-x^2}}{4} [\alpha J_0(\alpha x + \gamma) + 2x J_1(\alpha x + \gamma)] - \frac{\alpha^2}{4} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \frac{\gamma}{2} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma}$$

$$\int \frac{x^2 e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} =$$

$$= - \frac{e^{-x^2} J_1(\alpha x + \gamma)}{2\alpha} + \frac{1}{2} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \frac{\gamma}{\alpha^2} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \frac{2\gamma^2 - \alpha^2}{2\alpha^2} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma}$$

$$\begin{aligned}
& \int x^3 e^{-x^2} J_0(\alpha x + \gamma) dx = \frac{e^{-x^2}}{8} [(\alpha^2 - 4 - 4x^2) J_0(\alpha x + \gamma) + 2\alpha x J_1(\alpha x + \gamma)] + \\
& \quad + \frac{\alpha(\alpha^2 - 4)}{8} \int e^{-x^2} J_1(\alpha x + \gamma) dx - \frac{\alpha\gamma}{4} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int x^3 e^{-x^2} J_1(\alpha x + \gamma) dx = \frac{e^{-x^2}}{8} [(\alpha^2 - 2 - 4x^2) J_1(\alpha x + \gamma) - 2\alpha x J_0(\alpha x + \gamma)] + \\
& + \frac{\alpha(4 - \alpha^2)}{8} \int e^{-x^2} J_0(\alpha x + \gamma) dx + \frac{\gamma}{2\alpha} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \frac{\alpha^4 - 2\alpha^2 - 4\gamma^2}{8\alpha} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int \frac{x^3 e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} = -\frac{e^{-x^2}}{4\alpha^2} [\alpha^2 J_0(\alpha x + \gamma) + (2\alpha x - 2\gamma) J_1(\alpha x + \gamma)] - \\
& - \frac{\gamma}{2\alpha} \int e^{-x^2} J_0(\alpha x + \gamma) dx + \frac{4\gamma^2 - \alpha^4}{4\alpha^3} \int e^{-x^2} J_1(\alpha x + \gamma) dx - \frac{\gamma(\gamma^2 - \alpha^2)}{\alpha^3} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int x^4 e^{-x^2} J_0(\alpha x + \gamma) dx = \frac{e^{-x^2}}{16} [2(\alpha^2 - 6 - 4x^2)x J_0(\alpha x + \gamma) + \alpha(4x^2 - \alpha^2 + 8) J_1(\alpha x + \gamma)] + \\
& + \frac{\alpha^4 - 10\alpha^2 + 12}{16} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \frac{\gamma}{4} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \frac{\alpha^2(8 - \alpha^2) + 4\gamma^2}{16} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int x^4 e^{-x^2} J_1(\alpha x + \gamma) dx = \frac{e^{-x^2}}{16\alpha} \{[\alpha^4 - 4\alpha^2(2 + x^2)] J_0(\alpha x + \gamma) - [8\alpha x^3 + 2\alpha(4 - \alpha^2)x + 4\gamma] J_1(\alpha x + \gamma)\} + \\
& + \frac{\gamma}{4} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \frac{\alpha^4(8 - \alpha^2) + 8\gamma^2}{16\alpha^2} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \frac{\gamma(2\alpha^2 - \alpha^4 + 4\gamma^2)}{8\alpha^2} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int \frac{x^4 e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} = \frac{e^{-x^2}}{8\alpha^3} [2\alpha^2(\gamma - \alpha x) J_0(\alpha x + \gamma) - (2\alpha^2 - \alpha^4 + 4\gamma^2 - 4\alpha\gamma x + 4\alpha^2 x^2) J_1(\alpha x + \gamma)] + \\
& + \frac{4\alpha^2 - \alpha^4 + 4\gamma^2}{8\alpha^2} \int e^{-x^2} J_0(\alpha x + \gamma) dx + \frac{\gamma(\alpha^4 + 2\alpha^2 - 4\gamma^2)}{4\alpha^4} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \\
& \quad + \frac{\alpha^6 - 2\alpha^4 - 12\alpha^2\gamma^2 + 8\gamma^4}{8\alpha^4} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int x^5 e^{-x^2} J_0(\alpha x + \gamma) dx = \frac{e^{-x^2}}{32} \{2[4\alpha x^3 + \alpha(12 - \alpha^2)x + 2\gamma] J_1(\alpha x + \gamma) - \\
& - [16x^4 + (32 - 4\alpha^2)x^2 + \alpha^4 - 16\alpha^2 + 32] J_0(\alpha x + \gamma)\} - \frac{\alpha\gamma}{8} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \\
& - \frac{\alpha^6 - 16\alpha^4 + 32\alpha^2 - 8\gamma^2}{32\alpha} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \frac{\gamma(\alpha^4 - 10\alpha^2 - 4\gamma^2)}{16\alpha} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \int x^5 e^{-x^2} J_1(\alpha x + \gamma) dx = -\frac{e^{-x^2}}{32\alpha^2} \{2\alpha^2[4\alpha x^3 + \alpha(12 - \alpha^2)x + 2\gamma] J_0(\alpha x + \gamma) + \\
& + [16\alpha^2 x^4 + 4\alpha^2(6 - \alpha^2)x^2 + 8\alpha\gamma x + \alpha^6 - 14\alpha^4 + 12\alpha^2 - 8\gamma^2] J_0(\alpha x + \gamma)\} + \\
& + \frac{\alpha^6 - 16\alpha^4 + 36\alpha^2 - 8\gamma^2}{32\alpha} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \frac{\gamma(\alpha^4 - 3\alpha^2 - 2\gamma^2)}{4\alpha^3} \int e^{-x^2} J_1(\alpha x + \gamma) dx - \\
& \quad - \frac{\alpha^8 - 14\alpha^6 + 4\alpha^4(3 - \gamma^2) + 8\gamma^2(\alpha^2 + 2\gamma^2)}{32\alpha^3} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} -
\end{aligned}$$

$$\begin{aligned}
& \int \frac{x^5 e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} = -\frac{e^{-x^2}}{16\alpha^4} \{ \alpha^2 [4\alpha^2 x^2 - 4\alpha\gamma x - \alpha^4 + 8\alpha^2 + 4\gamma^2] J_0(\alpha x + \gamma) + \\
& \quad + [8\alpha^3 x^3 - 8\alpha^2 \gamma x^2 - \alpha(2\alpha^4 - 8\alpha^2 - 8\gamma^2)x + 2\gamma(\alpha^4 - 4\gamma^2)] J_1(\alpha x + \gamma) \} + \\
& + \frac{\gamma(\alpha^4 - 2\alpha^2 - 4\gamma^2)}{8\alpha^3} \int e^{-x^2} J_0(\alpha x + \gamma) dx + \frac{\alpha^8 - 8\alpha^6 - 4\alpha^4 \gamma^2 - 16\alpha^2 \gamma^2 + 16\gamma^4}{16\alpha^5} \int e^{-x^2} J_1(\alpha x + \gamma) dx - \\
& \quad - \frac{\gamma(\alpha^6 - 2\alpha^4 - 8\alpha^2 \gamma^2 + 4\gamma^4)}{4\alpha^5} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \quad \int x^6 e^{-x^2} J_0(\alpha x + \gamma) dx = \\
& = \frac{e^{-x^2}}{64\alpha} \{ [16\alpha^2 x^4 + 4\alpha^2(16 - \alpha^2)x^2 + 8\alpha\gamma x + \alpha^6 - 24\alpha^4 + 92\alpha^2 - 8\gamma^2] J_1(\alpha x + \gamma) - \\
& \quad - \alpha[32x^5 + 8(10 - \alpha^2)x^3 + 2(\alpha^4 - 22\alpha^2 + 60)x - 4\alpha\gamma] J_0(\alpha x + \gamma) \} - \\
& - \frac{\alpha^6 - 26\alpha^4 + 136\alpha^2 - 120 - 8\gamma^2}{64} \int e^{-x^2} J_0(\alpha x + \gamma) dx + \frac{\gamma(\alpha^4 - 8\alpha^2 - 2\gamma^2)}{8\alpha^2} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \\
& \quad + \frac{\alpha^8 - 24\alpha^6 + 4\alpha^4(23 - \gamma^2) + 48\alpha^2 \gamma^2 + 16\gamma^4}{64\alpha^2} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \quad \int x^6 e^{-x^2} J_1(\alpha x + \gamma) dx = \\
& = -\frac{e^{-x^2}}{64\alpha^3} \{ \alpha^2 [16\alpha^2 x^4 + 4\alpha^2(16 - \alpha^2)x^2 + 8\alpha\gamma x + \alpha^6 - 24\alpha^4 + 96\alpha^2 - 8\gamma^2] J_0(\alpha x + \gamma) + \\
& + 2[16\alpha^3 x^5 + 4\alpha^3(8 - \alpha^2)x^3 + 8\alpha^2 \gamma x^2 + \alpha(\alpha^6 - 20\alpha^4 + 32\alpha^2 - 8\gamma^2)x - 4\gamma(\alpha^4 - 5\alpha^2 - 2\gamma^2)] J_1(\alpha x + \gamma) \} - \\
& \quad - \frac{\gamma(\alpha^4 - 6\alpha^2 - 2\gamma^2)}{8\alpha^2} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \\
& \quad - \frac{\alpha^{10} - 24\alpha^8 + 96\alpha^6 - 16\gamma^2(\alpha^4 - 3\alpha^2 - 2\gamma^2)}{64\alpha^4} \int e^{-x^2} J_1(\alpha x + \gamma) dx + \\
& \quad + \frac{\gamma[\alpha^8 - 16\alpha^6 + 12\alpha^4 - 4\gamma^2(\alpha^4 - 2\alpha^2 - 4\gamma^2)]}{32\alpha^4} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} \\
& \quad \int \frac{x^6 e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma} = \\
& = -\frac{e^{-x^2}}{64\alpha^5} \{ 4\alpha^2 [4\alpha^3 x^3 - 4\alpha^2 \gamma x^2 + \alpha(4\gamma^2 - \alpha^4 + 12\alpha^2)x + \gamma(\alpha^4 - 6\alpha^2 - 4\gamma^2)] J_0(\alpha x + \gamma) + \\
& \quad + [32\alpha^4 x^4 - 32\alpha^3 \gamma x^3 - 8\alpha^2(\alpha^4 - 6\alpha^2 - 4\gamma^2)x^2 + 8\alpha\gamma(\alpha^4 - 2\alpha^2 - 4\gamma^2) + 2\alpha^8 - 28\alpha^6 + \\
& \quad + 8\alpha^4(3 - \gamma^2) - 16\alpha^2 \gamma^2 + 32\gamma^4] J_1(\alpha x + \gamma) \} + \\
& \quad + \frac{\alpha^4(\alpha^4 - 16\alpha^2 + 36 - 4\gamma^2) + 16\gamma^4}{32\alpha^4} \int e^{-x^2} J_0(\alpha x + \gamma) dx - \\
& \quad - \frac{\gamma(\alpha^8 - 4\alpha^6 - 4\alpha^4(3 + \gamma^2) + 8\gamma^2(2\gamma^2 - 3\alpha^2))}{16\alpha^6} \int e^{-x^2} J_1(\alpha x + \gamma) dx - \\
& \quad - \frac{\alpha^{10} - 14\alpha^8 + 12\alpha^6(1 - \gamma^2) + 24\alpha^4 \gamma^2 + 80\alpha^2 \gamma^4 - 32\gamma^6}{32\alpha^6} \int \frac{e^{-x^2} J_1(\alpha x + \gamma) dx}{\alpha x + \gamma}
\end{aligned}$$

h) $I_\nu(\alpha x)$; Special Case: $\alpha = 1$

About the following improper integrals see also [4], 2.15.5, or [7], 6.618.4 .


$$\lambda_0 = \int_0^\infty \exp(-x^2) I_0(x) dx = \frac{\sqrt{\pi}}{2} e^{1/8} I_0\left(\frac{1}{8}\right) = 1.00815\ 32626$$

$$\lambda_1 = \int_0^\infty \exp(-x^2) I_1(x) dx = e^{1/4} - 1 = 0.28402\ 54167$$

$$\lambda_- = \int_0^\infty \frac{\exp(-x^2) I_1(x) dx}{x} = \frac{\sqrt{\pi}}{4} e^{1/8} \left[I_0\left(\frac{1}{8}\right) - I_1\left(\frac{1}{8}\right) \right] = 0.47263\ 32148$$

Let

$$\tilde{F}_\nu(x) = \int_0^x e^{-t^2} I_\nu(t) dt = \sum_{k=0}^\infty a_k^{(\nu)} x^{2k+1+\nu} \quad \text{and} \quad \tilde{F}_-(x) = \int_0^x \frac{e^{-t^2} I_\nu(t) dt}{t} = \sum_{k=0}^\infty a_k^{(-)} x^{2k+1}.$$



k	$a_k^{(0)}$	$a_k^{(0)}$
0	1	1.00000 00000 00000E+00
1	$-\frac{1}{4}$	-2.50000 00000 00000E-01
2	$\frac{17}{320}$	5.31250 00000 00000E-02
3	$-\frac{131}{16128}$	-8.12251 98412 69841E-03
4	$\frac{121}{147456}$	8.20583 76736 11111E-04
5	$-\frac{4579}{162201600}$	-2.82303 01057 44949E-05
6	$\frac{-238703}{27603763200}$	-8.64748 03551 42302E-06
7	$\frac{4937119}{2080899072000}$	2.37258 93612 20110E-06
8	$-\frac{686726911}{1811214552268800}$	-3.79152 712824 5399E-07
9	$\frac{30843873469}{655872751986278400}$	4.70272 21935 33859E-08
10	$-\frac{474430811173}{96654931871662080000}$	-4.90850 08078 31997E-09
11	$\frac{68783074431677}{153708957370763182080000}$	4.47489 04428 36362E-10
12	$-\frac{3503765621989823}{96235173310390861824000000}$	-3.64083 68182 48353E-11
13	$\frac{20932954787378741}{7806597258938906711162880000}$	2.68144 41802 29685E-12
14	$-\frac{10684253218385246191}{59163598426411660994999746560000}$	-1.80588 29250 68265E-13
15	$\frac{57988854926847793271}{5174496539488668782948253696000000}$	1.12066 66094 81936E-14
16	$-\frac{13331869709946059336021}{20681961910606581189755497611264000000}$	-6.44613 39632 91420E-16
17	$\frac{2626678948424747145438077}{76072016263922024994318857577431040000000}$	3.45288 46183 22491E-17
18	$-\frac{16378970655878919827873581}{9474819023084646603967734697540190208000000}$	-1.72868 42752 32366E-18
19	$\frac{252315527096516159994521359}{3110452034522726306115271022519028547584000000}$	8.11186 04079 43308E-20
20	$-\frac{953899962106037194572915500479}{266828931453826490506134634177940048943513600000000}$	-3.57494 95263 07664E-21

k	$a_k^{(1)}$	$a_k^{(1)}$
0	$\frac{1}{4}$	2.50000 00000 00000E-01
1	$-\frac{7}{64}$	-1.09375 00000 00000E-01
2	$\frac{73}{2304}$	3.16840 27777 77778E-02
3	$-\frac{1007}{147456}$	-6.82915 58159 72222E-03
4	$\frac{17201}{14745600}$	1.16651 74696 18056E-03
5	$-\frac{348599}{2123366400}$	-1.64172 79655 55073E-04
6	$\frac{8127673}{416179814400}$	1.95292 34044 46595E-05
7	$-\frac{212763487}{106542032486400}$	-1.99699 10657 29472E-06
8	$\frac{874529239}{4931374075084800}$	1.77339 87032 50800E-07
9	$-\frac{189537494759}{13807847410237440000}$	-1.37267 95287 32862E-08
10	$\frac{6158207356841}{6682998146554920960000}$	9.21473 74902 61837E-10
11	$-\frac{202178049269327}{3849406932415634472960000}$	-5.25218 69685 11883E-11
12	$\frac{6200780742937873}{2602199086312968903720960000}$	2.38290 02075 79313E-12
13	$-\frac{134044005546360727}{2040124083669367620517232640000}$	-6.57038 49397 86072E-14
14	$\frac{3177788907789045479}{1836111675302430858465509376000000}$	-1.73071 65737 97519E-15
15	$\frac{2415582328462590247}{5481569549590930609529683968000000}$	4.40673 47985 08315E-16
16	$-\frac{93022472404248959110207}{2173486178969200714123395930783744000000}$	-4.27987 41167 22742E-17
17	$\frac{8952207071913676364932153}{2816838087944084125503921126295732224000000}$	3.17810 49504 50877E-18
18	$-\frac{824727586392452816381724407}{4067514198991257477227662106371037331456000000}$	-2.02759 60845 98758E-19
19	$\frac{75547388447748738204731644241}{6508022718386011963564259370193659730329600000000}$	1.16083 47376 28028E-20
20	$-\frac{6997691037925936250951447039759}{11480152075232925103727353529021615764301414400000000}$	-6.09546 89381 01116E-22

k	$a_k^{(-)}$	$a_k^{(-)}$
0	$\frac{1}{2}$	5.00000 00000 00000E-01
1	$-\frac{7}{48}$	-1.45833 33333 33333E-01
2	$\frac{73}{1920}$	3.80208 33333 33333E-02
3	$-\frac{1007}{129024}$	-7.80474 95039 68254E-03
4	$\frac{17201}{13271040}$	1.29613 05217 97840E-03
5	$-\frac{348599}{1946419200}$	-1.79097 59624 23716E-04
6	$\frac{8127673}{386452684800}$	2.10314 82817 11718E-05
7	$-\frac{212763487}{99883155456000}$	-2.13012 38034 44770E-06
8	$\frac{874529239}{4657408848691200}$	1.87771 62740 30259E-07
9	$-\frac{189537494759}{13117455039725568000}$	-1.44492 58197 18802E-08
10	$\frac{6158207356841}{6379225503529697280000}$	9.65353 45136 07639E-10
11	$-\frac{202178049269327}{3689014976898316369920000}$	-5.48054 29236 64574E-11
12	$\frac{6200780742937873}{2502114506070162407424000000}$	2.47821 62158 82486E-12
13	$-\frac{134044005546360727}{1967262509252604491213045760000}$	-6.81373 25301 48519E-14
14	$\frac{3177788907789045479}{17749079527923498298499923968000000}$	-1.79039 64556 52606E-15
15	$\frac{2415582328462590247}{5310270501166214027981881344000000}$	4.54888 75339 44067E-16
16	$-\frac{93022472404248959110207}{2109560114881871281355060756348928000000}$	-4.40956 72717 74947E-17
17	$\frac{8952207071913676364932153}{27385925855011928997954788727875174400000000}$	3.26890 79490 35188E-18

k	$a_k^{(-)}$	$a_k^{(-)}$
18	$-\frac{824727586392452816381724407}{3960474351649382280458513103571799506944000000}$	$-2.08239\ 59787\ 77103\text{E}-19$
19	$\frac{75547388447748738204731644241}{6345322150426361664475152885938818237071360000000}$	$1.19059\ 97309\ 00542\text{E}-20$
20	$-\frac{170675391168925274413449927799}{27333695417221250246969889354813370867384320000000}$	$-6.24413\ 89122\ 01143\text{E}-22$

Asymptotic formulas:

$$\int_x^\infty e^{-t^2} I_0(t) dt \sim \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \left[1 + \frac{5}{8x} - \frac{47}{128x^2} - \frac{913}{1024x^3} + \frac{10123}{32768x^4} + \frac{625915}{262144x^5} + \dots \right] = \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \sum_{k=0}^\infty \frac{c_k^{(0)}}{x^k}$$

Let

$$\varphi_n^{(0)}(x) = \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \sum_{k=0}^n \frac{c_k^{(0)}}{x^k} \quad \text{and} \quad q_n^{(0)}(x) = \left[\varphi_n^{(0)}(x) / \int_x^\infty e^{-t^2} I_0(t) dt \right] - 1.$$

Value	$x = 1.5$	$x = 2.0$	$x = 2.5$	$x = 3.0$	$x = 3.5$	$x = 4.0$	$x = 5.0$	$x = 6.0$
Exactly	5.90956E-02	1.11275E-02	1.37491E-03	1.09079E-04	5.47423E-06	1.72020E-07	4.06147E-09	1.38485E-15
$\varphi_0^{(0)}(x)$	5.1289E-02	9.5443E-03	1.1868E-03	9.5155E-05	4.8273E-06	1.5320E-07	3.6774E-11	1.2700E-15
$q_0^{(0)}(x)$	-0.1321	-0.1423	-0.1368	-0.1277	-0.1182	-0.1094	-0.0946	-0.0829
$\varphi_1^{(0)}(x)$	7.2659E-02	1.2527E-02	1.4835E-03	1.1498E-04	5.6893E-06	1.7714E-07	4.1370E-11	1.4023E-15
$q_1^{(0)}(x)$	0.2295	0.1258	0.0790	0.0541	0.0393	0.0297	0.0186	0.0126
$\varphi_2^{(0)}(x)$	6.4289E-02	1.1651E-02	1.4137E-03	1.1110E-04	5.5446E-06	1.7362E-07	4.0830E-11	1.3894E-15
$q_2^{(0)}(x)$	0.08788	0.04703	0.02824	0.01850	0.01285	0.00930	0.00530	0.00328
$\varphi_3^{(0)}(x)$	5.0740E-02	1.0587E-02	1.3460E-03	1.0795E-04	5.4442E-06	1.7149E-07	4.0568E-11	1.38414E-15
$q_3^{(0)}(x)$	-0.14140	-0.04856	-0.02101	-0.01031	-0.00549	-0.00310	-0.00116	-0.000508
$\varphi_4^{(0)}(x)$	5.38695E-02	1.07714E-02	1.35540E-03	1.08317E-04	5.45414E-06	1.71671E-07	4.05860E-11	1.38445E-15
$q_4^{(0)}(x)$	-0.088435	-0.032002	-0.014184	-0.006984	-0.003670	-0.002028	-0.000708	-0.000289
$\varphi_5^{(0)}(x)$	6.99960E-02	1.14835E-02	1.38442E-03	1.09252E-04	5.47608E-06	1.72029E-07	4.06141E-11	1.38484E-15
$q_5^{(0)}(x)$	0.184454	0.031997	0.006920	0.001588	0.000339	0.000048	-0.000016	-0.000008

$$\int_x^\infty e^{-t^2} I_1(t) dt \sim \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \left[1 + \frac{1}{8x} - \frac{103}{128x^2} - \frac{677}{1024x^3} + \frac{30587}{32768x^4} + \frac{439535}{262144x^5} + \dots \right] = \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \sum_{k=0}^\infty \frac{c_k^{(1)}}{x^k}$$

Let

$$\varphi_n^{(1)}(x) = \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \sum_{k=0}^n \frac{c_k^{(1)}}{x^k} \quad \text{and} \quad q_n^{(1)}(x) = \left[\varphi_n^{(1)}(x) / \int_x^\infty e^{-t^2} I_1(t) dt \right] - 1.$$

Value	$x = 1.5$	$x = 2.0$	$x = 2.5$	$x = 3.0$	$x = 3.5$	$x = 4.0$	$x = 5.0$	$x = 6.0$
Exactly	3.87808E-02	8.13674E-03	1.07802E-03	8.95917E-05	4.64340E-06	1.49352E-07	3.63793E-11	1.26530E-15
$\varphi_0^{(1)}(x)$	5.12888E-02	9.54434E-03	1.18677E-03	9.51549E-05	4.82727E-06	1.53199E-07	3.67735E-11	1.27004E-15
$q_0^{(1)}(x)$	0.3225	0.1730	0.1009	0.0621	0.0396	0.0258	0.0108	0.00375
$\varphi_1^{(1)}(x)$	5.55628E-02	1.01409E-02	1.24611E-03	9.91197E-05	4.99967E-06	1.57987E-07	3.76929E-11	1.29650E-15
$q_1^{(1)}(x)$	0.4327	0.2463	0.1559	0.1063	0.0767	0.0578	0.0361	0.0247
$\varphi_2^{(1)}(x)$	3.72200E-02	8.22081E-03	1.09331E-03	9.06119E-05	4.68257E-06	1.50282E-07	3.65092E-11	1.26811E-15
$q_2^{(1)}(x)$	-0.0402	0.0103	0.0142	0.0114	0.00844	0.00622	0.00357	0.00222
$\varphi_3^{(1)}(x)$	2.71730E-02	7.43205E-03	1.04309E-03	8.82819E-05	4.60814E-06	1.48699E-07	3.63147E-11	1.26423E-15
$q_3^{(1)}(x)$	-0.2993	-0.08661	-0.03240	-0.0146	-0.00759	-0.00437	-0.00177	-0.000852
$\varphi_4^{(1)}(x)$	3.66298E-02	7.98887E-03	1.07145E-03	8.93785E-05	4.63816E-06	1.49258E-07	3.63697E-11	1.26514E-15
$q_4^{(1)}(x)$	-0.0555	-0.0182	-0.00609	-0.00238	-0.00113	-0.000632	-0.000264	-0.000129
$\varphi_5^{(1)}(x)$	4.79543E-02	8.48896E-03	1.09183E-03	9.00351E-05	4.65357E-06	1.49509E-07	3.63894E-11	1.26542E-15
$q_5^{(1)}(x)$	0.2365	0.0433	0.0128	0.00495	0.00219	0.00105	0.000278	0.000088

The values of $\varphi_1^{(1)}(x)$ seem to be worse than such of $\varphi_0^{(1)}(x)$, but for $x > x^* = 7.0135\dots$ one has

$$\varphi_0^{(1)}(x) < \int_x^\infty e^{-t^2} I_1(t) dt$$

and therefore $c_1^{(1)} = 1/8 > 0$ is true. Holds $\varphi_0^{(1)}(x^*) = 5.18 \text{ E-}21$.

$$\int_x^\infty \frac{e^{-t^2} I_1(t) dt}{t} \sim \frac{e^{-x^2+x}}{\sqrt{8\pi x^5}} \left[1 + \frac{1}{8x} - \frac{167}{128x^2} - \frac{997}{1024x^3} + \frac{75515}{32768x^4} + \frac{931183}{262144x^5} + \dots \right] = \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \sum_{k=0}^\infty \frac{c_k^{(-)}}{x^k}$$

Let

$$\varphi_n^{(-)}(x) = \frac{e^{-x^2+x}}{\sqrt{8\pi x^3}} \sum_{k=0}^n \frac{c_k^{(-)}}{x^k} \quad \text{and} \quad q_n^{(-)}(x) = \left[\varphi_n^{(1)}(x) / \int_x^\infty \frac{e^{-t^2} I_1(t) dt}{t} \right] - 1.$$

Value	$x = 1.5$	$x = 2.0$	$x = 2.5$	$x = 3.0$	$x = 3.5$	$x = 4.0$	$x = 5.0$	$x = 6.0$
Exactly	2.17978E-02	3.64967E-03	4.00293E-04	2.83007E-05	1.27407E-06	3.61817E-08	7.12851E-12	2.07890E-16
$\varphi_0^{(-)}(x)$	3.41925E-02	4.77217E-03	4.74707E-04	3.17183E-05	1.37922E-06	3.82998E-08	7.35471E-12	2.11674E-16
$q_0^{(-)}(x)$	0.5686	0.3076	0.1859	0.1208	0.0825	0.0585	0.0317	0.0182
$\varphi_1^{(-)}(x)$	3.70419E-02	5.07043E-03	4.98442E-04	3.30399E-05	1.42848E-06	3.94967E-08	7.53858E-12	2.16084E-16
$q_1^{(-)}(x)$	0.6993	0.3893	0.2452	0.1675	0.1212	0.0916	0.0575	0.0394
$\varphi_2^{(-)}(x)$	1.72150E-02	3.51388E-03	3.99347E-04	2.84419E-05	1.28158E-06	3.63736E-08	7.15475E-12	2.08413E-16
$q_2^{(-)}(x)$	-0.2102	-0.0372	-0.00236	0.00499	0.00590	0.00530	0.00368	0.00251
$\varphi_3^{(-)}(x)$	7.35100E-03	2.93309E-03	3.69767E-04	2.72981E-05	1.25026E-06	3.57909E-08	7.09747E-12	2.07458E-16
$q_3^{(-)}(x)$	-0.6628	-0.1963	-0.0763	-0.0354	-0.0187	-0.0108	-0.00436	-0.00208
$\varphi_4^{(-)}(x)$	2.29160E-02	3.62044E-03	3.97773E-04	2.82005E-05	1.27144E-06	3.61357E-08	7.12458E-12	2.07835E-16
$q_4^{(-)}(x)$	0.0513	-0.00801	-0.00629	-0.00354	-0.00206	-0.00127	-0.000551	-0.000266
$\varphi_5^{(-)}(x)$	3.89105E-02	4.15018E-03	4.15040E-04	2.86642E-05	1.28077E-06	3.62686E-08	7.13294E-12	2.07931E-16
$q_5^{(-)}(x)$	0.7851	0.1371	0.0368	0.0128	0.00526	0.00240	0.000622	0.000199

Integrals:

$$\begin{aligned} \int x e^{-x^2} I_0(x) dx &= -\frac{e^{-x^2} I_0(x)}{2} + \frac{1}{2} \int e^{-x^2} I_1(x) dx \\ \int x e^{-x^2} I_1(x) dx &= -\frac{e^{-x^2} I_1(x)}{2} + \frac{1}{2} \int e^{-x^2} I_0(x) dx - \frac{1}{2} \int \frac{e^{-x^2} I_1(x) dx}{x} \\ \int x^2 e^{-x^2} I_0(x) dx &= \\ &= -\frac{e^{-x^2}}{4} [2x I_0(x) + I_1(x)] + \frac{3}{4} \int e^{-x^2} I_0(x) dx - \frac{1}{4} \int \frac{e^{-x^2} I_1(x) dx}{x} \\ \int x^2 e^{-x^2} I_1(x) dx &= -\frac{e^{-x^2}}{4} [2x I_1(x) + I_0(x)] + \frac{1}{4} \int e^{-x^2} I_1(x) dx \end{aligned}$$

Recurrence relations:

$$\begin{aligned} \int x^{2n+1} e^{-x^2} I_0(x) dx &= -\frac{x^{2n} e^{-x^2}}{2} I_0(x) + \frac{1}{2} \int x^{2n} e^{-x^2} I_1(x) dx + n \int x^{2n-1} e^{-x^2} I_0(x) dx \\ \int x^{2n+1} e^{-x^2} I_1(x) dx &= -\frac{x^{2n} e^{-x^2}}{2} I_1(x) + \frac{1}{2} \int x^{2n} e^{-x^2} I_0(x) dx + \frac{2n-1}{2} \int x^{2n-1} e^{-x^2} I_1(x) dx \\ \int x^{2n+2} e^{-x^2} I_0(x) dx &= \end{aligned}$$

$$\begin{aligned}
&= -\frac{x^{2n}e^{-x^2}}{4} [I_1(x) + 2xI_0(x)] + \frac{4n+3}{4} \int x^{2n} e^{-x^2} I_0(x) dx + \frac{2n-1}{4} \int x^{2n-1} e^{-x^2} I_1(x) dx \\
&\quad \int x^{2n+2} e^{-x^2} I_1(x) dx = \\
&= -\frac{x^{2n}e^{-x^2}}{4} [I_0(x) + 2xI_1(x)] + \frac{4n+1}{4} \int x^{2n} e^{-x^2} I_1(x) dx + \frac{n}{2} \int x^{2n-1} e^{-x^2} I_0(x) dx
\end{aligned}$$

i) General case

About the following improper integrals see also [4], 2.15.5, or [7], 6.618.4 .

$$\begin{aligned}
\int_0^\infty \exp(-x^2) I_0(\alpha x) dx &= \frac{\sqrt{\pi}}{2} e^{\alpha^2/8} I_0\left(\frac{\alpha^2}{8}\right) \\
\int_0^\infty \exp(-x^2) I_1(\alpha x) dx &= \frac{1}{\alpha} [e^{\alpha^2/4} - 1] \\
\int_0^\infty \frac{\exp(-x^2) I_1(\alpha x) dx}{x} &= \frac{\sqrt{\pi} \alpha^2}{4} e^{\alpha^2/8} \left[I_0\left(\frac{\alpha^2}{8}\right) - I_1\left(\frac{\alpha^2}{8}\right) \right]
\end{aligned}$$

Let

$$\tilde{F}_\nu(x; \alpha) = \int_0^x e^{-t^2} I_\nu(\alpha t) dt = \sum_{k=0}^\infty a_k^{(\nu)}(\alpha) x^{2k+1+\nu} \text{ and } \tilde{F}_-(x; \alpha) = \int_0^x \frac{e^{-t^2} I_\nu(\alpha t) dt}{t} = \sum_{k=0}^\infty a_k^{(-)}(\alpha) x^{2k+1}$$

and $a_k^{(*)}(\alpha) = b_k^{(*)}(\alpha)/n_k^{(*)}$.

k	$n_k^{(0)}, b_k^{(0)}(\alpha)$
0	1 1
1	12 $\alpha^2 - 4$
2	320 $\alpha^4 - 16\alpha^2 + 32$
3	16128 $\alpha^6 - 36\alpha^4 + 288\alpha^2 - 384$
4	13 27104 $\alpha^8 - 64\alpha^6 + 1152\alpha^4 - 6144\alpha^2 + 6144$
5	1622 01600 $\alpha^{10} - 100\alpha^8 + 3200\alpha^6 - 38400\alpha^4 + 153600\alpha^2 - 122880$
6	2 76037 63200 $\alpha^{12} - 144\alpha^{10} + 7200\alpha^8 - 153600\alpha^6 + 1382400\alpha^4 - 4423680\alpha^2 + 2949120$
7	624 26972 16000 $\alpha^{14} - 196\alpha^{12} + 14112\alpha^{10} - 470400\alpha^8 + 7526400\alpha^6 - 54190080\alpha^4 + 144506880\alpha^2 - 82575360$

k	$n_k^{(1)}, b_k^{(1)}(\alpha)$
0	4 α
1	64 $\alpha^3 - 8\alpha$
2	2304 $\alpha^5 - 24\alpha^3 + 96\alpha$
3	1 47456 $\alpha^7 - 48\alpha^5 + 576\alpha^3 - 1536\alpha$
4	147 45600 $\alpha^9 - 80\alpha^7 + 1920\alpha^5 - 15360\alpha^3 + 30720\alpha$

k	$n_k^{(1)}, b_k^{(1)}(\alpha)$
5	21233 66400 $\alpha^{11} - 120\alpha^9 + 4800\alpha^7 - 76800\alpha^5 + 460800\alpha^3 - 737280\alpha$
6	41 61798 14400 $\alpha^{13} - 168\alpha^{11} + 10080\alpha^9 - 268800\alpha^7 + 3225600\alpha^5 - 15482880\alpha^3 + 20643840\alpha$
7	10654 20324 86400 $\alpha^{15} - 224\alpha^{13} + 18816\alpha^{11} - 752640\alpha^9 + 15052800\alpha^7 - 144506880\alpha^5 + 578027520\alpha^3 - 660602880\alpha$
k	$n_k^{(-)}, b_k^{(-)}(\alpha)$
0	2 α
1	48 $\alpha^3 - 8\alpha$
2	1920 $\alpha^5 - 24\alpha^3 + 96\alpha$
3	1 29024 $\alpha^7 - 48\alpha^5 + 576\alpha^3 - 1536\alpha$
4	132 71040 $\alpha^9 - 80\alpha^7 + 1920\alpha^5 - 15360\alpha^3 + 30720\alpha$
5	19464 19200 $\alpha^{11} - 120\alpha^9 + 4800\alpha^7 - 76800\alpha^5 + 460800\alpha^3 - 737280\alpha$
6	38 64526 84800 $\alpha^{13} - 168\alpha^{11} + 10080\alpha^9 - 268800\alpha^7 + 3225600\alpha^5 - 15482880\alpha^3 + 20643840\alpha$
7	9988 31554 56000 $\alpha^{15} - 224\alpha^{13} + 18816\alpha^{11} - 752640\alpha^9 + 15052800\alpha^7 - 144506880\alpha^5 + 578027520\alpha^3 - 660602880\alpha$

Asymptotic formulas: They are based on the asymptotic formulas for $I_\nu(x)$. So they are inaccurate for small values of α . At least they should not be used for $x < 2/\alpha$, roughly spoken.

$$\int_x^\infty e^{-t^2} I_0(\alpha t) dt \sim \frac{e^{-x^2+\alpha x}}{\sqrt{8\pi x^3}} \left[1 + \frac{4\alpha^2+1}{8\alpha x} + \frac{32\alpha^4-88\alpha^2+9}{128\alpha^2 x^2} + \frac{128\alpha^6-992\alpha^4-124\alpha^2+75}{1024\alpha^3 x^3} + \right. \\ \left. + \frac{2048\alpha^8-30208\alpha^6+37440\alpha^4-2832\alpha^2+3675}{32768\alpha^4 x^4} + \frac{8192\alpha^{10}-194560\alpha^8+721152\alpha^6+60096\alpha^4-28500\alpha^2+59535}{262144\alpha^5 x^5} + \dots \right]$$

$$\int_x^\infty e^{-t^2} I_1(\alpha t) dt \sim \frac{e^{-x^2+\alpha x}}{\sqrt{8\pi x^3}} \left[1 + \frac{4\alpha^2-3}{8\alpha x} + \frac{32\alpha^4-120\alpha^2-15}{128\alpha^2 x^2} + \frac{128\alpha^6-1120\alpha^4+420\alpha^2-105}{1024\alpha^3 x^3} + \right. \\ \left. + \frac{2048\alpha^8-32256\alpha^6+60480\alpha^4+5040\alpha^2-4725}{32768\alpha^4 x^4} + \frac{8192\alpha^{10}-202752\alpha^8+887040\alpha^6-221760\alpha^4+41580\alpha^2-72765}{262144\alpha^5 x^5} + \dots \right]$$

$$\int_x^\infty \frac{e^{-t^2} I_1(\alpha t)}{t} dt \sim \frac{e^{-x^2+\alpha x}}{\sqrt{8\pi\alpha x^5}} \left[1 + \frac{4\alpha^2-3}{8\alpha x} + \frac{32\alpha^4-184\alpha^2-15}{128\alpha^2 x^2} + \frac{128\alpha^6-1632\alpha^4+612\alpha^2-105}{1024\alpha^3 x^3} + \right. \\ \left. + \frac{2048\alpha^8-44544\alpha^6+115776\alpha^4+6960\alpha^2-4725}{32768\alpha^4 x^4} + \frac{8192\alpha^{10}-268288\alpha^8+1612032\alpha^6-403008\alpha^4+55020\alpha^2-72765}{262144\alpha^5 x^5} + \dots \right]$$

Approximations for $\alpha < 1$:

$$\tilde{F}_0(x; \alpha) \approx \frac{\sqrt{\pi}}{2} \left[1 + \frac{\alpha^2}{8} + \frac{3\alpha^4}{256} + \frac{5\alpha^6}{6144} + \frac{35\alpha^8}{786432} + \frac{21\alpha^{10}}{10485760} + \frac{77\alpha^{12}}{1006632960} + \frac{143\alpha^{14}}{56371445760} + \dots \right]$$

$$\begin{aligned}
& + \frac{143}{1924145348608} \alpha^{16} + \frac{2431 \alpha^{18}}{1246846185897984} + \frac{46189 \alpha^{20}}{997476948718387200} \Big] \operatorname{erf}(x) - \\
& - \frac{\alpha^2 x}{8} \left[1 + \frac{3\alpha^2}{32} + \frac{5\alpha^4}{768} + \frac{35\alpha^6}{98304} + \frac{21\alpha^8}{1310720} + \frac{77\alpha^{10}}{125829120} + \frac{143\alpha^{12}}{7046430720} + \frac{143\alpha^{14}}{240518168576} + \right. \\
& + \frac{2431\alpha^{16}}{155855773237248} + \frac{46189\alpha^{18}}{124684618589798400} \Big] - \frac{\alpha^4 x^3}{128} \left[1 + \frac{5\alpha^2}{72} + \frac{35\alpha^4}{9216} + \frac{7\alpha^6}{40960} + \frac{77\alpha^8}{11796480} + \right. \\
& + \frac{143\alpha^{10}}{660602880} + \frac{143\alpha^{12}}{22548578304} + \frac{2431\alpha^{14}}{14611478740992} + \frac{2431\alpha^{14}}{14611478740992} + \frac{4199\alpha^{16}}{48983243017420800} \Big] - \\
& - \frac{\alpha^6 x^5}{4608} \left[1 + \frac{7\alpha^2}{128} + \frac{63\alpha^4}{25600} + \frac{77\alpha^6}{819200} + \frac{143\alpha^8}{45875200} + \frac{429\alpha^{10}}{4697620480} + \frac{2431\alpha^{12}}{1014686023680} + \frac{46189\alpha^{14}}{811748818944000} \right] - \\
& - \frac{\alpha^8 x^7}{294912} \left[1 + \frac{9\alpha^2}{200} + \frac{11\alpha^4}{6400} + \frac{143\alpha^6}{2508800} + \frac{429\alpha^8}{256901120} + \frac{2431\alpha^{10}}{55490641920} + \frac{46189\alpha^{12}}{44392513536000} \right] - \\
& - \frac{\alpha^{10} x^9}{294912} \left[1 + \frac{11\alpha^2}{288} + \frac{143\alpha^4}{112896} + \frac{715\alpha^6}{19267584} + \frac{12155\alpha^8}{12485394432} + \frac{46189\alpha^{10}}{1997663109120} \right] - \\
& - \frac{\alpha^{12} x^{11}}{4246732800} \left[1 + \frac{13\alpha^2}{392} + \frac{195\alpha^4}{200704} + \frac{1105\alpha^6}{43352064} + \frac{4199\alpha^8}{6936330240} \right] - \\
& - \frac{\alpha^{14} x^{13}}{832359628800} \left[1 + \frac{15\alpha^2}{512} + \frac{85\alpha^4}{110592} + \frac{323\alpha^6}{17694720} \right] - \frac{\alpha^{16} x^{15}}{213084064972800} \left[1 + \frac{17\alpha^2}{648} + \frac{323\alpha^4}{518400} \right] - \\
& - \frac{\alpha^{18} x^{17}}{69039237051187200} \left[1 + \frac{19\alpha^2}{800} \right] - \frac{\alpha^{20} x^{19}}{69039237051187200} \\
\tilde{F}_1(x; \alpha) \approx & \frac{\alpha(1 - e^{-x^2})}{4} \left[1 + \frac{\alpha^2}{8} + \frac{\alpha^4}{96} + \frac{\alpha^6}{1536} + \frac{1\alpha^8}{30720} + \frac{\alpha^{10}}{737280} + \frac{\alpha^{12}}{20643840} + \frac{\alpha^{14}}{660602880} + \right. \\
& + \frac{\alpha^{16}}{23781703680} + \frac{\alpha^{18}}{951268147200} \Big] - \frac{\alpha^3 x^2}{32} \left[1 + \frac{\alpha^2}{12} + \frac{\alpha^4}{192} + \frac{\alpha^6}{3840} + \right. \\
& + \frac{\alpha^8}{92160} + \frac{\alpha^{10}}{2580480} + \frac{\alpha^{12}}{82575360} + \frac{\alpha^{14}}{2972712960} + \frac{\alpha^{16}}{118908518400} + \frac{\alpha^{18}}{5231974809600} \Big] - \\
& - \frac{\alpha^5 x^4}{768} \left[1 + \frac{\alpha^2}{16} + \frac{\alpha^4}{320} + \frac{\alpha^6}{7680} + \frac{\alpha^8}{215040} + \frac{\alpha^{10}}{6881280} + \frac{\alpha^{12}}{247726080} + \frac{\alpha^{14}}{9909043200} + \frac{\alpha^{16}}{435997900800} \right] - \\
& - \frac{\alpha^7 x^6}{36864} \left[1 + \frac{\alpha^2}{20} + \frac{\alpha^4}{480} + \frac{\alpha^6}{13440} + \frac{\alpha^8}{430080} + \frac{\alpha^{10}}{15482880} + \frac{\alpha^{12}}{619315200} + \frac{\alpha^{14}}{27249868800} \right] - \\
& - \frac{\alpha^9 x^8}{2949120} \left[1 + \frac{\alpha^2}{24} + \frac{\alpha^4}{672} + \frac{\alpha^6}{21504} + \frac{\alpha^8}{774144} + \frac{\alpha^{10}}{30965760} + \frac{\alpha^{12}}{1362493440} \right] - \\
& - \frac{\alpha^{11} x^{10}}{353894400} \left[1 + \frac{\alpha^2}{28} + \frac{\alpha^4}{896} + \frac{\alpha^6}{32256} + \frac{\alpha^8}{1290240} + \frac{\alpha^{10}}{56770560} \right] - \\
& - \frac{\alpha^{13} x^{12}}{59454259200} \left[1 + \frac{\alpha^2}{32} + \frac{\alpha^4}{1152} + \frac{\alpha^6}{46080} + \frac{\alpha^8}{2027520} \right] - \frac{\alpha^{15} x^{14}}{13317754060800} \left[1 + \frac{\alpha^2}{36} + \frac{\alpha^4}{1440} + \frac{\alpha^6}{63360} \right] - \\
& - \frac{\alpha^{17} x^{16}}{3835513169510400} \left[1 + \frac{\alpha^2}{40} + \frac{\alpha^4}{1760} \right] - \frac{\alpha^{19} x^{18}}{1380784741023744000} \left[1 + \frac{\alpha^2}{44} \right] - \frac{\alpha^{21} x^{20}}{607545286050447360000} \\
\tilde{F}_-(x; \alpha) \approx & \frac{\sqrt{\pi} \alpha}{4} \left[1 + \frac{\alpha^2}{16} + \frac{\alpha^4}{256} + \frac{5\alpha^6}{24576} + \frac{7\alpha^8}{786432} + \frac{7\alpha^{10}}{20971520} + \frac{11\alpha^{12}}{1006632960} + \frac{143\alpha^{14}}{450971566080} + \right. \\
& + \frac{143\alpha^{16}}{17317308137472} + \frac{2431\alpha^{18}}{12468461858979840} + \frac{4199\alpha^{20}}{997476948718387200} \Big] \operatorname{erf}(x) - \frac{\alpha^3 x}{32} \left[1 + \frac{\alpha^2}{16} + \frac{5\alpha^4}{1536} + \right. \\
& + \frac{7\alpha^6}{49152} + \frac{7\alpha^8}{1310720} + \frac{11\alpha^{10}}{62914560} + \frac{143\alpha^{12}}{28185722880} + \frac{143\alpha^{14}}{1082331758592} + \frac{2431\alpha^{16}}{779278866186240} \Big] -
\end{aligned}$$

$$\begin{aligned}
& -\frac{\alpha^5 x^3}{32} \left[1 + \frac{5\alpha^2}{96} + \frac{7\alpha^4}{3072} + \frac{7\alpha^6}{81920} + \frac{11\alpha^8}{3932160} + \frac{143\alpha^{10}}{1761607680} + \frac{143\alpha^{12}}{67645734912} + \frac{2431\alpha^{14}}{48704929136640} \right] - \\
& -\frac{\alpha^7 x^5}{36864} \left[1 + \frac{7\alpha^2}{160} + \frac{21\alpha^4}{12800} + \frac{11\alpha^6}{204800} + \frac{143\alpha^8}{91750400} + \frac{143\alpha^8}{91750400} + \frac{143\alpha^{10}}{3523215360} + \frac{2431\alpha^{12}}{2536715059200} \right] - \\
& -\frac{\alpha^9 x^7}{2949120} \left[1 + \frac{3\alpha^2}{80} + \frac{11\alpha^4}{8960} + \frac{143\alpha^6}{4014080} + \frac{143\alpha^8}{154140672} + \frac{2431\alpha^{10}}{110981283840} \right] - \\
& -\frac{\alpha^{11} x^9}{353894400} \left[1 + \frac{11\alpha^2}{336} + \frac{143\alpha^4}{150528} + \frac{715\alpha^6}{28901376} + \frac{2431\alpha^8}{4161798144} \right] - \\
& -\frac{\alpha^{13} x^{11}}{59454259200} \left[1 + \frac{13\alpha^2}{448} + \frac{65\alpha^4}{86016} + \frac{221\alpha^6}{12386304} \right] - \frac{\alpha^{15} x^{13}}{13317754060800} \left[1 + \frac{5\alpha^2}{192} + \frac{17\alpha^4}{27648} \right] - \\
& -\frac{\alpha^{17} x^{15}}{3835513169510400} \left[1 + \frac{17\alpha^2}{720} \right] - \frac{\alpha^{19} x^{17}}{1380784741023744000}
\end{aligned}$$

Integrals:

$$\begin{aligned}
& \int x e^{-x^2} I_0(\alpha x) dx = -\frac{e^{-x^2} I_0(\alpha x)}{2} + \frac{\alpha}{2} \int e^{-x^2} I_1(\alpha x) dx \\
& \int x e^{-x^2} I_1(\alpha x) dx = -\frac{e^{-x^2} I_1(\alpha x)}{2} + \frac{\alpha}{2} \int e^{-x^2} I_0(\alpha x) dx - \frac{1}{2} \int \frac{e^{-x^2} I_1(\alpha x) dx}{x} \\
& \int x^2 e^{-x^2} I_0(\alpha x) dx = \\
& = -\frac{e^{-x^2}}{4} [2x I_0(\alpha x) + \alpha I_1(\alpha x)] + \frac{\alpha^2 + 2}{4} \int e^{-x^2} I_0(\alpha x) dx - \frac{\alpha}{4} \int \frac{e^{-x^2} I_1(\alpha x) dx}{x} \\
& \int x^2 e^{-x^2} I_1(\alpha x) dx = -\frac{e^{-x^2}}{4} [2x I_1(\alpha x) + \alpha I_0(\alpha x)] + \frac{\alpha^2}{4} \int e^{-x^2} I_1(\alpha x) dx
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+1} e^{-x^2} I_0(\alpha x) dx = -\frac{x^{2n} e^{-x^2}}{2} I_0(\alpha x) + \frac{\alpha}{2} \int x^{2n} e^{-x^2} I_1(\alpha x) dx + n \int x^{2n-1} e^{-x^2} I_0(\alpha x) dx \\
& \int x^{2n+1} e^{-x^2} I_1(\alpha x) dx = -\frac{x^{2n} e^{-x^2}}{2} I_1(\alpha x) + \frac{\alpha}{2} \int x^{2n} e^{-x^2} I_0(\alpha x) dx + \frac{2n-1}{2} \int x^{2n-1} e^{-x^2} I_1(\alpha x) dx \\
& \int x^{2n+2} e^{-x^2} I_0(\alpha x) dx = \\
& = -\frac{x^{2n} e^{-x^2}}{4} [\alpha I_1(\alpha x) + 2x I_0(\alpha x)] + \frac{4n+2+\alpha^2}{4} \int x^{2n} e^{-x^2} I_1(\alpha x) dx + \frac{(2n-1)\alpha}{2} \int x^{2n-1} e^{-x^2} I_1(\alpha x) dx \\
& \int x^{2n+2} e^{-x^2} I_1(\alpha x) dx = \\
& = -\frac{x^{2n} e^{-x^2}}{4} [\alpha I_0(\alpha x) + 2x I_1(\alpha x)] + \frac{4n+\alpha^2}{4} \int x^{2n} e^{-x^2} I_0(\alpha x) dx + \frac{n\alpha}{2} \int x^{2n-1} e^{-x^2} I_0(\alpha x) dx
\end{aligned}$$

1.3.12. Integrals with Orthogonal Polynomials $F_n(x)$: $\int F_n(x) \cdot Z_\nu(x) dx$

No simple recurrence relations were found.

Let $p_n(x)$ denote some system of orthogonal polynomials with degree $[p_n(x)] = n$. Furthermore, let

$$\int p_n(x) Z_\nu(x) dx = \sum_{k=0}^{n+1} [\lambda_k p_k(x) Z_0(x) + \mu_k p_k(x) Z_1(x)] + \gamma \Xi(x),$$

where $\Xi(x)$ denotes one of the functions of the type $\Phi(x)$ or $\Psi(x)$, defined as on page 7 and depending from $Z_\nu(x)$.

In the following the non-zero values of λ_k , μ_k and γ are given for $2 \leq n \leq 10$, if $p_1(x) = x$, otherwise for $1 \leq n \leq 10$.

a) Legendre Polynomials $P_n(x)$:

$$\int_{-1}^1 P_n^2(x) dx = \frac{2}{2n+1}$$

First polynomials:

$$P_0(x) = 1, P_1(x) = x, P_2(x) = \frac{3x^2 - 1}{2}, P_3(x) = \frac{5x^3 - 3x}{2}, P_4(x) = \frac{35x^4 - 30x^2 + 3}{8}$$

$Z_\nu(x) = J_0(x)$:

n	λ_k	μ_k	γ
2	$\lambda_1 = -1/2$	$\mu_0 = 1/2, \mu_2 = 1$	-2
3	$\lambda_0 = 5/3, \lambda_2 = 10/3$	$\mu_1 = -10, \mu_3 = 1$	0
4	$\lambda_1 = 33/4, \lambda_3 = 21/4$	$\mu_0 = -27/2, \mu_2 = -105/4, \mu_4 = 1$	87/2
5	$\lambda_0 = -1253/15, \lambda_2 = -485/3, \lambda_4 = 36/5$	$\mu_1 = 2317/5, \mu_3 = -252/5, \mu_5 = 1$	0
6	$\lambda_1 = -1309/2, \lambda_3 = -1274/3, \lambda_5 = 55/6$	$\mu_0 = 1070, \mu_2 = 4155/2, \mu_4 = -165/2, \mu_6 = 1$	-6865/2
7	$\lambda_0 = 349554/35, \lambda_2 = 135195/7, \lambda_4 = -30519/35, \lambda_6 = 78/7$	$\mu_1 = -1937538/35, \mu_3 = 30129/5, \mu_5 = -858/7, \mu_7 = 1$	0
8	$\lambda_1 = 878489/8, \lambda_3 = 3419941/48, \lambda_5 = -37235/24, \lambda_7 = 105/8,$	$\mu_0 = -2872345/16, \mu_2 = -5576835/16, \mu_4 = 13845, \mu_6 = -1365/8, \mu_8 = 1$	4607015/8
9	$\lambda_0 = -704613008/315, \lambda_2 = -272518010/63, \lambda_4 = 6835407/35, \lambda_6 = -158197/63, \lambda_8 = 136/9$	$\mu_1 = 1301857612/105, \mu_3 = -20244146/15, \mu_5 = 576565/21, \mu_7 = -680/3, \mu_9 = 1$	0
10	$\lambda_1 = -253102035/8, \lambda_3 = -20527528, \lambda_5 = 8939843/20, \lambda_7 = -15195/4, \lambda_9 = 171/10,$	$\mu_0 = 413776575/8, \mu_2 = 200843175/2, \mu_4 = -7977789/2, \mu_6 = 983229/20, \mu_8 = -2907/10, \mu_{10} = 1$	-165916233

$Z_\nu(x) = I_0(x)$:

n	λ_k	μ_k	γ
2	$\lambda_1 = -1/2$	$\mu_0 = 1/2, \mu_2 = 1$	-1
3	$\lambda_0 = -5/3, \lambda_2 = -10/3$	$\mu_1 = 10, \mu_3 = 1$	0
4	$\lambda_1 = -15/2, \lambda_3 = -21/4$	$\mu_0 = 51/4, \mu_2 = 105/4, \mu_4 = 1$	36
5	$\lambda_0 = -1267/15, \lambda_2 = -523/3, \lambda_4 = -36/5$	$\mu_1 = 2723/5, \mu_3 = 252/5, \mu_5 = 1$	0

n	λ_k	μ_k	γ
6	$\lambda_1 = -1291/2, \lambda_3 = -5299/12, \lambda_5 = -55/6$	$\mu_0 = 4385/4, \mu_2 = 9015/4, \mu_4 = 165/2, \mu_6 = 1$	6155/2
7	$\lambda_0 = -371268/35, \lambda_2 = -153147/7, \lambda_4 = -31257/35, \lambda_6 = -78/7$	$\mu_1 = 2392146/35, \mu_3 = 31647/5, \mu_5 = 858/7, \mu_7 = 1$	0
8	$\lambda_1 = -1790753/16, \lambda_3 = -918799/12, \lambda_5 = -4730/3, \lambda_7 = -105/8,$	$\mu_0 = 3041255/16, \mu_2 = 3126255/8, \mu_4 = 114465/8, \mu_6 = 1365/8, \mu_8 = 1$	1067255/2
9	$\lambda_0 = -766234942/315, \lambda_2 = -316070848/63, \lambda_4 = -7167687/35, \lambda_6 = -160043/63, \lambda_8 = -136/9$	$\mu_1 = 1645668398/105, \mu_3 = 21771386/15, \mu_5 = 590315/21, \mu_7 = 680/3, \mu_9 = 1$	0
10	$\lambda_1 = -525156393/16, \lambda_3 = -179631375/8, \lambda_5 = -4623729/10, \lambda_7 = -30657/8, \lambda_9 = -171/10,$	$\mu_0 = 891878697/16, \mu_2 = 114600720, \mu_4 = 33567993/8, \mu_6 = 2001597/40, \mu_8 = 2907/10, \mu_{10} = 1$	156491622

$Z_\nu(x) = K_0(x) :$

n	λ_k	μ_k	γ
2	$\lambda_1 = -1/2$	$\mu_0 = -1/2, \mu_2 = -1$	1
3	$\lambda_0 = -5/3, \lambda_2 = -10/3$	$\mu_1 = -10, \mu_3 = -1$	0
4	$\lambda_1 = -15/2, \lambda_3 = -21/4$	$\mu_0 = -51/4, \mu_2 = -105/4, \mu_4 = -1$	36
5	$\lambda_0 = -1267/15, \lambda_2 = -523/3, \lambda_4 = -36/5$	$\mu_1 = -2723/5, \mu_3 = -252/5, \mu_5 = -1$	0
6	$\lambda_1 = -1291/2, \lambda_3 = -5299/12, \lambda_5 = -55/6$	$\mu_0 = -4385/4, \mu_2 = -9015/4, \mu_4 = -165/2, \mu_6 = -1$	6155/2
7	$\lambda_0 = -371268/35, \lambda_2 = -153147/7, \lambda_4 = -31257/35, \lambda_6 = -78/7$	$\mu_1 = -2392146/35, \mu_3 = -31647/5, \mu_5 = -858/7, \mu_7 = -1$	0
8	$\lambda_1 = -1790753/16, \lambda_3 = -918799/12, \lambda_5 = -4730/3, \lambda_7 = -105/8,$	$\mu_0 = -3041255/16, \mu_2 = -3126255/8, \mu_4 = -114465/8, \mu_6 = -1365/8, \mu_8 = -1$	1067255/2
9	$\lambda_0 = -766234942/315, \lambda_2 = -316070848/63, \lambda_4 = -7167687/35, \lambda_6 = -160043/63, \lambda_8 = -136/9$	$\mu_1 = -1645668398/105, \mu_3 = -21771386/15, \mu_5 = -590315/21, \mu_7 = -680/3, \mu_9 = -1$	0
10	$\lambda_1 = -525156393/16, \lambda_3 = -179631375/8, \lambda_5 = -4623729/10, \lambda_7 = -30657/8, \lambda_9 = -171/10,$	$\mu_0 = -891878697/16, \mu_2 = -114600720, \mu_4 = -33567993/8, \mu_6 = -2001597/40, \mu_8 = -2907/10, \mu_{10} = -1$	156491622

$Z_\nu(x) = J_1(x) :$

n	λ_k	μ_k	γ
2	$\lambda_2 = -1,$	$\mu_1 = 3,$	0
3	$\lambda_1 = -3/2, \lambda_3 = -1$	$\mu_0 = 5/2, \mu_2 = 5$	-9
4	$\lambda_0 = 35/3, \lambda_2 = 70/3, \lambda_4 = -1$	$\mu_1 = -67, \mu_3 = 7$	0
5	$\lambda_1 = 291/4, \lambda_3 = 189/4, \lambda_5 = -1$	$\mu_0 = -119, \mu_2 = -925/4, \mu_4 = 9$	765/2
6	$\lambda_0 = -4536/5, \lambda_2 = -1755, \lambda_4 = 396/5, \lambda_6 = -1,$	$\mu_1 = 25152/5, \mu_3 = -2737/5, \mu_5 = 11$	0
7	$\lambda_1 = -33743/4, \lambda_3 = -65681/12, \lambda_5 = 715/6, \lambda_7 = -1$	$\mu_0 = 13791, \mu_2 = 107105/4, \mu_4 = -2127/2, \mu_6 = 13$	-44240

n	λ_k	μ_k	γ
8	$\lambda_0 = 5211558/35, \lambda_2 = 2015640/7,$ $\lambda_4 = -455013/35, \lambda_6 = 1170/7, \lambda_8 = -1$	$\mu_1 = -28887006/35, \mu_3 = 449198/5,$ $\mu_5 = -12793/7, \mu_7 = 15,$	0
9	$\lambda_1 = 14866827/8,$ $\lambda_3 = 19292091/16,$ $\lambda_5 = -210045/8,$ $\lambda_7 = 1785/8, \lambda_9 = -1$	$\mu_0 = -48609209/16,$ $\mu_2 = -94377775/16,$ $\mu_4 = 468603/2,$ $\mu_6 = -23101/8, \mu_8 = 17$	77965335/8
10	$\lambda_0 = -2668148626/63,$ $\lambda_2 = -5159701430/63,$ $\lambda_4 = 25883544/7,$ $\lambda_6 = -2995213/63,$ $\lambda_8 = 2584/9, \lambda_{10} = -1$	$\mu_1 = 4929726722/21,$ $\mu_3 = -76658236/3,$ $\mu_5 = 10916356/21,$ $\mu_7 = -12875/3,$ $\mu_9 = 19,$	0

$Z_\nu(x) = I_1(x) :$

n	λ_k	μ_k	γ
2	$\lambda_2 = 1,$	$\mu_1 = -3,$	0
3	$\lambda_1 = 3/2, \lambda_3 = 1$	$\mu_0 = -5/2, \mu_2 = -5$	-6
4	$\lambda_0 = 35/3, \lambda_2 = 70/3, \lambda_4 = 1$	$\mu_1 = -73, \mu_3 = -7$	0
5	$\lambda_1 = 69, \lambda_3 = 189/4, \lambda_5 = 1$	$\mu_0 = -469/4, \mu_2 = -965/4, \mu_4 = -9$	-330
6	$\lambda_0 = 4704/5, \lambda_2 = 1941,$ $\lambda_4 = 396/5, \lambda_6 = 1,$	$\mu_1 = -30318/5, \mu_3 = -2807/5,$ $\mu_5 = -11$	0
7	$\lambda_1 = 16921/2, \lambda_3 = 34727/6,$ $\lambda_5 = 715/6, \lambda_7 = 1$	$\mu_0 = -28737/2, \mu_2 = -29540,$ $\mu_4 = -2163/2, \mu_6 = -13$	-80675/2
8	$\lambda_0 = 5601948/35, \lambda_2 = 5601948/35,$ $\lambda_4 = 471627/35, \lambda_6 = 1170/7, \lambda_8 = 1$	$\mu_1 = -36094416/35, \mu_3 = -477512/5,$ $\mu_5 = -12947/7, \mu_7 = -15,$	0
9	$\lambda_1 = 30578169/16,$ $\lambda_3 = 5229679/4,$ $\lambda_5 = 53845/2,$ $\lambda_7 = 1785/8, \lambda_9 = 1$	$\mu_0 = -51931231/16,$ $\mu_2 = -53382655/8,$ $\mu_4 = -1954557/8,$ $\mu_6 = -23309/8, \mu_8 = -17$	-9112005
10	$\lambda_0 = 2921776286/63,$ $\lambda_2 = 2921776286/63,$ $\lambda_4 = 2921776286/63,$ $\lambda_6 = 3051347/63,$ $\lambda_8 = 2584/9, \lambda_{10} = 1$	$\mu_1 = -6275196562/21,$ $\mu_3 = -83017774/3,$ $\mu_5 = -11254826/21,$ $\mu_7 = -12965/3,$ $\mu_9 = -19,$	0

$Z_\nu(x) = K_1(x) :$

n	λ_k	μ_k	γ
2	$\lambda_2 = -1,$	$\mu_1 = -3,$	0
3	$\lambda_1 = -3/2, \lambda_3 = -1$	$\mu_0 = -5/2, \mu_2 = -5$	6
4	$\lambda_0 = -35/3, \lambda_2 = -70/3, \lambda_4 = -1$	$\mu_1 = -73, \mu_3 = -7$	0
5	$\lambda_1 = -69, \lambda_3 = -189/4, \lambda_5 = -1$	$\mu_0 = -469/4, \mu_2 = -965/4, \mu_4 = -9$	330
6	$\lambda_0 = -4704/5, \lambda_2 = -1941,$ $\lambda_4 = -396/5, \lambda_6 = -1,$	$\mu_1 = -30318/5, \mu_3 = -2807/5,$ $\mu_5 = -11$	0
7	$\lambda_1 = -16921/2, \lambda_3 = -34727/6,$ $\lambda_5 = -715/6, \lambda_7 = -1$	$\mu_0 = -28737/2, \mu_2 = -29540,$ $\mu_4 = -2163/2, \mu_6 = -13$	80675/2
8	$\lambda_0 = -5601948/35, \lambda_2 = -2310792/7,$ $\lambda_4 = -471627/35, \lambda_6 = -1170/7, \lambda_8 = -1$	$\mu_1 = -36094416/35, \mu_3 = -477512/5,$ $\mu_5 = -477512/5, \mu_7 = -15,$	0

n	λ_k	μ_k	γ
9	$\lambda_1 = -30578169/16,$ $\lambda_3 = -5229679/4,$ $\lambda_5 = -5229679/4,$ $\lambda_7 = -1785/8, \lambda_9 = -1$	$\mu_0 = -51931231/16,$ $\mu_2 = -53382655/8,$ $\mu_4 = -1954557/8,$ $\mu_6 = -23309/8, \mu_8 = -17$	$-23309/8$
10	$\lambda_0 = -2921776286/63,$ $\lambda_2 = -6026143240/63,$ $\lambda_4 = -27331536/7,$ $\lambda_6 = -3051347/63,$ $\lambda_8 = -2584/9, \lambda_{10} = -1$	$\mu_1 = -6275196562/21,$ $\mu_3 = -83017774/3,$ $\mu_5 = -11254826/21,$ $\mu_7 = -12965/3,$ $\mu_9 = -19,$	0

b) Chebyshev Polynomials of the First Kind $T_n(x)$:

$$\int_{-1}^1 \frac{T_n^2(x) dx}{\sqrt{1-x^2}} = \begin{cases} \pi & , n = 0, \\ \frac{\pi}{2} & , n > 0 \end{cases}$$

First polynomials:

$$T_0(x) = 1, T_1(x) = x, T_2(x) = 2x^2 - 1, T_3(x) = 4x^3 - 3x, T_4(x) = 8x^4 - 8x^2 + 1$$

$$Z_\nu(x) = J_0(x) :$$

n	λ_k	μ_k	γ
2	$\lambda_1 = -1,$	$\mu_0 = 1, \mu_2 = 1$	-3
3	$\lambda_0 = 4, \lambda_2 = 4$	$\mu_1 = -16, \mu_3 = 1$	0
4	$\lambda_1 = 19, \lambda_3 = 6$	$\mu_0 = -37, \mu_2 = -36, \mu_4 = 1$	81
5	$\lambda_0 = -252, \lambda_2 = -244, \lambda_4 = 8$	$\mu_1 = 912, \mu_3 = -64, \mu_5 = 1$	0
6	$\lambda_1 = -1809, \lambda_3 = -586,$ $\lambda_5 = 10$	$\mu_0 = 3517, \mu_2 = 3416,$ $\mu_4 = -100, \mu_6 = 1$	-7651
7	$\lambda_0 = 35208, \lambda_2 = 34060,$ $\lambda_4 = -1136, \lambda_6 = 12$	$\mu_1 = -127296, \mu_3 = 8944,$ $\mu_5 = -144, \mu_7 = 1$	0
8	$\lambda_1 = 347651, \lambda_3 = 112614,$ $\lambda_5 = -1942, \lambda_7 = 14$	$\mu_0 = -675881, \mu_2 = -656460,$ $\mu_4 = 19224, \mu_6 = -196, \mu_8 = 1$	1470273
9	$\lambda_0 = -8890744, \lambda_2 = -8600812,$ $\lambda_4 = 286864, \lambda_6 = -3052,$ $\lambda_8 = 16$	$\mu_1 = 32144704, \mu_3 = -2258544,$ $\mu_5 = 36368, \mu_7 = -256,$ $\mu_9 = 1$	0
10	$\lambda_1 = -111510593,$ $\lambda_3 = -36121434,$ $\lambda_5 = 622906, \lambda_7 = -4514,$ $\lambda_9 = 18$	$\mu_0 = 216791801,$ $\mu_2 = 210562416,$ $\mu_4 = -6166188, \mu_6 = 62872,$ $\mu_8 = -324, \mu_{10} = 1$	-471596451

$$Z_\nu(x) = I_0(x) :$$

n	λ_k	μ_k	γ
2	$\lambda_1 = -1,$	$\mu_0 = 1, \mu_2 = 1$	1
3	$\lambda_0 = -4, \lambda_2 = -4$	$\mu_1 = 16, \mu_3 = 1$	0
4	$\lambda_1 = -17, \lambda_3 = -6$	$\mu_0 = 35, \mu_2 = 36, \mu_4 = 1$	65
5	$\lambda_0 = -260, \lambda_2 = -268, \lambda_4 = -8$	$\mu_1 = 1136, \mu_3 = 64, \mu_5 = 1$	0
6	$\lambda_1 = -1793, \lambda_3 = -614,$ $\lambda_5 = -10$	$\mu_0 = 3685, \mu_2 = 3784,$ $\mu_4 = 100, \mu_6 = 1$	6785
7	$\lambda_0 = -38536, \lambda_2 = -39692,$ $\lambda_4 = -1168, \lambda_6 = -12$	$\mu_1 = 168256, \mu_3 = 9488,$ $\mu_5 = 144, \mu_7 = 1$	0

n	λ_k	μ_k	γ
8	$\lambda_1 = -358049, \lambda_3 = -122614,$ $\lambda_5 = -1978, \lambda_7 = -14$	$\mu_0 = -735879, \mu_2 = 755660,$ $\mu_4 = 19976, \mu_6 = 196, \mu_8 = 1$	1355009
9	$\lambda_0 = -9996680, \lambda_2 = -10296596,$ $\lambda_4 = -302992, \lambda_6 = -3052,$ $\lambda_8 = -16$	$\mu_1 = 43647680, \mu_3 = 43647680,$ $\mu_5 = 43647680, \mu_7 = 256,$ $\mu_9 = 1$	0
10	$\lambda_1 = -117155329,$ $\lambda_3 = -40119878,$ $\lambda_5 = -40119878, \lambda_7 = -4558,$ $\lambda_9 = -18$	$\mu_0 = 240783081,$ $\mu_2 = 247255504,$ $\mu_4 = 6536236, \mu_6 = 64136,$ $\mu_8 = 324, \mu_{10} = 1$	443365249

$Z_\nu(x) = K_0(x) :$

n	λ_k	μ_k	γ
2	$\lambda_1 = -1,$	$\mu_0 = -1, \mu_2 = -1$	1
3	$\lambda_0 = -4, \lambda_2 = -4$	$\mu_1 = -16, \mu_3 = -1$	0
4	$\lambda_1 = -17, \lambda_3 = -6$	$\mu_0 = -35, \mu_2 = -36, \mu_4 = -1$	65
5	$\lambda_0 = -260, \lambda_2 = -268, \lambda_4 = -8$	$\mu_1 = -1136, \mu_3 = -64, \mu_5 = -1$	0
6	$\lambda_1 = -1793, \lambda_3 = -614,$ $\lambda_5 = -10$	$\mu_0 = -3685, \mu_2 = -3784,$ $\mu_4 = -100, \mu_6 = -1$	6785
7	$\lambda_0 = -38536, \lambda_2 = -39692,$ $\lambda_4 = -1186, \lambda_6 = -12$	$\mu_1 = -168256, \mu_3 = -9488,$ $\mu_5 = -144, \mu_7 = -1$	0
8	$\lambda_1 = -358049, \lambda_3 = -122614,$ $\lambda_5 = -1978, \lambda_7 = -14$	$\mu_0 = -735879, \mu_2 = -755660,$ $\mu_4 = -19976, \mu_6 = -196, \mu_8 = -1$	1470273
9	$\lambda_0 = -9996680, \lambda_2 = -10296596,$ $\lambda_4 = -302992, \lambda_6 = -3092,$ $\lambda_8 = -16$	$\mu_1 = -43647680, \mu_3 = -2461296,$ $\mu_5 = -37360, \mu_7 = -256,$ $\mu_9 = -1$	0
10	$\lambda_1 = -117155329,$ $\lambda_3 = -40119878,$ $\lambda_5 = -647210, \lambda_7 = -4558,$ $\lambda_9 = -18$	$\mu_0 = -240783081,$ $\mu_2 = -247255504,$ $\mu_4 = -6536236, \mu_6 = -64136,$ $\mu_8 = -324, \mu_{10} = -1$	443365249

$Z_\nu(x) = J_1(x) :$

n	λ_k	μ_k	γ
2	$\lambda_2 = -1,$	$\mu_1 = 4,$	0
3	$\lambda_1 = -3, \lambda_3 = -1$	$\mu_0 = 6, \mu_2 = 6$	-15
4	$\lambda_0 = 32, \lambda_2 = 32, \lambda_4 = -1$	$\mu_1 = -120, \mu_3 = 8$	0
5	$\lambda_1 = 185, \lambda_3 = 60, \lambda_5 = -1$	$\mu_0 = -360, \mu_2 = -350, \mu_4 = 10$	785
6	$\lambda_0 = -2976, \lambda_2 = -2880, \lambda_4 = 96, \lambda_6 = -1$	$\mu_1 = 10764, \mu_3 = -756, \mu_5 = 12$	0
7	$\lambda_1 = -25067, \lambda_3 = -8120, \lambda_5 = 140,$ $\lambda_7 = -1,$	$\mu_0 = 48734, \mu_2 = 47334,$ $\mu_4 = -1386, \mu_6 = 14,$	-106015
8	$\lambda_0 = 559360, \lambda_2 = 541120,$ $\lambda_4 = -18048, \lambda_6 = 192, \lambda_8 = -1$	$\mu_1 = -2022384, \mu_3 = 142096,$ $\mu_5 = -2288, \mu_7 = 16$	0
9	$\lambda_1 = 6225489, \lambda_3 = 2016612,$ $\lambda_5 = -34776, \lambda_7 = 252,$ $\lambda_9 = -1$	$\mu_0 = -12103200,$ $\mu_2 = -11755422, \mu_4 = 344250,$ $\mu_6 = -3510, \mu_8 = 18$	26328609
10	$\lambda_0 = -177115680, \lambda_2 = -171339840,$ $\lambda_4 = 5714720, \lambda_6 = -60800,$ $\lambda_8 = 320, \lambda_{10} = -1,$	$\mu_1 = 640366100,$ $\mu_3 = -44993260,$ $\mu_5 = 724500, \mu_7 = -5100,$ $\mu_9 = 20$	0

$$Z_\nu(x) = I_1(x) :$$

n	λ_k	μ_k	γ
2	$\lambda_2 = 1,$	$\mu_1 = -4,$	0
3	$\lambda_1 = 3, \lambda_3 = 1$	$\mu_0 = -6, \mu_2 = -6$	-9
4	$\lambda_0 = 32, \lambda_2 = 32, \lambda_4 = 1$	$\mu_1 = -136, \mu_3 = -8$	0
5	$\lambda_1 = 175, \lambda_3 = 60, \lambda_5 = 1$	$\mu_0 = -360, \mu_2 = -370, \mu_4 = -10$	-665
6	$\lambda_0 = 3168, \lambda_2 = 3264, \lambda_4 = 96, \lambda_6 = 1$	$\mu_1 = -13836, \mu_3 = -780, \mu_5 = -12$	0
7	$\lambda_1 = 25347, \lambda_3 = 8680, \lambda_5 = 140,$ $\lambda_7 = 1,$	$\mu_0 = -52094, \mu_2 = -53494,$ $\mu_4 = -1414, \mu_6 = -14,$	-95921
8	$\lambda_0 = 620800, \lambda_2 = 639424,$ $\lambda_4 = 18816, \lambda_6 = 192, \lambda_8 = 1$	$\mu_1 = -2710544, \mu_3 = -152848,$ $\mu_5 = -2320, \mu_7 = -16$	0
9	$\lambda_1 = 6477471, \lambda_3 = 2218212,$ $\lambda_5 = 35784, \lambda_7 = 252,$ $\lambda_9 = 1$	$\mu_0 = -13312800,$ $\mu_2 = -13670658, \mu_4 = -361386,$ $\mu_6 = -3546, \mu_8 = -18$	-24513489
10	$\lambda_0 = 200709600, \lambda_2 = 206731200,$ $\lambda_4 = 6083360, \lambda_6 = 62080,$ $\lambda_8 = 320, \lambda_{10} = 1,$	$\mu_1 = 62080,$ $\mu_3 = -49416980,$ $\mu_5 = -750100, \mu_7 = -5140,$ $\mu_9 = -20$	0

$$Z_\nu(x) = K_1(x) :$$

n	λ_k	μ_k	γ
2	$\lambda_2 = -1,$	$\mu_1 = -4,$	0
3	$\lambda_1 = -3, \lambda_3 = -1$	$\mu_0 = -6, \mu_2 = -6$	9
4	$\lambda_0 = -32, \lambda_2 = -32, \lambda_4 = -1$	$\mu_1 = -136, \mu_3 = -8$	0
5	$\lambda_1 = -175, \lambda_3 = -60, \lambda_5 = -1$	$\mu_0 = -360, \mu_2 = -370, \mu_4 = -10$	665
6	$\lambda_0 = -3168, \lambda_2 = -3264, \lambda_4 = -96, \lambda_6 = -1$	$\mu_1 = -13836, \mu_3 = -780, \mu_5 = -12$	0
7	$\lambda_1 = -25347, \lambda_3 = -8680, \lambda_5 = -140,$ $\lambda_7 = -1,$	$\mu_0 = -52094, \mu_2 = -53494,$ $\mu_4 = -1414, \mu_6 = -14,$	95921
8	$\lambda_0 = -620800, \lambda_2 = -639424,$ $\lambda_4 = -18816, \lambda_6 = -192, \lambda_8 = -1$	$\mu_1 = -2710544, \mu_3 = -152848,$ $\mu_5 = -152848, \mu_7 = -16$	0
9	$\lambda_1 = -6477471, \lambda_3 = -2218212,$ $\lambda_5 = -35784, \lambda_7 = -252,$ $\lambda_9 = -1$	$\mu_0 = -13312800,$ $\mu_2 = -13670658, \mu_4 = -361386,$ $\mu_6 = -3546, \mu_8 = -18$	24513489
10	$\lambda_0 = -200709600, \lambda_2 = -206731200,$ $\lambda_4 = -6083360, \lambda_6 = -62080,$ $\lambda_8 = -320, \lambda_{10} = -1,$	$\mu_1 = -876341780,$ $\mu_3 = -49416980,$ $\mu_5 = -750100, \mu_7 = -5140,$ $\mu_9 = -20$	0

b) Chebyshev Polynomials of the Second Kind $U_n(x)$:

$$\int_{-1}^1 \sqrt{1-x^2} U_n^2(x) dx = \frac{\pi}{2}$$

First polynomials:

$$U_0(x) = 1, U_1(x) = 2x, U_2(x) = 4x^2 - 1, U_3(x) = 8x^3 - 4x, U_4(x) = 16x^4 - 12x^2 + 1$$

$$Z_\nu(x) = J_0(x) :$$

n	λ_k	μ_k	γ
1	—	$\mu_1 = 1,$	0
2	$\lambda_1 = -1/2,$	$\mu_0 = 1, \mu_2 = 1$	-5
3	$\lambda_0 = 4, \lambda_2 = 4$	$\mu_1 = -16, \mu_3 = 1$	0
4	$\lambda_1 = 25/2, \lambda_3 = 6$	$\mu_0 = -37, \mu_2 = -36, \mu_4 = 1$	157
5	$\lambda_0 = -256, \lambda_2 = -248, \lambda_4 = 8$	$\mu_1 = 960, \mu_3 = -64, \mu_5 = 1,$	0
6	$\lambda_1 = -2421/2, \lambda_3 = -590, \lambda_5 = 10$	$\mu_0 = 3581, \mu_2 = 3480, \mu_4 = -100$ $\mu_6 = 1,$	-15145
7	$\lambda_0 = 36100, \lambda_2 = 34948,$ $\lambda_4 = -1140, \lambda_6 = 12$	$\mu_1 = -135280, \mu_3 = 9024$ $\mu_5 = -144, \mu_7 = 1$	0
8	$\lambda_1 = 467653/2, \lambda_3 = 113966$ $\lambda_5 = -1946, \lambda_7 = 14$	$\mu_0 = -691721, \mu_2 = -672204,$ $\mu_4 = 19320, \mu_6 = -196, \mu_8 = 1$	2925401
9	$\lambda_0 = -9144576, \lambda_2 = -8852728,$ $\lambda_4 = 288776, \lambda_6 = -3056, \lambda_8 = 16$	$\mu_1 = 34267968, \mu_3 = -2285888,$ $\mu_5 = 36480, \mu_7 = -256, \mu_9 = 1$	0
10	$\lambda_1 = -150310665/2, \lambda_3 = -36630374,$ $\lambda_5 = 625474, \lambda_7 = -4518,$ $\lambda_9 = 18$	$\mu_0 = 222329465, \mu_2 = 216056400,$ $\mu_4 = -6209740, \mu_6 = 63000,$ $\mu_8 = -324, \mu_{10} = 1$	-940267501

$$Z_\nu(x) = I_0(x) :$$

n	λ_k	μ_k	γ
1	—	$\mu_1 = 1,$	0
2	$\lambda_1 = -1/2,$	$\mu_0 = 1, \mu_2 = 1$	3
3	$\lambda_0 = -4, \lambda_2 = -4$	$\mu_1 = 16, \mu_3 = 1$	0
4	$\lambda_1 = -23/2, \lambda_3 = -6$	$\mu_0 = 35, \mu_2 = 36, \mu_4 = 1$	133
5	$\lambda_0 = -256, \lambda_2 = -264, \lambda_4 = -8$	$\mu_1 = 1880, \mu_3 = 64, \mu_5 = 1,$	0
6	$\lambda_1 = -2381/2, \lambda_3 = -610, \lambda_5 = -10$	$\mu_0 = 3621, \mu_2 = 3720, \mu_4 = 100$ $\mu_6 = 1,$	13703
7	$\lambda_0 = -37636, \lambda_2 = -38788,$ $\lambda_4 = -1164, \lambda_6 = -12$	$\mu_1 = 159856, \mu_3 = 9408$ $\mu_5 = 144, \mu_7 = 1$	0
8	$\lambda_1 = -473251/2, \lambda_3 = -121246$ $\lambda_5 = -1974, \lambda_7 = -14$	$\mu_0 = 719719, \mu_2 = 739404,$ $\mu_4 = 19880, \mu_6 = 196, \mu_8 = 1$	2723721
9	$\lambda_0 = -9734400, \lambda_2 = -10032392,$ $\lambda_4 = -10032392, \lambda_6 = -3088, \lambda_8 = -16$	$\mu_1 = 41346240, \mu_3 = 2433344,$ $\mu_5 = 37248, \mu_7 = 256, \mu_9 = 1$	0
10	$\lambda_1 = -154544153/2, \lambda_3 = -39593914,$ $\lambda_5 = -644626, \lambda_7 = -4554,$ $\lambda_9 = -18$	$\mu_0 = 235030377, \mu_2 = 241458672,$ $\mu_4 = 6491980, \mu_6 = 64008,$ $\mu_8 = 324, \mu_{10} = 1$	889454219

$$Z_\nu(x) = K_0(x) :$$

n	λ_k	μ_k	γ
1	—	$\mu_1 = -1,$	0
2	$\lambda_1 = -1/2,$	$\mu_0 = -1, \mu_2 = -1$	3
3	$\lambda_0 = -4, \lambda_2 = -4$	$\mu_1 = -16, \mu_3 = -1$	0
4	$\lambda_1 = -23/2, \lambda_3 = -6$	$\mu_0 = -35, \mu_2 = -36, \mu_4 = -1$	133
5	$\lambda_0 = -256, \lambda_2 = -264, \lambda_4 = -8$	$\mu_1 = -1088, \mu_3 = -64, \mu_5 = -1,$	0
6	$\lambda_1 = -2381/2, \lambda_3 = -610, \lambda_5 = -10$	$\mu_0 = -3621, \mu_2 = -3720, \mu_4 = -100$ $\mu_6 = -1,$	13703

n	λ_k	μ_k	γ
7	$\lambda_0 = -37636, \lambda_2 = -38788,$ $\lambda_4 = -1164, \lambda_6 = -12$	$\mu_1 = -159856, \mu_3 = -9408$ $\mu_5 = -144, \mu_7 = -1$	0
8	$\lambda_1 = -473251/2, \lambda_3 = -121246$ $\lambda_5 = -1974, \lambda_7 = -14$	$\mu_0 = -719719, \mu_2 = -739404,$ $\mu_4 = -19880, \mu_6 = -196, \mu_8 = -1$	2723721
9	$\lambda_0 = 2723721, \lambda_2 = -10032392,$ $\lambda_4 = -301064, \lambda_6 = -3088, \lambda_8 = -16$	$\mu_1 = -41346240, \mu_3 = -2433344,$ $\mu_5 = -37248, \mu_7 = -256, \mu_9 = -1$	0
10	$\lambda_1 = -154544153/2, \lambda_3 = -39593914,$ $\lambda_5 = -644626, \lambda_7 = -4554,$ $\lambda_9 = -18$	$\mu_0 = -235030377, \mu_2 = -241458672,$ $\mu_4 = -6491980, \mu_6 = -64008,$ $\mu_8 = -324, \mu_{10} = -1$	889454219

$$Z_\nu(x) = J_1(x) :$$

n	λ_k	μ_k	γ
1	-	-	2
2	$\lambda_2 = -1$	$\mu_1 = 4$	0
3	$\lambda_1 = -2, \lambda_3 = -1$	$\mu_0 = 6, \mu_2 = 6$	-28
4	$\lambda_0 = 32, \lambda_2 = 32, \lambda_4 = -1$	$\mu_1 = -124, \mu_3 = 8$	0
5	$\lambda_1 = 123, \lambda_3 = 60, \lambda_5 = -1$	$\mu_0 = -364, \mu_2 = -354, \mu_4 = 10$	1542
6	$\lambda_0 = -3040, \lambda_2 = -2944, \lambda_4 = 96, \lambda_6 = -1$	$\mu_1 = 11396, \mu_3 = -760, \mu_5 = 12$	0
7	$\lambda_1 = -16824, \lambda_3 = -8200, \lambda_5 = 140,$ $\lambda_7 = -1$	$\mu_0 = 49770, \mu_2 = 48366,$ $\mu_4 = -1390, \mu_6 = 14$	-210488
8	$\lambda_0 = 574560, \lambda_2 = 574560, \lambda_4 = -18144,$ $\lambda_6 = 192, \lambda_8 = -1$	$\mu_1 = -2153084, \mu_3 = 143624,$ $\mu_5 = -2292, \mu_7 = 16$	0
9	$\lambda_1 = 4192053, \lambda_3 = 2043188,$ $\lambda_5 = -34888, \lambda_7 = 252, \lambda_9 = -1$	$\mu_0 = -12401208, \mu_2 = -12051306,$ $\mu_4 = 346370, \mu_6 = -3514, \mu_8 = 18$	52446730
10	$\lambda_0 = -182316960, \lambda_2 = -176498336,$ $\lambda_4 = 5757376, \lambda_6 = -60928,$ $\lambda_8 = 320, \lambda_{10} = -1$	$\mu_1 = 683206276, \mu_3 = -45574136,$ $\mu_5 = 727308, \mu_7 = -5104, \mu_9 = 20$	0

$$Z_\nu(x) = I_1(x) :$$

n	λ_k	μ_k	γ
1	-	-	-2
2	$\lambda_2 = 1$	$\mu_1 = -4$	0
3	$\lambda_1 = 2, \lambda_3 = 1$	$\mu_0 = -6, \mu_2 = -6$	-20
4	$\lambda_0 = 32, \lambda_2 = 32, \lambda_4 = 1$	$\mu_1 = -132, \mu_3 = -8$	0
5	$\lambda_1 = 117, \lambda_3 = 60, \lambda_5 = 1$	$\mu_0 = -356, \mu_2 = -366, \mu_4 = -10$	-1350
6	$\lambda_0 = 3104, \lambda_2 = 3200, \lambda_4 = 96, \lambda_6 = 1$	$\mu_1 = -13188, \mu_3 = -776, \mu_5 = -12$	0
7	$\lambda_1 = 16784, \lambda_3 = 8600, \lambda_5 = 140,$ $\lambda_7 = 1$	$\mu_0 = -51050, \mu_2 = -51050,$ $\mu_4 = -1410, \mu_6 = -14$	-193192
8	$\lambda_0 = 605280, \lambda_2 = 623808, \lambda_4 = 18720,$ $\lambda_6 = 192, \lambda_8 = 1$	$\mu_1 = -2570884, \mu_3 = -2570884,$ $\mu_5 = -2316, \mu_7 = -16$	0
9	$\lambda_1 = 4276043, \lambda_3 = 2191028,$ $\lambda_5 = 35672, \lambda_7 = 252, \lambda_9 = 1$	$\mu_0 = -13005992, \mu_2 = -13361718,$ $\mu_4 = -359250, \mu_6 = -359250, \mu_8 = -18$	-49220170
10	$\lambda_0 = 195293280, \lambda_2 = 201271648,$ $\lambda_4 = 6040000, \lambda_6 = 61952,$ $\lambda_8 = 320, \lambda_{10} = 1$	$\mu_1 = -829495684, \mu_3 = -48818184,$ $\mu_5 = -747276, \mu_7 = -5136, \mu_9 = -20$	0

$Z_\nu(x) = K_1(x) :$

n	λ_k	μ_k	γ
1	–	–	2
2	$\lambda_2 = -1$	$\mu_1 = -4$	0
3	$\lambda_1 = -2, \lambda_3 = -1$	$\mu_0 = -6, \mu_2 = -6$	20
4	$\lambda_0 = -32, \lambda_2 = -32, \lambda_4 = -1$	$\mu_1 = -132, \mu_3 = -8$	0
5	$\lambda_1 = -117, \lambda_3 = -60, \lambda_5 = -1$	$\mu_0 = -356, \mu_2 = -366, \mu_4 = -10$	1350
6	$\lambda_0 = -3104, \lambda_2 = -3200, \lambda_4 = -96, \lambda_6 = -1$	$\mu_1 = -13188, \mu_3 = -776, \mu_5 = -12$	0
7	$\lambda_1 = -16784, \lambda_3 = -8600, \lambda_5 = -140,$ $\lambda_7 = -1$	$\mu_0 = -51050, \mu_2 = -52446,$ $\mu_4 = -1410, \mu_6 = -14$	-52446
8	$\lambda_0 = -605280, \lambda_2 = -623808, \lambda_4 = -623808,$ $\lambda_6 = -192, \lambda_8 = -1$	$\mu_1 = -623808, \mu_3 = -151304,$ $\mu_5 = -2316, \mu_7 = -16$	0
9	$\lambda_1 = -4276043, \lambda_3 = -2191028,$ $\lambda_5 = -35672, \lambda_7 = -252, \lambda_9 = -1$	$\mu_0 = -13005992, \mu_2 = -13361718,$ $\mu_4 = -359250, \mu_6 = -3542, \mu_8 = -18$	49220170
10	$\lambda_0 = -195293280, \lambda_2 = -195293280,$ $\lambda_4 = -6040000, \lambda_6 = -61952,$ $\lambda_8 = -320, \lambda_{10} = -1$	$\mu_1 = -829495684, \mu_3 = -48818184,$ $\mu_5 = -48818184, \mu_7 = -5136, \mu_9 = -20$	0

d) Ultraspherical (Gegenbauer) Polynomials $C_n^{(\alpha)}(x)$:

$$\int_{-1}^1 (1-x^2)^{\alpha-1/2} [C_n^{(\alpha)}(x)]^2 dx = \frac{\pi 2^{1-2\alpha} \Gamma(n+2\alpha)}{n!(n+\alpha) [\Gamma(\alpha)]^2}, \quad \alpha > -1/2, \alpha \neq 0$$

First polynomials:

$$C_0^{(\alpha)}(x) = 1, C_1^{(\alpha)}(x) = 2\alpha x, C_2^{(\alpha)}(x) = 2\alpha(\alpha+1)x^2 - \alpha, C_3^{(\alpha)}(x) = \frac{\alpha(\alpha+1)[4(\alpha+2)x^2 - 6]x}{3},$$

$$C_4^{(\alpha)}(x) = \frac{\alpha(\alpha+1)[4(\alpha+2)(\alpha+3)x^4 - 12(\alpha+2)x^2 + 3]}{6}$$

$Z_\nu(x) = J_0(x) :$

n	λ_k	μ_k	γ
1	–	$\mu_1 = 1$	0
2	$\lambda_1 = -1/2,$	$\mu_0 = \alpha, \mu_2 = 1$	$-\alpha(2\alpha+3)$
3	$\lambda_0 = 4\alpha(\alpha+2)/3, \lambda_2 = (4\alpha+8)/3$	$\mu_1 = -8(\alpha+1)(\alpha+2)/3, \mu_3 = 1$	0
4	$\lambda_1 = (6\alpha+19)(\alpha+1)/4,$ $\lambda_3 = 3(\alpha+3)/2,$	$\mu_0 = -\alpha(6\alpha^2+31\alpha+37)/2,$ $\mu_2 = -3(\alpha+2)(\alpha+3), \mu_4 = 1$	$\frac{\alpha(\alpha+1) \cdot (12\alpha^2+64\alpha+81)}{2}$
5	$\lambda_0 = -8\alpha(\alpha+3)(8\alpha^2+49\alpha+63)/15,$ $\lambda_2 = -4(\alpha+2)(16\alpha^2+111\alpha+183)/15,$ $\lambda_4 = (8\alpha+32)/15$	$\mu_1 = 8(\alpha+1)(\alpha+3) \cdot (16\alpha^2+95\alpha+114)/15,$ $\mu_3 = -16(\alpha+3)(\alpha+4)/5,$ $\mu_5 = 1$	0
6	$\lambda_1 = -(\alpha+1)(60\alpha^3+728\alpha^2+2857\alpha+3618)/12,$ $\lambda_3 = -(\alpha+3) \cdot (30\alpha^2+269\alpha+586)/6,$ $\lambda_5 = (5\alpha+25)/3,$	$\mu_0 = \alpha(60\alpha^4+848\alpha^3+4303\alpha^2+9241\alpha+7034)/6,$ $\mu_2 = (\alpha+2)(\alpha+4) \cdot (30\alpha^2+239\alpha+427)/3,$ $\mu_4 = -10(\alpha+4)(\alpha+5)/3, \mu_6 = 1$	$-\alpha(\alpha+1)(\alpha+2) \cdot (120\alpha^3+1476\alpha^2+5898\alpha+7651)/6$

n	λ_k, μ_k, γ
7	$\lambda_0 = 4\alpha(\alpha+4)(384\alpha^4 + 6184\alpha^3 + 35060\alpha^2 + 81882\alpha + 66015)/105$ $\lambda_2 = 4(\alpha+2)(384\alpha^4 + 6880\alpha^3 + 44878\alpha^2 + 125928\alpha + 127725)/105$ $\lambda_4 = -4(\alpha+4)(48\alpha^2 + 527\alpha + 1420)/35, \lambda_6 = 12(3\alpha^3 + 6)/7$ $\mu_1 = -8(\alpha+4)(\alpha+1)(384\alpha^4 + 6112\alpha^3 + 34046\alpha^2 + 77343\alpha + 59670)/105$ $\mu_3 = 8(\alpha+3)(\alpha+5)(48\alpha^2 + 479\alpha + 1118)/35$ $\mu_5 = -24(\alpha+5)(\alpha+6)/7, \mu_7 = 1$ $\gamma = 0$
8	$\lambda_1 = (\alpha+1)(840\alpha^5 + 21100\alpha^4 + 207050\alpha^3 + 990585\alpha^2 + 2306355\alpha + 2085906)/48$ $\lambda_3 = (\alpha+3)(420\alpha^4 + 9220\alpha^3 + 74459\alpha^2 + 261855\alpha + 337842)/24$ $\lambda_5 = -(\alpha+5)(70\alpha^2 + 909\alpha + 2913)/12, \lambda_7 = 7(\alpha+7)/4$ $\mu_0 = -\alpha(22780\alpha^5 + 249110\alpha^4 + 1401593\alpha^3 + 4262368\alpha^2 + 840\alpha^6 + 6609327\alpha + 4055286)/24$ $\mu_2 = -(\alpha+2)(\alpha+5)(420\alpha^4 + 8380\alpha^3 + 60079\alpha^2 + 182319\alpha + 196938)/12$ $\mu_4 = (\alpha+4)(\alpha+6)(70\alpha^2 + 839\alpha + 2403)/6, \mu_6 = -7(\alpha+6)(\alpha+7)/2$ $\gamma = \alpha(\alpha+3)(\alpha+2)(\alpha+1)(1680\alpha^4 + 37440\alpha^3 + 307992\alpha^2 + 1108016\alpha + 1470273)/24$
9	$\lambda_0 = -16\alpha(\alpha+5)(3072\alpha^6 + 92448\alpha^5 + 1111896\alpha^4 + 6804152\alpha^3 + 22211724\alpha^2 + 36455425\alpha + 23338203)/945$ $\lambda_2 = -4(\alpha+2)(12288\alpha^6 + 404352\alpha^5 + 5416248\alpha^4 + 37733036\alpha^3 + 143879274\alpha^2 + 283935817\alpha + 225771315)/945$ $\lambda_4 = 8(\alpha+4)(768\alpha^4 + 19944\alpha^3 + 191615\alpha^2 + 806754\alpha + 1255030)/315$ $\lambda_6 = -4(\alpha+6)(96\alpha^2 + 1439\alpha + 5341)/63, \lambda_8 = 16(\alpha+8)/9$ $\mu_1 = 16(\alpha+1)(\alpha+5)(6144\alpha^6 + 183744\alpha^5 + 2191452\alpha^4 + 13256458\alpha^3 + 42576930\alpha^2 + 68258003\alpha + 42189924)/945$ $\mu_3 = -8(\alpha+3)(\alpha+6)(1536\alpha^4 + 36816\alpha^3 + 321406\alpha^2 + 1207917\alpha + 1646855)/315$ $\mu_5 = 8(\alpha+5)(\alpha+7)(96\alpha^2 + 1343\alpha + 4546)/63$ $\mu_7 = -32(\alpha+7)(\alpha+8)/9, \mu_9 = 1$ $\gamma = 0$
10	$\lambda_1 = -(\alpha+1)(15120\alpha^7 + 636720\alpha^6 + 11259512\alpha^5 + 108253632\alpha^4 + 610299361\alpha^3 + 2014357569\alpha^2 + 3597563754\alpha + 2676254232)/240$ $\lambda_3 = -(\alpha+3)(7560\alpha^6 + 294420\alpha^5 + 4699778\alpha^4 + 39326439\alpha^3 + 181752061\alpha^2 + 439373754\alpha + 433457208)/120$ $\lambda_5 = (\alpha+5)(1260\alpha^4 + 37772\alpha^3 + 420377\alpha^2 + 2057895\alpha + 3737436)/60$ $\lambda_7 = (\alpha+5)(1260\alpha^4 + 37772\alpha^3 + 420377\alpha^2 + 2057895\alpha + 3737436)/20,$ $\lambda_9 = 9(\alpha+9)/5$ $\mu_0 = \alpha(15120\alpha^8 + 666960\alpha^7 + 12530432\alpha^6 + 130674180\alpha^5 + 825228251\alpha^4 + 3221684250\alpha^3 + 7564578353\alpha^2 + 9721155030\alpha + 5203003224)/120$ $\mu_2 = (\alpha+2)(\alpha+6)(7560\alpha^6 + 271740\alpha^5 + 3950078\alpha^4 + 29637161\alpha^3 + 120690694\alpha^2 + 252184351\alpha + 210562416)/60$ $\mu_4 = -(\alpha+4)(\alpha+7)(1260\alpha^4 + 35252\alpha^3 + 362095\alpha^2 + 1616046\alpha + 2642652)/30$ $\mu_6 = (\alpha+6)(\alpha+8)(126\alpha^2 + 2015\alpha + 7859)/10$ $\mu_8 = -18(\alpha+8)(\alpha+9)/5, \mu_{10} = 1$ $\gamma = -\alpha(\alpha+1)(\alpha+2)(\alpha+3)(\alpha+4)(30240\alpha^5 + 1066800\alpha^4 + 14886000\alpha^3 + 102678120\alpha^2 + 350009890\alpha + 471596451)/120$

$$Z_\nu(x) = I_0(x), K_0(x) : \quad \text{Let} \quad s = \begin{cases} 1 & , \quad Z_\nu(x) = I_\nu(x) \\ -1 & , \quad Z_\nu(x) = K_\nu(x) \end{cases} .$$

n	λ_k	μ_k	γ
1	-	$\mu_1 = s$	0
2	$\lambda_1 = -1/2,$	$\mu_0 = s\alpha, \mu_2 = s$	$\alpha(2\alpha+1)$
3	$\lambda_0 = -4\alpha(\alpha+2)/3, \lambda_2 = -(4\alpha+8)/3$	$\mu_1 = 8s(\alpha+1)(\alpha+2)/3, \mu_3 = s$	0
4	$\lambda_1 = -(6\alpha+17)(\alpha+1)/4,$ $\lambda_3 = -3(\alpha+3)/2,$	$\mu_0 = s\alpha(2\alpha+5)(3\alpha+7)/2,$ $\mu_2 = 3s(\alpha+2)(\alpha+3), \mu_4 = s$	$\alpha(\alpha+1) \cdot$ $\cdot(2\alpha+5)(6\alpha+13)/2$

n	λ_k, μ_k, γ
5	$\lambda_0 = -8\alpha(\alpha+3)(8\alpha^2+47\alpha+65)/15$ $\lambda_2 = -4(\alpha+2)(16\alpha^2+113\alpha+201)/15, \lambda_4 = -(8\alpha+32)/15$ $\mu_1 = 8s(\alpha+1)(\alpha+3)(16\alpha^2+97\alpha+142)/15$ $\mu_3 = 16s(\alpha+3)(\alpha+4)/5, \mu_5 = s$ $\gamma = 0$
6	$\lambda_1 = -(\alpha+1)(60\alpha^3+712\alpha^2+2785\alpha+3586)/12$ $\lambda_3 = -(\alpha+3)(30\alpha^2+271\alpha+614)/6$ $\lambda_5 = -(5\alpha+25)/3$ $\mu_0 = s\alpha(60\alpha^4+832\alpha^3+4219\alpha^2+9245\alpha+7370)/6$ $\mu_2 = s(\alpha+2)(\alpha+4)(30\alpha^2+271\alpha+614)/6$ $\mu_4 = 10s(\alpha+4)(\alpha+5)/3, \mu_6 = s$ $\gamma = \alpha(\alpha+1)(\alpha+2)(120\alpha^3+1404\alpha^2+5394\alpha+6785)/6$
7	$\lambda_0 = -4\alpha(\alpha+4)(384\alpha^4+6104\alpha^3+34836\alpha^2+84010\alpha+72255)/105$ $\lambda_2 = -4(\alpha+2)(384\alpha^4+6944\alpha^3+46510\alpha^2+136712\alpha+148845)/105$ $\lambda_4 = -4(\alpha+4)(48\alpha^2+529\alpha+1460)/35, \lambda_6 = -12(\alpha+6)/7$ $\mu_1 = 8s(\alpha+1)(\alpha+4)(2\alpha+5)(192\alpha^3+2608\alpha^2+11399\alpha+15774)/105$ $\mu_3 = 8s(\alpha+3)(\alpha+5)(48\alpha^2+481\alpha+1186)/35$ $\mu_5 = 24s(\alpha+5)(\alpha+6)/7, \mu_7 = s$ $\gamma = 0$
8	$\lambda_1 = -(\alpha+1)(840\alpha^5+20900\alpha^4+204570\alpha^3+983583\alpha^2+2320825\alpha+2148294)/48$ $\lambda_3 = -(\alpha+3)(420\alpha^4+9260\alpha^3+75899\alpha^2+274055\alpha+367842)/24$ $\lambda_5 = -(\alpha+5)(70\alpha^2+911\alpha+2967)/12, \lambda_7 = -7(\alpha+7)/4$ $\mu_0 = s\alpha(22580\alpha^5+246510\alpha^4+1395791\alpha^3+840\alpha^6+4312956\alpha^2+6879305\alpha+4415274)/24$ $\mu_2 = s(\alpha+2)(\alpha+5)(420\alpha^4+8420\alpha^3+61719\alpha^2+195679\alpha+226698)/12$ $\mu_4 = s(\alpha+4)(\alpha+6)(70\alpha^2+841\alpha+2497)/6, \mu_6 = 7s(\alpha+6)(\alpha+7)/2, \mu_8 = s$ $\gamma = \alpha(\alpha+1)(\alpha+2)(\alpha+3)(1680\alpha^4+36480\alpha^3+293592\alpha^2+1036960\alpha+1355009)/24$
9	$\lambda_0 = -16\alpha(\alpha+5)(3072\alpha^6+91872\alpha^5+1106136\alpha^4+6835828\alpha^3+22787712\alpha^2+38757095\alpha+26241285)/945$ $\lambda_2 = -4(2\alpha+7)(\alpha+2)(6144\alpha^5+181824\alpha^4+2123580\alpha^3+12223112\alpha^2+34636535\alpha+38612235)/945$ $\lambda_4 = -8(\alpha+4)(768\alpha^4+19992\alpha^3+193919\alpha^2+830610\alpha+1325590)/315$ $\lambda_6 = -4(\alpha+6)(96\alpha^2+1441\alpha+5411)/63, \lambda_8 = -16(\alpha+8)/9$ $\mu_1 = 16s(2\alpha+5)(\alpha+5)(\alpha+1)(3072\alpha^5+84768\alpha^4+910302\alpha^3+4735516\alpha^2+11880401\alpha+11457516)/945$ $\mu_3 = 8s(\alpha+6)(\alpha+3)(1536\alpha^4+36912\alpha^3+326782\alpha^2+1261965\alpha+1794695)/315$ $\mu_5 = 8s(\alpha+7)(\alpha+5)(96\alpha^2+1345\alpha+4670)/63$ $\mu_7 = 32s(\alpha+8)(\alpha+7)/9, \mu_9 = s$ $\gamma = 0$
10	$\lambda_1 = -(\alpha+1)(15120\alpha^7+633360\alpha^6+11178872\alpha^5+107665608\alpha^4+610500641\alpha^3+2036115369\alpha^2+3694812314\alpha+2811727896)/240$ $\lambda_3 = -(\alpha+3)(7560\alpha^6+295260\alpha^5+4750178\alpha^4+40279841\alpha^3+189816079\alpha^2+471229966\alpha+481438536)/120$ $\lambda_5 = -(\alpha+5)(1260\alpha^4+37828\alpha^3+423821\alpha^2+2100091\alpha+3883260)/60$ $\lambda_7 = -(\alpha+7)(126\alpha^2+2143\alpha+9116)/20, \lambda_9 = -9(\alpha+9)/5$ $\mu_0 = s\alpha(15120\alpha^8+663600\alpha^7+12448112\alpha^6+130121436\alpha^5+827403511\alpha^4+3270380570\alpha^3+7829197173\alpha^2+10354621774\alpha+5778793944)/120$ $\mu_2 = s(\alpha+6)(\alpha+2)(7560\alpha^6+272580\alpha^5+4002998\alpha^4+30600643\alpha^3+128278422\alpha^2+279464213\alpha+247255504)/60$ $\mu_4 = s(\alpha+7)(\alpha+4)(1260\alpha^4+35308\alpha^3+366183\alpha^2+1664990\alpha+2801244)/30$ $\mu_6 = s(\alpha+8)(\alpha+6)(126\alpha^2+2017\alpha+8017)/10$ $\mu_8 = 18s(\alpha+9)(\alpha+8)/5, \mu_{10} = s$ $\gamma = \alpha(\alpha+4)(\alpha+3)(\alpha+2)(\alpha+1)(30240\alpha^5+1050000\alpha^4+14449200\alpha^3+98461080\alpha^2+332098450\alpha+443365249)/120$

$$Z_\nu(x) = J_1(x) :$$

n	λ_k	μ_k	γ
1	—	—	2α
2	$\lambda_2 = -1,$	$\mu_1 = 2(\alpha + 1),$	0
3	$\lambda_1 = -(\alpha + 1), \lambda_3 = -1$	$\mu_0 = 2\alpha(\alpha + 2), \mu_2 = 2(\alpha + 2)$	$-2\alpha(\alpha + 1)(2\alpha + 5)$
4	$\lambda_0 = 8\alpha(\alpha + 2)(\alpha + 3)/3,$ $\lambda_2 = 8(\alpha + 2)(\alpha + 3)/3, \lambda_4 = -1$	$\mu_1 = -2(\alpha + 1)(8\alpha^2 + 40\alpha + 45)/3,$ $\mu_3 = 2(\alpha + 3)$	0
5	$\lambda_1 = (\alpha + 1)(6\alpha^2 + 43\alpha + 74)/2,$ $\lambda_3 = 3(\alpha + 3)(\alpha + 4), \lambda_5 = -1$	$\mu_0 = -\alpha(\alpha + 3)(6\alpha^2 + 37\alpha + 48),$ $\mu_2 = -2(\alpha + 2)(3\alpha^2 + 21\alpha + 35),$ $\mu_4 = 2(\alpha + 4)$	$6\alpha(\alpha + 1)(\alpha + 2) \cdot$ $\cdot(12\alpha^2 + 88\alpha + 157)$
6	$\lambda_0 = 8\alpha(\alpha + 3)(\alpha + 4) \cdot$ $\cdot(16\alpha^2 + 114\alpha + 155)/15$ $\lambda_2 = -8(\alpha + 2)(\alpha + 4) \cdot$ $\cdot(16\alpha^2 + 127\alpha + 225)/15,$ $\lambda_4 = 16(\alpha + 4)(\alpha + 5)/5, \lambda_6 = -1$ $\lambda_6 = -1$	$\mu_1 = 2(\alpha + 1)(128\alpha^4 + 1784\alpha^3 +$ $+8872\alpha^2 + 18496\alpha + 13455)/15,$ $\mu_3 = -2(\alpha + 3)(4\alpha + 15)(4\alpha + 21),$ $\mu_5 = 2(\alpha + 5)$	0
7	$\lambda_1 = -(\alpha + 1)(60\alpha^4 + 1088\alpha^3 + 7207\alpha^2 + 20631\alpha + 21486)/6$ $\lambda_3 = -(\alpha + 3)(\alpha + 5)(30\alpha^2 + 299\alpha + 696)/3$ $\lambda_5 = 10(\alpha + 5)(\alpha + 6)/3, \lambda_7 = -1$ $\mu_0 = \alpha(\alpha + 4)(60\alpha^4 + 968\alpha^3 + 5501\alpha^2 + 12890\alpha + 10443)/3$ $\mu_2 = 2(\alpha + 2)(30\alpha^4 + 539\alpha^3 + 3528\alpha^2 + 9943\alpha + 10143)/3$ $\mu_4 = -2(\alpha + 4)(10\alpha^2 + 110\alpha + 297)/3, \mu_6 = 2(\alpha + 6)$ $\gamma = -\alpha(\alpha + 1)(\alpha + 2)(\alpha + 3)(120\alpha^3 + 1836\alpha^2 + 9210\alpha + 15145)/3$		
8	$\lambda_0 = 16\alpha(\alpha + 4)(\alpha + 5)(192\alpha^4 + 3476\alpha^3 + 21738\alpha^2 + 54394\alpha + 45885)/105$ $\lambda_2 = 8(\alpha + 2)(\alpha + 5)(384\alpha^4 + 7648\alpha^3 + 54686\alpha^2 + 165307\alpha + 177555)/105$ $\lambda_4 = -8(\alpha + 4)(\alpha + 6)(48\alpha^2 + 575\alpha + 1645)/35$ $\lambda_6 = 24(\alpha + 6)(\alpha + 7)/7, \lambda_8 = -1$ $\mu_1 = -2(\alpha + 1)(3072\alpha^6 + 82688\alpha^5 + 895344\alpha^4 + 4971392\alpha^3 + 14847744\alpha^2 +$ $+22446320\alpha + 13271895)/105$ $\mu_3 = 2(\alpha + 3)(384\alpha^4 + 8440\alpha^3 + 68256\alpha^2 + 240440\alpha + 310835)/35$ $\mu_4 = -2(\alpha + 5)(24\alpha^2 + 312\alpha + 1001)/7, \mu_7 = 2(\alpha + 7)$ $\gamma = 0$		
9	$\lambda_1 = (\alpha + 1)(840\alpha^6 + 27820\alpha^5 + 375610\alpha^4 + 2642633\alpha^3 + 10202207\alpha^2 +$ $+20454222\alpha + 16601304)/24$ $\lambda_3 = (\alpha + 3)(\alpha + 6)(420\alpha^4 + 10060\alpha^3 + 87739\alpha^2 + 329297\alpha + 448136)/12$ $\lambda_5 = -(\alpha + 5)(\alpha + 7)(70\alpha^2 + 979\alpha + 3312)/6, \lambda_7 = 7(\alpha + 7)(\alpha + 8)/2$ $\mu_0 = -\alpha(\alpha + 5)(840\alpha^6 + 25300\alpha^5 + 304610\alpha^4 + 1866591\alpha^3 + 6104665\alpha^2 +$ $+10045370\alpha + 6455040)/12$ $\mu_2 = -(\alpha + 2)(420\alpha^6 + 13840\alpha^5 + 185699\alpha^4 + 1296390\alpha^3 + 4956133\alpha^2 +$ $+9813182\alpha + 7836948)/6$ $\mu_4 = (\alpha + 4)(70\alpha^4 + 1819\alpha^3 + 17489\alpha^2 + 73694\alpha + 114750)/3$ $\mu_6 = -(\alpha + 6)(7\alpha^2 + 105\alpha + 390), \mu_8 = 2(\alpha + 8)$ $\gamma = \alpha(\alpha + 1)(\alpha + 2)(\alpha + 3)(\alpha + 4)(1680\alpha^4 + 44160\alpha^3 + 430392\alpha^2 +$ $+1843040\alpha + 2925401)/12$		
10	$\lambda_0 = -16\alpha(\alpha + 5)(\alpha + 6)(6144\alpha^6 + 203328\alpha^5 + 2666160\alpha^4 + 17587276\alpha^3 + 61053750\alpha^2 +$ $+105127268\alpha + 69739299)/945$ $\lambda_2 = -16(\alpha + 2)(\alpha + 6)(6144\alpha^6 + 220608\alpha^5 + 3202332\alpha^4 + 23982586\alpha^3 + 97424616\alpha^2 +$ $+202902629\alpha + 168662655)/945$ $\lambda_4 = 8(\alpha + 4)(\alpha + 7)(1536\alpha^4 + 42960\alpha^3 + 441070\alpha^2 + 1967321\alpha + 3214530)/315$ $\lambda_6 = -8(\alpha + 6)(\alpha + 8)(96\alpha^2 + 1535\alpha + 5985)/63$ $\lambda_8 = 32(\alpha + 9)(\alpha + 8)/9, \lambda_{10} = -1$ $\mu_1 = 2(\alpha + 1)(98304\alpha^8 + 4316160\alpha^7 + 80617920\alpha^6 + 834540064\alpha^5 + 5220464816\alpha^4 +$ $+20129267600\alpha^3 + 46486591360\alpha^2 + 58394288256\alpha + 30257298225)/945$		

n	λ_k	μ_k	γ
	$\mu_3 = -2(\alpha + 3)(12288\alpha^6 + 478848\alpha^5 + 7649264\alpha^4 + 64060608\alpha^3 + 296357968\alpha^2 + 717278784\alpha + 708643845)/315$ $\mu_5 = 2(\alpha + 5)(768\alpha^4 + 23032\alpha^3 + 256440\alpha^2 + 1255952\alpha + 2282175)/63$ $\mu_7 = -2(\alpha + 7)(32\alpha^2 + 544\alpha + 2295)/9, \mu_9 = 2(\alpha + 9)$ $\gamma = 0$		

$Z_\nu(x) = I_1(x), K_1(x)$ with s defined as on page 195:

n	λ_k	μ_k	γ
1	–	–	$-2s\alpha$
2	$\lambda_2 = s,$	$\mu_1 = -2(\alpha + 1),$	0
3	$\lambda_1 = s(\alpha + 1), \lambda_3 = s$	$\mu_0 = -2\alpha(\alpha + 2), \mu_2 = -2(\alpha + 2)$	$-2s\alpha(\alpha + 1)(2\alpha + 3)$
4	$\lambda_0 = 8s\alpha(\alpha + 2)(\alpha + 3)/3,$ $\lambda_2 = 8s(\alpha + 2)(\alpha + 3)/3, \lambda_4 = s$	$\mu_1 = -2(\alpha + 1)(8\alpha^2 + 40\alpha + 45)/3,$ $\mu_3 = 2(\alpha + 3)$	0
5	$\lambda_1 = s(\alpha + 1)(2\alpha + 7)(3\alpha + 10)/2,$ $\lambda_3 = 3s(\alpha + 3)(\alpha + 4), \lambda_5 = s$	$\mu_0 = -\alpha(\alpha + 3)(6\alpha^2 + 35\alpha + 48),$ $\mu_2 = -2(\alpha + 2)(3\alpha^2 + 21\alpha + 37),$ $\mu_4 = -2(\alpha + 4)$	$-s\alpha(\alpha + 1)(\alpha + 2) \cdot$ $\cdot(2\alpha + 7)(6\alpha + 19)$
6	$\lambda_0 = 8s\alpha(\alpha + 3)(\alpha + 4) \cdot$ $\cdot(16\alpha^2 + 110\alpha + 165)/15$ $\lambda_2 = 8s(\alpha + 2)(\alpha + 4) \cdot$ $\cdot(16\alpha^2 + 129\alpha + 255)/15,$ $\lambda_4 = 16s(\alpha + 4)(\alpha + 5)/5, \lambda_6 = s$	$\mu_1 = -2(\alpha + 1)(2\alpha + 5) \cdot$ $\cdot(64\alpha^3 + 740\alpha^2 + 2802\alpha + 3459)/15,$ $\mu_3 = -2(\alpha + 3) \cdot$ $\cdot(16\alpha^2 + 144\alpha + 325)/5,$ $\mu_5 = -2(\alpha + 5)$	0
7	$\lambda_1 = s(\alpha + 1)(60\alpha^4 + 1072\alpha^3 + 7075\alpha^2 + 20419\alpha + 21726)/6$ $\lambda_3 = s(\alpha + 3)(\alpha + 5)(30\alpha^2 + 301\alpha + 744)/3$ $\lambda_5 = 10s(\alpha + 5)(\alpha + 6)/3, \lambda_7 = s$ $\mu_0 = -\alpha(\alpha + 4)(60\alpha^4 + 952\alpha^3 + 5421\alpha^2 + 13034\alpha + 11163)/3$ $\mu_2 = -2(\alpha + 2)(30\alpha^4 + 541\alpha^3 + 3612\alpha^2 + 10577\alpha + 11463)/3$ $\mu_4 = -2(\alpha + 4)(10\alpha^2 + 110\alpha + 303)/3, \mu_6 = -2(\alpha + 6)$ $\gamma = -s\alpha(\alpha + 1)(\alpha + 2)(\alpha + 3)(120\alpha^3 + 1764\alpha^2 + 8562\alpha + 13703)/3$		
8	$\lambda_0 = 16s\alpha(\alpha + 4)(\alpha + 5)(192\alpha^4 + 3436\alpha^3 + 21738\alpha^2 + 54394\alpha + 45885)/105$ $\lambda_2 = 8s(\alpha + 5)(\alpha + 2)(2\alpha + 7)(192\alpha^3 + 3184\alpha^2 + 17191\alpha + 29973)/105$ $\lambda_4 = 8s(\alpha + 4)(\alpha + 6)(48\alpha^2 + 577\alpha + 1715)/35$ $\lambda_6 = 24s(\alpha + 7)(\alpha + 6), \lambda_8 = s$ $\mu_1 = -2(\alpha + 1)(2\alpha + 5)(1536\alpha^5 + 37760\alpha^4 + 364152\alpha^3 + 1718676\alpha^2 + 3961102\alpha + 3557589)/105$ $\mu_3 = -2(\alpha + 3)(384\alpha^4 + 8456\alpha^3 + 69216\alpha^2 + 249544\alpha + 334355)/35$ $\mu_4 = -2(\alpha + 5)(24\alpha^2 + 312\alpha + 1015)/7, \mu_7 = -2(\alpha + 7)$ $\gamma = 0$		
9	$\lambda_1 = s(\alpha + 1)(840\alpha^6 + 27620\alpha^5 + 372010\alpha^4 + 2624431\alpha^3 + 10217789\alpha^2 + 20796570\alpha + 17273256)/24$ $\lambda_3 = s(\alpha + 3)(\alpha + 6)(420\alpha^4 + 10100\alpha^3 + 89499\alpha^2 + 346057\alpha + 492936)/12$ $\lambda_5 = s(\alpha + 5)(\alpha + 7)(70\alpha^2 + 981\alpha + 3408)/6$ $\lambda_7 = 7s(\alpha + 7)(\alpha + 8)/2, \lambda_9 = s$ $\mu_0 = -\alpha(\alpha + 5)(840\alpha^6 + 25100\alpha^5 + 301890\alpha^4 + 1863189\alpha^3 + 6200255\alpha^2 + 10520550\alpha + 7100160)/12$ $\mu_2 = -(\alpha + 2)(420\alpha^6 + 13880\alpha^5 + 188099\alpha^4 + 1336990\alpha^3 + 5253733\alpha^2 + 10816542\alpha + 9113772)/6$ $\mu_4 = -(\alpha + 4)(70\alpha^4 + 1821\alpha^3 + 17651\alpha^2 + 75546\alpha + 120462)/3$ $\mu_6 = -(\alpha + 6)(7\alpha^2 + 105\alpha + 394), \mu_8 = -2(\alpha + 8)$ $\gamma = -s\alpha(\alpha + 1)(\alpha + 2)(\alpha + 3)(\alpha + 4)(1680\alpha^4 + 43200\alpha^3 + 413112\alpha^2 + 1740304\alpha + 2723721)/12$		

n	λ_k	μ_k	γ	
10	$\lambda_0 = 16s\alpha(\alpha+5)(\alpha+6)(6144\alpha^6 + 202176\alpha^5 + 2654640\alpha^4 + 17692100\alpha^3 + 62786346\alpha^2 + 112260364\alpha + 79029405)/945$ $\lambda_2 = 16s(\alpha+2)(\alpha+6)(2\alpha+7)(3072\alpha^5 + 100128\alpha^4 + 1280094\alpha^3 + 8005750\alpha^2 + 24436771\alpha + 29071575)/945$ $\lambda_4 = 8s(\alpha+4)(\alpha+7)(1536\alpha^4 + 43056\alpha^3 + 446734\alpha^2 + 2032409\alpha + 3421890)/315$ $\lambda_6 = 8s(\alpha+8)(\alpha+6)(96\alpha^2 + 1537\alpha + 6111)/63$ $\lambda_8 = 32s(\alpha+9)(\alpha+8)/9, \lambda_{10} = s$	$\mu_1 = -2(\alpha+1)(2\alpha+5)(49152\alpha^7 + 2044416\alpha^6 + 35778528\alpha^5 + 341048704\alpha^4 + 1909536808\alpha^3 + 6269569684\alpha^2 + 11156022222\alpha + 8281429821)/915$ $\mu_3 = -2(\alpha+3)(12288\alpha^6 + 479616\alpha^5 + 7710704\alpha^4 + 65331648\alpha^3 + 307586128\alpha^2 + 762778176\alpha + 778317435)/315$ $\mu_5 = -2(\alpha+5)(768\alpha^4 + 23048\alpha^3 + 258120\alpha^2 + 1278448\alpha + 2362815)/63$ $\mu_7 = -2(\alpha+7)(32\alpha^2 + 544\alpha + 231^3)/9, \mu_9 = -2(\alpha+9)$		$\gamma = 0$

d) Jacobi Polynomials $C_n^{(\alpha,\beta)}(x)$:

$$\int_{-1}^1 (1-x)^\alpha (1+x)^\beta [C_n^{(\alpha,\beta)}(x)]^2 dx = \frac{2^{\alpha+\beta+1} \Gamma(n+\alpha+1) \Gamma(n+\beta+1)}{(2n+\alpha+\beta+1) n! \Gamma(n+\alpha+\beta+1)}, \quad \alpha, \beta > -1$$

First polynomials:

$$\begin{aligned}
C_0^{(\alpha,\beta)}(x) &= 1, \quad C_1^{(\alpha,\beta)}(x) = \frac{(\alpha+\beta)x + \alpha - \beta}{2}, \\
C_2^{(\alpha,\beta)}(x) &= \frac{(\alpha+\beta+3)(\alpha+\beta+4)}{8} x^2 + \frac{(\alpha+\beta+3)(\alpha-\beta)}{4} x + \frac{(\alpha-\beta-1)(\alpha-\beta)}{8}, \\
C_3^{(\alpha,\beta)}(x) &= \frac{(\alpha+\beta+4)(\alpha+\beta+5)(\alpha+\beta+6)}{48} x^3 + \\
&+ \frac{(\alpha+\beta+4)(\alpha+\beta+5)(\alpha-\beta)}{16} x^2 + \frac{(\alpha+\beta+4)[(\alpha-\beta)^2 - (\alpha+\beta) - 6]}{16} x + \frac{(\alpha-\beta)[(\alpha-\beta)^2 - 3(\alpha+\beta) - 16]}{48}, \\
C_4^{(\alpha,\beta)}(x) &= \\
&= \frac{(\alpha+\beta+5)(\alpha+\beta+6)(\alpha+\beta+7)(\alpha+\beta+8)}{384} x^4 + \frac{(\alpha+\beta+5)(\alpha+\beta+6)(\alpha+\beta+7)(\alpha-\beta)}{96} x^3 + \\
&+ \frac{(\alpha+\beta+5)(\alpha+\beta+6)[(\alpha-\beta)(\alpha-\beta-1) - 8]}{64} x^2 + \frac{(\alpha+\beta+5)(\alpha-\beta)[(\alpha-\beta)(\alpha-\beta-3) - 22]}{96} x + \\
&+ \frac{(\alpha-\beta)^4 - 6(\alpha^3 - \alpha^2\beta - \alpha\beta^2 + \beta^3) - (37\alpha^2 - 86\alpha\beta + 37\beta^2) + 42(\alpha+\beta) + 144}{384}
\end{aligned}$$

$Z_\nu(x) = J_0(x)$:

n	λ_k	μ_k	γ
1	$\lambda_0 = -(\alpha-\beta)^2/[2(\alpha+\beta+2)], \lambda_1 = (\alpha-\beta)/(\alpha+\beta+2)$	$\mu_0 = -(\alpha-\beta)/2, \mu_1 = 1$	$(\alpha-\beta)/2$
2	$\lambda_0 = -(\alpha-\beta)[(\alpha-\beta)^2 - \alpha - \beta - 4]/[8(\alpha+\beta+2)], \lambda_1 = [(\alpha-\beta)^2 - \alpha - \beta - 4]/[4(\alpha+\beta+2)]$ $\mu_0 = -[(\alpha-\beta)^2 - \alpha - \beta - 44]/8, \mu_2 = 1$ $\gamma = -(\alpha+2)(\beta+2)/2$		
3	$\lambda_0 = [(\alpha+\beta)(\alpha-\beta)^2(\alpha^2 + 6\alpha\beta + \beta^2) + (32\alpha^4 + 20\alpha^3\beta - 72\alpha^2\beta^2 + 20\alpha\beta^3 + 32\beta^4) + (\alpha+\beta)(207\alpha^2 - 278\alpha\beta + 207\beta^2) + (496\alpha^2 - 160\alpha\beta + 496\beta^2) + 536(\alpha+\beta) + 480]/[48(\alpha+\beta+2)(\alpha+\beta+3)]$ $\lambda_1 = -(\alpha-\beta)[(3\alpha+\beta)(\alpha+3\beta) + 47(\alpha+\beta) + 136] / [24(\alpha+\beta+2)]$ $\lambda_2 = (\alpha+\beta+5)(\alpha+\beta+6) / [3(\alpha+\beta+3)]$ $\mu_0 = (\alpha-\beta)[(\alpha+\beta)(3\alpha+\beta)(\alpha+3\beta) + (61\alpha^2 + 130\alpha\beta + 61\beta^2) + 318(\alpha+\beta) + 512] / [48(\alpha+\beta+2)]$ $\mu_1 = -(\alpha+\beta+4)(\alpha+\beta+5)(\alpha+\beta+6) / [6(\alpha+\beta+2)], \mu_3 = 1$ $\gamma = -(\alpha-\beta)[(\alpha^2 + 4\alpha\beta + \beta^2) + 15(\alpha+\beta) + 38] / 24$		

n	λ_k	μ_k	γ
4	$\lambda_0 = (\alpha - \beta) [(\alpha^2 - \beta^2)^2(\alpha^2 + 3\beta\alpha + \beta^2) + 2(\alpha + \beta)(12\alpha^4 + 3\alpha^3\beta - 32\alpha^2\beta^2 + 3\alpha\beta^3 + 12\beta^4) +$ $+ (170\alpha^4 - 57\alpha^3\beta - 502\alpha^2\beta^2 - 57\alpha\beta^3 + 170\beta^4) + 2(\alpha + \beta)(137\alpha^2 - 855\alpha\beta + 137\beta^2) -$ $- (1491\alpha^2 + 5142\alpha\beta + 1491\beta^2) - 6322(\alpha + \beta) - 7152] / [96(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_1 = -[(\alpha + \beta)(\alpha - \beta)^2(3\alpha^2 + 8\alpha\beta + 3\beta^2) + (46\alpha^4 - 10\alpha^3\beta - 144\alpha^2\beta^2 - 10\alpha\beta^3 + 46\beta^4) +$ $+ 3(\alpha + \beta)(39\alpha^2 - 230\alpha\beta + 39\beta^2) - (814\alpha^2\alpha + 2620\beta + 814\beta^2) - 4296(\alpha + \beta) - 6336] /$ $/ [96(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\lambda_2 = -(\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 7)(\alpha + \beta + 24) / [48(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_3 = 3(\alpha + \beta + 7)(\alpha + \beta + 8) / [8(\alpha + \beta + 4)]$ $\mu_0 = [(\alpha^2 - \beta^2)^2(3\alpha^2 + 8\alpha\beta + 3\beta^2)(\alpha^2 - \beta^2)^2 + (\alpha + \beta)(47\alpha^4 - 8\alpha^3\beta - 150\alpha^2\beta^2 - 8\alpha\beta^3 + 47\beta^4) +$ $+ (63\alpha^4 - 498\alpha^3\beta - 1170\alpha^2\beta^2 - 498\alpha\beta^3 + 63\beta^4) - (\alpha + \beta)(1823\alpha^2 + 1922\alpha\beta + 1823\beta^2) -$ $- (9642\alpha^2 + 9684\alpha\beta + 9642\beta^2) - 17640(\alpha + \beta) - 15552] / [192(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\mu_1 = (\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 40) / [96(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\mu_2 = -3(\alpha + \beta + 5)(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 8) / [16(\alpha + \beta + 3)(\alpha + \beta + 4)], \mu_4 = 1$ $\gamma = [(\alpha^2 + 4\alpha\beta + \beta^2)^2 + 6(\alpha + \beta)(7\alpha^2 + 26\alpha\beta + 7\beta^2) + (539\alpha^2 + 1298\alpha\beta + 539\beta^2) +$ $+ 2586(\alpha + \beta) + 4176] / 96$		
5	$\lambda_0 = -[(\alpha + \beta)^3(\alpha - \beta)^2(6\alpha^4 + 31\alpha^3\beta + 54\alpha^2\beta^2 + 31\alpha\beta^3 + 6\beta^4) +$ $+ (\alpha + \beta)^2(347\alpha^6 + 947\alpha^5\beta - 171\alpha^4\beta^2 - 1734\alpha^3\beta^3 - 171\alpha^2\beta^4 + 947\alpha\beta^5 + 347\beta^6) +$ $+ (\alpha + \beta)(8108\alpha^6 + 20327\alpha^5\beta - 1360\alpha^4\beta^2 - 27910\alpha^3\beta^3 - 1360\alpha^2\beta^4 + 20327\alpha\beta^5 + 8108\beta^6) +$ $+ (101076\alpha^6 + 250891\alpha^5\beta + 42780\alpha^4\beta^2 - 215030\alpha^3\beta^3 + 42780\alpha^2\beta^4 + 250891\alpha\beta^5 + 101076\beta^6) +$ $+ 6(\alpha + \beta)(123960\alpha^4 + 78295\alpha^3\beta - 112814\alpha^2\beta^2 + 78295\alpha\beta^3 + 123960\beta^4) +$ $+ (3347073\alpha^4 + 3270528\alpha^3\beta - 286530\alpha^2\beta^2 + 3270528\alpha\beta^3 + 3347073\beta^4) +$ $+ 6(\alpha + \beta)(1533317\alpha^2 - 594074\alpha\beta + 1533317\beta^2) + (15202864\alpha^2 + 10520288\alpha\beta + 15202864\beta^2) +$ $+ 15425344(\alpha + \beta) + 9623040] / [960(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_1 = (\alpha - \beta) [(\alpha + \beta)^2(27\alpha^4 + 126\alpha^3\beta + 206\alpha^2\beta^2 + 126\alpha\beta^3 + 27\beta^4) +$ $+ (\alpha + \beta)(1341\alpha^4 + 5816\alpha^3\beta + 9022\alpha^2\beta^2 + 5816\alpha\beta^3 + 1341\beta^4) +$ $+ (26279\alpha^4 + 109098\alpha^3\beta + 165798\alpha^2\beta^2 + 109098\alpha\beta^3 + 26279\beta^4) +$ $+ (\alpha + \beta)(264131\alpha^2 + 544130\alpha\beta + 264131\beta^2) + (1452462\alpha^2 + 2931644\alpha\beta + 1452462\beta^2) +$ $+ 4170640(\alpha + \beta) + 4892320] / [960(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_2 = -(\alpha + \beta + 8) [(\alpha + \beta)^2(33\alpha^2 + 62\alpha\beta + 33\beta^2) + 16(\alpha + \beta)(64\alpha^2 + 127\alpha\beta + 64\beta^2) +$ $+ (11823\alpha^2 + 24306\alpha\beta + 11823\beta^2) + 61520(\alpha + \beta) + 116400] / [480(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_3 = -(\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 9)(\alpha + \beta + 40) / [80(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_4 = 2(\alpha + \beta + 9)(\alpha + \beta + 10) / [5(\alpha + \beta + 5)]$ $\mu_0 = -(\alpha - \beta) [(\alpha + \beta)^3(27\alpha^4 + 126\alpha^3\beta + 206\alpha^2\beta^2 + 126\alpha\beta^3 + 27\beta^4) +$ $+ 3(\alpha + \beta)^2(469\alpha^4 + 2024\alpha^3\beta + 3134\alpha^2\beta^2 + 2024\alpha\beta^3 + 469\beta^4) +$ $+ (\alpha + \beta)(29203\alpha^4 + 120818\alpha^3\beta + 183438\alpha^2\beta^2 + 120818\alpha\beta^3 + 29203\beta^4) +$ $+ (318057\alpha^4 + 1293792\alpha^3\beta + 1951662\alpha^2\beta^2 + 1293792\alpha\beta^3 + 318057\beta^4) +$ $+ 2(\alpha + \beta)(993929\alpha^2 + 2033642\alpha\beta + 993929\beta^2) + (7184328\alpha^2 + 14574096\alpha\beta + 7184328\beta^2) +$ $+ 13918672(\alpha + \beta) + 11039808] / [1920(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_1 = (\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 8) [(\alpha + \beta)^2(33\alpha^2 + 62\alpha\beta + 33\beta^2) +$ $+ 2(\alpha + \beta)(443\alpha^2 + 898\alpha\beta + 443\beta^2) + (8285\alpha^2 + 18710\alpha\beta + 8285\beta^2) + 36296(\alpha + \beta) +$ $+ 52960] / [960(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_2 = (\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 70) / [160(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_3 = -(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 10) / [5(\alpha + \beta + 4)(\alpha + \beta + 5)], \mu_5 = 1$ $\gamma = (\alpha - \beta) [9\alpha^4 + 44\alpha^3\beta + 74\alpha^2\beta^2 + 44\alpha\beta^3 + 9\beta^4] + 10(\alpha + \beta)(31\alpha^2 + 76\alpha\beta + 31\beta^2) +$ $+ (3815\alpha^2 + 8130\alpha\beta + 3815\beta^2) + 19850(\alpha + \beta) + 37216] / 960$		

$Z_\nu(x) = I_0(x), K_0(x)$ with s defined as on page 195:

n	λ_k, μ_k, γ
1	$\lambda_0 = -(\alpha - \beta)^2 / [2(\alpha + \beta + 2)], \lambda_1 = (\alpha - \beta) / (\alpha + \beta + 2)$ $\mu_0 = -s(\alpha - \beta) / 2, \mu_1 = s$ $\gamma = (\alpha - \beta) / 2$
2	$\lambda_0 = -(\alpha - \beta) [(\alpha - \beta)^2 - (\alpha + \beta) - 4] / [8(\alpha + \beta + 2)]$ $\lambda_1 = [(\alpha - \beta)^2 - (\alpha + \beta) - 4] / [4(\alpha + \beta + 2)]$ $\mu_0 = -s [(\alpha - \beta)^2 - (\alpha + \beta) - 4] / 8, \mu_2 = s$ $\gamma = [(\alpha^2 + \beta^2) + 3(\alpha + 3\beta) + 4] / 4$

n	λ_k, μ_k, γ
3	$\lambda_0 = -[(\alpha + \beta)(\alpha - \beta)^2(3\alpha^2 + 2\alpha\beta + 3\beta^2) + (32\alpha^4 - 4\alpha^3\beta - 24\alpha^2\beta^2 - 4\alpha\beta^3 + 32\beta^4) + (\alpha + \beta)(157\alpha^2 - 178\alpha\beta + 157\beta^2) + (400\alpha^2 + 32\alpha\beta + 400\beta^2) + 536(\alpha + \beta) + 480] / [48(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\lambda_1 = (\alpha - \beta)[(5\alpha^2 + 6\alpha\beta + 5\beta^2) + 41(\alpha + \beta) + 104] / [24(\alpha + \beta + 2)]$ $\lambda_2 = -(\alpha + \beta + 5)(\alpha + \beta + 6) / [3(\alpha + \beta + 3)]$ $\mu_0 = -s(\alpha - \beta)[(\alpha + \beta)(5\alpha^2 + 6\alpha\beta + 5\beta^2) + (59\alpha^2 + 110\alpha\beta + 59\beta^2) + 274(\alpha + \beta) + 448] / [48(\alpha + \beta + 2)]$ $\mu_1 = s(\alpha + \beta + 4)(\alpha + \beta + 5)(\alpha + \beta + 6) / [6(\alpha + \beta + 2)], \mu_3 = s$ $\gamma = (\alpha - \beta)[(\alpha^2 + \alpha\beta + \beta^2) + 6(\alpha + \beta) + 11] / 12$
4	$\lambda_0 = -(\alpha - \beta)[(\alpha^2 - \beta^2)^2(3\alpha^2 + 4\alpha\beta + 3\beta^2) + (\alpha + \beta)(49\alpha^4 - 16\alpha^3\beta - 74\alpha^2\beta^2 - 16\alpha\beta^3 + 49\beta^4) + (273\alpha^4 - 150\alpha^3\beta - 750\alpha^2\beta^2 - 150\alpha\beta^3 + 273\beta^4) + 259(\alpha + \beta)(\alpha^2 - 10\alpha\beta + \beta^2) - (2988\alpha^2 + 8376\alpha\beta + 2988\beta^2) - 11132(\alpha + \beta) - 12576] / [192(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_1 = (\alpha + \beta)(\alpha - \beta)^2(2\alpha^2 + 3\alpha\beta + 2\beta^2) + (22\alpha^4 - 13\alpha^3\beta - 54\alpha^2\beta^2 - 13\alpha\beta^3 + 22\beta^4) + 2(\alpha + \beta)(14\alpha^2 - 139\alpha\beta + 14\beta^2) - (460\alpha^2 + 1096\alpha\beta + 460\beta^2) - 1992(\alpha + \beta) - 2880] / [48(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\lambda_2 = (\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 7)(\alpha + \beta + 24) / [48(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_3 = -3(\alpha + \beta + 7)(\alpha + \beta + 8) / [8(\alpha + \beta + 4)]$ $\mu_0 = -s[(\alpha^2 - \beta^2)^2(2\alpha^2 + 3\alpha\beta + 2\beta^2) + (\alpha + \beta)(23\alpha^4 - 14\alpha^3\beta - 54\alpha^2\beta^2 - 14\alpha\beta^3 + 23\beta^4) + (\alpha^4 - 255\alpha^3\beta - 488\alpha^2\beta^2 - 255\alpha\beta^3 + \beta^4) - (\alpha + \beta)(1001\alpha^2 + 668\alpha\beta + 1001\beta^2) - (4755\alpha^2 + 4230\alpha\beta + 4755\beta^2) - 8334(\alpha + \beta) - 7344] / [96(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\mu_1 = -s(\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 40) / [96(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\mu_2 = 3s(\alpha + \beta + 5)(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 8) / [16(\alpha + \beta + 3)(\alpha + \beta + 4)], \mu_4 = s$ $\gamma = [(\alpha^2 + \alpha\beta + \beta^2)^2 + 3(\alpha + \beta)(6\alpha^2 + 7\alpha\beta + 6\beta^2) + (143\alpha^2 + 251\alpha\beta + 143\beta^2) + 558(\alpha + \beta) + 864] / 24$
5	$\lambda_0 = -[(\alpha - \beta)^2(\alpha + \beta)^3(21\alpha^4 + 62\alpha^3\beta + 90\alpha^2\beta^2 + 62\alpha\beta^3 + 21\beta^4) + 2(\alpha + \beta)^2(454\alpha^6 + 691\alpha^5\beta - 278\alpha^4\beta^2 - 1222\alpha^3\beta^3 - 278\alpha^2\beta^4 + 691\alpha\beta^5 + 454\beta^6) + 2(\alpha + \beta)(8879\alpha^6 + 17123\alpha^5\beta - 2195\alpha^4\beta^2 - 21630\alpha^3\beta^3 - 2195\alpha^2\beta^4 + 17123\alpha\beta^5 + 8879\beta^6) + (201004\alpha^6 + 452234\alpha^5\beta + 82100\alpha^4\beta^2 - 340180\alpha^3\beta^3 + 82100\alpha^2\beta^4 + 452234\alpha\beta^5 + 201004\beta^6) + (\alpha + \beta)(1417457\alpha^4 + 811660\alpha^3\beta - 1023546\alpha^2\beta^2 + 811660\alpha\beta^3 + 1417457\beta^4) + (6324712\alpha^4 + 6310656\alpha^3\beta + 161968\alpha^2\beta^2 + 6310656\alpha\beta^3 + 6324712\beta^4) + 4(\alpha + \beta)(4400183\alpha^2 - 1485118\alpha\beta + 4400183\beta^2) + (29794976\alpha^2 + 21700672\alpha\beta + 29794976\beta^2) + 30911872(\alpha + \beta) + 19461120] / [1920(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_1 = (\alpha - \beta)[(\alpha + \beta)^2(19\alpha^4 + 63\alpha^3\beta + 92\alpha^2\beta^2 + 63\alpha\beta^3 + 19\beta^4) + (\alpha + \beta)(769\alpha^4 + 2834\alpha^3\beta + 4166\alpha^2\beta^2 + 2834\alpha\beta^3 + 769\beta^4) + (13513\alpha^4 + 52321\alpha^3\beta + 77696\alpha^2\beta^2 + 52321\alpha\beta^3 + 13513\beta^4) + (\alpha + \beta)(129267\alpha^2 + 252440\alpha\beta + 129267\beta^2) + (699524\alpha^2 + 1388888\alpha\beta + 699524\beta^2) + 2013308(\alpha + \beta) + 2402480] / [480(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_2 = -(\alpha + \beta + 8)[(\alpha + \beta)^2(31\alpha^2 + 66\alpha\beta + 31\beta^2) + 16(\alpha + \beta)(64\alpha^2 + 129\alpha\beta + 64\beta^2) + (12433\alpha^2 + 24206\alpha\beta + 12433\beta^2) + 64432(\alpha + \beta) + 125520] / [480(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_3 = (\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 9)(\alpha + \beta + 40) / [80(\alpha + \beta + 5)(\alpha + \beta + 4)]$ $\lambda_4 = -2(\alpha + \beta + 9)(\alpha + \beta + 10) / [5(\alpha + \beta + 5)]$ $\mu_0 = -s(\alpha - \beta)[(\alpha + \beta)^3(19\alpha^4 + 63\alpha^3\beta + 92\alpha^2\beta^2 + 63\alpha\beta^3 + 19\beta^4) + 2(\alpha + \beta)^2(400\alpha^4 + 1481\alpha^3\beta + 2180\alpha^2\beta^2 + 1481\alpha\beta^3 + 400\beta^4) + (\alpha + \beta)(14998\alpha^4 + 58225\alpha^3\beta + 86558\alpha^2\beta^2 + 58225\alpha\beta^3 + 14998\beta^4) + 2(1147\alpha^2 + 2246\alpha\beta + 1147\beta^2)(69\alpha^2 + 137\alpha\beta + 69\beta^2) + (\alpha + \beta)(995351\alpha^2 + 1949558\alpha\beta + 995351\beta^2) + (3675970\alpha^2 + 7253060\alpha\beta + 3675970\beta^2) + 7327952(\alpha + \beta) + 6104544] / [960(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_1 = s(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 8)[(\alpha + \beta)^2(31\alpha^2 + 66\alpha\beta + 31\beta^2) + 6(\alpha + \beta)(151\alpha^2 + 298\alpha\beta + 151\beta^2) + (9699\alpha^2 + 17258\alpha\beta + 9699\beta^2) + 39864(\alpha + \beta) + 62240] / [960(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_2 = -s(\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 70) / [160(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_3 = s(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 10) / [5(\alpha + \beta + 4)(\alpha + \beta + 5)], \mu_5 = s$ $\gamma = (\alpha - \beta)[(7\alpha^4 + 22\alpha^3\beta + 32\alpha^2\beta^2 + 22\alpha\beta^3 + 7\beta^4) + 60(\alpha + \beta)(3\alpha^2 + 5\alpha\beta + 3\beta^2) + (1845\alpha^2 + 3520\alpha\beta + 1845\beta^2) + 8700(\alpha + \beta) + 15668] / 480$

$$Z_\nu(x) = J_1(x) :$$

n	λ_k	μ_k	γ
1	$\lambda_0 = -(\alpha - \beta)/2$	-	$(\alpha + \beta + 2)/2$
2	$\lambda_0 = -(\alpha - \beta)^2(\alpha + \beta + 3)/[4(\alpha + \beta + 2)]$ $\lambda_1 = (\alpha - \beta)(\alpha + \beta + 3)/[2(\alpha + \beta + 2)]$, $\lambda_2 = -1$	$\mu_0 = -(\alpha - \beta)(\alpha + \beta + 3)(\alpha + \beta + 4)/[4(\alpha + \beta + 2)]$ $\mu_1 = (\alpha + \beta + 3)(\alpha + \beta + 4)/[2(\alpha + \beta + 2)]$	$(\alpha - \beta)(\alpha + \beta + 3)/4$
3	$\lambda_0 = -(\alpha - \beta)(\alpha + \beta + 4)[(\alpha - \beta)^2 - \alpha - \beta - 6] / [16(\alpha + \beta + 2)]$ $\lambda_1 = (\alpha + \beta + 4)[(\alpha - \beta)^2 - \alpha - \beta - 6] / [8(\alpha + \beta + 2)]$, $\lambda_3 = -1$ $\mu_0 = -(\alpha + \beta + 4)(\alpha + \beta + 5)[(\alpha + \beta)(\alpha - \beta)^2 - (\alpha + \beta)^2 - 8(\alpha + \beta) - 12] / [16(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\mu_1 = -(\alpha - \beta)(\alpha + \beta + 5)/[2(\alpha + \beta + 2)]$, $\mu_2 = (\alpha + \beta + 5)(\alpha + \beta + 6)/[2(\alpha + \beta + 3)]$ $\gamma = -(\alpha + 3)(\beta + 3)(\alpha + \beta + 4)/4$		
4	$\lambda_0 = (\alpha + \beta + 5)[(\alpha + \beta)(\alpha - \beta)^2(\alpha^2 + 6\alpha\beta + \beta^2) + (44\alpha^4 + 20\alpha^3\beta - 96\alpha^2\beta^2 + 20\alpha\beta^3 + 44\beta^4) + (\alpha + \beta)(369\alpha^2 - 554\alpha\beta + 369\beta^2) + (1114\alpha^2 - 724\alpha\beta + 1114\beta^2) + 1256(\alpha + \beta) + 1344] / [96(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\lambda_1 = -(\alpha - \beta)(\alpha + \beta + 5)[(\alpha + \beta)(3\alpha + \beta)(\alpha + 3\beta) + (83\alpha^2 + 182\alpha\beta + 83\beta^2) + 618(\alpha + \beta) + 1432] / [48(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\lambda_2 = (\alpha + \beta + 5)(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 8) / [6(\alpha + \beta + 3)(\alpha + \beta + 4)]$, $\lambda_4 = -1$ $\mu_0 = (\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 6)[(\alpha + \beta)^2(3\alpha + \beta)(\alpha + 3\beta) + 4(\alpha + \beta)(22\alpha^2 + 47\alpha\beta + 22\beta^2) + (715\alpha^2 + 1462\alpha\beta + 715\beta^2) + 2354(\alpha + \beta) + 2696] / [96(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_1 = -(\alpha + \beta + 6)[(\alpha + \beta)^4 + 24(\alpha + \beta)^3 + (205\alpha^2 + 428\alpha\beta + 205\beta^2) + 786(\alpha + \beta) + 1072] / [12(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\mu_2 = -(\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 7) / [2(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_3 = (\alpha + \beta + 7)(\alpha + \beta + 8) / [2(\alpha + \beta + 4)]$ $\gamma = -(\alpha - \beta)(\alpha + \beta + 5)[(\alpha^2 + 4\alpha\beta + \beta^2) + 21(\alpha + \beta) + 74] / 48$		
5	$\lambda_0 = (\alpha - \beta)(\alpha + \beta + 6)[(\alpha^2 - \beta^2)^2(\alpha^2 + 3\alpha\beta + \beta^2) + 2(\alpha + \beta)(15\alpha^4 + 3\alpha^3\beta - 38\alpha^2\beta^2 + 3\alpha\beta^3 + 15\beta^4) + (248\alpha^4 - 81\beta\alpha^3 - 706\beta^2\alpha^2 - 81\beta^3\alpha + 248\beta^4) + 2(\alpha + \beta)(164\alpha^2 - 1341\alpha\beta + 164\beta^2) - (4089\alpha^2 + 9810\alpha\beta + 4089\beta^2) - 17302(\alpha + \beta) - 22896] / [192(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_1 = -(\alpha + \beta + 6)[(\alpha^2 - \beta^2)^2(3\alpha^2 + 8\alpha\beta + 3\beta^2) + (\alpha + \beta)(73\alpha^4 - 218\alpha^2\beta^2 + 73\beta^4) + (419\alpha^4 - 650\alpha^3\beta - 2298\alpha^2\beta^2 - 650\alpha\beta^3 + 419\beta^4) - (\alpha + \beta)(1489\alpha^2 + 7390\alpha\beta + 1489\beta^2) - (21014\alpha^2 + 34028\alpha\beta + 21014\beta^2) - 67752(\alpha + \beta) - 93120] / [192(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_2 = -(\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 42) / [96(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_3 = 3(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 10) / [16(\alpha + \beta + 4)(\alpha + \beta + 5)]$, $\lambda_5 = -1$ $\mu_0 = (\alpha + \beta + 6)(\alpha + \beta + 7)[(\alpha + \beta)^3(\alpha - \beta)^2(3\alpha^2 + 8\alpha\beta + 3\beta^2) + (\alpha + \beta)^2(65\alpha^4 - 4\alpha^3\beta - 194\alpha^2\beta^2 - 4\alpha\beta^3 + 65\beta^4) + (\alpha + \beta)(175\alpha^4 - 646\alpha^3\beta - 1818\alpha^2\beta^2 - 646\alpha\beta^3 + 175\beta^4) - (\alpha + \beta)^2(4073\alpha^2 + 2390\alpha\beta + 4073\beta^2) - 2(\alpha + \beta)(17681\alpha^2 + 5330\alpha\beta + 17681\beta^2) - (112392\alpha^2 + 107664\beta\alpha + 112392\beta^2) - 168576(\alpha + \beta) - 130560] / [384(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_1 = (\alpha - \beta)(\alpha + \beta + 7)[(\alpha + \beta)^5 + 86(\alpha + \beta)^4 + 1913(\alpha + \beta)^3 + (17968\alpha^2 + 36128\alpha\beta + 17968\beta^2) + 77004(\alpha + \beta) + 123168] / [192(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_2 = -(\alpha + \beta + 8)[3(\alpha + \beta)^4 + 96(\alpha + \beta)^3 + (1121\alpha^2 + 2290\alpha\beta + 1121\beta^2) + 5840(\alpha + \beta) + 11100] / [32(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_3 = -(\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 9)/[2(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_4 = (\alpha + \beta + 9)(\alpha + \beta + 10)/[2(\alpha + \beta + 5)]$ $\gamma = (\alpha + \beta + 6)[(\alpha^2 + 4\alpha\beta + \beta^2)^2 + 6(\alpha + \beta)(9\alpha^2 + 34\alpha\beta + 9\beta^2) + (911\alpha^2 + 2210\alpha\beta + 911\beta^2) + 5754(\alpha + \beta) + 12240]/192$		

$Z_\nu(x) = I_1(x)$, $K_1(x)$ with s defined as on page 195:

n	λ_k, μ_k, γ
1	$\lambda_0 = s(\alpha - \beta)/2$ $\gamma = -s(\alpha + \beta + 2)/2$
2	$\lambda_0 = s(\alpha - \beta)^2(\alpha + \beta + 3)/[4(\alpha + \beta + 2)]$ $\lambda_1 = -s(\alpha - \beta)(\alpha + \beta + 3)/[2(\alpha + \beta + 2)], \lambda_2 = s$ $\mu_0 = (\alpha - \beta)(\alpha + \beta + 3)(\alpha + \beta + 4)/[4(\alpha + \beta + 2)]$ $\mu_1 = -(\alpha + \beta + 3)(\alpha + \beta + 4)/[2(\alpha + \beta + 2)]$ $\gamma = -s(\alpha - \beta)(\alpha + \beta + 3)/4$
3	$\lambda_0 = s(\alpha - \beta)(\alpha + \beta + 4)[(\alpha - \beta)^2 - (\alpha + \beta) - 6]/[16(\alpha + \beta + 2)]$ $\lambda_1 = -s(\alpha + \beta + 4)[(\alpha - \beta)^2 - (\alpha + \beta) - 6]/[8(\alpha + \beta + 2)], \lambda_3 = s$ $\mu_0 = (\alpha + \beta + 4)(\alpha + \beta + 5)[(\alpha + \beta)(\alpha - \beta)^2 - (\alpha + \beta)^2 - 8(\alpha + \beta) - 12]/[16(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\mu_1 = (\alpha - \beta)(\alpha + \beta + 5)/[2(\alpha + \beta + 2)], \mu_2 = -(\alpha + \beta + 5)(\alpha + \beta + 6)/[2(\alpha + \beta + 3)]$ $\gamma = -s(\alpha + \beta + 4)[(\alpha^2 + \beta^2) + 5(\alpha + \beta) + 12]/8$
4	$\lambda_0 = s(\alpha + \beta + 5)[(\alpha + \beta)(\alpha - \beta)^2(3\alpha^2 + 2\alpha\beta + 3\beta^2) + (44\alpha^4 - 4\alpha^3\beta - 48\alpha^2\beta^2 - 4\alpha\beta^3 + 44\beta^4) + (\alpha + \beta)(307\alpha^2 - 430\alpha\beta + 307\beta^2) + (982\alpha^2 - 460\alpha\beta + 982\beta^2) + 1256(\alpha + \beta) + 1344]/[96(\alpha + \beta + 2)(\alpha + \beta + 3)]$ $\lambda_1 = -s(\alpha - \beta)(\alpha + \beta + 5)[(\alpha + \beta)(5\alpha^2 + 6\alpha\beta + 5\beta^2) + (85\alpha^2 + 154\alpha\beta + 85\beta^2) + 550(\alpha + \beta) + 1256]/[48(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\lambda_2 = s(\alpha + \beta + 5)(\alpha + \beta + 6)(\alpha + \beta + 7)(\alpha + \beta + 8)/[6(\alpha + \beta + 3)(\alpha + \beta + 4)], \lambda_4 = s$ $\mu_0 = (\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 6)[(\alpha + \beta)^2(5\alpha^2 + 6\alpha\beta + 5\beta^2) + 4(\alpha + \beta)(22\alpha^2 + 41\alpha\beta + 22\beta^2) + (669\alpha^2 + 1306\alpha\beta + 669\beta^2) + 2222(\alpha + \beta) + 2680]/[96(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_1 = -(\alpha + \beta + 6)[(\alpha + \beta)^4 + 24(\alpha + \beta)^3 + (217\alpha^2 + 416\alpha\beta + 217\beta^2) + 822(\alpha + \beta) + 1168]/[12(\alpha + \beta + 2)(\alpha + \beta + 4)]$ $\mu_2 = (\alpha - \beta)(\alpha + \beta + 5)(\alpha + \beta + 7)/[2(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_3 = -(\alpha + \beta + 7)(\alpha + \beta + 8)/[2(\alpha + \beta + 4)]$ $\gamma = -s(\alpha - \beta)(\alpha + \beta + 5)[(\alpha^2 + \alpha\beta + \beta^2) + 9(\alpha + \beta) + 26]/24$
5	$\lambda_0 = s(\alpha - \beta)(\alpha + \beta + 6)[(\alpha^2 - \beta^2)^2(3\alpha^2 + 4\alpha\beta + 3\beta^2) + (\alpha + \beta)(61\alpha^4 - 16\alpha^3\beta - 98\alpha^2\beta^2 - 16\alpha\beta^3 + 61\beta^4) + (417\alpha^4 - 198\alpha^3\beta - 1134\alpha^2\beta^2 - 198\alpha\beta^3 + 417\beta^4) + (\alpha + \beta)(295\alpha^2 - 4342\alpha\beta + 295\beta^2) - (8148\alpha^2 + 17064\alpha\beta + 8148\beta^2) - 32276(\alpha + \beta) - 42912]/[384(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_1 = -s(\alpha + \beta + 6)[(\alpha^2 - \beta^2)^2(2\alpha^2 + 3\alpha\beta + 2\beta^2) + 2(\alpha + \beta)(19\alpha^4 - 9\alpha^3\beta - 38\alpha^2\beta^2 - 9\alpha\beta^3 + 19\beta^4) + (168\alpha^4 - 359\alpha^3\beta - 974\alpha^2\beta^2 - 359\alpha\beta^3 + 168\beta^4) - 2(\alpha + \beta)(499\alpha^2 + 1513\alpha\beta + 499\beta^2) - (10634\alpha^2 + 15188\alpha\beta + 10634\beta^2) - 32256(\alpha + \beta) - 44160]/[96(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\lambda_2 = -s(\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 42)/[96(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\lambda_3 = 3s(\alpha + \beta + 7)(\alpha + \beta + 8)(\alpha + \beta + 9)(\alpha + \beta + 10)/[16(\alpha + \beta + 4)(\alpha + \beta + 5)], \lambda_5 = s$ $\mu_0 = (\alpha + \beta + 6)(\alpha + \beta + 7)[(\alpha - \beta)^2(\alpha + \beta)^3(2\alpha^2 + 3\alpha\beta + 2\beta^2) + (\alpha + \beta)^2(33\alpha^4 - 16\alpha^3\beta - 70\alpha^2\beta^2 - 16\alpha\beta^3 + 33\beta^4) + (\alpha + \beta)(53\alpha^4 - 361\alpha^3\beta - 740\alpha^2\beta^2 - 361\alpha\beta^3 + 53\beta^4) - 3(\alpha + \beta)^2(749\alpha^2 + 208\alpha\beta + 749\beta^2) - (\alpha + \beta)(18043\alpha^2 + 3286\alpha\beta + 18043\beta^2) - (55926\alpha^2 + 49452\alpha\beta + 55926\beta^2) - 82392(\alpha + \beta) - 64320]/[192(\alpha + \beta + 2)(\alpha + \beta + 3)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_1 = (\alpha - \beta)(\alpha + \beta + 7)[(\alpha + \beta)^5 + 86(\alpha + \beta)^4 + 1913(\alpha + \beta)^3 + (18160\alpha^2 + 36128\alpha\beta + 18160\beta^2) + 78348(\alpha + \beta) + 127392]/[192(\alpha + \beta + 2)(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_2 = -(\alpha + \beta + 8)[3(\alpha + \beta)^4 + 96(\alpha + \beta)^3 + (1153\alpha^2 + 2258\alpha\beta + 1153\beta^2) + 5968(\alpha + \beta) + 11580]/[32(\alpha + \beta + 3)(\alpha + \beta + 4)]$ $\mu_3 = (\alpha - \beta)(\alpha + \beta + 7)(\alpha + \beta + 9)/[2(\alpha + \beta + 4)(\alpha + \beta + 5)]$ $\mu_4 = (\alpha + \beta + 9)(\alpha + \beta + 10)/[2(\alpha + \beta + 5)]$ $\gamma = -s(\alpha + \beta + 6)[(\alpha^2 + \alpha\beta + \beta^2)^2 + 3(\alpha + \beta)(8\alpha^2 + 9\alpha\beta + 8\beta^2) + (251\alpha^2 + 431\alpha\beta + 251\beta^2) + 1284(\alpha + \beta) + 2640]/48$

f) Laguerre Polynomials $L_n(x)$:

$$\int_0^{\infty} e^{-x} L_n^2(x) dx = 1$$

First polynomials:

$$L_0(x) = 1, L_1(x) = -x + 1, L_2(x) = \frac{x^2}{2} - 2x + 1, L_3(x) = -\frac{x^3}{6} + \frac{3x^2}{2} - 3x + 1,$$

$$L_4(x) = \frac{x^4}{24} - \frac{2x^3}{3} + 3x^2 - 4x + 1$$

$Z_\nu(x) = J_0(x)$:

n	λ_k	μ_k	γ
1	$\lambda_0 = 1, \lambda_1 = -1$	$\mu_0 = -1, \mu_1 = 1$	1
2	$\lambda_0 = 1, \lambda_1 = -1$	$\mu_0 = -1, \mu_2 = 1$	1/2
3	$\lambda_0 = 1/3, \lambda_1 = 1/3, \lambda_2 = -2/3$	$\mu_0 = -1/3, \mu_1 = -2/3, \mu_3 = 1$	-1/2
4	$\lambda_0 = -11/12, \lambda_1 = 25/12, \lambda_2 = -5/12,$ $\lambda_3 = -3/4$	$\mu_0 = 11/12, \mu_1 = -7/6, \mu_2 = -3/4,$ $\mu_4 = 1$	-13/8
5	$\lambda_0 = -131/60, \lambda_1 = 193/60, \lambda_2 = 19/60,$ $\lambda_3 = -11/20, \lambda_4 = -4/5$	$\mu_0 = 131/60, \mu_1 = -31/30,$ $\mu_2 = -27/20, \mu_3 = -4/5, \mu_5 = 1$	-17/8
6	$\lambda_0 = -99/40, \lambda_1 = 97/40, \lambda_2 = 51/40,$ $\lambda_3 = 29/120, \lambda_4 = -19/30, \lambda_5 = -5/6$	$\mu_0 = 99/40, \mu_1 = 1/20, \mu_2 = -49/40,$ $\mu_3 = -22/15, \mu_4 = -5/6, \mu_6 = 1$	-19/16
7	$\lambda_0 = -239/280, \lambda_1 = -283/280, \lambda_2 = 73/40,$ $\lambda_3 = 167/120, \lambda_4 = 41/210, \lambda_5 = -29/42,$ $\lambda_6 = -6/7$	$\mu_0 = 239/280, \mu_1 = 261/140,$ $\mu_2 = 11/280, \mu_3 = -142/105,$ $\mu_4 = -65/42, \mu_5 = -6/7, \mu_7 = 1$	23/16
8	$\lambda_0 = 6117/2240, \lambda_1 = -13751/2240,$ $\lambda_2 = 381/320, \lambda_3 = 2099/960,$ $\lambda_4 = 2477/1680, \lambda_5 = 55/336,$ $\lambda_6 = -41/56, \lambda_7 = -7/8$	$\mu_0 = -6117/2240, \mu_1 = 3817/1120,$ $\mu_2 = 4967/2240, \mu_3 = 13/420,$ $\mu_4 = -485/336, \mu_5 = -45/28,$ $\mu_6 = -7/8, \mu_8 = 1$	611/128
9	$\lambda_0 = 134581/20160,$ $\lambda_1 = -197543/20160,$ $\lambda_2 = -2867/2880, \lambda_3 = 4769/2880,$ $\lambda_4 = 12287/5040, \lambda_5 = 1549/1008,$ $\lambda_6 = 71/504, \lambda_7 = -55/72,$ $\lambda_8 = -8/9$	$\mu_0 = -134581/20160,$ $\mu_1 = 31481/10080,$ $\mu_2 = 27677/6720, \mu_3 = 3103/1260,$ $\mu_4 = 25/1008, \mu_5 = -127/84,$ $\mu_6 = -119/72, \mu_7 = -8/9,$ $\mu_9 = 1$	827/128
10	$\lambda_0 = 313217/40320,$ $\lambda_1 = -305131/40320,$ $\lambda_2 = -23239/5760,$ $\lambda_3 = -4547/5760,$ $\lambda_4 = 19939/10080,$ $\lambda_5 = 26461/10080,$ $\lambda_6 = 7991/5040, \lambda_7 = 89/720,$ $\lambda_8 = -71/90, \lambda_9 = -9/10$	$\mu_0 = -313217/40320,$ $\mu_1 = -4043/20160,$ $\mu_2 = 51529/13440,$ $\mu_3 = 11651/2520,$ $\mu_4 = 5333/2016,$ $\mu_5 = 17/840,$ $\mu_6 = -1127/720, \mu_7 = -76/45,$ $\mu_8 = -9/10, \mu_{10} = 1$	943/256

$Z_\nu(x) = I_0(x)$:

n	λ_k	μ_k	γ
1	$\lambda_0 = 1, \lambda_1 = -1$	$\mu_0 = -1, \mu_1 = 1$	1
2	$\lambda_0 = 1, \lambda_1 = -1$	$\mu_0 = -1, \mu_2 = 1$	3/2
3	$\lambda_0 = 5/3, \lambda_1 = -7/3, \lambda_2 = 2/3$	$\mu_0 = -5/3, \mu_1 = 2/3, \mu_3 = 1$	5/2
4	$\lambda_0 = 35/12, \lambda_1 = -49/12, \lambda_2 = 5/12,$ $\lambda_3 = 3/4$	$\mu_0 = -35/12, \mu_1 = 7/6, \mu_2 = 3/4,$ $\mu_4 = 1$	35/8

n	λ_k	μ_k	γ
5	$\lambda_0 = 21/4, \lambda_1 = -147/20, \lambda_2 = 3/4,$ $\lambda_3 = 11/20, \lambda_4 = 4/5$	$\mu_0 = -21/4, \mu_1 = 21/10,$ $\mu_2 = 27/20, \mu_3 = 4/5, \mu_5 = 1$	63/8
6	$\lambda_0 = 77/8, \lambda_1 = -539/40, \lambda_2 = 11/8,$ $\lambda_3 = 121/120, \lambda_4 = 19/30, \lambda_5 = 5/6$	$\mu_0 = -77/8, \mu_1 = 77/20, \mu_2 = 99/40,$ $\mu_3 = 22/15, \mu_4 = 5/6, \mu_6 = 1$	231/16
7	$\lambda_0 = 143/8, \lambda_1 = -1001/40, \lambda_2 = 143/56,$ $\lambda_3 = 1573/840, \lambda_4 = 247/210, \lambda_5 = 29/42,$ $\lambda_6 = 6/7$	$\mu_0 = -143/8, \mu_1 = 143/20,$ $\mu_2 = 1287/280, \mu_3 = 286/105,$ $\mu_4 = 65/42, \mu_5 = 6/7, \mu_7 = 1$	429/16
8	$\lambda_0 = 429/16, \lambda_1 = -3003/64,$ $\lambda_2 = 2145/448, \lambda_3 = 1573/448,$ $\lambda_4 = 247/112, \lambda_5 = 145/112,$ $\lambda_6 = 41/56, \lambda_7 = 7/8$	$\mu_0 = -2145/64, \mu_1 = 429/32,$ $\mu_2 = 3861/448, \mu_3 = 143/28,$ $\mu_4 = 325/112, \mu_5 = 45/28,$ $\mu_6 = 7/8, \mu_8 = 1$	6435/128
9	$\lambda_0 = 12155/192,$ $\lambda_1 = -17017/192,$ $\lambda_2 = 12155/1344, \lambda_3 = 26741/4032,$ $\lambda_4 = 4199/1008, \lambda_5 = 2465/1008,$ $\lambda_6 = 697/504, \lambda_7 = 55/72, \lambda_8 = 8/9$	$\mu_0 = -12155/192,$ $\mu_1 = 2431/96,$ $\mu_2 = 7293/448, \mu_3 = 2431/252,$ $\mu_4 = 5525/1008, \mu_5 = 85/28,$ $\mu_6 = 119/72, \mu_7 = 8/9, \mu_9 = 1$	12155/128
10	$\lambda_0 = 46189/384,$ $\lambda_1 = -323323/1920,$ $\lambda_2 = 46189/2688,$ $\lambda_3 = 508079/40320,$ $\lambda_4 = 79781/10080, \lambda_5 = 9367/2016,$ $\lambda_6 = 13243/5040, \lambda_7 = 209/144,$ $\lambda_8 = 71/90, \lambda_9 = 9/10$	$\mu_0 = -46189/384,$ $\mu_1 = 46189/960,$ $\mu_2 = 138567/4480,$ $\mu_3 = 46189/2520,$ $\mu_4 = 20995/2016, \mu_5 = 323/56,$ $\mu_6 = 2261/720, \mu_7 = 76/45,$ $\mu_8 = 9/10, \mu_{10} = 1$	943/256

$Z_\nu(x) = K_0(x) :$

n	λ_k	μ_k	γ
1	$\lambda_0 = 1, \lambda_1 = -1$	$\mu_0 = 1, \mu_1 = -1$	1
2	$\lambda_0 = 1, \lambda_1 = -1$	$\mu_0 = 1, \mu_2 = -1$	3/2
3	$\lambda_0 = 5/3, \lambda_1 = -7/3, \lambda_2 = 2/3$	$\mu_0 = 5/3, \mu_1 = -2/3, \mu_3 = -1$	5/2
4	$\lambda_0 = 35/12, \lambda_1 = -49/12, \lambda_2 = 5/12,$ $\lambda_3 = 3/4$	$\mu_0 = 35/12, \mu_1 = -7/6, \mu_2 = -3/4,$ $\mu_4 = -1$	35/8
5	$\lambda_0 = 21/4, \lambda_1 = -147/20, \lambda_2 = 3/4,$ $\lambda_3 = 11/20, \lambda_4 = 4/5$	$\mu_0 = 21/4, \mu_1 = -21/10,$ $\mu_2 = -27/20, \mu_3 = -4/5, \mu_5 = -1$	63/8
6	$\lambda_0 = 77/8, \lambda_1 = -539/40, \lambda_2 = 11/8,$ $\lambda_3 = 121/120, \lambda_4 = 19/30, \lambda_5 = 5/6$	$\mu_0 = 77/8, \mu_1 = -77/20, \mu_2 = -99/40,$ $\mu_3 = -22/15, \mu_4 = -5/6, \mu_6 = -1$	231/16
7	$\lambda_0 = 143/8, \lambda_1 = -1001/40, \lambda_2 = 143/56,$ $\lambda_3 = 1573/840, \lambda_4 = 247/210, \lambda_5 = 29/42,$ $\lambda_6 = 6/7$	$\mu_0 = 143/8, \mu_1 = -143/20,$ $\mu_2 = -1287/280, \mu_3 = -286/105,$ $\mu_4 = -65/42, \mu_5 = -6/7, \mu_7 = -1$	429/16
8	$\lambda_0 = 429/16, \lambda_1 = -3003/64,$ $\lambda_2 = 2145/448, \lambda_3 = 1573/448,$ $\lambda_4 = 247/112, \lambda_5 = 145/112,$ $\lambda_6 = 41/56, \lambda_7 = 7/8$	$\mu_0 = 2145/64, \mu_1 = -429/32,$ $\mu_2 = -3861/448, \mu_3 = -143/28,$ $\mu_4 = -325/112, \mu_5 = -45/28,$ $\mu_6 = -7/8, \mu_8 = -1$	6435/128
9	$\lambda_0 = 12155/192,$ $\lambda_1 = -17017/192,$ $\lambda_2 = 12155/1344, \lambda_3 = 26741/4032,$ $\lambda_4 = 4199/1008, \lambda_5 = 2465/1008,$ $\lambda_6 = 697/504, \lambda_7 = 55/72, \lambda_8 = 8/9$	$\mu_0 = 12155/192,$ $\mu_1 = -2431/96,$ $\mu_2 = -7293/448, \mu_3 = -2431/252,$ $\mu_4 = -5525/1008, \mu_5 = -85/28,$ $\mu_6 = -119/72, \mu_7 = -8/9, \mu_9 = -1$	12155/128

n	λ_k	μ_k	γ
10	$\lambda_0 = 46189/384,$ $\lambda_1 = -323323/1920,$ $\lambda_2 = 46189/2688,$ $\lambda_3 = 508079/40320,$ $\lambda_4 = 79781/10080, \lambda_5 = -9367/2016,$ $\lambda_6 = 13243/5040, \lambda_7 = -209/144,$ $\lambda_8 = 71/90, \lambda_9 = 9/10$	$\mu_0 = 46189/384,$ $\mu_1 = -46189/960,$ $\mu_2 = -138567/4480,$ $\mu_3 = -46189/2520,$ $\mu_4 = -20995/2016, \mu_5 = 323/56,$ $\mu_6 = -2261/720, \mu_7 = -76/45,$ $\mu_8 = -9/10, \mu_{10} = -1$	943/256

$$Z_\nu(x) = J_1(x) :$$

n	λ_k	μ_k	γ
1	$\lambda_0 = -1,$	-	-1
2	$\lambda_0 = -2, \lambda_1 = 2, \lambda_2 = -1$	$\mu_0 = 1, \mu_1 = -1$	-2
3	$\lambda_0 = -3, \lambda_1 = 3, \lambda_3 = -1$	$\mu_0 = 2, \mu_1 = -1, \mu_2 = -1$	-5/2
4	$\lambda_0 = -10/3, \lambda_1 = 8/3, \lambda_2 = 2/3, \lambda_4 = -1$	$\mu_0 = 7/3, \mu_1 = -1/3, \mu_2 = -1, \mu_3 = -1$	-2
5	$\lambda_0 = -29/12, \lambda_1 = 7/12,$ $\lambda_2 = 13/12, \lambda_3 = 3/4, \lambda_5 = -1$	$\mu_0 = 17/12, \mu_1 = 5/6,$ $\mu_2 = -1/4, \mu_3 = -1, \mu_4 = -1$	-3/8
6	$\lambda_0 = -7/30, \lambda_1 = -79/30,$ $\lambda_2 = 23/30, \lambda_3 = 13/10,$ $\lambda_4 = 4/5, \lambda_6 = -1$	$\mu_0 = -23/30, \mu_1 = 28/15,$ $\mu_2 = 11/10, \mu_3 = -1/5,$ $\mu_4 = -1, \mu_5 = -1,$	7/4
7	$\lambda_0 = 269/120, \lambda_1 = -607/120,$ $\lambda_2 = -61/120, \lambda_3 = 127/120,$ $\lambda_4 = 43/30, \lambda_5 = 5/6, \lambda_7 = -1$	$\mu_0 = -389/120, \mu_1 = 109/60,$ $\mu_2 = 93/40, \mu_3 = 19/15,$ $\mu_4 = -1/6, \mu_5 = -1, \mu_6 = -1$	47/16
8	$\lambda_0 = 65/21, \lambda_1 = -85/21,$ $\lambda_2 = -7/3, \lambda_3 = -1/3,$ $\lambda_4 = 26/21, \lambda_5 = 32/21,$ $\lambda_6 = 6/7, \lambda_8 = -1$	$\mu_0 = -86/21, \mu_1 = -1/21,$ $\mu_2 = 16/7, \mu_3 = 55/21,$ $\mu_4 = 29/21, \mu_5 = -1/7,$ $\mu_6 = -1, \mu_7 = -1$	3/2
9	$\lambda_0 = 2449/6720, \lambda_1 = 14053/6720,$ $\lambda_2 = -3383/960, \lambda_3 = -2419/960,$ $\lambda_4 = -397/1680, \lambda_5 = 457/336,$ $\lambda_6 = 89/56, \lambda_7 = 7/8,$ $\lambda_9 = -1$	$\mu_0 = -9169/6720, \mu_1 = -11611/3360,$ $\mu_2 = 153/2240, \mu_3 = 1087/420,$ $\mu_4 = 949/336, \mu_5 = 41/28,$ $\mu_6 = -1/8, \mu_7 = -1,$ $\mu_8 = -1$	-419/128
10	$\lambda_0 = -63617/10080, \lambda_1 = 119851/10080,$ $\lambda_2 = -3641/1440, \lambda_3 = -6013/1440,$ $\lambda_4 = -6739/2520, \lambda_5 = -89/504,$ $\lambda_6 = 365/252, \lambda_7 = 59/36,$ $\lambda_8 = 8/9, \lambda_{10} = -1$	$\mu_0 = 53537/10080, \mu_1 = -33157/5040,$ $\mu_2 = -13609/3360, \mu_3 = 79/630,$ $\mu_4 = 1411/504, \mu_5 = 125/42,$ $\mu_6 = 55/36, \mu_7 = -1/9,$ $\mu_8 = -1, \mu_9 = -1$	-623/64

$$Z_\nu(x) = I_1(x) :$$

n	λ_k	μ_k	γ
1	$\lambda_0 = 1,$	-	1
2	$\lambda_0 = 2, \lambda_1 = -2, \lambda_2 = 1$	$\mu_0 = -1, \mu_1 = 1$	2
3	$\lambda_0 = 3, \lambda_1 = -3, \lambda_3 = 1$	$\mu_0 = -2, \mu_1 = 1, \mu_2 = 1$	7/2
4	$\lambda_0 = 14/3, \lambda_1 = -16/3, \lambda_2 = 2/3, \lambda_4 = 1$	$\mu_0 = -11/3, \mu_1 = 5/3, \mu_2 = 1, \mu_3 = 1$	6
5	$\lambda_0 = 91/12, \lambda_1 = -113/12,$ $\lambda_2 = 13/12, \lambda_3 = 3/4, \lambda_5 = 1$	$\mu_0 = -79/12, \mu_1 = 17/6,$ $\mu_2 = 7/4, \mu_3 = 1, \mu_4 = 1$	83/8
6	$\lambda_0 = 77/6, \lambda_1 = -503/30,$ $\lambda_2 = 11/6, \lambda_3 = 13/10,$ $\lambda_4 = 4/5, \lambda_6 = 1$	$\mu_0 = -71/6, \mu_1 = 74/15,$ $\mu_2 = 31/10, \mu_3 = 9/5,$ $\mu_4 = 1, \mu_5 = 1,$	73/4

n	λ_k	μ_k	γ
7	$\lambda_0 = 539/24, \lambda_1 = -3629/120,$ $\lambda_2 = 77/24, \lambda_3 = 277/120,$ $\lambda_4 = 43/30, \lambda_5 = 5/6, \lambda_7 = -1$	$\mu_0 = 277/120, \mu_1 = 527/60,$ $\mu_2 = 223/40, \mu_3 = 49/15,$ $\mu_4 = 11/6, \mu_5 = 1, \mu_6 = 1$	523/15
8	$\lambda_0 = 121/3, \lambda_1 = -829/15,$ $\lambda_2 = 121/21, \lambda_3 = 439/105,$ $\lambda_4 = 274/105, \lambda_5 = 32/21,$ $\lambda_6 = 6/7, \lambda_8 = 1$	$\mu_0 = -118/3, \mu_1 = 239/15,$ $\mu_2 = 356/35, \mu_3 = 629/105,$ $\mu_4 = 71/21, \mu_5 = 13/7,$ $\mu_6 = 1, \mu_7 = 1$	119/2
9	$\lambda_0 = 14179/192, \lambda_1 = 14179/192,$ $\lambda_2 = 14179/1344, \lambda_3 = 51691/6720,$ $\lambda_4 = 8089/1680, \lambda_5 = 947/336,$ $\lambda_6 = 89/56, \lambda_7 = 7/8,$ $\lambda_9 = 1$	$\mu_0 = -13987/192, \mu_1 = 14083/480,$ $\mu_2 = 42089/2240, \mu_3 = 4661/420,$ $\mu_4 = 2111/336, \mu_5 = 97/28,$ $\mu_6 = 15/8, \mu_7 = 1,$ $\mu_8 = 1$	14051/128
10	$\lambda_0 = 4389/32, \lambda_1 = -30531/160,$ $\lambda_2 = 627/32, \lambda_3 = 20627/1440,$ $\lambda_4 = 3233/360, \lambda_5 = 379/72,$ $\lambda_6 = 107/36, \lambda_7 = 59/36,$ $\lambda_8 = 8/9, \lambda_{10} = 1$	$\mu_0 = -4357/32, \mu_1 = 4373/80,$ $\mu_2 = 5611/160, \mu_3 = 1867/90,$ $\mu_4 = 1867/90, \mu_5 = 13/2,$ $\mu_6 = 127/36, \mu_7 = 17/9,$ $\mu_8 = 1, \mu_9 = 1$	13103/64

$Z_\nu(x) = K_1(x) :$

n	λ_k	μ_k	γ
1	$\lambda_0 = -1,$	-	-1
2	$\lambda_0 = -2, \lambda_1 = 2, \lambda_2 = -1$	$\mu_0 = -1, \mu_1 = 1$	-2
3	$\lambda_0 = -3, \lambda_1 = 3, \lambda_3 = -1$	$\mu_0 = -2, \mu_1 = 1, \mu_2 = 1$	-7/2
4	$\lambda_0 = -14/3, \lambda_1 = 16/3, \lambda_2 = -2/3,$ $\lambda_4 = -1$	$\mu_0 = -11/3, \mu_1 = 5/3, \mu_2 = 1,$ $\mu_3 = 1$	-6
5	$\lambda_0 = -91/12, \lambda_1 = 113/12,$ $\lambda_2 = -13/12, \lambda_3 = -3/4, \lambda_5 = 1$	$\mu_0 = -79/12, \mu_1 = 17/6,$ $\mu_2 = 7/4, \mu_3 = 1, \mu_4 = 1$	-83/8
6	$\lambda_0 = -77/6, \lambda_1 = 503/30,$ $\lambda_2 = -11/6, \lambda_3 = -13/10,$ $\lambda_4 = -4/5, \lambda_6 = -1$	$\mu_0 = -71/6, \mu_1 = 74/15,$ $\mu_2 = 31/10, \mu_3 = 9/5,$ $\mu_4 = 1, \mu_5 = 1,$	-73/4
7	$\lambda_0 = -539/24, \lambda_1 = 3629/120,$ $\lambda_2 = -77/24, \lambda_3 = -277/120,$ $\lambda_4 = -43/30, \lambda_5 = -5/6, \lambda_7 = -1$	$\mu_0 = -277/120, \mu_1 = 527/60,$ $\mu_2 = 223/40, \mu_3 = 49/15,$ $\mu_4 = 11/6, \mu_5 = 1, \mu_6 = 1$	-523/15
8	$\lambda_0 = -121/3, \lambda_1 = 829/15,$ $\lambda_2 = -121/21, \lambda_3 = -439/105,$ $\lambda_4 = -274/105, \lambda_5 = -32/21,$ $\lambda_6 = -6/7, \lambda_8 = -1$	$\mu_0 = -118/3, \mu_1 = 239/15,$ $\mu_2 = 356/35, \mu_3 = 629/105,$ $\mu_4 = 71/21, \mu_5 = 13/7,$ $\mu_6 = 1, \mu_7 = 1$	-119/2
9	$\lambda_0 = 14179/192, \lambda_1 = 14179/192,$ $\lambda_2 = -14179/1344, \lambda_3 = 51691/6720,$ $\lambda_4 = -8089/1680, \lambda_5 = -947/336,$ $\lambda_6 = -89/56, \lambda_7 = -7/8,$ $\lambda_9 = -1$	$\mu_0 = -13987/192, \mu_1 = 14083/480,$ $\mu_2 = 42089/2240, \mu_3 = 4661/420,$ $\mu_4 = 2111/336, \mu_5 = 97/28,$ $\mu_6 = 15/8, \mu_7 = 1,$ $\mu_8 = 1$	-14051/128
10	$\lambda_0 = -4389/32, \lambda_1 = 30531/160,$ $\lambda_2 = -627/32, \lambda_3 = -20627/1440,$ $\lambda_4 = -3233/360, \lambda_5 = -379/72,$ $\lambda_6 = -107/36, \lambda_7 = -59/36,$ $\lambda_8 = -8/9, \lambda_{10} = -1$	$\mu_0 = -4357/32, \mu_1 = 4373/80,$ $\mu_2 = 5611/160, \mu_3 = 1867/90,$ $\mu_4 = 1867/90, \mu_5 = 13/2,$ $\mu_6 = 127/36, \mu_7 = 17/9,$ $\mu_8 = 1, \mu_9 = 1$	-13103/64

g) Generalized Laguerre Polynomials $L_n^{(\alpha)}(x)$:

$$\int_0^{\infty} x^\alpha e^{-x} [L_n^{(\alpha)}(x)]^2 dx = \frac{\Gamma(n + \alpha + 1)}{n!}, \quad \alpha > -1$$

First polynomials:

$$L_0^{(\alpha)}(x) = 1, \quad L_1^{(\alpha)}(x) = -x + 1 + \alpha, \quad L_2^{(\alpha)}(x) = \frac{x^2}{2} - (2 + \alpha)x + \frac{(\alpha + 1)(\alpha + 2)}{2},$$

$$L_3^{(\alpha)}(x) = -\frac{x^3}{6} + \frac{3 + \alpha}{2}x^2 - \frac{\alpha^2 + 5\alpha + 6}{2}x + \frac{\alpha^3 + 6\alpha + 11\alpha + 6}{6},$$

$$L_4^{(\alpha)}(x) = \frac{x^4}{24} - \frac{\alpha + 4}{6}x^3 + \frac{\alpha^2 + 7\alpha + 12}{4}x^2 - \frac{\alpha^3 + 9\alpha^2 + 26\alpha + 24}{6}x + \frac{\alpha^4 + 10\alpha^3 + 35\alpha^2 + 50\alpha + 24}{24}$$

$Z_\nu(x) = J_0(x)$:

n	λ_k	μ_k	γ
1	$\lambda_0 = (\alpha + 1)^2, \lambda_1 = -(\alpha + 1)$	$\mu_0 = -(\alpha + 1), \mu_1 = 1$	$\alpha + 1$
2	$\lambda_0 = (\alpha + 1)^2(\alpha + 2)/2,$ $\lambda_1 = -(\alpha + 1)(\alpha + 2)/2$	$\mu_0 = -(\alpha + 1)(\alpha + 2)/2, \mu_2 = 1$	$(\alpha^2 + 3\alpha + 1)/2$
3	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^2 + 4\alpha + 1)/6,$ $\lambda_1 = -(\alpha + 2)(\alpha^2 + 4\alpha - 1)/6,$ $\lambda_2 = -2/3$	$\mu_0 = -(\alpha + 1)(\alpha^2 + 5\alpha + 2)/6,$ $\mu_1 = -2/3, \mu_3 = 1$	$(\alpha + 3)(\alpha^2 + 3\alpha - 1)/6$
4	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^3 + 8\alpha^2 +$ $+14\alpha - 11)/24,$ $\lambda_1 = -(\alpha + 2)(\alpha^3 + 8\alpha^2 + 12\alpha$ $-25)/24,$ $\lambda_2 = (\alpha - 5)/12, \lambda_3 = -3/4$	$\mu_0 = -(\alpha + 1)(\alpha^3 + 9\alpha^2 + 19\alpha -$ $-22)/24,$ $\mu_1 = (\alpha - 14)/12,$ $\mu_2 = -3/4, \mu_4 = 1$	$(\alpha^4 + 10\alpha^3 + 29\alpha^2 +$ $+8\alpha - 39)/24$
5	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^4 + 13\alpha^3 + 50\alpha^2 + 19\alpha - 131)/120$ $\lambda_1 = -(\alpha + 2)(\alpha^4 + 13\alpha^3 + 48\alpha^2 - 5\alpha - 193)/120$ $\lambda_2 = (\alpha^2 + 12\alpha + 19)/60, \lambda_3 = (\alpha - 11)/20, \lambda_4 = -4/5$ $\mu_0 = -(\alpha + 1)(\alpha^4 + 14\alpha^3 + 60\alpha^2 + 29\alpha - 262)/120$ $\mu_1 = (\alpha^2 + 15\alpha - 62)/60, \mu_2 = (\alpha - 27)/20, \mu_3 = -4/5, \mu_5 = 1$ $\gamma = (\alpha + 5)(\alpha^4 + 10\alpha^3 + 25\alpha^2 - 20\alpha - 51)/120$		
6	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^5 + 19\alpha^4 + 123\alpha^3 + 239\alpha^2 - 367\alpha - 891)/720$ $\lambda_1 = -(\alpha + 2)(\alpha^5 + 19\alpha^4 + 121\alpha^3 + 203\alpha^2 - 563\alpha - 873)/720$ $\lambda_2 = (\alpha^3 + 18\alpha^2 + 86\alpha + 459)/360, \lambda_3 = (\alpha^2 + 15\alpha + 29)/120, \lambda_4 = (\alpha - 19)/30, \lambda_5 = -5/6$ $\mu_0 = -(\alpha + 1)(\alpha^5 + 20\alpha^4 + 139\alpha^3 + 304\alpha^2 - 503\alpha - 1782)/720$ $\mu_1 = (\alpha^3 + 21\alpha^2 + 143\alpha + 18)/360, \mu_2 = (\alpha^2 + 19\alpha - 147)/120, \mu_3 = (\alpha - 44)/30,$ $\mu_4 = -5/6, \mu_6 = 1$ $\gamma = (\alpha^6 + 21\alpha^5 + 160\alpha^4 + 465\alpha^3 - 26\alpha^2 - 1881\alpha - 855)/720$		
7	$\lambda_0 = (\alpha + 1)(\alpha + 2)((\alpha^6 + 26\alpha^5 + 250\alpha^4 + 962\alpha^3 + 286\alpha^2 - 5374\alpha - 2151)/5040$ $\lambda_1 = -(\alpha + 2)(\alpha^6 + 26\alpha^5 + 248\alpha^4 + 912\alpha^3 - 150\alpha^2 - 6464\alpha + 2547)/5040$ $\lambda_2 = (\alpha^4 + 25\alpha^3 + 206\alpha^2 + 209\alpha + 4599)/2520, \lambda_3 = (aa^3 + 22\alpha^2 + 128\alpha + 1169)/840$ $\lambda_4 = (aa^2 + 18\alpha + 41)/210, \lambda_5 = (\alpha - 29)/42, \lambda_6 = -6/7$ $\mu_0 = -(\alpha + 1)(\alpha^6 + 27\alpha^5 + 273\alpha^4 + 1133\alpha^3 + 485\alpha^2 - 7817\alpha - 4302)/5040$ $\mu_1 = (\alpha^4 + 28\alpha^3 + 284\alpha^2 + 869\alpha + 4698)/2520, \mu_2 = (\alpha^3 + 26\alpha^2 + 220\alpha + 33)/840$ $\mu_3 = (\alpha^2 + 23\alpha - 284)/210, \mu_4 = (\alpha - 65)/42, \mu_5 = -6/7, \mu_7 = 1$ $\gamma = (\alpha + 7)(\alpha^6 + 21\alpha^5 + 154\alpha^4 + 357\alpha^3 - 560\alpha^2 - 1953\alpha + 1035)/5040$		

n	λ_k	μ_k	γ
8	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^7 + 34\alpha^6 + 451\alpha^5 + 2745\alpha^4 + 5609\alpha^3 - 12319\alpha^2 - 39970\alpha + 55053)/40320$ $\lambda_1 = -(\alpha + 2)(\alpha^7 + 34\alpha^6 + 449\alpha^5 + 2679\alpha^4 + 4787\alpha^3 - 16477\alpha^2 - 39764\alpha + 123759)/40320$ $\lambda_2 = (\alpha^5 + 33\alpha^4 + 399\alpha^3 + 1647\alpha^2 - 5839\alpha + 24003)/20160$ $\lambda_3 = (\alpha^4 + 30\alpha^3 + 297\alpha^2 + 324\alpha + 14693)/6720, \lambda_4 = (\alpha^3 + 26\alpha^2 + 178\alpha + 2477)/1680$ $\lambda_5 = (\alpha^2 + 21\alpha + 55)/336, \lambda_6 = (\alpha - 41)/56, \lambda_7 = -7/8$ $\mu_0 = -(\alpha + 1)(\alpha^7 + 35\alpha^6 + 482\alpha^5 + 3093\alpha^4 + 6980\alpha^3 - 14885\alpha^2 - 63653\alpha + 110106)/40320$ $\mu_1 = (\alpha^5 + 36\alpha^4 + 501\alpha^3 + 2910\alpha^2 - 1111\alpha + 68706)/20160$ $\mu_2 = (\alpha^4 + 34\alpha^3 + 421\alpha^2 + 1576\alpha + 14901)/6720, \mu_3 = (\alpha^3 + 31\alpha^2 + 313\alpha + 52)/1680$ $\mu_4 = (\alpha^2 + 27\alpha - 485)/336, \mu_5 = (\alpha - 90)/56, \mu_6 = -7/8, \mu_8 = 1$ $\gamma = (\alpha^8 + 36\alpha^7 + 518\alpha^6 + 3612\alpha^5 + 10619\alpha^4 - 4116\alpha^3 - 70358\alpha^2 - 792\alpha + 192465)/40320$		
9	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^8 + 43\alpha^7 + 749\alpha^6 + 6484\alpha^5 + 25514\alpha^4 + 7954\alpha^3 - 186617\alpha^2 + 35451\alpha + 1211229)/362880$ $\lambda_1 = -(\alpha + 2)(\alpha^8 + 43\alpha^7 + 747\alpha^6 + 6400\alpha^5 + 24114\alpha^4 - 2978\alpha^3 - 214969\alpha^2 + 152811\alpha + 1777887)/362880$ $\lambda_2 = (\alpha^6 + 42\alpha^5 + 688\alpha^4 + 4926\alpha^3 + 4648\alpha^2 - 128556\alpha - 180621)/181440$ $\lambda_3 = (\alpha^5 + 39\alpha^4 + 559\alpha^3 + 2709\alpha^2 - 12647\alpha + 100149)/60480$ $\lambda_4 = (\alpha^4 + 35\alpha^3 + 404\alpha^2 + 463\alpha + 36861)/15120, \lambda_5 = (\alpha^3 + 30\alpha^2 + 236\alpha + 4647)/3024$ $\lambda_6 = (\alpha^2 + 24\alpha + 71)/504, \lambda_7 = (\alpha - 55)/72, \lambda_8 = -8/9$ $\mu_0 = -(\alpha + 1)(\alpha^8 + 44\alpha^7 + 789\alpha^6 + 7103\alpha^5 + 29721\alpha^4 + 13895\alpha^3 - 248986\alpha^2 - 67707\alpha + 2422458)/362880$ $\mu_1 = (\alpha^6 + 45\alpha^5 + 817\alpha^4 + 7083\alpha^3 + 19783\alpha^2 - 135621\alpha + 566658)/181440$ $\mu_2 = (\alpha^5 + 43\alpha^4 + 719\alpha^3 + 5045\alpha^2 - 2355\alpha + 249093)/60480$ $\mu_3 = (\alpha^4 + 40\alpha^3 + 584\alpha^2 + 2573\alpha + 37236)/15120, \mu_4 = (\alpha^3 + 36\alpha^2 + 422\alpha + 75)/3024$ $\mu_5 = (\alpha^2 + 31\alpha - 762)/504, \mu_6 = (\alpha - 119)/72, \mu_7 = -8/9, \mu_9 = 1$ $\gamma = (\alpha + 9)(\alpha^8 + 36\alpha^7 + 510\alpha^6 + 3348\alpha^5 + 7563\alpha^4 - 16092\alpha^3 - 53686\alpha^2 + 151056\alpha + 260505)/362880$		
10	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^9 + 53\alpha^8 + 1170\alpha^7 + 13524\alpha^6 + 81543\alpha^5 + 183237\alpha^4 - 359590\alpha^3 - 1034264\alpha^2 + 7302861\alpha + 14094765)/3628800$ $\lambda_1 = -(\alpha + 2)(\alpha^9 + 53\alpha^8 + 1168\alpha^7 + 13420\alpha^6 + 79321\alpha^5 + 159187\alpha^4 - 480648\alpha^3 - 1063930\alpha^2 + 9274833\alpha + 13730895)/3628800$ $\lambda_2 = (\alpha^7 + 52\alpha^6 + 1099\alpha^5 + 11365\alpha^4 + 45709\alpha^3 - 144707\alpha^2 - 1469934\alpha - 7320285)/1814400$ $\lambda_3 = (\alpha^6 + 49\alpha^5 + 940\alpha^4 + 7885\alpha^3 + 7594\alpha^2 - 304709\alpha - 477435)/604800$ $\lambda_4 = (\alpha^5 + 45\alpha^4 + 745\alpha^3 + 4125\alpha^2 - 24191\alpha + 299085)/151200$ $\lambda_5 = (\alpha^4 + 40\alpha^3 + 527\alpha^2 + 626\alpha + 79383)/30240$ $\lambda_6 = (\alpha^3 + 34\alpha^2 + 302\alpha + 7991)/5040, \lambda_7 = (\alpha^2 + 27\alpha + 89)/720$ $\lambda_8 = (\alpha - 71)/90, \lambda_9 = -9/10$ $\mu_0 = -(1 + \alpha)(\alpha^9 + 54\alpha^8 + 1220\alpha^7 + 14534\alpha^6 + 91517\alpha^5 + 223796\alpha^4 - 415640\alpha^3 - 1771714\alpha^2 + 8970777\alpha + 28189530)/3628800$ $\mu_1 = (\alpha^7 + 55\alpha^6 + 1258\alpha^5 + 14785\alpha^4 + 81064\alpha^3 - 26045\alpha^2 - 2439873\alpha - 363870)/1814400$ $\mu_2 = (\alpha^6 + 53\alpha^5 + 1140\alpha^4 + 11785\alpha^3 + 39554\alpha^2 - 323313\alpha + 2318805)/604800$ $\mu_3 = (\alpha^5 + 50\alpha^4 + 975\alpha^3 + 7990\alpha^2 - 4651\alpha + 699060)/151200$ $\mu_4 = (\alpha^4 + 46\alpha^3 + 773\alpha^2 + 3908\alpha + 79995)/30240$ $\mu_5 = (\alpha^3 + 41\alpha^2 + 547\alpha + 102)/5040, \mu_6 = (\alpha^2 + 35\alpha - 1127)/720$ $\mu_7 = (\alpha - 152)/90, \mu_8 = -9/10, \mu_{10} = 1$ $\gamma = (\alpha^{10} + 55\alpha^9 + 1275\alpha^8 + 15810\alpha^7 + 107373\alpha^6 + 331905\alpha^5 - 81775\alpha^4 - 1939510\alpha^3 + 5912451\alpha^2 + 30976515\alpha + 13367025)/3628800$		

$Z_\nu(x) = I_0(x), K_0(x)$ with s defined as on page 195:

n	λ_k	μ_k	γ
1	$\lambda_0 = (\alpha + 1)^2, \lambda_1 = -(\alpha + 1)$	$\mu_0 = -s(\alpha + 1), \mu_1 = s$	$\alpha + 1$
2	$\lambda_0 = (\alpha + 1)^2(\alpha + 2)/2,$ $\lambda_1 = -(\alpha + 1)(\alpha + 2)/2$	$\mu_0 = -s(\alpha + 1)(\alpha + 2)/2, \mu_2 = s$	$(\alpha^2 + 3\alpha + 3)/2$
3	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^2 + 4\alpha + 5)/6$ $\lambda_1 = -(\alpha + 2)(\alpha^2 + 4\alpha + 7)/6,$ $\lambda_2 = 2/3$	$\mu_0 = -s(\alpha + 1)(\alpha^2 + 5\alpha + 10)/6$ $\mu_1 = 2s/3, \mu_3 = s$	$(\alpha + 3) \cdot$ $\cdot(\alpha^2 + 3\alpha + 5)/6$
4	$\lambda_0 = (\alpha + 1)(\alpha + 2) \cdot$ $\cdot(\alpha^3 + 8\alpha^2 + 24\alpha + 35)/24,$ $\lambda_1 = -(\alpha + 2) \cdot$ $\cdot(\alpha^3 + 8\alpha^2 + 26\alpha + 49)/24,$ $\lambda_2 = -(\alpha - 5)/12, \lambda_3 = 3/4$	$\mu_0 = -s(\alpha + 1) \cdot$ $\cdot(\alpha^3 + 9\alpha^2 + 33\alpha + 70)/24,$ $\mu_1 = -s(\alpha - 14)/12, \mu_2 = 3s/4,$ $\mu_4 = s$	$(\alpha^4 + 10\alpha^3 + 41\alpha^2 +$ $+92\alpha + 105)/24$
5	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^4 + 13\alpha^3 + 68\alpha^2 + 195\alpha + 315)/120$ $\lambda_1 = -(\alpha + 2)(\alpha^4 + 13\alpha^3 + 70\alpha^2 + 219\alpha + 441)/120$ $\lambda_2 = -(\alpha + 15)(\alpha - 3)/60, \lambda_3 = -(\alpha - 11)/20, \lambda_4 = 4/5$ $\mu_0 = -s(\alpha + 1)(\alpha^4 + 14\alpha^3 + 82\alpha^2 + 279\alpha + 630)/120$ $\mu_1 = -s(\alpha + 21)(\alpha - 6)/60, \mu_2 = -s(\alpha - 27)/20, \mu_3 = 4s/5, \mu_5 = s$ $\gamma = (\alpha + 5)(\alpha^4 + 10\alpha^3 + 45\alpha^2 + 120\alpha + 189)/120$		
6	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^5 + 19\alpha^4 + 151\alpha^3 + 683\alpha^2 + 2005\alpha + 3465)/720$ $\lambda_1 = -(\alpha + 2)(\alpha^5 + 19\alpha^4 + 153\alpha^3 + 719\alpha^2 + 2285\alpha + 4851)/720$ $\lambda_2 = -(\alpha^3 + 18\alpha^2 + 152\alpha - 495)/360, \lambda_3 = -(\alpha^2 + 15\alpha - 121)/120$ $\lambda_4 = -(\alpha - 19)/30, \lambda_5 = 5/6$ $\mu_0 = -s(\alpha + 1)(\alpha^2 + 11\alpha + 45)(\alpha^3 + 9\alpha^2 + 27\alpha + 154)/720$ $\mu_1 = -s(\alpha^3 + 21\alpha^2 + 209\alpha - 1386)/360, \mu_2 = -s(\alpha^2 + 19\alpha - 297)/120$ $\mu_3 = -s(\alpha - 44)/30, \mu_4 = 5s/6, \mu_6 = s$ $\gamma = (\alpha^6 + 21\alpha^5 + 190\alpha^4 + 1005\alpha^3 + 3544\alpha^2 + 8379\alpha + 10395)/720$		
7	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^6 + 26\alpha^5 + 290\alpha^4 + 1878\alpha^3 + 8154\alpha^2 + 24910\alpha + 45045)/5040$ $\lambda_1 = -(\alpha + 2)(\alpha^6 + 26\alpha^5 + 292\alpha^4 + 1928\alpha^3 + 8698\alpha^2 + 28520\alpha + 63063)/5040$ $\lambda_2 = -(\alpha^4 + 25\alpha^3 + 284\alpha^2 + 2141\alpha - 6435)/2520, \lambda_3 = -(\alpha^3 + 22\alpha^2 + 230\alpha + 1573)/840$ $\lambda_4 = -(\alpha^2 + 18\alpha - 247)/210, \lambda_5 = -(\alpha - 29)/42, \lambda_6 = 6/7$ $\mu_0 = -s(\alpha + 1)(\alpha^6 + 27\alpha^5 + 317\alpha^4 + 2197\alpha^3 + 10413\alpha^2 + 36227\alpha + 90090)/5040$ $\mu_1 = -s(\alpha^4 + 28\alpha^3 + 362\alpha^2 + 3107\alpha - 18018)/2520$ $\mu_2 = -s(\alpha^3 + 26\alpha^2 + 322\alpha - 3861)/840, \mu_3 = -s(\alpha^2 + 23\alpha - 572)/210$ $\mu_4 = -s(\alpha - 65)/42, \mu_5 = 6s/7, \mu_7 = s$ $\gamma = (\alpha + 7)(\alpha^6 + 21\alpha^5 + 196\alpha^4 + 1113\alpha^3 + 4438\alpha^2 + 12411\alpha + 19305)/5040$		
8	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^7 + 34\alpha^6 + 505\alpha^5 + 4415\alpha^4 + 26167\alpha^3 + 114075\alpha^2 +$ $+362100\alpha + 675675)/40320$ $\lambda_1 = -(\alpha + 2)(\alpha^7 + 34\alpha^6 + 507\alpha^5 + 4481\alpha^4 + 27125\alpha^3 + 122457\alpha^2 + 414654\alpha +$ $+945945)/40320$ $\lambda_2 = -(\alpha^5 + 33\alpha^4 + 491\alpha^3 + 4623\alpha^2 + 33765\alpha - 96525)/20160$ $\lambda_3 = -(\alpha^4 + 30\alpha^3 + 413\alpha^2 + 3816\alpha - 23595)/6720$ $\lambda_4 = -(\alpha^3 + 26\alpha^2 + 324\alpha - 3705)/1680, \lambda_5 = -(\alpha^2 + 21\alpha - 435)/336$ $\lambda_6 = -(\alpha - 41)/56, \lambda_7 = 7/8$ $\mu_0 = -s(\alpha + 1)(\alpha^7 + 35\alpha^6 + 540\alpha^5 + 4957\alpha^4 + 31202\alpha^3 + 146691\alpha^2 +$ $+525345\alpha + 1351350)/40320$ $\mu_1 = -s(\alpha^5 + 36\alpha^4 + 593\alpha^3 + 6234\alpha^2 + 50721\alpha - 270270)/20160$ $\mu_2 = -s(\alpha^4 + 34\alpha^3 + 537\alpha^2 + 5652\alpha - 57915)/6720$ $\mu_3 = -s(\alpha^3 + 31\alpha^2 + 459\alpha - 8580)/1680, \mu_4 = -s(\alpha^2 + 27\alpha - 975)/336$ $\mu_5 = -s(\alpha - 90)/56, \mu_6 = 7s/8, \mu_8 = s$ $\gamma = (\alpha^8 + 36\alpha^7 + 574\alpha^6 + 5460\alpha^5 + 35539\alpha^4 + 171444\alpha^3 + 622866\alpha^2 +$ $+1563120\alpha + 2027025)/40320$		

n	λ_k, μ_k, γ
9	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^8 + 43\alpha^7 + 819\alpha^6 + 9280\alpha^5 + 71694\alpha^4 + 412426\alpha^3 + 1836935\alpha^2 + 6018255\alpha + 11486475)/362880$ $\lambda_1 = -(\alpha + 2)(\alpha^8 + 43\alpha^7 + 821\alpha^6 + 9364\alpha^5 + 73262\alpha^4 + 430054\alpha^3 + 1975999\alpha^2 + 6880887\alpha + 16081065)/362880$ $\lambda_2 = -(\alpha^6 + 42\alpha^5 + 796\alpha^4 + 9354\alpha^3 + 81004\alpha^2 + 593640\alpha - 1640925)/181440$ $\lambda_3 = -(\alpha^5 + 39\alpha^4 + 691\alpha^3 + 7821\alpha^2 + 69373\alpha - 401115)/60480$ $\lambda_4 = -(\alpha^4 + 35\alpha^3 + 566\alpha^2 + 6187\alpha - 62985)/15120$ $\lambda_5 = -(\alpha^3 + 30\alpha^2 + 434\alpha - 7395)/3024, \lambda_6 = -(\alpha + 41)(\alpha - 17)/504$ $\lambda_7 = -(\alpha - 55)/72, \lambda_8 = 8/9$ $\mu_0 = -s(\alpha + 1)(\alpha^8 + 44\alpha^7 + 863\alpha^6 + 10145\alpha^5 + 81935\alpha^4 + 496493\alpha^3 + 2363428\alpha^2 + 8696295\alpha + 22972950)/362880$ $\mu_1 = -s(\alpha^6 + 45\alpha^5 + 925\alpha^4 + 11907\alpha^3 + 113419\alpha^2 + 913203\alpha - 4594590)/181440$ $\mu_2 = -s(\alpha^5 + 43\alpha^4 + 851\alpha^3 - 10805\alpha^2 + 106521\alpha - 984555)/60480$ $\mu_3 = -s(\alpha^4 + 40\alpha^3 + 746\alpha^2 + 9287\alpha - 145860)/15120$ $\mu_4 = -(\alpha^3 + 36\alpha^2 + 620\alpha - 16575)/3024, \mu_5 = -s(\alpha^2 + 31\alpha - 1530)/504$ $\mu_6 = -s(\alpha - 119)/72, \mu_7 = 8s/9, \mu_9 = s$ $\gamma = (\alpha + 9)(\alpha^8 + 36\alpha^7 + 582\alpha^6 + 5724\alpha^5 + 39603\alpha^4 + 209628\alpha^3 + 859202\alpha^2 + 2485800\alpha + 3828825)/362880$
10	$\lambda_0 = (\alpha + 1)(\alpha + 2)(\alpha^9 + 53\alpha^8 + 1258\alpha^7 + 17920\alpha^6 + 174799\alpha^5 + 1273357\alpha^4 + 7327962\alpha^3 + 33481160\alpha^2 + 112434165\alpha + 218243025)/3628800$ $\lambda_1 = -(\alpha + 2)(\alpha^9 + 53\alpha^8 + 1260\alpha^7 + 18024\alpha^6 + 177225\alpha^5 + 1307547\alpha^4 + 7663160\alpha^3 + 36009166\alpha^2 + 128276829\alpha + 305540235)/3628800$ $\lambda_2 = -(\alpha^7 + 52\alpha^6 + 1225\alpha^5 + 17755\alpha^4 + 184579\alpha^3 + 1546663\alpha^2 + 11552400\alpha - 31177575)/1814400$ $\lambda_3 = -(\alpha^6 + 49\alpha^5 + 1090\alpha^4 + 15145\alpha^3 + 156484\alpha^2 + 1382191\alpha - 7621185)/604800$ $\lambda_4 = -(\alpha^5 + 45\alpha^4 + 925\alpha^3 + 12225\alpha^2 + 127369\alpha - 1196715)/151200$ $\lambda_5 = -(\alpha^4 + 40\alpha^3 + 743\alpha^2 + 9374\alpha - 140505)/30240$ $\lambda_6 = -(\alpha^3 + 34\alpha^2 + 560\alpha - 13243)/5040, \lambda_7 = -(\alpha^2 + 27\alpha - 1045)/720$ $\lambda_8 = -(\alpha - 71)/90, \lambda_9 = 9/10$ $\mu_0 = -s(\alpha + 1)(\alpha^9 + 54\alpha^8 + 1312\alpha^7 + 19234\alpha^6 + 194149\alpha^5 + 1470616\alpha^4 + 8850888\alpha^3 + 42972346\alpha^2 + 161767125\alpha + 436486050)/3628800$ $\mu_1 = -s(\alpha^7 + 55\alpha^6 + 1384\alpha^5 + 21625\alpha^4 + 243874\alpha^3 + 2222155\alpha^2 + 18079641\alpha - 87297210)/1814400$ $\mu_2 = -s(\alpha^6 + 53\alpha^5 + 1290\alpha^4 + 19765\alpha^3 + 225164\alpha^2 + 2175747\alpha - 18706545)/604800$ $\mu_3 = -s(\alpha^5 + 50\alpha^4 + 1155\alpha^3 + 17170\alpha^2 + 198389\alpha - 2771340)/151200$ $\mu_4 = -s(\alpha^4 + 46\alpha^3 + 989\alpha^2 + 14204\alpha - 314925)/30240$ $\mu_5 = -s(\alpha^3 + 41\alpha^2 + 805\alpha - 29070)/5040$ $\mu_6 = -s(\alpha^2 + 35\alpha - 2261)/720, \mu_7 = -s(\alpha - 152)/90, \mu_8 = 9s/10, \mu_{10} = s$ $\gamma = (\alpha^{10} + 55\alpha^9 + 1365\alpha^8 + 20490\alpha^7 + 211953\alpha^6 + 1642305\alpha^5 + 10071935\alpha^4 + 49660010\alpha^3 + 188887671\alpha^2 + 492444315\alpha + 654729075)/3628800$

$$Z_\nu(x) = J_1(x) :$$

n	λ_k	μ_k	γ
1	$\lambda_0 = -(\alpha + 1)$	-	-1
2	$\lambda_0 = -(\alpha + 1)(\alpha + 2), \lambda_1 = \alpha + 2,$ $\lambda_2 = -1$	$\mu_0 = \alpha + 1, \mu_1 = -1$	$-(\alpha + 2)$
3	$\lambda_0 = -(\alpha + 1)(\alpha + 2)(\alpha + 3)/2,$ $\lambda_1 = (\alpha + 2)(\alpha + 3)/2, \lambda_3 = -1$	$\mu_0 = (\alpha + 1)(\alpha + 4)/2,$ $\mu_1 = -1, \mu_2 = -1$	$-(\alpha^2 + 5\alpha + 5)/2$
4	$\lambda_0 = -(\alpha + 1)(\alpha + 2)^2(\alpha + 5)/6,$ $\lambda_1 = (\alpha + 2)(\alpha^2 + 7\alpha + 8)/6, \lambda_2 = 2/3,$ $\lambda_4 = -1$	$\mu_0 = (\alpha + 1)(\alpha^2 + 8\alpha + 14)/6,$ $\mu_1 = -1/3, \mu_2 = -1,$ $\mu_3 = -1$	$-(\alpha + 4) \cdot$ $\cdot(\alpha^2 + 8\alpha + 14)/6$
5	$\lambda_0 = -(\alpha + 1)(\alpha + 2)(\alpha^3 + 12\alpha^2 + 42\alpha + 29)/24, \lambda_1 = (\alpha + 2)(\alpha^3 + 12\alpha^2 + 40\alpha + 7)/24$ $\lambda_2 = -(\alpha - 13)/12, \lambda_3 = 3/4, \lambda_5 = -1$ $\mu_0 = (\alpha + 1)(\alpha^3 + 13\alpha^2 + 51\alpha + 34)/24, \mu_1 = -(\alpha - 10)/12$ $\mu_2 = -1/4, \mu_3 = -1, \mu_4 = -1$ $\gamma = -(\alpha^4 + 14\alpha^3 + 65\alpha^2 + 100\alpha + 9)/24$		
6	$\lambda_0 = -(\alpha + 1)(\alpha + 2)(\alpha^4 + 18\alpha^3 + 110\alpha^2 + 229\alpha + 14)/120$ $\lambda_1 = (\alpha + 2)(\alpha^4 + 18\alpha^3 + 108\alpha^2 + 195\alpha - 158)/120, \lambda_2 = -(\alpha^2 + 17\alpha - 46)/60$ $\lambda_3 = -(\alpha - 26)/20, \lambda_4 = 4/5, \lambda_6 = -1$ $\mu_0 = (\alpha + 1)(\alpha^4 + 19\alpha^3 + 125\alpha^2 + 284\alpha - 92)/120, \mu_1 = -(\alpha^2 + 20\alpha - 112)/60$ $\mu_2 = -(\alpha - 22)/20, \mu_3 = -1/5, \mu_4 = -1, \mu_5 = -1$ $\gamma = -(\alpha + 6)(\alpha^4 + 14\alpha^3 + 61\alpha^2 + 64\alpha - 35)/120$		
7	$\lambda_0 = -(\alpha + 1)(\alpha + 2)(\alpha^5 + 25\alpha^4 + 231\alpha^3 + 899\alpha^2 + 1007\alpha - 807)/720$ $\lambda_1 = (\alpha + 2)(\alpha^5 + 25\alpha^4 + 229\alpha^3 + 851\alpha^2 + 607\alpha - 1821)/720$ $\lambda_2 = -(\alpha^3 + 24\alpha^2 + 188\alpha + 183)/360, \lambda_3 = -(\alpha^2 + 21\alpha - 127)/120$ $\lambda_4 = -(\alpha - 43)/30, \lambda_5 = 5/6, \lambda_7 = -1$ $\mu_0 = (\alpha + 1)(\alpha^5 + 26\alpha^4 + 253\alpha^3 + 1054\alpha^2 + 1201\alpha - 2334)/720$ $\mu_1 = -(\alpha^3 + 27\alpha^2 + 263 - 654)/360, \mu_2 = -(\alpha^2 + 25\alpha - 279)/120$ $\mu_3 = -(\alpha - 38)/30, \mu_4 = -1/6, \mu_5 = -1, \mu_6 = -1$ $\gamma = -(\alpha^6 + 27\alpha^5 + 280\alpha^4 + 1335\alpha^3 + 2554\alpha^2 + 213\alpha - 2115)/720$		
8	$\lambda_0 = -(\alpha + 1)(\alpha + 2)(\alpha^6 + 33\alpha^5 + 425\alpha^4 + 2579\alpha^3 + 6579\alpha^2 + 1675\alpha - 7800)/5040$ $\lambda_1 = (\alpha + 2)(\alpha^6 + 33\alpha^5 + 423\alpha^4 + 2515\alpha^3 + 5807\alpha^2 - 2215\alpha - 10200)/5040$ $\lambda_2 = -(\alpha^4 + 32\alpha^3 + 374\alpha^2 + 1525\alpha + 5880)/2520, \lambda_3 = -(\alpha^3 + 29\alpha^2 + 275\alpha + 280)/840$ $\lambda_4 = -(\alpha^2 + 25\alpha - 260)/210, \lambda_5 = -(\alpha - 64)/42, \lambda_6 = 6/7, \lambda_8 = -1$ $\mu_0 = (\alpha + 1)(\alpha^6 + 34\alpha^5 + 455\alpha^4 + 2904\alpha^3 + 7863\alpha^2 + 590\alpha - 20640)/5040$ $\mu_1 = -(\alpha^4 + 35\alpha^3 + 473\alpha^2 + 2710\alpha + 120)/2520, \mu_2 = -(\alpha^3 + 33\alpha^2 + 395\alpha - 1920)/840$ $\mu_3 = -(\alpha^2 + 30\alpha - 550)/210, \mu_4 = -(\alpha - 58)/42, \mu_5 = -1/7, \mu_6 = -1, \mu_7 = -1$ $\gamma = -(\alpha + 8)(\alpha^6 + 27\alpha^5 + 274\alpha^4 + 1203\alpha^3 + 1660\alpha^2 - 1275\alpha - 945)/5040$		
9	$\lambda_0 = -(1 + \alpha)(\alpha + 2)(\alpha^7 + 42\alpha^6 + 715\alpha^5 + 6145\alpha^4 + 26241\alpha^3 + 40313\alpha^2 - 26570\alpha -$ $-7347)/40320$ $\lambda_1 = (\alpha + 2)(\alpha^7 + 42\alpha^6 + 713\alpha^5 + 6063\alpha^4 + 24907\alpha^3 + 29979\alpha^2 - 57484\alpha + 42159)/40320$ $\lambda_2 = -(\alpha^5 + 41\alpha^4 + 655\alpha^3 + 4639\alpha^2 + 6361\alpha + 71043)/20160$ $\lambda_3 = -(\alpha^4 + 38\alpha^3 + 529\alpha^2 + 2524\alpha + 16933)/6720, \lambda_4 = -(\alpha^3 + 34\alpha^2 + 378\alpha + 397)/1680$ $\lambda_5 = -(\alpha^2 + 29\alpha - 457)/336, \lambda_6 = -(\alpha - 89)/56, \lambda_7 = 7/8, \lambda_9 = -1$ $\mu_0 = (\alpha + 1)(\alpha^7 + 43\alpha^6 + 754\alpha^5 + 6733\alpha^4 + 30212\alpha^3 + 48019\alpha^2 - 58933\alpha - 55014)/40320$ $\mu_1 = -(\alpha^5 + 44\alpha^4 + 781\alpha^3 + 6694\alpha^2 + 20569\alpha + 69666)/20160$ $\mu_2 = -(\alpha^4 + 42\alpha^3 + 685\alpha^2 + 4736\alpha - 459)/6720, \mu_3 = -(\alpha^3 + 39\alpha^2 + 553\alpha - 4348)/1680$ $\mu_4 = -(\alpha^2 + 35\alpha - 949)/336, \mu_5 = -(\alpha - 82)/56, \mu_6 = -1/8, \mu_7 = -1, \mu_8 = -1$ $\gamma = -(\alpha^8 + 44\alpha^7 + 798\alpha^6 + 7532\alpha^5 + 37779\alpha^4 + 86156\alpha^3 + 25682\alpha^2 - 89952\alpha +$ $+131985)/40320$		

n	λ_k, μ_k, γ
10	$\lambda_0 = -(\alpha + 1)(\alpha + 2)(\alpha^8 + 52\alpha^7 + 1127\alpha^6 + 12919\alpha^5 + 80819\alpha^4 + 244123\alpha^3 + 176200\alpha^2 - 203679\alpha + 1145106)/362880$ $\lambda_1 = (\alpha + 2)(\alpha^8 + 52\alpha^7 + 1125\alpha^6 + 12817\alpha^5 + 78681\alpha^4 + 221185\alpha^3 + 54842\alpha^2 - 364545\alpha + 2157318)/362880$ $\lambda_2 = -(\alpha^6 + 51\alpha^5 + 1057\alpha^4 + 10821\alpha^3 + 46399\alpha^2 - 71307\alpha + 458766)/181440$ $\lambda_3 = -(\alpha^5 + 48\alpha^4 + 901\alpha^3 + 7470\alpha^2 + 10069\alpha + 252546)/60480$ $\lambda_4 = -(\alpha^4 + 44\alpha^3 + 710^2\alpha^2 + 3865\alpha + 40434)/15120, \lambda_5 = -(\alpha^3 + 39\alpha^2 + 497\alpha + 534)/3024$ $\lambda_6 = -(\alpha^2 + 33\alpha - 730)/504, \lambda_7 = -(\alpha - 118)/72, \lambda_8 = 8/9, \lambda_{10} = -1$ $\mu_0 = (\alpha + 1)(\alpha^8 + 53\alpha^7 + 1176\alpha^6 + 13889\alpha^5 + 90318\alpha^4 + 285803\alpha^3 + 183185\alpha^2 - 598104\alpha + 1927332)/362880$ $\mu_1 = -(\alpha^6 + 54\alpha^5 + 1213\alpha^4 + 14112\alpha^3 + 80029\alpha^2 + 49500\alpha + 1193652)/181440$ $\mu_2 = -(\alpha^5 + 52\alpha^4 + 1097\alpha^3 + 11210\alpha^2 + 40269\alpha + 244962)/60480$ $\mu_3 = -(\alpha^4 + 49\alpha^3 + 935\alpha^2 + 7550\alpha - 1896)/15120, \mu_4 = -(\alpha^3 + 45\alpha^2 + 737\alpha - 8466)/3024$ $\mu_5 = -(\alpha^2 + 40\alpha - 1500)/504, \mu_6 = -(\alpha - 110)/72, \mu_7 = -1/9, \mu_8 = -1, \mu_9 = -1$ $\gamma = -(\alpha + 10)(\alpha^8 + 44\alpha^7 + 790\alpha^6 + 7220\alpha^5 + 33283\alpha^4 + 59156\alpha^3 - 14670\alpha^2 + 45720\alpha + 353241)/362880$

$Z_\nu(x) = I_1(x), K_1(x)$ with s defined as on page 195:

n	λ_k	μ_k	γ
1	$\lambda_0 = s(\alpha + 1)$	-	s
2	$\lambda_0 = s(\alpha + 1)(\alpha + 2), \lambda_1 = -s(\alpha + 2), \lambda_2 = s$	$\mu_0 = -(\alpha + 1), \mu_1 = 1$	$s(\alpha + 2)$
3	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha + 3)/2, \lambda_1 = -s(\alpha + 2)(\alpha + 3)/2, \lambda_3 = s$	$\mu_0 = -(\alpha + 1)(\alpha + 4)/2, \mu_1 = 1, \mu_2 = 1$	$s(\alpha^2 + 5\alpha + 7)/2$
4	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^2 + 7\alpha + 14)/6, \lambda_1 = -s(\alpha + 2)(\alpha^2 + 7\alpha + 16)/6, \lambda_2 = 2s/3, \lambda_4 = s$	$\mu_0 = -(\alpha + 1)(\alpha^2 + 8\alpha + 22)/6, \mu_1 = 5/3, \mu_2 = 1, \mu_3 = 1$	$s(\alpha + 4) \cdot (\alpha^2 + 5\alpha + 9)/6$
5	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^3 + 12\alpha^2 + 52\alpha + 91)/24, \lambda_1 = -s(\alpha + 2)(\alpha^3 + 12\alpha^2 + 54\alpha + 113)/24, \lambda_2 = -s(\alpha - 13)/12, \lambda_3 = 3s/4, \lambda_5 = s, \mu_0 = -(\alpha + 1)(\alpha^3 + 13\alpha^2 + 65\alpha + 158)/24, \mu_1 = -(\alpha - 34)/12, \mu_2 = 7/4, \mu_3 = 1, \mu_4 = 1, \gamma = s(\alpha^4 + 14\alpha^3 + 77\alpha^2 + 208\alpha + 249)/24$		
6	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^4 + 18\alpha^3 + 128\alpha^2 + 455\alpha + 770)/120, \lambda_1 = -s(\alpha + 2)(\alpha^4 + 18\alpha^3 + 130\alpha^2 + 489\alpha + 1006)/120, \lambda_2 = -s(\alpha + 22)(\alpha - 5)/60, \lambda_3 = -s(\alpha - 26)/20, \lambda_4 = 4s/5, \lambda_6 = s, \mu_0 = -(\alpha + 1)(\alpha^4 + 19\alpha^3 + 147\alpha^2 + 604\alpha + 1420)/120, \mu_1 = -(\alpha^2 + 20\alpha - 296)/60, \mu_2 = -(\alpha - 62)/20, \mu_3 = 9/5, \mu_4 = 1, \mu_5 = 1, \gamma = s(\alpha + 6)(\alpha^4 + 14\alpha^3 + 81\alpha^2 + 244\alpha + 365)/120$		
7	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^5 + 25\alpha^4 + 259\alpha^3 + 1451\alpha^2 + 4735\alpha + 8085)/720, \lambda_1 = -s(\alpha + 2)(\alpha^2 + 13\alpha + 57)(\alpha^3 + 12\alpha^2 + 48\alpha + 191)/720, \lambda_2 = -s(\alpha^3 + 24\alpha^2 + 254\alpha - 1155)/360, \lambda_3 = -s(\alpha^2 + 21\alpha - 277)/120, \lambda_4 = -s(\alpha - 43)/30, \lambda_5 = 5s/6, \lambda_7 = s, \mu_0 = -(\alpha + 1)(\alpha^5 + 26\alpha^4 + 285\alpha^3 + 1738\alpha^2 + 6533\alpha + 15450)/720, \mu_1 = -(\alpha - 6)(\alpha^2 + 33\alpha + 527)/360, \mu_2 = -(\alpha^2 + 25\alpha - 669)/120, \mu_3 = -(\alpha - 98)/30, \mu_4 = 11/6, \mu_5 = 1, \mu_6 = 1, \gamma = s(\alpha^6 + 27\alpha^5 + 310\alpha^4 + 1995\alpha^3 + 7924\alpha^2 + 19353\alpha + 23535)/720$		
8	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^6 + 33\alpha^5 + 465\alpha^4 + 3691\alpha^3 + 18311\alpha^2 + 58055\alpha + 101640)/5040, \lambda_1 = -s(\alpha + 2)(\alpha^6 + 33\alpha^5 + 467\alpha^4 + 3755\alpha^3 + 19191\alpha^2 + 65053\alpha + 139272)/5040, \lambda_2 = -s(\alpha^4 + 32\alpha^3 + 452\alpha^2 + 3919\alpha - 14520)/2520, \lambda_3 = -s(\alpha^3 + 29\alpha^2 + 377\alpha - 3512)/840, \lambda_4 = -s(\alpha^2 + 25\alpha - 548)/210, \lambda_5 = -s(\alpha - 64)/42, \lambda_6 = 6s/7, \lambda_8 = s, \mu_0 = -(\alpha + 1)(\alpha^6 + 34\alpha^5 + 499\alpha^4 + 4192\alpha^3 + 22579\alpha^2 + 81958\alpha + 198240)/5040, \mu_1 = -(\alpha^4 + 35\alpha^3 + 551\alpha^2 + 5410\alpha - 40152)/2520, \mu_2 = -(\alpha^3 + 33\alpha^2 + 497\alpha - 8544)/840, \mu_3 = -(\alpha^2 + 30\alpha - 1258)/210, \mu_4 = -(\alpha - 142)/42, \mu_5 = 13/7, \mu_6 = 1, \mu_7 = 1, \gamma = s(\alpha + 8)(\alpha^6 + 27\alpha^5 + 316\alpha^4 + 2127\alpha^3 + 9178\alpha^2 + 25521\alpha + 37485)/5040$		

n	λ_k, μ_k, γ
9	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^7 + 42\alpha^6 + 769\alpha^5 + 8135\alpha^4 + 55695\alpha^3 + 260563\alpha^2 + 826540\alpha + 1488795)/40320$ $\lambda_1 = -s(\alpha + 2)(\alpha^7 + 42\alpha^6 + 771\alpha^5 + 8217\alpha^4 + 57165\alpha^3 + 275985\alpha^2 + 935078\alpha + 2060121)/40320$ $\lambda_2 = -s(\alpha^5 + 41\alpha^4 + 747\alpha^3 + 8239\alpha^2 + 65117\alpha - 212685)/20160$ $\lambda_3 = -s(\alpha^4 + 38\alpha^3 + 645\alpha^2 + 6832\alpha - 51691)/6720$ $\lambda_4 = -s(\alpha^3 + 34\alpha^2 + 524\alpha - 8089)/1680, \lambda_5 = -s(\alpha^2 + 29\alpha - 947)/336$ $\lambda_6 = -s(\alpha - 89)/56, \lambda_7 = 7s/8, \lambda_9 = s$ $\mu_0 = -(\alpha + 1)(\alpha^7 + 43\alpha^6 + 812\alpha^5 + 8949\alpha^4 + 64738\alpha^3 + 327323\alpha^2 + 1181009\alpha + 2937270)/40320$ $\mu_1 = -(\alpha^5 + 44\alpha^4 + 873\alpha^3 + 10642\alpha^2 + 94001\alpha + 591486)/20160$ $\mu_2 = -(\alpha^4 + 42\alpha^3 + 801\alpha^2 + 9628\alpha - 126267)/6720$ $\mu_3 = -(\alpha^3 + 39\alpha^2 + 699\alpha - 18644)/1680, \mu_4 = -(\alpha^2 + 35\alpha - 2111)/336$ $\mu_5 = -(\alpha - 194)/56, \mu_6 = 15/8, \mu_7 = 1, \mu_8 = 1$ $\gamma = s(\alpha^8 + 44\alpha^7 + 854\alpha^6 + 9716\alpha^5 + 72779\alpha^4 + 380996\alpha^3 + 1414426\alpha^2 + 3496344\alpha + 4426065)/40320$
10	$\lambda_0 = s(\alpha + 1)(\alpha + 2)(\alpha^8 + 52\alpha^7 + 1197\alpha^6 + 16201\alpha^5 + 144909\alpha^4 + 913681\alpha^3 + 4182002\alpha^2 + 13457115\alpha + 24885630)/362880$ $\lambda_1 = -s(\alpha + 2)(\alpha^8 + 52\alpha^7 + 1199\alpha^6 + 16303\alpha^5 + 147215\alpha^4 + 944539\alpha^3 + 4459864\alpha^2 + 15296589\alpha + 34622154)/362880$ $\lambda_2 = -s(\alpha^6 + 51\alpha^5 + 1165\alpha^4 + 16077\alpha^3 + 155155\alpha^2 + 1179693\alpha - 3555090)/181440$ $\lambda_3 = -s(\alpha^5 + 48\alpha^4 + 1033\alpha^3 + 13626\alpha^2 + 130861\alpha - 866334)/60480$ $\lambda_4 = -s(\alpha^4 + 44\alpha^3 + 872\alpha^2 + 10903\alpha - 135786)/15120$ $\lambda_5 = -s(\alpha^3 + 39\alpha^2 + 695\alpha - 15918)/3024, \lambda_6 = -s(\alpha^2 + 33\alpha - 1498)/506$ $\lambda_7 = -s(\alpha - 118)/72, \lambda_8 = 8s/9, \lambda_{10} = s$ $\mu_0 = -(\alpha + 1)(\alpha^8 + 53\alpha^7 + 1250\alpha^6 + 17453\alpha^5 + 162476\alpha^4 + 1079135\alpha^3 + 5309335\alpha^2 + 19325376\alpha + 49408380)/362880$ $\mu_1 = -(\alpha^6 + 54\alpha^5 + 1321\alpha^4 + 19764\alpha^3 + 209197\alpha^2 + 1759212\alpha - 9917964)/181440$ $\mu_2 = -(\alpha^5 + 52\alpha^4 + 1229\alpha^3 + 18014\alpha^2 + 193173\alpha - 2120958)/60480$ $\mu_3 = -(\alpha^4 + 49\alpha^3 + 1097\alpha^2 + 15578\alpha - 313656)/15120$ $\mu_4 = -(\alpha^3 + 45\alpha^2 + 935\alpha - 35574)/3024, \mu_5 = -(\alpha^2 + 40\alpha - 3276)/504$ $\mu_6 = -(\alpha - 254)/72, \mu_7 = 17/9, \mu_8 = 1, \mu_9 = 1$ $\gamma = s(\alpha + 10)(\alpha^8 + 44\alpha^7 + 862\alpha^6 + 10028\alpha^5 + 78283\alpha^4 + 438236\alpha^3 + 1792458\alpha^2 + 5023872\alpha + 7429401)/362880$

g) Hermite Polynomials $H_n(x)$:

$$\int_{-\infty}^{\infty} e^{-x^2} H_n^2(x) dx = \sqrt{\pi} \cdot 2^n n! = \sqrt{\pi} \cdot (2n)!!$$

First polynomials:

$$H_0(x) = 1, \quad H_1(x) = 2x, \quad H_2(x) = 4x^2 - 2, \quad H_3(x) = 8x^3 - 12x, \quad H_4(x) = 16x^4 - 48x^2 + 12$$

$Z_\nu(x) = J_0(x)$:

n	λ_k	μ_k	γ
1	-	$\mu_1 = 1,$	0
2	$\lambda_1 = -1,$	$\mu_0 = 2, \mu_2 = 1$	-6
3	$\lambda_0 = 8, \lambda_2 = 4$	$\mu_1 = -16, \mu_3 = 1$	0
4	$\lambda_1 = 42, \lambda_3 = 6$	$\mu_0 = -84, \mu_2 = -36, \mu_4 = 1$	204
5	$\lambda_0 = -576, \lambda_2 = -240, \lambda_4 = 8$	$\mu_1 = 960, \mu_3 = -64, \mu_5 = 1$	0
6	$\lambda_1 = -4140, \lambda_3 = -580, \lambda_5 = 10$	$\mu_0 = 8280, \mu_2 = 3480, \mu_4 = -100, \mu_6 = 1$	-19560

n	λ_k	μ_k	γ
7	$\lambda_0 = 82176, \lambda_2 = 33600, \lambda_4 = -1128, \lambda_6 = 12$	$\mu_1 = -134400, \mu_3 = 9024, \mu_5 = -144, \mu_7 = 1$	0
8	$\lambda_1 = 798840, \lambda_3 = 111720, \lambda_5 = -1932, \lambda_7 = 14$	$\mu_0 = -1597680, \mu_2 = -670320, \mu_4 = 19320, \mu_6 = -196, \mu_8 = 1$	3764880
9	$\lambda_0 = -20803584, \lambda_2 = -8494080, \lambda_4 = 285312, \lambda_6 = -3040, \lambda_8 = 16$	$\mu_1 = 33976320, \mu_3 = -2282496, \mu_5 = 36480, \mu_7 = -256, \mu_9 = 1$	0
10	$\lambda_1 = -256510800, \lambda_3 = -35869680, \lambda_5 = 620424, \lambda_7 = -4500, \lambda_9 = 18$	$\mu_0 = 513021600, \mu_2 = 215218080, \mu_4 = -6204240, \mu_6 = 63000, \mu_8 = -324, \mu_{10} = 1$	-1208723040

$Z_\nu(x) = I_0(x)$:

n	λ_k	μ_k	γ
1	-	$\mu_1 = 1,$	0
2	$\lambda_1 = -1,$	$\mu_0 = 2, \mu_2 = 1$	2
3	$\lambda_0 = -8, \lambda_2 = -4$	$\mu_1 = 16, \mu_3 = 1$	0
4	$\lambda_1 = -30, \lambda_3 = -6$	$\mu_0 = 60, \mu_2 = 36, \mu_4 = 1$	108
5	$\lambda_0 = -448, \lambda_2 = -272, \lambda_4 = -8$	$\mu_1 = 1088, \mu_3 = 64, \mu_5 = 1$	0
6	$\lambda_1 = -3180, \lambda_3 = -620, \lambda_5 = -10$	$\mu_0 = 6360, \mu_2 = 3720, \mu_4 = 100, \mu_6 = 1$	10680
7	$\lambda_0 = -66816, \lambda_2 = -66816, \lambda_4 = -1176, \lambda_6 = -12$	$\mu_1 = 158976, \mu_3 = 9408, \mu_5 = 144, \mu_7 = 1$	0
8	$\lambda_1 = -629160, \lambda_3 = -122920, \lambda_5 = -1988, \lambda_7 = -14$	$\mu_0 = 1258320, \mu_2 = 737520, \mu_4 = 19880, \mu_6 = 196, \mu_8 = 1$	2125200
9	$\lambda_0 = -17240064, \lambda_2 = -17240064, \lambda_4 = -303744, \lambda_6 = -3104, \lambda_8 = -16$	$\mu_1 = 41078784, \mu_3 = 2429952, \mu_5 = 37248, \mu_7 = 256, \mu_9 = 1$	0
10	$\lambda_1 = -205344720, \lambda_3 = -40113360, \lambda_5 = -648648, \lambda_7 = -4572, \lambda_9 = -18$	$\mu_0 = 410689440, \mu_2 = 240680160, \mu_4 = 6486480, \mu_6 = 64008, \mu_8 = 324, \mu_{10} = 1$	693372960

$Z_\nu(x) = K_0(x)$:

n	λ_k	μ_k	γ
1	-	$\mu_1 = -1,$	0
2	$\lambda_1 = -1,$	$\mu_0 = -2, \mu_2 = -1$	2
3	$\lambda_0 = -8, \lambda_2 = -4$	$\mu_1 = -16, \mu_3 = -1$	0
4	$\lambda_1 = -30, \lambda_3 = -6$	$\mu_0 = -60, \mu_2 = -36, \mu_4 = -1$	108
5	$\lambda_0 = -448, \lambda_2 = -272, \lambda_4 = -8$	$\mu_1 = -1088, \mu_3 = -64, \mu_5 = -1$	0
6	$\lambda_1 = -3180, \lambda_3 = -620, \lambda_5 = -10$	$\mu_0 = -6360, \mu_2 = -3720, \mu_4 = -100, \mu_6 = -1$	10680
7	$\lambda_0 = -66816, \lambda_2 = -66816, \lambda_4 = -1176, \lambda_6 = -12$	$\mu_1 = -158976, \mu_3 = -9408, \mu_5 = -144, \mu_7 = -1$	0
8	$\lambda_1 = -629160, \lambda_3 = -122920, \lambda_5 = -1988, \lambda_7 = -14$	$\mu_0 = -1258320, \mu_2 = -737520, \mu_4 = -19880, \mu_6 = -196, \mu_8 = -1$	2125200
9	$\lambda_0 = -17240064, \lambda_2 = -17240064, \lambda_4 = -303744, \lambda_6 = -3104, \lambda_8 = -16$	$\mu_1 = -41078784, \mu_3 = -2429952, \mu_5 = -37248, \mu_7 = 2 - 56, \mu_9 = -1$	0
10	$\lambda_1 = -205344720, \lambda_3 = -40113360, \lambda_5 = -648648, \lambda_7 = -4572, \lambda_9 = -18$	$\mu_0 = -410689440, \mu_2 = -240680160, \mu_4 = -6486480, \mu_6 = -64008, \mu_8 = -324, \mu_{10} = -1$	693372960

$$Z_\nu(x) = J_1(x) :$$

n	λ_k	μ_k	γ
1	–	–	2
2	$\lambda_2 = -1$	$\mu_1 = 4$	0
3	$\lambda_1 = -6, \lambda_3 = -1$	$\mu_0 = 12, \mu_2 = 6$	-36
4	$\lambda_0 = 64, \lambda_2 = 32, \lambda_4 = -1$	$\mu_1 = -128, \mu_3 = 8$	0
5	$\lambda_1 = 420, \lambda_3 = 60, \lambda_5 = -1$	$\mu_0 = -840, \mu_2 = -360, \mu_4 = 10$	2040
6	$\lambda_0 = -6912, \lambda_2 = -2880, \lambda_4 = 96, \lambda_6 = -1$	$\mu_1 = 11520, \mu_3 = -768, \mu_5 = 12$	0
7	$\lambda_1 = -57960, \lambda_3 = -8120, \lambda_5 = 140, \lambda_7 = -1$	$\mu_0 = 115920, \mu_2 = 48720, \mu_4 = -1400, \mu_6 = 14$	-273840
8	$\lambda_0 = 1314816, \lambda_2 = 537600, \lambda_4 = -18048, \lambda_6 = 192, \lambda_8 = -1$	$\mu_1 = -2150400, \mu_3 = 144384, \mu_5 = -2304, \mu_7 = 16$	0
9	$\lambda_1 = 14379120, \lambda_3 = 2010960, \lambda_5 = -34776, \lambda_7 = 252, \lambda_9 = -1$	$\mu_0 = -28758240, \mu_2 = -12065760, \mu_4 = 347760, \mu_6 = -3528, \mu_8 = 18$	67767840
10	$\lambda_0 = -416071680, \lambda_2 = -169881600, \lambda_4 = 5706240, \lambda_6 = -60800, \lambda_8 = 320, \lambda_{10} = -1$	$\mu_1 = 679526400, \mu_3 = -45649920, \mu_5 = 729600, \mu_7 = -5120, \mu_9 = 20$	0

$$Z_\nu(x) = I_1(x) :$$

n	λ_k	μ_k	γ
1	–	–	-2
2	$\lambda_2 = 1$	$\mu_1 = -4$	0
3	$\lambda_1 = 6, \lambda_3 = 1$	$\mu_0 = -12, \mu_2 = -6$	-12
4	$\lambda_0 = 64, \lambda_2 = 32, \lambda_4 = 1$	$\mu_1 = -128, \mu_3 = -8$	0
5	$\lambda_1 = 300, \lambda_3 = 60, \lambda_5 = 1$	$\mu_0 = -600, \mu_2 = -360, \mu_4 = -10$	-1080
6	$\lambda_0 = 5376, \lambda_2 = 3264, \lambda_4 = 96, \lambda_6 = 1$	$\mu_1 = -13056, \mu_3 = -768, \mu_5 = -12$	0
7	$\lambda_1 = 44520, \lambda_3 = 8680, \lambda_5 = 140, \lambda_7 = 1$	$\mu_0 = 8680, \mu_2 = -52080, \mu_4 = -1400, \mu_6 = -14$	-149520
8	$\lambda_0 = 1069056, \lambda_2 = 635904, \lambda_4 = 18816, \lambda_6 = 192, \lambda_8 = 1$	$\mu_1 = -2543616, \mu_3 = -150528, \mu_5 = -2304, \mu_7 = -16$	0
9	$\lambda_1 = 11324880, \lambda_3 = 2212560, \lambda_5 = 35784, \lambda_7 = 252, \lambda_9 = 1$	$\mu_0 = -22649760, \mu_2 = -13275360, \mu_4 = -357840, \mu_6 = -3528, \mu_8 = -18$	-38253600
10	$\lambda_0 = 344801280, \lambda_2 = 205393920, \lambda_4 = 6074880, \lambda_6 = 62080, \lambda_8 = 320, \lambda_{10} = 1$	$\mu_1 = -821575680, \mu_3 = -48599040, \mu_5 = -744960, \mu_7 = -5120, \mu_9 = -20$	0

$$Z_\nu(x) = K_1(x) :$$

n	λ_k	μ_k	γ
1	—	—	2
2	$\lambda_2 = -1$	$\mu_1 = -4$	0
3	$\lambda_1 = -6, \lambda_3 = -1$	$\mu_0 = -12, \mu_2 = -6$	12
4	$\lambda_0 = -64, \lambda_2 = -32, \lambda_4 = -1$	$\mu_1 = -128, \mu_3 = -8$	0
5	$\lambda_1 = -300, \lambda_3 = -60, \lambda_5 = -1$	$\mu_0 = -600, \mu_2 = -360, \mu_4 = -10$	1080
6	$\lambda_0 = -5376, \lambda_2 = -3264, \lambda_4 = -96,$ $\lambda_6 = 1$	$\mu_1 = -13056, \mu_3 = -768, \mu_5 = -12$	0
7	$\lambda_1 = -44520, \lambda_3 = -8680,$ $\lambda_5 = -140, \lambda_7 = -1$	$\mu_0 = -8680, \mu_2 = -52080,$ $\mu_4 = -1400, \mu_6 = -14$	149520
8	$\lambda_0 = -1069056, \lambda_2 = -635904,$ $\lambda_4 = -18816, \lambda_6 = -192, \lambda_8 = -1$	$\mu_1 = -2543616, \mu_3 = -150528,$ $\mu_5 = -2304, \mu_7 = -16$	0
9	$\lambda_1 = -11324880, \lambda_3 = -2212560,$ $\lambda_5 = -35784, \lambda_7 = -252, \lambda_9 = -1$	$\mu_0 = -22649760, \mu_2 = -13275360,$ $\mu_4 = -357840, \mu_6 = -3528, \mu_8 = -18$	38253600
10	$\lambda_0 = -344801280, \lambda_2 = -205393920,$ $\lambda_4 = -6074880, \lambda_6 = -62080,$ $\lambda_8 = -320, \lambda_{10} = -1$	$\mu_1 = -821575680, \mu_3 = -48599040,$ $\mu_5 = -744960, \mu_7 = -5120,$ $\mu_9 = -20$	0

1.3.2. Integrals of the type $\int x^n \text{Ei}(x) \cdot Z_\nu(x) dx$

About $\text{Ei}(x)$ see [1], 5.1., or [7], 8.2. In [4], page 657, is no reference to the fact, that the integral should be used as principal value.

$$\int x \text{Ei}(x) I_0(x) dx = x \text{Ei}(x) I_1(x) + e^x [(x-1)I_0(x) - xI_1(x)]$$

$$\int x \text{Ei}(x) K_0(x) dx = -x \text{Ei}(x) K_1(x) + e^x [(x-1)K_0(x) + xK_1(x)]$$

$$\int x^2 \text{Ei}(x) I_1(x) dx = \text{Ei}(x)[x^2 I_0(x) - 2xI_1(x)] + \frac{e^x}{3} [(-x^2 - 6x + 6)I_0(x) + (x^2 + 5x)I_1(x)]$$

$$\int x^2 \text{Ei}(x) K_1(x) dx = -\text{Ei}(x)[x^2 K_0(x) + 2xK_1(x)] + \frac{e^x}{3} [(x^2 + 6x - 6)K_0(x) + (x^2 + 5x)K_1(x)]$$

$$\begin{aligned} \int x^3 \text{Ei}(x) I_0(x) dx &= \text{Ei}(x)[-2x^2 I_0(x) + (x^3 + 4x)I_1(x)] + \\ &+ \frac{e^x}{15} [(3x^3 + 7x^2 + 60x - 60)I_0(x) - (3x^3 + 16x^2 + 44x)I_1(x)] \end{aligned}$$

$$\begin{aligned} \int x^3 \text{Ei}(x) K_0(x) dx &= -\text{Ei}(x)[2x^2 K_0(x) + (x^3 + 4x)K_1(x)] + \\ &+ \frac{e^x}{15} [(3x^3 + 7x^2 + 60x - 60)K_0(x) + (3x^3 + 16x^2 + 44x)K_1(x)] \end{aligned}$$

$$\begin{aligned} \int x^4 \text{Ei}(x) I_1(x) dx &= \text{Ei}(x)[(x^4 + 8x^2)I_0(x) - (16x + 4x^3)I_1(x)] + \\ &+ \frac{e^x}{105} [-(15x^4 + 102x^3 + 178x^2 + 1680x - 1680)I_0(x) + (15x^4 + 57x^3 + 484x^2 + 1196x)I_1(x)] \end{aligned}$$

$$\begin{aligned} \int x^4 \text{Ei}(x) K_1(x) dx &= -\text{Ei}(x)[(x^4 + 8x^2)K_0(x) + (4x^3 + 16x)K_1(x)] + \\ &+ \frac{e^x}{105} [(15x^4 + 102x^3 + 178x^2 + 1680x - 1680)K_0(x) + (15x^4 + 57x^3 + 484x^2 + 1196x)K_1(x)] \end{aligned}$$

$$\begin{aligned} \int x^5 \text{Ei}(x) I_0(x) dx &= \text{Ei}(x)[-(4x^4 + 32x^2)I_0(x) + (x^5 + 16x^3 + 64x)I_1(x)] + \\ &+ \frac{e^x}{45} [(5x^5 + 15x^4 + 192x^3 + 288x^2 + 2880x - 2880)I_0(x) - (5x^5 + 40x^4 + 72x^3 + 864x^2 + 2016x)I_1(x)] \end{aligned}$$

$$\begin{aligned} \int x^5 \text{Ei}(x) K_0(x) dx &= -\text{Ei}(x)[(4x^4 + 32x^2)K_0(x) + (x^5 + 16x^3 + 64x)K_1(x)] + \\ &+ \frac{e^x}{45} [(5x^5 + 15x^4 + 192x^3 + 288x^2 + 2880x - 2880)K_0(x) + (5x^5 + 40x^4 + 72x^3 + 864x^2 + 2016x)K_1(x)] \end{aligned}$$

$$\begin{aligned} \int x^6 \text{Ei}(x) I_1(x) dx &= \text{Ei}(x)[(x^6 + 24x^4 + 192x^2)I_0(x) - (384x + 96x^3 + 6x^5)I_1(x)] + \\ &+ \frac{e^x}{3465} [-(315x^6 + 3010x^5 + 5430x^4 + 91104x^3 + 130656x^2 + 1330560x - 1330560)I_0(x) + \\ &+ (315x^6 + 1435x^5 + 20480x^4 + 29664x^3 + 403968x^2 + 926592x)I_1(x)] \end{aligned}$$

$$\int x^6 \text{Ei}(x) K_1(x) dx = -\text{Ei}(x)[(x^6 + 24x^4 + 192x^2)K_0(x) + (6x^5 + 96x^3 + 384x)K_1(x)] +$$

$$\begin{aligned}
& + \frac{e^x}{3465} [(315x^6 + 3010x^5 + 5430x^4 + 91104x^3 + 130656x^2 + 1330560x - 1330560)K_0(x) + \\
& \quad + (315x^6 + 1435x^5 + 20480x^4 + 29664x^3 + 403968x^2 + 926592x)K_1(x)] \\
\int x^7 \operatorname{Ei}(x) I_0(x) dx & = \operatorname{Ei}(x) [-(6x^6 + 144x^4 + 1152x^2)I_0(x) + (x^7 + 36x^5 + 576x^3 + 2304x)I_1(x)] + \\
& + \frac{e^x}{15015} [(1155x^7 + 4515x^6 + 88060x^5 + 120180x^4 + 2402304x^3 + 3363456x^2 + 34594560x - 34594560)I_0(x) + \\
& \quad - (1155x^7 + 12600x^6 + 25060x^5 + 560480x^4 + 720864x^3 + 10570368x^2 + 24024192x)I_1(x)] \\
\int x^7 \operatorname{Ei}(x) K_0(x) dx & = -\operatorname{Ei}(x) [(6x^6 + 144x^4 + 1152x^2)K_0(x) + (x^7 + 36x^5 + 576x^3 + 2304x)K_1(x)] + \\
& + \frac{e^x}{15015} [(1155x^7 + 4515x^6 + 88060x^5 + 120180x^4 + 2402304x^3 + 3363456x^2 + 34594560x - 34594560)K_0(x) + \\
& \quad + (1155x^7 + 12600x^6 + 25060x^5 + 560480x^4 + 720864x^3 + 10570368x^2 + 24024192x)K_1(x)] \\
\int x^8 \operatorname{Ei}(x) I_1(x) dx & = \operatorname{Ei}(x) [(x^8 + 48x^6 + 1152x^4 + 9216x^2)I_0(x) - (8x^7 + 288x^5 + 4608x^3 + 18432x)I_1(x)] + \\
& \quad + \frac{e^x}{15015} [-(1001x^8 + 12474x^7 + 25830x^6 + 731920x^5 + 902640x^4 + 19312512x^3 + 26813568x^2 + \\
& \quad + 276756480x - 276756480)I_0(x) + (1001x^8 + 5467x^7 + 113148x^6 + 166180x^5 + 4562240x^4 + 5625792x^3 + \\
& \quad + 84751104x^2 + 192005376x)I_1(x)] \\
\int x^8 \operatorname{Ei}(x) K_1(x) dx & = -\operatorname{Ei}(x) [(x^8 + 48x^6 + 1152x^4 + 9216x^2)K_0(x) + (8x^7 + 288x^5 + 4608x^3 + 18432x)K_1(x)] + \\
& \quad + \frac{e^x}{15015} [(1001x^8 + 12474x^7 + 25830x^6 + 731920x^5 + 902640x^4 + 19312512x^3 + 26813568x^2 + \\
& \quad + 276756480x - 276756480)K_0(x) + (1001x^8 + 5467x^7 + 113148x^6 + 166180x^5 + 4562240x^4 + 5625792x^3 + \\
& \quad + 84751104x^2 + 192005376x)K_1(x)] \\
\int x^9 \operatorname{Ei}(x) I_0(x) dx & = \\
= \operatorname{Ei}(x) [-(8x^8 + 384x^6 + 9216x^4 + 73728x^2)I_0(x) + (x^9 + 64x^7 + 2304x^5 + 36864x^3 + 147456x)I_1(x)] + \\
& \quad + \frac{e^x}{23205} [(1365x^9 + 6643x^8 + 175392x^7 + 252000x^6 + 9228800x^5 + 10775040x^4 + 239388672x^3 + \\
& \quad + 330897408x^2 + 3421716480x - 3421716480)I_0(x) - (1365x^9 + 18928x^8 + 42896x^7 + 1479744x^6 + \\
& \quad + 1830080x^5 + 56919040x^4 + 68631552x^3 + 1049063424x^2 + 2372653056x)I_1(x)] \\
\int x^9 \operatorname{Ei}(x) K_0(x) dx & = \\
= -\operatorname{Ei}(x) [(8x^8 + 384x^6 + 9216x^4 + 73728x^2)K_0(x) + (x^9 + 64x^7 + 2304x^5 + 36864x^3 + 147456x)K_1(x)] + \\
& \quad + \frac{e^x}{23205} [(1365x^9 + 6643x^8 + 175392x^7 + 252000x^6 + 9228800x^5 + 10775040x^4 + 239388672x^3 + \\
& \quad + 330897408x^2 + 3421716480x - 3421716480)K_0(x) + (1365x^9 + 18928x^8 + 42896x^7 + 1479744x^6 + \\
& \quad + 1830080x^5 + 56919040x^4 + 68631552x^3 + 1049063424x^2 + 2372653056x)K_1(x)]
\end{aligned}$$

Recurrence Relations: Let $\mathfrak{E}_\nu^{(m)}(x) = \int x^m \operatorname{Ei}(x) I_\nu(x) dx$ and $\tilde{\mathfrak{E}}_\nu^{(m)}(x) = \int x^m \operatorname{Ei}(x) K_\nu(x) dx$.

$$\mathfrak{E}_0^{(2n+1)}(x) = \frac{1}{4n+1} \{x^{2n} [2n(2n+1)I_0(x) + (4n+1)xI_1(x)] \operatorname{Ei}(x) +$$

$$\begin{aligned}
& +x^{2n} [(x-2n-1)I_0(x) - xI_1(x)] e^x - 4n^2(2n+1)\mathfrak{E}_0^{(2n-1)}(x) - 4n(3n+1)\mathfrak{E}_1^{(2n)}(x) \Big\} \\
& \tilde{\mathfrak{E}}_0^{(2n+1)}(x) = \frac{1}{4n+1} \{x^{2n} [2n(2n+1)K_0(x) - (4n+1)xK_1(x)] \text{Ei}(x) + \\
& +x^{2n} [(x-2n-1)K_0(x) + xK_1(x)] e^x - 4n^2(2n+1)\tilde{\mathfrak{E}}_0^{(2n-1)}(x) + 4n(3n+1)\tilde{\mathfrak{E}}_1^{(2n)}(x) \Big\} \\
& \mathfrak{E}_1^{(2n+2)}(x) = \frac{1}{4n+3} \{x^{2n} [(4n+3)x^2 I_0(x) + 2n(2n+1)x I_1(x)] \text{Ei}(x) - \\
& -x^{2n+1} [x I_0(x) + (x-2n-1)K_1(x)] e^x - 4n^2(2n+1)\mathfrak{E}_1^{(2n)}(x) - 4n(3n+1)\mathfrak{E}_0^{(2n+1)}(x) \Big\} \\
& \tilde{\mathfrak{E}}_1^{(2n+2)}(x) = \frac{1}{4n+3} \{x^{2n} [(4n+3)x^2 K_0(x) + 2n(2n+1)x K_1(x)] \text{Ei}(x) - \\
& -x^{2n+1} [x K_0(x) + (x-2n-1)K_1(x)] e^x - 4n^2(2n+1)\tilde{\mathfrak{E}}_1^{(2n)}(x) - 4n(3n+1)\tilde{\mathfrak{E}}_0^{(2n+1)}(x) \Big\}
\end{aligned}$$

1.3.3. Integrals of the type $\int x^n \text{Si}(x) \cdot J_\nu(x) dx$ and $\int x^n \text{Ci}(x) \cdot J_\nu(x) dx$

Let

$$\text{Si}(x) = \int_0^x \frac{\sin t dt}{t} \quad \text{and} \quad \text{Ci}(x) = C + \ln x + \int_0^x \frac{\cos t - 1}{t} dt.$$

About C see page 125.

(In [4], p. 656, the function $\text{ci}(x)$ is defined by some integral which fails to converge.)

$$\int x \text{Si}(x) J_0(x) dx = x \text{Si}(x) J_1(x) + \sin x J_0(x) - x[\sin x J_1(x) + \cos x J_0(x)]$$

$$\int x \text{Ci}(x) J_0(x) dx = x \text{Ci}(x) J_1(x) + \cos x J_0(x) + x[\sin x J_0(x) - \cos x J_1(x)]$$

$$\int x^2 \text{Si}(x) J_1(x) dx = \frac{1}{3} [-3x^2 \text{Si}(x) J_0(x) + 6x \text{Si}(x) J_1(x) + (x^2 + 6) \sin x J_0(x) - 5x \sin x J_1(x) - 6x \cos x J_0(x) - x^2 \cos x J_1(x)]$$

$$\int x^2 \text{Ci}(x) J_1(x) dx = \frac{1}{3} [-3x^2 \text{Ci}(x) J_0(x) + 6x \text{Ci}(x) J_1(x) + 6x \sin x J_0(x) + x^2 \sin x J_1(x) + (x^2 + 6) \cos x J_0(x) - 5x \cos x J_1(x)]$$

$$\int x^3 \text{Si}(x) J_0(x) dx = \frac{1}{15} [30x^2 \text{Si}(x) J_0(x) + (15x^3 - 60x) \text{Si}(x) J_1(x) + (-7x^2 - 60) \sin x J_0(x) + (-3x^3 + 44x) \sin x J_1(x) + (-3x^3 + 60x) \cos x J_0(x) + 16x^2 \cos x J_1(x)]$$

$$\int x^3 \text{Ci}(x) J_0(x) dx = \frac{1}{15} [30x^2 \text{Ci}(x) J_0(x) + (15x^3 - 60x) \text{Ci}(x) J_1(x) + (3x^3 - 60x) \sin x J_0(x) - 16x^2 \sin x J_1(x) + (-7x^2 - 60) \cos x J_0(x) + (-3x^3 + 44x) \cos x J_1(x)]$$

$$\int x^4 \text{Si}(x) J_1(x) dx = \frac{1}{105} [(-105x^4 + 840x^2) \text{Si}(x) J_0(x) + (420x^3 - 1680x) \text{Si}(x) J_1(x) + (15x^4 - 178x^2 - 1680) \sin x J_0(x) + (-57x^3 + 1196x) \sin x J_1(x) + (-102x^3 + 1680x) \cos x J_0(x) + (-15x^4 + 484x^2) \cos x J_1(x)]$$

$$\int x^4 \text{Ci}(x) J_1(x) dx = \frac{1}{105} [(-105x^4 + 840x^2) \text{Ci}(x) J_0(x) + (420x^3 - 1680x) \text{Ci}(x) J_1(x) + (102x^3 - 1680x) \sin x J_0(x) + (15x^4 - 484x^2) \sin x J_1(x) + (15x^4 - 178x^2 - 1680) \cos x J_0(x) + (-57x^3 + 1196x) \cos x J_1(x)]$$

$$\int x^5 \text{Si}(x) J_0(x) dx = \frac{1}{45} [(180x^4 - 1440x^2) \text{Si}(x) J_0(x) + (45x^5 - 720x^3 + 2880x) \text{Si}(x) J_1(x) + (-15x^4 + 288x^2 + 2880) \sin x J_0(x) + (-5x^5 + 72x^3 - 2016x) \sin x J_1(x) + (-5x^5 + 192x^3 - 2880x) \cos x J_0(x) + (40x^4 - 864x^2) \cos x J_1(x)]$$

$$\begin{aligned}
\int x^5 \operatorname{Ci}(x) J_0(x) dx &= \frac{1}{45} [(180x^4 - 1440x^2) \operatorname{Ci}(x) J_0(x) + (45x^5 - 720x^3 + 2880x) \operatorname{Ci}(x) J_1(x) + \\
&\quad + (5x^5 - 192x^3 + 2880x) \sin x J_0(x) + (-40x^4 + 864x^2) \sin x J_1(x) + \\
&\quad + (-15x^4 + 288x^2 + 2880) \cos x J_0(x) + (-5x^5 + 72x^3 - 2016x) \cos x J_1(x)] \\
\int x^6 \operatorname{Si}(x) J_1(x) dx &= \frac{1}{3465} [(-3465x^6 + 83160x^4 - 665280x^2) \operatorname{Si}(x) J_0(x) + \\
&\quad + (20790x^5 - 332640x^3 + 1330560x) \operatorname{Si}(x) J_1(x) + \\
&\quad + (315x^6 - 5430x^4 + 130656x^2 + 1330560) \sin x J_0(x) + (-1435x^5 + 29664x^3 - 926592x) \sin x J_1(x) + \\
&\quad + (-3010x^5 + 91104x^3 - 1330560x) \cos x J_0(x) + (-315x^6 + 20480x^4 - 403968x^2) \cos x J_1(x)] \\
\int x^6 \operatorname{Ci}(x) J_1(x) dx &= \frac{1}{3465} [(-3465x^6 + 83160x^4 - 665280x^2) \operatorname{Ci}(x) J_1(x) + \\
&\quad + (20790x^5 - 332640x^3 + 1330560x) \operatorname{Ci}(x) J_0(x) + (3010x^5 - 91104x^3 + 1330560x) \sin x J_0(x) + \\
&\quad + (315x^6 - 20480x^4 + 403968x^2) \sin x J_1(x) + (315x^6 - 5430x^4 + 130656x^2 + 1330560) \cos x J_0(x) + \\
&\quad + (-1435x^5 + 29664x^3 - 926592x) \cos x J_1(x)] \\
\int x^7 \operatorname{Si}(x) J_0(x) dx &= \frac{1}{15015} [(90090x^6 - 2162160x^4 + 17297280x^2) \operatorname{Si}(x) J_0(x) + \\
&\quad + (15015x^7 - 540540x^5 + 8648640x^3 - 34594560x) \operatorname{Si}(x) J_1(x) + \\
&\quad + (-4515x^6 + 120180x^4 - 3363456x^2 - 34594560) \sin x J_0(x) + \\
&\quad + (-1155x^7 + 25060x^5 - 720864x^3 + 24024192x) \sin x J_1(x) + \\
&\quad + (-1155x^7 + 88060x^5 - 2402304x^3 + 34594560x) \cos x J_0(x) + \\
&\quad + (12600x^6 - 560480x^4 + 10570368x^2) \cos x J_1(x)] \\
\int x^7 \operatorname{Ci}(x) J_0(x) dx &= \frac{1}{15015} [(90090x^6 - 2162160x^4 + 17297280x^2) \operatorname{Ci}(x) J_0(x) + \\
&\quad + (15015x^7 - 540540x^5 + 8648640x^3 - 34594560x) \operatorname{Ci}(x) J_1(x) + \\
&\quad + (1155x^7 - 88060x^5 + 2402304x^3 - 34594560x) \sin x J_0(x) + \\
&\quad + (-12600x^6 + 560480x^4 - 10570368x^2) \sin x J_1(x) + \\
&\quad + (-4515x^6 + 120180x^4 - 3363456x^2 - 34594560) \cos x J_0(x) + \\
&\quad + (-1155x^7 + 25060x^5 - 720864x^3 + 24024192x) \cos x J_1(x)] \\
\int x^8 \operatorname{Si}(x) J_1(x) dx &= \frac{1}{15015} [(-15015x^8 + 720720x^6 - 17297280x^4 + 138378240x^2) \operatorname{Si}(x) J_0(x) + \\
&\quad + (120120x^7 - 4324320x^5 + 69189120x^3 - 276756480x) \operatorname{Si}(x) J_1(x) + \\
&\quad + (1001x^8 - 25830x^6 + 902640x^4 - 26813568x^2 - 276756480) \sin x J_0(x) + \\
&\quad + (-5467x^7 + 166180x^5 - 5625792x^3 + 192005376x) \sin x J_1(x) + \\
&\quad + (-12474x^7 + 731920x^5 - 19312512x^3 + 276756480x) \cos x J_0(x) + \\
&\quad + (-1001x^8 + 113148x^6 - 4562240x^4 + 84751104x^2) \cos x J_1(x)]
\end{aligned}$$

$$\int x^8 \text{Ci}(x) J_1(x) dx = \frac{1}{15015} [(-15015 x^8 + 720720 x^6 - 17297280 x^4 + 138378240 x^2) \text{Ci}(x) J_0(x) + \\ + (120120 x^7 - 4324320 x^5 + 69189120 x^3 - 276756480 x) \text{Ci}(x) J_1(x) + \\ + (12474 x^7 - 731920 x^5 + 19312512 x^3 - 276756480 x) \sin x J_0(x) + \\ + (1001 x^8 - 113148 x^6 + 4562240 x^4 - 84751104 x^2) \sin x J_1(x) + \\ + (1001 x^8 - 25830 x^6 + 902640 x^4 - 26813568 x^2 - 276756480) \cos x J_0(x) + \\ + (-5467 x^7 + 166180 x^5 - 5625792 x^3 + 192005376 x) \cos x J_1(x)]$$

$$\int x^9 \text{Si}(x) J_0(x) dx = \frac{1}{23205} [(185640 x^8 - 8910720 x^6 + 213857280 x^4 - 1710858240 x^2) \text{Si}(x) J_0(x) + \\ + (23205 x^9 - 1485120 x^7 + 53464320 x^5 - 855429120 x^3 + 3421716480 x) \text{Si}(x) J_1(x) + \\ + (-6643 x^8 + 252000 x^6 - 10775040 x^4 + 330897408 x^2 + 3421716480) \sin x J_0(x) + \\ + (-1365 x^9 + 42896 x^7 - 1830080 x^5 + 68631552 x^3 - 2372653056 x) \sin x J_1(x) + \\ + (-1365 x^9 + 175392 x^7 - 9228800 x^5 + 239388672 x^3 - 3421716480 x) \cos x J_0(x) + \\ + (18928 x^8 - 1479744 x^6 + 56919040 x^4 - 1049063424 x^2) \cos x J_1(x)]$$

$$\int x^9 \text{Ci}(x) J_0(x) dx = \frac{1}{23205} [(185640 x^8 - 8910720 x^6 + 213857280 x^4 - 1710858240 x^2) \text{Ci}(x) J_0(x) + \\ + (23205 x^9 - 1485120 x^7 + 53464320 x^5 - 855429120 x^3 + 3421716480 x) \text{Ci}(x) J_1(x) + \\ + (1365 x^9 - 175392 x^7 + 9228800 x^5 - 239388672 x^3 + 3421716480 x) \sin x J_0(x) + \\ + (-18928 x^8 + 1479744 x^6 - 56919040 x^4 + 1049063424 x^2) \sin x J_1(x) + \\ + (-6643 x^8 + 252000 x^6 - 10775040 x^4 + 330897408 x^2 + 3421716480) \cos x J_0(x) + \\ + (-1365 x^9 + 42896 x^7 - 1830080 x^5 + 68631552 x^3 - 2372653056 x) \cos x J_1(x)]$$

Recurrence Relations: Let $\mathfrak{S}_\nu^{(m)}(x) = \int x^m \text{Si}(x) J_\nu(x) dx$ and $\mathfrak{C}_\nu^{(m)}(x) = \int x^m \text{Ci}(x) J_\nu(x) dx$.

$$\mathfrak{S}_0^{(2n+1)}(x) = \frac{x^{2n}}{4n+1} \{[(4n+1)x J_1(x) - 2n(2n+1) J_0(x)] \text{Si}(x) + \\ + [(2n+1) J_0(x) - x J_1(x)] \sin x - x J_0(x) \cos x\} + \frac{4n^2(2n+1)}{4n+1} \mathfrak{S}_0^{(2n-1)}(x) - \frac{4n(3n+1)}{4n+1} \mathfrak{S}_1^{(2n)}(x)$$

$$\mathfrak{C}_0^{(2n+1)}(x) = \frac{x^{2n}}{4n+1} \{[(4n+1)x J_1(x) - 2n(2n+1) J_0(x)] \text{Ci}(x) + \\ + [(2n+1) J_0(x) - x J_1(x)] \cos x + x J_0(x) \sin x\} + \frac{4n^2(2n+1)}{4n+1} \mathfrak{C}_0^{(2n-1)}(x) - \frac{4n(3n+1)}{4n+1} \mathfrak{C}_1^{(2n)}(x)$$

$$\mathfrak{S}_1^{(2n+2)}(x) = \frac{x^{2n}}{4n+3} \{ - [(4n+3)x^2 J_0(x) + 2n(2n+1)x J_1(x)] \text{Si}(x) + \\ + [x^2 J_0(x) + (2n+1)x J_1(x)] \sin x - x^2 J_1(x) \cos x\} + \frac{4n^2(2n+1)}{4n+3} \mathfrak{S}_1^{(2n)}(x) + \frac{2(6n^2+8n+3)}{4n+4} \mathfrak{S}_0^{(2n+1)}(x)$$

$$\mathfrak{C}_1^{(2n+2)}(x) = \frac{x^{2n}}{4n+3} \{ - [(4n+3)x^2 J_0(x) + 2n(2n+1)x J_1(x)] \text{Ci}(x) + \\ + [x^2 J_0(x) + (2n+1)x J_1(x)] \cos x + x^2 J_1(x) \sin x\} + \frac{4n^2(2n+1)}{4n+3} \mathfrak{C}_1^{(2n)}(x) + \frac{2(6n^2+8n+3)}{4n+4} \mathfrak{C}_0^{(2n+1)}(x)$$

1.3.4. $\int x^n \operatorname{erf}(x) J_\nu(\alpha x) dx$ and $\int x^n \operatorname{erf}(x) I_\nu(\alpha x) dx$

a) The Case $\alpha = 1$, $J_\nu(x)$

About the basic integrals

$$F_0(x) = \int_0^x e^{-t^2} J_0(t) dt \quad \text{and} \quad F_-(x) = \int_0^x \frac{e^{-t^2} J_1(t) dt}{t}$$

see page 148 and following.

$$\begin{aligned} \int \operatorname{erf}(x) J_1(x) dx &= -\operatorname{erf}(x) J_0(x) + \frac{2}{\sqrt{\pi}} \int e^{-x^2} J_0(x) dx \\ \int x \operatorname{erf}(x) J_0(x) dx &= \frac{e^{-x^2}}{\sqrt{\pi}} J_1(x) + x \operatorname{erf}(x) J_1(x) - \frac{1}{\sqrt{\pi}} \int e^{-x^2} J_0(x) dx + \frac{1}{\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^2 \operatorname{erf}(x) J_1(x) dx &= \frac{e^{-x^2}}{2\sqrt{\pi}} [-2x J_0(x) + 5J_1(x)] + \operatorname{erf}(x) [-x^2 J_0(x) + 2x J_1(x)] - \\ &\quad - \frac{3}{2\sqrt{\pi}} \int e^{-x^2} J_0(x) dx + \frac{5}{2\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^3 \operatorname{erf}(x) J_0(x) dx &= \frac{e^{-x^2}}{4\sqrt{\pi}} [10x J_0(x) + (4x^2 - 19) J_1(x)] + \operatorname{erf}(x) [2x^2 J_0(x) + (x^3 - 4x) J_1(x)] + \\ &\quad + \frac{9}{4\sqrt{\pi}} \int e^{-x^2} J_0(x) dx - \frac{19}{4\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^4 \operatorname{erf}(x) J_1(x) dx &= \frac{e^{-x^2}}{8\sqrt{\pi}} [(-8x^3 + 70x) J_0(x) + (36x^2 - 145) J_1(x)] + \\ &\quad + \operatorname{erf}(x) [(-x^4 + 8x^2) J_0(x) + (4x^3 - 16x) J_1(x)] + \frac{75}{8\sqrt{\pi}} \int e^{-x^2} J_0(x) dx - \frac{145}{8\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^5 \operatorname{erf}(x) J_0(x) dx &= \frac{e^{-x^2}}{16\sqrt{\pi}} [(72x^3 - 538x) J_0(x) + (16x^4 - 268x^2 + 1159) J_1(x)] + \\ &\quad + \operatorname{erf}(x) [(4x^4 - 32x^2) J_0(x) + (x^5 - 16x^3 + 64x) J_1(x)] - \frac{621}{16\sqrt{\pi}} \int e^{-x^2} J_0(x) dx + \frac{1159}{16\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^6 \operatorname{erf}(x) J_1(x) dx &= \frac{e^{-x^2}}{32\sqrt{\pi}} [(-32x^5 + 792x^3 - 6534x) J_0(x) + (208x^4 - 3156x^2 + 13977) J_1(x)] + \\ &\quad + \operatorname{erf}(x) [(-x^6 + 24x^4 - 192x^2) J_0(x) + (6x^5 - 96x^3 + 384x) J_1(x)] - \\ &\quad - \frac{7443}{32\sqrt{\pi}} \int e^{-x^2} J_0(x) dx + \frac{13977}{32\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^7 \operatorname{erf}(x) J_0(x) dx &= \\ &= \frac{e^{-x^2}}{64\sqrt{\pi}} [(416x^5 - 9352x^3 + 78706x) J_0(x) + (64x^6 - 2352x^4 + 38012x^2 - 167803) J_1(x)] + \\ &\quad + \operatorname{erf}(x) [(6x^6 - 144x^4 + 1152x^2) J_0(x) + (x^7 - 36x^5 + 576x^3 - 2304x) J_1(x)] + \\ &\quad + \frac{89097}{64\sqrt{\pi}} \int e^{-x^2} J_0(x) dx - \frac{167803}{64\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\ \int x^8 \operatorname{erf}(x) J_1(x) dx &= \\ &= \frac{e^{-x^2}}{128\sqrt{\pi}} [(-128x^7 + 6240x^5 - 150488x^3 + 1258502x) J_0(x) + (1088x^6 - 37264x^4 + 609172x^2 - 2683961) J_1(x)] + \end{aligned}$$

$$\begin{aligned}
& + \operatorname{erf}(x) [(-x^8 + 48x^6 - 1152x^4 + 9216x^2) J_0(x) + (8x^7 - 288x^5 + 4608x^3 - 18432x) J_1(x)] + \\
& \quad + \frac{1425459}{128\sqrt{\pi}} \int e^{-x^2} J_0(x) dx - \frac{2683961}{128\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x} \\
& \int x^9 \operatorname{erf}(x) J_0(x) dx = \frac{e^{-x^2}}{256\sqrt{\pi}} [(2176x^7 - 98976x^5 + 2410792x^3 - 20131066x) J_0(x) + \\
& \quad + (256x^8 - 16576x^6 + 597872x^4 - 9745772x^2 + 42941383) J_1(x)] + \\
& + \operatorname{erf}(x) [(8x^8 - 384x^6 + 9216x^4 - 73728x^2) J_0(x) + (x^9 - 64x^7 + 2304x^5 - 36864x^3 + 147456x) J_1(x)] - \\
& \quad - \frac{22810317}{256\sqrt{\pi}} \int e^{-x^2} J_0(x) dx + \frac{42941383}{256\sqrt{\pi}} \int \frac{e^{-x^2} J_1(x) dx}{x}
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+2} \operatorname{erf}(x) J_1(x) dx = \frac{4n+1}{2} \int x^{2n} \operatorname{erf}(x) J_1(x) dx + \frac{4n+5}{2} \int x^{2n+1} \operatorname{erf}(x) J_0(x) dx - \\
& - n(2n+1) \int x^{2n-1} \operatorname{erf}(x) J_0(x) dx - \frac{x^{2n+1} e^{-x^2}}{\sqrt{\pi}} J_0(x) + \frac{x^{2n}}{2} [(2n+1-2x^2) J_0(x) - x J_1(x)] \operatorname{erf}(x) \\
& \int x^{2n+1} \operatorname{erf}(x) J_0(x) dx = -\frac{4n+1}{2} \int x^{2n} \operatorname{erf}(x) J_1(x) dx + (2n-1)(n-1) \int x^{2n-2} \operatorname{erf}(x) J_1(x) dx + \\
& \quad + \frac{4n-1}{2} \int x^{2n-1} \operatorname{erf}(x) J_0(x) dx + \frac{x^{2n} e^{-x^2} J_1(x)}{\sqrt{\pi}} - \frac{x^{2n-1}}{2} \{[x J_0(x) + (2n-1-x^2) J_1(x)] \operatorname{erf}(x)
\end{aligned}$$

b) The General Case, $J_\nu(x)$

About the basic integrals

$$F_0(x) = \int_0^x e^{-t^2} J_0(\alpha t) dt \quad \text{and} \quad F_-(x) = \int_0^x \frac{e^{-t^2} J_1(\alpha t) dt}{t}$$

see page 158 and following.

$$\begin{aligned}
& \int \operatorname{erf}(x) J_1(\alpha x) dx = -\frac{\operatorname{erf}(x) J_0(\alpha x)}{\alpha} + \frac{2}{\alpha\sqrt{\pi}} \int e^{-x^2} J_0(\alpha x) dx \\
& \int x \operatorname{erf}(x) J_0(\alpha x) dx = \frac{e^{-x^2}}{\sqrt{\pi}\alpha} J_1(\alpha x) + \frac{x \operatorname{erf}(x)}{\alpha} J_1(\alpha x) - \frac{1}{\sqrt{\pi}} \int e^{-x^2} J_0(\alpha x) dx + \frac{1}{\sqrt{\pi}\alpha} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
& \int x^2 \operatorname{erf}(x) J_1(\alpha x) dx = \frac{e^{-x^2}}{2\sqrt{\pi}\alpha^2} [-2\alpha x J_0(\alpha x) + (\alpha^2 + 4) J_1(\alpha x)] + \frac{\operatorname{erf}(x)}{\alpha^2} [-\alpha x^2 J_0(\alpha x) + 2x J_1(\alpha x)] - \\
& \quad - \frac{\alpha^2 + 2}{2\sqrt{\pi}\alpha} \int e^{-x^2} J_0(\alpha x) dx + \frac{\alpha^2 + 4}{2\sqrt{\pi}\alpha^2} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
& \int x^3 \operatorname{erf}(x) J_0(\alpha x) dx = \frac{e^{-x^2}}{4\sqrt{\pi}\alpha^3} \{2\alpha(\alpha^2 + 4)x J_0(\alpha x) + [4\alpha^2 x^2 - (\alpha^4 + 2\alpha^2 + 16)] J_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^3} [2\alpha x^2 J_0(\alpha x) + (\alpha^2 x^3 - 4x) J_1(\alpha x)] + \frac{\alpha^4 + 8}{4\sqrt{\pi}\alpha^2} \int e^{-x^2} J_0(\alpha x) dx - \frac{\alpha^4 + 2\alpha^2 + 16}{4\sqrt{\pi}\alpha^3} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
& \int x^4 \operatorname{erf}(x) J_1(\alpha x) dx = \\
& = \frac{e^{-x^2}}{8\sqrt{\pi}\alpha^4} \{[-8\alpha^3 x^3 + 2(\alpha^5 + 2\alpha^3 + 32\alpha)x] J_0(\alpha x) + [(4\alpha^4 + 32\alpha^2)x^2 - \alpha^6 - 16\alpha^2 - 128] J_1(\alpha x)\} + \\
& \quad + \frac{\operatorname{erf}(x)}{\alpha^4} [(-\alpha^3 x^4 + 8\alpha x^2) J_0(\alpha x) + (4\alpha^2 x^3 - 16x) J_1(\alpha x)] +
\end{aligned}$$

$$\begin{aligned}
& + \frac{\alpha^6 - 2\alpha^4 + 12\alpha^2 + 64}{8\sqrt{\pi}\alpha^3} \int e^{-x^2} J_0(\alpha x) dx - \frac{\alpha^6 + 16\alpha^2 + 128}{8\sqrt{\pi}\alpha^4} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
\int x^5 \operatorname{erf}(x) J_0(\alpha x) dx & = \frac{e^{-x^2}}{16\sqrt{\pi}\alpha^5} \{[(8\alpha^5 + 64\alpha^3)x^3 - (2\alpha^7 - 8\alpha^5 + 32\alpha^3 + 512\alpha)x] J_0(\alpha x) + \\
& + [16\alpha^4 x^4 - (4\alpha^6 + 8\alpha^4 + 256\alpha^2)x^2 + \alpha^8 - 6\alpha^6 + 12\alpha^4 + 128\alpha^2 + 1024] J_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^5} [(4\alpha^3 x^4 - 32\alpha x^2) J_0(\alpha x) + (\alpha^4 x^5 - 16\alpha^2 x^3 + 64x) J_1(\alpha x)] - \\
& - \frac{\alpha^8 - 8\alpha^6 + 20\alpha^4 + 96\alpha^2 + 512}{16\sqrt{\pi}\alpha^4} \int e^{-x^2} J_0(\alpha x) dx + \\
& + \frac{\alpha^8 - 6\alpha^6 + 12\alpha^4 + 128\alpha^2 + 1024}{16\sqrt{\pi}\alpha^5} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
& \int x^6 \operatorname{erf}(x) J_1(\alpha x) dx = \\
= \frac{e^{-x^2}}{32\sqrt{\pi}\alpha^6} & \{[-32\alpha^5 x^5 + (8\alpha^7 + 16\alpha^5 + 768\alpha^3)x^3 - (2\alpha^9 - 20\alpha^7 + 24\alpha^5 + 384\alpha^3 + 6144\alpha)x] J_0(\alpha x) + \\
& + [(16\alpha^6 + 192\alpha^4)x^4 - (4\alpha^8 - 16\alpha^6 + 96\alpha^4 + 3072\alpha^2)x^2 + \alpha^{10} - 12\alpha^8 + 20\alpha^6 + 144\alpha^4 + 1536\alpha^2 + 12288] J_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^6} [-(\alpha^5 x^6 - 24\alpha^3 x^4 + 192\alpha x^2) J_0(\alpha x) + (6\alpha^4 x^5 - 96\alpha^2 x^3 + 384x) J_1(\alpha x)] - \\
& - \frac{\alpha^{10} - 14\alpha^8 + 40\alpha^6 + 120\alpha^4 + 1152\alpha^2 + 6144}{32\sqrt{\pi}\alpha^5} \int e^{-x^2} J_0(\alpha x) dx + \\
& + \frac{\alpha^{10} - 12\alpha^8 + 20\alpha^6 + 144\alpha^4 + 1536\alpha^2 + 12288}{32\sqrt{\pi}\alpha^6} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
\int x^7 \operatorname{erf}(x) J_0(\alpha x) dx & = \frac{e^{-x^2}}{64\sqrt{\pi}\alpha^7} \{[(32\alpha^7 + 384\alpha^5)x^5 - (8\alpha^9 - 64\alpha^7 + 192\alpha^5 + 9216\alpha^3)x^3 + \\
& + (2\alpha^{11} - 40\alpha^9 + 120\alpha^7 + 288\alpha^5 + 4608\alpha^3 + 73728\alpha)x] J_0(\alpha x) + [64\alpha^6 x^6 - (16\alpha^8 + 32\alpha^6 + 2304\alpha^4)x^4 + \\
& + (4\alpha^{10} - 56\alpha^8 + 48\alpha^6 + 1152\alpha^4 + 36864\alpha^2)x^2 - \alpha^{12} + 22\alpha^{10} - 88\alpha^8 - 120\alpha^6 - 1728\alpha^4 - 18432\alpha^2 - 147456] J_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^7} [(6\alpha^5 x^6 - 144\alpha^3 x^4 + 1152\alpha x^2) J_0(\alpha x) + (\alpha^6 x^7 - 36\alpha^4 x^5 + 576\alpha^2 x^3 - 2304x) J_1(\alpha x)] + \\
& + \frac{\alpha^{12} - 24\alpha^{10} + 128\alpha^8 + 1440\alpha^4 + 13824\alpha^2 + 73728}{64\sqrt{\pi}\alpha^6} \int e^{-x^2} J_0(\alpha x) dx - \\
& - \frac{\alpha^{12} - 22\alpha^{10} + 88\alpha^8 + 120\alpha^6 + 1728\alpha^4 + 18432\alpha^2 + 147456}{64\sqrt{\pi}\alpha^7} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
\int x^8 \operatorname{erf}(x) J_1(\alpha x) dx & = \\
= \frac{e^{-x^2}}{128\sqrt{\pi}\alpha^8} & \{[-128\alpha^7 x^7 + (32\alpha^9 + 64\alpha^7 + 6144\alpha^5)x^5 - (8\alpha^{11} - 144\alpha^9 + 96\alpha^7 + 3072\alpha^5 + 147456\alpha^3)x^3 + \\
& + (2\alpha^{13} - 60\alpha^{11} + 336\alpha^9 + 240\alpha^7 + 4608\alpha^5 + 73728\alpha^3 + 1179648\alpha)x] J_0(\alpha x) + \\
& + [(64\alpha^8 + 1024\alpha^6)x^6 - (16\alpha^{10} - 128\alpha^8 + 512\alpha^6 + 36864\alpha^4)x^4 + \\
& + (4\alpha^{12} - 96\alpha^{10} + 240\alpha^8 + 768\alpha^6 + 18432\alpha^4 + 589824\alpha^2)x^2 - \\
& - \alpha^{14} + 32\alpha^{12} - 216\alpha^{10} - 1920\alpha^6 - 27648\alpha^4 - 294912\alpha^2 - 2359296] J_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^8} [-(\alpha^7 x^8 - 48\alpha^5 x^6 + 1152\alpha^3 x^4 - 9216\alpha x^2) J_0(\alpha x) + (8\alpha^6 x^7 - 288\alpha^4 x^5 + 4608\alpha^2 x^3 - 18432x) J_1(\alpha x)] + \\
& + \frac{\alpha^{14} - 34\alpha^{12} + 276\alpha^{10} - 336\alpha^8 + 1680\alpha^6 + 23040\alpha^4 + 221184\alpha^2 + 1179648}{128\sqrt{\pi}\alpha^7} \int e^{-x^2} J_0(\alpha x) dx -
\end{aligned}$$

$$\begin{aligned}
& -\frac{\alpha^{14} - 32\alpha^{12} + 216\alpha^{10} + 1920\alpha^6 + 27648\alpha^4 + 294912\alpha^2 + 2359296}{128\sqrt{\pi}\alpha^8} \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx \\
\int x^9 \operatorname{erf}(x) J_0(\alpha x) dx &= \frac{e^{-x^2}}{256\sqrt{\pi}\alpha^9} \{[(128\alpha^9 + 2048\alpha^7)x^7 - (32\alpha^{11} - 384\alpha^9 + 1024\alpha^7 + 98304\alpha^5)x^5 + \\
& + (8\alpha^{13} - 256\alpha^{11} + 1056\alpha^9 + 1536\alpha^7 + 49152\alpha^5 + 2359296\alpha^3)x^3 - \\
& - (2\alpha^{15} - 88\alpha^{13} + 912\alpha^{11} - 1344\alpha^9 + 3840\alpha^7 + 73728\alpha^5 + 1179648\alpha^3 + 18874368\alpha)x] J_0(\alpha x) + \\
& + [256\alpha^8 x^8 - (64\alpha^{10} + 128\alpha^8 + 16384\alpha^6)x^6 + (16\alpha^{12} - 352\alpha^{10} + 192\alpha^8 + 8192\alpha^6 + 589824\alpha^4)x^4 - \\
& - (4\alpha^{14} - 152\alpha^{12} + 1056\alpha^{10} + 480\alpha^8 + 12288\alpha^6 + 294912\alpha^4 + 9437184\alpha^2)x^2 + \\
& + \alpha^{16} - 46\alpha^{14} + 532\alpha^{12} - 1200\alpha^{10} + 1680\alpha^8 + 30720\alpha^6 + 442368\alpha^4 + 4718592\alpha^2 + 37748736] J_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^9} [(8\alpha^7 x^8 - 384\alpha^5 x^6 + 9216\alpha^3 x^4 - 73728\alpha x^2) J_0(\alpha x) + \\
& + (\alpha^8 x^9 - 64\alpha^6 x^7 + 2304\alpha^4 x^5 - 36864\alpha^2 x^3 + 147456x) J_1(\alpha x)] - \\
& - \frac{\alpha^{16} - 48\alpha^{14} + 620\alpha^{12} - 2112\alpha^{10} + 3024\alpha^8 + 26880\alpha^6 + 368640\alpha^4 + 3538944\alpha^2 + 18874368}{256\sqrt{\pi}\alpha^8} \cdot \\
& \cdot \int e^{-x^2} J_0(\alpha x) dx + \\
& + \frac{\alpha^{16} - 46\alpha^{14} + 532\alpha^{12} - 1200\alpha^{10} + 1680\alpha^8 + 30720\alpha^6 + 442368\alpha^4 + 4718592\alpha^2 + 37748736}{256\sqrt{\pi}\alpha^9} \cdot \\
& \cdot \int \frac{e^{-x^2} J_1(\alpha x)}{x} dx
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
\int x^{2n+2} \operatorname{erf}(x) J_1(\alpha x) dx &= \frac{\alpha^2 + 4n + 4}{2\alpha} \int x^{2n+1} \operatorname{erf}(x) J_0(\alpha x) dx - \frac{n(2n+1)}{\alpha} \int x^{2n-1} \operatorname{erf}(x) J_0(\alpha x) dx + \\
& + \frac{4n+1}{2} \int x^{2n} \operatorname{erf}(x) J_1(\alpha x) dx - \frac{x^{2n+1} e^{-x^2}}{\alpha\sqrt{\pi}} J_0(\alpha x) + \frac{x^{2n}}{2\alpha} [(2n+1-2x^2) J_0(\alpha x) - \alpha x J_1(\alpha x)] \operatorname{erf}(x) \\
\int x^{2n+1} \operatorname{erf}(x) J_0(\alpha x) dx &= -\frac{4n+\alpha^2}{2\alpha} \int x^{2n} \operatorname{erf}(x) J_1(\alpha x) dx + \frac{(2n-1)(n-1)}{\alpha} \int x^{2n-2} \operatorname{erf}(x) J_1(\alpha x) dx + \\
& + \frac{4n-1}{2} \int x^{2n-1} \operatorname{erf}(x) J_0(\alpha x) dx + \frac{x^{2n} e^{-x^2} J_1(\alpha x)}{\sqrt{\pi}\alpha} - \frac{x^{2n-1} \operatorname{erf}(x)}{2\alpha} [\alpha x J_0(\alpha x) + (2n-1-2x^2) J_1(\alpha x)]
\end{aligned}$$

c) The General Case, $I_\nu(x)$

About the basic integrals

$$\tilde{F}_0(x) = \int_0^x e^{-t^2} I_0(\alpha t) dt \quad \text{and} \quad \tilde{F}_-(x) = \int_0^x \frac{e^{-t^2} I_1(\alpha t) dt}{t}$$

see page 182 and following.

$$\begin{aligned}
\int \operatorname{erf}(x) I_1(\alpha x) dx &= \frac{\operatorname{erf}(x) I_0(\alpha x)}{\alpha} - \frac{2}{\alpha\sqrt{\pi}} \int e^{-x^2} I_0(\alpha x) dx \\
\int x \operatorname{erf}(x) I_0(\alpha x) dx &= \frac{e^{-x^2}}{\sqrt{\pi}\alpha} I_1(\alpha x) + \frac{x \operatorname{erf}(x)}{\alpha} I_1(\alpha x) - \frac{1}{\sqrt{\pi}} \int e^{-x^2} I_0(\alpha x) dx + \frac{1}{\sqrt{\pi}\alpha} \int \frac{e^{-x^2} I_1(\alpha x)}{x} dx \\
\int x^2 \operatorname{erf}(x) I_1(\alpha x) dx &= \frac{e^{-x^2}}{2\sqrt{\pi}\alpha^2} [2\alpha x I_0(\alpha x) + (\alpha^2 - 4) I_1(\alpha x)] + \frac{\operatorname{erf}(x)}{\alpha^2} [\alpha x^2 I_0(\alpha x) - 2x I_1(\alpha x)] -
\end{aligned}$$

$$\begin{aligned}
& -\frac{\alpha^2-2}{2\sqrt{\pi}\alpha} \int e^{-x^2} I_0(\alpha x) dx + \frac{\alpha^2-4}{2\sqrt{\pi}\alpha^2} \int \frac{e^{-x^2} I_1(\alpha x)}{x} dx \\
& \int x^3 \operatorname{erf}(x) I_0(\alpha x) dx = \frac{e^{-x^2}}{4\sqrt{\pi}\alpha^3} \{2\alpha(\alpha^2-4)x I_0(\alpha x) + [4\alpha^2 x^2 + \alpha^4 - 2\alpha^2 + 16] I_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^3} [2\alpha x^2 I_0(\alpha x) - (\alpha^2 x^3 + 4x) I_1(\alpha x)] - \frac{\alpha^4+8}{4\sqrt{\pi}\alpha^2} \int e^{-x^2} I_0(\alpha x) dx + \frac{\alpha^4-2\alpha^2+16}{4\sqrt{\pi}\alpha^3} \int \frac{e^{-x^2} I_1(\alpha x)}{x} dx \\
& \int x^4 \operatorname{erf}(x) I_1(\alpha x) dx = \\
& = \frac{e^{-x^2}}{8\sqrt{\pi}\alpha^4} \{[8\alpha^3 x^3 + 2(\alpha^5 - 2\alpha^3 + 32\alpha)x] I_0(\alpha x) + [(4\alpha^4 - 32\alpha^2)x^2 + \alpha^6 + 16\alpha^2 - 128] I_1(\alpha x)\} + \\
& + \frac{\operatorname{erf}(x)}{\alpha^4} [(\alpha^3 x^4 + 8\alpha x^2) I_0(\alpha x) - (4\alpha^2 x^3 + 16x) I_1(\alpha x)] - \\
& - \frac{\alpha^6 + 2\alpha^4 + 12\alpha^2 - 64}{8\sqrt{\pi}\alpha^3} \int e^{-x^2} I_0(\alpha x) dx + \frac{\alpha^6 + 16\alpha^2 - 128}{8\sqrt{\pi}\alpha^4} \int \frac{e^{-x^2} I_1(\alpha x)}{x} dx \\
& \int x^5 \operatorname{erf}(x) I_0(\alpha x) dx = \frac{e^{-x^2}}{16\sqrt{\pi}\alpha^5} \{[(8\alpha^5 - 64\alpha^3)x^3 + (2\alpha^7 + 8\alpha^5 + 32\alpha^3 - 512\alpha)x] I_0(\alpha x) + \\
& + [16\alpha^4 x^4 + (4\alpha^6 - 8\alpha^4 + 256\alpha^2)x^2 + \alpha^8 + 6\alpha^6 + 12\alpha^4 - 128\alpha^2 + 1024] I_1(\alpha x)\} + \\
& - \frac{\operatorname{erf}(x)}{\alpha^5} [(4\alpha^3 x^4 + 32\alpha x^2) I_0(\alpha x) - (\alpha^4 x^5 + 16\alpha^2 x^3 + 64x) I_1(\alpha x)] - \\
& - \frac{\alpha^8 + 8\alpha^6 + 20\alpha^4 - 96\alpha^2 + 512}{16\sqrt{\pi}\alpha^4} \int e^{-x^2} I_0(\alpha x) dx + \\
& + \frac{\alpha^8 + 6\alpha^6 + 12\alpha^4 - 128\alpha^2 + 1024}{16\sqrt{\pi}\alpha^5} \int \frac{e^{-x^2} I_1(\alpha x)}{x} dx
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+2} \operatorname{erf}(x) I_1(\alpha x) dx = \frac{\alpha^2 - 4n - 4}{2\alpha} \int x^{2n+1} \operatorname{erf}(x) I_0(\alpha x) dx + \frac{n(2n+1)}{\alpha} \int x^{2n-1} \operatorname{erf}(x) I_0(\alpha x) dx + \\
& + \frac{4n+1}{2} \int x^{2n} \operatorname{erf}(x) I_1(\alpha x) dx + \frac{x^{2n+1} e^{-x^2}}{\alpha\sqrt{\pi}} I_0(\alpha x) - \frac{x^{2n}}{2\alpha} [(2n+1-2x^2) I_0(\alpha x) + \alpha x I_1(\alpha x)] \operatorname{erf}(x) \\
& \int x^{2n+1} \operatorname{erf}(x) I_0(\alpha x) dx = -\frac{4n-\alpha^2}{2\alpha} \int x^{2n} \operatorname{erf}(x) I_1(\alpha x) dx + \frac{(2n-1)(n-1)}{\alpha} \int x^{2n-2} \operatorname{erf}(x) I_1(\alpha x) dx + \\
& + \frac{4n-1}{2} \int x^{2n-1} \operatorname{erf}(x) I_0(\alpha x) dx + \frac{x^{2n} e^{-x^2} I_1(\alpha x)}{\sqrt{\pi}\alpha} + \frac{x^{2n-1} \operatorname{erf}(x)}{2\alpha} [-\alpha x I_0(\alpha x) + (2n-1+2x^2) I_1(\alpha x)]
\end{aligned}$$

1.3.4. Struve Functions

a) Integrals

$$\begin{aligned}
\int \frac{J_0(x) \mathbf{H}_1(x) dx}{x} &= x[J_0(x) \mathbf{H}_0(x) + J_1(x) \mathbf{H}_1(x)] - J_0(x) \mathbf{H}_1(x) - \frac{2xJ_1(x)}{\pi} \\
\int \frac{I_0(x) \mathbf{L}_1(x) dx}{x} &= x[I_0(x) \mathbf{L}_0(x) - I_1(x) \mathbf{L}_1(x)] - I_0(x) \mathbf{L}_1(x) - \frac{2xI_1(x)}{\pi} \\
\int \frac{K_0(x) \mathbf{L}_1(x) dx}{x} &= x[K_0(x) \mathbf{L}_0(x) + K_1(x) \mathbf{L}_1(x)] - K_0(x) \mathbf{L}_1(x) + \frac{2xK_1(x)}{\pi} \\
\int \frac{J_1(x) \mathbf{H}_0(x) dx}{x} &= x[J_0(x) \mathbf{H}_0(x) + J_1(x) \mathbf{H}_1(x)] - J_1(x) \mathbf{H}_0(x) - \frac{2xJ_1(x) + 2J_0(x)}{\pi} \\
\int \frac{I_1(x) \mathbf{L}_0(x) dx}{x} &= x[I_0(x) \mathbf{L}_0(x) - I_1(x) \mathbf{L}_1(x)] - I_1(x) \mathbf{L}_0(x) + \frac{2I_0(x) - 2xI_1(x)}{\pi} \\
\int \frac{K_1(x) \mathbf{L}_0(x) dx}{x} &= -x[K_0(x) \mathbf{L}_0(x) + K_1(x) \mathbf{L}_1(x)] - K_1(x) \mathbf{L}_0(x) - \frac{2K_0(x) + 2xK_1(x)}{\pi} \\
\int \frac{J_1(x) \mathbf{H}_1(x) dx}{x} &= \frac{1}{2} \{x[J_1(x) \mathbf{H}_0(x) - J_0(x) \mathbf{H}_1(x)] - J_0(x) \mathbf{H}_0(x) - J_1(x) \mathbf{H}_1(x)\} + \frac{xJ_0(x)}{\pi} \\
\int \frac{I_1(x) \mathbf{L}_1(x) dx}{x} &= \frac{1}{2} \{x[I_1(x) \mathbf{L}_0(x) - I_0(x) \mathbf{L}_1(x)] + I_0(x) \mathbf{L}_0(x) - I_1(x) \mathbf{L}_1(x)\} - \frac{xI_0(x)}{\pi} \\
\int \frac{K_1(x) \mathbf{L}_1(x) dx}{x} &= \frac{1}{2} \{x[K_1(x) \mathbf{L}_0(x) + K_0(x) \mathbf{L}_1(x)] - K_0(x) \mathbf{L}_0(x) - K_1(x) \mathbf{L}_1(x)\} + \frac{xK_0(x)}{\pi} \\
\int x J_0(x) \mathbf{H}_0(x) dx &= \frac{x^2 [J_0(x) \mathbf{H}_0(x) + J_1(x) \mathbf{H}_1(x)] + x[J_1(x) \mathbf{H}_0(x) - J_0(x) \mathbf{H}_1(x)]}{2} - \frac{x^2 J_1(x)}{\pi} \\
\int x I_0(x) \mathbf{L}_0(x) dx &= \frac{x^2 [I_0(x) \mathbf{L}_0(x) - I_1(x) \mathbf{L}_1(x)] + x[I_1(x) \mathbf{L}_0(x) - I_0(x) \mathbf{L}_1(x)]}{2} - \frac{x^2 I_1(x)}{\pi} \\
\int x K_0(x) \mathbf{L}_0(x) dx &= \frac{x^2 [K_0(x) \mathbf{L}_0(x) + K_1(x) \mathbf{L}_1(x)] - x[K_1(x) \mathbf{L}_0(x) + K_0(x) \mathbf{L}_1(x)]}{2} + \frac{x^2 K_1(x)}{\pi} \\
\int x J_1(x) \mathbf{H}_1(x) dx &= \frac{x^2 [J_0(x) \mathbf{H}_0(x) + J_1(x) \mathbf{H}_1(x)] + x[J_1(x) \mathbf{H}_0(x) - 3J_0(x) \mathbf{H}_1(x)]}{2} - \frac{x^2 J_1(x)}{\pi} \\
\int x I_1(x) \mathbf{L}_1(x) dx &= \frac{x^2 [I_1(x) \mathbf{L}_1(x) - I_0(x) \mathbf{L}_0(x)] + x[3I_0(x) \mathbf{L}_1(x) - I_1(x) \mathbf{L}_0(x)]}{2} + \frac{x^2 I_1(x)}{\pi} \\
\int x K_1(x) \mathbf{L}_1(x) dx &= \frac{x^2 [K_1(x) \mathbf{L}_1(x) + K_0(x) \mathbf{L}_1(x)] - x[3K_0(x) \mathbf{L}_1(x) + K_1(x) \mathbf{L}_0(x)]}{2} + \frac{x^2 K_1(x)}{\pi} \\
\int x^2 J_0(x) \mathbf{H}_1(x) dx &= \frac{(x^3 + 3x) [J_0(x) \mathbf{H}_1(x) - J_1(x) \mathbf{H}_0(x)]}{4} + \frac{x^2 J_1(x) \mathbf{H}_1(x)}{2} + \frac{3x^2 J_1(x) - x^3 J_0(x)}{2\pi} \\
\int x^2 I_0(x) \mathbf{L}_1(x) dx &= \frac{(x^3 - 3x) [I_0(x) \mathbf{L}_1(x) - I_1(x) \mathbf{L}_0(x)]}{4} + \frac{x^2 I_1(x) \mathbf{L}_1(x)}{2} - \frac{3x^2 I_1(x) - x^3 I_0(x)}{2\pi} \\
\int x^2 K_0(x) \mathbf{L}_1(x) dx &= \frac{(x^3 - 3x) [K_0(x) \mathbf{L}_1(x) + K_1(x) \mathbf{L}_0(x)]}{4} - \frac{x^2 K_1(x) \mathbf{L}_1(x)}{2} + \frac{3x^2 K_1(x) + x^3 K_0(x)}{2\pi} \\
\int x^2 J_1(x) \mathbf{H}_0(x) dx &= \frac{(x^3 + 3x) [J_1(x) \mathbf{H}_0(x) - J_0(x) \mathbf{H}_1(x)]}{4} + \frac{x^2 J_1(x) \mathbf{H}_1(x)}{2} + \frac{x^3 J_0(x) - 3x^2 J_1(x)}{2\pi} \\
\int x^2 I_1(x) \mathbf{L}_0(x) dx &= \frac{(x^3 - 3x) [I_1(x) \mathbf{L}_0(x) - I_0(x) \mathbf{L}_1(x)]}{4} + \frac{x^2 I_1(x) \mathbf{L}_1(x)}{2} - \frac{x^3 I_0(x) - 3x^2 I_1(x)}{2\pi} \\
\int x^2 K_1(x) \mathbf{L}_0(x) dx &= \frac{(x^3 - 3x) [K_1(x) \mathbf{L}_0(x) + K_0(x) \mathbf{L}_1(x)]}{4} + \frac{x^2 K_1(x) \mathbf{L}_1(x)}{2} + \frac{x^3 K_0(x) + 3x^2 K_1(x)}{2\pi} \\
\int x^3 J_0(x) \mathbf{H}_0(x) dx &=
\end{aligned}$$

$$\begin{aligned}
&= \frac{1}{6} \left[x^4 J_0(x) \mathbf{H}_0(x) + x(x^2 + 6) J_0(x) \mathbf{H}_1(x) + x(x^2 - 6) J_1(x) \mathbf{H}_0(x) + x^2(x^2 - 2) J_1(x) \mathbf{H}_1(x) \right] - \\
&\quad - \frac{2x^3 J_0(x) + x^2(x^2 - 6) J_1(x)}{3\pi} \\
&\quad \int x^3 I_0(x) \mathbf{L}_0(x) dx = \\
&= \frac{1}{6} \left[x^4 I_0(x) \mathbf{L}_0(x) + x(x^2 - 6) I_0(x) \mathbf{L}_1(x) + x(x^2 + 6) I_1(x) \mathbf{L}_0(x) - x^2(x^2 + 2) I_1(x) \mathbf{L}_1(x) \right] + \\
&\quad + \frac{2x^3 I_0(x) - x^2(x^2 + 6) I_1(x)}{3\pi} \\
&\quad \int x^3 K_0(x) \mathbf{L}_0(x) dx = \\
&= \frac{1}{6} \left[x^4 K_0(x) \mathbf{L}_0(x) + x(x^2 - 6) K_0(x) \mathbf{L}_1(x) - x(x^2 + 6) K_1(x) \mathbf{L}_0(x) + x^2(x^2 + 2) K_1(x) \mathbf{L}_1(x) \right] + \\
&\quad + \frac{2x^3 K_0(x) + x^2(x^2 + 6) K_1(x)}{3\pi} \\
&\quad \int x^3 J_1(x) \mathbf{H}_1(x) dx = \\
&= \frac{1}{6} \left[x^4 J_0(x) \mathbf{H}_0(x) - x(2x^2 - 15) J_0(x) \mathbf{H}_1(x) - x(2x^2 + 15) J_1(x) \mathbf{H}_0(x) + x^2(x^2 + 4) J_1(x) \mathbf{H}_1(x) \right] - \\
&\quad - \frac{5x^3 J_0(x) + x^2(x^2 - 15) J_1(x)}{3\pi} \\
&\quad \int x^3 I_1(x) \mathbf{L}_1(x) dx = \\
&= \frac{1}{6} \left[-x^4 I_0(x) \mathbf{L}_0(x) + x(2x^2 + 15) I_0(x) \mathbf{L}_1(x) + x(2x^2 - 15) I_1(x) \mathbf{L}_0(x) + x^2(x^2 - 4) I_1(x) \mathbf{L}_1(x) \right] + \\
&\quad + \frac{x^2(x^2 + 15) I_1(x) - 5x^3 I_0(x)}{3\pi} \\
&\quad \int x^3 K_1(x) \mathbf{L}_1(x) dx = \\
&= \frac{1}{6} \left[x^4 K_0(x) \mathbf{L}_0(x) - x(2x^2 + 15) K_0(x) \mathbf{L}_1(x) + x(2x^2 - 15) K_1(x) \mathbf{L}_0(x) + x^2(x^2 - 4) K_1(x) \mathbf{L}_1(x) \right] + \\
&\quad + \frac{x^2(x^2 + 15) K_1(x) + 5x^3 K_0(x)}{3\pi} \\
&\quad \int x^4 J_0(x) \mathbf{H}_1(x) dx = \\
&= \frac{1}{24} \left[-4x^4 J_0(x) \mathbf{H}_0(x) + x(3x^4 + 8x^2 - 195) J_0(x) \mathbf{H}_1(x) - x(3x^4 - 8x^2 - 195) J_1(x) \mathbf{H}_0(x) + \right. \\
&\quad \left. + 8x^2(x^2 - 2) J_1(x) \mathbf{H}_1(x) \right] + \frac{x^3(65 - 3x^2) J_0(x) + x^2(19x^2 - 195) J_1(x)}{12\pi} \\
&\quad \int x^4 I_0(x) \mathbf{L}_1(x) dx = \\
&= \frac{1}{24} \left[4x^4 I_0(x) \mathbf{L}_0(x) + x(3x^4 - 8x^2 - 195) I_0(x) \mathbf{L}_1(x) - x(3x^4 + 8x^2 - 195) I_1(x) \mathbf{L}_0(x) + \right. \\
&\quad \left. + 8x^2(x^2 + 2) I_1(x) \mathbf{L}_1(x) \right] + \frac{x^3(3x^2 + 65) I_0(x) - x^2(19x^2 + 195) I_1(x)}{12\pi} \\
&\quad \int x^4 K_0(x) \mathbf{L}_1(x) dx = \\
&= \frac{1}{24} \left[4x^4 K_0(x) \mathbf{L}_0(x) + x(3x^4 - 8x^2 - 195) K_0(x) \mathbf{L}_1(x) + x(3x^4 + 8x^2 - 195) K_1(x) \mathbf{L}_0(x) - \right.
\end{aligned}$$

$$\begin{aligned}
& -8x^2(x^2 + 2) K_1(x) \mathbf{L}_1(x) \Big] + \frac{x^3(3x^2 + 65) K_0(x) + x^2(19x^2 + 195) K_1(x)}{12\pi} \\
& \int x^4 J_1(x) \mathbf{H}_0(x) dx = \\
= & \frac{1}{24} \left[-4x^4 J_0(x) \mathbf{H}_0(x) - x(3x^4 - 8x^2 - 75) J_0(x) \mathbf{H}_1(x) + x(3x^4 + 8x^2 - 75) J_1(x) \mathbf{H}_0(x) + \right. \\
& \left. + 8x^2(x^2 - 2) J_1(x) \mathbf{H}_1(x) \right] + \frac{x^3(3x^2 - 25) J_0(x) - x^2(11x^2 - 75) J_1(x)}{12\pi} \\
& \int x^4 I_1(x) \mathbf{L}_0(x) dx = \\
= & \frac{1}{24} \left[4x^4 I_0(x) \mathbf{L}_0(x) - x(3x^4 + 8x^2 - 75) I_0(x) \mathbf{L}_1(x) + x(3x^4 - 8x^2 - 75) I_1(x) \mathbf{L}_0(x) + \right. \\
& \left. + 8x^2(x^2 + 2) I_1(x) \mathbf{L}_1(x) \right] - \frac{x^3(3x^2 + 25) I_0(x) - x^2(11x^2 + 75) I_1(x)}{12\pi} \\
& \int x^4 K_1(x) \mathbf{L}_0(x) dx = \\
= & \frac{1}{24} \left[-4x^4 K_0(x) \mathbf{L}_0(x) + x(3x^4 + 8x^2 - 75) K_0(x) \mathbf{L}_1(x) + x(3x^4 - 8x^2 - 75) K_1(x) \mathbf{L}_0(x) + \right. \\
& \left. + 8x^2(x^2 + 2) K_1(x) \mathbf{L}_1(x) \right] + \frac{x^3(3x^2 + 25) K_0(x) + x^2(11x^2 + 75) K_1(x)}{12\pi} \\
& \int x^5 J_0(x) \mathbf{H}_0(x) dx = \\
= & \frac{1}{30} \left[x^4(3x^2 + 8) J_0(x) \mathbf{H}_0(x) + x(6x^4 - 16x^2 - 285) J_0(x) \mathbf{H}_1(x) + x(6x^4 - 16x^2 + 285) J_1(x) \mathbf{H}_0(x) + \right. \\
& \left. + x^2(3x^4 - 16x^2 + 32) J_1(x) \mathbf{H}_1(x) \right] - \frac{x^3(9x^2 - 95) J_0(x) + x^2(3x^4 - 37x^2 + 285) J_1(x)}{15\pi} \\
& \int x^5 I_0(x) \mathbf{L}_0(x) dx = \\
= & \frac{1}{30} \left[x^4(3x^2 - 8) I_0(x) \mathbf{L}_0(x) + x(6x^4 + 16x^2 - 285) I_0(x) \mathbf{L}_1(x) + x(6x^4 + 16x^2 + 285) I_1(x) \mathbf{L}_0(x) - \right. \\
& \left. - x^2(3x^4 + 16x^2 + 285) I_1(x) \mathbf{L}_1(x) \right] + \frac{x^3(9x^2 + 95) I_0(x) - x^2(3x^4 + 37x^2 + 285) I_1(x)}{15\pi} \\
& \int x^5 K_0(x) \mathbf{L}_0(x) dx = \\
= & \frac{1}{30} \left[x^4(3x^2 - 8) K_0(x) \mathbf{L}_0(x) + x(6x^4 + 16x^2 - 285) K_0(x) \mathbf{L}_1(x) - x(6x^4 + 16x^2 + 285) K_1(x) \mathbf{L}_0(x) + \right. \\
& \left. + x^2(3x^4 + 16x^2 + 32) K_1(x) \mathbf{L}_1(x) \right] + \frac{x^3(9x^2 + 95) K_0(x) + x^2(3x^4 + 37x^2 + 285) K_1(x)}{15\pi} \\
& \int x^5 J_1(x) \mathbf{H}_1(x) dx = \\
= & \frac{1}{30} \left[3x^4(x^2 - 4) J_0(x) \mathbf{H}_0(x) - 3x(3x^4 - 8x^2 + 420) J_0(x) \mathbf{H}_1(x) - \right. \\
& \left. - 3x(3x^4 - 8x^2 - 420) J_1(x) \mathbf{H}_0(x) + \right. \\
& \left. + 3x^2(x^4 + 8x^2 - 16) J_1(x) \mathbf{H}_1(x) \right] - \frac{4x^3(2x^2 - 35) J_0(x) + x^2(x^2 - 30)(x^2 - 14) J_1(x)}{5\pi} \\
& \int x^5 I_1(x) \mathbf{L}_1(x) dx = \\
= & \frac{1}{30} \left[-3x^4(x^2 + 4) I_0(x) \mathbf{L}_0(x) + 3x(3x^4 + 8x^2 + 420) I_0(x) \mathbf{L}_1(x) + \right.
\end{aligned}$$

$$\begin{aligned}
& +3x(3x^4 + 8x^2 - 420) I_1(x) \mathbf{L}_0(x) + \\
& +3x^2(x^4 - 8x^2 - 16) I_1(x) \mathbf{L}_1(x) \Big] - \frac{4x^3(2x^2 + 35) I_0(x) - x^2(x^2 + 30)(x^2 + 14) I_1(x)}{5\pi} \\
& \int x^5 K_1(x) \mathbf{L}_1(x) dx = \\
& = \frac{1}{30} \left[3x^4(x^2 + 4) K_0(x) \mathbf{L}_0(x) - 3x(3x^4 + 8x^2 + 420) K_0(x) \mathbf{L}_1(x) + \right. \\
& \quad \left. + 3x(3x^4 + 8x^2 - 420) K_1(x) \mathbf{L}_0(x) + \right. \\
& \left. + 3x^2(x^4 - 8x^2 - 16) K_1(x) \mathbf{L}_1(x) \right] + \frac{4x^3(2x^2 + 35) K_0(x) + x^2(x^2 + 30)(x^2 + 14) K_1(x)}{5\pi} \\
& \int x^6 J_0(x) \mathbf{H}_1(x) dx = \\
& = \frac{1}{60} \left[-12x^4(x^2 - 4) J_0(x) \mathbf{H}_0(x) + x(5x^6 + 36x^4 - 96x^2 + 12915) J_0(x) \mathbf{H}_1(x) - \right. \\
& \quad \left. - x(5x^6 - 36x^4 + 96x^2 + 12915) J_1(x) \mathbf{H}_0(x) + 6x^2(3x^4 - 16x^2 + 32) J_1(x) \mathbf{H}_1(x) \right] - \\
& \quad - \frac{x^3(5x^4 - 271x^2 + 4305) J_0(x) - x^2(47x^4 - 1403x^2 + 12915) J_1(x)}{30\pi} \\
& \int x^6 I_0(x) \mathbf{L}_1(x) dx = \\
& = \frac{1}{60} \left[12x^4(x^2 + 4) I_0(x) \mathbf{L}_0(x) + x(5x^6 - 36x^4 - 96x^2 - 12915) I_0(x) \mathbf{L}_1(x) - \right. \\
& \quad \left. - x(5x^6 + 36x^4 + 96x^2 - 12915) I_1(x) \mathbf{L}_0(x) + 6x^2(3x^4 + 16x^2 + 32) I_1(x) \mathbf{L}_1(x) \right] + \\
& \quad + \frac{x^3(5x^4 + 271x^2 + 4305) I_0(x) - x^2(47x^4 + 1403x^2 + 12915) I_1(x)}{30\pi} \\
& \int x^6 K_0(x) \mathbf{L}_1(x) dx = \\
& = \frac{1}{60} \left[12x^4(x^2 + 4) K_0(x) \mathbf{L}_0(x) + x(5x^6 - 36x^4 - 96x^2 - 12915) K_0(x) \mathbf{L}_1(x) + \right. \\
& \quad \left. + x(5x^6 + 36x^4 + 96x^2 - 12915) K_1(x) \mathbf{L}_0(x) - 6x^2(3x^4 + 16x^2 + 32) K_1(x) \mathbf{L}_1(x) \right] + \\
& \quad + \frac{x^3(5x^4 + 271x^2 + 4305) K_0(x) + x^2(47x^4 + 1403x^2 + 12915) K_1(x)}{30\pi} \\
& \int x^6 J_1(x) \mathbf{H}_0(x) dx = \\
& = \frac{1}{60} \left[-12x^4(x^2 - 4) J_0(x) \mathbf{H}_0(x) - x(5x^6 - 36x^4 + 96x^2 + 2835) J_0(x) \mathbf{H}_1(x) + \right. \\
& \quad \left. + x(5x^6 + 36x^4 - 96x^2 + 2835) J_1(x) \mathbf{H}_0(x) + 6x^2(3x^4 - 16x^2 + 32) J_1(x) \mathbf{H}_1(x) \right] + \\
& \quad + \frac{x^3(5x^4 - 79x^2 + 945) J_0(x) - x^2(23x^4 - 347x^2 + 2835) J_1(x)}{30\pi} \\
& \int x^6 I_1(x) \mathbf{L}_0(x) dx = \\
& = \frac{1}{60} \left[12x^4(x^2 + 4) I_0(x) \mathbf{L}_0(x) - x(5x^6 + 36x^4 + 96x^2 - 2835) I_0(x) \mathbf{L}_1(x) + \right. \\
& \quad \left. + x(5x^6 - 36x^4 - 96x^2 - 2835) I_1(x) \mathbf{L}_0(x) + 6x^2(3x^4 + 16x^2 + 32) I_1(x) \mathbf{L}_1(x) \right] - \\
& \quad - \frac{x^3(5x^4 + 79x^2 + 945) I_0(x) - x^2(23x^4 + 347x^2 + 2835) I_1(x)}{30\pi} \\
& \int x^6 K_1(x) \mathbf{L}_0(x) dx =
\end{aligned}$$

$$\begin{aligned}
&= \frac{1}{60} \left[-12x^4(x^2 + 4) K_0(x) \mathbf{L}_0(x) + x(5x^6 + 36x^4 + 96x^2 - 2835) K_0(x) \mathbf{L}_1(x) + \right. \\
&+ x(5x^6 - 36x^4 - 96x^2 - 2835) K_1(x) \mathbf{L}_0(x) + 6x^2(3x^4 + 16x^2 + 32) K_1(x) \mathbf{L}_1(x) \left. \right] + \\
&\quad + \frac{x^3(5x^4 + 79x^2 + 945) K_0(x) + x^2(23x^4 + 347x^2 + 2835) K_1(x)}{30\pi} \\
&\quad \int x^7 J_0(x) \mathbf{H}_0(x) dx = \\
&= \frac{1}{70} \left[x^4(5x^4 + 36x^2 - 144) J_0(x) \mathbf{H}_0(x) + 3x(5x^6 - 36x^4 + 96x^2 + 5460) J_0(x) \mathbf{H}_1(x) + \right. \\
&+ 3x(5x^6 - 36x^4 + 96x^2 - 5460) J_1(x) \mathbf{H}_0(x) + x^2(5x^6 - 54x^4 + 288x^2 - 576) J_1(x) \mathbf{H}_1(x) \left. \right] - \\
&\quad - \frac{4x^3(5x^4 - 103x^2 + 1365) J_0(x) + x^2(5x^6 - 104x^4 + 1916x^2 - 16380) J_1(x)}{35\pi} \\
&\quad \int x^7 I_0(x) \mathbf{L}_0(x) dx = \\
&= \frac{1}{70} \left[x^4(5x^4 - 36x^2 - 144) I_0(x) \mathbf{L}_0(x) + 3x(5x^6 + 36x^4 + 96x^2 - 5460) I_0(x) \mathbf{L}_1(x) + \right. \\
&+ 3x(5x^6 + 36x^4 + 96x^2 + 5460) I_1(x) \mathbf{L}_0(x) - x^2(5x^6 + 54x^4 + 288x^2 + 576) I_1(x) \mathbf{L}_1(x) \left. \right] + \\
&\quad + \frac{4x^3(5x^4 + 103x^2 + 1365) I_0(x) - x^2(5x^6 + 104x^4 + 1916x^2 + 16380) I_1(x)}{35\pi} \\
&\quad \int x^7 K_0(x) \mathbf{L}_0(x) dx = \\
&= \frac{1}{70} \left[x^4(5x^4 - 36x^2 - 144) K_0(x) \mathbf{L}_0(x) + 3x(5x^6 + 36x^4 + 96x^2 - 5460) K_0(x) \mathbf{L}_1(x) - \right. \\
&- 3x(5x^6 + 36x^4 + 96x^2 + 5460) K_1(x) \mathbf{L}_0(x) + x^2(5x^6 + 54x^4 + 288x^2 + 576) K_1(x) \mathbf{L}_1(x) \left. \right] + \\
&\quad + \frac{4x^3(5x^4 + 103x^2 + 1365) K_0(x) + x^2(5x^6 + 104x^4 + 1916x^2 + 16380) K_1(x)}{35\pi} \\
&\quad \int x^7 J_1(x) \mathbf{H}_1(x) dx = \\
&= \frac{1}{70} \left[x^4(5x^4 - 48x^2 + 192) J_0(x) \mathbf{H}_0(x) - x(20x^6 - 144x^4 + 384x^2 - 106785) J_0(x) \mathbf{H}_1(x) - \right. \\
&- x(20x^6 - 144x^4 + 384x^2 + 106785) J_1(x) \mathbf{H}_0(x) + x^2(5x^6 + 72x^4 - 384x^2 + 768) J_1(x) \mathbf{H}_1(x) \left. \right] - \\
&\quad - \frac{x^3(55x^4 - 2309x^2 + 35595) J_0(x) + x^2(5x^6 - 433x^4 + 11737x^2 - 106785) J_1(x)}{35\pi} \\
&\quad \int x^7 I_1(x) \mathbf{L}_1(x) dx = \\
&= \frac{1}{70} \left[-x^4(5x^4 + 48x^2 + 192) I_0(x) \mathbf{L}_0(x) + x(20x^6 + 144x^4 + 384x^2 + 106785) I_0(x) \mathbf{L}_1(x) + \right. \\
&+ x(20x^6 + 144x^4 + 384x^2 - 106785) I_1(x) \mathbf{L}_0(x) + x^2(5x^6 - 72x^4 - 384x^2 - 768) I_1(x) \mathbf{L}_1(x) \left. \right] - \\
&\quad - \frac{x^3(55x^4 + 2309x^2 + 35595) I_0(x) - x^2(5x^6 + 433x^4 + 11737x^2 + 106785) I_1(x)}{35\pi} \\
&\quad \int x^7 K_1(x) \mathbf{L}_1(x) dx = \\
&= \frac{1}{70} \left[x^4(5x^4 + 48x^2 + 192) K_0(x) \mathbf{L}_0(x) - x(20x^6 + 144x^4 + 384x^2 + 106785) K_0(x) \mathbf{L}_1(x) + \right. \\
&+ x(20x^6 + 144x^4 + 384x^2 - 106785) K_1(x) \mathbf{L}_0(x) + x^2(5x^6 - 72x^4 - 384x^2 - 768) K_1(x) \mathbf{L}_1(x) \left. \right] + \\
&\quad + \frac{x^3(55x^4 + 2309x^2 + 35595) K_0(x) + x^2(5x^6 + 433x^4 + 11737x^2 + 106785) K_1(x)}{35\pi}
\end{aligned}$$

b) Recurrence relations:

I) Functions of the First Kind, $J_\nu(x)$:

$$\begin{aligned}
& \int x^{2n+1} J_0(x) \mathbf{H}_0(x) dx = \\
&= \frac{x^{2n+1} [x J_0(x) \mathbf{H}_0(x) + 2n J_0(x) \mathbf{H}_1(x) + x J_1(x) \mathbf{H}_1(x)]}{2(2n+1)} - \\
& - \frac{2n^2}{2n+1} \int x^{2n} J_0(x) \mathbf{H}_1(x) dx - \frac{1}{(2n+1)\pi} \int x^{2n+2} J_0(x) dx \\
& \int x^{2n+1} J_1(x) \mathbf{H}_1(x) dx = \\
&= \frac{x^{2n+1} [x J_0(x) \mathbf{H}_0(x) - 2(n+1) J_0(x) \mathbf{H}_1(x) + x J_1(x) \mathbf{H}_1(x)]}{2(2n+1)} + \\
& + \frac{2n(n+1)}{2n+1} \int x^{2n} J_0(x) \mathbf{H}_1(x) dx - \frac{1}{(2n+1)\pi} \int x^{2n+2} J_0(x) dx \\
& \int x^{2n+2} J_0(x) \mathbf{H}_1(x) dx = \\
&= \frac{x^{2n+2} [x J_0(x) \mathbf{H}_1(x) - x J_1(x) \mathbf{H}_0(x) + 2(n+1) J_1(x) \mathbf{H}_1(x)]}{4(n+1)} - \\
& - n \int x^{2n+1} J_1(x) \mathbf{H}_1(x) dx + \frac{1}{2(n+1)\pi} \int x^{2n+3} J_1(x) dx \\
& \int x^{2n+2} J_1(x) \mathbf{H}_0(x) dx = \\
&= \frac{x^{2n+2} [x J_1(x) \mathbf{H}_0(x) - x J_0(x) \mathbf{H}_1(x) + 2(n+1) J_1(x) \mathbf{H}_1(x)]}{4(n+1)} - \\
& - n \int x^{2n+1} J_1(x) \mathbf{H}_1(x) dx - \frac{1}{2(n+1)\pi} \int x^{2n+3} J_1(x) dx
\end{aligned}$$

II) Functions of the Second Kind, $I_\nu(x)$:

$$\begin{aligned}
& \int x^{2n+1} I_0(x) \mathbf{L}_0(x) dx = \\
&= \frac{x^{2n+1} [x I_0(x) \mathbf{L}_0(x) + 2n I_0(x) \mathbf{L}_1(x) - x I_1(x) \mathbf{L}_1(x)]}{2(2n+1)} - \\
& - \frac{2n^2}{2n+1} \int x^{2n} I_0(x) \mathbf{L}_1(x) dx - \frac{1}{(2n+1)\pi} \int x^{2n+2} I_0(x) dx \\
& \int x^{2n+1} I_1(x) \mathbf{L}_1(x) dx = \\
&= \frac{x^{2n+1} [-x I_0(x) \mathbf{L}_0(x) + 2(n+1) I_0(x) \mathbf{L}_1(x) + x I_1(x) \mathbf{L}_1(x)]}{2(2n+1)} - \\
& - \frac{2n(n+1)}{2n+1} \int x^{2n} I_0(x) \mathbf{L}_1(x) dx + \frac{1}{(2n+1)\pi} \int x^{2n+2} I_0(x) dx \\
& \int x^{2n+2} I_0(x) \mathbf{L}_1(x) dx = \\
&= \frac{x^{2n+2} [x I_0(x) \mathbf{L}_1(x) - x I_1(x) \mathbf{L}_0(x) + 2(n+1) I_1(x) \mathbf{L}_1(x)]}{4(n+1)} - \\
& - n \int x^{2n+1} I_1(x) \mathbf{L}_1(x) dx + \frac{1}{2(n+1)\pi} \int x^{2n+3} I_1(x) dx
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} I_1(x) \mathbf{L}_0(x) dx = \\
&= \frac{x^{2n+2} [x I_1(x) \mathbf{L}_0(x) - x I_0(x) \mathbf{L}_1(x) + 2(n+1) I_1(x) \mathbf{L}_1(x)]}{4(n+1)} - \\
& -n \int x^{2n+1} I_1(x) \mathbf{H}_1(x) dx - \frac{1}{2(n+1)\pi} \int x^{2n+3} I_1(x) dx
\end{aligned}$$

III) Functions of the Second Kind, $K_\nu(x)$:

$$\begin{aligned}
& \int x^{2n+1} K_0(x) \mathbf{L}_0(x) dx = \\
&= \frac{x^{2n+1} [x K_0(x) \mathbf{L}_0(x) + 2n K_0(x) \mathbf{L}_1(x) + x K_1(x) \mathbf{L}_1(x)]}{2(2n+1)} - \\
& - \frac{2n^2}{2n+1} \int x^{2n} K_0(x) \mathbf{L}_1(x) dx - \frac{1}{(2n+1)\pi} \int x^{2n+2} K_0(x) dx \\
& \int x^{2n+1} K_1(x) \mathbf{L}_1(x) dx = \\
&= \frac{x^{2n+1} [x K_0(x) \mathbf{L}_0(x) - 2(n+1) K_0(x) \mathbf{L}_1(x) + x K_1(x) \mathbf{L}_1(x)]}{2(2n+1)} + \\
& + \frac{2n(n+1)}{2n+1} \int x^{2n} K_0(x) \mathbf{L}_1(x) dx - \frac{1}{(2n+1)\pi} \int x^{2n+2} \mathbf{K}_0(x) dx \\
& \int x^{2n+2} K_0(x) \mathbf{L}_1(x) dx = \\
&= \frac{x^{2n+2} [x K_0(x) \mathbf{L}_1(x) + x K_1(x) \mathbf{L}_0(x) - 2(n+1) K_1(x) \mathbf{L}_1(x)]}{4(2n+1)} + \\
& + n \int x^{2n+1} K_1(x) \mathbf{L}_1(x) dx - \frac{1}{2(n+1)\pi} \int x^{2n+3} K_1(x) dx \\
& \int x^{2n+2} K_1(x) \mathbf{L}_0(x) dx = \\
&= \frac{x^{2n+2} [x K_0(x) \mathbf{L}_1(x) + x K_1(x) \mathbf{L}_0(x) + 2(n+1) K_1(x) \mathbf{L}_1(x)]}{4(2n+1)} - \\
& - n \int x^{2n+1} K_1(x) \mathbf{L}_1(x) dx - \frac{1}{2(n+1)\pi} \int x^{2n+3} K_1(x) dx
\end{aligned}$$

c) Some Special Cases:

$$\begin{aligned}
& \int x^2 J_0(x) \mathbf{H}_1(\sqrt{3}x) dx = \\
&= \frac{-\sqrt{3}x^2 J_0(x) \mathbf{H}_0(\sqrt{3}x) + 3x J_0(x) \mathbf{H}_1(\sqrt{3}x) - \sqrt{3}x J_1(x) \mathbf{H}_0(\sqrt{3}x) - x^2 J_1(x) \mathbf{H}_1(\sqrt{3}x)}{2} + \frac{3x^2 J_1(x)}{\pi} \\
& \int x^2 I_0(x) \mathbf{L}_1(\sqrt{3}x) dx = \\
&= \frac{\sqrt{3}x^2 I_0(x) \mathbf{L}_0(\sqrt{3}x) - 3x I_0(x) \mathbf{L}_1(\sqrt{3}x) + \sqrt{3}x I_1(x) \mathbf{L}_0(\sqrt{3}x) - x^2 I_1(x) \mathbf{L}_1(\sqrt{3}x)}{2} - \frac{3x^2 I_1(x)}{\pi} \\
& \int x^2 K_0(x) \mathbf{L}_1(\sqrt{3}x) dx = \\
&= \frac{\sqrt{3}x^2 K_0(x) \mathbf{L}_0(\sqrt{3}x) - 3x K_0(x) \mathbf{L}_1(\sqrt{3}x) - \sqrt{3}x K_1(x) \mathbf{L}_0(\sqrt{3}x) + x^2 K_1(x) \mathbf{L}_1(\sqrt{3}x)}{2} + \frac{3x^2 K_1(x)}{\pi} \\
& \int x^2 J_1(x) \mathbf{H}_0(\sqrt{3}x) dx =
\end{aligned}$$

$$\begin{aligned}
&= \frac{x^2 J_0(x) \mathbf{H}_0(\sqrt{3}x) - \sqrt{3}x J_0(x) \mathbf{H}_1(\sqrt{3}x) + x J_1(x) \mathbf{H}_0(\sqrt{3}x) + \sqrt{3}x^2 J_1(x) \mathbf{H}_1(\sqrt{3}x)}{2} - \frac{\sqrt{3}x^2 J_1(x)}{\pi} \\
&\quad \int x^2 I_1(x) \mathbf{L}_0(\sqrt{3}x) dx = \\
&= \frac{-x^2 I_0(x) \mathbf{L}_0(\sqrt{3}x) + \sqrt{3}x I_0(x) \mathbf{L}_1(\sqrt{3}x) - x I_1(x) \mathbf{L}_0(\sqrt{3}x) + \sqrt{3}x^2 I_1(x) \mathbf{L}_1(\sqrt{3}x)}{2} + \frac{\sqrt{3}x^2 I_1(x)}{\pi} \\
&\quad \int x^2 K_1(x) \mathbf{L}_0(\sqrt{3}x) dx = \\
&= \frac{x^2 K_0(x) \mathbf{L}_0(\sqrt{3}x) - \sqrt{3}x K_0(x) \mathbf{L}_1(\sqrt{3}x) - x I_1(x) \mathbf{L}_0(\sqrt{3}x) + \sqrt{3}x^2 K_1(x) \mathbf{L}_1(\sqrt{3}x)}{2} + \frac{\sqrt{3}x^2 K_1(x)}{\pi} \\
&\quad \int x^3 J_0(x) \mathbf{H}_0((\sqrt{2} + i)x) dx = \\
&= -\frac{(1 + \sqrt{2}i)x^2}{2} J_0(x) \mathbf{H}_0((\sqrt{2} + i)x) + \frac{x[(\sqrt{2} - 2i)x^2 + 3\sqrt{2}]}{4} J_0(x) \mathbf{H}_1((\sqrt{2} + i)x) + \\
&\quad + \frac{x[\sqrt{2}ix^2 - 2 + \sqrt{2}i]}{4} J_1(x) \mathbf{H}_0((\sqrt{2} + i)x) - \frac{(\sqrt{2} + i)x^2}{2} J_1(x) \mathbf{H}_1((\sqrt{2} + i)x) - \\
&\quad - \frac{(\sqrt{2} - 2i)x^3 J_0(x)}{2\pi} + \frac{3\sqrt{2}x^2 J_1(x)}{2\pi} \\
&\quad \int x^3 I_0(x) \mathbf{L}_0((\sqrt{2} + i)x) dx = \\
&= \frac{(1 + \sqrt{2}i)x^2}{2} I_0(x) \mathbf{L}_0((\sqrt{2} + i)x) + \frac{x[(\sqrt{2} - 2i)x^2 - 3\sqrt{2}]}{4} I_0(x) \mathbf{L}_1((\sqrt{2} + i)x) + \\
&\quad + \frac{x[\sqrt{2}ix^2 + (2 - \sqrt{2}i)]}{4} I_1(x) \mathbf{L}_0((\sqrt{2} + i)x) - \frac{(\sqrt{2} + i)x^2}{2} I_1(x) \mathbf{L}_1((\sqrt{2} + i)x) + \\
&\quad + \frac{(\sqrt{2} - 2i)x^3 I_0(x)}{2\pi} - \frac{3\sqrt{2}x^2 I_1(x)}{2\pi} \\
&\quad \int x^3 K_0(x) \mathbf{L}_0((\sqrt{2} + i)x) dx = \\
&= \frac{(1 + \sqrt{2}i)x^2}{2} K_0(x) \mathbf{L}_0((\sqrt{2} + i)x) + \frac{x[(\sqrt{2} - 2i)x^2 - 3\sqrt{2}]}{4} K_0(x) \mathbf{L}_1((\sqrt{2} + i)x) - \\
&\quad - \frac{x[\sqrt{2}ix^2 + (2 - \sqrt{2}i)]}{4} K_1(x) \mathbf{L}_0((\sqrt{2} + i)x) + \frac{(\sqrt{2} + i)x^2}{2} K_1(x) \mathbf{L}_1((\sqrt{2} + i)x) + \\
&\quad + \frac{(\sqrt{2} - 2i)x^3 K_0(x)}{2\pi} + \frac{3\sqrt{2}x^2 K_1(x)}{2\pi} \\
&\quad \int x^3 J_0(x) \mathbf{H}_0((\sqrt{2} - i)x) dx = \\
&= -\frac{(1 - \sqrt{2}i)x^2}{2} J_0(x) \mathbf{H}_0((\sqrt{2} - i)x) + \frac{x[(2 + \sqrt{2}i)x^2 + 3\sqrt{2}]}{4} J_0(x) \mathbf{H}_1((\sqrt{2} - i)x) - \\
&\quad - \frac{x[\sqrt{2}ix^2 + (2 + \sqrt{2}i)]}{4} J_1(x) \mathbf{H}_0((\sqrt{2} - i)x) - \frac{(\sqrt{2} - i)x^2}{2} J_1(x) \mathbf{H}_1((\sqrt{2} - i)x) - \\
&\quad - \frac{(\sqrt{2} + 2i)x^3 J_0(x)}{2\pi} + \frac{3\sqrt{2}x^2 J_1(x)}{2\pi} \\
&\quad \int x^3 I_0(x) \mathbf{L}_0((\sqrt{2} - i)x) dx = \\
&= \frac{(1 - \sqrt{2}i)x^2}{2} I_0(x) \mathbf{L}_0((\sqrt{2} - i)x) + \frac{x[(\sqrt{2} + 2i)x^2 - 3\sqrt{2}]}{4} I_0(x) \mathbf{L}_1((\sqrt{2} - i)x) + \\
&\quad + \frac{x[-\sqrt{2}ix^2 + (2 + \sqrt{2}i)]}{4} I_1(x) \mathbf{L}_0((\sqrt{2} - i)x) - \frac{(\sqrt{2} - i)x^2}{2} I_1(x) \mathbf{L}_1((\sqrt{2} - i)x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{(\sqrt{2} + 2i)x^3 I_0(x)}{2\pi} - \frac{3\sqrt{2}x^2 I_1(x)}{2\pi} \\
& \int x^3 K_0(x) \mathbf{L}_0((\sqrt{2} - i)x) dx = \\
& = \frac{(1 - \sqrt{2}i)x^2}{2} K_0(x) \mathbf{L}_0((\sqrt{2} - i)x) + \frac{x[(\sqrt{2} + 2i)x^2 - 3\sqrt{2}]}{4} K_0(x) \mathbf{L}_1((\sqrt{2} - i)x) + \\
& - \frac{x[\sqrt{2}ix^2 - (2 + \sqrt{2}i)]}{4} K_1(x) \mathbf{L}_0((\sqrt{2} - i)x) + \frac{(\sqrt{2} - i)x^2}{2} K_1(x) \mathbf{L}_1((\sqrt{2} - i)x) + \\
& + \frac{(\sqrt{2} + 2i)x^3 K_0(x)}{2\pi} + \frac{3\sqrt{2}x^2 K_1(x)}{2\pi}
\end{aligned}$$

Let $\lambda = [\sqrt{18\sqrt{5} + 30} + \sqrt{18\sqrt{5} - 30}i]/6 = 1.39691\ 34984 + 0.53357\ 34771\ i$, then holds

$$\begin{aligned}
& \int x^3 J_1(x) \mathbf{H}_1(\lambda x) dx = \\
& = \frac{[(\sqrt{5} - 3)\sqrt{18\sqrt{5} + 30} - (\sqrt{5} + 3)\sqrt{18\sqrt{5} - 30}i]x^3}{8} J_0(x) \mathbf{H}_0(\lambda x) + \frac{(1 - \sqrt{5}i)x^3 + 3(5 + \sqrt{5}i)x}{4} J_0(x) \mathbf{H}_1(\lambda x) + \\
& + \frac{[(1 - \sqrt{5})\sqrt{18\sqrt{5} + 30} + (1 + \sqrt{5})\sqrt{18\sqrt{5} - 30}i]x^3 - [(3 + \sqrt{5})\sqrt{18\sqrt{5} + 30} - (3 - \sqrt{5})\sqrt{18\sqrt{5} - 30}i]x}{16} J_1(x) \mathbf{H}_0(\lambda x) - \\
& - \frac{(1 + 2\sqrt{5}i)x^2}{2} J_1(x) \mathbf{H}_1(\lambda x) - \frac{(5 - \sqrt{5}i)x^3}{2\pi} J_0(x) + \frac{3(5 + \sqrt{5}i)x^2}{2\pi} J_1(x) \\
& \int x^3 I_1(x) \mathbf{L}_1(\lambda x) dx = \\
& = \frac{(\sqrt{5} - 3)\sqrt{18\sqrt{5} + 30} - (\sqrt{5} + 3)\sqrt{18\sqrt{5} - 30}i}{8} x^2 I_0(x) \mathbf{L}_0(\lambda x) + \frac{(-1 + \sqrt{5}i)x^3 + 3(5 + \sqrt{5}i)x}{4} I_0(x) \mathbf{L}_1(\lambda x) + \\
& + \frac{[(\sqrt{5} - 1)\sqrt{18\sqrt{5} + 30} - (1 + \sqrt{5})\sqrt{18\sqrt{5} - 30}i]x^3 - [(3 + \sqrt{5})\sqrt{18\sqrt{5} + 30} + (3 - \sqrt{5})\sqrt{18\sqrt{5} - 30}i]x}{16} I_1(x) \mathbf{L}_0(\lambda x) + \\
& + \frac{1 + 2\sqrt{5}i}{2} x^2 I_1(x) \mathbf{L}_1(\lambda x) - \frac{5 - \sqrt{5}i}{2\pi} I_0(x) + \frac{3(5 + \sqrt{5}i)}{2\pi} I_1(x) \\
& \int x^3 K_1(x) \mathbf{L}_1(\lambda x) dx = \\
& = \frac{(3 - \sqrt{5})\sqrt{18\sqrt{5} + 30} + (\sqrt{5} + 3)\sqrt{18\sqrt{5} - 30}i}{8} x^2 K_0(x) \mathbf{L}_0(\lambda x) + \frac{(1 - \sqrt{5}i)x^3 - 3(5 + \sqrt{5}i)x}{4} K_0(x) \mathbf{L}_1(\lambda x) - \\
& - \frac{[(1 - \sqrt{5})\sqrt{18\sqrt{5} + 30} + (1 + \sqrt{5})\sqrt{18\sqrt{5} - 30}i]x^3 + [(3 + \sqrt{5})\sqrt{18\sqrt{5} + 30} + (3 - \sqrt{5})\sqrt{18\sqrt{5} - 30}i]x}{16} K_1(x) \mathbf{L}_0(\lambda x) + \\
& + \frac{1 + 2\sqrt{5}i}{2} x^2 K_1(x) \mathbf{L}_1(\lambda x) + \frac{5 - \sqrt{5}i}{2\pi} K_0(x) + \frac{3(5 + \sqrt{5}i)}{2\pi} K_1(x)
\end{aligned}$$

With $\mu = \bar{\lambda} = [\sqrt{18\sqrt{5} + 30} - \sqrt{18\sqrt{5} - 30}i]/6$ holds

$$\begin{aligned}
& \int x^3 J_1(x) \mathbf{H}_1(\mu x) dx = \\
& = \frac{(\sqrt{5} - 3)\sqrt{18\sqrt{5} + 30} + (\sqrt{5} + 3)\sqrt{18\sqrt{5} - 30}i}{8} x^2 J_0(x) \mathbf{H}_0(\mu x) + \frac{(1 + \sqrt{5}i)x^3 + 3(5 - \sqrt{5}i)x}{4} J_0(x) \mathbf{H}_1(\mu x) - \\
& - \frac{[(\sqrt{5} - 1)\sqrt{18\sqrt{5} + 30} + (1 + \sqrt{5}i)\sqrt{18\sqrt{5} - 30}i]x^3 + [(3 + \sqrt{5})\sqrt{18\sqrt{5} + 30} + (\sqrt{5} - 3)\sqrt{18\sqrt{5} - 30}i]x}{16} J_1(x) \mathbf{H}_0(\mu x) - \\
& - \frac{1 - 2\sqrt{5}i}{2} x^2 J_1(x) \mathbf{H}_1(\mu x) - \frac{5 + \sqrt{5}i}{2\pi} x^2 J_0(x) + \frac{3(5 - \sqrt{5}i)}{2\pi} x^3 J_1(x)
\end{aligned}$$

$$\begin{aligned}
& \int x^3 I_1(x) \mathbf{L}_1(\mu x) dx = \\
&= \frac{(\sqrt{5}-3)\sqrt{18\sqrt{5}+30} + (\sqrt{5}+3)\sqrt{18\sqrt{5}-30}i}{8} x^2 I_0(x) \mathbf{L}_0(\mu x) - \frac{(1+\sqrt{5}i)x^3 - 3(5-\sqrt{5}i)x}{4} I_0(x) \mathbf{L}_1(\mu x) + \\
&+ \frac{[(\sqrt{5}-1)\sqrt{18\sqrt{5}+30} + (\sqrt{5}+1)\sqrt{18\sqrt{5}-30}i]x^3 - [(3+\sqrt{5})\sqrt{18\sqrt{5}+30} - (3-\sqrt{5})\sqrt{18\sqrt{5}-30}i]x}{16} I_1(x) \mathbf{L}_0(\mu x) + \\
&+ \frac{1-2\sqrt{5}i}{2} x^2 I_1(x) \mathbf{L}_1(\mu x) - \frac{5+\sqrt{5}i}{2\pi} x^2 I_0(x) + \frac{3(5-\sqrt{5}i)}{2\pi} x^3 I_1(x) \\
& \int x^3 K_1(x) \mathbf{L}_1(\mu x) dx = \\
&= \frac{(3-\sqrt{5})\sqrt{18\sqrt{5}+30} - (\sqrt{5}+3)\sqrt{18\sqrt{5}-30}i}{8} x^2 K_0(x) \mathbf{L}_0(\mu x) + \frac{(1+\sqrt{5}i)x^3 - 3(5-\sqrt{5}i)x}{4} K_0(x) \mathbf{L}_1(\mu x) + \\
&+ \frac{[(\sqrt{5}-1)\sqrt{18\sqrt{5}+30} + (1+\sqrt{5})\sqrt{18\sqrt{5}-30}i]x^3 - [(3+\sqrt{5})\sqrt{18\sqrt{5}+30} - (3-\sqrt{5})\sqrt{18\sqrt{5}-30}i]x}{16} K_1(x) \mathbf{L}_0(\mu x) + \\
&+ \frac{1-2\sqrt{5}i}{2} x^2 I_1(x) \mathbf{L}_1(\mu x) + \frac{5+\sqrt{5}i}{2\pi} x^2 K_0(x) + \frac{3(5-\sqrt{5}i)}{2\pi} x^3 K_1(x) \\
& \int x^4 J_0(x) \mathbf{H}_1(\sqrt{3}x) dx = \\
&= \frac{\sqrt{3}x^2(10-x^2)}{2} J_0(x) \mathbf{H}_0(\sqrt{3}x) + \frac{x(7x^2-30)}{2} J_0(x) \mathbf{H}_1(\sqrt{3}x) + \\
&+ \frac{\sqrt{3}x(10-3x^2)}{2} J_1(x) \mathbf{H}_0(\sqrt{3}x) + \frac{x^2(16-x^2)}{2} J_1(x) \mathbf{H}_1(\sqrt{3}x) + \frac{3x^2(x^2-10)}{\pi} J_1(x) \\
& \int x^4 I_0(x) \mathbf{L}_1(\sqrt{3}x) dx = \\
&= \frac{\sqrt{3}x^2(x^2+10)}{2} I_0(x) \mathbf{L}_0(\sqrt{3}x) - \frac{x(7x^2+30)}{2} I_0(x) \mathbf{L}_1(\sqrt{3}x) + \\
&+ \frac{\sqrt{3}x(3x^2+10)}{2} I_1(x) \mathbf{L}_0(\sqrt{3}x) - \frac{x^2(x^2+16)}{2} I_1(x) \mathbf{L}_1(\sqrt{3}x) - \frac{3x^2(x^2+10)}{\pi} I_1(x) \\
& \int x^4 K_0(x) \mathbf{L}_1(\sqrt{3}x) dx = \\
&= \frac{\sqrt{3}(x^2+10)}{2} x^2 K_0(x) \mathbf{L}_0(\sqrt{3}x) - \frac{x(7x^2+30)}{2} K_0(x) \mathbf{L}_1(\sqrt{3}x) - \\
&- \frac{\sqrt{3}x(3x^2+10)}{2} K_1(x) \mathbf{L}_0(\sqrt{3}x) + \frac{x^2(x^2+16)}{2} K_1(x) \mathbf{L}_1(\sqrt{3}x) + \frac{3x^2(x^2+10)}{\pi} K_1(x)
\end{aligned}$$

Let $\nu = \sqrt{5}(\sqrt{2} + i)/3 = 1.05409\ 25534 + 0.74535\ 59925\ i$, then holds

$$\begin{aligned}
& \int x^4 J_0(x) \mathbf{H}_1(\nu x) dx = \\
&= -\frac{x^2[(\sqrt{10}-4\sqrt{5}i)x^2 + 9\sqrt{5}(\sqrt{2}-4i)]}{12} J_0(x) \mathbf{H}_0(\nu x) - \frac{x[(31+10\sqrt{2}i)x^2 - 15(7+4\sqrt{2}i)]}{12} J_0(x) \mathbf{H}_1(\nu x) + \\
&+ \frac{x[(11\sqrt{10}+\sqrt{5}i)x^2 + 33\sqrt{10}+3\sqrt{5}i]}{12} J_1(x) \mathbf{H}_0(\nu x) + \frac{x^2[(2+5\sqrt{2}i)x^2 - 28+65\sqrt{2}i]}{12} J_1(x) \mathbf{H}_1(\nu x) + \\
&+ \frac{5(13+\sqrt{2}i)}{6\pi} J_0(x) + \frac{5x^2[(2-\sqrt{2}i)x^2 - 3(7+4\sqrt{2}i)]}{6\pi} J_1(x) \\
& \int x^4 I_0(x) \mathbf{L}_1(\nu x) dx = \\
&= \frac{x^2[(\sqrt{10}-4\sqrt{5}i)x^2 - 9\sqrt{10}+36\sqrt{5}i]}{12} I_0(x) \mathbf{L}_0(\nu x) + \frac{x[(31+10\sqrt{2}i)x^2 - 105-60\sqrt{2}i]}{12} I_0(x) \mathbf{L}_1(\nu x) -
\end{aligned}$$

$$\begin{aligned}
& - \frac{x[(11\sqrt{10} + \sqrt{5}i)x^2 - 33\sqrt{10} - 3\sqrt{5}i]}{12} I_1(x) \mathbf{L}_0(\nu x) + \frac{x^2[(2 + 5\sqrt{2}i)x^2 + 28 - 65\sqrt{2}i]}{12} I_1(x) \mathbf{L}_1(\nu x) + \\
& + \frac{(65 + 5\sqrt{2}i)x^3}{6\pi} I_0(x) - \frac{x^2[(10 - 5\sqrt{2}i)x^2 + 105 + 60\sqrt{2}i]}{6\pi} I_0(x) \\
& \int x^4 K_0(x) \mathbf{L}_1(\nu x) dx = \\
& = \frac{x^2[(\sqrt{10} - 4\sqrt{5}i)x^2 - 9\sqrt{5}(\sqrt{2} - 4i)]}{12} K_0(x) \mathbf{L}_0(\nu x) - \frac{x[(31 + 10\sqrt{2}i)x^2 - 15(7 + 4\sqrt{2}i)]}{12} K_0(x) \mathbf{L}_1(\nu x) + \\
& + \frac{x[(11\sqrt{10} + \sqrt{5}i)x^2 - 33\sqrt{10} + 3\sqrt{5}i]}{12} K_1(x) \mathbf{L}_0(\nu x) - \frac{x^2[(2 + 5\sqrt{2}i)x^2 + 28 - 65\sqrt{2}i]}{12} K_1(x) \mathbf{L}_1(\nu x) + \\
& + \frac{5(13 + \sqrt{2}i)}{6\pi} x^3 K_0(x) + \frac{5x^2[(2 - \sqrt{2}i)x^2 + 3(7 + 4\sqrt{2}i)]}{6\pi} K_1(x)
\end{aligned}$$

With $\eta = \bar{\mu} = \sqrt{5}(\sqrt{2} - i)/3$ holds

$$\begin{aligned}
& \int x^4 J_0(x) \mathbf{H}_1(\eta x) dx = \\
& = - \frac{x^2[(\sqrt{10} + 4\sqrt{5}i)x^2 + 9\sqrt{10} + 36\sqrt{5}i]}{12} J_0(x) \mathbf{H}_0(\eta x) - \frac{x[(31 - 10\sqrt{2}i)x^2 + 105 - 60\sqrt{2}i]}{12} J_0(x) \mathbf{H}_1(\eta x) + \\
& + \frac{x[(11\sqrt{10} - \sqrt{5}i)x^2 + 33\sqrt{10} - 3\sqrt{5}i]}{12} J_1(x) \mathbf{H}_0(\eta x) + \frac{x^2[(2 - 5\sqrt{2}i)x^2 - 28 - 65\sqrt{2}i]}{12} J_1(x) \mathbf{H}_1(\eta x) + \\
& + \frac{5(13 - \sqrt{2}i)}{6\pi} J_0(x) + \frac{5x^2[(2 + \sqrt{2}i)x^2 - 21 + 12\sqrt{2}i]}{6\pi} J_1(x) \\
& \int x^4 I_0(x) \mathbf{L}_1(\eta x) dx = \\
& = \frac{x^2[(\sqrt{10} + 4\sqrt{5}i)x^2 - 9\sqrt{10} - 36\sqrt{5}i]}{12} I_0(x) \mathbf{L}_0(\eta x) + \frac{x[(31 - 10\sqrt{2}i)x^2 - 105 + 60\sqrt{2}i]}{12} I_0(x) \mathbf{L}_1(\eta x) - \\
& - \frac{x[(11\sqrt{10} - \sqrt{5}i)x^2 - 33\sqrt{10} + 3\sqrt{5}i]}{12} I_1(x) \mathbf{L}_0(\eta x) + \frac{x^2[2 - 5\sqrt{2}i)x^2 + 28 + 65\sqrt{2}i]}{12} I_1(x) \mathbf{L}_1(\eta x) + \\
& + \frac{(65 - 5\sqrt{2}i)x^3}{6\pi} I_0(x) - \frac{x^2[(10 + 5\sqrt{2}i)x^2 + 105 - 60\sqrt{2}i]}{6\pi} I_1(x) \\
& \int x^4 K_0(x) \mathbf{L}_1(\eta x) dx = \\
& = \frac{x^2[(\sqrt{10} + 4\sqrt{5}i)x^2 - 9\sqrt{10} - 36\sqrt{5}i]}{12} K_0(x) \mathbf{L}_0(\eta x) + \frac{x[(31 - 10\sqrt{2}i)x^2 - 105 + 60\sqrt{2}i]}{12} K_0(x) \mathbf{L}_1(\eta x) + \\
& + \frac{x[(11\sqrt{10} - \sqrt{5}i)x^2 - 33\sqrt{10} + 3\sqrt{5}i]}{12} K_1(x) \mathbf{L}_0(\eta x) - \frac{x^2[2 - 5\sqrt{2}i)x^2 + 28 + 65\sqrt{2}i]}{12} K_1(x) \mathbf{L}_1(\eta x) + \\
& + \frac{5(13 - \sqrt{2}i)}{6\pi} K_0(x) + \frac{x^2[(10 + 5\sqrt{2}i)x^2 + 105 - 60\sqrt{2}i]}{6\pi} K_1(x)
\end{aligned}$$

1.3.6. Complete Elliptic Integral $\mathbf{E}(x)$

No integrals with incomplete elliptic functions of the type

$$\begin{aligned}
& \int \varphi(x) Z_\nu(x) \mathbf{E}(\alpha x, k) dx, \quad \int \varphi(x) Z_\nu(x) \mathbf{E}(y, \alpha x) dx \quad \text{or} \\
& \int \varphi(x) Z_\nu(x) \mathbf{F}(\alpha x, k) dx, \quad \int \varphi(x) Z_\nu(x) \mathbf{F}(y, \alpha x) dx,
\end{aligned}$$

where $Z_\nu(x)$ denotes a Bessel function and $\varphi(x)$ a simple rational function of $x, \sqrt{1-x^2}$ and $\sqrt{1-k^2x^2}$, were found.

$$\int \frac{x^3 J_0(x) \mathbf{E}(x) dx}{1-x^2} = J_0(x) [\mathbf{K}(x) - \mathbf{E}(x)] - x J_1(x) \mathbf{E}(x)$$

$$\begin{aligned}
& \int \left[1 + \frac{\alpha^2}{\alpha^2 x^2 - 1} \right] x \mathbf{E}(\alpha x) J_0(x) dx = \mathbf{E}(\alpha x) [x J_1(x) + J_0(x)] - \mathbf{K}(\alpha x) J_0(x) \\
& \quad \int (16x^4 + 456x^2 + 333)x \mathbf{E} \left(\frac{2\sqrt{3}ix}{3} \right) J_0(x) dx = \\
& = (80x^4 + 168x^2 - 63) \mathbf{E} \left(\frac{2\sqrt{3}ix}{3} \right) J_0(x) + (16x^5 + 56x^3 - 159x) \mathbf{E} \left(\frac{2\sqrt{3}ix}{3} \right) J_1(x) - \\
& \quad - (16x^4 - 72x^2 - 63) \mathbf{K} \left(\frac{2\sqrt{3}ix}{3} \right) J_0(x) + (128x^3 + 96x) \mathbf{K} \left(\frac{2\sqrt{3}ix}{3} \right) J_1(x) \\
& \quad \int (16x^4 - 456x^2 + 333)x \mathbf{E} \left(\frac{2\sqrt{3}x}{3} \right) I_0(x) dx = \\
& = - (80x^4 - 168x^2 - 63) \mathbf{E} \left(\frac{2\sqrt{3}x}{3} \right) I_0(x) + (16x^5 - 56x^3 - 159x) \mathbf{E} \left(\frac{2\sqrt{3}x}{3} \right) I_1(x) + \\
& \quad + (16x^4 + 72x^2 - 63) \mathbf{K} \left(\frac{2\sqrt{3}x}{3} \right) I_0(x) - (128x^3 - 96x) \mathbf{K} \left(\frac{2\sqrt{3}x}{3} \right) I_1(x) \\
& \quad \int [\alpha^4 x^4 + (27\alpha^2 - 2)\alpha^2 x^2 + 18\alpha^4 - 3\alpha^2 + 1] x \mathbf{E}(\alpha x) J_0(x) dx = \\
& = [5\alpha^4 x^4 + 6(\alpha^2 - 1)\alpha^2 x^2 + 6\alpha^2 + 1] \mathbf{E}(\alpha x) J_0(x) + [\alpha^4 x^4 + 2(\alpha^2 - 1)\alpha^2 x^2 + 14\alpha^2 + 1] x \mathbf{E}(\alpha x) J_1(x) - \\
& \quad - [\alpha^4 x^4 - 2(3\alpha^2 + 1)\alpha^2 x^2 + 6\alpha^2 + 1] \mathbf{K}(\alpha x) J_0(x) + 8[\alpha^2 x^2 - 1]\alpha^2 x \mathbf{K}(\alpha x) J_1(x) \\
& \quad \int (4x^4 + 120x^2 + 99) x \mathbf{E} \left(\frac{\sqrt{6}ix}{3} \right) J_0(x) dx = \\
& = (20x^4 + 60x^2 - 27) \mathbf{E} \left(\frac{\sqrt{6}ix}{3} \right) J_0(x) + (4x^5 + 20x^3 - 75x) \mathbf{E} \left(\frac{\sqrt{6}ix}{3} \right) J_1(x) - \\
& \quad - (4x^4 - 12x^2 - 27) \mathbf{K} \left(\frac{\sqrt{6}ix}{3} \right) J_0(x) + 16x(2x^2 + 3) \mathbf{K} \left(\frac{\sqrt{6}ix}{3} \right) J_1(x) \\
& \quad \int (4x^4 - 120x^2 + 99) x \mathbf{E} \left(\frac{\sqrt{6}x}{3} \right) I_0(x) dx = \\
& = - (20x^4 - 60x^2 - 27) \mathbf{E} \left(\frac{\sqrt{6}x}{3} \right) I_0(x) - (4x^5 - 20x^3 - 75x) \mathbf{E} \left(\frac{\sqrt{6}x}{3} \right) I_1(x) - \\
& \quad - (4x^4 + 12x^2 - 27) \mathbf{K} \left(\frac{\sqrt{6}x}{3} \right) I_0(x) + 16x(2x^2 - 3) \mathbf{K} \left(\frac{\sqrt{6}x}{3} \right) I_1(x) \\
& \quad \int \frac{(x^2 + 2)x \mathbf{E}(ix) J_0(x) dx}{1 + x^2} = \mathbf{E}(ix) [x J_1(x) - 2J_0(x)] - \mathbf{K}(ix) J_0(x) \\
& \quad \int \frac{(x^2 + 2)x \mathbf{E}(ix) J_0(x) dx}{1 + x^2} = \mathbf{E}(ix) [x J_1(x) + J_0(x)] - \mathbf{K}(ix) J_0(x) \\
& \quad \int \frac{(x^2 - 2)x \mathbf{E}(x) I_0(x) dx}{x^2 - 1} = \mathbf{E}(x) [I_0(x) - x I_1(x)] - \mathbf{K}(x) I_0(x) \\
& \quad \int \frac{(\alpha^2 x^4 - x^2 + 1) \mathbf{E}(\alpha x) J_1(x) dx}{(1 - \alpha^2 x^2)x} = \mathbf{E}(\alpha x) [x J_0(x) - 2J_1(x)] + \mathbf{K}(\alpha x) J_1(x) \\
& \quad \int (2x^2 + 51)x^2 \mathbf{E} \left(\frac{\sqrt{2}ix}{3} \right) J_1(x) dx = - (2x^4 + 21x^2 - 54) \mathbf{E} \left(\frac{\sqrt{2}ix}{3} \right) J_0(x) +
\end{aligned}$$

$$\begin{aligned}
& +(10x^3 + 63x) \mathbf{E} \left(\frac{\sqrt{2}ix}{3} \right) J_1(x) - (12x^2 + 54) \mathbf{K} \left(\frac{\sqrt{2}ix}{3} \right) J_0(x) - (2x^3 + 9x) \mathbf{K} \left(\frac{\sqrt{2}ix}{3} \right) J_1(x) \\
& \int (2x^2 + 51)x^2 \mathbf{E} \left(\frac{\sqrt{2}x}{3} \right) I_1(x) dx = -(2x^4 - 21x^2 - 54) \mathbf{E} \left(\frac{\sqrt{2}x}{3} \right) I_0(x) + \\
& +(10x^3 - 63x) \mathbf{E} \left(\frac{\sqrt{2}x}{3} \right) I_1(x) + (12x^2 - 54) \mathbf{K} \left(\frac{\sqrt{2}x}{3} \right) I_0(x) - (2x^3 - 9x) \mathbf{K} \left(\frac{\sqrt{2}x}{3} \right) I_1(x) \\
& \int (64x^4 + 816x^2 + 297)x \mathbf{K} \left(\frac{2\sqrt{6}ix}{3} \right) J_0(x) = (24x^2 - 63) \mathbf{E} \left(\frac{2\sqrt{6}ix}{3} \right) J_0(x) - \\
& -144x \mathbf{E} \left(\frac{2\sqrt{6}ix}{3} \right) J_1(x) + (192x^4 + 240x^2 + 63) \mathbf{K} \left(\frac{2\sqrt{6}ix}{3} \right) J_0(x) + (64x^5 + 240x^3 + 81x) \mathbf{K} \left(\frac{2\sqrt{6}ix}{3} \right) J_1(x) \\
& \int (64x^4 - 816x^2 + 297)x \mathbf{K} \left(\frac{2\sqrt{6}x}{3} \right) I_0(x) = (24x^2 + 63) \mathbf{E} \left(\frac{2\sqrt{6}x}{3} \right) I_0(x) - \\
& -144x \mathbf{E} \left(\frac{2\sqrt{6}x}{3} \right) I_1(x) - (192x^4 - 240x^2 + 63) \mathbf{K} \left(\frac{2\sqrt{6}x}{3} \right) I_0(x) + (64x^5 - 240x^3 + 81x) \mathbf{K} \left(\frac{2\sqrt{6}x}{3} \right) I_1(x) \\
& \int [\alpha^4 x^4 + 2(6\alpha^2 - 1)\alpha^2 x^2 + 3\alpha^4 - 4\alpha^2 + 1]x \mathbf{K}(\alpha x) J_0(x) dx = -(\alpha^2 x^2 - 3\alpha^2 - 1) \mathbf{E}(\alpha x) J_0(x) + \\
& + 6\alpha^2 x \mathbf{E} J_1(x)(\alpha x) + [3\alpha^4 x^4 + (3\alpha^2 - 2)\alpha^2 x^2 - 3\alpha^2 - 1] \mathbf{K}(\alpha x) J_0(x) + \\
& + [\alpha^4 x^4 + (3\alpha^2 - 2)\alpha^2 x^2 - 3\alpha^2 + 1]x \mathbf{K}(\alpha x) J_1(x) \\
& \int (x^2 + 9)x^2 \mathbf{K} \left(\frac{\sqrt{2}ix}{2} \right) J_0(x) = 8 \mathbf{E} \left(\frac{\sqrt{2}ix}{2} \right) J_0(x) + 2x \mathbf{E} \left(\frac{\sqrt{2}ix}{2} \right) J_1(x) - \\
& -(x^4 + 6x^2 + 8) \mathbf{K} \left(\frac{\sqrt{2}ix}{2} \right) J_0(x) + (3x^3 + 6x) \mathbf{K} \left(\frac{\sqrt{2}ix}{2} \right) J_1(x) \\
& \int (x^2 - 9)x^2 \mathbf{K} \left(\frac{\sqrt{2}x}{2} \right) I_0(x) = -8 \mathbf{E} \left(\frac{\sqrt{2}x}{2} \right) I_0(x) + 2x \mathbf{E} \left(\frac{\sqrt{2}x}{2} \right) I_1(x) + \\
& +(x^4 - 6x^2 + 8) \mathbf{K} \left(\frac{\sqrt{2}x}{2} \right) I_0(x) - (3x^3 - 6x) \mathbf{K} \left(\frac{\sqrt{2}x}{2} \right) I_1(x)
\end{aligned}$$

1.4.7. $\int x^n Z_0(\sqrt{x^2 + a}) dx$ and $\int x^n (x + a)^{-1/2} Z_1(\sqrt{x^2 + a}) dx$

$$\begin{aligned}
& \int x J_0(\sqrt{x^2 + a}) dx = \sqrt{x^2 + a} J_1(\sqrt{x^2 + a}) \\
& \int x I_0(\sqrt{x^2 + a}) dx = \sqrt{x^2 + a} I_1(\sqrt{x^2 + a}) \\
& \int x K_0(\sqrt{x^2 + a}) dx = -\sqrt{x^2 + a} K_1(\sqrt{x^2 + a}) \\
& \int x \sqrt{x^2 + a} \cdot J_1(\sqrt{x^2 + a}) dx = -(x^2 + a) J_0(\sqrt{x^2 + a}) + 2\sqrt{x^2 + a} J_1(\sqrt{x^2 + a}) \\
& \int x \sqrt{x^2 + a} \cdot I_1(\sqrt{x^2 + a}) dx = (x^2 + a) I_0(\sqrt{x^2 + a}) - 2\sqrt{x^2 + a} I_1(\sqrt{x^2 + a}) \\
& \int x \sqrt{x^2 + a} \cdot K_1(\sqrt{x^2 + a}) dx = -(x^2 + a) K_0(\sqrt{x^2 + a}) - 2\sqrt{x^2 + a} K_1(\sqrt{x^2 + a}) \\
& \int \frac{x J_1(\sqrt{x^2 + a}) dx}{\sqrt{x^2 + a}} = -J_0(\sqrt{x^2 + a})
\end{aligned}$$

$$\int \frac{x I_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = I_0(\sqrt{x^2+a})$$

$$\int \frac{x K_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = -K_0(\sqrt{x^2+a})$$

$$\int x^3 J_0(\sqrt{x^2+a}) dx = 2(x^2+a) J_0(\sqrt{x^2+a}) + \sqrt{x^2+a} (x^2-4) J_1(\sqrt{x^2+a})$$

$$\int x^3 I_0(\sqrt{x^2+a}) dx = -2(x^2+a) I_0(\sqrt{x^2+a}) + \sqrt{x^2+a} (x^2+4) I_1(\sqrt{x^2+a})$$

$$\int x^3 K_0(\sqrt{x^2+a}) dx = -2(x^2+a) K_0(\sqrt{x^2+a}) - \sqrt{x^2+a} (x^2+4) K_1(\sqrt{x^2+a})$$

$$\int x^3 \sqrt{x^2+a} \cdot J_1(\sqrt{x^2+a}) dx = -[x^4 - (8-a)x^2 - 8a] J_0(\sqrt{x^2+a}) + (4x^2 - 16 + 2a) \sqrt{x^2+a} J_1(\sqrt{x^2+a})$$

$$\int x^3 \sqrt{x^2+a} \cdot I_1(\sqrt{x^2+a}) dx = [x^4 + (8+a)x^2 + 8a] I_0(\sqrt{x^2+a}) - (4x^2 + 16 + 2a) \sqrt{x^2+a} I_1(\sqrt{x^2+a})$$

$$\int x^3 \sqrt{x^2+a} \cdot K_1(\sqrt{x^2+a}) dx = -[x^4 + (8+a)x^2 + 8a] K_0(\sqrt{x^2+a}) - (4x^2 + 16 + 2a) \sqrt{x^2+a} K_1(\sqrt{x^2+a})$$

$$\int \frac{x^3 J_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = -x^2 J_0(\sqrt{x^2+a}) + 2\sqrt{x^2+a} J_1(\sqrt{x^2+a})$$

$$\int \frac{x^3 I_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = x^2 I_0(\sqrt{x^2+a}) - 2\sqrt{x^2+a} I_1(\sqrt{x^2+a})$$

$$\int \frac{x^3 K_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = -x^2 K_0(\sqrt{x^2+a}) - 2\sqrt{x^2+a} K_1(\sqrt{x^2+a})$$

$$\int x^5 J_0(\sqrt{x^2+a}) dx = 4[x^4 + (a-8)x^2 - 8a] J_0(\sqrt{x^2+a}) + \sqrt{x^2+a} (x^4 - 16x^2 - 8a + 64) J_1(\sqrt{x^2+a})$$

$$\int x^5 I_0(\sqrt{x^2+a}) dx = -4[x^4 + (a+8)x^2 + 8a] I_0(\sqrt{x^2+a}) + \sqrt{x^2+a} (x^4 + 16x^2 + 8a + 64) I_1(\sqrt{x^2+a})$$

$$\int x^5 K_0(\sqrt{x^2+a}) dx = -4[x^4 + (a+8)x^2 + 8a] K_0(\sqrt{x^2+a}) - \sqrt{x^2+a} (x^4 + 16x^2 + 8a + 64) K_1(\sqrt{x^2+a})$$

$$\int x^5 \sqrt{x^2+a} \cdot J_1(\sqrt{x^2+a}) dx = -[x^6 - (24-a)x^4 + 32(6-a)x^2 + 8a(24-a)] J_0(\sqrt{x^2+a}) +$$

$$+ [6x^4 - 4(24-a)x^2 + 64(6-a)] \sqrt{x^2+a} J_1(\sqrt{x^2+a})$$

$$\int x^5 \sqrt{x^2+a} \cdot I_1(\sqrt{x^2+a}) dx = [x^6 + (24+a)x^4 + 32(6+a)x^2 + 8a(24+a)] I_0(\sqrt{x^2+a}) -$$

$$- [6x^4 + 4(24+a)x^2 + 64(6+a)] \sqrt{x^2+a} I_1(\sqrt{x^2+a})$$

$$\int x^5 \sqrt{x^2+a} \cdot K_1(\sqrt{x^2+a}) dx = -[x^6 + (24+a)x^4 + 32(6+a)x^2 + 8a(24+a)] K_0(\sqrt{x^2+a}) -$$

$$- [6x^4 + 4(24+a)x^2 + 64(6+a)] \sqrt{x^2+a} K_1(\sqrt{x^2+a})$$

$$\int \frac{x^5 J_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = (-x^4 + 8x^2 + 8a) J_0(\sqrt{x^2+a}) + 4(x^2-4) \sqrt{x^2+a} J_1(\sqrt{x^2+a})$$

$$\int \frac{x^5 I_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} = (x^4 + 8x^2 + 8a) I_0(\sqrt{x^2+a}) - 4(x^2+4) \sqrt{x^2+a} I_1(\sqrt{x^2+a})$$

$$\begin{aligned}
& \int \frac{x^5 K_1(\sqrt{x^2+a})}{\sqrt{x^2+a}} dx = -(x^4+8x^2+8a) K_0(\sqrt{x^2+a}) - 4(x^2+4) \sqrt{x^2+a} J_1(\sqrt{x^2+a}) \\
& \int x^7 J_0(\sqrt{x^2+a}) dx = 6[x^6+(a-24)x^4+32(6-a)x^2+8a(24-a)] J_0(\sqrt{x^2+a}) + \\
& \quad + \sqrt{x^2+a} [x^6-36x^4+24(24-a)x^2+384(a-6)] J_1(\sqrt{x^2+a}) \\
& \int x^7 I_0(\sqrt{x^2+a}) dx = -6[x^6+(a+24)x^4+32(6+a)x^2+8a(24+a)] I_0(\sqrt{x^2+a}) + \\
& \quad + \sqrt{x^2+a} [x^6+36x^4+24(24+a)x^2+384(a+6)] I_1(\sqrt{x^2+a}) \\
& \int x^7 K_0(\sqrt{x^2+a}) dx = -6[x^6+(a+24)x^4+32(6+a)x^2+8a(24+a)] K_0(\sqrt{x^2+a}) - \\
& \quad - \sqrt{x^2+a} [x^6+36x^4+24(24+a)x^2+384(a+6)] K_1(\sqrt{x^2+a}) \\
& \int x^7 \sqrt{x^2+a} \cdot J_1(\sqrt{x^2+a}) dx = \\
& = -[x^8-(48-a)x^6+72(16-a)x^4-24(384-72a+a^2)x^2-576a(16-a)] J_0(\sqrt{x^2+a}) + \\
& \quad + [8x^6-6(48-a)x^4+288(16-a)x^2-48(384-72a+a^2)] \sqrt{x^2+a} J_1(\sqrt{x^2+a}) \\
& \int x^7 \sqrt{x^2+a} \cdot I_1(\sqrt{x^2+a}) dx = \\
& = [x^8+(48+a)x^6+72(16+a)x^4+24(384+72a+a^2)x^2+576a(16+a)] I_0(\sqrt{x^2+a}) + \\
& \quad - [8x^6+6(48+a)x^4+288(16+a)x^2+48(384+72a+a^2)] \sqrt{x^2+a} I_1(\sqrt{x^2+a}) \\
& \int x^7 \sqrt{x^2+a} \cdot K_1(\sqrt{x^2+a}) dx = \\
& = -[x^8+(48+a)x^6+72(16+a)x^4+24(384+72a+a^2)x^2+576a(16+a)] K_0(\sqrt{x^2+a}) + \\
& \quad - [8x^6+6(48+a)x^4+288(16+a)x^2+48(384+72a+a^2)] \sqrt{x^2+a} K_1(\sqrt{x^2+a}) \\
& \int \frac{x^7 J_1(\sqrt{x^2+a})}{\sqrt{x^2+a}} dx = (-x^6+24x^4+24(a-8)x^2-192a) J_0(\sqrt{x^2+a}) + \\
& \quad + 6(x^4-16x^2+64-8a) \sqrt{x^2+a} J_1(\sqrt{x^2+a}) \\
& \int \frac{x^7 I_1(\sqrt{x^2+a})}{\sqrt{x^2+a}} dx = (x^6+24x^4+24(a+8)x^2+192a) I_0(\sqrt{x^2+a}) - \\
& \quad - 6(x^4+16x^2+64+8a) \sqrt{x^2+a} I_1(\sqrt{x^2+a}) \\
& \int \frac{x^7 K_1(\sqrt{x^2+a})}{\sqrt{x^2+a}} dx = -(x^6+24x^4+24(a+8)x^2+192a) K_0(\sqrt{x^2+a}) - \\
& \quad - 6(x^4+16x^2+64+8a) \sqrt{x^2+a} K_1(\sqrt{x^2+a})
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+1} J_0(\sqrt{x^2+a}) dx = 2nx^{2n-2}(x^2+a) J_0(\sqrt{x^2+a}) + x^{2n} \sqrt{x^2+a} J_1(\sqrt{x^2+a}) - \\
& \quad - 4n^2 \int x^{2n-1} J_0(\sqrt{x^2+a}) dx - 4n(n-1)a \int x^{2n-3} J_0(\sqrt{x^2+a}) dx \\
& \int x^{2n+1} I_0(\sqrt{x^2+a}) dx = -2nx^{2n-2}(x^2+a) I_0(\sqrt{x^2+a}) + x^{2n} \sqrt{x^2+a} I_1(\sqrt{x^2+a}) + \\
& \quad + 4n^2 \int x^{2n-1} I_0(\sqrt{x^2+a}) dx + 4n(n-1)a \int x^{2n-3} I_0(\sqrt{x^2+a}) dx
\end{aligned}$$

$$\begin{aligned}
\int x^{2n+1} K_0(\sqrt{x^2+a}) dx &= -2nx^{2n-2}(x^2+a) K_0(\sqrt{x^2+a}) - x^{2n} \sqrt{x^2+a} K_1(\sqrt{x^2+a}) + \\
&+ 4n^2 \int x^{2n-1} K_0(\sqrt{x^2+a}) dx + 4n(n-1)a \int x^{2n-3} K_0(\sqrt{x^2+a}) dx \\
&\int x^{2n+1} \sqrt{x^2+a} J_1(\sqrt{x^2+a}) dx = \\
&= -x^{2n}(x^2+a) J_0(\sqrt{x^2+a}) + 2x^{2n-2} [(n+1)x^2+na] \sqrt{x^2+a} J_1(\sqrt{x^2+a}) - \\
-4n(n+1) \int x^{2n-1} \sqrt{x^2+a} J_1(\sqrt{x^2+a}) dx &- 4n(n-1)a \int x^{2n-3} \sqrt{x^2+a} J_1(\sqrt{x^2+a}) dx \\
&\int x^{2n+1} \sqrt{x^2+a} I_1(\sqrt{x^2+a}) dx = \\
&= x^{2n}(x^2+a) I_0(\sqrt{x^2+a}) - 2x^{2n-2} [(n+1)x^2+na] \sqrt{x^2+a} I_1(\sqrt{x^2+a}) + \\
+4n(n+1) \int x^{2n-1} \sqrt{x^2+a} I_1(\sqrt{x^2+a}) dx &+ 4n(n-1)a \int x^{2n-3} \sqrt{x^2+a} I_1(\sqrt{x^2+a}) dx \\
&\int x^{2n+1} \sqrt{x^2+a} K_1(\sqrt{x^2+a}) dx = \\
&= -x^{2n}(x^2+a) K_0(\sqrt{x^2+a}) - 2x^{2n-2} [(n+1)x^2+na] \sqrt{x^2+a} K_1(\sqrt{x^2+a}) + \\
+4n(n+1) \int x^{2n-1} \sqrt{x^2+a} K_1(\sqrt{x^2+a}) dx &+ 4n(n-1)a \int x^{2n-3} \sqrt{x^2+a} K_1(\sqrt{x^2+a}) dx \\
\int \frac{x^{2n+1} J_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} &= -x^{2n} J_0(\sqrt{x^2+a}) + 2nx^{2n-2} \sqrt{x^2+a} J_1(\sqrt{x^2+a}) - \\
-4n(n-1) \int \frac{x^{2n-1} J_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} &- 4n(n-1)a \int \frac{x^{2n-3} J_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} \\
\int \frac{x^{2n+1} I_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} &= x^{2n} I_0(\sqrt{x^2+a}) - 2nx^{2n-2} \sqrt{x^2+a} I_1(\sqrt{x^2+a}) + \\
+4n(n-1) \int \frac{x^{2n-1} I_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} &+ 4n(n-1)a \int \frac{x^{2n-3} I_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} \\
\int \frac{x^{2n+1} K_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} &= -x^{2n} K_0(\sqrt{x^2+a}) - 2nx^{2n-2} \sqrt{x^2+a} K_1(\sqrt{x^2+a}) + \\
+4n(n-1) \int \frac{x^{2n-1} K_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}} &+ 4n(n-1)a \int \frac{x^{2n-3} K_1(\sqrt{x^2+a}) dx}{\sqrt{x^2+a}}
\end{aligned}$$

1.4.8. Special cases with $Z_\nu(\sqrt{x^2+a})$ and $Z_\nu(\sqrt{x^2+ax+b})$

$$\begin{aligned}
\int x^3 \sqrt{x^2-9} \cdot J_0(\sqrt{x^2-9}) dx &= 3(x^2-9) \sqrt{x^2-9} J_0(\sqrt{x^2-9}) + (x^4-18x^2+81) J_1(\sqrt{x^2-9}) \\
\int x^3 \sqrt{x^2+9} \cdot I_0(\sqrt{x^2+9}) dx &= -3(x^2+9) \sqrt{x^2+9} J_0(\sqrt{x^2+9}) + (x^4+18x^2+81) I_1(\sqrt{x^2+9}) \\
\int x^3 \sqrt{x^2+9} \cdot K_0(\sqrt{x^2+9}) dx &= -3(x^2+9) \sqrt{x^2+9} K_0(\sqrt{x^2+9}) - (x^4+18x^2+81) K_1(\sqrt{x^2+9}) \\
\int \frac{x^3 J_0(\sqrt{x^2-1}) dx}{\sqrt{x^2-1}} &= \sqrt{x^2-1} J_0(\sqrt{x^2-1}) + (x^2-1) J_1(\sqrt{x^2-1})
\end{aligned}$$

$$\begin{aligned}
& \int \frac{x^3 I_0(\sqrt{x^2+1}) dx}{\sqrt{x^2+1}} = -\sqrt{x^2+1} I_0(\sqrt{x^2+1}) + (x^2+1) I_1(\sqrt{x^2+1}) \\
& \int \frac{x^3 K_0(\sqrt{x^2+1}) dx}{\sqrt{x^2+1}} = -\sqrt{x^2+1} K_0(\sqrt{x^2+1}) - (x^2+1) K_1(\sqrt{x^2+1}) \\
& \int x^3 J_1(\sqrt{x^2-3}) dx = -(x^2-3)\sqrt{x^2-3} J_0(\sqrt{x^2-3}) + 3(x^2-3) J_1(\sqrt{x^2-3}) \\
& \int x^3 I_1(\sqrt{x^2+3}) dx = (x^2+3)\sqrt{x^2+3} I_0(\sqrt{x^2+3}) - 3(x^2-3) I_1(\sqrt{x^2+3}) \\
& \int x^3 K_1(\sqrt{x^2+3}) dx = -(x^2+3)\sqrt{x^2+3} K_0(\sqrt{x^2+3}) - 3(x^2-3) K_1(\sqrt{x^2+3}) \\
& \int \frac{x^3 J_1(\sqrt{x^2+1}) dx}{x^2+1} = -\sqrt{x^2+1} J_0(\sqrt{x^2+1}) + J_1(\sqrt{x^2+1}) \\
& \int \frac{x^3 I_1(\sqrt{x^2-1}) dx}{x^2-1} = \sqrt{x^2-1} I_0(\sqrt{x^2-1}) - I_1(\sqrt{x^2-1}) \\
& \int \frac{x^3 K_1(\sqrt{x^2-1}) dx}{x^2-1} = -\sqrt{x^2-1} K_0(\sqrt{x^2-1}) - K_1(\sqrt{x^2-1}) \\
& \int x^4 J_0\left(\sqrt{x^2+\sqrt{6}x+\frac{9}{4}}\right) dx = \frac{24x^3+4\sqrt{6}x^2-66x-45\sqrt{6}}{8} J_0\left(\sqrt{x^2+\sqrt{6}x+\frac{9}{4}}\right) + \\
& \quad + \frac{4x^3-2\sqrt{6}x^2-30x+11\sqrt{6}}{4} \sqrt{x^2+\sqrt{6}x+\frac{9}{4}} J_1\left(\sqrt{x^2+\sqrt{6}x+\frac{9}{4}}\right) \\
& \int x^4 \left(x^2+\sqrt{2}x+\frac{7}{12}\right)^{-1/2} \cdot J_1\left(\sqrt{x^2+\sqrt{2}x+\frac{7}{12}}\right) dx = \\
& = -\frac{4x^3-2\sqrt{2}x^2-10x-7\sqrt{2}}{4} J_0\left(\sqrt{x^2+\sqrt{2}x+\frac{7}{12}}\right) + \frac{6x-5\sqrt{2}}{2} \sqrt{x^2+\sqrt{2}x+\frac{7}{12}} J_1\left(\sqrt{x^2+\sqrt{2}x+\frac{7}{12}}\right) \\
& \int x^4 \left(x^2-\sqrt{2}x+\frac{7}{12}\right)^{-1/2} \cdot J_1\left(\sqrt{x^2-\sqrt{2}x+\frac{7}{12}}\right) dx = \\
& = -\frac{4x^3+2\sqrt{2}x^2-10x+7\sqrt{2}}{4} J_0\left(\sqrt{x^2-\sqrt{2}x+\frac{7}{12}}\right) + \frac{6x+5\sqrt{2}}{2} \sqrt{x^2-\sqrt{2}x+\frac{7}{12}} J_1\left(\sqrt{x^2-\sqrt{2}x+\frac{7}{12}}\right) \\
& \int x^5 \sqrt{x^2+\sqrt{30}x+\frac{45}{4}} \cdot J_1\left(\sqrt{x^2+\sqrt{30}x+\frac{45}{4}}\right) dx = \\
& = -\frac{16x^6+8\sqrt{30}x^5-324x^4-198\sqrt{30}x^3+1722x^2+1767\sqrt{30}x+135}{16} J_0\left(\sqrt{x^2+\sqrt{30}x+\frac{45}{4}}\right) + \\
& \quad + \frac{48x^4-4\sqrt{30}x^3-588x^2-3\sqrt{30}x+1767}{8} \sqrt{x^2+\sqrt{30}x+\frac{45}{4}} \cdot J_1\left(\sqrt{x^2+\sqrt{30}x+\frac{45}{4}}\right) \\
& \int x^5 \sqrt{x^2-\sqrt{30}x+\frac{45}{4}} \cdot J_1\left(\sqrt{x^2-\sqrt{30}x+\frac{45}{4}}\right) dx = \\
& = -\frac{16x^6-8\sqrt{30}x^5-324x^4+198\sqrt{30}x^3+1722x^2-1767\sqrt{30}x+135}{16} J_0\left(\sqrt{x^2-\sqrt{30}x+\frac{45}{4}}\right) + \\
& \quad + \frac{48x^4+4\sqrt{30}x^3-588x^2+3\sqrt{30}x+1767}{8} \sqrt{x^2-\sqrt{30}x+\frac{45}{4}} \cdot J_1\left(\sqrt{x^2-\sqrt{30}x+\frac{45}{4}}\right)
\end{aligned}$$

$$\begin{aligned}
& \int x^5 \left(x^2 + \sqrt{6}x + \frac{33}{20}\right)^{-1/2} \cdot J_1 \left(\sqrt{x^2 + \sqrt{6}x + \frac{33}{20}}\right) dx = \\
&= -\frac{20x^4 - 10\sqrt{6}x^3 - 130x^2 - 25\sqrt{6}x + 231}{20} J_0 \left(\sqrt{x^2 + \sqrt{6}x + \frac{33}{20}}\right) + \\
& \quad + \frac{8x^2 - 7\sqrt{6}x - 5}{2} \sqrt{x^2 + \sqrt{6}x + \frac{33}{20}} \cdot J_1 \left(\sqrt{x^2 + \sqrt{6}x + \frac{33}{20}}\right) \\
& \int x^5 \left(x^2 - \sqrt{6}x + \frac{33}{20}\right)^{-1/2} \cdot J_1 \left(\sqrt{x^2 - \sqrt{6}x + \frac{33}{20}}\right) dx = \\
&= -\frac{20x^4 + 10\sqrt{6}x^3 - 130x^2 + 25\sqrt{6}x + 231}{20} J_0 \left(\sqrt{x^2 - \sqrt{6}x + \frac{33}{20}}\right) + \\
& \quad + \frac{8x^2 + 7\sqrt{6}x - 5}{2} \sqrt{x^2 - \sqrt{6}x + \frac{33}{20}} \cdot J_1 \left(\sqrt{x^2 - \sqrt{6}x + \frac{33}{20}}\right) \\
& \int x^5 J_0 \left(\sqrt{x^2 + 3\sqrt{2}x + \frac{117}{20}}\right) dx = \\
&= \frac{160x^4 + 60\sqrt{2}x^3 - 1244x^2 - 1437\sqrt{2}x + 1989}{40} J_0 \left(\sqrt{x^2 + 3\sqrt{2}x + \frac{117}{20}}\right) + \\
& \quad + \frac{20x^4 - 30\sqrt{2}x^3 - 230x^2 + 255\sqrt{2}x + 479}{20} \sqrt{x^2 + 3\sqrt{2}x + \frac{117}{20}} J_1 \left(\sqrt{x^2 + 3\sqrt{2}x + \frac{117}{20}}\right) \\
& \int x^5 J_0 \left(\sqrt{x^2 - 3\sqrt{2}x + \frac{117}{20}}\right) dx = \\
&= \frac{160x^4 - 60\sqrt{2}x^3 - 1244x^2 + 1437\sqrt{2}x + 1989}{40} J_0 \left(\sqrt{x^2 - 3\sqrt{2}x + \frac{117}{20}}\right) + \\
& \quad + \frac{20x^4 + 30\sqrt{2}x^3 - 230x^2 - 255\sqrt{2}x + 479}{20} \sqrt{x^2 - 3\sqrt{2}x + \frac{117}{20}} J_1 \left(\sqrt{x^2 - 3\sqrt{2}x + \frac{117}{20}}\right) \\
& \int \frac{x^5 J_1(\sqrt{x^2 - 1}) dx}{x^2 - 1} = (2 - x^2)\sqrt{x^2 - 1} J_0(\sqrt{x^2 - 1}) + (3x^2 - 4) J_1(\sqrt{x^2 - 1}) \\
& \int \frac{x^5 I_1(\sqrt{x^2 + 1}) dx}{x^2 + 1} = (2 + x^2)\sqrt{x^2 + 1} I_0(\sqrt{x^2 + 1}) - (3x^2 + 4) I_1(\sqrt{x^2 + 1}) \\
& \int \frac{x^5 K_1(\sqrt{x^2 + 1}) dx}{x^2 + 1} = -(2 + x^2)\sqrt{x^2 + 1} K_0(\sqrt{x^2 + 1}) - (3x^2 + 4) K_1(\sqrt{x^2 + 1}) \\
& \int \frac{x^5 J_1(\sqrt{x^2 + 3}) dx}{x^2 + 3} = -(x^2 - 6)\sqrt{x^2 + 3} J_0(\sqrt{x^2 + 3}) + 3x^2 J_1(\sqrt{x^2 + 3}) \\
& \int \frac{x^5 I_1(\sqrt{x^2 - 3}) dx}{x^2 + 3} = (x^2 + 6)\sqrt{x^2 - 3} I_0(\sqrt{x^2 - 3}) - 3x^2 I_1(\sqrt{x^2 - 3}) \\
& \int \frac{x^5 K_1(\sqrt{x^2 - 3}) dx}{x^2 + 3} = -(x^2 + 6)\sqrt{x^2 - 3} K_0(\sqrt{x^2 - 3}) - 3x^2 K_1(\sqrt{x^2 - 3})
\end{aligned}$$

$$\gamma = \sqrt{5} = 2.23606\ 79775, \beta = \sqrt[3]{28 + 12\gamma} = 3.79909\ 52539, \alpha = \frac{\beta^2 + \beta + 4}{\beta} = 5.85197\ 75147$$

$$\begin{aligned}
& \int \frac{x^7 J_1(\sqrt{x^2 + \alpha}) dx}{x^2 + \alpha} = \\
& = \frac{1}{4} \{20x^4 + [(7 - 3\gamma)\beta^2 + 4\beta - 176]x^2 + 6(19\gamma - 45)\beta^2 + 12(\gamma - 15)\beta\} J_1(\sqrt{x^2 - \alpha}) - \\
& - \frac{1}{4} \{4x^4 - [(7 - 3\gamma)\beta^2 + 4\beta + 64]x^2 + 12(\gamma - 2)\beta^2 + 12(1 - \gamma)\beta + 192\} \sqrt{x^2 + \alpha} \cdot J_0(\sqrt{x^2 + \alpha}) \\
& \int \frac{x^7 I_1(\sqrt{x^2 - \alpha}) dx}{x^2 + \alpha} = \\
& = -\frac{1}{4} \{20x^4 - [(7 - 3\gamma)\beta^2 + 4\beta - 176]x^2 + 6(19\gamma - 45)\beta^2 + 12(\gamma - 15)\beta\} I_1(\sqrt{x^2 + \alpha}) + \\
& + \frac{1}{4} \{4x^4 + [(7 - 3\gamma)\beta^2 + 4\beta + 64]x^2 + 12(\gamma - 2)\beta^2 + 12(1 - \gamma)\beta + 192\} \sqrt{x^2 - \alpha} \cdot I_0(\sqrt{x^2 - \alpha}) \\
& \int \frac{x^7 K_1(\sqrt{x^2 - \alpha}) dx}{x^2 + \alpha} = \\
& = -\frac{1}{4} \{20x^4 - [(7 - 3\gamma)\beta^2 + 4\beta - 176]x^2 + 6(19\gamma - 45)\beta^2 + 12(\gamma - 15)\beta\} K_1(\sqrt{x^2 + \alpha}) - \\
& - \frac{1}{4} \{4x^4 + [(7 - 3\gamma)\beta^2 + 4\beta + 64]x^2 + 12(\gamma - 2)\beta^2 + 12(1 - \gamma)\beta + 192\} \sqrt{x^2 - \alpha} \cdot K_0(\sqrt{x^2 - \alpha})
\end{aligned}$$

1.4.9. Integrals with $e^{\alpha x} Z_\nu(\sqrt{x + \beta})$

Only special cases were found.

$$\begin{aligned}
& \int x e^{\alpha x} J_0\left(\sqrt{x - \frac{1}{\alpha} - \frac{1}{4\alpha^2}}\right) dx = \\
& = \frac{e^{\alpha x}}{4\alpha^3} \left[(4\alpha^2 x - 1 - 4\alpha) J_0\left(\sqrt{x - \frac{1}{\alpha} - \frac{1}{4\alpha^2}}\right) + 2\alpha \sqrt{x - \frac{1}{\alpha} - \frac{1}{4\alpha^2}} J_1\left(\sqrt{x - \frac{1}{\alpha} - \frac{1}{4\alpha^2}}\right) \right] \\
& \int x e^{\alpha x} I_0\left(\sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}}\right) dx = \\
& = \frac{e^{\alpha x}}{4\alpha^3} \left[(4\alpha^2 x + 1 - 4\alpha) I_0\left(\sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}}\right) - 2\alpha \sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}} I_1\left(\sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}}\right) \right] \\
& \int x e^{\alpha x} K_0\left(\sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}}\right) dx = \\
& = \frac{e^{\alpha x}}{4\alpha^3} \left[(4\alpha^2 x + 1 - 4\alpha) K_0\left(\sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}}\right) + 2\alpha \sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}} K_1\left(\sqrt{x - \frac{1}{\alpha} + \frac{1}{4\alpha^2}}\right) \right]
\end{aligned}$$

Special cases:

$$\begin{aligned}
& \int x e^{-x/2} J_0(\sqrt{x+1}) dx = -2e^{-x/2} [(x+1) J_0(\sqrt{x+1}) - \sqrt{x+1} J_1(\sqrt{x+1})] \\
& \int x e^{x/2} I_0(\sqrt{x-1}) dx = 2e^{x/2} [(x-1) I_0(\sqrt{x-1}) - \sqrt{x-1} I_1(\sqrt{x-1})] \\
& \int x e^{x/2} K_0(\sqrt{x-1}) dx = 2e^{x/2} [(x-1) K_0(\sqrt{x-1}) + \sqrt{x-1} K_1(\sqrt{x-1})] \\
& \int x e^{-x/4} J_0(\sqrt{x}) dx = -4e^{-x/4} [x J_0(\sqrt{x}) - 2\sqrt{x} J_1(\sqrt{x})] \\
& \int x e^{x/4} I_0(\sqrt{x}) dx = 4e^{x/4} [x I_0(\sqrt{x}) - 2\sqrt{x} I_1(\sqrt{x})]
\end{aligned}$$

$$\begin{aligned}
\int x e^{x/4} K_0(\sqrt{x}) dx &= 4e^{x/4} [x K_0(\sqrt{x}) + 2\sqrt{x} K_1(\sqrt{x})] \\
\int x e^{x/2} J_0(\sqrt{x-3}) dx &= 2e^{x/2} [(x-3) J_0(\sqrt{x-3}) + \sqrt{x-3} J_1(\sqrt{x-3})] \\
\int x e^{-x/2} I_0(\sqrt{x+3}) dx &= -2e^{-x/2} [(x+3) I_0(\sqrt{x+3}) + \sqrt{x+3} I_1(\sqrt{x+3})] \\
\int x e^{-x/2} K_0(\sqrt{x+3}) dx &= -2e^{-x/2} [(x+3) K_0(\sqrt{x+3}) - \sqrt{x+3} K_1(\sqrt{x+3})] \\
\int x e^{-x/6} J_0(\sqrt{x-3}) dx &= -6e^{-x/6} [(x-3) J_0(\sqrt{x-3}) - 3\sqrt{x-3} J_1(\sqrt{x-3})] \\
\int x e^{x/6} I_0(\sqrt{x+3}) dx &= 6e^{-x/6} [(x+3) I_0(\sqrt{x+3}) - 3\sqrt{x+3} I_1(\sqrt{x+3})] \\
\int x e^{x/6} K_0(\sqrt{x+3}) dx &= 6e^{-x/6} [(x+3) K_0(\sqrt{x+3}) + 3\sqrt{x+3} K_1(\sqrt{x+3})] \\
\int x e^{x/4} J_0(\sqrt{x-8}) dx &= 4e^{x/4} [(x-8) J_0(\sqrt{x-8}) + 2\sqrt{x-8} J_1(\sqrt{x-8})] \\
\int x e^{-x/4} I_0(\sqrt{x+8}) dx &= -4e^{-x/4} [(x+8) I_0(\sqrt{x+8}) + 2\sqrt{x+8} I_1(\sqrt{x+8})] \\
\int x e^{-x/4} K_0(\sqrt{x+8}) dx &= -4e^{-x/4} [(x+8) K_0(\sqrt{x+8}) - 2\sqrt{x+8} K_1(\sqrt{x+8})] \\
\int x e^{-x/8} J_0(\sqrt{x-8}) dx &= -8e^{-x/8} [(x-8) J_0(\sqrt{x-8}) - 4\sqrt{x-8} J_1(\sqrt{x-8})] \\
\int x e^{x/8} I_0(\sqrt{x+8}) dx &= 8e^{x/8} [(x+8) I_0(\sqrt{x+8}) - 4\sqrt{x+8} I_1(\sqrt{x+8})] \\
\int x e^{x/8} K_0(\sqrt{x+8}) dx &= 8e^{x/8} [(x+8) K_0(\sqrt{x+8}) + 4\sqrt{x+8} K_1(\sqrt{x+8})]
\end{aligned}$$

Generally: Let $r \in \{\pm 1, \pm 2, \pm 3, \dots\}$, then one gets an integral of the type

$$\begin{aligned}
&\int x e^{x/2r} J_0(\sqrt{x-r(r+2)}) dx \quad \text{or} \quad \int x e^{x/2r} \left\{ \begin{array}{c} I_0 \\ K_0 \end{array} \right\} (\sqrt{x+r(r-2)}) dx . \\
&\int x e^{x/2r} J_0(\sqrt{x-r(r+2)}) dx = \\
&= \frac{2e^{x/2r}}{r^2} \left\{ [x-r(r+2)] J_0(\sqrt{x-r(r+2)}) + r\sqrt{x-r(r+2)} J_1(\sqrt{x-r(r+2)}) \right\} \\
&\int x e^{x/2r} I_0(\sqrt{x+r(r-2)}) dx = \\
&= \frac{2e^{x/2r}}{r^2} \left\{ [x+r(r-2)] I_0(\sqrt{x+r(r-2)}) - r\sqrt{x+r(r-2)} I_1(\sqrt{x+r(r-2)}) \right\} \\
&\int x e^{x/2r} K_0(\sqrt{x+r(r-2)}) dx = \\
&= \frac{2e^{x/2r}}{r^2} \left\{ [x+r(r-2)] K_0(\sqrt{x+r(r-2)}) + r\sqrt{x+r(r-2)} K_1(\sqrt{x+r(r-2)}) \right\}
\end{aligned}$$

$$\begin{aligned}
\int \frac{x e^{\alpha x} J_1(\sqrt{x-1/4\alpha^2}) dx}{\sqrt{x-1/4\alpha^2}} &= -\frac{e^{\alpha x}}{2\alpha^2} \left[J_0\left(\sqrt{x-\frac{1}{4\alpha^2}}\right) - 2\alpha\sqrt{x-\frac{1}{4\alpha^2}} J_1\left(\sqrt{x-\frac{1}{4\alpha^2}}\right) \right] \\
\int \frac{x e^{\alpha x} I_1(\sqrt{x+1/4\alpha^2}) dx}{\sqrt{x+1/4\alpha^2}} &= -\frac{e^{\alpha x}}{2\alpha^2} \left[I_0\left(\sqrt{x+\frac{1}{4\alpha^2}}\right) - 2\alpha\sqrt{x+\frac{1}{4\alpha^2}} I_1\left(\sqrt{x+\frac{1}{4\alpha^2}}\right) \right]
\end{aligned}$$

$$\int \frac{x e^{\alpha x} K_1(\sqrt{x+1/4\alpha^2}) dx}{\sqrt{x+1/4\alpha^2}} = \frac{e^{\alpha x}}{2\alpha} \left[K_0 \left(\sqrt{x + \frac{1}{4\alpha^2}} \right) - 2\alpha \sqrt{x + \frac{1}{4\alpha^2}} K_1 \left(\sqrt{x + \frac{1}{4\alpha^2}} \right) \right]$$

$$(2 - \sqrt{2})/8 = 0.07322 33047, (2 + \sqrt{2})/8 = 0.42677 66953$$

$$\begin{aligned} & \int x^2 e^{(\sqrt{2}-2)x/8} J_0(\sqrt{x}) dx = \\ & = -4 e^{(\sqrt{2}-2)x/8} \left\{ [(2 + \sqrt{2})x - 8(4 + 3\sqrt{2})]x J_0(\sqrt{x}) - 4[(3 + 2\sqrt{2})x - 16 - 12\sqrt{2}] \sqrt{x} J_1(\sqrt{x}) \right\} \\ & \int x^2 e^{(2-\sqrt{2})x/8} I_0(\sqrt{x}) dx = \\ & = 4 e^{(2-\sqrt{2})x/8} \left\{ [(2 + \sqrt{2})x + 8(4 + 3\sqrt{2})]x I_0(\sqrt{x}) - 4[(3 + 2\sqrt{2})x + 16 + 12\sqrt{2}] \sqrt{x} I_1(\sqrt{x}) \right\} \\ & \int x^2 e^{(2-\sqrt{2})x/8} K_0(\sqrt{x}) dx = \\ & = 4 e^{(2-\sqrt{2})x/8} \left\{ [(2 + \sqrt{2})x + 8(4 + 3\sqrt{2})]x K_0(\sqrt{x}) + 4[(3 + 2\sqrt{2})x + 16 + 12\sqrt{2}] \sqrt{x} K_1(\sqrt{x}) \right\} \\ & \int x^2 e^{-(\sqrt{2}+2)x/8} J_0(\sqrt{x}) dx = \\ & = 4 e^{-(\sqrt{2}+2)x/8} \left\{ [(\sqrt{2} - 2)x + 8(4 - 3\sqrt{2})]x J_0(\sqrt{x}) + 4[(3 - 2\sqrt{2})x - 16 + 12\sqrt{2}] \sqrt{x} J_1(\sqrt{x}) \right\} \\ & \int x^2 e^{(\sqrt{2}+2)x/8} I_0(\sqrt{x}) dx = \\ & = 4 e^{(\sqrt{2}+2)x/8} \left\{ [(2 - \sqrt{2})x + 8(4 - 3\sqrt{2})]x I_0(\sqrt{x}) - 4[(3 - 2\sqrt{2})x + 16 - 12\sqrt{2}] \sqrt{x} I_1(\sqrt{x}) \right\} \\ & \int x^2 e^{(\sqrt{2}+2)x/8} K_0(\sqrt{x}) dx = \\ & = 4 e^{(\sqrt{2}+2)x/8} \left\{ [(2 - \sqrt{2})x + 8(4 - 3\sqrt{2})]x K_0(\sqrt{x}) + 4[(3 - 2\sqrt{2})x + 16 - 12\sqrt{2}] \sqrt{x} K_1(\sqrt{x}) \right\} \\ & \int \frac{x^2 e^{-x/4} J_0(\sqrt{x+2}) dx}{\sqrt{x+2}} = -4e^{-x/4} [x \sqrt{x+2} J_0(\sqrt{x+2}) - 2(x+2) J_1(\sqrt{x+2})] \\ & \int \frac{x^2 e^{x/4} I_0(\sqrt{x-2}) dx}{\sqrt{x-2}} = 4e^{x/4} [x \sqrt{x-2} I_0(\sqrt{x-2}) - 2(x-2) I_1(\sqrt{x-2})] \\ & \int \frac{x^2 e^{x/4} K_0(\sqrt{x-2}) dx}{\sqrt{x-2}} = 4e^{x/4} [x \sqrt{x-2} K_0(\sqrt{x-2}) + 2(x-2) K_1(\sqrt{x-2})] \\ & \int \frac{x^2 e^{-\alpha x^2} J_1 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} \right)}{\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}}} = -\frac{e^{-\alpha x^2}}{4\alpha^7} \left[(2\alpha^3 x + 4\alpha - \sqrt{2}) J_0 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} \right) + \right. \\ & \quad \left. + \alpha^2 (4\alpha^3 x + 4\alpha - 2\sqrt{2}) \sqrt{x + \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} J_1 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} \right) \right] \\ & \int \frac{x^2 e^{\alpha x^2} I_1 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right)}{\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}}} = -\frac{e^{\alpha x^2}}{4\alpha^7} \left[(2\alpha^3 x - 4\alpha - \sqrt{2}) I_0 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) - \right. \end{aligned}$$

$$\begin{aligned}
& -\alpha^2(4\alpha^3x - 4\alpha - 2\sqrt{2}) \sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} I_1 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) \Bigg] \\
& \int \frac{x^2 e^{\alpha x^2} K_1 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right)}{\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}}} = \frac{e^{\alpha x^2}}{4\alpha^7} \left[(2\alpha^3x - 4\alpha + \sqrt{2}) K_0 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) + \right. \\
& \left. + \alpha^2(4\alpha^3x - 4\alpha + 2\sqrt{2}) \sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} K_1 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) \right] \\
& \int \frac{x^2 e^{-\alpha x^2} J_1 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} \right)}{\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}}} = -\frac{e^{-\alpha x^2}}{4\alpha^7} \left[(2\alpha^3x + 4\alpha + \sqrt{2}) J_0 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} \right) + \right. \\
& \left. + \alpha^2(4\alpha^3x + 4\alpha + 2\sqrt{2}) \sqrt{x - \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} J_1 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} - \frac{1}{4\alpha^4}} \right) \right] \\
& \int \frac{x^2 e^{\alpha x^2} I_1 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right)}{\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}}} = -\frac{e^{\alpha x^2}}{4\alpha^7} \left[(2\alpha^3x - 4\alpha + \sqrt{2}) I_0 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) - \right. \\
& \left. - \alpha^2(4\alpha^3x - 4\alpha + 2\sqrt{2}) \sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} I_1 \left(\sqrt{x - \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) \right] \\
& \int \frac{x^2 e^{\alpha x^2} K_1 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right)}{\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}}} = \frac{e^{\alpha x^2}}{4\alpha^7} \left[(2\alpha^3x - 4\alpha - \sqrt{2}) K_0 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) + \right. \\
& \left. + \alpha^2(4\alpha^3x - 4\alpha - 2\sqrt{2}) \sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} K_1 \left(\sqrt{x + \frac{\sqrt{2}}{2\alpha^3} + \frac{1}{4\alpha^4}} \right) \right]
\end{aligned}$$

Special cases:

$$\begin{aligned}
\alpha = \frac{\sqrt{2}}{2} : \quad & \int \frac{x^2 e^{-x/2} J_1(\sqrt{x+1}) dx}{\sqrt{x+1}} = -2e^{-x/2} [(x+2)J_0(\sqrt{x+3}) + x\sqrt{x+1} J_1(\sqrt{x+1})] \\
\alpha = -\frac{\sqrt{2}}{2} : \quad & \int \frac{x^2 e^{-x/2} J_1(\sqrt{x-3}) dx}{\sqrt{x-3}} = -2e^{-x/2} [(x+6)J_0(\sqrt{x-3}) + (x+4)\sqrt{x-3} J_1(\sqrt{x-3})] \\
\alpha = \frac{\sqrt{2}}{4} : \quad & \int x^{3/2} e^{-x/8} J_1(\sqrt{x}) dx = -8e^{x/8} [4x J_0(\sqrt{x}) + (x-8)\sqrt{x} J_1(\sqrt{x})] \\
\alpha = -\frac{\sqrt{2}}{4} : \quad & \int x^2 e^{-x/8} J_1(\sqrt{x-32}) dx = -8e^{-x/8} [(4x+128) J_0(\sqrt{x-32}) + (x+24)\sqrt{x} J_1(\sqrt{x+32})] \\
\alpha = \frac{\sqrt{2}}{2} : \quad & \int \frac{x^2 e^{x/2} I_1(\sqrt{x-1}) dx}{\sqrt{x-1}} = 2e^{x/2} [(2-x)I_0(\sqrt{x-1}) + x\sqrt{x-1} I_1(\sqrt{x-1})] \\
\alpha = -\frac{\sqrt{2}}{2} : \quad & \int \frac{x^2 e^{x/2} I_1(\sqrt{x+3}) dx}{\sqrt{x+3}} = 2e^{x/2} [(6-x)I_0(\sqrt{x+3}) + (x-4)\sqrt{x+3} I_1(\sqrt{x+3})]
\end{aligned}$$

$$\alpha = \frac{\sqrt{2}}{4} : \int x^{3/2} e^{x/8} I_1(\sqrt{x}) dx = -8e^{x/8} [4x I_0(\sqrt{x}) - (x+8)\sqrt{x} I_1(\sqrt{x})]$$

$$\alpha = -\frac{\sqrt{2}}{4} : \int x^2 e^{x/8} I_1(\sqrt{x+32}) dx = -8e^{x/8} [(4x-128) I_0(\sqrt{x+32}) - (x-24)\sqrt{x} I_1(\sqrt{x+32})]$$

$$\alpha = \frac{\sqrt{2}}{2} : \int \frac{x^2 e^{x/2} K_1(\sqrt{x+3}) dx}{\sqrt{x+3}} = 2e^{x/2} [(x-6)K_0(\sqrt{x+3}) + (x-4)\sqrt{x+3} K_1(\sqrt{x+3})]$$

$$\alpha = \frac{\sqrt{2}}{2} : \int \frac{x^2 e^{x/2} K_1(\sqrt{x-1}) dx}{\sqrt{x-1}} = 2e^{x/2} [(x-2)K_0(\sqrt{x-1}) + x\sqrt{x-1} K_1(\sqrt{x-1})]$$

$$\alpha = \frac{\sqrt{2}}{4} : \int x^{3/2} e^{x/8} K_1(\sqrt{x}) dx = 8e^{x/8} [4x K_0(\sqrt{x}) + (x+8)\sqrt{x} K_1(\sqrt{x})]$$

$$\alpha = -\frac{\sqrt{2}}{4} : \int x^2 e^{x/8} K_1(\sqrt{x+32}) dx = 8e^{x/8} [(4x-128) K_0(\sqrt{x+32}) + (x-24)\sqrt{x} K_1(\sqrt{x+32})]$$


Generally, let $v_1, v_2 \in \{-1, 1\}$ and $r \in \{\pm 1, \pm 2, \pm 3, \dots\}$, then $\alpha = 1/\sqrt{2} r$ gives

$$\int \frac{x^2 e^{\pm 1/2 r^2} Z_1(\sqrt{x+m}) dx}{\sqrt{x+m}} \quad \text{with integer coefficients, } m = 2v_1 r^3 + v_2 r^4 = r^3(2v_1 + v_2 r).$$

In the case $v_1 = v_2 = 1$ one has $m \in \{-1, 0, 3, 27, 32, 128, 135, 375, 384, 864, 875, \dots\}$.

$$0 < \alpha \leq \frac{1}{2} : \beta_1 = \frac{1}{\alpha} - \frac{1}{4\alpha^2} + \frac{1}{2\alpha^2} \sqrt{2\alpha(1-2\alpha)}, \quad \beta_2 = \frac{1}{\alpha} - \frac{1}{4\alpha^2} - \frac{1}{2\alpha^2} \sqrt{2\alpha(1-2\alpha)},$$

$$\beta_3 = -\beta_2, \quad \beta_4 = -\beta_1$$



Special values: $\beta_1(0.073223) = 0$, $\beta_2(0.42678) = 0$

α	1/20	2/29	1/10	2/13	1/4	8/25	9/26	2/5	9/20	8/17	1/2
	0.05	0.0690	0.1	0.1538	0.25	0.32	0.3462	0.4	0.45	0.4708	0.5
$\beta_1(\alpha)$	-20	-29/16	5	91/16	4	775/256	221/81	35/16	140/81	391/256	1
		-1.8125		5.6875		3.0273	2.7284	2.1875	1.7284	1.5237	
$\beta_2(\alpha)$	-140	-1189/16	-35	-221/16	-4	-425/256	-91/81	-5/16	20/81	119/256	1
		-74.3125		-13.8125		-1.6602	-1.1235	-0.3125	0.2469	0.4649	

Formulas with rational coefficients may be found for $\alpha = \lambda/\mu$ with natural numbers p_s, q_s , $0 \leq p_s \leq q_s$, prime factors f_s and $\lambda = 2^{p_2} 3^{p_3} 5^{p_5} \dots f_m^{p_m}$, $\mu = [2^{q_2} 3^{q_3} 5^{q_5} \dots f_\mu^{q_\mu}]^2 / (2\lambda) + 2\lambda$.

$$\int x^2 e^{-\alpha x} J_0(\sqrt{x+\beta_1}) dx =$$

$$= -\frac{e^{-\alpha x}}{8\alpha^5} \left[(8\alpha^4 x^2 + 2\alpha^2(8\alpha-1)x + \sqrt{2\alpha(1-2\alpha)} + 16\alpha^2 - 6\alpha) J_0(\sqrt{x+\beta_1}) - \right.$$

$$\begin{aligned}
& - \left(4\alpha^3 x - 2\alpha\sqrt{2\alpha(1-2\alpha)} + 8\alpha^2 \right) \sqrt{x + \beta_1} J_1(\sqrt{x + \beta_1}) \Big] \\
& \int x^2 e^{-\alpha x} J_0(\sqrt{x + \beta_2}) = \\
= & - \frac{e^{-\alpha x}}{8\alpha^5} \left[\left(8\alpha^4 x^2 + 2\alpha^2(8\alpha - 1)x - \sqrt{2\alpha(1-2\alpha)} + 16\alpha^2 - 6\alpha \right) J_0(\sqrt{x + \beta_2}) - \right. \\
& \left. - \left(4\alpha^3 x + 2\alpha\sqrt{2\alpha(1-2\alpha)} + 8\alpha^2 \right) \sqrt{x + \beta_2} J_1(\sqrt{x + \beta_2}) \right] \\
& \int x^2 e^{\alpha x} I_0(\sqrt{x + \beta_3}) = \\
= & \frac{e^{\alpha x}}{8\alpha^5} \left[\left(8\alpha^4 x^2 + 2\alpha^2(1 - 8\alpha)x - \sqrt{2\alpha(1-2\alpha)} + 16\alpha^2 - 6\alpha \right) I_0(\sqrt{x + \beta_3}) - \right. \\
& \left. - \left(4\alpha^3 x - 2\alpha\sqrt{2\alpha(1-2\alpha)} - 8\alpha^2 \right) \sqrt{x + \beta_3} I_1(\sqrt{x + \beta_3}) \right] \\
& \int x^2 e^{\alpha x} I_0(\sqrt{x + \beta_4}) = \\
= & \frac{e^{\alpha x}}{8\alpha^5} \left[\left(8\alpha^4 x^2 + 2\alpha^2(1 - 8\alpha)x + \sqrt{2\alpha(1-2\alpha)} + 16\alpha^2 - 6\alpha \right) I_0(\sqrt{x + \beta_4}) - \right. \\
& \left. - \left(4\alpha^3 x + 2\alpha\sqrt{2\alpha(1-2\alpha)} - 8\alpha^2 \right) \sqrt{x + \beta_4} I_1(\sqrt{x + \beta_4}) \right] \\
& \int x^2 e^{\alpha x} K_0(\sqrt{x + \beta_3}) = \\
= & \frac{e^{\alpha x}}{8\alpha^5} \left[\left(8\alpha^4 x^2 + 2\alpha^2(1 - 8\alpha)x - \sqrt{2\alpha(1-2\alpha)} + 16\alpha^2 - 6\alpha \right) K_0(\sqrt{x + \beta_3}) + \right. \\
& \left. + \left(4\alpha^3 x - 2\alpha\sqrt{2\alpha(1-2\alpha)} - 8\alpha^2 \right) \sqrt{x + \beta_3} K_1(\sqrt{x + \beta_3}) \right] \\
& \int x^2 e^{\alpha x} K_0(\sqrt{x + \beta_4}) = \\
= & \frac{e^{\alpha x}}{8\alpha^5} \left[\left(8\alpha^4 x^2 + 2\alpha(1 - 8\alpha)x + \sqrt{2\alpha^2(1-2\alpha)} + 16\alpha^2 - 6\alpha \right) K_0(\sqrt{x + \beta_4}) + \right. \\
& \left. + \left(4\alpha^3 x + 2\alpha\sqrt{2\alpha(1-2\alpha)} - 8\alpha^2 \right) \sqrt{x + \beta_4} K_1(\sqrt{x + \beta_4}) \right]
\end{aligned}$$

Special parameters (for K_0 compare with the upper formulas):

$$\begin{aligned}
& \int x^2 e^{-x/20} J_0(\sqrt{x - 20}) = \\
= & -20 e^{-x/20} \left[(x^2 - 60x + 800) J_0(\sqrt{x - 20}) - 10(x - 20) \sqrt{x - 20} J_1(\sqrt{x - 20}) \right] \\
& \int x^2 e^{-x/20} J_0(\sqrt{x - 140}) = \\
= & -20 e^{-x/20} \left[(x^2 - 60x - 11200) J_0(\sqrt{x - 140}) - 10(x + 100) \sqrt{x - 140} J_1(\sqrt{x - 140}) \right] \\
& \int x^2 e^{x/20} I_0(\sqrt{x + 20}) = \\
= & 20 e^{x/20} \left[(x^2 + 60x + 800) I_0(\sqrt{x + 20}) - 10(x + 20) \sqrt{x + 20} I_1(\sqrt{x + 20}) \right] \\
& \int x^2 e^{x/20} I_0(\sqrt{x + 140}) = \\
= & 20 e^{x/20} \left[(x^2 + 60x - 11200) I_0(\sqrt{x + 140}) - 10(x - 10) \sqrt{x + 140} I_1(\sqrt{x + 140}) \right] \\
\int x^2 e^{-2x/29} J_0\left(\sqrt{x - \frac{29}{16}}\right) & = -\frac{29e^{-2x/29}}{128} \left[(1856x^2 - 43732x + 73167) J_0\left(\sqrt{x - \frac{29}{16}}\right) - \right.
\end{aligned}$$

$$\begin{aligned}
& -(13456x - 97556) \sqrt{x - \frac{29}{16}} J_1 \left(\sqrt{x - \frac{29}{16}} \right) \Big] \\
\int x^2 e^{-2x/29} J_0 \left(\sqrt{x - \frac{1189}{16}} \right) &= -\frac{29e^{-2x/29}}{128} \left[(64x^2 - 1508x - 241367) J_0 \left(\sqrt{x - \frac{1189}{16}} \right) - \right. \\
& \left. -116(4x + 261) \sqrt{x - \frac{1189}{16}} J_1 \left(\sqrt{x - \frac{1189}{16}} \right) \right] \\
\int x^2 e^{2x/29} I_0 \left(\sqrt{x + \frac{29}{16}} \right) &= \frac{29e^{2x/29}}{128} \left[(64x^2 + 1508x + 2523) I_0 \left(\sqrt{x + \frac{29}{16}} \right) - \right. \\
& \left. -116(4x + 29) \sqrt{x + \frac{29}{16}} I_1 \left(\sqrt{x + \frac{29}{16}} \right) \right] \\
\int x^2 e^{2x/29} I_0 \left(\sqrt{x + \frac{1189}{16}} \right) &= \frac{29e^{2x/29}}{128} \left[(64x^2 + 1508x - 241367) I_0 \left(\sqrt{x + \frac{1189}{16}} \right) - \right. \\
& \left. -116(4x - 261) \sqrt{x + \frac{1189}{16}} I_1 \left(\sqrt{x + \frac{1189}{16}} \right) \right] \\
\int x^2 e^{-x/10} J_0(\sqrt{x+5}) &= -10 e^{-x/10} [(x^2 - 5x - 50) J_0(\sqrt{x+5}) - 5x \sqrt{x+5} J_1(\sqrt{x+5})] \\
\int x^2 e^{-x/10} J_0(\sqrt{x-35}) &= -10 e^{-x/10} [(x^2 - 5x - 1050) J_0(\sqrt{x-35}) - 5(x+40) \sqrt{x-35} J_1(\sqrt{x-35})] \\
\int x^2 e^{x/10} I_0(\sqrt{x-5}) &= \\
&= 10 e^{x/10} [(x^2 + 5x - 50) I_0(\sqrt{x-5}) - 5x \sqrt{x-5} I_1(\sqrt{x-5})] \\
\int x^2 e^{x/10} I_0(\sqrt{x+35}) &= \\
&= 10 e^{x/10} [(x^2 + 5x - 1050) I_0(\sqrt{x+35}) - 5(x-40) \sqrt{x+35} I_1(\sqrt{x+35})] \\
\int x^2 e^{-2x/13} J_0 \left(\sqrt{x + \frac{91}{16}} \right) &= -\frac{13e^{-2x/13}}{128} \left[(64x^2 + 156x - 1183) J_0 \left(\sqrt{x + \frac{91}{16}} \right) - \right. \\
& \left. -52(4x + 13) \sqrt{x + \frac{91}{16}} J_1 \left(\sqrt{x + \frac{91}{16}} \right) \right] \\
\int x^2 e^{-2x/13} J_0 \left(\sqrt{x - \frac{221}{16}} \right) &= -\frac{13e^{-2x/13}}{128} \left[(64x^2 + 156x - 14365) J_0 \left(\sqrt{x - \frac{221}{16}} \right) - \right. \\
& \left. -52(4x + 91) \sqrt{x - \frac{221}{16}} J_1 \left(\sqrt{x - \frac{221}{16}} \right) \right] \\
\int x^2 e^{2x/13} I_0 \left(\sqrt{x - \frac{91}{16}} \right) &= \frac{13e^{2x/13}}{128} \left[(64x^2 - 156x - 1183) I_0 \left(\sqrt{x - \frac{91}{16}} \right) - \right. \\
& \left. -52(4x - 13) \sqrt{x - \frac{91}{16}} I_1 \left(\sqrt{x - \frac{91}{16}} \right) \right] \\
\int x^2 e^{2x/13} I_0 \left(\sqrt{x + \frac{221}{16}} \right) &= \frac{13e^{2x/13}}{128} \left[(64x^2 - 156x - 14365) I_0 \left(\sqrt{x + \frac{221}{16}} \right) - \right.
\end{aligned}$$

$$-52(4x - 91) \sqrt{x + \frac{221}{16}} I_1 \left(\sqrt{x + \frac{211}{16}} \right) \Bigg]$$

$$\int x^2 e^{-x/4} J_0(\sqrt{x+4}) = -4e^{-x/4} [(x^2 + 4x)J_0(\sqrt{x+4}) + 2(x+4)\sqrt{x+4}J_1(\sqrt{x+4})]$$

$$\int x^2 e^{-x/4} J_0(\sqrt{x-4}) = -\frac{e^{-x/4}}{4} [(x^2 + 4x - 32)J_0(\sqrt{x-4}) + 2(x+12)\sqrt{x-4}J_1(\sqrt{x-4})]$$

$$\int x^2 e^{x/4} I_0(\sqrt{x+4}) = 4e^{x/4} [(x^2 - 4x - 32)I_0(\sqrt{x+4}) - 2(x-12)\sqrt{x+4}I_1(\sqrt{x+4})]$$

$$\int x^2 e^{x/4} I_0(\sqrt{x-4}) = \frac{e^{x/4}}{4} [(x^2 - 4x)I_0(\sqrt{x-4}) - 2(x-4)\sqrt{x-4}I_1(\sqrt{x-4})]$$

$$\int x^2 e^{-8x/25} J_0 \left(\sqrt{x + \frac{775}{256}} \right) = -\frac{25e^{-8x/25}}{65536} \left[(8192x^2 + 31200x + 19375)J_0 \left(\sqrt{x + \frac{775}{256}} \right) - 400(32x + 125) \sqrt{x + \frac{775}{256}} J_1 \left(\sqrt{x + \frac{775}{256}} \right) \right]$$

$$\int x^2 e^{-8x/25} J_0 \left(\sqrt{x - \frac{425}{256}} \right) = -\frac{25e^{-8x/25}}{65536} \left[(8192x^2 + 31200x - 74375)J_0 \left(\sqrt{x - \frac{425}{256}} \right) - 400(32x + 275) \sqrt{x - \frac{425}{256}} J_1 \left(\sqrt{x - \frac{425}{256}} \right) \right]$$

$$\int x^2 e^{8x/25} I_0 \left(\sqrt{x - \frac{775}{256}} \right) = \frac{25e^{8x/25}}{65536} \left[(8192x^2 - 31200x + 19375)I_0 \left(\sqrt{x - \frac{775}{256}} \right) - 400(32x - 125) \sqrt{x - \frac{775}{256}} I_1 \left(\sqrt{x - \frac{775}{256}} \right) \right]$$

$$\int x^2 e^{8x/25} I_0 \left(\sqrt{x + \frac{425}{256}} \right) = -\frac{25e^{8x/25}}{65536} \left[(8192x^2 - 31200x - 74375)I_0 \left(\sqrt{x + \frac{425}{256}} \right) - 400(32x - 275) \sqrt{x + \frac{425}{256}} I_1 \left(\sqrt{x + \frac{425}{256}} \right) \right]$$

$$\int x^2 e^{-9x/26} J_0 \left(\sqrt{x - \frac{91}{81}} \right) = -\frac{26e^{-9x/26}}{19683} \left[(2187x^2 + 8073x - 11830)J_0 \left(\sqrt{x - \frac{91}{81}} \right) - 117(27x + 208) \sqrt{x - \frac{91}{81}} J_1 \left(\sqrt{x - \frac{91}{81}} \right) \right]$$

$$\int x^2 e^{-9x/26} J_0 \left(\sqrt{x + \frac{221}{81}} \right) = -\frac{26e^{-9x/26}}{19683} \left[(2187x^2 + 8073x + 5764)J_0 \left(\sqrt{x + \frac{221}{81}} \right) - 117(27x + 104) \sqrt{x + \frac{221}{81}} J_1 \left(\sqrt{x + \frac{221}{81}} \right) \right]$$

$$\int x^2 e^{9x/26} I_0 \left(\sqrt{x + \frac{91}{81}} \right) = \frac{26e^{9x/26}}{19683} \left[(2187x^2 - 8073x - 11830)I_0 \left(\sqrt{x + \frac{91}{81}} \right) - \right]$$

$$\begin{aligned}
& -117(27x - 208) \sqrt{x + \frac{91}{81}} I_1 \left(\sqrt{x + \frac{91}{81}} \right) \Big] \\
\int x^2 e^{9x/26} I_0 \left(\sqrt{x - \frac{221}{81}} \right) &= \frac{26e^{9x/26}}{19683} \left[(2187x^2 - 8073x + 5764) I_0 \left(\sqrt{x - \frac{221}{81}} \right) - \right. \\
& \left. -117(27x - 208) \sqrt{x - \frac{221}{81}} I_1 \left(\sqrt{x - \frac{221}{81}} \right) \right] \\
\int x^2 e^{-2x/5} J_0 \left(\sqrt{x - \frac{5}{16}} \right) &= -\frac{5e^{-2x/5}}{128} \left[(64x^2 + 220x - 75) J_0 \left(\sqrt{x - \frac{5}{16}} \right) - \right. \\
& \left. -20(4x + 25) \sqrt{x - \frac{5}{16}} J_1 \left(\sqrt{x - \frac{5}{16}} \right) \right] \\
\int x^2 e^{-2x/5} J_0 \left(\sqrt{x + \frac{35}{16}} \right) &= -\frac{5e^{-2x/5}}{128} \left[(64x^2 + 220x + 175) J_0 \left(\sqrt{x + \frac{35}{16}} \right) - \right. \\
& \left. -20(4x + 15) \sqrt{x + \frac{35}{16}} J_1 \left(\sqrt{x + \frac{35}{16}} \right) \right] \\
\int x^2 e^{2x/5} I_0 \left(\sqrt{x + \frac{5}{16}} \right) &= \frac{5e^{2x/5}}{128} \left[(64x^2 - 220x - 75) I_0 \left(\sqrt{x + \frac{5}{16}} \right) - \right. \\
& \left. -20(4x - 25) \sqrt{x + \frac{5}{16}} I_1 \left(\sqrt{x + \frac{5}{16}} \right) \right] \\
\int x^2 e^{2x/5} I_0 \left(\sqrt{x - \frac{35}{16}} \right) &= \frac{5e^{-2x/5}}{128} \left[(64x^2 - 220x + 175) I_0 \left(\sqrt{x - \frac{35}{16}} \right) - \right. \\
& \left. -20(4x - 15) \sqrt{x - \frac{35}{16}} I_1 \left(\sqrt{x - \frac{35}{16}} \right) \right] \\
\int x^2 e^{-9x/20} J_0 \left(\sqrt{x + \frac{20}{81}} \right) &= -\frac{20e^{-9x/20}}{19683} \left[(2187x^2 + 7020x + 1600) J_0 \left(\sqrt{x + \frac{20}{81}} \right) - \right. \\
& \left. -90(27x + 140) \sqrt{x + \frac{20}{81}} J_1 \left(\sqrt{x + \frac{20}{81}} \right) \right] \\
\int x^2 e^{-9x/20} J_0 \left(\sqrt{x + \frac{140}{81}} \right) &= -\frac{20e^{-9x/20}}{19683} \left[(2187x^2 + 7020x + 5600) J_0 \left(\sqrt{x + \frac{140}{81}} \right) - \right. \\
& \left. -90(27x + 100) \sqrt{x + \frac{140}{81}} J_1 \left(\sqrt{x + \frac{140}{81}} \right) \right] \\
\int x^2 e^{9x/20} I_0 \left(\sqrt{x - \frac{20}{81}} \right) &= \frac{20e^{9x/20}}{19683} \left[(2187x^2 - 7020x + 1600) I_0 \left(\sqrt{x - \frac{20}{81}} \right) - \right. \\
& \left. -90(27x - 140) \sqrt{x - \frac{20}{81}} I_1 \left(\sqrt{x - \frac{20}{81}} \right) \right] \\
\int x^2 e^{9x/20} I_0 \left(\sqrt{x - \frac{140}{81}} \right) &= \frac{20e^{9x/20}}{19683} \left[(2187x^2 - 7020x + 5600) I_0 \left(\sqrt{x - \frac{140}{81}} \right) - \right.
\end{aligned}$$

$$\begin{aligned}
& -90(27x - 100) \sqrt{x - \frac{140}{81}} I_1 \left(\sqrt{x - \frac{140}{81}} \right) \Big] \\
\int x^2 e^{-8x/17} J_0 \left(\sqrt{x + \frac{391}{256}} \right) &= -\frac{17e^{-8x/17}}{65536} \left[(8192x^2 + 25568x + 19941) J_0 \left(\sqrt{x + \frac{391}{256}} \right) - \right. \\
& \left. -272(32x + 119) \sqrt{x + \frac{391}{256}} J_1 \left(\sqrt{x + \frac{391}{256}} \right) \right] \\
\int x^2 e^{-8x/17} J_0 \left(\sqrt{x + \frac{119}{256}} \right) &= -\frac{17e^{-8x/17}}{65536} \left[(8192x^2 + 25568x + 10115) J_0 \left(\sqrt{x + \frac{119}{256}} \right) - \right. \\
& \left. -272(32x + 153) \sqrt{x + \frac{119}{256}} J_1 \left(\sqrt{x + \frac{119}{256}} \right) \right] \\
\int x^2 e^{8x/17} I_0 \left(\sqrt{x - \frac{391}{256}} \right) &= \frac{17e^{8x/17}}{65536} \left[(8192x^2 - 25568x + 19941) I_0 \left(\sqrt{x - \frac{391}{256}} \right) - \right. \\
& \left. -272(32x - 119) \sqrt{x - \frac{391}{256}} J_1 \left(\sqrt{x - \frac{391}{256}} \right) \right] \\
\int x^2 e^{8x/17} I_0 \left(\sqrt{x - \frac{119}{256}} \right) &= \frac{17e^{8x/17}}{65536} \left[(8192x^2 - 25568x + 10115) I_0 \left(\sqrt{x - \frac{119}{256}} \right) - \right. \\
& \left. -272(32x - 153) \sqrt{x - \frac{119}{256}} J_1 \left(\sqrt{x - \frac{119}{256}} \right) \right] \\
\int x^2 e^{-x/2} J_0(\sqrt{x+1}) &= -2e^{-x/2} [(x^2 + 3x + 2) J_0(\sqrt{x+1}) - (x+4) \sqrt{x+1} J_1(\sqrt{x+1})] \\
\int x^2 e^{x/2} I_0(\sqrt{x-1}) &= 2e^{x/2} [(x^2 - 3x + 2) I_0(\sqrt{x-1}) - (x-4) \sqrt{x-1} I_1(\sqrt{x-1})] \\
\int x^2 e^{-x/4} \sqrt{x+6} J_0(\sqrt{x+6}) dx &= -4(x+6) e^{-x/4} [x \sqrt{x+6} J_0(\sqrt{x+6})] - 2(x+6) J_1(\sqrt{x+6}) \\
\int x^2 e^{x/4} \sqrt{x-6} I_0(\sqrt{x-6}) dx &= 4(x-6) e^{x/4} [x \sqrt{x-6} I_0(\sqrt{x-6})] - 2(x-6) I_1(\sqrt{x-6}) \\
\int x^2 e^{x/4} \sqrt{x-6} K_0(\sqrt{x-6}) dx &= 4(x-6) e^{x/4} [x \sqrt{x-6} K_0(\sqrt{x-6})] + 2(x-6) K_1(\sqrt{x-6}) \\
& \int x^2 e^{-x/28} \sqrt{x-42} J_0(\sqrt{x-42}) dx = \\
&= -28(x-42) e^{-x/28} [14(x-42) \sqrt{x-42} J_0(\sqrt{x-42})] - (x-84) J_1(\sqrt{x-42}) \\
& \int x^2 e^{x/28} \sqrt{x+42} I_0(\sqrt{x+42}) dx = \\
&= -28(x+42) e^{x/28} [14(x+42) \sqrt{x+42} I_0(\sqrt{x+42})] - (x+84) I_1(\sqrt{x+42}) \\
& \int x^2 e^{x/28} \sqrt{x+42} K_0(\sqrt{x+42}) dx = \\
&= 28(x+42) e^{x/28} [14(x+42) \sqrt{x+42} K_0(\sqrt{x+42})] + (x+84) K_1(\sqrt{x+42})
\end{aligned}$$

$$\int \frac{x^2 e^{-x/12} J_0(\sqrt{x-6}) dx}{\sqrt{x-6}} = e^{-x/12} [12(12-x)\sqrt{x-6} J_0(\sqrt{x-6}) + 72(x-6) J_1(\sqrt{x-6})]$$

$$\int \frac{x^2 e^{x/12} I_0(\sqrt{x+6}) dx}{\sqrt{x+6}} = e^{x/12} [12(12+x)\sqrt{x+6} I_0(\sqrt{x+6}) - 72(x+6) I_1(\sqrt{x+6})]$$

$$\int \frac{x^2 e^{x/12} K_0(\sqrt{x+6}) dx}{\sqrt{x+6}} = e^{x/12} [12(12+x)\sqrt{x+6} K_0(\sqrt{x+6}) + 72(x+6) K_1(\sqrt{x+6})]$$

$$\alpha = \frac{3-\sqrt{3}}{24} = 0.05283\ 12164, \quad \beta = 6(\sqrt{3}+1) = 16.39230\ 48454$$

$$\int x^2 e^{-\alpha x} J_1(\sqrt{x-\beta}) dx = -4e^{-\alpha x} \left\{ 12[(2+\sqrt{3})x-30-18\sqrt{3}]\sqrt{x-\beta} J_0(\sqrt{x-\beta}) - \right.$$

$$\left. -[(3+\sqrt{3})x^2-12(12+7\sqrt{3})(x-12)] J_1(\sqrt{x-\beta}) \right\}$$

$$\int x^2 e^{\alpha x} I_1(\sqrt{x+\beta}) dx = -4e^{\alpha x} \left\{ 12[(2+\sqrt{3})x+30+18\sqrt{3}]\sqrt{x+\beta} I_0(\sqrt{x+\beta}) - \right.$$

$$\left. -[(3+\sqrt{3})x^2+12(12+7\sqrt{3})(x+12)] I_1(\sqrt{x+\beta}) \right\}$$

$$\int x^2 e^{\alpha x} K_1(\sqrt{x+\beta}) dx = 4e^{\alpha x} \left\{ 12[(2+\sqrt{3})x+30+18\sqrt{3}]\sqrt{x+\beta} K_0(\sqrt{x+\beta}) + \right.$$

$$\left. +[(3+\sqrt{3})x^2+12(12+7\sqrt{3})(x+12)] K_1(\sqrt{x+\beta}) \right\}$$

$$\gamma = \frac{3+\sqrt{3}}{24} = 0.19716\ 87836, \quad \eta = 6(\sqrt{3}-1) = 4.39230\ 48454$$

$$\int x^2 e^{-\gamma x} J_1(\sqrt{x+\eta}) dx = -4e^{-\gamma x} \left\{ 12[(2-\sqrt{3})x-30+18\sqrt{3}]\sqrt{x+\eta} J_0(\sqrt{x+\eta}) + \right.$$

$$\left. +[(3-\sqrt{3})x^2-12(12-7\sqrt{3})(x-12)] J_1(\sqrt{x+\eta}) \right\}$$

$$\int x^2 e^{\gamma x} I_1(\sqrt{x-\eta}) dx = -4e^{\gamma x} \left\{ 12[(2-\sqrt{3})x+30-18\sqrt{3}]\sqrt{x-\eta} I_0(\sqrt{x-\eta}) - \right.$$

$$\left. -[(3-\sqrt{3})x^2+12(12-7\sqrt{3})(x+12)] I_1(\sqrt{x-\eta}) \right\}$$

$$\int x^2 e^{\gamma x} K_1(\sqrt{x-\eta}) dx = 4e^{\gamma x} \left\{ 12[(2-\sqrt{3})x+30-18\sqrt{3}]\sqrt{x-\eta} K_0(\sqrt{x-\eta}) + \right.$$

$$\left. +[(3-\sqrt{3})x^2+12(12-7\sqrt{3})(x+12)] K_1(\sqrt{x-\eta}) \right\}$$

1.4.10. Integrals with $\sin \alpha x Z_\nu(\sqrt{x+\beta})$ or $\sin \alpha x Z_\nu(\sqrt{x-\beta})$

Only special cases were found.

$$\int x \sin \alpha x \cdot \left(x + \frac{1}{4\alpha^2}\right)^{-1/2} \cdot J_0\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) dx =$$

$$= \frac{1}{2\alpha^2} \left[\sin \alpha x \cdot J_0\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) - 2\alpha \cos \alpha x \sqrt{x + \frac{1}{4\alpha^2}} \cdot J_1\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) \right]$$

$$\begin{aligned}
& \int x \sin \alpha x \cdot \left(x - \frac{1}{4\alpha^2}\right)^{-1/2} \cdot I_0\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) dx = \\
&= \frac{1}{2\alpha^2} \left[\sin \alpha x \cdot I_0\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) - 2\alpha \cos \alpha x \cdot \sqrt{x - \frac{1}{4\alpha^2}} \cdot I_1\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) \right] \\
& \int x \sin \alpha x \cdot \left(x - \frac{1}{4\alpha^2}\right)^{-1/2} \cdot K_0\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) dx = \\
&= -\frac{1}{2\alpha^2} \left[\sin \alpha x \cdot K_0\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) + 2\alpha \cos \alpha x \cdot \sqrt{x - \frac{1}{4\alpha^2}} \cdot K_1\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) \right] \\
& \int x \cos \alpha x \cdot \left(x + \frac{1}{4\alpha^2}\right)^{-1/2} \cdot J_0\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) dx = \quad (16) \\
&= \frac{1}{2\alpha^2} \left[\cos \alpha x \cdot J_0\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) + 2\alpha \sin \alpha x \cdot \sqrt{x + \frac{1}{4\alpha^2}} \cdot J_1\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) \right] \quad (17)
\end{aligned}$$

$$\begin{aligned}
& \int x \cos \alpha x \cdot \left(x - \frac{1}{4\alpha^2}\right)^{-1/2} \cdot I_0\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) dx = \\
&= \frac{1}{2\alpha^2} \left[\cos \alpha x \cdot I_0\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) + 2\alpha \sin \alpha x \cdot \sqrt{x - \frac{1}{4\alpha^2}} \cdot I_1\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) \right] \\
& \int x \cos \alpha x \cdot \left(x - \frac{1}{4\alpha^2}\right)^{-1/2} \cdot K_0\left(\sqrt{x + \frac{1}{4\alpha^2}}\right) dx = \\
&= \frac{1}{2\alpha^2} \left[-\cos \alpha x \cdot K_0\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) + 2\alpha \sin \alpha x \cdot \sqrt{x - \frac{1}{4\alpha^2}} \cdot K_1\left(\sqrt{x - \frac{1}{4\alpha^2}}\right) \right]
\end{aligned}$$

$$\begin{aligned}
\int x^2 \sin \frac{\sqrt{2}x}{8} \cdot J_0(\sqrt{x+16}) dx &= 16 \left\{ [16(x+16) J_0(\sqrt{x+16}) - 4(x-8) J_1(\sqrt{x+16})] \sin \frac{\sqrt{2}x}{8} - \right. \\
&\quad \left. - [\sqrt{2}(x^2+8x-128) J_0(\sqrt{x+16}) + 48\sqrt{2(x+16)} J_1(\sqrt{x+16})] \cos \frac{\sqrt{2}x}{8} \right\}
\end{aligned}$$

$$\begin{aligned}
\int x^2 \sin \frac{\sqrt{2}x}{8} \cdot I_0(\sqrt{x-16}) dx &= 16 \left\{ [16(x-16) I_0(\sqrt{x-16}) + 4(x+8) I_1(\sqrt{x-16})] \sin \frac{\sqrt{2}x}{8} - \right. \\
&\quad \left. - [\sqrt{2}(x^2-8x-128) I_0(\sqrt{x-16}) - 48\sqrt{2(x+16)} I_1(\sqrt{x-16})] \cos \frac{\sqrt{2}x}{8} \right\}
\end{aligned}$$

$$\begin{aligned}
\int x^2 \sin \frac{\sqrt{2}x}{8} \cdot K_0(\sqrt{x-16}) dx &= 16 \left\{ [16(x-16) K_0(\sqrt{x-16}) - 4(x+8) K_1(\sqrt{x-16})] \sin \frac{\sqrt{2}x}{8} - \right. \\
&\quad \left. - [\sqrt{2}(x^2-8x-128) K_0(\sqrt{x-16}) + 48\sqrt{2(x+16)} K_1(\sqrt{x-16})] \cos \frac{\sqrt{2}x}{8} \right\}
\end{aligned}$$

$$\int x^2 \cos \frac{\sqrt{2}x}{8} \cdot J_0(\sqrt{x+16}) dx = 16 \left\{ [\sqrt{2}(x^2+8x-128) J_0(\sqrt{x+16}) + 48\sqrt{2} J_1(\sqrt{x+16})] \sin \frac{\sqrt{2}x}{8} + \right.$$

$$\begin{aligned}
& + \left[16(x+16) J_0(\sqrt{x+16}) - 4(x-8)\sqrt{x+16} J_1(\sqrt{x+16}) \right] \cos \frac{\sqrt{2}x}{8} \Big\} \\
\int x^2 \cos \frac{\sqrt{2}x}{8} \cdot I_0(\sqrt{x-16}) dx &= 16 \left\{ \left[\sqrt{2}(x^2 - 8x - 128) I_0(\sqrt{x-16}) - 48\sqrt{2} I_1(\sqrt{x-16}) \right] \sin \frac{\sqrt{2}x}{8} + \right. \\
& \left. + \left[16(x-16) I_0(\sqrt{x-16}) + 4(x+8)\sqrt{x-16} I_1(\sqrt{x+16}) \right] \cos \frac{\sqrt{2}x}{8} \right\} \\
\int x^2 \cos \frac{\sqrt{2}x}{8} \cdot K_0(\sqrt{x-16}) dx &= 16 \left\{ \left[\sqrt{2}(x^2 - 8x - 128) K_0(\sqrt{x-16}) + 48\sqrt{2} K_1(\sqrt{x-16}) \right] \sin \frac{\sqrt{2}x}{8} + \right. \\
& \left. + \left[16(x-16) K_0(\sqrt{x-16}) - 4(x+8)\sqrt{x-16} K_1(\sqrt{x+16}) \right] \cos \frac{\sqrt{2}x}{8} \right\}
\end{aligned}$$

$$\begin{aligned}
& \frac{2\sqrt{6} + \sqrt{23}}{4} = 2.423\ 703, \quad 236 - 20\sqrt{138} = 1.053\ 198 \\
& \int x^4 \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) = \\
& = 64 \left[(47 - 4\sqrt{138})x^3 + (44170 - 3760\sqrt{138})x^2 + (6183048 - 526336\sqrt{138})x - 1975942080 + \right. \\
& \quad \left. + 168203360\sqrt{138} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) + \\
& + 8\sqrt{x + 236 - 20\sqrt{138}} \left[(4\sqrt{138} - 47)x^3 + (4464 - 380\sqrt{138})x^2 + (1413440 - 120320\sqrt{138})x + 982229504 - \right. \\
& \quad \left. - 83612928\sqrt{138} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) + 4 \left[(\sqrt{23} - 2\sqrt{6})x^4 + \right. \\
& \quad \left. + (380\sqrt{23} - 744\sqrt{6})x^3 - (54336\sqrt{23} - 106384\sqrt{6})x^2 - (22858240\sqrt{23} - 44753920\sqrt{6})x - \right. \\
& \quad \left. - 8742279680\sqrt{23} + 17116422144\sqrt{6} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) + \\
& + 32\sqrt{x + 236 - 20\sqrt{138}} \left[(665\sqrt{23} - 1302\sqrt{6})x^2 + (160152\sqrt{23} - 313560\sqrt{6})x - 36783680\sqrt{23} + \right. \\
& \quad \left. + 72018400\sqrt{6} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) \\
& \int x^4 \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) = \\
& = 4 \left[(2\sqrt{6} - \sqrt{23})x^4 + 4(186\sqrt{6} - 95\sqrt{23})x^3 - 16(6649\sqrt{6} - 3396\sqrt{23})x^2 - 2560(17482\sqrt{6} - 8929\sqrt{23})x + \right. \\
& \quad \left. + 8742279680\sqrt{6} - 17116422144\sqrt{23} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) + \\
& + 32\sqrt{x + 236 - 20\sqrt{138}} \left[7(186\sqrt{6} - 95\sqrt{23})x^2 + 24(13065\sqrt{6} - 6673\sqrt{23})x - 72018400\sqrt{6} + \right. \\
& \quad \left. + 36783680\sqrt{23} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) + 64 \left[(47 - 4\sqrt{138})x^3 + \right. \\
& \quad \left. + 10(4417 - 376\sqrt{138})x^2 + 8(772881 - 65792\sqrt{138})x - \right.
\end{aligned}$$

$$\begin{aligned}
& -1975942080 + 168203360\sqrt{138} \left] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) - \right. \\
& -8\sqrt{x + 236 - 20\sqrt{138}} \left[(47 - 4\sqrt{138})x^3 - 4(1116 - 95\sqrt{138})x^2 - 320(4417 - 376\sqrt{138})x - 982229504 + \right. \\
& \quad \left. + 83612928\sqrt{138} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x + 236 - 20\sqrt{138}} \right) \\
& \quad \int x^4 \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) = \\
& = 64 \left[(47 - 4\sqrt{138})x^3 + (44170 - 3760\sqrt{138})x^2 + (6183048 - 526336\sqrt{138})x - 1975942080 + \right. \\
& \quad \left. + 168203360\sqrt{138} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) + \\
& + 8\sqrt{x + 236 - 20\sqrt{138}} \left[(47 - 4\sqrt{138})x^3 + (4464 - 380\sqrt{138})x^2 - (1413440 - 120320\sqrt{138})x + 982229504 - \right. \\
& \quad \left. - 83612928\sqrt{138} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) + 4 \left[(\sqrt{23} - 2\sqrt{6})x^4 - \right. \\
& \quad \left. - (380\sqrt{23} - 744\sqrt{6})x^3 - (54336\sqrt{23} - 106384\sqrt{6})x^2 + (22858240\sqrt{23} - 44753920\sqrt{6})x - \right. \\
& \quad \left. - 8742279680\sqrt{23} + 17116422144\sqrt{6} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) + \\
& + 32\sqrt{x + 236 - 20\sqrt{138}} \left[(1302\sqrt{6} - 665\sqrt{23})x^2 + (160152\sqrt{23} - 313560\sqrt{6})x + 36783680\sqrt{23} - \right. \\
& \quad \left. - 72018400\sqrt{6} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) \\
& \quad \int x^4 \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) = \\
& = 4 \left[(2\sqrt{6} - \sqrt{23})x^4 - 4(186\sqrt{6} - 95\sqrt{23})x^3 + 16(6649\sqrt{6} - 3396\sqrt{23})x^2 + 2560(17482\sqrt{6} - 8929\sqrt{23})x + \right. \\
& \quad \left. + 8742279680\sqrt{6} - 17116422144\sqrt{23} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) - \\
& - 32\sqrt{x - 236 + 20\sqrt{138}} \left[7(186\sqrt{6} - 95\sqrt{23})x^2 - 24(13065\sqrt{6} - 6673\sqrt{23})x - 72018400\sqrt{6} + \right. \\
& \quad \left. + 36783680\sqrt{23} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) + 64 \left[(47 - 4\sqrt{138})x^3 - \right. \\
& \quad \left. - 10(4417 - 376\sqrt{138})x^2 + 8(772881 - 65792\sqrt{138})x + \right. \\
& \quad \left. + 1975942080 - 168203360\sqrt{138} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) + \\
& + 8\sqrt{x - 236 + 20\sqrt{138}} \left[(47 - 4\sqrt{138})x^3 + 4(1116 - 95\sqrt{138})x^2 - 320(4417 - 376\sqrt{138})x + 982229504 + \right. \\
& \quad \left. - 83612928\sqrt{138} \right] \cos \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) \\
& \quad \int x^4 \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) = \\
& = 64 \left[(47 - 4\sqrt{138})x^3 - (44170 - 3760\sqrt{138})x^2 + (6183048 - 526336\sqrt{138})x + 1975942080 - \right. \\
& \quad \left. - 168203360\sqrt{138} \right] \sin \frac{(2\sqrt{6} + \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 + 20\sqrt{138}} \right) +
\end{aligned}$$

$$\begin{aligned}
& +8\sqrt{x+236-20\sqrt{138}} \left[(4\sqrt{138}-47)x^3 - (4464-380\sqrt{138})x^2 + (1413440-120320\sqrt{138})x - 982229504 + \right. \\
& \quad \left. +83612928\sqrt{138} \right] \sin \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x-236+20\sqrt{138}} \right) + 4 \left[(\sqrt{23}-2\sqrt{6})x^4 - \right. \\
& \quad \left. - (380\sqrt{23}-744\sqrt{6})x^3 - (54336\sqrt{23}-106384\sqrt{6})x^2 + (22858240\sqrt{23}-44753920\sqrt{6})x - \right. \\
& \quad \left. -8742279680\sqrt{23} + 17116422144\sqrt{6} \right] \cos \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x-236+20\sqrt{138}} \right) + \\
& \quad +32\sqrt{x+236-20\sqrt{138}} \left[(665\sqrt{23}-1302\sqrt{6})x^2 - (160152\sqrt{23}-313560\sqrt{6})x - 36783680\sqrt{23} + \right. \\
& \quad \left. +72018400\sqrt{6} \right] \cos \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x-236+20\sqrt{138}} \right) \\
& \quad \int x^4 \cos \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x-236+20\sqrt{138}} \right) = \\
& = 4 \left[(2\sqrt{6}-\sqrt{23})x^4 - 4(186\sqrt{6}-95\sqrt{23})x^3 - 16(6649\sqrt{6}-3396\sqrt{23})x^2 + 2560(17482\sqrt{6}-8929\sqrt{23})x - \right. \\
& \quad \left. -8742279680\sqrt{6} + 17116422144\sqrt{23} \right] \sin \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x-236+20\sqrt{138}} \right) + \\
& \quad +32\sqrt{x-236+20\sqrt{138}} \left[7(186\sqrt{6}-95\sqrt{23})x^2 - 24(13065\sqrt{6}-6673\sqrt{23})x - 72018400\sqrt{6} + \right. \\
& \quad \left. +36783680\sqrt{23} \right] \sin \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x-236+20\sqrt{138}} \right) + 64 \left[(47-4\sqrt{138})x^3 - \right. \\
& \quad \left. -10(4417-376\sqrt{138})x^2 + 8(772881-65792\sqrt{138})x + \right. \\
& \quad \left. +1975942080 - 168203360\sqrt{138} \right] \cos \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x-236+20\sqrt{138}} \right) - \\
& -8\sqrt{x-236+20\sqrt{138}} \left[(47-4\sqrt{138})x^3 - 4(1116-95\sqrt{138})x^2 + 320(4417-376\sqrt{138})x + 982229504 - \right. \\
& \quad \left. -83612928\sqrt{138} \right] \cos \frac{(2\sqrt{6}+\sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x-236+20\sqrt{138}} \right)
\end{aligned}$$

$$\begin{aligned}
& \frac{2\sqrt{6}-\sqrt{23}}{4} = 0.103\ 148 \quad 236+20\sqrt{138} = 470.946\ 802 \\
& \int x^4 \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x+236+20\sqrt{138}} \right) = \\
& = -64 \left[(47+4\sqrt{138})x^3 + (44170+3760\sqrt{138})x^2 + (6183048+526336\sqrt{138})x - 1975942080 - \right. \\
& \quad \left. -168203360\sqrt{138} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x+236+20\sqrt{138}} \right) + \\
& +8\sqrt{x+236+20\sqrt{138}} \left[(4\sqrt{138}+47)x^3 - (4464+380\sqrt{138})x^2 - (1413440+120320\sqrt{138})x - 982229504 - \right. \\
& \quad \left. -83612928\sqrt{138} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x+236+20\sqrt{138}} \right) - 4 \left[(\sqrt{23}+2\sqrt{6})x^4 + \right. \\
& \quad \left. + (380\sqrt{23}+744\sqrt{6})x^3 - (54336\sqrt{23}+106384\sqrt{6})x^2 - (22858240\sqrt{23}+44753920\sqrt{6})x - \right. \\
& \quad \left. -8742279680\sqrt{23} - 17116422144\sqrt{6} \right] \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x+236+20\sqrt{138}} \right) -
\end{aligned}$$

$$\begin{aligned}
& -32\sqrt{x+236+20\sqrt{138}} \left[(665\sqrt{23}+1302\sqrt{6})x^2 + (160152\sqrt{23}+313560\sqrt{6})x - 36783680\sqrt{23} - \right. \\
& \quad \left. -72018400\sqrt{6} \right] \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x+236+20\sqrt{138}} \right) \\
& \quad \int x^4 \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x+236+20\sqrt{138}} \right) = \\
= & 4 \left[(2\sqrt{6}+\sqrt{23})x^4 + 4(186\sqrt{6}+95\sqrt{23})x^3 - 16(6649\sqrt{6}+3396\sqrt{23})x^2 - 2560(17482\sqrt{6}+8929\sqrt{23})x - \right. \\
& \quad \left. -8742279680\sqrt{6} - 17116422144\sqrt{23} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x+236+20\sqrt{138}} \right) + \\
& +32\sqrt{x+236+20\sqrt{138}} \left[7(186\sqrt{6}+95\sqrt{23})x^2 + 24(13065\sqrt{6}+6673\sqrt{23})x - 72018400\sqrt{6} - \right. \\
& \quad \left. -36783680\sqrt{23} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x+236+20\sqrt{138}} \right) + 64 \left[(47+4\sqrt{138})x^3 + \right. \\
& \quad \left. +10(4417+376\sqrt{138})x^2 + 8(772881+65792\sqrt{138})x - \right. \\
& \quad \left. -1975942080 - 168203360\sqrt{138} \right] \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_0 \left(\sqrt{x+236+20\sqrt{138}} \right) - \\
& -8\sqrt{x+236+20\sqrt{138}} \left[(47+4\sqrt{138})x^3 - 4(1116+95\sqrt{138})x^2 - 320(4417+376\sqrt{138})x - 982229504 - \right. \\
& \quad \left. -83612928\sqrt{138} \right] \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot J_1 \left(\sqrt{x+236+20\sqrt{138}} \right) \\
& \quad \int x^4 \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x-236-20\sqrt{138}} \right) = \\
= & 64 \left[(47+4\sqrt{138})x^3 - (44170+3760\sqrt{138})x^2 + (6183048+526336\sqrt{138})x + 1975942080 + \right. \\
& \quad \left. +168203360\sqrt{138} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x-236-20\sqrt{138}} \right) + \\
& +8\sqrt{x-236-20\sqrt{138}} \left[(4\sqrt{138}+47)x^3 + (4464+380\sqrt{138})x^2 - (1413440+120320\sqrt{138})x + 982229504 + \right. \\
& \quad \left. +83612928\sqrt{138} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x-236-20\sqrt{138}} \right) - 4 \left[(\sqrt{23}+2\sqrt{6})x^4 - \right. \\
& \quad \left. -(380\sqrt{23}+744\sqrt{6})x^3 - (54336\sqrt{23}+106384\sqrt{6})x^2 + (22858240\sqrt{23}+44753920\sqrt{6})x - \right. \\
& \quad \left. -8742279680\sqrt{23} - 17116422144\sqrt{6} \right] \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x-236-20\sqrt{138}} \right) + \\
& +32\sqrt{x-236-20\sqrt{138}} \left[(665\sqrt{23}+1302\sqrt{6})x^2 - (160152\sqrt{23}+313560\sqrt{6})x - 36783680\sqrt{23} - \right. \\
& \quad \left. -72018400\sqrt{6} \right] \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x-236-20\sqrt{138}} \right) \\
& \quad \int x^4 \cos \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x-236-20\sqrt{138}} \right) = \\
= & 4 \left[(2\sqrt{6}+\sqrt{23})x^4 - 4(186\sqrt{6}+95\sqrt{23})x^3 - 16(6649\sqrt{6}+3396\sqrt{23})x^2 + 2560(17482\sqrt{6}+8929\sqrt{23})x - \right. \\
& \quad \left. -8742279680\sqrt{6} - 17116422144\sqrt{23} \right] \sin \frac{(2\sqrt{6}-\sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x-236-20\sqrt{138}} \right) - \\
& -32\sqrt{x-236-20\sqrt{138}} \left[7(186\sqrt{6}+95\sqrt{23})x^2 - 24(13065\sqrt{6}+6673\sqrt{23})x - 72018400\sqrt{6} - \right.
\end{aligned}$$

$$\begin{aligned}
& -36783680\sqrt{23} \left] \sin \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) + 64 \left[(47 + 4\sqrt{138})x^3 - \right. \\
& \quad \left. -10(4417 + 376\sqrt{138})x^2 + 8(772881 + 65792\sqrt{138})x + \right. \\
& \quad \left. +1975942080 + 168203360\sqrt{138} \right] \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot I_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) - \\
& -8\sqrt{x - 236 - 20\sqrt{138}} \left[(47 + 4\sqrt{138})x^3 + 4(1116 + 95\sqrt{138})x^2 - 320(4417 + 376\sqrt{138})x + 982229504 + \right. \\
& \quad \left. +83612928\sqrt{138} \right] \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot I_1 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) \\
& \quad \int x^4 \sin \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) = \\
& = 64 \left[(47 + 4\sqrt{138})x^3 - (44170 + 3760\sqrt{138})x^2 + (6183048 + 526336\sqrt{138})x + 1975942080 + \right. \\
& \quad \left. +168203360\sqrt{138} \right] \sin \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) + \\
& -8\sqrt{x - 236 - 20\sqrt{138}} \left[(4\sqrt{138} + 47)x^3 - (4464 + 380\sqrt{138})x^2 + (1413440 + 120320\sqrt{138})x + 982229504 + \right. \\
& \quad \left. +83612928\sqrt{138} \right] \sin \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) - 4 \left[(\sqrt{23} + 2\sqrt{6})x^4 - \right. \\
& \quad \left. - (380\sqrt{23} + 744\sqrt{6})x^3 - (54336\sqrt{23} + 106384\sqrt{6})x^2 + (22858240\sqrt{23} + 44753920\sqrt{6})x - \right. \\
& \quad \left. -8742279680\sqrt{23} - 17116422144\sqrt{6} \right] \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) - \\
& -32\sqrt{x - 236 - 20\sqrt{138}} \left[(665\sqrt{23} + 1302\sqrt{6})x^2 - (160152\sqrt{23} + 313560\sqrt{6})x - 36783680\sqrt{23} - \right. \\
& \quad \left. -72018400\sqrt{6} \right] \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) \\
& \quad \int x^4 \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) = \\
& = 4 \left[(2\sqrt{6} + \sqrt{23})x^4 - 4(186\sqrt{6} + 95\sqrt{23})x^3 - 16(6649\sqrt{6} + 3396\sqrt{23})x^2 + 2560(17482\sqrt{6} + 8929\sqrt{23})x - \right. \\
& \quad \left. -8742279680\sqrt{6} - 17116422144\sqrt{23} \right] \sin \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) + \\
& +32\sqrt{x - 236 - 20\sqrt{138}} \left[7(186\sqrt{6} + 95\sqrt{23})x^2 - 24(13065\sqrt{6} + 6673\sqrt{23})x - 72018400\sqrt{6} - \right. \\
& \quad \left. -36783680\sqrt{23} \right] \sin \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) + 64 \left[(47 + 4\sqrt{138})x^3 - \right. \\
& \quad \left. -10(4417 + 376\sqrt{138})x^2 + 8(772881 + 65792\sqrt{138})x + \right. \\
& \quad \left. +1975942080 + 168203360\sqrt{138} \right] \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_0 \left(\sqrt{x - 236 - 20\sqrt{138}} \right) - \\
& -8\sqrt{x - 236 - 20\sqrt{138}} \left[(47 + 4\sqrt{138})x^3 + 4(1116 + 95\sqrt{138})x^2 - 320(4417 + 376\sqrt{138})x + 982229504 + \right. \\
& \quad \left. +83612928\sqrt{138} \right] \cos \frac{(2\sqrt{6} - \sqrt{23})x}{4} \cdot K_1 \left(\sqrt{x - 236 - 20\sqrt{138}} \right)
\end{aligned}$$

$$4\sqrt{42} + \frac{76}{3} = 51.256\ 296, \quad \frac{\sqrt{21} - 3\sqrt{2}}{4} = 0.084\ 984 \quad (36)$$

$$\begin{aligned} & \int x^4 \sin \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot \left(x + \frac{76}{3} + 4\sqrt{42}\right)^{-1/2} \cdot J_1 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) dx = \\ & = \frac{8}{27} \left[9(13 + 2\sqrt{42})x^3 - 12(162 + 25\sqrt{42})x^2 + 768(337 + 52\sqrt{42})x - 15721344 - \right. \\ & \quad \left. - 2425856\sqrt{42}\right] \sin \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) + \\ & \quad + \frac{16}{81} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} \cdot \left[27(13 + 2\sqrt{42})x^2 + 24(849 + 131\sqrt{42})x - 737664 - \right. \\ & \quad \left. - 113824\sqrt{42}\right] \sin \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) + \\ & \quad + \frac{64}{27} \left[12(81\sqrt{2} + 25\sqrt{21})x^2 + 12(1429\sqrt{2} + 441\sqrt{21})x - 1036400\sqrt{2} - \right. \\ & \quad \left. - 319840\sqrt{21}\right] \cos \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) - \\ & \quad - \frac{4}{27} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} \cdot \left[3(3\sqrt{2} + \sqrt{21})x^3 - 12(13\sqrt{2} + 4\sqrt{21})x^2 - 64(81\sqrt{2} + 25\sqrt{21})x - \right. \\ & \quad \left. - 1076736\sqrt{2} - 332288\sqrt{21}\right] \cos \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) = \\ & = (69.23061705 x^3 - 1152.065840 x^2 - 153372.1068 x - 9316351.912) \sin(0.084984 x) J_0(\sqrt{x + 51.256296}) + \\ & \quad + \sqrt{x + 51.256296} (138.4612341 x^2 + 8049.668889 x - 291422.7811) \sin(0.084984 x) J_1(\sqrt{x + 51.256296}) + \\ & \quad + (4887.801406 x^2 + 114967.5253 x - 6948460.909) \cos(0.084984 x) J_0(\sqrt{x + 51.256296}) - \\ & \quad - \sqrt{x + 51.256296} (3.922318391 x^3 - 65.27125170 x^2 - 2172.356181 x - \\ & \quad - 451180.6764) \cos(0.084984 x) J_1(\sqrt{x + 51.256296}) \\ & \int x^4 \cos \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot \left(x + \frac{76}{3} + 4\sqrt{42}\right)^{-1/2} \cdot J_1 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) dx = \\ & = -\frac{64}{27} \left[9(25\sqrt{21} + 81\sqrt{2})x^2 + 12(441\sqrt{21} + 1429\sqrt{2})x - 319840\sqrt{21} - \right. \\ & \quad \left. - 1036400\sqrt{2}\right] \sin \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) + \\ & \quad + \frac{4}{9} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} \left[3(\sqrt{21} + 3\sqrt{2})x^3 - 12(4\sqrt{21} + 13\sqrt{2})x^2 - 64(25\sqrt{21} + 81\sqrt{2})x - 332288\sqrt{21} - \right. \\ & \quad \left. - 1076736\sqrt{2}\right] \sin \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) + \\ & \quad + \frac{8}{27} \left[9(13 + 2\sqrt{42})x^3 - 12(25 + 162\sqrt{42})x^2 - 768(52 + 337\sqrt{42})x - 15721344 - \right. \\ & \quad \left. - 2425856\sqrt{42}\right] \cos \frac{(\sqrt{21} - 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}}\right) + \\ & \quad + \frac{16}{27} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} \left[27(13 + 2\sqrt{42})x^2 + 24(849 + 131\sqrt{42})x - 737664 - \right. \end{aligned}$$

$$\begin{aligned}
& -113824\sqrt{42}] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}} \right) \\
& \int x^4 \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot \left(x - \frac{76}{3} - 4\sqrt{42} \right)^{-1/2} \cdot I_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) dx = \\
& = \frac{8}{27} \left[9(13 + 2\sqrt{42})x^3 + 12(162 + 25\sqrt{42})x^2 - 768(337 + 52\sqrt{42})x + 15721344 + \right. \\
& \quad \left. + 2425856\sqrt{42} \right] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) + \\
& \quad + \frac{16}{81} \sqrt{x - \frac{76}{3} - 4\sqrt{42}} \cdot \left[27(13 + 2\sqrt{42})x^2 - 24(849 + 131\sqrt{42})x - 737664 - \right. \\
& \quad \left. - 113824\sqrt{42} \right] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) + \\
& \quad + \frac{64}{27} \left[12(81\sqrt{2} + 25\sqrt{21})x^2 - 12(1429\sqrt{2} + 441\sqrt{21})x - 1036400\sqrt{2} - \right. \\
& \quad \left. - 319840\sqrt{21} \right] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) - \\
& \quad - \frac{4}{27} \sqrt{x - \frac{76}{3} - 4\sqrt{42}} \cdot \left[3(3\sqrt{2} + \sqrt{21})x^3 + 12(13\sqrt{2} + 4\sqrt{21})x^2 - 64(81\sqrt{2} + 25\sqrt{21})x + \right. \\
& \quad \left. + 1076736\sqrt{2} - 332288\sqrt{21} \right] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) \\
& \int x^4 \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot \left(x + \frac{76}{3} + 4\sqrt{42} \right)^{-1/2} \cdot I_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) dx = \\
& = -\frac{64}{27} \left[9(25\sqrt{21} + 81\sqrt{2})x^2 - 12(441\sqrt{21} + 1429\sqrt{2})x - 319840\sqrt{21} - \right. \\
& \quad \left. - 1036400\sqrt{2} \right] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}} \right) + \\
& \quad + \frac{4}{9} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} \left[3(\sqrt{21} + 3\sqrt{2})x^3 + 12(4\sqrt{21} + 13\sqrt{2})x^2 - 64(25\sqrt{21} + 81\sqrt{2})x + 332288\sqrt{21} + \right. \\
& \quad \left. + 1076736\sqrt{2} \right] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) + \\
& \quad + \frac{8}{27} \left[9(13 + 2\sqrt{42})x^3 + 12(25 + 162\sqrt{42})x^2 - 768(52 + 337\sqrt{42})x + 15721344 + \right. \\
& \quad \left. + 2425856\sqrt{42} \right] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) + \\
& \quad + \frac{16}{27} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} \left[27(13 + 2\sqrt{42})x^2 - 24(849 + 131\sqrt{42})x - 737664 - \right. \\
& \quad \left. - 113824\sqrt{42} \right] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) \\
& \int x^4 \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot \left(x - \frac{76}{3} - 4\sqrt{42} \right)^{-1/2} \cdot K_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) dx = \\
& = -\frac{8}{27} \left[9(13 + 2\sqrt{42})x^3 + 12(162 + 25\sqrt{42})x^2 - 768(337 + 52\sqrt{42})x + 15721344 + \right.
\end{aligned}$$

$$\begin{aligned}
& +2425856\sqrt{42}] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) + \\
& + \frac{16}{81} \sqrt{x - \frac{76}{3} - 4\sqrt{42}} \cdot [27(13 + 2\sqrt{42})x^2 - 24(849 + 131\sqrt{42})x - 737664 - \\
& - 113824\sqrt{42}] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) - \\
& - \frac{64}{27} [12(81\sqrt{2} + 25\sqrt{21})x^2 - 12(1429\sqrt{2} + 441\sqrt{21})x - 1036400\sqrt{2} - \\
& - 319840\sqrt{21}] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) - \\
& - \frac{4}{27} \sqrt{x - \frac{76}{3} - 4\sqrt{42}} \cdot [3(3\sqrt{2} + \sqrt{21})x^3 + 12(13\sqrt{2} + 4\sqrt{21})x^2 - 64(81\sqrt{2} + 25\sqrt{21})x + \\
& + 1076736\sqrt{2} - 332288\sqrt{21}] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) \\
& \int x^4 \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot \left(x + \frac{76}{3} + 4\sqrt{42} \right)^{-1/2} \cdot K_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) dx = \\
& = \frac{64}{27} [9(25\sqrt{21} + 81\sqrt{2})x^2 - 12(441\sqrt{21} + 1429\sqrt{2})x - 319840\sqrt{21} - \\
& - 1036400\sqrt{2}] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x + \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{4}{9} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} [3(\sqrt{21} + 3\sqrt{2})x^3 + 12(4\sqrt{21} + 13\sqrt{2})x^2 - 64(25\sqrt{21} + 81\sqrt{2})x + 332288\sqrt{21} + \\
& + 1076736\sqrt{2}] \sin \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) - \\
& - \frac{8}{27} [9(13 + 2\sqrt{42})x^3 + 12(25 + 162\sqrt{42})x^2 - 768(52 + 337\sqrt{42})x + 15721344 + \\
& + 2425856\sqrt{42}] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right) + \\
& + \frac{16}{27} \sqrt{x + \frac{76}{3} + 4\sqrt{42}} [27(13 + 2\sqrt{42})x^2 - 24(849 + 131\sqrt{42})x - 737664 - \\
& - 113824\sqrt{42}] \cos \frac{(\sqrt{21}-3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} - 4\sqrt{42}} \right)
\end{aligned}$$

$$\begin{aligned}
& \frac{76}{3} - 4\sqrt{42} = -0.589\ 629, \quad \frac{\sqrt{21} + 3\sqrt{2}}{4} = 2.206\ 304 \\
& \int x^4 \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot \left(x + \frac{76}{3} - 4\sqrt{42} \right)^{-1/2} \cdot J_1 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) dx = \\
& = -\frac{8}{27} [9(13 + 2\sqrt{42})x^3 + 12(162 + 25\sqrt{42})x^2 - 768(337 + 52\sqrt{42})x + 15721344 + \\
& + 2425856\sqrt{42}] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{16}{81} \sqrt{x + \frac{76}{3} - 4\sqrt{42}} \cdot \left[27(13 + 2\sqrt{42})x^2 - 24(849 + 131\sqrt{42})x - 737664 - \right. \\
& \quad \left. - 113824\sqrt{42} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) - \\
& - \frac{64}{27} \left[12(81\sqrt{2} + 25\sqrt{21})x^2 - 12(1429\sqrt{2} + 441\sqrt{21})x - 1036400\sqrt{2} - \right. \\
& \quad \left. - 319840\sqrt{21} \right] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) - \\
& - \frac{4}{27} \sqrt{x + \frac{76}{3} - 4\sqrt{42}} \cdot \left[3(3\sqrt{2} + \sqrt{21})x^3 + 12(13\sqrt{2} + 4\sqrt{21})x^2 - 64(81\sqrt{2} + 25\sqrt{21})x + \right. \\
& \quad \left. + 1076736\sqrt{2} + 332288\sqrt{21} \right] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) \\
& \int x^4 \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot \left(x + \frac{76}{3} - 4\sqrt{42} \right)^{-1/2} \cdot J_1 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) dx = \\
& = \frac{64}{27} \left[9(25\sqrt{21} - 81\sqrt{2})x^2 - 12(441\sqrt{21} - 1429\sqrt{2})x - 319840\sqrt{21} + \right. \\
& \quad \left. + 1036400\sqrt{2} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) + \\
& + \frac{4}{9} \sqrt{x + \frac{76}{3} - 4\sqrt{42}} \left[3(\sqrt{21} - 3\sqrt{2})x^3 - 12(4\sqrt{21} - 13\sqrt{2})x^2 - 64(25\sqrt{21} - 81\sqrt{2})x - 332288\sqrt{21} + \right. \\
& \quad \left. + 1076736\sqrt{2} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) + \\
& + \frac{8}{27} \left[9(13 - 2\sqrt{42})x^3 - 12(25 - 162\sqrt{42})x^2 - 768(52 - 337\sqrt{42})x - 15721344 + \right. \\
& \quad \left. + 2425856\sqrt{42} \right] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_0 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) + \\
& + \frac{16}{27} \sqrt{x + \frac{76}{3} - 4\sqrt{42}} \left[27(13 - 2\sqrt{42})x^2 - 24(849 - 131\sqrt{42})x - 737664 + \right. \\
& \quad \left. + 113824\sqrt{42} \right] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot J_1 \left(\sqrt{x + \frac{76}{3} - 4\sqrt{42}} \right) \\
& \int x^4 \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot \left(x - \frac{76}{3} + 4\sqrt{42} \right)^{-1/2} \cdot I_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) dx = \\
& = -\frac{8}{27} \left[9(13 - 2\sqrt{42})x^3 + 12(162 - 25\sqrt{42})x^2 + 768(337 - 52\sqrt{42})x + 15721344 - \right. \\
& \quad \left. - 2425856\sqrt{42} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{16}{81} \sqrt{x - \frac{76}{3} + 4\sqrt{42}} \cdot \left[27(13 - 2\sqrt{42})x^2 - 24(849 - 131\sqrt{42})x - 737664 + \right. \\
& \quad \left. + 113824\sqrt{42} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) - \\
& - \frac{64}{27} \left[12(81\sqrt{2} - 25\sqrt{21})x^2 - 12(1429\sqrt{2} - 441\sqrt{21})x - 1036400\sqrt{2} + \right.
\end{aligned}$$

$$\begin{aligned}
& +319840\sqrt{21}] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{4}{27} \sqrt{x - \frac{76}{3} + 4\sqrt{42}} \cdot [3(3\sqrt{2} - \sqrt{21})x^3 + 12(13\sqrt{2} - 4\sqrt{21})x^2 - 64(81\sqrt{2} - 25\sqrt{21})x + \\
& + 1076736\sqrt{2} - 332288\sqrt{21}] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) \\
& \int x^4 \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot \left(x - \frac{76}{3} + 4\sqrt{42} \right)^{-1/2} \cdot I_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) dx = \\
& = -\frac{64}{27} [9(25\sqrt{21} - 81\sqrt{2})x^2 - 12(441\sqrt{21} - 1429\sqrt{2})x - 319840\sqrt{21} + \\
& + 1036400\sqrt{2}] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{4}{9} \sqrt{x + \frac{76}{3} - 4\sqrt{42}} [3(\sqrt{21} - 3\sqrt{2})x^3 + 12(4\sqrt{21} - 13\sqrt{2})x^2 - 64(25\sqrt{21} - 81\sqrt{2})x + 332288\sqrt{21} - \\
& - 1076736\sqrt{2}] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{8}{27} [9(13 - 2\sqrt{42})x^3 + 12(25 - 162\sqrt{42})x^2 - 768(52 - 337\sqrt{42})x + 15721344 - \\
& - 2425856\sqrt{42}] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{16}{27} \sqrt{x - \frac{76}{3} + 4\sqrt{42}} [27(13 - 2\sqrt{42})x^2 - 24(849 - 131\sqrt{42})x - 737664 + \\
& + 113824\sqrt{42}] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot I_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) \\
& \int x^4 \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot \left(x - \frac{76}{3} + 4\sqrt{42} \right)^{-1/2} \cdot K_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) dx = \\
& = -\frac{8}{27} [9(13 - 2\sqrt{42})x^3 + 12(162 - 25\sqrt{42})x^2 - 768(337 - 52\sqrt{42})x + 15721344 - \\
& - 2425856\sqrt{42}] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{16}{81} \sqrt{x - \frac{76}{3} + 4\sqrt{42}} \cdot [27(13 - 2\sqrt{42})x^2 - 24(849 - 131\sqrt{42})x - 737664 + \\
& + 113824\sqrt{42}] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{64}{27} [12(81\sqrt{2} - 25\sqrt{21})x^2 - 12(1429\sqrt{2} - 441\sqrt{21})x - 1036400\sqrt{2} + \\
& + 319840\sqrt{21}] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right) + \\
& + \frac{4}{27} \sqrt{x - \frac{76}{3} + 4\sqrt{42}} \cdot [3(3\sqrt{2} - \sqrt{21})x^3 + 12(13\sqrt{2} - 4\sqrt{21})x^2 - 64(81\sqrt{2} - 25\sqrt{21})x + \\
& + 1076736\sqrt{2} - 332288\sqrt{21}] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}} \right)
\end{aligned}$$

$$\begin{aligned}
& \int x^4 \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot \left(x - \frac{76}{3} + 4\sqrt{42}\right)^{-1/2} \cdot K_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}}\right) dx = \\
& = \frac{64}{27} \left[9(25\sqrt{21} - 81\sqrt{2})x^2 - 12(441\sqrt{21} - 1429\sqrt{2})x - 319840\sqrt{21} + \right. \\
& \quad \left. + 1036400\sqrt{2} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}}\right) + \\
& + \frac{4}{9} \sqrt{x + \frac{76}{3} - 4\sqrt{42}} \left[3(\sqrt{21} - 3\sqrt{2})x^3 + 12(4\sqrt{21} - 13\sqrt{2})x^2 - 64(25\sqrt{21} - 81\sqrt{2})x + 332288\sqrt{21} - \right. \\
& \quad \left. - 1076736\sqrt{2} \right] \sin \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}}\right) - \\
& - \frac{8}{27} \left[9(13 - 2\sqrt{42})x^3 + 12(25 - 162\sqrt{42})x^2 - 768(52 - 337\sqrt{42})x + 15721344 - \right. \\
& \quad \left. - 2425856\sqrt{42} \right] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_0 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}}\right) + \\
& + \frac{16}{27} \sqrt{x - \frac{76}{3} + 4\sqrt{42}} \left[27(13 - 2\sqrt{42})x^2 - 24(849 - 131\sqrt{42})x - 737664 + \right. \\
& \quad \left. + 113824\sqrt{42} \right] \cos \frac{(\sqrt{21} + 3\sqrt{2})x}{4} \cdot K_1 \left(\sqrt{x - \frac{76}{3} + 4\sqrt{42}}\right)
\end{aligned}$$

2. Products of two Bessel functions

2.1. Bessel Functions with the the same Argument x :

See also [10], 3. .

2.1.1. Integrals of the type $\int x^{2n+1} Z_\nu^2(x) dx$

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$.

$$\begin{aligned} \int \frac{J_1^2(x)}{x} dx &= -\frac{1}{2} [J_0^2(x) + J_1^2(x)] \\ \int \frac{I_1^2(x)}{x} dx &= \frac{1}{2} [I_0^2(x) - I_1^2(x)] \\ \int \frac{K_1^2(x)}{x} dx &= \frac{1}{2} [K_0^2(x) - K_1^2(x)] \\ \int x J_0^2(x) dx &= \frac{x^2}{2} [J_0^2(x) + J_1^2(x)] \\ \int x J_1^2(x) dx &= \frac{x}{2} [x J_0^2(x) + x J_1^2(x) - 2J_0(x) \cdot J_1(x)] \\ \int x I_0^2(x) dx &= \frac{x^2}{2} [I_0^2(x) - I_1^2(x)] \\ \int x I_1^2(x) dx &= \frac{x}{2} [x I_1^2(x) - x I_0^2(x) - 2I_0(x) \cdot I_1(x)] \\ \int x K_0^2(x) dx &= \frac{x^2}{2} [K_0^2(x) - K_1^2(x)] \\ \int x K_1^2(x) dx &= \frac{x}{2} [x K_1^2(x) - x K_0^2(x) + 2K_0(x) \cdot K_1(x)] \\ \int x^3 J_0^2(x) dx &= \frac{x^4}{6} J_0^2(x) + \frac{x^3}{3} J_0(x) J_1(x) + \left(\frac{x^4}{6} - \frac{x^2}{3}\right) J_1^2(x) \\ \int x^3 J_1^2(x) dx &= \frac{x^4}{6} J_0^2(x) - \frac{2x^3}{3} J_0(x) J_1(x) + \left(\frac{x^4}{6} + \frac{2x^2}{3}\right) J_1^2(x) \\ \int x^3 I_0^2(x) dx &= \frac{x^4}{6} I_0^2(x) + \frac{x^3}{3} I_0(x) I_1(x) - \left(\frac{x^4}{6} + \frac{x^2}{3}\right) I_1^2(x) \\ \int x^3 I_1^2(x) dx &= -\frac{x^4}{6} I_0^2(x) + \frac{2x^3}{3} I_0(x) I_1(x) + \left(\frac{x^4}{6} - \frac{2x^2}{3}\right) I_1^2(x) \\ \int x^3 K_0^2(x) dx &= \frac{x^4}{6} K_0^2(x) - \frac{x^3}{3} K_0(x) K_1(x) - \left(\frac{x^4}{6} + \frac{x^2}{3}\right) K_1^2(x) \\ \int x^3 K_1^2(x) dx &= -\frac{x^4}{6} K_0^2(x) - \frac{2x^3}{3} K_0(x) K_1(x) + \left(\frac{x^4}{6} - \frac{2x^2}{3}\right) K_1^2(x) \\ \int x^5 J_0^2(x) dx &= \left(\frac{x^6}{10} + \frac{4x^4}{15}\right) J_0^2(x) + \left(\frac{2x^5}{5} - \frac{16x^3}{15}\right) J_0(x) J_1(x) + \left(\frac{x^6}{10} - \frac{8x^4}{15} + \frac{16x^2}{15}\right) J_1^2(x) \\ \int x^5 J_1^2(x) dx &= \left(\frac{x^6}{10} - \frac{2x^4}{5}\right) J_0^2(x) + \left(-\frac{3x^5}{5} + \frac{8x^3}{5}\right) J_0(x) J_1(x) + \left(\frac{x^6}{10} + \frac{4x^4}{5} - \frac{8x^2}{5}\right) J_1^2(x) \\ \int x^5 I_0^2(x) dx &= \left(\frac{x^6}{10} - \frac{4x^4}{15}\right) I_0^2(x) + \left(\frac{2x^5}{5} + \frac{16x^3}{15}\right) I_0(x) I_1(x) - \left(\frac{x^6}{10} + \frac{8x^4}{15} + \frac{16x^2}{15}\right) I_1^2(x) \\ \int x^5 I_1^2(x) dx &= -\left(\frac{x^6}{10} + \frac{2x^4}{5}\right) I_0^2(x) + \left(\frac{3x^5}{5} + \frac{8x^3}{5}\right) I_0(x) I_1(x) + \left(\frac{x^6}{10} - \frac{4x^4}{5} - \frac{8x^2}{5}\right) I_1^2(x) \end{aligned}$$

$$\begin{aligned}
\int x^5 K_0^2(x) dx &= \left(\frac{x^6}{10} - \frac{4x^4}{15}\right) K_0^2(x) - \left(\frac{2x^5}{5} + \frac{16x^3}{15}\right) K_0(x)K_1(x) - \left(\frac{x^6}{10} + \frac{8x^4}{15} + \frac{16x^2}{15}\right) K_1^2(x) \\
\int x^5 K_1^2(x) dx &= -\left(\frac{x^6}{10} + \frac{2x^4}{5}\right) K_0^2(x) - \left(\frac{3x^5}{5} + \frac{8x^3}{5}\right) K_0(x)K_1(x) + \left(\frac{x^6}{10} - \frac{4x^4}{5} - \frac{8x^2}{5}\right) K_1^2(x) \\
\int x^7 J_0^2(x) dx &= \left(\frac{x^8}{14} + \frac{18x^6}{35} - \frac{72x^4}{35}\right) J_0^2(x) + \left(\frac{3x^7}{7} - \frac{108x^5}{35} + \frac{288x^3}{35}\right) J_0(x)J_1(x) + \\
&\quad + \left(\frac{x^8}{14} - \frac{27x^6}{35} + \frac{144x^4}{35} - \frac{288x^2}{35}\right) J_1^2(x) \\
\int x^7 J_1^2(x) dx &= \left(\frac{x^8}{14} - \frac{24x^6}{35} + \frac{96x^4}{35}\right) J_0^2(x) + \left(-\frac{4x^7}{7} + \frac{144x^5}{35} - \frac{384x^3}{35}\right) J_0(x)J_1(x) + \\
&\quad + \left(\frac{x^8}{14} + \frac{36x^6}{35} - \frac{192x^4}{35} + \frac{384x^2}{35}\right) J_1^2(x) \\
\int x^7 I_0^2(x) dx &= \left(\frac{x^8}{14} - \frac{18x^6}{35} - \frac{72x^4}{35}\right) I_0^2(x) + \left(\frac{3x^7}{7} + \frac{108x^5}{35} + \frac{288x^3}{35}\right) I_0(x)I_1(x) - \\
&\quad - \left(\frac{x^8}{14} + \frac{27x^6}{35} + \frac{144x^4}{35} + \frac{288x^2}{35}\right) I_1^2(x) \\
\int x^7 I_1^2(x) dx &= -\left(\frac{x^8}{14} + \frac{24x^6}{35} + \frac{96x^4}{35}\right) I_0^2(x) + \left(\frac{4x^7}{7} + \frac{144x^5}{35} + \frac{384x^3}{35}\right) I_0(x)I_1(x) + \\
&\quad + \left(\frac{x^8}{14} - \frac{36x^6}{35} - \frac{192x^4}{35} - \frac{384x^2}{35}\right) I_1^2(x) \\
\int x^7 K_0^2(x) dx &= \left(\frac{x^8}{14} - \frac{18x^6}{35} - \frac{72x^4}{35}\right) K_0^2(x) - \left(\frac{3x^7}{7} + \frac{108x^5}{35} + \frac{288x^3}{35}\right) K_0(x)K_1(x) - \\
&\quad - \left(\frac{x^8}{14} + \frac{27x^6}{35} + \frac{144x^4}{35} + \frac{288x^2}{35}\right) K_1^2(x) \\
\int x^7 K_1^2(x) dx &= -\left(\frac{x^8}{14} + \frac{24x^6}{35} + \frac{96x^4}{35}\right) K_0^2(x) - \left(\frac{4x^7}{7} + \frac{144x^5}{35} + \frac{384x^3}{35}\right) K_0(x)K_1(x) + \\
&\quad + \left(\frac{x^8}{14} - \frac{36x^6}{35} - \frac{192x^4}{35} - \frac{384x^2}{35}\right) K_1^2(x) \\
\int x^9 J_0^2(x) dx &= \left(\frac{x^{10}}{18} + \frac{16x^8}{21} - \frac{256x^6}{35} + \frac{1024x^4}{35}\right) J_0^2(x) + \\
&\quad + \left(\frac{4x^9}{9} - \frac{128x^7}{21} + \frac{1536x^5}{35} - \frac{4096x^3}{35}\right) J_0(x)J_1(x) + \\
&\quad + \left(\frac{x^{10}}{18} - \frac{64x^8}{63} + \frac{384x^6}{35} - \frac{2048x^4}{35} + \frac{4096x^2}{35}\right) J_1^2(x) \\
\int x^9 J_1^2(x) dx &= \left(\frac{x^{10}}{18} - \frac{20x^8}{21} + \frac{64x^6}{7} - \frac{256x^4}{7}\right) J_0^2(x) + \\
&\quad + \left(-\frac{5x^9}{9} + \frac{160x^7}{21} - \frac{384x^5}{7} + \frac{1024x^3}{7}\right) J_0(x)J_1(x) + \\
&\quad + \left(\frac{x^{10}}{18} + \frac{80x^8}{63} - \frac{96x^6}{7} + \frac{512x^4}{7} - \frac{1024x^2}{7}\right) J_1^2(x) \\
\int x^9 I_0^2(x) dx &= \left(\frac{x^{10}}{18} - \frac{16x^8}{21} - \frac{256x^6}{35} - \frac{1024x^4}{35}\right) I_0^2(x) + \\
&\quad + \left(\frac{4x^9}{9} + \frac{128x^7}{21} + \frac{1536x^5}{35} + \frac{4096x^3}{35}\right) I_0(x)I_1(x) -
\end{aligned}$$

$$\begin{aligned}
& - \left(\frac{x^{10}}{18} + \frac{64x^8}{63} + \frac{384x^6}{35} + \frac{2048x^4}{35} + \frac{4096x^2}{35} \right) I_1^2(x) \\
\int x^9 I_1^2(x) dx &= - \left(\frac{x^{10}}{18} + \frac{20x^8}{21} + \frac{64x^6}{7} + \frac{256x^4}{7} \right) I_0^2(x) + \\
& + \left(\frac{5x^9}{9} + \frac{160x^7}{21} + \frac{384x^5}{7} + \frac{1024x^3}{7} \right) I_0(x)I_1(x) + \\
& + \left(\frac{x^{10}}{18} - \frac{80x^8}{63} - \frac{96x^6}{7} - \frac{512x^4}{7} - \frac{1024x^2}{7} \right) I_1^2(x) \\
\int x^9 K_0^2(x) dx &= \left(\frac{x^{10}}{18} - \frac{16x^8}{21} - \frac{256x^6}{35} - \frac{1024x^4}{35} \right) K_0^2(x) - \\
& - \left(\frac{4x^9}{9} + \frac{128x^7}{21} + \frac{1536x^5}{35} + \frac{4096x^3}{35} \right) K_0(x)K_1(x) - \\
& - \left(\frac{x^{10}}{18} + \frac{64x^8}{63} + \frac{384x^6}{35} + \frac{2048x^4}{35} + \frac{4096x^2}{35} \right) K_1^2(x) \\
\int x^9 K_1^2(x) dx &= - \left(\frac{x^{10}}{18} + \frac{20x^8}{21} + \frac{64x^6}{7} + \frac{256x^4}{7} \right) K_0^2(x) - \\
& - \left(\frac{5x^9}{9} + \frac{160x^7}{21} + \frac{384x^5}{7} + \frac{1024x^3}{7} \right) K_0(x)K_1(x) + \\
& + \left(\frac{x^{10}}{18} - \frac{80x^8}{63} - \frac{96x^6}{7} - \frac{512x^4}{7} - \frac{1024x^2}{7} \right) K_1^2(x)
\end{aligned}$$

Let

$$\begin{aligned}
\int x^m \cdot J_0^2(x) dx &= A_m(x) \cdot J_0^2(x) + B_m(x) \cdot J_0(x) \cdot J_1(x) + C_m(x) \cdot J_1^2(x) , \\
\int x^m \cdot J_1^2(x) dx &= D_m(x) \cdot J_0^2(x) + E_m(x) \cdot J_0(x) \cdot J_1(x) + F_m(x) \cdot J_1^2(x) , \\
\int x^m \cdot I_0^2(x) dx &= A_m^*(x) \cdot I_0^2(x) + B_m^*(x) \cdot I_0(x) \cdot I_1(x) + C_m^*(x) \cdot I_1^2(x) , \\
\int x^m \cdot I_1^2(x) dx &= D_m^*(x) \cdot I_0^2(x) + E_m^*(x) \cdot I_0(x) \cdot I_1(x) + F_m^*(x) \cdot I_1^2(x)
\end{aligned}$$

and

$$\begin{aligned}
\int x^m \cdot K_0^2(x) dx &= A_m^*(x) \cdot K_0^2(x) - B_m^*(x) \cdot K_0(x) \cdot K_1(x) + C_m^*(x) \cdot K_1^2(x) , \\
\int x^m \cdot K_1^2(x) dx &= D_m^*(x) \cdot K_0^2(x) - E_m^*(x) \cdot K_0(x) \cdot K_1(x) + F_m^*(x) \cdot K_1^2(x) ,
\end{aligned}$$

then holds

$$\begin{aligned}
A_{11} &= \frac{1}{22} x^{12} + \frac{100}{99} x^{10} - \frac{4000}{231} x^8 + \frac{12800}{77} x^6 - \frac{51200}{77} x^4 \\
B_{11} &= \frac{5}{11} x^{11} - \frac{1000}{99} x^9 + \frac{32000}{231} x^7 - \frac{76800}{77} x^5 + \frac{204800}{77} x^3 \\
C_{11} &= \frac{1}{22} x^{12} - \frac{125}{99} x^{10} + \frac{16000}{693} x^8 - \frac{19200}{77} x^6 + \frac{102400}{77} x^4 - \frac{204800}{77} x^2 \\
D_{11} &= \frac{1}{22} x^{12} - \frac{40}{33} x^{10} + \frac{1600}{77} x^8 - \frac{15360}{77} x^6 + \frac{61440}{77} x^4 \\
E_{11} &= -\frac{6}{11} x^{11} + \frac{400}{33} x^9 - \frac{12800}{77} x^7 + \frac{92160}{77} x^5 - \frac{245760}{77} x^3 \\
F_{11} &= \frac{1}{22} x^{12} + \frac{50}{33} x^{10} - \frac{6400}{231} x^8 + \frac{23040}{77} x^6 - \frac{122880}{77} x^4 + \frac{245760}{77} x^2 \\
A_{11}^* &= \frac{1}{22} x^{12} - \frac{100}{99} x^{10} - \frac{4000}{231} x^8 - \frac{12800}{77} x^6 - \frac{51200}{77} x^4
\end{aligned}$$

$$\begin{aligned}
B_{11}^* &= \frac{5}{11}x^{11} + \frac{1000}{99}x^9 + \frac{32000}{231}x^7 + \frac{76800}{77}x^5 + \frac{204800}{77}x^3 \\
C_{11}^* &= -\frac{1}{22}x^{12} - \frac{125}{99}x^{10} - \frac{16000}{693}x^8 - \frac{19200}{77}x^6 - \frac{102400}{77}x^4 - \frac{204800}{77}x^2 \\
D_{11}^* &= -\frac{1}{22}x^{12} - \frac{40}{33}x^{10} - \frac{1600}{77}x^8 - \frac{15360}{77}x^6 - \frac{61440}{77}x^4 \\
E_{11}^* &= \frac{6}{11}x^{11} + \frac{400}{33}x^9 + \frac{12800}{77}x^7 + \frac{92160}{77}x^5 + \frac{245760}{77}x^3 \\
F_{11}^* &= \frac{1}{22}x^{12} - \frac{50}{33}x^{10} - \frac{6400}{231}x^8 - \frac{23040}{77}x^6 - \frac{122880}{77}x^4 - \frac{245760}{77}x^2
\end{aligned}$$

$$\begin{aligned}
A_{13} &= \frac{1}{26}x^{14} + \frac{180}{143}x^{12} - \frac{4800}{143}x^{10} + \frac{576000}{1001}x^8 - \frac{5529600}{1001}x^6 + \frac{22118400}{1001}x^4 \\
B_{13} &= \frac{6}{13}x^{13} - \frac{2160}{143}x^{11} + \frac{48000}{143}x^9 - \frac{4608000}{1001}x^7 + \frac{33177600}{1001}x^5 - \frac{88473600}{1001}x^3 \\
C_{13} &= \frac{1}{26}x^{14} - \frac{216}{143}x^{12} + \frac{6000}{143}x^{10} - \frac{768000}{1001}x^8 + \frac{8294400}{1001}x^6 - \frac{44236800}{1001}x^4 + \frac{88473600}{1001}x^2 \\
D_{13} &= \frac{1}{26}x^{14} - \frac{210}{143}x^{12} + \frac{5600}{143}x^{10} - \frac{96000}{143}x^8 + \frac{921600}{143}x^6 - \frac{3686400}{143}x^4 \\
E_{13} &= -\frac{7}{13}x^{13} + \frac{2520}{143}x^{11} - \frac{56000}{143}x^9 + \frac{768000}{143}x^7 - \frac{5529600}{143}x^5 + \frac{14745600}{143}x^3 \\
F_{13} &= \frac{1}{26}x^{14} + \frac{252}{143}x^{12} - \frac{7000}{143}x^{10} + \frac{128000}{143}x^8 - \frac{1382400}{143}x^6 + \frac{7372800}{143}x^4 - \frac{14745600}{143}x^2 \\
A_{13}^* &= \frac{1}{26}x^{14} - \frac{180}{143}x^{12} - \frac{4800}{143}x^{10} - \frac{576000}{1001}x^8 - \frac{5529600}{1001}x^6 - \frac{22118400}{1001}x^4 \\
B_{13}^* &= \frac{6}{13}x^{13} + \frac{2160}{143}x^{11} + \frac{48000}{143}x^9 + \frac{4608000}{1001}x^7 + \frac{33177600}{1001}x^5 + \frac{88473600}{1001}x^3 \\
C_{13}^* &= -\frac{1}{26}x^{14} - \frac{216}{143}x^{12} - \frac{6000}{143}x^{10} - \frac{768000}{1001}x^8 - \frac{8294400}{1001}x^6 - \frac{44236800}{1001}x^4 - \frac{88473600}{1001}x^2 \\
D_{13}^* &= -\frac{1}{26}x^{14} - \frac{210}{143}x^{12} - \frac{5600}{143}x^{10} - \frac{96000}{143}x^8 - \frac{921600}{143}x^6 - \frac{3686400}{143}x^4 \\
E_{13}^* &= \frac{7}{13}x^{13} + \frac{2520}{143}x^{11} + \frac{56000}{143}x^9 + \frac{768000}{143}x^7 + \frac{5529600}{143}x^5 + \frac{14745600}{143}x^3 \\
F_{13}^* &= \frac{1}{26}x^{14} - \frac{252}{143}x^{12} - \frac{7000}{143}x^{10} - \frac{128000}{143}x^8 - \frac{1382400}{143}x^6 - \frac{7372800}{143}x^4 - \frac{14745600}{143}x^2
\end{aligned}$$

$$\begin{aligned}
A_{15} &= \frac{1}{30}x^{16} + \frac{98}{65}x^{14} - \frac{8232}{143}x^{12} + \frac{219520}{143}x^{10} - \frac{3763200}{143}x^8 + \frac{36126720}{143}x^6 - \frac{144506880}{143}x^4 \\
B_{15} &= \frac{7}{15}x^{15} - \frac{1372}{65}x^{13} + \frac{98784}{143}x^{11} - \frac{2195200}{143}x^9 + \frac{30105600}{143}x^7 - \frac{216760320}{143}x^5 + \frac{578027520}{143}x^3 \\
C_{15} &= \frac{x^{16}}{30} - \frac{343}{195}x^{14} + \frac{49392}{715}x^{12} - \frac{274400}{143}x^{10} + \frac{5017600}{143}x^8 - \frac{54190080}{143}x^6 + \frac{289013760}{143}x^4 - \frac{578027520}{143}x^2 \\
D_{15} &= \frac{x^{16}}{30} - \frac{112}{65}x^{14} + \frac{9408}{143}x^{12} - \frac{250880}{143}x^{10} + \frac{4300800}{143}x^8 - \frac{41287680}{143}x^6 + \frac{165150720}{143}x^4 \\
E_{15} &= -\frac{8}{15}x^{15} + \frac{1568}{65}x^{13} - \frac{112896}{143}x^{11} + \frac{2508800}{143}x^9 - \frac{34406400}{143}x^7 + \frac{247726080}{143}x^5 - \frac{660602880}{143}x^3 \\
F_{15} &= \frac{x^{16}}{30} + \frac{392}{195}x^{14} - \frac{56448}{715}x^{12} + \frac{313600}{143}x^{10} - \frac{5734400}{143}x^8 + \frac{61931520}{143}x^6 - \frac{330301440}{143}x^4 + \frac{660602880}{143}x^2 \\
A_{15}^* &= \frac{x^{16}}{30} - \frac{98}{65}x^{14} - \frac{8232}{143}x^{12} - \frac{219520}{143}x^{10} - \frac{3763200}{143}x^8 - \frac{36126720}{143}x^6 - \frac{144506880}{143}x^4
\end{aligned}$$

$$\begin{aligned}
B_{15}^* &= \frac{7}{15}x^{15} + \frac{1372}{65}x^{13} + \frac{98784}{143}x^{11} + \frac{2195200}{143}x^9 + \frac{30105600}{143}x^7 + \frac{216760320}{143}x^5 + \frac{578027520}{143}x^3 \\
C_{15}^* &= -\frac{x^{16}}{30} - \frac{343}{195}x^{14} - \frac{49392}{715}x^{12} - \frac{274400}{143}x^{10} - \frac{5017600}{143}x^8 - \frac{54190080}{143}x^6 - \frac{289013760}{143}x^4 - \frac{578027520}{143}x^2 \\
D_{15}^* &= -\frac{x^{16}}{30} - \frac{112}{65}x^{14} - \frac{9408}{143}x^{12} - \frac{250880}{143}x^{10} - \frac{4300800}{143}x^8 - \frac{41287680}{143}x^6 - \frac{165150720}{143}x^4 \\
E_{15}^* &= \frac{8}{15}x^{15} + \frac{1568}{65}x^{13} + \frac{112896}{143}x^{11} + \frac{2508800}{143}x^9 + \frac{34406400}{143}x^7 + \frac{247726080}{143}x^5 + \frac{660602880}{143}x^3 \\
F_{15}^* &= \frac{x^{16}}{30} - \frac{392}{195}x^{14} - \frac{56448}{715}x^{12} - \frac{313600}{143}x^{10} - \frac{5734400}{143}x^8 - \frac{61931520}{143}x^6 - \frac{330301440}{143}x^4 - \frac{660602880}{143}x^2
\end{aligned}$$

Recurrence Formulas:

$$\begin{aligned}
\int x^{2n+1} J_0^2(x) dx &= \frac{x^{2n}}{4n+2} \{ (x^2 + 2n^2) J_0^2(x) + x^2 J_1^2(x) + 2nx J_0(x) J_1(x) \} - \frac{2n^3}{2n+1} \int x^{2n-1} J_0^2(x) dx \\
&\int x^{2n+1} J_1^2(x) dx = \\
&= \frac{x^{2n}}{4n+2} \{ x^2 J_0^2(x) + [x^2 + 2n(n+1)] J_1^2(x) - 2(n+1)x J_0(x) J_1(x) \} - \frac{2n(n^2-1)}{2n+1} \int x^{2n-1} J_1^2(x) dx \\
\int x^{2n+1} I_0^2(x) dx &= \frac{x^{2n}}{4n+2} \{ (x^2 - 2n^2) I_0^2(x) - x^2 I_1^2(x) + 2nx I_0(x) I_1(x) \} + \frac{2n^3}{2n+1} \int x^{2n-1} I_0^2(x) dx \\
&\int x^{2n+1} I_1^2(x) dx = \\
&= \frac{x^{2n}}{4n+2} \{ -x^2 I_0^2(x) + [x^2 - 2n(n+1)] I_1^2(x) + 2(n+1)x I_0(x) I_1(x) \} + \frac{2n(n^2-1)}{2n+1} \int x^{2n-1} I_1^2(x) dx \\
\int x^{2n+1} K_0^2(x) dx &= \frac{x^{2n}}{4n+2} \{ (x^2 - 2n^2) K_0^2(x) - x^2 K_1^2(x) - 2nx K_0(x) K_1(x) \} + \frac{2n^3}{2n+1} \int x^{2n-1} K_0^2(x) dx \\
&\int x^{2n+1} K_1^2(x) dx = \\
&= \frac{x^{2n}}{4n+2} \{ -x^2 K_0^2(x) + [x^2 - 2n(n+1)] K_1^2(x) - 2(n+1)x K_0(x) K_1(x) \} + \frac{2n(n^2-1)}{2n+1} \int x^{2n-1} K_1^2(x) dx
\end{aligned}$$

2.1.2. Integrals of the type $\int x^{-2n} Z_\nu^2(x) dx$

See also [4], 1.8.3.

Concerning the case $x^{+2n} Z_\nu^2(x)$ see 2.1.3., p. 278 .

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$.

$$\begin{aligned}
\int \frac{J_0^2(x)}{x^2} dx &= -\left(2x + \frac{1}{x}\right) J_0^2(x) + 2 J_0(x) J_1(x) - 2x J_1^2(x) \\
\int \frac{I_0^2(x)}{x^2} dx &= \left(2x - \frac{1}{x}\right) I_0^2(x) - 2 I_0(x) I_1(x) - 2x I_1^2(x) \\
\int \frac{K_0^2(x)}{x^2} dx &= \left(2x - \frac{1}{x}\right) K_0^2(x) + 2 K_0(x) K_1(x) - 2x K_1^2(x) \\
\int \frac{J_1^2(x)}{x^2} dx &= \frac{2x}{3} J_0^2(x) - \frac{2}{3} J_0(x) J_1(x) + \left(\frac{2x}{3} - \frac{1}{3x}\right) J_1^2(x) \\
\int \frac{I_1^2(x)}{x^2} dx &= \frac{2x}{3} I_0^2(x) - \frac{2}{3} I_0(x) I_1(x) - \left(\frac{2x}{3} + \frac{1}{3x}\right) I_1^2(x) \\
\int \frac{K_1^2(x)}{x^2} dx &= \frac{2x}{3} K_0^2(x) + \frac{2}{3} K_0(x) K_1(x) - \left(\frac{2x}{3} + \frac{1}{3x}\right) K_1^2(x) \\
\int \frac{J_0^2(x)}{x^4} dx &= \frac{1}{27x^3} (16x^4 + 6x^2 - 9) J_0^2(x) + \frac{1}{27x^2} (-16x^2 + 6) J_0(x) J_1(x) + \frac{1}{27x} (16x^2 - 2) J_1^2(x) \\
\int \frac{I_0^2(x)}{x^4} dx &= \frac{1}{27x^3} (16x^4 - 6x^2 - 9) I_0^2(x) - \frac{1}{27x^2} (16x^2 + 6) I_0(x) I_1(x) - \frac{1}{27x} (16x^2 + 2) I_1^2(x) \\
\int \frac{K_0^2(x)}{x^4} dx &= \frac{1}{27x^3} (16x^4 - 6x^2 - 9) K_0^2(x) + \frac{1}{27x^2} (16x^2 + 6) K_0(x) K_1(x) - \frac{1}{27x} (16x^2 + 2) K_1^2(x) \\
\int \frac{J_1^2(x)}{x^4} dx &= \frac{-16x^2 - 6}{45x} J_0^2(x) + \frac{16x^2 - 6}{45x^2} J_0(x) J_1(x) + \frac{-16x^4 + 2x^2 - 9}{45x^3} J_1^2(x) \\
\int \frac{I_1^2(x)}{x^4} dx &= \frac{16x^2 - 6}{45x} I_0^2(x) - \frac{16x^2 + 6}{45x^2} I_0(x) I_1(x) - \frac{16x^4 + 2x^2 + 9}{45x^3} I_1^2(x) \\
\int \frac{K_1^2(x)}{x^4} dx &= \frac{16x^2 - 6}{45x} K_0^2(x) + \frac{16x^2 + 6}{45x^2} K_0(x) K_1(x) - \frac{16x^4 + 2x^2 + 9}{45x^3} K_1^2(x) \\
\int \frac{J_0^2(x)}{x^6} dx &= \frac{-256x^6 - 96x^4 + 90x^2 - 675}{3375x^5} J_0^2(x) + \frac{256x^4 - 96x^2 + 270}{3375x^4} J_0(x) J_1(x) + \\
&\quad + \frac{-256x^4 + 32x^2 - 54}{3375x^3} J_1^2(x) \\
\int \frac{I_0^2(x)}{x^6} dx &= \frac{256x^6 - 96x^4 - 90x^2 - 675}{3375x^5} I_0^2(x) - \frac{256x^4 + 96x^2 + 270}{3375x^4} I_0(x) I_1(x) - \\
&\quad - \frac{256x^4 + 32x^2 + 54}{3375x^3} I_1^2(x) \\
\int \frac{K_0^2(x)}{x^6} dx &= \frac{256x^6 - 96x^4 - 90x^2 - 675}{3375x^5} K_0^2(x) + \frac{256x^4 + 96x^2 + 270}{3375x^4} K_0(x) K_1(x) - \\
&\quad - \frac{256x^4 + 32x^2 + 54}{3375x^3} K_1^2(x) \\
\int \frac{J_1^2(x)}{x^6} dx &= \frac{1}{4725x^5} [x^2(256x^4 + 96x^2 - 90) J_0^2(x) + x(-256x^4 + 96x^2 - 270) J_0(x) J_1(x) + \\
&\quad + (256x^6 - 32x^4 + 54x^2 - 675) J_1^2(x)] \\
\int \frac{I_1^2(x)}{x^6} dx &= \frac{1}{4725x^5} [x^2(256x^4 - 96x^2 - 90) I_0^2(x) - x(256x^4 + 96x^2 + 270) I_0(x) I_1(x) -
\end{aligned}$$

$$\begin{aligned}
& -(256x^6 + 32x^4 + 54x^2 + 675)I_1^2(x)] \\
\int \frac{K_1^2(x)}{x^6} dx &= \frac{1}{4725x^5} [x^2(256x^4 - 96x^2 - 90)K_0^2(x) + x(256x^4 + 96x^2 + 270)K_0(x)K_1(x) - \\
& -(256x^6 + 32x^4 + 54x^2 + 675)K_1^2(x)] \\
\int \frac{J_0^2(x)}{x^8} dx &= \frac{1}{385875x^7} [(2048x^8 + 768x^6 - 720x^4 + 3150x^2 - 55125)J_0^2(x) + \\
& +x(-2048x^6 + 768x^4 - 2160x^2 + 15750)J_0(x)J_1(x) + x^2(2048x^6 - 256x^4 + 432x^2 - 2250)J_1^2(x)] \\
\int \frac{I_0^2(x)}{x^8} dx &= \frac{1}{385875x^7} [(2048x^8 - 768x^6 - 720x^4 - 3150x^2 - 55125)I_0^2(x) - \\
& -x(2048x^6 + 768x^4 + 2160x^2 + 15750)I_0(x)I_1(x) - x^2(2048x^6 + 256x^4 + 432x^2 + 2250)I_1^2(x)] \\
\int \frac{K_0^2(x)}{x^8} dx &= \frac{1}{385875x^7} [(2048x^8 - 768x^6 - 720x^4 - 3150x^2 - 55125)K_0^2(x) + \\
& +x(2048x^6 + 768x^4 + 2160x^2 + 15750)K_0(x)K_1(x) - x^2(2048x^6 + 256x^4 + 432x^2 + 2250)K_1^2(x)] \\
\int \frac{J_1^2(x)}{x^8} dx &= \frac{1}{496125x^7} [x^2(-2048x^6 - 768x^4 + 720x^2 - 3150)J_0^2(x) + \\
& +x(2048x^6 - 768x^4 + 2160x^2 - 15750)J_0(x)J_1(x) + (-2048x^8 + 256x^6 - 432x^4 + 2250x^2 - 55125)J_1^2(x)] \\
\int \frac{I_1^2(x)}{x^8} dx &= \frac{1}{496125x^7} [x^2(2048x^6 - 768x^4 - 720x^2 - 3150)I_0^2(x) - \\
& -x(2048x^6 + 768x^4 + 2160x^2 + 15750)I_0(x)I_1(x) - (2048x^8 + 256x^6 + 432x^4 + 2250x^2 + 55125)I_1^2(x)] \\
\int \frac{K_1^2(x)}{x^8} dx &= \frac{1}{496125x^7} [x^2(2048x^6 - 768x^4 - 720x^2 - 3150)K_0^2(x) + \\
& +x(2048x^6 + 768x^4 + 2160x^2 + 15750)K_0(x)K_1(x) - (2048x^8 + 256x^6 + 432x^4 + 2250x^2 + 55125)K_1^2(x)] \\
\int \frac{J_0^2(x)}{x^{10}} dx &= \frac{1}{281302875x^9} [(-65536x^{10} - 24576x^8 + 23040x^6 - 100800x^4 + 992250x^2 - 31255875)J_0^2(x) + \\
& +x(65536x^8 - 24576x^6 + 69120x^4 - 504000x^2 + 6945750)J_0(x)J_1(x) + \\
& +x^2(-65536x^8 + 8192x^6 - 13824x^4 + 72000x^2 - 771750)J_1^2(x)] \\
\int \frac{I_0^2(x)}{x^{10}} dx &= \frac{1}{281302875x^9} [(65536x^{10} - 24576x^8 - 23040x^6 - 100800x^4 - 992250x^2 - 31255875)I_0^2(x) - \\
& -x(65536x^8 + 24576x^6 + 69120x^4 + 504000x^2 + 6945750)I_0(x)I_1(x) - \\
& -x^2(65536x^8 + 8192x^6 + 13824x^4 + 72000x^2 + 771750)I_1^2(x)] \\
\int \frac{K_0^2(x)}{x^{10}} dx &= \frac{1}{281302875x^9} [(65536x^{10} - 24576x^8 - 23040x^6 - 100800x^4 - 992250x^2 - 31255875)K_0^2(x) + \\
& +x(65536x^8 + 24576x^6 + 69120x^4 + 504000x^2 + 6945750)K_0(x)K_1(x) - \\
& -x^2(65536x^8 + 8192x^6 + 13824x^4 + 72000x^2 + 771750)K_1^2(x)] \\
\int \frac{J_1^2(x)}{x^{10}} dx &= \frac{1}{343814625x^9} [x^2(65536x^8 + 24576x^6 - 23040x^4 + 100800x^2 - 992250)J_0^2(x) + \\
& +x(-65536x^8 + 24576x^6 - 69120x^4 + 504000x^2 - 6945750)J_0(x)J_1(x) + \\
& +(65536x^{10} - 8192x^8 + 13824x^6 - 72000x^4 + 771750x^2 - 31255875)J_1^2(x)] \\
\int \frac{I_1^2(x)}{x^{10}} dx &= \frac{1}{343814625x^9} [x^2(65536x^8 - 24576x^6 - 23040x^4 - 100800x^2 - 992250)I_0^2(x) - \\
& -x(65536x^8 + 24576x^6 + 69120x^4 + 504000x^2 + 6945750)I_0(x)I_1(x) - \\
& -(65536x^{10} + 8192x^8 + 13824x^6 + 72000x^4 + 771750x^2 - 31255875)I_1^2(x)]
\end{aligned}$$

$$\int \frac{K_1^2(x)}{x^{10}} dx = \frac{1}{343814625x^9} [x^2(65536x^8 - 24576x^6 - 23040x^4 - 100800x^2 - 992250)K_0^2(x) + x(65536x^8 + 24576x^6 + 69120x^4 + 504000x^2 + 6945750)K_0(x)K_1(x) - (65536x^{10} + 8192x^8 + 13824x^6 + 72000x^4 + 771750x^2 - 31255875)K_1^2(x)]$$

Recurrence formulas:

$$\int \frac{J_0^2(x)}{x^{2n+2}} dx = (2n+1)^{-3}.$$

$$\cdot \left[\frac{-[2x^2 + (2n+1)^2]J_0^2(x) + (4n+2)xJ_0(x)J_1(x) - 2x^2J_1^2(x)}{x^{2n+1}} - 8n \int \frac{J_0^2(x)}{x^{2n}} dx \right]$$

$$\int \frac{I_0^2(x)}{x^{2n+2}} dx = (2n+1)^{-3}.$$

$$\cdot \left[\frac{[2x^2 - (2n+1)^2]I_0^2(x) - (4n+2)xI_0(x)I_1(x) - 2x^2I_1^2(x)}{x^{2n+1}} + 8n \int \frac{I_0^2(x)}{x^{2n}} dx \right]$$

$$\int \frac{K_0^2(x)}{x^{2n+2}} dx = (2n+1)^{-3}.$$

$$\cdot \left[\frac{[2x^2 - (2n+1)^2]K_0^2(x) + (4n+2)xK_0(x)K_1(x) - 2x^2K_1^2(x)}{x^{2n+1}} + 8n \int \frac{K_0^2(x)}{x^{2n}} dx \right]$$

$$\int \frac{J_1^2(x)}{x^{2n+2}} dx = -\frac{1}{(2n+3)(2n+1)(2n-1)}.$$

$$\cdot \left[\frac{2x^2J_0^2(x) + (4n-2)xJ_0(x)J_1(x) + (4n^2-1+2x^2)J_1^2(x)}{x^{2n+1}} + 8n \int \frac{J_1^2(x)}{x^{2n}} dx \right]$$

$$\int \frac{I_1^2(x)}{x^{2n+2}} dx = -\frac{1}{(2n+3)(2n+1)(2n-1)}.$$

$$\cdot \left[\frac{2x^2I_0^2(x) + (4n-2)xI_0(x)I_1(x) + (4n^2-1-2x^2)I_1^2(x)}{x^{2n+1}} - 8n \int \frac{I_1^2(x)}{x^{2n}} dx \right]$$

$$\int \frac{K_1^2(x)}{x^{2n+2}} dx = -\frac{1}{(2n+3)(2n+1)(2n-1)}.$$

$$\cdot \left[\frac{2x^2K_0^2(x) - (4n-2)xK_0(x)K_1(x) + (4n^2-1-2x^2)K_1^2(x)}{x^{2n+1}} - 8n \int \frac{K_1^2(x)}{x^{2n}} dx \right]$$

2.1.3. Integrals of the type $\int x^{2n} Z_\nu^2(x) dx$

a) The functions $\Theta(x)$ and $\Omega(x)$:

From HANKEL's asymptotic expansion of $J_\nu(x)$ and $Y_\nu(x)$ (see [1], 9.2, or [5], XIII. A. 4) and such of $\mathbf{H}_\nu(x)$ follows, that no finite representations of the integrals $\int Z_\nu^2(x) dx$ by functions of the type

$$A(x) J_0^2(x) + B(x) J_0(x) J_1(x) + C(x) J_1^2(x) + [D(x) J_0(x) + E(x) J_1(x)] \Phi(x) + F(x) \Phi^2(x)$$

with

$$A(x) = \sum_{i=-m}^n a_i x^i, \dots,$$

can be expected. Indeed, one has

$$\lim_{x \rightarrow +\infty} \frac{1}{\ln x} \int_0^x J_\nu^2(t) dt = \frac{1}{\pi}$$

and this contradicts the upper statement.

At least should be given some other representations or approximations.

$$\Theta(x) = \int_0^x J_0^2(t) dt = 2 \sum_{k=0}^{\infty} \frac{(-1)^k \cdot (2k)!}{(2k+1) \cdot (k!)^4} \cdot \left(\frac{x}{2}\right)^{2k+1},$$

$$\Omega(x) = \int_0^x I_0^2(t) dt = 2 \sum_{k=0}^{\infty} \frac{(2k)!}{(2k+1) \cdot (k!)^4} \cdot \left(\frac{x}{2}\right)^{2k+1}.$$




FIGURE 6 : *Function $\Theta(x)$*

The dashed lines are located in the zeros of $J_0(x)$.

If $\Theta(x)$ is computed by its series expansion with floating point numbers with n decimal digits, then the rounding error is (roughly spoken) about $10^{-n} \cdot \Omega(x)$. The computation of $\Omega(x)$ does not cause problems.

x	$\Theta(x)$	$\Omega(x)$	x	$\Theta(x)$	$\Omega(x)$
1	0.850 894 480	1.186 711 080	11	1.623 448 675	27 934 437.937
2	1.132 017 958	4.122 544 686	12	1.631 897 146	187 937 123.616
3	1.153 502 059	16.143 998 37	13	1.653 795 366	1 274 682 776.62
4	1.286 956 020	77.509 947 74	14	1.696 509 451	8 704 524 383.83
5	1.386 983 380	425.031 292 0	15	1.706 616 878	59 786 647 515.3
6	1.396 339 284	2 509.864 255	16	1.719 735 792	412 698 941 831.
7	1.460 064 224	15 483.965 76	17	1.755 251 443	2 861 234 688 170
8	1.527 171 173	98 307.748 55	18	1.767 226 854	19 912 983 676 244
9	1.534 810 723	637 083.688 6	19	1.774 861 457	139 056 981 172 080
10	1.571 266 461	4 193 041.1057	20	1.804 335 251	974 012 122 207 867

Differential equations:

$$2x\Theta''' \cdot \Theta' - 2\Theta'' \cdot \Theta' - x\Theta''^2 + 4x\Theta'^2 = 0$$

$$2x\Omega''' \cdot \Omega' - 2\Omega'' \cdot \Omega' - x\Omega''^2 - 4x\Omega'^2 = 0$$


Approximation by Chebyshev polynomials:

From [2], table 9.1., follows, that in the case $-8 \leq x \leq 8$ holds

$$\Theta(x) \approx \sum_{k=0}^{23} c_k T_{2k+1} \left(\frac{x}{8} \right). \quad (*)$$

k	c_k	k	c_k
0	1.80296 30053 02073 59034	12	0.00000 59437 33032 29013
1	-0.41322 52443 66465 65056	13	-0.00000 05921 36076 87261
2	0.21926 25129 41565 79685	14	0.00000 00501 50462 51669
3	-0.12660 62713 07010 86382	15	-0.00000 00036 59712 13919
4	0.08920 60707 21441 83736	16	0.00000 00002 32718 06621
5	-0.08107 02495 61597 55273	17	-0.00000 00000 13019 50604
6	0.05544 00433 79678 61623	18	0.00000 00000 00646 15991
7	-0.02523 73073 64048 13366	19	-0.00000 00000 00028 65553
8	0.00802 84592 74213 97781	20	0.00000 00000 00001 14279
9	-0.00188 87924 36267 70784	21	-0.00000 00000 00000 04122
10	0.00034 34505 49931 43439	22	0.00000 00000 00000 00135
11	-0.00004 99025 73931 36611	23	-0.00000 00000 00000 00004

This approximation differs from $\Theta(x)$ as shown in the following figure:



Asymptotic series of $\Theta(x)$ for $x \rightarrow +\infty$:

$$\Theta(x) \sim \frac{1}{\pi} [\ln 8x + \mathbf{C} + \mathcal{A}(x) \cos 2x + \mathcal{B}(x) \sin 2x + \mathcal{C}(x)]$$

with Euler's constant $\mathbf{C} = 0.577\ 215\ 664\ 901\ 533\ \dots$ and

$$\begin{aligned} \mathcal{A}(x) &= -\frac{1}{2x} + \frac{29}{64x^3} - \frac{6747}{4096x^5} + \frac{1796265}{131072x^7} - \frac{3447866835}{16777216x^9} + \frac{2611501938675}{536870912x^{11}} - \frac{5739627264576975}{34359738368x^{13}} + \\ &+ \frac{8634220069330080225}{1099511627776x^{15}} - \frac{136326392392790108383875}{281474976710656x^{17}} + \frac{341752571613441977621007375}{9007199254740992x^{19}} - \dots, \\ \mathcal{B}(x) &= -\frac{3}{8x^2} + \frac{195}{256x^4} - \frac{71505}{16384x^6} + \frac{26103735}{524288x^8} - \frac{63761381145}{67108864x^{10}} + \frac{58671892003725}{2147483648x^{12}} - \frac{151798966421827725}{137438953472x^{14}} + \\ &+ \frac{262762002151603329375}{4398046511104x^{16}} - \frac{4692430263630584633783625}{1125899906842624x^{18}} + \frac{13126880101429581600348860625}{36028797018963968x^{20}} - \dots, \\ \mathcal{C}(x) &= \frac{1}{16x^2} - \frac{27}{512x^4} + \frac{375}{2048x^6} - \frac{385875}{262144x^8} + \frac{11252115}{524288x^{10}} - \frac{8320313925}{16777216x^{12}} - \\ &+ \frac{1119167124075}{67108864x^{14}} - \frac{26440323306271875}{34359738368x^{16}} + \frac{1603719856835971875}{34359738368x^{18}} - \frac{3959969219293655192625}{1099511627776x^{20}} + \dots \end{aligned}$$

The asymptotic series

$$\mathcal{A}(x) = \sum_{k=1}^{\infty} \frac{a_k}{x^{2k-1}}, \quad \mathcal{B}(x) = \sum_{k=1}^{\infty} \frac{b_k}{x^{2k}}, \quad \mathcal{C}(x) = \sum_{k=0}^{\infty} \frac{c_k}{x^{2k}}$$

begin with

k	a_k	b_k	c_k
1	-0.500 000 000 000 000	-0.375 000 000 000 000	0.062 500 000 000 000
2	0.453 125 000 000 000	0.761 718 750 000 000	-0.052 734 375 000 000
3	-1.647 216 796 875 000	-4.364 318 847 656 250	0.183 105 468 750 000
4	13.704 414 367 675 78	49.788 923 263 549 80	-1.471 996 307 373 047
5	-205.508 877 933 025 4	-950.118 618 384 003 6	21.461 706 161 499 02
6	4 864.301 418 280 229	27 321.228 759 235 24	-495.929 355 919 361 1
7	-167 045.138 793 094 5	-1 104 482.845 562 072	16 676.889 718 696 48
8	7 852 777.406 997 193	59 745 162.196 032 50	-769 514.686 726 961 4
9	-484 328 639.035 390 4	-4 167 715 296.104 454	46 674 390.813 451 37
10	37 942 157 373.010 10	364 344 113 252.523 3	-3 601 571 024.131 458

Let x_k denote the k -th positive zero of $J_0(x)$, then holds

$$\begin{aligned} \Theta(x_k) &\sim \frac{1}{\pi} \left[\ln x_k + \frac{5}{2^4 \cdot x_k^2} - \frac{331}{2^9 \cdot x_k^4} + \frac{7987}{2^{11} \cdot x_k^6} - \frac{753\ 375}{2^{14} \cdot x_k^8} + \frac{246\ 293\ 295}{2^{18} \cdot x_k^{10}} - \dots \right] = \\ &= \frac{1}{\pi} \left[\ln x_k + \frac{0.312\ 500}{x_k^2} - \frac{0.646\ 484}{x_k^4} + \frac{3.899\ 902}{x_k^6} - \frac{45.982\ 36}{x_k^8} + \frac{939.5344}{x_k^{10}} - \dots \right]. \end{aligned}$$

Simple approximation: $\Theta(x) \approx (\ln 8x + \mathbf{C})/\pi$:




FIGURE 7

Let

$$\Delta_n(x) = \frac{1}{\pi} \left[\ln 8x + \mathbf{C} + \sum_{k=1}^n \frac{a_k x \cos 2x + b_k \sin 2x + c_k}{x^{2k}} \right] - \Theta(x)$$

with $\Delta_0(x) = (\ln 8x + \mathbf{C})/\pi$.

In the following table are given some first consecutive maxima and minima $\Delta_{n,k}^*$ of the differences $\Delta_n(x)$

$$\Delta_{n,k}^* = \Delta_n(x_{n,k}) .$$


Values	$x_{n,1}, \Delta_{n,1}^*$	$x_{n,2}, \Delta_{n,2}^*$	$x_{n,3}, \Delta_{n,3}^*$	$x_{n,4}, \Delta_{n,4}^*$	$x_{n,5}, \Delta_{n,5}^*$	$x_{n,6}, \Delta_{n,6}^*$	$x_{n,7}, \Delta_{n,7}^*$
x	1.6216	3.1847	4.7356	6.3043	7.8688	9.4386	11.0064
$\Delta_0(x)$	-8.886E-02	4.536E-02	-3.347E-02	2.432E-02	-2.031E-02	1.651E-02	-1.454E-02
x	1.5839	3.1735	4.7253	6.2993	7.8633	9.4353	11.0027
$\Delta_1(x)$	2.104E-02	-3.483E-03	1.237E-03	-5.267E-04	2.863E-04	-1.638E-04	1.066E-04
x	1.5694	3.1664	4.7195	6.2969	7.8602	9.4338	11.0007
$\Delta_2(x)$	-1.894E-02	1.007E-03	-1.756E-04	4.430E-05	-1.583E-05	6.405E-06	-3.092E-06
x	1.5650	3.1612	4.7160	6.2952	7.8583	9.4330	10.9995
$\Delta_3(x)$	3.978E-02	-6.484E-04	5.541E-05	-8.322E-06	1.965E-06	-5.644E-07	2.029E-07
x	1.5642	3.1574	4.7138	6.2939	7.8569	9.4324	10.9986
$\Delta_4(x)$	-1.578E-01	7.486E-04	-3.105E-05	2.773E-06	-4.335E-07	8.855E-08	-2.376E-08
x	1.5644	3.1545	4.7124	6.2928	7.8559	9.4319	10.9979
$\Delta_5(x)$	1.041E+00	-1.376E-03	2.730E-05	-1.444E-06	1.494E-07	-2.172E-08	4.352E-09
x	1.5649	3.1523	4.7115	6.2918	7.8551	9.4314	10.9973
$\Delta_6(x)$	-1.045E+01	3.722E-03	-3.486E-05	1.085E-06	-7.420E-08	7.673E-09	-1.149E-09
x	1.5655	3.1507	4.7110	6.2909	7.8545	9.4310	10.9968
$\Delta_7(x)$	1.493E+02	-1.403E-02	6.123E-05	-1.115E-06	5.025E-08	-3.692E-09	4.132E-10
x	1.5660	3.1494	4.7107	6.2902	7.8540	9.4305	10.9964
$\Delta_8(x)$	-2.891E+03	7.055E-02	-1.421E-04	1.506E-06	-4.457E-08	2.324E-09	-1.942E-10
x	1.5664	3.1483	4.7105	6.2895	7.8537	9.4302	10.9961
$\Delta_9(x)$	7.303E+04	-4.582E-01	4.224E-04	-2.590E-06	5.022E-08	-1.854E-09	1.156E-10

If $x > 8$, then $|\Delta_n(x)|$ is restricted by $|\Delta_n(x)| \leq |\Delta_{n,5}^*|$. More accurate:

n	0	1	2	3	4
$ \Delta_n(x) <$	1.9625E-02	2.7573E-04	1.5193E-05	1.8792E-06	4.1271E-07
n	5	6	7	8	9
$ \Delta_n(x) <$	1.4150E-07	6.9856E-08	4.6990E-08	4.1368E-08	4.6224E-08

Therefore the formula (*) from page 279 may be continued to $x > 8$ by an asymptotic formula ($n = 7, 8$ or 9) with a uniformly bounded absolute error less then 0.5E-07.

The following figure shows the values of $-\lg |\Delta_{n,k}^*|$ from the preceding table, connected by a polygonal line. It gives the intervals π where some special asymptotic formula is preferable.



The differences $\Delta_n(x)$ are shown in the following figures:




FIGURE 8 : Differences $\Delta_{1..4}(x)$, $1 \leq x \leq 7$




FIGURE 9 : Differences $\Delta_{1\dots 4}(x)$, $4 \leq x \leq 10$

Asymptotic behaviour of $\Omega(x)$ for $x \rightarrow \infty$:

$$\begin{aligned}
 \Omega(x) &\sim \\
 &\sim \frac{e^{2x}}{4\pi x} \left[1 + \frac{3}{4x} + \frac{29}{32x^2} + \frac{195}{128x^3} + \frac{6\,747}{2\,048x^4} + \frac{71\,505}{8\,192x^5} + \frac{1\,796\,265}{65\,536x^6} + \frac{26\,103\,735}{262\,144x^7} + \frac{430\,983\,354}{1\,048\,576x^8} + \dots \right] \\
 &= \frac{e^{2x}}{4\pi x} \left[1 + \frac{0.75}{x} + \frac{0.90625}{x^2} + \frac{1.5234}{x^3} + \frac{3.2944}{x^4} + \frac{8.7286}{x^5} + \frac{27.409}{x^6} + \frac{99.578}{x^7} + \frac{411.02}{x^8} + \dots \right]
 \end{aligned}$$

b) Integrals:

Holds

$$\begin{aligned}\int J_0^2(x) dx &= x[J_0^2(x) + J_1^2(x)] + \int J_1^2(x) dx, \\ \int I_0^2(x) dx &= x[I_0^2(x) - I_1^2(x)] - \int I_1^2(x) dx.\end{aligned}$$

These formulas express every integral by the other one. Therefore the next integrals are given with $\int J_0^2(x) dx$ or $\int I_0^2(x) dx$. The last integrals are represented by the functions $\Theta(x)$ respectively $\Omega(x)$, see page 278.

$$\begin{aligned}\int x^2 J_0^2(x) dx &= \frac{1}{8} [(2x^3 + x) J_0^2(x) + 2x^2 J_0(x) J_1(x) + 2x^3 J_1^2(x)] - \frac{1}{8} \int J_0^2(x) dx \\ \int x^2 I_0^2(x) dx &= \frac{1}{8} [(2x^3 - x) I_0^2(x) + 2x^2 I_0(x) I_1(x) - 2x^3 I_1^2(x)] + \frac{1}{8} \int I_0^2(x) dx \\ \int x^2 J_1^2(x) dx &= \frac{1}{8} [(2x^3 - 3x) J_0^2(x) - 6x^2 J_0(x) J_1(x) + 2x^3 J_1^2(x)] + \frac{3}{8} \int J_0^2(x) dx \\ \int x^2 I_1^2(x) dx &= \frac{1}{8} [(-2x^3 - 3x) I_0^2(x) + 6x^2 I_0(x) I_1(x) + 2x^3 I_1^2(x)] + \frac{3}{8} \int I_0^2(x) dx \\ &\int x^4 J_0^2(x) dx = \\ &= \frac{1}{128} [(16x^5 + 18x^3 - 27x) J_0^2(x) + (48x^4 - 54x^2) J_0(x) J_1(x) + (16x^5 - 54x^3) J_1^2(x)] + \frac{27}{128} \int J_0^2(x) dx \\ &\int x^4 I_0^2(x) dx = \\ &= \frac{1}{128} [(16x^5 - 18x^3 - 27x) I_0^2(x) + (48x^4 + 54x^2) I_0(x) I_1(x) - (16x^5 + 54x^3) I_1^2(x)] + \frac{27}{128} \int I_0^2(x) dx \\ &\int x^4 J_1^2(x) dx = \\ &= \frac{1}{128} [(16x^5 - 30x^3 + 45x) J_0^2(x) + (-80x^4 + 90x^2) J_0(x) J_1(x) + (16x^5 + 90x^3) J_1^2(x)] - \\ &\quad - \frac{45}{128} \int J_0^2(x) dx \\ &\int x^4 I_1^2(x) dx = \\ &= \frac{1}{128} [(-16x^5 - 30x^3 - 45x) I_0^2(x) + (80x^4 + 90x^2) I_0(x) I_1(x) + (16x^5 - 90x^3) I_1^2(x)] + \\ &\quad + \frac{45}{128} \int I_0^2(x) dx\end{aligned}$$

With

$$\begin{aligned}\int x^{2n} J_0^2(x) dx &= \frac{1}{\beta_n} \left[A_n(x) J_0^2(x) + B_n(x) J_0(x) J_1(x) + C_n(x) J_1^2(x) + \gamma_n \int J_0^2(x) dx \right] \\ \int x^{2n} I_0^2(x) dx &= \frac{1}{\beta_n^*} \left[A_n^*(x) I_0^2(x) + B_n^*(x) I_0(x) I_1(x) + C_n^*(x) I_1^2(x) + \gamma_n^* \int I_0^2(x) dx \right] \\ \int x^{2n} J_1^2(x) dx &= \frac{1}{\xi_n} \left[P_n(x) J_0^2(x) + Q_n(x) J_0(x) J_1(x) + R_n(x) J_1^2(x) + \varrho_n \int J_0^2(x) dx \right] \\ \int x^{2n} I_1^2(x) dx &= \frac{1}{\xi_n^*} \left[P_n^*(x) I_0^2(x) + Q_n^*(x) I_0(x) I_1(x) + R_n^*(x) I_1^2(x) + \varrho_n^* \int I_0^2(x) dx \right]\end{aligned}$$

holds

$$\beta_3 = 3072, \quad \gamma_3 = -3375$$

$$A_3(x) = 256x^7 + 1200x^5 - 2250x^3 + 3375x$$

$$B_3(x) = 1280x^6 - 6000x^4 + 6750x^2, \quad C_3(x) = 256x^7 - 2000x^5 + 6750x^3$$

$$\beta_3^* = 3072, \quad \gamma_3^* = 3375$$

$$A_3^*(x) = 256x^7 - 1200x^5 - 2250x^3 - 3375x$$

$$B_3^*(x) = 1280x^6 + 6000x^4 + 6750x^2, \quad C_3^*(x) = -256x^7 - 2000x^5 - 6750x^3$$

$$\xi_3 = 3072, \quad \varrho_3 = 4725$$

$$P_3(x) = 256x^7 - 1680x^5 + 3150x^3 - 4725x$$

$$Q_3(x) = -1792x^6 + 8400x^4 - 9450x^2, \quad R_3(x) = 256x^7 + 2800x^5 - 9450x^3$$

$$\xi_3^* = 3072, \quad \varrho_3^* = 4725$$

$$P_3^*(x) = -256x^7 - 1680x^5 - 3150x^3 - 4725x$$

$$Q_3^*(x) = 1792x^6 + 8400x^4 + 9450x^2, \quad R_3^*(x) = 256x^7 - 2800x^5 - 9450x^3$$

$$\beta_4 = 98304, \quad \gamma_4 = 1157625$$

$$A_4(x) = 6144x^9 + 62720x^7 - 411600x^5 + 771750x^3 - 1157625x$$

$$B_4(x) = 43008x^8 - 439040x^6 + 2058000x^4 - 2315250x^2$$

$$C_4(x) = 6144x^9 - 87808x^7 + 686000x^5 - 2315250x^3$$

$$\beta_4^* = 98304, \quad \gamma_4^* = 1157625$$

$$A_4^*(x) = 6144x^9 - 62720x^7 - 411600x^5 - 771750x^3 - 1157625x$$

$$B_4^*(x) = 43008x^8 + 439040x^6 + 2058000x^4 + 2315250x^2$$

$$C_4^*(x) = -6144x^9 - 87808x^7 - 686000x^5 - 2315250x^3$$

$$\xi_4 = 32768, \quad \varrho_4 = -496125$$

$$P_4(x) = 2048x^9 - 26880x^7 + 176400x^5 - 330750x^3 + 496125x$$

$$Q_4(x) = -18432x^8 + 188160x^6 - 882000x^4 + 992250x^2$$

$$R_4(x) = 2048x^9 + 37632x^7 - 294000x^5 + 992250x^3$$

$$\xi_4^* = 32768, \quad \varrho_4^* = 496125$$

$$P_4^*(x) = -2048x^9 - 26880x^7 - 176400x^5 - 330750x^3 - 496125x$$

$$Q_4^*(x) = 18432x^8 + 188160x^6 + 882000x^4 + 992250x^2$$

$$R_4^*(x) = 2048x^9 - 37632x^7 - 294000x^5 - 992250x^3$$

$$\beta_5 = 1310720, \quad \gamma_5 = -281302875$$

$$A_5(x) = 65536x^{11} + 1161216x^9 - 15240960x^7 + 100018800x^5 - 187535250x^3 + 281302875x$$

$$B_5(x) = 589824x^{10} - 10450944x^8 + 106686720x^6 - 500094000x^4 + 562605750x^2$$

$$C_5(x) = 65536x^{11} - 1492992x^9 + 21337344x^7 - 166698000x^5 + 562605750x^3$$

$$\beta_5^* = 1310720, \quad \gamma_5^* = 281302875^*$$

$$\begin{aligned}
A_5(x)^* &= 65536 x^{11} - 1161216 x^9 - 15240960 x^7 - 100018800 x^5 - 187535250 x^3 - 281302875 x \\
B_5(x)^* &= 589824 x^{10} + 10450944 x^8 + 106686720 x^6 + 500094000 x^4 + 562605750 x^2 \\
C_5(x)^* &= -65536 x^{11} - 1492992 x^9 - 21337344 x^7 - 166698000 x^5 - 562605750 x^3
\end{aligned}$$

$$\xi_5 = 1310720, \quad \rho_5 = 343814625$$

$$P_5(x) = 65536 x^{11} - 1419264 x^9 + 18627840 x^7 - 122245200 x^5 + 229209750 x^3 - 343814625 x$$

$$Q_5(x) = -720896 x^{10} + 12773376 x^8 - 130394880 x^6 + 611226000 x^4 - 687629250 x^2$$

$$R_5(x) = 65536 x^{11} + 1824768 x^9 - 26078976 x^7 + 203742000 x^5 - 687629250 x^3$$

$$\xi_5^* = 1310720, \quad \rho_5^* = 343814625$$

$$P_5^*(x) = -65536 x^{11} - 1419264 x^9 - 18627840 x^7 - 122245200 x^5 - 229209750 x^3 - 343814625 x$$

$$Q_5^*(x) = 720896 x^{10} + 12773376 x^8 + 130394880 x^6 + 611226000 x^4 + 687629250 x^2$$

$$R_5^*(x) = 65536 x^{11} - 1824768 x^9 - 26078976 x^7 - 203742000 x^5 - 687629250 x^3$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+2} J_0^2(x) dx = \\
&= \frac{x^{2n+1}}{8(n+1)} \{ [x^2 + (2n+1)^2] J_0^2(x) + 2x^2 J_1^2(x) + 2(2n+1)x J_0(x) J_1(x) \} - \frac{(2n+1)^3}{8(n+1)} \int x^{2n} J_0^2(x) dx \\
& \int x^{2n+2} I_0^2(x) dx = \\
&= \frac{x^{2n+1}}{8(n+1)} \{ [x^2 - (2n+1)^2] I_0^2(x) - 2x^2 I_1^2(x) + 2(2n+1)x I_0(x) I_1(x) \} + \frac{(2n+1)^3}{8(n+1)} \int x^{2n} I_0^2(x) dx \\
& \int x^{2n+2} J_1^2(x) dx = \frac{x^{2n+1}}{8(n+1)} \{ [x^2 + (2n+1)(2n+3)] J_1^2(x) + 2x^2 J_0^2(x) - 2(2n+3)x J_0(x) J_1(x) \} - \\
& \quad - \frac{(2n-1)(2n+1)(2n+3)}{8(n+1)} \int x^{2n} J_0^2(x) dx \\
& \int x^{2n+2} I_1^2(x) dx = \frac{x^{2n+1}}{8(n+1)} \{ [x^2 - (2n+1)(2n+3)] I_1^2(x) - 2x^2 I_0^2(x) + 2(2n+3)x I_0(x) I_1(x) \} + \\
& \quad + \frac{(2n-1)(2n+1)(2n+3)}{8(n+1)} \int x^{2n} I_0^2(x) dx
\end{aligned}$$

2.1.4. Integrals of the type $\int x^{2n} Z_0(x) Z_1(x) dx$

In the following formulas both $J_0(x)$ and $J_1(x)$ together may be substituted by $Y_0(x)$ and $Y_1(x)$ respectively or $H_0^{(p)}(x)$, $H_1^{(p)}(x)$, $p = 1, 2$.

$$\begin{aligned}
\int J_0(x) J_1(x) dx &= -\frac{1}{2} J_0^2(x) \\
\int I_0(x) I_1(x) dx &= \frac{1}{2} I_0^2(x) \\
\int K_0(x) K_1(x) dx &= -\frac{1}{2} K_0^2(x) \\
\int x^2 \cdot J_0(x) J_1(x) dx &= \frac{x^2}{2} J_1^2(x) \\
\int x^2 \cdot I_0(x) I_1(x) dx &= \frac{x^2}{2} I_1^2(x) \\
\int x^2 \cdot K_0(x) I_1(x) dx &= -\frac{x^2}{2} K_1^2(x) \\
\int x^4 \cdot J_0(x) J_1(x) dx &= -\frac{x^4}{6} J_0^2(x) + \frac{2x^3}{3} J_0(x) J_1(x) + \left(\frac{x^4}{3} - \frac{2x^2}{3}\right) J_1^2(x) \\
\int x^4 \cdot I_0(x) I_1(x) dx &= \frac{x^4}{6} I_0^2(x) - \frac{2x^3}{3} I_0(x) I_1(x) + \left(\frac{x^4}{3} + \frac{2x^2}{3}\right) I_1^2(x) \\
\int x^4 \cdot K_0(x) K_1(x) dx &= -\frac{x^4}{6} K_0^2(x) - \frac{2x^3}{3} K_0(x) K_1(x) - \left(\frac{x^4}{3} + \frac{2x^2}{3}\right) K_1^2(x) \\
\int x^6 \cdot J_0(x) J_1(x) dx &= \left(-\frac{x^6}{5} + \frac{4x^4}{5}\right) J_0^2(x) + \left(\frac{6x^5}{5} - \frac{16x^3}{5}\right) J_0(x) J_1(x) + \left(\frac{3x^6}{10} - \frac{8x^4}{5} + \frac{16x^2}{5}\right) J_1^2(x) \\
\int x^6 \cdot I_0(x) I_1(x) dx &= \left(\frac{x^6}{5} + \frac{4x^4}{5}\right) I_0^2(x) - \left(\frac{6x^5}{5} + \frac{16x^3}{5}\right) I_0(x) I_1(x) + \left(\frac{3x^6}{10} + \frac{8x^4}{5} + \frac{16x^2}{5}\right) I_1^2(x) \\
\int x^6 \cdot K_0(x) K_1(x) dx &= \\
&= -\left(\frac{x^6}{5} + \frac{4x^4}{5}\right) K_0^2(x) - \left(\frac{6x^5}{5} + \frac{16x^3}{5}\right) K_0(x) K_1(x) - \left(\frac{3x^6}{10} + \frac{8x^4}{5} + \frac{16x^2}{5}\right) K_1^2(x) \\
\int x^8 \cdot J_0(x) J_1(x) dx &= \left(-\frac{3x^8}{14} + \frac{72x^6}{35} - \frac{288x^4}{35}\right) J_0^2(x) + \left(\frac{12x^7}{7} - \frac{432x^5}{35} + \frac{1152x^3}{35}\right) J_0(x) J_1(x) + \\
&\quad + \left(\frac{2x^8}{7} - \frac{108x^6}{35} + \frac{576x^4}{35} - \frac{1152x^2}{35}\right) J_1^2(x) \\
\int x^8 \cdot I_0(x) I_1(x) dx &= \left(\frac{3x^8}{14} + \frac{72x^6}{35} + \frac{288x^4}{35}\right) I_0^2(x) - \left(\frac{12x^7}{7} + \frac{432x^5}{35} + \frac{1152x^3}{35}\right) I_0(x) I_1(x) + \\
&\quad + \left(\frac{2x^8}{7} + \frac{108x^6}{35} + \frac{576x^4}{35} + \frac{1152x^2}{35}\right) I_1^2(x) \\
\int x^8 \cdot K_0(x) K_1(x) dx &= -\left(\frac{3x^8}{14} + \frac{72x^6}{35} + \frac{288x^4}{35}\right) K_0^2(x) - \left(\frac{12x^7}{7} + \frac{432x^5}{35} + \frac{1152x^3}{35}\right) K_0(x) K_1(x) - \\
&\quad - \left(\frac{2x^8}{7} + \frac{108x^6}{35} + \frac{576x^4}{35} + \frac{1152x^2}{35}\right) K_1^2(x) \\
\int x^{10} \cdot J_0(x) J_1(x) dx &= \left(-\frac{2x^{10}}{9} + \frac{80x^8}{21} - \frac{256x^6}{7} + \frac{1024x^4}{7}\right) J_0^2(x) + \\
&\quad + \left(\frac{20x^9}{9} - \frac{640x^7}{21} + \frac{1536x^5}{7} - \frac{4096x^3}{7}\right) J_0(x) J_1(x) +
\end{aligned}$$

$$\begin{aligned}
& + \left(\frac{5x^{10}}{18} - \frac{320x^8}{63} + \frac{384x^6}{7} - \frac{2048x^4}{7} + \frac{4096x^2}{7} \right) J_1^2(x) \\
\int x^{10} \cdot I_0(x)I_1(x) dx & = \left(\frac{2x^{10}}{9} + \frac{80x^8}{21} + \frac{256x^6}{7} + \frac{1024x^4}{7} \right) I_0^2(x) - \\
& - \left(\frac{20x^9}{9} + \frac{640x^7}{21} + \frac{1536x^5}{7} + \frac{4096x^3}{7} \right) I_0(x)I_1(x) + \\
& + \left(\frac{5x^{10}}{18} + \frac{320x^8}{63} + \frac{384x^6}{7} + \frac{2048x^4}{7} + \frac{4096x^2}{7} \right) I_1^2(x) \\
\int x^{10} \cdot K_0(x)K_1(x) dx & = - \left(\frac{2x^{10}}{9} + \frac{80x^8}{21} + \frac{256x^6}{7} + \frac{1024x^4}{7} \right) K_0^2(x) - \\
& - \left(\frac{20x^9}{9} + \frac{640x^7}{21} + \frac{1536x^5}{7} + \frac{4096x^3}{7} \right) K_0(x)K_1(x) - \\
& - \left(\frac{5x^{10}}{18} + \frac{320x^8}{63} + \frac{384x^6}{7} + \frac{2048x^4}{7} + \frac{4096x^2}{7} \right) K_1^2(x)
\end{aligned}$$

Let

$$\begin{aligned}
\int x^m J_0(x)J_1(x) dx & = P_m(x)J_0^2(x) + Q_m(x)J_0(x)J_1(x) + R_m(x)J_1^2(x), \\
\int x^m I_0(x)I_1(x) dx & = P_m^*(x)I_0^2(x) + Q_m^*(x)I_0(x)I_1(x) + R_m^*(x)I_1^2(x), \\
\int x^m K_0(x)K_1(x) dx & = -P_m^*(x)K_0^2(x) + Q_m^*(x)K_0(x)K_1(x) - R_m^*(x)K_1^2(x),
\end{aligned}$$

then holds

$$\begin{aligned}
P_{12} & = -\frac{5}{22}x^{12} + \frac{200}{33}x^{10} - \frac{8000}{77}x^8 + \frac{76800}{77}x^6 - \frac{307200}{77}x^4 \\
Q_{12} & = \frac{30}{11}x^{11} - \frac{2000}{33}x^9 + \frac{64000}{77}x^7 - \frac{460800}{77}x^5 + \frac{1228800}{77}x^3 \\
R_{12} & = \frac{3}{11}x^{12} - \frac{250}{33}x^{10} + \frac{32000}{231}x^8 - \frac{115200}{77}x^6 + \frac{614400}{77}x^4 - \frac{1228800}{77}x^2 \\
P_{12}^* & = \frac{5}{22}x^{12} + \frac{200}{33}x^{10} + \frac{8000}{77}x^8 + \frac{76800}{77}x^6 + \frac{307200}{77}x^4 \\
Q_{12}^* & = -\frac{30}{11}x^{11} - \frac{2000}{33}x^9 - \frac{64000}{77}x^7 - \frac{460800}{77}x^5 - \frac{1228800}{77}x^3 \\
R_{12}^* & = \frac{3}{11}x^{12} + \frac{250}{33}x^{10} + \frac{32000}{231}x^8 + \frac{115200}{77}x^6 + \frac{614400}{77}x^4 + \frac{1228800}{77}x^2
\end{aligned}$$

$$\begin{aligned}
P_{14} & = -\frac{3}{13}x^{14} + \frac{1260}{143}x^{12} - \frac{33600}{143}x^{10} + \frac{576000}{143}x^8 - \frac{5529600}{143}x^6 + \frac{22118400}{143}x^4 \\
Q_{14} & = \frac{42}{13}x^{13} - \frac{15120}{143}x^{11} + \frac{336000}{143}x^9 - \frac{4608000}{143}x^7 + \frac{33177600}{143}x^5 - \frac{88473600}{143}x^3 \\
R_{14} & = \frac{7}{26}x^{14} - \frac{1512}{143}x^{12} + \frac{42000}{143}x^{10} - \frac{768000}{143}x^8 + \frac{8294400}{143}x^6 - \frac{44236800}{143}x^4 + \frac{88473600}{143}x^2 \\
P_{14}^* & = \frac{3}{13}x^{14} + \frac{1260}{143}x^{12} + \frac{33600}{143}x^{10} + \frac{576000}{143}x^8 + \frac{5529600}{143}x^6 + \frac{22118400}{143}x^4 \\
Q_{14}^* & = -\frac{42}{13}x^{13} - \frac{15120}{143}x^{11} - \frac{336000}{143}x^9 - \frac{4608000}{143}x^7 - \frac{33177600}{143}x^5 - \frac{88473600}{143}x^3 \\
R_{14}^* & = \frac{7}{26}x^{14} + \frac{1512}{143}x^{12} + \frac{42000}{143}x^{10} + \frac{768000}{143}x^8 + \frac{8294400}{143}x^6 + \frac{44236800}{143}x^4 + \frac{88473600}{143}x^2
\end{aligned}$$

$$P_{16} = -\frac{7}{30}x^{16} + \frac{784}{65}x^{14} - \frac{65856}{143}x^{12} + \frac{1756160}{143}x^{10} - \frac{30105600}{143}x^8 + \frac{289013760}{143}x^6 - \frac{1156055040}{143}x^4$$

$$\begin{aligned}
Q_{16} &= \frac{56}{15}x^{15} - \frac{10976}{65}x^{13} + \frac{790272}{143}x^{11} - \frac{17561600}{143}x^9 + \frac{240844800}{143}x^7 - \frac{1734082560}{143}x^5 + \frac{4624220160}{143}x^3 \\
&= \frac{4}{15}x^{16} - \frac{2744}{195}x^{14} + \frac{395136}{715}x^{12} - \frac{2195200}{143}x^{10} + \frac{40140800}{143}x^8 - \frac{433520640}{143}x^6 + \frac{2312110080}{143}x^4 - \frac{4624220160}{143}x^2 \\
P_{16}^* &= \frac{7}{30}x^{16} + \frac{784}{65}x^{14} + \frac{65856}{143}x^{12} + \frac{1756160}{143}x^{10} + \frac{30105600}{143}x^8 + \frac{289013760}{143}x^6 + \frac{1156055040}{143}x^4 \\
Q_{16}^* &= -\frac{56}{15}x^{15} - \frac{10976}{65}x^{13} - \frac{790272}{143}x^{11} - \frac{17561600}{143}x^9 - \frac{240844800}{143}x^7 - \frac{1734082560}{143}x^5 - \frac{4624220160}{143}x^3 \\
&= \frac{4}{15}x^{16} + \frac{2744}{195}x^{14} + \frac{395136}{715}x^{12} + \frac{2195200}{143}x^{10} + \frac{40140800}{143}x^8 + \frac{433520640}{143}x^6 + \frac{2312110080}{143}x^4 + \frac{4624220160}{143}x^2
\end{aligned}$$

Recurrence Formulas:

$$\begin{aligned}
&\int x^{2n+2} J_0(x) J_1(x) dx = \\
&= \frac{x^{2n+1}}{4n+2} [-nxJ_0^2(x) + 2n(n+1)J_0(x)J_1(x) + (n+1)xJ_1^2(x)] - \frac{2n^2(n+1)}{2n+1} \int x^{2n} J_0(x) J_1(x) dx \\
&\int x^{2n+2} I_0(x) I_1(x) dx = \\
&= \frac{x^{2n+1}}{4n+2} [nxI_0^2(x) - 2n(n+1)I_0(x)I_1(x) + (n+1)xI_1^2(x)] + \frac{2n^2(n+1)}{2n+1} \int x^{2n} I_0(x) I_1(x) dx \\
&\int x^{2n+2} K_0(x) K_1(x) dx = \\
&= -\frac{x^{2n+1}}{4n+2} [nxK_0^2(x) + 2n(n+1)K_0(x)K_1(x) + (n+1)xK_1^2(x)] + \frac{2n^2(n+1)}{2n+1} \int x^{2n} K_0(x) K_1(x) dx
\end{aligned}$$

2.1.5. Integrals of the type $\int x^{2n+1} Z_0(x) Z_1(x) dx$

The integrals $\int J_0^2(x) dx$ and $\int I_0^2(x) dx$ may be defined as the functions $\Theta(x)$ and $\Omega(x)$ in 2.1.3., page 279

$$\begin{aligned}\int x J_0(x) J_1(x) dx &= -\frac{x}{2} J_0^2(x) + \frac{1}{2} \int J_0^2(x) dx \\ \int x I_0(x) I_1(x) dx &= \frac{x}{2} I_0^2(x) - \frac{1}{2} \int I_0^2(x) dx \\ \int x^3 J_0(x) J_1(x) dx &= \frac{1}{16} [(-2x^3 + 3x) J_0^2(x) + 6x^2 J_0(x) J_1(x) + 6x^3 J_1^2(x)] - \frac{3}{16} \int J_0^2(x) dx \\ \int x^3 I_0(x) I_1(x) dx &= \frac{1}{16} [(2x^3 + 3x) I_0^2(x) - 6x^2 I_0(x) I_1(x) + 6x^3 I_1^2(x)] - \frac{3}{16} \int I_0^2(x) dx\end{aligned}$$

With

$$\begin{aligned}\int x^{2n+1} J_0(x) \cdot J_1(x) dx &= \frac{1}{\beta_n} \left[A_n(x) J_0^2(x) + B_n(x) J_0(x) J_1(x) + C_n(x) J_1^2(x) + \gamma_n \int J_0^2(x) dx \right] \\ \int x^{2n+1} I_0(x) \cdot I_1(x) dx &= \frac{1}{\beta_n^*} \left[A_n^*(x) I_0^2(x) + I_n^*(x) I_0(x) I_1(x) + C_n^*(x) I_1^2(x) + \gamma_n^* \int I_0^2(x) dx \right]\end{aligned}$$

holds

$$\begin{aligned}\beta_2 &= 256, & \gamma_2 &= 135 \\ A_2(x) &= -48x^5 + 90x^3 - 135x, & B_2(x) &= 240x^4 - 270x^2, & C_2(x) &= 80x^5 - 270x^3\end{aligned}$$

$$\begin{aligned}\beta_2^* &= 256, & \gamma_2^* &= -135 \\ A_2^*(x) &= 48x^5 + 90x^3 + 135x, & B_2^*(x) &= -240x^4 - 270x^2, & C_2^*(x) &= 80x^5 + 270x^3\end{aligned}$$

$$\begin{aligned}\beta_3 &= 6144, & \gamma_3 &= -23625 \\ A_3(x) &= -1280x^7 + 8400x^5 - 15750x^3 + 23625x \\ B_3(x) &= 8960x^6 - 42000x^4 + 47250x^2, & C_3(x) &= 1792x^7 - 14000x^5 + 47250x^3\end{aligned}$$

$$\begin{aligned}\beta_3^* &= 6144, & \gamma_3^* &= -23625 \\ A_3^*(x) &= 1280x^7 + 8400x^5 + 15750x^3 + 23625x \\ B_3^*(x) &= -8960x^6 - 42000x^4 - 47250x^2, & C_3^*(x) &= 1792x^7 + 14000x^5 + 47250x^3\end{aligned}$$

$$\begin{aligned}\beta_4 &= 65536, & \gamma_4 &= 3472875 \\ A_4(x) &= -14336x^9 + 188160x^7 - 1234800x^5 + 2315250x^3 - 3472875x \\ B_4(x) &= 129024x^8 - 1317120x^6 + 6174000x^4 - 6945750x^2 \\ C_4(x) &= 18432x^9 - 263424x^7 + 2058000x^5 - 6945750x^3\end{aligned}$$

$$\begin{aligned}\beta_4^* &= 65536, & \gamma_4^* &= -3472875 \\ A_4^*(x) &= 14336x^9 + 188160x^7 + 1234800x^5 + 2315250x^3 + 3472875x \\ B_4^*(x) &= -129024x^8 - 1317120x^6 - 6174000x^4 - 6945750x^2 \\ C_4^*(x) &= 18432x^9 + 263424x^7 + 2058000x^5 + 6945750x^3\end{aligned}$$

$$\begin{aligned}\beta_5 &= 2621440, & \gamma_5 &= -3094331625 \\ A_5(x) &= -589824x^{11} + 12773376x^9 - 167650560x^7 + 1100206800x^5 - 2062887750x^3 + 3094331625x\end{aligned}$$

$$B_5(x) = 6488064 x^{10} - 114960384 x^8 + 1173553920 x^6 - 5501034000 x^4 + 6188663250 x^2$$

$$C_5(x) = 720896 x^{11} - 16422912 x^9 + 234710784 x^7 - 1833678000 x^5 + 6188663250 x^3$$

$$\beta_5^* = 2621440, \quad \gamma_5^* = -3094331625$$

$$A_5^*(x) = 589824 x^{11} + 12773376 x^9 + 167650560 x^7 + 1100206800 x^5 + 2062887750 x^3 + 3094331625 x$$

$$B_5^*(x) = -6488064 x^{10} - 114960384 x^8 - 1173553920 x^6 - 5501034000 x^4 - 6188663250 x^2$$

$$C_5^*(x) = 720896 x^{11} + 16422912 x^9 + 234710784 x^7 + 1833678000 x^5 + 6188663250 x^3$$

$$\beta_6 = 125829120, \quad \gamma_6 = 4867383646125$$

$$A_6(x) = -28835840 x^{13} + 927793152 x^{11} - 20092520448 x^9 + 263714330880 x^7 - 1730625296400 x^5 + \\ + 3244922430750 x^3 - 4867383646125 x$$

$$B_6(x) = 374865920 x^{12} - 10205724672 x^{10} + 180832684032 x^8 - 1846000316160 x^6 + 8653126482000 x^4 - \\ - 9734767292250 x^2$$

$$C_6(x) = 34078720 x^{13} - 1133969408 x^{11} + 25833240576 x^9 - 369200063232 x^7 + 2884375494000 x^5 - \\ - 9734767292250 x^3$$

$$\beta_6^* = 125829120, \quad \gamma_6^* = 4867383646125$$

$$A_6^*(x) = 28835840 x^{13} + 927793152 x^{11} + 20092520448 x^9 + 263714330880 x^7 + 1730625296400 x^5 + \\ + 3244922430750 x^3 + 4867383646125 x$$

$$B_6^*(x) = -374865920 x^{12} - 10205724672 x^{10} - 180832684032 x^8 - 1846000316160 x^6 - 8653126482000 x^4 - \\ - 9734767292250 x^2$$

$$C_6^*(x) = 34078720 x^{13} + 1133969408 x^{11} + 25833240576 x^9 + 369200063232 x^7 + 2884375494000 x^5 + \\ + 9734767292250 x^3$$

Recurrence formulas:

$$\int x^{2n+1} J_0(x) J_1(x) dx = \\ = -\frac{x^{2n}}{8n} [(2n-1)xJ_0^2(x) - (2n+1)xJ_1^2(x) - (4n^2-1)J_0(x)J_1(x)] - (2n-1)^2(2n+1) \int x^{2n-1} J_0(x) J_1(x) dx$$

$$\int x^{2n+1} I_0(x) I_1(x) dx = \\ = \frac{x^{2n}}{8n} [(2n-1)xI_0^2(x) + (2n+1)xI_1^2(x) - (4n^2-1)I_0(x)I_1(x)] + (2n-1)^2(2n+1) \int x^{2n-1} I_0(x) I_1(x) dx$$

2.1.6. Integrals of the type $\int x^{-(2n+1)} Z_0(x) Z_1(x) dx$

See also [4], 1.8.3..

$$\begin{aligned}
 \int \frac{J_0(x) J_1(x) dx}{x} &= x[J_0^2(x) + J_1^2(x)] - J_0(x) J_1(x) \\
 \int \frac{I_0(x) I_1(x) dx}{x} &= x[I_0^2(x) - I_1^2(x)] - I_0(x) I_1(x) \\
 \int \frac{K_0(x) K_1(x) dx}{x} &= x[-K_0^2(x) + K_1^2(x)] - K_0(x) K_1(x) \\
 \int \frac{I_0(x) K_1(x) dx}{x} &= -x[K_0(x) I_0(x) + K_1(x) I_1(x)] - I_0(x) K_1(x) \\
 \int \frac{K_0(x) I_1(x) dx}{x} &= x[K_0(x) I_0(x) + K_1(x) I_1(x)] - K_0(x) I_1(x)
 \end{aligned}$$

$$\begin{aligned}
 \int \frac{J_0(x) J_1(x) dx}{x^3} &= \frac{1}{9x^2} [x(-8x^2 - 3) J_0^2(x) + (8x^2 - 3) J_0(x) J_1(x) + x(-8x^2 + 1) J_1^2(x)] \\
 \int \frac{I_0(x) I_1(x) dx}{x^3} &= \frac{1}{9x^2} [x(8x^2 - 3) I_0^2(x) - (8x^2 + 3) I_0(x) I_1(x) - x(8x^2 + 1) I_1^2(x)] \\
 \int \frac{K_0(x) K_1(x) dx}{x^3} &= \frac{1}{9x^2} [x(-8x^2 + 3) K_0^2(x) + (-8x^2 - 3) K_0(x) K_1(x) + x(8x^2 + 1) K_1^2(x)] \\
 \int \frac{I_0(x) K_1(x) dx}{x^3} &= \\
 &= \frac{1}{9x^2} [(-8x^3 + 3x) I_0(x) K_0(x) + (-4x^2 - 3) I_0(x) K_1(x) + 4x^2 I_1(x) K_0(x) - (8x^3 + x) I_1(x) K_1(x)] \\
 \int \frac{I_1(x) K_0(x) dx}{x^3} &= \\
 &= \frac{1}{9x^2} [(8x^3 - 3x) I_0(x) K_0(x) + 4x^2 I_0(x) K_1(x) - (4x^2 + 3) I_1(x) K_0(x) + (8x^3 + x) I_1(x) K_1(x)]
 \end{aligned}$$

$$\begin{aligned}
 \int \frac{J_0(x) J_1(x) dx}{x^5} &= \frac{1}{675x^4} [x(128x^4 + 48x^2 - 45) J_0^2(x) + (-128x^4 + 48x^2 - 135) J_0(x) J_1(x) + \\
 &\quad + x(128x^4 - 16x^2 + 27) J_1^2(x)] \\
 \int \frac{I_0(x) I_1(x) dx}{x^5} &= \frac{1}{675x^4} [x(128x^4 - 48x^2 - 45) I_0^2(x) - (128x^4 + 48x^2 + 135) I_0(x) I_1(x) - \\
 &\quad - x(128x^4 + 16x^2 + 27) I_1^2(x)] \\
 \int \frac{K_0(x) K_1(x) dx}{x^5} &= \frac{1}{675x^4} [x(-128x^4 + 48x^2 + 45) K_0^2(x) + (-128x^4 - 48x^2 - 135) K_0(x) K_1(x) + \\
 &\quad + x(128x^4 + 16x^2 + 27) K_1^2(x)] \\
 \int \frac{I_0(x) K_1(x) dx}{x^5} &= \frac{1}{675x^4} [(-128x^5 + 48x^3 + 45x) I_0(x) K_0(x) + (-64x^4 - 24x^2 - 135) I_0(x) K_1(x) + \\
 &\quad + (64x^4 + 24x^2) I_1(x) K_0(x) + (-128x^5 - 16x^3 - 27x) I_1(x) K_1(x)] \\
 \int \frac{I_1(x) K_0(x) dx}{x^5} &= \frac{1}{675x^4} [(128x^5 - 48x^3 - 45x) I_0(x) K_0(x) + (64x^4 + 24x^2) I_0(x) K_1(x) + \\
 &\quad + (-64x^4 - 24x^2 - 135) I_1(x) K_0(x) + (128x^5 + 16x^3 + 27x) I_1(x) K_1(x)]
 \end{aligned}$$

The integrals for $K_0(x)K_1(x)$ may be found in a simple way from such for $I_0(x)I_1(x)$. The same holds for $I_1(x)K_0(x)$, which is similar to $I_0(x)K_1(x)$.

$$\begin{aligned}
& \int \frac{J_0(x) J_1(x) dx}{x^7} = \frac{1}{55 125 x^6} [x(-1 024 x^6 - 384 x^4 + 360 x^2 - 1 575) J_0^2(x) + \\
& + (1 024 x^6 - 384 x^4 + 1 080 x^2 - 7 875) J_0(x) J_1(x) + x(-1 024 x^6 + 128 x^4 - 216 x^2 + 1 125) J_1^2(x)] \\
& \int \frac{I_0(x) I_1(x) dx}{x^7} = \frac{1}{55 125 x^6} [x(1 024 x^6 - 384 x^4 - 360 x^2 - 1 575) I_0^2(x) - \\
& - (1 024 x^6 + 384 x^4 + 1 080 x^2 + 7 875) I_0(x) I_1(x) - x(1 024 x^6 + 128 x^4 + 216 x^2 + 1 125) I_1^2(x)] \\
& \int \frac{I_0(x) K_1(x) dx}{x^7} = \frac{1}{55 125 x^6} [(-1024 x^7 + 384 x^5 + 360 x^3 + 1575 x) I_0(x) K_0(x) - \\
& - (512 x^6 + 192 x^4 + 540 x^2 + 7875) I_0(x) K_1(x) + (512 x^6 + 192 x^4 + 540 x^2) I_1(x) K_0(x) - \\
& - (1024 x^7 + 128 x^5 + 216 x^3 + 1125 x) I_1(x) K_1(x)] \\
& \int \frac{J_0(x) J_1(x) dx}{x^9} = \frac{1}{31 255 875 x^8} [x(32 768 x^8 + 12 288 x^6 - 11 520 x^4 + 50 400 x^2 - 496 125) J_0^2(x) + \\
& + (-32 768 x^8 + 12 288 x^6 - 34 560 x^4 + 252 000 x^2 - 3 472 875) J_0(x) J_1(x) + \\
& + x(32 768 x^8 - 4 096 x^6 + 6 912 x^4 - 36 000 x^2 + 385 875) J_1^2(x)] \\
& \int \frac{I_0(x) I_1(x) dx}{x^9} = \frac{1}{31 255 875 x^8} [x(32 768 x^8 - 12 288 x^6 - 11 520 x^4 - 50 400 x^2 - 496 125) I_0^2(x) - \\
& - (32 768 x^8 + 12 288 x^6 + 34 560 x^4 + 252 000 x^2 + 3 472 875) I_0(x) I_1(x) - \\
& - x(32 768 x^8 + 4 096 x^6 + 6 912 x^4 + 36 000 x^2 + 385 875) I_1^2(x)] \\
& \int \frac{I_0(x) K_1(x) dx}{x^9} = \frac{1}{31 255 875 x^8} [(-32768 x^9 + 12288 x^7 + 11520 x^5 + 50400 x^3 + 496125 x) I_0(x) K_0(x) - \\
& - (16384 x^8 + 6144 x^6 + 17280 x^4 + 126000 x^2 + 3472875) I_0(x) K_1(x) + \\
& + (16384 x^8 + 6144 x^6 + 17280 x^4 + 126000 x^2) I_1(x) K_0(x) - \\
& - (32768 x^9 + 4096 x^7 + 6912 x^5 + 36000 x^3 + 385875 x) I_1(x) K_1(x)] \\
& \int \frac{J_0(x) J_1(x) dx}{x^{11}} = \frac{1}{3 403 7647 875 x^{10}} [x(-1 310 720 x^{10} - \\
& - 491 520 x^8 + 460 800 x^6 - 2 016 000 x^4 + 19 845 000 x^2 - 343 814 625) J_0^2(x) + \\
& + (1 310 720 x^{10} - 491 520 x^8 + 1 382 400 x^6 - 10 080 000 x^4 + 138 915 000 x^2 - 3 094 331 625) J_0(x) J_1(x) + \\
& + x(-1 310 720 x^{10} + 163 840 x^8 - 276 480 x^6 + 1 440 000 x^4 - 15 435 000 x^2 + 281 302 875) J_1^2(x)] \\
& \int \frac{I_0(x) I_1(x) dx}{x^{11}} = \frac{1}{34 037 647 875 x^{10}} [x(1 310 720 x^{10} - \\
& - 491 520 x^8 - 460 800 x^6 - 2 016 000 x^4 - 19 845 000 x^2 - 343 814 625) I_0^2(x) - \\
& - (1 310 720 x^{10} + 491 520 x^8 + 1 382 400 x^6 + 10 080 000 x^4 + 138 915 000 x^2 + 3 094 331 625) I_0(x) I_1(x) - \\
& - x(1 310 720 x^{10} + 163 840 x^8 + 276 480 x^6 + 1 440 000 x^4 + 15 435 000 x^2 + 281 302 875) I_1^2(x)] \\
& \int \frac{I_0(x) K_1(x) dx}{x^{11}} = \frac{1}{6807529575 x^{10}} \cdot \\
& \cdot [(-262144 x^{11} + 98304 x^9 + 92160 x^7 + 403200 x^5 + 3969000 x^3 + 68762925 x) I_0(x) K_0(x) - \\
& - (131072 x^{10} + 49152 x^8 + 138240 x^6 + 1008000 x^4 + 13891500 x^2 + 618866325) I_0(x) K_1(x) +
\end{aligned}$$

$$+(131072x^{10} + 49152x^8 + 138240x^6 + 1008000x^4 + 13891500x^2)I_1(x)K_0(x) - \\ -(262144x^{11} + 32768x^9 + 55296x^7 + 288000x^5 + 3087000x^3 + 56260575x)I_1(x)K_1(x)]$$

$$\int \frac{J_0(x)J_1(x)dx}{x^{13}} = \frac{1}{4218399159975x^{12}} [x(4194304x^{12} + 1572864x^{10} - 1474560x^8 + \\ +6451200x^6 - 63504000x^4 + 1100206800x^2 - 29499294825)J_0^2(x) + \\ +(-4194304x^{12} + 1572864x^{10} - 4423680x^8 + 32256000x^6 - \\ -444528000x^4 + 9901861200x^2 - 324492243075)J_0(x)J_1(x) + \\ +x(4194304x^{12} - 524288x^{10} + 884736x^8 - 4608000x^6 + \\ +49392000x^4 - 900169200x^2 + 24960941775)J_1^2(x)]$$

$$\int \frac{I_0(x)I_1(x)dx}{x^{13}} = \frac{1}{4218399159975x^{12}} [x(4194304x^{12} - 1572864x^{10} - 1474560x^8 - \\ -6451200x^6 - 63504000x^4 - 1100206800x^2 - 29499294825)I_0^2(x) - \\ -(4194304x^{12} + 1572864x^{10} + 4423680x^8 + 32256000x^6 + \\ +444528000x^4 + 9901861200x^2 + 324492243075)I_0(x)I_1(x) - \\ -x(4194304x^{12} + 524288x^{10} + 884736x^8 + 4608000x^6 + \\ +49392000x^4 + 900169200x^2 + 24960941775)I_1^2(x)]$$

$$\int \frac{I_0(x)K_1(x)dx}{x^{13}} = \frac{1}{4218399159975x^{12}} \cdot$$

$$\cdot [(-4194304x^{13} + 1572864x^{11} + 1474560x^9 + 6451200x^7 + 63504000x^5 + 1100206800x^3 + \\ +29499294825x)I_0(x)K_0(x) - (2097152x^{12} + 786432x^{10} + 2211840x^8 + 16128000x^6 + 222264000x^4 + \\ +4950930600x^2 + 324492243075)I_0(x)K_1(x) + (2097152x^{12} + 786432x^{10} + 2211840x^8 + 16128000x^6 + \\ +222264000x^4 + 4950930600x^2)I_1(x)K_0(x) - (4194304x^{13} + 524288x^{11} + 884736x^9 + 4608000x^7 + \\ +49392000x^5 + 900169200x^3 + 24960941775x)I_1(x)K_1(x)]$$

Recurrence Relations:

$$\int \frac{J_0(x)J_1(x)dx}{x^{2n+1}} = \\ = \frac{1}{(2n+1)x^{2n}} \left[-\frac{xJ_0^2(x)}{2n-1} - J_0(x)J_1(x) + \frac{xJ_1^2(x)}{2n+1} \right] - \frac{8n}{(2n+1)^2(2n-1)} \int \frac{J_0(x)J_1(x)dx}{x^{2n-1}} \\ \int \frac{I_0(x)I_1(x)dx}{x^{2n+1}} = \\ = -\frac{1}{(2n+1)x^{2n}} \left[\frac{xI_0^2(x)}{2n-1} + I_0(x)I_1(x) + \frac{xI_1^2(x)}{2n+1} \right] + \frac{8n}{(2n+1)^2(2n-1)} \int \frac{I_0(x)I_1(x)dx}{x^{2n-1}} \\ \int \frac{K_0(x)K_1(x)dx}{x^{2n+1}} = \\ = \frac{1}{(2n+1)x^{2n}} \left[\frac{xK_0^2(x)}{2n-1} - K_0(x)K_1(x) + \frac{xK_1^2(x)}{2n+1} \right] + \frac{8n}{(2n+1)^2(2n-1)} \int \frac{K_0(x)K_1(x)dx}{x^{2n-1}} \\ \int \frac{I_0(x)K_1(x)dx}{x^{2n+1}} = \frac{1}{(2n+1)x^{2n}} \left[\frac{xI_0(x)K_0(x)}{2n-1} - I_0(x)K_1(x) - \frac{xI_1(x)K_1(x)}{2n+1} \right] + \\ + \frac{4n}{(2n+1)^2(2n-1)} \int \frac{I_0(x)K_1(x) - I_1(x)K_0(x)}{x^{2n-1}} dx \\ \int \frac{I_1(x)K_0(x)dx}{x^{2n+1}} = \frac{1}{(2n+1)x^{2n}} \left[-\frac{xI_0(x)K_0(x)}{2n-1} - I_1(x)K_0(x) + \frac{xI_1(x)K_1(x)}{2n+1} \right] + \\ + \frac{4n}{(2n+1)^2(2n-1)} \int \frac{I_1(x)K_0(x) - I_0(x)K_1(x)}{x^{2n-1}} dx$$

2.1.7. Integrals of the type $\int x^{2n+1} \cdot J_\nu(x) \cdot \left\{ \begin{array}{l} I_\nu(x) \\ K_\nu(x) \end{array} \right\} dx$

a) $\nu = 0$:

$$\begin{aligned} \int x \cdot J_0(x) \cdot I_0(x) dx &= \frac{x}{2} [J_0(x) \cdot I_1(x) + J_1(x) \cdot I_0(x)] \\ \int x \cdot J_0(x) \cdot K_0(x) dx &= \frac{x}{2} [-J_0(x) \cdot K_1(x) + J_1(x) \cdot K_0(x)] \\ \int x^3 \cdot J_0(x) \cdot I_0(x) dx &= \frac{1}{2} [x^3 J_0(x) \cdot I_1(x) + x^3 J_1(x) \cdot I_0(x) - 2x^2 J_1(x) \cdot I_1(x)] \\ \int x^3 \cdot J_0(x) \cdot K_0(x) dx &= \frac{1}{2} [-x^3 J_0(x) \cdot K_1(x) + x^3 J_1(x) \cdot K_0(x) + 2x^2 J_1(x) \cdot K_1(x)] \\ &\int x^5 \cdot J_0(x) \cdot I_0(x) dx = \\ &= \frac{1}{2} [8x^2 J_0(x) \cdot I_0(x) + (x^5 - 4x^3 - 8x) J_0(x) \cdot I_1(x) + (x^5 + 4x^3 - 8x) J_1(x) \cdot I_0(x) - 4x^4 J_1(x) \cdot I_1(x)] \\ &\int x^5 \cdot J_0(x) \cdot K_0(x) dx = \\ &= \frac{1}{2} [8x^2 J_0(x) \cdot K_0(x) - (x^5 - 4x^3 - 8x) J_0(x) \cdot K_1(x) + (x^5 + 4x^3 - 8x) J_1(x) \cdot K_0(x) + 4x^4 J_1(x) \cdot I_K(x)] \\ &\int x^7 \cdot J_0(x) \cdot I_0(x) dx = \frac{1}{2} [48x^4 J_0(x) \cdot I_0(x) + (x^7 - 12x^5 - 96x^3) J_0(x) \cdot I_1(x) + \\ &\quad + (x^7 + 12x^5 - 96x^3) J_1(x) \cdot I_0(x) + (-6x^6 + 192x^2) J_1(x) \cdot I_1(x)] \\ \int x^7 \cdot J_0(x) \cdot K_0(x) dx &= \frac{1}{2} [48x^4 J_0(x) \cdot K_0(x) - (x^7 - 12x^5 - 96x^3) J_0(x) \cdot K_1(x) + \\ &\quad + (x^7 + 12x^5 - 96x^3) J_1(x) \cdot K_0(x) + (6x^6 - 192x^2) J_1(x) \cdot K_1(x)] \\ &\int x^9 \cdot J_0(x) \cdot I_0(x) dx = \\ &= \frac{1}{2} [(144x^6 - 3456x^2) J_0(x) \cdot I_0(x) + (x^9 - 24x^7 - 432x^5 + 1728x^3 + 3456x) J_0(x) \cdot I_1(x) + \\ &\quad + (x^9 + 24x^7 - 432x^5 - 1728x^3 + 3456x) J_1(x) \cdot I_0(x) + (-8x^8 + 1728x^4) J_1(x) \cdot I_1(x)] \\ &\int x^9 \cdot J_0(x) \cdot K_0(x) dx = \\ &= \frac{1}{2} [(144x^6 - 3456x^2) J_0(x) \cdot K_0(x) - (x^9 - 24x^7 - 432x^5 + 1728x^3 + 3456x) J_0(x) \cdot K_1(x) + \\ &\quad + (x^9 + 24x^7 - 432x^5 - 1728x^3 + 3456x) J_1(x) \cdot K_0(x) + (8x^8 - 1728x^4) J_1(x) \cdot K_1(x)] \end{aligned}$$

With

$$\int x^n \cdot J_0(x) \cdot I_0(x) dx = \frac{1}{2} [P_n(x) J_0(x) \cdot I_0(x) + Q_n(x) J_0(x) \cdot I_1(x) + R_n(x) J_1(x) \cdot I_0(x) + S_n(x) J_1(x) \cdot I_1(x)]$$

holds

$$\begin{aligned} &\int x^n \cdot J_0(x) \cdot K_0(x) dx = \\ &= \frac{1}{2} [P_n(x) J_0(x) \cdot K_0(x) - Q_n(x) J_0(x) \cdot K_1(x) + R_n(x) J_1(x) \cdot K_0(x) - S_n(x) J_1(x) \cdot K_1(x)] . \end{aligned}$$

$$P_{11}(x) = 320x^8 - 61440x^4$$

$$Q_{11}(x) = x^{11} - 40x^9 - 1280x^7 + 15360x^5 + 122880x^3$$

$$R_{11}(x) = x^{11} + 40x^9 - 1280x^7 - 15360x^5 + 122880x^3$$

$$S_{11}(x) = -10x^{10} + 7680x^6 - 245760x^2$$

$$P_{13}(x) = 600x^{10} - 432000x^6 + 10368000x^2$$

$$Q_{13}(x) = x^{13} - 60x^{11} - 3000x^9 + 72000x^7 + 1296000x^5 - 5184000x^3 - 10368000x$$

$$R_{13}(x) = x^{13} + 60x^{11} - 3000x^9 - 72000x^7 + 1296000x^5 + 5184000x^3 - 10368000x$$

$$S_{13}(x) = -12x^{12} + 24000x^8 - 5184000x^4$$

$$P_{15}(x) = 1008x^{12} - 1935360x^8 + 371589120x^4$$

$$Q_{15}(x) = x^{15} - 84x^{13} - 6048x^{11} + 241920x^9 + 7741440x^7 - 92897280x^5 - 743178240x^3$$

$$R_{15}(x) = x^{15} + 84x^{13} - 6048x^{11} - 241920x^9 + 7741440x^7 + 92897280x^5 - 743178240x^3$$

$$S_{15}(x) = -14x^{14} + 60480x^{10} - 46448640x^6 + 1486356480x^2$$

b) $\nu = 1$:

$$\int x \cdot J_1(x) \cdot I_1(x) dx = \frac{x}{2} [-J_0(x) \cdot I_1(x) + J_1(x) \cdot I_0(x)]$$

$$\int x \cdot J_1(x) \cdot K_1(x) dx = -\frac{x}{2} [J_0(x) \cdot K_1(x) + J_1(x) \cdot K_0(x)]$$

$$\int x^3 \cdot J_1(x) \cdot I_1(x) dx = \frac{1}{2} [2x^2 J_0(x) \cdot I_0(x) - (x^3 + 2x)J_0(x) \cdot I_1(x) + (x^3 - 2x)J_1(x) \cdot I_0(x)]$$

$$\int x^3 \cdot J_1(x) \cdot K_1(x) dx = \frac{1}{2} [-2x^2 J_0(x) \cdot K_0(x) - (x^3 + 2x)J_0(x) \cdot K_1(x) - (x^3 - 2x)J_1(x) \cdot K_0(x)]$$

With

$$\int x^n \cdot J_1(x) \cdot I_1(x) dx = \frac{1}{2} [P_n(x)J_0(x) \cdot I_0(x) + Q_n(x)J_0(x) \cdot I_1(x) + R_n(x)J_1(x) \cdot I_0(x) + S_n(x)J_1(x) \cdot I_1(x)]$$

holds

$$\begin{aligned} & \int x^n \cdot J_1(x) \cdot K_1(x) dx = \\ & = \frac{1}{2} [-P_n(x)J_0(x) \cdot K_0(x) + Q_n(x)J_0(x) \cdot K_1(x) - R_n(x)J_1(x) \cdot K_0(x) + S_n(x)J_1(x) \cdot K_1(x)] . \end{aligned}$$

$$P_5(x) = 4x^4, \quad Q_5(x) = -x^5 - 8x^3, \quad R_5(x) = x^5 - 8x^3, \quad S_5(x) = 16x^2$$

$$P_7(x) = 6x^6 - 144x^2, \quad Q_7(x) = -x^7 - 18x^5 + 72x^3 + 144x$$

$$R_7(x) = x^7 - 18x^5 - 72x^3 + 144x, \quad S_7(x) = 72x^4$$

$$P_9(x) = 8x^8 - 1536x^4, \quad Q_9(x) = -x^9 - 32x^7 + 384x^5 + 3072x^3$$

$$R_9(x) = x^9 - 32x^7 - 384x^5 + 3072x^3, \quad S_9(x) = 192x^6 - 6144x^2$$

$$P_{11}(x) = 10x^{10} - 7200x^6 + 172800x^2$$

$$Q_{11}(x) = -x^{11} - 50x^9 + 1200x^7 + 21600x^5 - 86400x^3 - 172800x$$

$$R_{11}(x) = x^{11} - 50x^9 - 1200x^7 + 21600x^5 + 86400x^3 - 172800x$$

$$S_{11}(x) = 400x^8 - 86400x^4$$

$$\begin{aligned}
P_{13}(x) &= 12x^{12} - 23040x^8 + 4423680x^4 \\
Q_{13}(x) &= -x^{13} - 72x^{11} + 2880x^9 + 92160x^7 - 1105920x^5 - 8847360x^3 \\
R_{13}(x) &= x^{13} - 72x^{11} - 2880x^9 + 92160x^7 + 1105920x^5 - 8847360x^3 \\
S_{13}(x) &= 720x^{10} - 552960x^6 + 17694720x^2
\end{aligned}$$

$$\begin{aligned}
P_{15}(x) &= 14x^{14} - 58800x^{10} + 42336000x^6 - 1016064000x^2 \\
Q_{15}(x) &= -x^{15} - 98x^{13} + 5880x^{11} + 294000x^9 - 7056000x^7 - 127008000x^5 + 508032000x^3 + 1016064000x \\
R_{15}(x) &= x^{15} - 98x^{13} - 5880x^{11} + 294000x^9 + 7056000x^7 - 127008000x^5 - 508032000x^3 + 1016064000x \\
S_{15}(x) &= 1176x^{12} - 2352000x^8 + 508032000x^4
\end{aligned}$$

c) Recurrence relations:

$$\begin{aligned}
& \int x^{2n+1} J_0(x) I_0(x) dx = \\
&= \frac{x^{2n}}{2} [x J_0(x) I_1(x) + x J_1(x) I_0(x) - 2n J_1(x) I_1(x)] + 2n(n-1) \int x^{2n-1} J_1(x) I_1(x) dx \\
& \int x^{2n+1} J_1(x) I_1(x) dx = \\
&= \frac{x^{2n}}{2} [-x J_0(x) I_1(x) + x J_1(x) I_0(x) + 2n J_0(x) I_0(x)] - 2n^2 \int x^{2n-1} J_0(x) I_0(x) dx \\
& \int x^{2n+1} K_0(x) I_0(x) dx = \\
&= \frac{x^{2n}}{2} [-x J_0(x) K_1(x) + x J_1(x) K_0(x) + 2n J_1(x) K_1(x)] - 2n(n-1) \int x^{2n-1} J_1(x) K_1(x) dx \\
& \int x^{2n+1} J_1(x) K_1(x) dx = \\
&= -\frac{x^{2n}}{2} [x J_0(x) K_1(x) + x J_1(x) K_0(x) + 2n J_0(x) K_0(x)] + 2n^2 \int x^{2n-1} J_0(x) K_0(x) dx
\end{aligned}$$

2.1.8. Integrals of the type $\int x^{2n} \cdot J_\nu(x) \cdot \left\{ \begin{array}{l} I_{1-\nu}(x) \\ K_{1-\nu}(x) \end{array} \right\} dx$

a) $\nu = 0$:

$$\begin{aligned} \int x^2 \cdot J_0(x) \cdot I_1(x) dx &= \frac{1}{2} [x^2 J_0(x) \cdot I_0(x) - x J_0(x) \cdot I_1(x) - x J_1(x) \cdot I_0(x) + x^2 J_1(x) \cdot I_1(x)] \\ \int x^2 \cdot J_0(x) \cdot K_1(x) dx &= \frac{1}{2} [-x^2 J_0(x) \cdot K_0(x) - x J_0(x) \cdot K_1(x) + x J_1(x) \cdot K_0(x) + x^2 J_1(x) \cdot K_1(x)] \\ &= \frac{1}{2} [(x^4 - 2x^2)J_0(x) \cdot I_0(x) + (-x^3 + 2x)J_0(x) \cdot I_1(x) + (-3x^3 + 2x)J_1(x) \cdot I_0(x) + (x^4 + 4x^2)J_1(x) \cdot I_1(x)] \\ &= \frac{1}{2} [-(x^4 - 2x^2)J_0(x) \cdot K_0(x) - (x^3 - 2x)J_0(x) \cdot K_1(x) + (3x^3 - 2x)J_1(x) \cdot K_0(x) + (x^4 + 4x^2)J_1(x) \cdot K_1(x)] \end{aligned}$$

With

$$\int x^n \cdot J_0(x) \cdot I_1(x) dx = \frac{1}{2} [P_n(x)J_0(x) \cdot I_0(x) + Q_n(x)J_0(x) \cdot I_1(x) + R_n(x)J_1(x) \cdot I_0(x) + S_n(x)J_1(x) \cdot I_1(x)]$$

holds

$$\begin{aligned} &\int x^n \cdot J_0(x) \cdot K_1(x) dx = \\ &= \frac{1}{2} [-P_n(x)J_0(x) \cdot K_0(x) + Q_n(x)J_0(x) \cdot K_1(x) - R_n(x)J_1(x) \cdot K_0(x) + S_n(x)J_1(x) \cdot K_1(x)] . \end{aligned}$$

$$P_6(x) = x^6 - 8x^4 - 24x^2, \quad Q_6(x) = -x^5 + 28x^3 + 24x$$

$$R_6(x) = -5x^5 + 4x^3 + 24x, \quad S_6(x) = x^6 + 12x^4 - 32x^2$$

$$P_8(x) = x^8 - 18x^6 - 192x^4 + 432x^2, \quad Q_8(x) = -x^7 + 102x^5 + 168x^3 - 432x$$

$$R_8(x) = -7x^7 + 6x^5 + 600x^3 - 432x, \quad S_8(x) = x^8 + 24x^6 - 216x^4 - 768x^2$$

$$P_{10}(x) = x^{10} - 32x^8 - 720x^6 + 6144x^4 + 17280x^2$$

$$Q_{10}(x) = -x^9 + 248x^7 + 624x^5 - 20928x^3 - 17280x$$

$$R_{10}(x) = -9x^9 + 8x^7 + 3696x^5 - 3648x^3 - 17280x$$

$$S_{10}(x) = x^{10} + 40x^8 - 768x^6 - 8640x^4 + 24576x^2$$

$$P_{12}(x) = x^{12} - 50x^{10} - 1920x^8 + 36000x^6 + 368640x^4 - 864000x^2$$

$$Q_{12}(x) = -x^{11} + 490x^9 + 1680x^7 - 200160x^5 - 305280x^3 + 864000x$$

$$R_{12}(x) = -11x^{11} + 10x^9 + 13680x^7 - 15840x^5 - 1169280x^3 + 864000x$$

$$S_{12}(x) = x^{12} + 60x^{10} - 2000x^8 - 46080x^6 + 432000x^4 + 1474560x^2$$

$$P_{14}(x) = x^{14} - 72x^{12} - 4200x^{10} + 138240x^8 + 3024000x^6 - 26542080x^4 - 72576000x^2$$

$$Q_{14}(x) = -x^{13} + 852x^{11} + 3720x^9 - 1056960x^7 - 2436480x^5 + 89372160x^3 + 72576000x$$

$$R_{14}(x) = -13x^{13} + 12x^{11} + 38280x^9 - 48960x^7 - 15707520x^5 + 16796160x^3 + 72576000x$$

$$S_{14}(x) = x^{14} + 84x^{12} - 4320x^{10} - 168000x^8 + 3317760x^6 + 36288000x^4 - 106168320x^2$$

$$\begin{aligned}
& P_{16}(x) = \\
& = x^{16} - 98x^{14} - 8064x^{12} + 411600x^{10} + 15482880x^8 - 296352000x^6 - 2972712960x^4 + 7112448000x^2 \\
& Q_{16}(x) = \\
& = -x^{15} + 1358x^{13} + 7224x^{11} - 3993360x^9 - 12539520x^7 + 1632234240x^5 + 2389201920x^3 - 7112448000x \\
& R_{16}(x) = \\
& = -15x^{15} + 14x^{13} + 89544x^{11} - 122640x^9 - 111323520x^7 + 145877760x^5 + 9501649920x^3 - 7112448000x \\
& S_{16}(x) = \\
& = x^{16} + 112x^{14} - 8232x^{12} - 483840x^{10} + 16464000x^8 + 371589120x^6 - 3556224000x^4 - 11890851840x^2
\end{aligned}$$

b) $\nu = 1$:

$$\begin{aligned}
& \int x^2 \cdot J_1(x) \cdot I_0(x) dx = \frac{1}{2} [-x^2 J_0(x) \cdot I_0(x) + x J_0(x) \cdot I_1(x) + x J_1(x) \cdot I_0(x) + x^2 J_1(x) \cdot I_1(x)] \\
& \int x^2 \cdot J_1(x) \cdot K_0(x) dx = \frac{1}{2} [-x^2 J_0(x) \cdot K_0(x) - x J_0(x) \cdot K_1(x) + x J_1(x) \cdot K_0(x) - x^2 J_1(x) \cdot K_1(x)] \\
& \int x^4 \cdot J_1(x) \cdot I_0(x) dx = \\
& = \frac{1}{2} [(-x^4 - 2x^2)J_0(x) \cdot I_0(x) + (3x^3 + 2x)J_0(x) \cdot I_1(x) + (x^3 + 2x)J_1(x) \cdot I_0(x) + (x^4 - 4x^2)J_1(x) \cdot I_1(x)] \\
& \int x^4 \cdot J_1(x) \cdot K_0(x) dx = \\
& = \frac{1}{2} [(-x^4 - 2x^2)J_0(x) \cdot K_0(x) - (3x^3 + 2x)J_0(x) \cdot K_1(x) + (x^3 + 2x)J_1(x) \cdot K_0(x) - (x^4 - 4x^2)J_1(x) \cdot K_1(x)]
\end{aligned}$$

With

$$\int x^n \cdot J_1(x) \cdot I_0(x) dx = \frac{1}{2} [P_n(x)J_0(x) \cdot I_0(x) + Q_n(x)J_0(x) \cdot I_1(x) + R_n(x)J_1(x) \cdot I_0(x) + S_n(x)J_1(x) \cdot I_1(x)]$$

holds

$$\int x^n \cdot J_1(x) \cdot K_0(x) dx = \frac{1}{2} [P_n(x)J_0(x) \cdot K_0(x) - Q_n(x)J_0(x) \cdot K_1(x) + R_n(x)J_1(x) \cdot K_0(x) - S_n(x)J_1(x) \cdot K_1(x)] .$$

$$\begin{aligned}
P_6(x) &= -x^6 - 8x^4 + 24x^2, & Q_6(x) &= 5x^5 + 4x^3 - 24x \\
R_6(x) &= x^5 + 28x^3 - 24x, & S_6(x) &= x^6 - 12x^4 - 32x^2
\end{aligned}$$

$$\begin{aligned}
P_8(x) &= -x^8 - 18x^6 + 192x^4 + 432x^2, & Q_8(x) &= 7x^7 + 6x^5 - 600x^3 - 432x \\
R_8(x) &= x^7 + 102x^5 - 168x^3 - 432x, & S_8(x) &= x^8 - 24x^6 - 216x^4 + 768x^2
\end{aligned}$$

$$\begin{aligned}
P_{10}(x) &= -x^{10} - 32x^8 + 720x^6 + 6144x^4 - 17280x^2 \\
Q_{10}(x) &= 9x^9 + 8x^7 - 3696x^5 - 3648x^3 + 17280x \\
R_{10}(x) &= x^9 + 248x^7 - 624x^5 - 20928x^3 + 17280x \\
S_{10}(x) &= x^{10} - 40x^8 - 768x^6 + 8640x^4 + 24576x^2
\end{aligned}$$

$$\begin{aligned}
P_{12}(x) &= -x^{12} - 50x^{10} + 1920x^8 + 36000x^6 - 368640x^4 - 864000x^2 \\
Q_{12}(x) &= 11x^{11} + 10x^9 - 13680x^7 - 15840x^5 + 1169280x^3 + 864000x \\
R_{12}(x) &= x^{11} + 490x^9 - 1680x^7 - 200160x^5 + 305280x^3 + 864000x
\end{aligned}$$

$$S_{12}(x) = x^{12} - 60x^{10} - 2000x^8 + 46080x^6 + 432000x^4 - 1474560x^2$$

$$P_{14}(x) = -x^{14} - 72x^{12} + 4200x^{10} + 138240x^8 - 3024000x^6 - 26542080x^4 + 72576000x^2$$

$$Q_{14}(x) = 13x^{13} + 12x^{11} - 38280x^9 - 48960x^7 + 15707520x^5 + 16796160x^3 - 72576000x$$

$$R_{14}(x) = x^{13} + 852x^{11} - 3720x^9 - 1056960x^7 + 2436480x^5 + 89372160x^3 - 72576000x$$

$$S_{14}(x) = x^{14} - 84x^{12} - 4320x^{10} + 168000x^8 + 3317760x^6 - 36288000x^4 - 106168320x^2$$

$$P_{16}(x) =$$

$$= -x^{16} - 98x^{14} + 8064x^{12} + 411600x^{10} - 15482880x^8 - 296352000x^6 + 2972712960x^4 + 7112448000x^2$$

$$Q_{16}(x) =$$

$$= 15x^{15} + 14x^{13} - 89544x^{11} - 122640x^9 + 111323520x^7 + 145877760x^5 - 9501649920x^3 - 7112448000x$$

$$R_{16}(x) =$$

$$= x^{15} + 1358x^{13} - 7224x^{11} - 3993360x^9 + 12539520x^7 + 1632234240x^5 - 2389201920x^3 - 7112448000x$$

$$S_{16}(x) =$$

$$= x^{16} - 112x^{14} - 8232x^{12} + 483840x^{10} + 16464000x^8 - 371589120x^6 - 3556224000x^4 + 11890851840x^2$$

c) Recurrence Relations:

$$\begin{aligned} \int x^{2n+2} J_0(x) I_1(x) dx &= \frac{x^{2n+1}}{2} [x J_0(x) I_0(x) - J_0(x) I_1(x) - (2n+1) J_1(x) I_0(x) + x J_1(x) I_1(x)] + \\ &+ n \int x^{2n} J_0(x) I_1(x) dx + n(2n+1) \int x^{2n} J_1(x) I_0(x) dx \end{aligned}$$

$$\begin{aligned} \int x^{2n+2} J_1(x) I_0(x) dx &= \frac{x^{2n+1}}{2} [-x J_0(x) I_0(x) + (2n+1) J_0(x) I_1(x) + J_1(x) I_0(x) + x J_1(x) I_1(x)] - \\ &- n(2n+1) \int x^{2n} J_0(x) I_1(x) dx - n \int x^{2n} J_1(x) I_0(x) dx \end{aligned}$$

$$\begin{aligned} \int x^{2n+2} J_0(x) K_1(x) dx &= \frac{x^{2n+1}}{2} [-x J_0(x) K_0(x) - J_0(x) K_1(x) + (2n+1) J_1(x) K_0(x) + x J_1(x) K_1(x)] + \\ &+ n \int x^{2n} J_0(x) K_1(x) dx - n(2n+1) \int x^{2n} J_1(x) K_0(x) dx \end{aligned}$$

$$\begin{aligned} \int x^{2n+2} J_1(x) K_0(x) dx &= \frac{x^{2n+1}}{2} [-x J_0(x) K_0(x) - (2n+1) J_0(x) K_1(x) + J_1(x) K_0(x) - x J_1(x) K_1(x)] + \\ &+ n(2n+1) \int x^{2n} J_0(x) K_1(x) dx - n \int x^{2n} J_1(x) K_0(x) dx \end{aligned}$$

2.1.9. Integrals of the type $\int x^{2n+1} J_\mu(x) Y_\nu dx$:

a) $\int x^{2n+1} J_0(x) Y_0(x) dx$:

$$\begin{aligned}
 \int x J_0(x) Y_0(x) dx &= \frac{x^2}{2} [J_0(x) Y_0(x) + J_1(x) Y_1(x)] \\
 \int x^3 J_0(x) Y_0(x) dx &= \\
 &= \frac{x^4}{6} J_0(x) Y_0(x) + \frac{x^3}{6} [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + \left(\frac{x^4}{6} - \frac{x^2}{3} \right) J_1(x) Y_1(x) \\
 \int x^5 J_0(x) Y_0(x) dx &= \left(\frac{x^6}{10} + \frac{4}{15} x^4 \right) J_0(x) Y_0(x) + \\
 + \left(\frac{x^5}{5} - \frac{8}{15} x^3 \right) [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + \left(\frac{x^6}{10} - \frac{8}{15} x^4 + \frac{16}{15} x^2 \right) J_1(x) Y_1(x) \\
 \int x^7 J_0(x) Y_0(x) dx &= \left(\frac{x^8}{14} + \frac{18}{35} x^6 - \frac{72}{35} x^4 \right) J_0(x) Y_0(x) + \\
 + \left(\frac{3}{14} x^7 - \frac{54}{35} x^5 + \frac{144}{35} x^3 \right) [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + \\
 + \left(\frac{x^8}{14} - \frac{27}{35} x^6 + \frac{144}{35} x^4 - \frac{288}{35} x^2 \right) J_1(x) Y_1(x) \\
 \int x^9 J_0(x) Y_0(x) dx &= \left(\frac{x^{10}}{18} + \frac{16}{21} x^8 - \frac{256}{35} x^6 + \frac{1024}{35} x^4 \right) J_0(x) Y_0(x) + \\
 + \left(\frac{2}{9} x^9 - \frac{64}{21} x^7 + \frac{768}{35} x^5 - \frac{2048}{35} x^3 \right) [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + \\
 + \left(\frac{x^{10}}{18} - \frac{64}{63} x^8 + \frac{384}{35} x^6 - \frac{2048}{35} x^4 + \frac{4096}{35} x^2 \right) J_1(x) Y_1(x) \\
 \int x^{11} J_0(x) Y_0(x) dx &= \left(\frac{x^{12}}{22} + \frac{100}{99} x^{10} - \frac{4000}{231} x^8 + \frac{12800}{77} x^6 - \frac{51200}{77} x^4 \right) J_0(x) Y_0(x) + \\
 + \left(\frac{5}{22} x^{11} - \frac{500}{99} x^9 + \frac{16000}{231} x^7 - \frac{38400}{77} x^5 + \frac{102400}{77} x^3 \right) [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + \\
 + \left(\frac{x^{12}}{22} - \frac{125}{99} x^{10} + \frac{16000}{693} x^8 - \frac{19200}{77} x^6 + \frac{102400}{77} x^4 - \frac{204800}{77} x^2 \right) J_1(x) Y_1(x) \\
 \int x^{13} J_0(x) Y_0(x) dx &= \\
 &= \left(\frac{x^{14}}{26} + \frac{180}{143} x^{12} - \frac{4800}{143} x^{10} + \frac{576000}{1001} x^8 - \frac{5529600}{1001} x^6 + \frac{22118400}{1001} x^4 \right) J_0(x) Y_0(x) + \\
 + \left(\frac{3}{13} x^{13} - \frac{1080}{143} x^{11} + \frac{24000}{143} x^9 - \frac{2304000}{1001} x^7 + \frac{16588800}{1001} x^5 - \frac{44236800}{1001} x^3 \right) [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + \\
 + \left(\frac{x^{14}}{26} - \frac{216}{143} x^{12} + \frac{6000}{143} x^{10} - \frac{768000}{1001} x^8 + \frac{8294400}{1001} x^6 - \frac{44236800}{1001} x^4 + \frac{88473600}{1001} x^2 \right) J_1(x) Y_1(x)
 \end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
 \int x^{2n+1} J_0(x) Y_0(x) dx &= \\
 &= \frac{x^{2n}}{4n+2} \{ (2n^2 + x^2) J_0(x) Y_0(x) + nx [J_0(x) Y_1(x) + J_1(x) Y_0(x)] + x^2 J_1(x) Y_1(x) \} - \\
 &\quad - \frac{2n^3}{2n+1} \int x^{2n-1} J_0(x) Y_0(x) dx
 \end{aligned}$$

b) $\int x^{-2n} J_0(x)Y_0(x) dx :$

$$\int \frac{J_0(x)Y_0(x)}{x^2} dx = -\frac{2x^2+1}{x} J_0(x)Y_0(x) + J_0(x)Y_1(x) + J_1(x)Y_0(x) - 2x J_1(x)Y_1(x)$$

$$\int \frac{J_0(x)Y_0(x)}{x^4} dx = \frac{1}{27x^3} \{ (16x^4 + 6x^2 - 9) J_0(x)Y_0(x) + (-8x^3 + 3x) [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + (16x^4 - 2x^2) J_1(x)Y_1(x) \}$$

$$\int \frac{J_0(x)Y_0(x)}{x^6} dx = \frac{1}{3375x^5} \{ (-256x^6 - 96x^4 + 90x^2 - 675) J_0(x)Y_0(x) + (128x^5 - 48x^3 + 135x) [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + (-256x^6 + 32x^4 - 54x^2) J_1(x)Y_1(x) \}$$

$$\int \frac{J_0(x)Y_0(x)}{x^8} dx = \frac{1}{385875x^7} \{ (2048x^8 + 768x^6 - 720x^4 + 3150x^2 - 55125) J_0(x)Y_0(x) + (-1024x^7 + 384x^5 - 1080x^3 + 7875x) [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + (2048x^8 - 256x^6 + 432x^4 - 2250x^2) J_1(x)Y_1(x) \}$$

$$\int \frac{J_0(x)Y_0(x)}{x^{10}} dx = \frac{1}{281302875x^9} \cdot \{ (-65536x^{10} - 24576x^8 + 23040x^6 - 100800x^4 + 992250x^2 - 31255875) J_0(x)Y_0(x) + (32768x^9 - 12288x^7 + 34560x^5 - 252000x^3 + 3472875x) [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + (-65536x^{10} + 8192x^8 - 13824x^6 + 72000x^4 - 771750x^2) J_1(x)Y_1(x) \}$$

$$\int \frac{J_0(x)Y_0(x)}{x^{12}} dx = \frac{1}{74882825325x^{11}} \cdot \{ (524288x^{12} + 196608x^{10} - 184320x^8 + 806400x^6 - 7938000x^4 + 137525850x^2 - 6807529575) J_0(x)Y_0(x) + (-262144x^{11} + 98304x^9 - 276480x^7 + 2016000x^5 - 27783000x^3 + 618866325x) [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + (524288x^{12} - 65536x^{10} + 110592x^8 - 576000x^6 + 6174000x^4 - 112521150x^2) J_1(x)Y_1(x) \}$$

Recurrence Formula:

$$\int \frac{J_0(x)Y_0(x)}{x^{2n+2}} dx = \frac{1}{(2n+1)^3} \cdot \left\{ \frac{-(4n^2 + 4n + 1 + 2x^2)J_0(x)Y_0(x) + (2n+1)x [J_0(x)Y_1(x) + J_1(x)Y_0(x)] - 2x^2 J_1(x)Y_1(x)}{x^{2n+1}} - 8n \int \frac{J_0(x)Y_0(x)}{x^{2n}} dx \right\}$$

c) $\int x^{2n} J_0(x)Y_1(x) dx :$

$$\begin{aligned}
\int x^2 J_0(x)Y_1(x) dx &= \frac{x^3}{4}J_0(x)Y_1(x) - \frac{x^3}{4}J_1(x)Y_0(x) + \frac{x^2}{2}J_1(x)Y_1(x) \\
&\int x^4 J_0(x)Y_1(x) dx = \\
&= -\frac{x^4}{6}J_0(x)Y_0(x) + \frac{3x^5 + 8x^3}{24}J_0(x)Y_1(x) - \frac{3x^5 - 8x^3}{24}J_1(x)Y_0(x) + \frac{x^4 - 2x^2}{3}J_1(x)Y_1(x) \\
&\int x^6 J_0(x)Y_1(x) dx = -\frac{x^6 - 4x^4}{5}J_0(x)Y_0(x) + \frac{5x^7 + 36x^5 - 96x^3}{60}J_0(x)Y_1(x) - \\
&\quad -\frac{5x^7 - 36x^5 + 96x^3}{60}J_1(x)Y_0(x) + \frac{3x^6 - 16x^4 + 32x^2}{10}J_1(x)Y_1(x) \\
&\int x^8 J_0(x)Y_1(x) dx = -\frac{15x^8 - 144x^6 + 576x^4}{70}J_0(x)Y_0(x) + \\
&\quad + \frac{35x^9 + 480x^7 - 3456x^5 + 9216x^3}{560}J_0(x)Y_1(x) - \\
&\quad - \frac{35x^9 - 480x^7 + 3456x^5 - 9216x^3}{560}J_1(x)Y_0(x) + \\
&\quad + \frac{10x^8 - 108x^6 + 576x^4 - 1152x^2}{35}J_1(x)Y_1(x) \\
&\int x^{10} J_0(x)Y_1(x) dx = -\frac{14x^{10} - 240x^8 + 2304x^6 - 9216x^4}{63}J_0(x)Y_0(x) + \\
&\quad + \frac{63x^{11} + 1400x^9 - 19200x^7 + 138240x^5 - 368640x^3}{1260}J_0(x)Y_1(x) - \\
&\quad - \frac{63x^{11} - 1400x^9 + 19200x^7 - 138240x^5 + 368640x^3}{1260}J_1(x)Y_0(x) + \\
&\quad + \frac{35x^{10} - 640x^8 + 6912x^6 - 36864x^4 + 73728x^2}{126}J_1(x)Y_1(x) \\
&\int x^{12} J_0(x)Y_1(x) dx = -\frac{105x^{12} - 2800x^{10} + 48000x^8 - 460800x^6 + 1843200x^4}{462}J_0(x)Y_0(x) + \\
&\quad + \frac{77x^{13} + 2520x^{11} - 56000x^9 + 768000x^7 - 5529600x^5 + 14745600x^3}{1848}J_0(x)Y_1(x) - \\
&\quad - \frac{77x^{13} - 2520x^{11} + 56000x^9 - 768000x^7 + 5529600x^5 - 14745600x^3}{1848}J_1(x)Y_0(x) + \\
&\quad + \frac{63x^{12} - 1750x^{10} + 32000x^8 - 345600x^6 + 1843200x^4 - 3686400x^2}{231}J_1(x)Y_1(x)
\end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
\int x^{2n+2} J_0(x)Y_1(x) dx &= x^{2n} \left[-\frac{nx^2}{2(2n+1)}J_0(x)Y_0(x) + \left(\frac{n(n+1)}{2n+1} + \frac{x^2}{4(n+1)} \right) xJ_0(x)Y_1(x) + \right. \\
&\quad \left. - \frac{x^3}{4(n+1)}J_1(x)Y_0(x) + \frac{(n+1)x^2}{2(2n+1)}J_1(x)Y_1(x) \right] - \frac{2n^2(n+1)}{2n+1} \int x^{2n} J_0(x)Y_1(x) dx
\end{aligned}$$

d) $\int x^{-2n-1} J_0(x)Y_1(x) dx :$

$$\begin{aligned}
\int \frac{J_0(x)Y_1(x) dx}{x} &= xJ_0(x)Y_0(x) - J_0(x)Y_1(x) + xJ_1(x)Y_1(x) \\
\int \frac{J_0(x)Y_1(x) dx}{x^3} &= \\
&= -\frac{8x^2+3}{9x}J_0(x)Y_0(x) + \frac{4x^2-3}{9x^2}J_0(x)Y_1(x) + \frac{4}{9}J_1(x)Y_0(x) - \frac{8x^2-1}{9x}J_1(x)Y_1(x) \\
\int \frac{J_0(x)Y_1(x) dx}{x^5} &= \frac{128x^4+48x^2-45}{675x^3}J_0(x)Y_0(x) - \frac{64x^4-24x^2+135}{675x^4}J_0(x)Y_1(x) - \\
&\quad - \frac{64x^2-24}{675x^2}J_1(x)Y_0(x) + \frac{128x^4-16x^2+27}{675x^3}J_1(x)Y_1(x) \\
\int \frac{J_0(x)Y_1(x) dx}{x^7} &= -\frac{1024x^6+384x^4-360x^2+1575}{55125x^5}J_0(x)Y_0(x) + \\
&+ \frac{512x^6-192x^4+540x^2-7875}{55125x^6}J_0(x)Y_1(x) + \frac{512x^4-192x^2+540}{55125x^4}J_1(x)Y_0(x) - \\
&\quad - \frac{1024x^6-128x^4+216x^2-1125}{55125x^5}J_1(x)Y_1(x) \\
\int \frac{J_0(x)Y_1(x) dx}{x^9} &= \frac{32768x^8+12288x^6-11520x^4+50400x^2-496125}{31255875x^7}J_0(x)Y_0(x) - \\
&\quad - \frac{16384x^8-6144x^6+17280x^4-126000x^2+3472875}{31255875x^8}J_0(x)Y_1(x) - \\
&\quad - \frac{16384x^6-6144x^4+17280x^2-126000}{31255875x^6}J_1(x)Y_0(x) + \\
&\quad + \frac{32768x^8-4096x^6+6912x^4-36000x^2+385875}{31255875x^7}J_1(x)Y_1(x) \\
\int \frac{J_0(x)Y_1(x) dx}{x^{11}} &= \\
&\quad - \frac{262144x^{10}+98304x^8-92160x^6+403200x^4-3969000x^2+68762925}{6807529575x^9}J_0(x)Y_0(x) + \\
&+ \frac{131072x^{10}-49152x^8+138240x^6-1008000x^4+13891500x^2-618866325}{6807529575x^{10}}J_0(x)Y_1(x) + \\
&\quad + \frac{131072x^8-49152x^6+138240x^4-1008000x^2+13891500}{6807529575x^8}J_1(x)Y_0(x) - \\
&\quad - \frac{262144x^{10}-32768x^8+55296x^6-288000x^4+3087000x^2-56260575}{6807529575x^9}J_1(x)Y_1(x)
\end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
\int \frac{J_0(x)Y_1(x) dx}{x^{2n+1}} &= \frac{1}{x^{2n+1}} \left\{ -\frac{x^2}{4n^2-1}J_0(x)Y_0(x) - \left[\frac{x}{2n+1} + \frac{4nx^3}{(4n^2-1)^2} \right] J_0(x)Y_1(x) + \right. \\
&\quad \left. + \frac{4nx^3}{(4n^2-1)^2}J_1(x)Y_0(x) + \frac{x^2}{(2n+1)^2}J_1(x)Y_1(x) \right\} - \frac{8n}{(2n+1)^2(2n-1)} \int \frac{J_0(x)Y_1(x) dx}{x^{2n-1}}
\end{aligned}$$

e) $\int x^{2n} J_1(x)Y_0(x) dx :$

$$\begin{aligned}
\int x^2 J_1(x)Y_0(x) dx &= -\frac{x^3}{4}J_0(x)Y_1(x) + \frac{x^3}{4}J_1(x)Y_0(x) + \frac{x^2}{2}J_1(x)Y_1(x) \\
&\int x^4 J_1(x)Y_0(x) dx = \\
&= -\frac{x^4}{6}J_0(x)Y_0(x) - \frac{3x^5 - 8x^3}{24}J_0(x)Y_1(x) + \frac{3x^5 + 8x^3}{24}J_1(x)Y_0(x) + \frac{x^4 - 2x^2}{3}J_1(x)Y_1(x) \\
\int x^6 J_1(x)Y_0(x) dx &= -\frac{x^6 - 4x^4}{5}J_0(x)Y_0(x) - \frac{5x^7 - 36x^5 + 96x^3}{60}J_0(x)Y_1(x) + \\
&+ \frac{5x^7 + 36x^5 - 96x^3}{60}J_1(x)Y_0(x) + \frac{3x^6 - 16x^4 + 32x^2}{10}J_1(x)Y_1(x) \\
\int x^8 J_1(x)Y_0(x) dx &= -\frac{15x^8 - 144x^6 + 576x^4}{70}J_0(x)Y_0(x) - \\
&- \frac{35x^9 - 480x^7 + 3456x^5 - 9216x^3}{560}J_0(x)Y_1(x) + \\
&+ \frac{35x^9 + 480x^7 - 3456x^5 + 9216x^3}{560}J_1(x)Y_0(x) + \\
&+ \frac{10x^8 - 108x^6 + 576x^4 - 1152x^2}{35}J_1(x)Y_1(x) \\
\int x^{10} J_1(x)Y_0(x) dx &= -\frac{14x^{10} - 240x^8 + 2304x^6 - 9216x^4}{63}J_0(x)Y_0(x) - \\
&- \frac{63x^{11} - 1400x^9 + 19200x^7 - 138240x^5 + 368640x^3}{1260}J_0(x)Y_1(x) + \\
&+ \frac{63x^{11} + 1400x^9 - 19200x^7 + 138240x^5 - 368640x^3}{1260}J_1(x)Y_0(x) + \\
&+ \frac{35x^{10} - 640x^8 + 6912x^6 - 36864x^4 + 73728x^2}{126}J_1(x)Y_1(x) \\
\int x^{12} J_1(x)Y_0(x) dx &= -\frac{105x^{12} - 2800x^{10} + 48000x^8 - 460800x^6 + 1843200x^4}{462}J_0(x)Y_0(x) - \\
&- \frac{77x^{13} - 2520x^{11} + 56000x^9 - 768000x^7 + 5529600x^5 - 14745600x^3}{1848}J_0(x)Y_1(x) + \\
&+ \frac{77x^{13} + 2520x^{11} - 56000x^9 + 768000x^7 - 5529600x^5 + 14745600x^3}{1848}J_1(x)Y_0(x) + \\
&+ \frac{63x^{12} - 1750x^{10} + 32000x^8 - 345600x^6 + 1843200x^4 - 3686400x^2}{231}J_1(x)Y_1(x)
\end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
\int x^{2n+2} J_1(x)Y_0(x) dx &= x^{2n} \left[-\frac{nx^2}{2(2n+1)}J_0(x)Y_0(x) - \frac{x^3}{4(n+1)}J_0(x)Y_1(x) - \right. \\
&+ \left. \left(\frac{n(n+1)}{2n+1} + \frac{x^2}{4(n+1)} \right) xJ_1(x)Y_0(x) + \frac{(n+1)x^2}{2(2n+1)}J_1(x)Y_1(x) \right] - \frac{2n^2(n+1)}{2n+1} \int x^{2n} J_1(x)Y_0(x) dx
\end{aligned}$$

f) $\int x^{-2n-1} J_1(x)Y_0(x) dx :$

$$\begin{aligned}
& \int \frac{J_1(x)Y_0(x) dx}{x} = xJ_0(x)Y_0(x) - J_1(x)Y_0(x) + xJ_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_0(x) dx}{x^3} = \\
& = -\frac{8x^2+3}{9x}J_0(x)Y_0(x) + \frac{4}{9}J_0(x)Y_1(x) + \frac{4x^2-3}{9x^2}J_1(x)Y_0(x) - \frac{8x^2-1}{9x}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_0(x) dx}{x^5} = \frac{128x^4+48x^2-45}{675x^3}J_0(x)Y_0(x) - \frac{64x^2-24}{675x^2}J_0(x)Y_1(x) - \\
& \quad - \frac{64x^4-24x^2+135}{675x^4}J_1(x)Y_0(x) + \frac{128x^4-16x^2+27}{675x^3}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_0(x) dx}{x^7} = -\frac{1024x^6+384x^4-360x^2+1575}{55125x^5}J_0(x)Y_0(x) + \\
& + \frac{512x^4-192x^2+540}{55125x^4}J_0(x)Y_1(x) + \frac{512x^6-192x^4+540x^2-7875}{55125x^6}J_1(x)Y_0(x) - \\
& \quad - \frac{1024x^6-128x^4+216x^2-1125}{55125x^5}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_0(x) dx}{x^9} = \frac{32768x^8+12288x^6-11520x^4+50400x^2-496125}{31255875x^7}J_0(x)Y_0(x) - \\
& \quad - \frac{16384x^6-6144x^4+17280x^2-126000}{31255875x^6}J_0(x)Y_1(x) - \\
& \quad - \frac{16384x^8-6144x^6+17280x^4-126000x^2+3472875}{31255875x^8}J_1(x)Y_0(x) + \\
& \quad + \frac{32768x^8-4096x^6+6912x^4-36000x^2+385875}{31255875x^7}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_0(x) dx}{x^{11}} = \\
& = -\frac{262144x^{10}+98304x^8-92160x^6+403200x^4-3969000x^2+68762925}{6807529575x^9}J_0(x)Y_0(x) + \\
& \quad + \frac{131072x^8-49152x^6+138240x^4-1008000x^2+13891500}{6807529575x^8}J_0(x)Y_1(x) + \\
& + \frac{131072x^{10}-49152x^8+138240x^6-1008000x^4+13891500x^2-618866325}{6807529575x^{10}}J_1(x)Y_0(x) - \\
& \quad - \frac{262144x^{10}-32768x^8+55296x^6-288000x^4+3087000x^2-56260575}{6807529575x^9}J_1(x)Y_1(x)
\end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
& \int \frac{J_1(x)Y_0(x) dx}{x^{2n+1}} = \frac{1}{x^{2n+1}} \left\{ -\frac{x^2}{4n^2-1}J_0(x)Y_0(x) + \frac{4nx^3}{(4n^2-1)^2}J_0(x)Y_1(x) - \right. \\
& \left. - \left[\frac{x}{2n+1} + \frac{4nx^3}{(4n^2-1)^2} \right] J_1(x)Y_0(x) + \frac{x^2}{(2n+1)^2}J_1(x)Y_1(x) \right\} - \frac{8n}{(2n-1)(2n+1)^2} \int \frac{J_1(x)Y_0(x) dx}{x^{2n-1}}
\end{aligned}$$

g) $\int x^{2n+1} J_1(x)Y_1(x) dx :$

$$\begin{aligned}
\int x J_1(x)Y_1(x) dx &= \frac{x^2}{2} J_0(x)Y_0(x) - xJ_0(x)Y_1(x) + \frac{x^2}{2} J_1(x)Y_1(x) \\
\int x^3 J_1(x)Y_1(x) dx &= \\
&= \frac{x^4}{6} J_0(x)Y_0(x) - \frac{x^3}{3} [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \frac{x^4 + 4x^2}{6} J_1(x)Y_1(x) \\
\int x^5 J_1(x)Y_1(x) dx &= \frac{x^6 - 4x^4}{10} J_0(x)Y_0(x) - \\
&- \frac{3x^5 - 8x^3}{10} [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \frac{x^6 + 8x^4 - 16x^2}{10} J_1(x)Y_1(x) \\
\int x^7 J_1(x)Y_1(x) dx &= \frac{5x^8 - 48x^6 + 192x^4}{70} J_0(x)Y_0(x) - \\
&- \frac{10x^7 - 72x^5 + 192x^3}{35} [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \frac{5x^8 + 72x^6 - 384x^4 + 768x^2}{70} J_1(x)Y_1(x) \\
\int x^9 J_1(x)Y_1(x) dx &= \frac{7x^{10} - 120x^8 + 1152x^6 - 4608x^4}{126} J_0(x)Y_0(x) - \\
&- \frac{35x^9 - 480x^7 + 3456x^5 - 9216x^3}{126} [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \\
&+ \frac{7x^{10} + 160x^8 - 1728x^6 + 9216x^4 - 18432x^2}{126} J_1(x)Y_1(x) \\
\int x^{11} J_1(x)Y_1(x) dx &= \frac{21x^{12} - 560x^{10} + 9600x^8 - 92160x^6 + 368640x^4}{462} J_0(x)Y_0(x) - \\
&- \frac{63x^{11} - 1400x^9 + 19200x^7 - 138240x^5 + 368640x^3}{231} [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \\
&+ \frac{21x^{12} + 700x^{10} - 12800x^8 + 138240x^6 - 737280x^4 + 1474560x^2}{462} J_1(x)Y_1(x) \\
\int x^{13} J_1(x)Y_1(x) dx &= \\
&= \frac{11x^{14} - 420x^{12} + 11200x^{10} - 192000x^8 + 1843200x^6 - 7372800x^4}{286} J_0(x)Y_0(x) - \\
&- \frac{77x^{13} - 2520x^{11} + 56000x^9 - 768000x^7 + 5529600x^5 - 14745600x^3}{286} [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \\
&+ \frac{11x^{14} + 504x^{12} - 14000x^{10} + 256000x^8 - 2764800x^6 + 14745600x^4 - 29491200x^2}{286} J_1(x)Y_1(x)
\end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
&\int x^{2n+1} J_1(x)Y_1(x) dx = \\
&= \frac{x^{2n}}{4n+2} \{x^2 J_0(x)Y_0(x) - (n+1)x [J_0(x)Y_1(x) + J_1(x)Y_0(x)] + [2n(n+1) + x^2] J_1(x)Y_1(x)\} - \\
&\quad - \frac{2n(n^2-1)}{2n+1} \int x^{2n-1} J_1(x)Y_1(x) dx
\end{aligned}$$

h) $\int x^{-2n} J_1(x)Y_1(x) dx :$

Exception:

$$\begin{aligned}
& \int \frac{J_1(x)Y_1(x) dx}{x} = -\frac{J_0(x)Y_0(x) + J_1(x)Y_1(x)}{2} \\
& \int \frac{J_1(x)Y_1(x) dx}{x^2} = \frac{2x}{3}J_0(x)Y_0(x) - \frac{1}{3}[J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \frac{2x^2 - 1}{3x}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_1(x) dx}{x^4} = \\
& = -\frac{16x^2 + 6}{45x}J_0(x)Y_0(x) + \frac{8x^2 - 3}{45x^2}[J_0(x)Y_1(x) + J_1(x)Y_0(x)] - \frac{16x^4 - 2x^2 + 9}{45x^3}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_1(x) dx}{x^6} = \frac{256x^4 + 96x^2 - 90}{4725x^3}J_0(x)Y_0(x) - \\
& - \frac{128x^4 - 48x^2 + 135}{4725x^4}[J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \frac{256x^6 - 32x^4 + 54x^2 - 675}{4725x^5}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_1(x) dx}{x^8} = -\frac{2048x^6 + 768x^4 - 720x^2 + 3150}{496125x^5}J_0(x)Y_0(x) + \\
& + \frac{1024x^6 - 384x^4 + 1080x^2 - 7875}{496125x^6}[J_0(x)Y_1(x) + J_1(x)Y_0(x)] - \\
& - \frac{2048x^8 - 256x^6 + 432x^4 - 2250x^2 + 55125}{496125x^7}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_1(x) dx}{x^{10}} = \frac{65536x^8 + 24576x^6 - 23040x^4 + 100800x^2 - 992250}{343814625x^7}J_0(x)Y_0(x) - \\
& - \frac{32768x^8 - 12288x^6 + 34560x^4 - 252000x^2 + 3472875}{343814625x^8}[J_0(x)Y_1(x) + J_1(x)Y_0(x)] + \\
& + \frac{65536x^{10} - 8192x^8 + 13824x^6 - 72000x^4 + 771750x^2 - 31255875}{343814625x^9}J_1(x)Y_1(x) \\
& \int \frac{J_1(x)Y_1(x) dx}{x^{12}} = \\
& = -\frac{524288x^{10} + 196608x^8 - 184320x^6 + 806400x^4 - 7938000x^2 + 137525850}{88497884475x^9}J_0(x)Y_0(x) + \\
& + \frac{262144x^{10} - 98304x^8 + 276480x^6 - 2016000x^4 + 27783000x^2 - 618866325}{88497884475x^{10}}[J_0(x)Y_1(x) + J_1(x)Y_0(x)] - \\
& - \frac{524288x^{12} - 65536x^{10} + 110592x^8 - 576000x^6 + 6174000x^4 - 112521150x^2 + 6807529575}{88497884475x^{11}}J_1(x)Y_1(x)
\end{aligned}$$

Recurrence Formula:

$$\begin{aligned}
& \int \frac{J_1(x)Y_1(x) dx}{x^{2n+2}} = \\
& = -\frac{2x^2J_0(x)Y_0(x) + (2n-1)x[J_0(x)Y_1(x) + J_1(x)Y_0(x)] + (4n^2 - 1 + 2x^2)J_1(x)Y_1(x)}{(2n+3)(4n^2-1)x^{2n+1}} - \\
& - \frac{8n}{(2n+3)(4n^2-1)} \int \frac{J_1(x)Y_1(x) dx}{x^{2n}}
\end{aligned}$$

2.2. Bessel Functions with different Arguments αx and βx :

See also [10], 4. - 6. .

One-step recurrence formulas:

Let

$$\alpha^2 + \beta^2 = \sigma \quad \text{and} \quad \alpha^2 - \beta^2 = \Delta$$

and

$$Z_{\mu\nu,UW}^{(m)} = \int x^m U_\mu(\alpha x) W_\nu(\beta x) dx ,$$

then the following systems hold:

$$\begin{aligned} Z_{00,JJ}^{(2n+3)} &= x^{2n+2} \cdot Z_{00,JJ}^{(1)} - \frac{2(n+1)}{\Delta} \left[\alpha Z_{10,JJ}^{(2n+2)} - \beta Z_{01,JJ}^{(2n+2)} \right] \\ Z_{11,JJ}^{(2n+3)} &= x^{2n+2} \cdot Z_{11,JJ}^{(1)} - \frac{2(n+1)}{\Delta} \left[\beta Z_{10,JJ}^{(2n+2)} - \alpha Z_{01,JJ}^{(2n+2)} \right] \\ Z_{01,JJ}^{(2n+2)} &= x^{2n} \cdot Z_{01,JJ}^{(2)} - \frac{4n\beta}{\Delta^2} \left[\beta Z_{01,JJ}^{(2n)} - \alpha Z_{10,JJ}^{(2n)} \right] - \frac{2n}{\Delta} \left[\beta Z_{00,JJ}^{(2n+1)} + \alpha Z_{11,JJ}^{(2n+1)} \right] \\ Z_{10,JJ}^{(2n+2)} &= x^{2n} \cdot Z_{10,JJ}^{(2)} + \frac{4n\alpha}{\Delta^2} \left[\beta Z_{01,JJ}^{(2n)} - \alpha Z_{10,JJ}^{(2n)} \right] + \frac{2n}{\Delta} \left[\alpha Z_{00,JJ}^{(2n+1)} + \beta Z_{11,JJ}^{(2n+1)} \right] \end{aligned}$$

$$\begin{aligned} Z_{00,II}^{(2n+3)} &= x^{2n+2} \cdot Z_{00,II}^{(1)} - \frac{2(n+1)}{\Delta} \left[\alpha Z_{10,II}^{(2n+2)} - \beta Z_{01,II}^{(2n+2)} \right] \\ Z_{11,II}^{(2n+3)} &= x^{2n+2} \cdot Z_{11,II}^{(1)} + \frac{2(n+1)}{\Delta} \left[\beta Z_{10,II}^{(2n+2)} - \alpha Z_{01,II}^{(2n+2)} \right] \\ Z_{01,II}^{(2n+2)} &= x^{2n} \cdot Z_{01,II}^{(2)} + \frac{4n\beta}{\Delta^2} \left[\beta Z_{01,II}^{(2n)} - \alpha Z_{10,II}^{(2n)} \right] + \frac{2n}{\Delta} \left[\beta Z_{00,II}^{(2n+1)} - \alpha Z_{11,II}^{(2n+1)} \right] \\ Z_{10,II}^{(2n+2)} &= x^{2n} \cdot Z_{10,II}^{(2)} - \frac{4n\alpha}{\Delta^2} \left[\beta Z_{01,II}^{(2n)} - \alpha Z_{10,II}^{(2n)} \right] - \frac{2n}{\Delta} \left[\alpha Z_{00,II}^{(2n+1)} - \beta Z_{11,II}^{(2n+1)} \right] \end{aligned}$$

$$\begin{aligned} Z_{00,KK}^{(2n+3)} &= x^{2n+2} \cdot Z_{00,KK}^{(1)} + \frac{2(n+1)}{\Delta} \left[\alpha Z_{10,KK}^{(2n+2)} - \beta Z_{01,KK}^{(2n+2)} \right] \\ Z_{11,KK}^{(2n+3)} &= x^{2n+2} \cdot Z_{11,KK}^{(1)} - \frac{2(n+1)}{\Delta} \left[\beta Z_{10,KK}^{(2n+2)} - \alpha Z_{01,KK}^{(2n+2)} \right] \\ Z_{01,KK}^{(2n+2)} &= x^{2n} \cdot Z_{01,KK}^{(2)} + \frac{4n\beta}{\Delta^2} \left[\beta Z_{01,KK}^{(2n)} - \alpha Z_{10,KK}^{(2n)} \right] - \frac{2n}{\Delta} \left[\beta Z_{00,KK}^{(2n+1)} - \alpha Z_{11,KK}^{(2n+1)} \right] \\ Z_{10,KK}^{(2n+2)} &= x^{2n} \cdot Z_{10,KK}^{(2)} - \frac{4n\alpha}{\Delta^2} \left[\beta Z_{01,KK}^{(2n)} - \alpha Z_{10,KK}^{(2n)} \right] + \frac{2n}{\Delta} \left[\alpha Z_{00,KK}^{(2n+1)} - \beta Z_{11,KK}^{(2n+1)} \right] \end{aligned}$$

$$\begin{aligned} Z_{00,JI}^{(2n+3)} &= x^{2n+2} \cdot Z_{00,JI}^{(1)} - \frac{2(n+1)}{\sigma} \left[\alpha Z_{10,JI}^{(2n+2)} + \beta Z_{01,JI}^{(2n+2)} \right] \\ Z_{11,JI}^{(2n+3)} &= x^{2n+2} \cdot Z_{11,JI}^{(1)} - \frac{2(n+1)}{\sigma} \left[\beta Z_{10,JI}^{(2n+2)} - \alpha Z_{01,JI}^{(2n+2)} \right] \\ Z_{01,JI}^{(2n+2)} &= x^{2n} \cdot Z_{01,JI}^{(2)} + \frac{4n\beta}{\sigma^2} \left[\beta Z_{01,JI}^{(2n)} + \alpha Z_{10,JI}^{(2n)} \right] - \frac{2n}{\sigma} \left[\beta Z_{00,JI}^{(2n+1)} + \alpha Z_{11,JI}^{(2n+1)} \right] \\ Z_{10,JI}^{(2n+2)} &= x^{2n} \cdot Z_{10,JI}^{(2)} - \frac{4n\alpha}{\sigma^2} \left[\beta Z_{01,JI}^{(2n)} + \alpha Z_{10,JI}^{(2n)} \right] + \frac{2n}{\sigma} \left[\alpha Z_{00,JI}^{(2n+1)} - \beta Z_{11,JI}^{(2n+1)} \right] \end{aligned}$$

$$Z_{00,JK}^{(2n+3)} = x^{2n+2} \cdot Z_{00,JK}^{(1)} - \frac{2(n+1)}{\sigma} \left[\alpha Z_{10,JK}^{(2n+2)} - \beta Z_{01,JK}^{(2n+2)} \right]$$

$$\begin{aligned}
Z_{11,JK}^{(2n+3)} &= x^{2n+2} \cdot Z_{11,JK}^{(1)} + \frac{2(n+1)}{\sigma} \left[\beta Z_{10,JK}^{(2n+2)} + \alpha Z_{01,JK}^{(2n+2)} \right] \\
Z_{01,JK}^{(2n+2)} &= x^{2n} \cdot Z_{01,JK}^{(2)} + \frac{4n\beta}{\sigma^2} \left[\beta Z_{01,JK}^{(2n)} - \alpha Z_{10,JK}^{(2n)} \right] + \frac{2n}{\sigma} \left[\beta Z_{00,JK}^{(2n+1)} - \alpha Z_{11,JK}^{(2n+1)} \right] \\
Z_{10,JK}^{(2n+2)} &= x^{2n} \cdot Z_{10,JK}^{(2)} + \frac{4n\alpha}{\sigma^2} \left[\beta Z_{01,JK}^{(2n)} - \alpha Z_{10,JK}^{(2n)} \right] + \frac{2n}{\sigma} \left[\alpha Z_{00,JK}^{(2n+1)} + \beta Z_{11,JK}^{(2n+1)} \right]
\end{aligned}$$

$$\begin{aligned}
Z_{00,IK}^{(2n+3)} &= x^{2n+2} \cdot Z_{00,IK}^{(1)} - \frac{2(n+1)}{\Delta} \left[\alpha Z_{10,IK}^{(2n+2)} + \beta Z_{01,IK}^{(2n+2)} \right] \\
Z_{11,IK}^{(2n+3)} &= x^{2n+2} \cdot Z_{11,IK}^{(1)} - \frac{2(n+1)}{\Delta} \left[\beta Z_{10,IK}^{(2n+2)} + \alpha Z_{01,IK}^{(2n+2)} \right] \\
Z_{01,IK}^{(2n+2)} &= x^{2n} \cdot Z_{01,IK}^{(2)} + \frac{4n\beta}{\Delta^2} \left[\beta Z_{01,IK}^{(2n)} + \alpha Z_{10,IK}^{(2n)} \right] - \frac{2n}{\Delta} \left[\beta Z_{00,IK}^{(2n+1)} + \alpha Z_{11,IK}^{(2n+1)} \right] \\
Z_{10,IK}^{(2n+2)} &= x^{2n} \cdot Z_{10,IK}^{(2)} + \frac{4n\alpha}{\Delta^2} \left[\beta Z_{01,IK}^{(2n)} + \alpha Z_{10,IK}^{(2n)} \right] - \frac{2n}{\Delta} \left[\alpha Z_{00,IK}^{(2n+1)} + \beta Z_{11,IK}^{(2n+1)} \right]
\end{aligned}$$

2.2.1. Integrals of the type $\int x^{2n} \cdot J_\nu(\alpha x) \cdot J_\nu(\beta x) dx$ and $\int x^{2n} \cdot I_\nu(\alpha x) \cdot I_\nu(\beta x) dx$

a) Basic Integrals:

In the case $\alpha = \beta$ it was necessary to define the new functions $\Theta(x)$ and $\Omega(x)$ (see page 278). The more there is no solution with already defined functions expected in the described class of functions if $\alpha \neq \beta$. Let $0 < \beta < \alpha$ and $\gamma = \beta/\alpha < 1$. The integrals may be reduced to the single parameter γ by

$$\int x^{2n} \cdot Z_\nu(\alpha x) \cdot Z_\nu(\beta x) dx = \alpha^{-2n-1} \int t^{2n} \cdot Z_\nu(t) \cdot Z_\nu(\gamma t) dt, \quad t = \alpha x.$$

The functions $\Theta(x)$ and $\Omega(x)$ from page 278 are generalized to

$$\Theta_0(x; \gamma) = \int_0^x J_0(s) \cdot J_0(\gamma s) ds \quad \text{and} \quad \Omega_0(x; \gamma) = \int_0^x I_0(s) \cdot I_0(\gamma s) ds.$$

From (for instance)

$$I_0(s) \cdot I_0(\gamma s) = \sum_{k=0}^{\infty} \frac{1}{(k!)^2} \left(\sum_{l=0}^k \binom{k}{l}^2 \gamma^{2l} \right) \left(\frac{s}{2} \right)^{2k}$$

one gets with [1], 22.3.1 the power series

$$\Theta_0(x; \gamma) = \sum_{k=0}^{\infty} \frac{(\gamma^2 - 1)^k}{(k!)^2 \cdot 4^k \cdot (2k+1)} \cdot P_k \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) x^{2k+1}$$

and

$$\Omega_0(x; \gamma) = \sum_{k=0}^{\infty} \frac{(1 - \gamma^2)^k}{(k!)^2 \cdot 4^k \cdot (2k+1)} \cdot P_k \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) x^{2k+1},$$

where

$$P_n(x) = \frac{(2n)!}{2^n \cdot (n!)^2} x^n + \dots$$

denotes the Legendre polynomials. Their values may be found by the recurrence relation

$$P_{n+1} \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) = \frac{2n+1}{n+1} \cdot \frac{1 + \gamma^2}{1 - \gamma^2} \cdot P_n \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) - \frac{n}{n+1} P_{n-1} \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right)$$

with

$$P_0 \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) = 1 \quad \text{and} \quad P_1 \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) = \frac{1 + \gamma^2}{1 - \gamma^2}.$$

Some first terms of the power series:

$$\Theta_0(x; \gamma) = x - \frac{\gamma^2 + 1}{12} x^3 + \frac{\gamma^4 + 4\gamma^2 + 1}{320} x^5 - \frac{\gamma^6 + 9\gamma^4 + 9\gamma^2 + 1}{16128} x^7 + \frac{\gamma^8 + 16\gamma^6 + 36\gamma^4 + 16\gamma^2 + 1}{1327104} x^9 -$$

$$\begin{aligned}
& - \frac{\gamma^{10} + 25\gamma^8 + 100\gamma^6 + 100\gamma^4 + 25\gamma^2 + 1}{162201600} x^{11} + \frac{\gamma^{12} + 36\gamma^{10} + 225\gamma^8 + 400\gamma^6 + 225\gamma^4 + 36\gamma^2 + 1}{27603763200} x^{13} - \\
& - \frac{\gamma^{14} + 49\gamma^{12} + 441\gamma^{10} + 1225\gamma^8 + 1225\gamma^6 + 441\gamma^4 + 49\gamma^2 + 1}{6242697216000} x^{15} + \\
& + \frac{\gamma^{16} + 64\gamma^{14} + 784\gamma^{12} + 3136\gamma^{10} + 4900\gamma^8 + 3136\gamma^6 + 784\gamma^4 + 64\gamma^2 + 1}{1811214552268800} x^{17} - \dots
\end{aligned}$$

If $x > \gamma x \gg 1$ one has

$$\Omega_0(x; \gamma) \approx \frac{e^{(1+\gamma)x}}{2\pi\sqrt{\gamma}(1+\gamma)x}.$$

Let $\Theta_0(x; \gamma)$ be computed with n decimal signs, then in the case $x > \gamma x \gg 1$ the loss of significant digits can be expected. Only about

$$n - \lg \frac{e^{(1+\gamma)x}}{2\pi\sqrt{\gamma}(1+\gamma)x}$$

significant digits are left.

The upper integral with primary parameters:

$$\int_0^x J_0(\alpha s) \cdot J_0(\beta s) ds = \sum_{k=0}^{\infty} \frac{(-1)^k}{(k!)^2 \cdot 4^k \cdot (2k+1)} \cdot (\alpha^2 - \beta^2)^k \cdot P_k \left(\frac{\alpha^2 + \beta^2}{\alpha^2 - \beta^2} \right) x^{2k+1}$$

Asymptotic series for $x > \gamma x \gg 1$:



$$\begin{aligned}
\Theta_0(x; \gamma) & \sim \frac{2}{\pi} \mathbf{K}(\gamma) + \frac{1}{\pi\sqrt{\gamma}x} \left[\frac{\sin(1-\gamma)x}{1-\gamma} - \frac{\cos(\gamma+1)x}{\gamma+1} \right] + \\
& + \frac{1}{8\pi\gamma^{3/2}x^2} \left[\frac{\gamma^2 - 10\gamma + 1}{(1-\gamma)^2} \cos(1-\gamma)x - \frac{\gamma^2 + 10\gamma + 1}{(\gamma+1)^2} \sin(\gamma+1)x \right] + \\
& + \frac{1}{128\pi\gamma^{5/2}x^3} \left[\frac{9\gamma^4 + 52\gamma^3 + 342\gamma^2 + 52\gamma + 9}{(\gamma+1)^3} \cos(\gamma+1)x - \frac{9\gamma^4 - 52\gamma^3 + 342\gamma^2 - 52\gamma + 9}{(1-\gamma)^3} \sin(1-\gamma)x \right] + \\
& + \frac{3}{1024\pi\gamma^{7/2}x^4} \left[\frac{25\gamma^6 + 150\gamma^5 + 503\gamma^4 + 2804\gamma^3 + 503\gamma^2 + 150\gamma + 25}{(\gamma+1)^4} \sin(\gamma+1)x - \right. \\
& \left. - \frac{25\gamma^6 - 150\gamma^5 + 503\gamma^4 - 2804\gamma^3 + 503\gamma^2 - 150\gamma + 25}{(1-\gamma)^4} \cos(1-\gamma)x \right] + \dots,
\end{aligned}$$

where \mathbf{K} denotes the complete elliptic integral of the first kind, see [1] or [5]. Particularly follows

$$\lim_{x \rightarrow \infty} \Theta_0(x; \gamma) = \frac{2}{\pi} \mathbf{K}(\gamma) \quad ([4], 2.12.31.1.).$$

Some values of this limit:

γ	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	1.0000	1.0000	1.0001	1.0002	1.0004	1.0006	1.0009	1.0012	1.0016	1.0020
0.1	1.0025	1.0030	1.0036	1.0043	1.0050	1.0057	1.0065	1.0073	1.0083	1.0092
0.2	1.0102	1.0113	1.0124	1.0136	1.0149	1.0162	1.0176	1.0190	1.0205	1.0221
0.3	1.0237	1.0254	1.0272	1.0290	1.0309	1.0329	1.0350	1.0371	1.0394	1.0417
0.4	1.0441	1.0465	1.0491	1.0518	1.0545	1.0574	1.0603	1.0634	1.0665	1.0698
0.5	1.0732	1.0767	1.0803	1.0841	1.0880	1.0920	1.0962	1.1006	1.1051	1.1097
0.6	1.1146	1.1196	1.1248	1.1302	1.1359	1.1417	1.1479	1.1542	1.1609	1.1678
0.7	1.1750	1.1826	1.1905	1.1988	1.2074	1.2166	1.2262	1.2363	1.2470	1.2583
0.8	1.2702	1.2830	1.2965	1.3110	1.3265	1.3432	1.3613	1.3809	1.4023	1.4258
0.9	1.4518	1.4810	1.5139	1.5517	1.5959	1.6489	1.7145	1.8004	1.9232	2.1369



Let

$$\Theta_1(x; \gamma) = \int_0^x J_1(s) \cdot J_1(\gamma s) ds \quad \text{and} \quad \Omega_1(x; \gamma) = \int_0^x I_1(s) \cdot I_1(\gamma s) ds .$$

Power series: From (for instance)

$$I_1(x) I_1(\gamma x) = \sum_{k=0}^{\infty} \frac{1}{(k!)^2} \left(\sum_{l=1}^k \binom{k}{l} \binom{k}{l-1} \gamma^{2l-1} \right) \left(\frac{x}{2} \right)^{2k}$$

and

$$\sum_{l=1}^k \binom{k}{l} \binom{k}{l-1} \gamma^{2l-1} = k (1 - \gamma^2)^k L_k^{-1} \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right)$$

follows

$$\Theta_1(x; \gamma) = - \sum_{k=1}^{\infty} \frac{2k (\gamma^2 - 1)^k}{(k!)^2 \cdot (2k + 1)} P_{k+1}^{-1} \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) \left(\frac{x}{2} \right)^{2k+1}$$

and

$$\Omega_1(x; \gamma) = \sum_{k=1}^{\infty} \frac{2k (1 - \gamma^2)^k}{(k!)^2 \cdot (2k + 1)} P_{k+1}^{-1} \left(\frac{1 + \gamma^2}{1 - \gamma^2} \right) \left(\frac{x}{2} \right)^{2k+1} ,$$

where $P_n^{-1}(x)$ denotes the associated Legendre functions of the first kind. Their values may be found by the recurrence relation, starting with $n = 2$:

$$P_{n+1}^{-1}\left(\frac{1+\gamma^2}{1-\gamma^2}\right) = \frac{2n+1}{n+2} \cdot \frac{1+\gamma^2}{1-\gamma^2} \cdot P_n^{-1}\left(\frac{1+\gamma^2}{1-\gamma^2}\right) - \frac{n-1}{n+2} P_{n-1}^{-1}\left(\frac{1+\gamma^2}{1-\gamma^2}\right)$$

from

$$P_1^{-1}\left(\frac{1+\gamma^2}{1-\gamma^2}\right) = \frac{\gamma}{1-\gamma^2} \quad \text{and} \quad P_2^{-1}\left(\frac{1+\gamma^2}{1-\gamma^2}\right) = \frac{\gamma^3+\gamma}{(1-\gamma^2)^2}.$$

Some first terms of the power series:

$$\begin{aligned} \Theta_1(x; \gamma) = & \frac{\gamma}{12} x^3 - \frac{\gamma^3+\gamma}{160} x^5 + \frac{\gamma^5+3\gamma^3+\gamma}{5376} x^7 - \frac{\gamma^7+6\gamma^5+6\gamma^3+\gamma}{331776} x^9 + \frac{\gamma^9+10\gamma^7+20\gamma^5+10\gamma^3+\gamma}{32440320} x^{11} - \\ & - \frac{\gamma^{11}+15\gamma^9+50\gamma^7+50\gamma^5+15\gamma^3+\gamma}{4600627200} x^{13} + \frac{\gamma^{13}+21\gamma^{11}+105\gamma^9+175\gamma^7+105\gamma^5+21\gamma^3+\gamma}{891813888000} x^{15} - \\ & - \frac{\gamma^{15}+28\gamma^{13}+196\gamma^{11}+490\gamma^9+490\gamma^7+196\gamma^5+28\gamma^3+\gamma}{226401819033600} x^{17} + \dots \end{aligned}$$

In the case $x > \gamma x \gg 1$ one has once again $\Omega_1(x; \gamma) \approx e^{(1+\gamma)x}/[2\pi\sqrt{\gamma}(1+\gamma)x]$.
Asymptotic series for $x > \gamma x \gg 1$ ([4], 2.12.31.1. and [5], IX, Definitions):

$$\begin{aligned} \Theta_1(x; \gamma) \sim & \frac{2}{\pi\gamma} [\mathbf{K}(\gamma) - \mathbf{E}(\gamma)] + \frac{1}{\pi\sqrt{\gamma}} \left[\frac{1}{x} \left(\frac{\cos(1+\gamma)x}{1+\gamma} - \frac{\sin(1-\gamma)x}{1-\gamma} \right) - \right. \\ & - \frac{1}{8g^2 x^2} \left(\frac{3\gamma^2-2\gamma+3}{(1+\gamma)^2} \sin(1+\gamma)x + \frac{3\gamma^2+2\gamma+3}{(1-\gamma)^2} \cos(1-\gamma)x \right) + \\ & + \frac{1}{128g^3 x^3} \left(\frac{15\gamma^4+108\gamma^3-70\gamma^2+108\gamma+15}{(1+\gamma)^3} \cos(1+\gamma)x - \frac{15\gamma^4-108\gamma^3-70\gamma^2-108\gamma+15}{(1-\gamma)^3} \sin(1-\gamma)x \right) - \\ & - \frac{3}{1024\gamma^3 x^4} \left(\frac{35\gamma^6+210\gamma^5+909\gamma^4-580\gamma^3+909\gamma^2+210\gamma+35}{(1+\gamma)^4} \sin(1+\gamma)x + \right. \\ & \left. + \frac{35\gamma^6-210\gamma^5+909\gamma^4+580\gamma^3+909\gamma^2-210\gamma+35}{(1-\gamma)^4} \cos(1-\gamma)x \right) + \dots \left. \right] \end{aligned}$$


with the complete elliptic integrals of the first and second kind.

Particular follows

$$\lim_{x \rightarrow \infty} \Theta_1(x; \gamma) = \frac{2}{\pi\gamma} [\mathbf{K}(\gamma) - \mathbf{E}(\gamma)] \quad ([4], 2.12.31.1.).$$

Some values of this limit:

γ	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0050	0.0100	0.0150	0.0200	0.0250	0.0300	0.0351	0.0401	0.0451
0.1	0.0502	0.0553	0.0603	0.0654	0.0705	0.0756	0.0808	0.0859	0.0911	0.0963
0.2	0.1015	0.1068	0.1121	0.1174	0.1227	0.1280	0.1334	0.1389	0.1443	0.1498
0.3	0.1554	0.1609	0.1666	0.1722	0.1780	0.1837	0.1895	0.1954	0.2013	0.2073
0.4	0.2134	0.2195	0.2257	0.2319	0.2382	0.2446	0.2511	0.2577	0.2643	0.2711
0.5	0.2779	0.2849	0.2919	0.2991	0.3064	0.3138	0.3214	0.3290	0.3369	0.3448
0.6	0.3530	0.3613	0.3698	0.3785	0.3873	0.3964	0.4058	0.4153	0.4252	0.4353
0.7	0.4457	0.4564	0.4674	0.4789	0.4907	0.5029	0.5157	0.5289	0.5427	0.5571
0.8	0.5721	0.5879	0.6046	0.6221	0.6407	0.6605	0.6816	0.7042	0.7287	0.7552
0.9	0.7844	0.8165	0.8525	0.8934	0.9407	0.9967	1.0654	1.1543	1.2803	1.4971



The value of x may be too large to use the power series for $\Theta_0(x; \gamma)$ and γx may be too small to apply the asymptotic formula. In this case

$$\Theta_0(x; \gamma) \sim \frac{2}{\pi} \mathbf{K}(\gamma) + \frac{A_0(x; \gamma) \cos x J_0(\gamma x) + A_1(x; \gamma) \cos x J_1(\gamma x) + B_0(x; \gamma) \sin x J_0(\gamma x) + B_1(x; \gamma) \sin x J_1(\gamma x)}{\sqrt{\pi x}}$$

is applicable. Let

$$A_\mu(x; \gamma) = \sum_{k=0}^{\infty} \frac{a_k^{(\mu)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k} \quad \text{and} \quad B_\mu(x; \gamma) = \sum_{k=0}^{\infty} \frac{b_k^{(\mu)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k},$$

then holds

$$\begin{aligned} a_0^{(0)}(x; \gamma) &= -1, & a_1^{(0)}(x; \gamma) &= -\frac{11\gamma^2 + 5}{8}, & a_2^{(0)}(x; \gamma) &= -\frac{31\gamma^4 - 926\gamma^2 - 129}{128}, \\ a_3^{(0)}(x; \gamma) &= \frac{3(\gamma^2 + 15)(59\gamma^4 + 906\gamma^2 + 59)}{1024}, \\ a_4^{(0)}(x; \gamma) &= \frac{7125\gamma^8 + 15468\gamma^6 - 4088898\gamma^4 - 8215572\gamma^2 - 301035}{32768}, \\ a_5^{(0)}(x; \gamma) &= -\frac{102165\gamma^{10} - 208569\gamma^8 + 25390098\gamma^6 + 501398862\gamma^4 + 469053609\gamma^2 + 10896795}{262144}, \\ a_6^{(0)}(x; \gamma) &= \frac{45[84231\gamma^{12} - 348490\gamma^{10} + 2847497\gamma^8 - 451498956\gamma^6 - 2481377623\gamma^4 - 1343311306\gamma^2 - 21362649]}{4194304}, \\ a_0^{(1)}(x; \gamma) &= -\gamma, & a_1^{(1)}(x; \gamma) &= -\frac{\gamma(\gamma^2 - 17)}{8}, & a_2^{(1)}(x; \gamma) &= \frac{\gamma(9\gamma^4 + 206\gamma^2 + 809)}{128}, \\ a_3^{(1)}(x; \gamma) &= \frac{\gamma(75\gamma^6 + 143\gamma^4 - 24063\gamma^2 - 25307)}{1024}, \end{aligned}$$

$$a_4^{(1)}(x; \gamma) = -\frac{3\gamma (1225\gamma^8 - 1892\gamma^6 + 201078\gamma^4 + 2678812\gamma^2 + 1315081)}{32768},$$

$$a_5^{(1)}(x; \gamma) = -\frac{3\gamma (19845\gamma^{10} - 67625\gamma^8 + 467314\gamma^6 - 58112658\gamma^4 - 216355367\gamma^2 - 61495829)}{262144},$$

$$a_6^{(1)}(x; \gamma) =$$

$$\frac{3\gamma (800415\gamma^{12} - 3869530\gamma^{10} + 12921201\gamma^8 + 680167252\gamma^6 + 20763422609\gamma^4 + 36255061542\gamma^2 + 6716005951)}{4194304}$$

$$b_0^{(0)}(x; \gamma) = 1, \quad b_1^{(0)}(x; \gamma) = -\frac{11\gamma^2 + 5}{8} = a_1^{(0)}, \quad b_2^{(0)}(x; \gamma) = \frac{31\gamma^4 - 926\gamma^2 - 129}{128} = -a_2^{(0)},$$

$$b_3^{(0)}(x; \gamma) = \frac{3(\gamma^2 + 15)(59\gamma^4 + 906\gamma^2 + 59)}{1024} = a_3^{(0)},$$

$$b_4^{(0)}(x; \gamma) = -\frac{7125\gamma^8 + 15468\gamma^6 - 4088898\gamma^4 - 8215572\gamma^2 - 301035}{32768} = -a_4^{(0)},$$

$$b_5^{(0)}(x; \gamma) = -\frac{102165\gamma^{10} - 208569\gamma^8 + 25390098\gamma^6 + 501398862\gamma^4 + 469053609\gamma^2 + 10896795}{262144} = a_5^{(0)},$$

$$b_6^{(0)}(x; \gamma) = -a_6^{(0)} =$$

$$\frac{45 [84231\gamma^{12} - 348490\gamma^{10} + 2847497\gamma^8 - 451498956\gamma^6 - 2481377623\gamma^4 - 1343311306\gamma^2 - 21362649]}{4194304}$$

$$b_0^{(1)}(x; \gamma) = -\gamma, \quad b_1^{(1)}(x; \gamma) = \frac{\gamma(\gamma^2 - 17)}{8} = a_1^{(1)}, \quad b_2^{(1)}(x; \gamma) = \frac{\gamma(9\gamma^4 + 206\gamma^2 + 809)}{128} = a_2^{(1)},$$

$$b_3^{(1)}(x; \gamma) = -\frac{\gamma(75\gamma^6 + 143\gamma^4 - 24063\gamma^2 - 25307)}{1024} = -a_3^{(0)},$$

$$b_4^{(1)}(x; \gamma) = -\frac{3\gamma(1225\gamma^8 - 1892\gamma^6 + 201078\gamma^4 + 2678812\gamma^2 + 1315081)}{32768} = a_4^{(1)},$$

$$b_5^{(1)}(x; \gamma) = \frac{3\gamma(19845\gamma^{10} - 67625\gamma^8 + 467314\gamma^6 - 58112658\gamma^4 - 216355367\gamma^2 - 61495829)}{262144} = -a_5^{(1)},$$

$$b_6^{(1)}(x; \gamma) = a_6^{(1)} =$$

$$\frac{3\gamma(800415\gamma^{12} - 3869530\gamma^{10} + 12921201\gamma^8 + 680167252\gamma^6 + 20763422609\gamma^4 + 36255061542\gamma^2 + 6716005951)}{4194304}$$

When $\gamma \ll 1$ one has approximately

$$A_0(x; \gamma) \approx A_0(x; 0) = -1 - \frac{0.625}{x} + \frac{1.0078}{x^2} + \frac{2.5928}{x^3} - \frac{9.1869}{x^4} - \frac{41.568}{x^5} + \frac{229.20}{x^6} + \dots$$

$$B_0(x; \gamma) \approx B_0(x; 0) = 1 - \frac{0.625}{x} - \frac{1.0078}{x^2} + \frac{2.5928}{x^3} + \frac{9.1869}{x^4} - \frac{41.568}{x^5} - \frac{229.20}{x^6} + \dots$$

$$A_1(x; \gamma) \approx \gamma \frac{\partial A_1}{\partial \gamma}(x; 0) = \gamma \left[-1 + \frac{2.125}{x} + \frac{6.3203}{x^2} - \frac{24.714}{x^3} - \frac{120.40}{x^4} + \frac{703.76}{x^5} + \frac{4803.7}{x^6} + \dots \right]$$

$$B_1(x; \gamma) \approx \gamma \frac{\partial B_1}{\partial \gamma}(x; 0) = \gamma \left[-1 - \frac{2.125}{x} + \frac{6.3203}{x^2} + \frac{24.714}{x^3} - \frac{120.40}{x^4} - \frac{703.76}{x^5} + \frac{4803.7}{x^6} + \dots \right]$$

$$\left| \frac{a_3^{(0)}(x; 0)}{a_2^{(0)}(x; 0)} \right| = \left| \frac{b_3^{(0)}(x; 0)}{b_2^{(0)}(x; 0)} \right| = 2.57, \quad \left| \frac{a_4^{(0)}(x; 0)}{a_3^{(0)}(x; 0)} \right| = 3.54, \quad \left| \frac{a_5^{(0)}(x; 0)}{a_4^{(0)}(x; 0)} \right| = 4.52, \quad \left| \frac{a_6^{(0)}(x; 0)}{a_5^{(0)}(x; 0)} \right| = 5.51$$

The summand $a_k^{(0)}(x; \gamma)/[(1 - \gamma^2)^{k+1} x^k]$ can be used if $|x| > |a_k^{(0)}(x; \gamma)/a_{k-1}^{(0)}(x; \gamma)|$.

The same holds for $b_k^{(0)}(x; \gamma)$.

Let

$$\Delta_n(x; \gamma) = -\Theta_0(x; \gamma) + \frac{1}{\sqrt{\pi x}} \left[A_0^{(n)}(x; \gamma) \cos x J_0(\gamma x) + A_1^{(n)}(x; \gamma) \cos x J_1(\gamma x) + B_0^{(n)}(x; \gamma) \sin x J_0(\gamma x) + B_1^{(n)}(x; \gamma) \sin x J_1(\gamma x) \right]$$

with

$$A_\mu^{(n)}(x; \gamma) = \sum_{k=0}^n \frac{a_k^{(\mu)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k} \quad \text{and} \quad B_\mu^{(n)}(x; \gamma) = \sum_{k=0}^n \frac{b_k^{(\mu)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k} .$$

For the case $\gamma = 0.1$ some of these differences are shown:




FIGURE 10 : Differences $\Delta_0(x; \gamma)$ and $\Delta_1(x; \gamma)$ with $\gamma = 0.1$




FIGURE 11 : Differences $\Delta_1(x; \gamma)$ and $\Delta_2(x; \gamma)$ with $\gamma = 0.1$




FIGURE 12 : Differences $\Delta_2(x; \gamma)$ and $\Delta_3(x; \gamma)$ with $\gamma = 0.1$




FIGURE 13 : Differences $\Delta_3(x; \gamma)$ and $\Delta_4(x; \gamma)$ with $\gamma = 0.1$

The same way the asymptotic expansion

$$\Theta_1(x; \gamma) \sim \frac{2}{\pi\gamma} [\mathbf{K}(\gamma) - \mathbf{E}(\gamma)] +$$

$$+ \frac{A_0^*(x; \gamma) \cos x J_0(\gamma x) + A_1^*(x; \gamma) \cos x J_1(\gamma x) + B_0^*(x; \gamma) \sin x J_0(\gamma x) + B_1^*(x; \gamma) \sin x J_1(\gamma x)}{\sqrt{\pi x}}$$

is applicable in the case $x \gg 1$ and $\gamma x \approx 1$. Let

$$A_\mu^*(x; \gamma) = \sum_{k=0}^{\infty} \frac{a_k^{(\mu,*)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k} \quad \text{and} \quad B_\mu^*(x; \gamma) = \sum_{k=0}^{\infty} \frac{b_k^{(\mu,*)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k},$$

then holds

$$a_0^{(0,*)}(x; \gamma) = -\gamma, \quad a_1^{(0,*)}(x; \gamma) = -\frac{\gamma (3\gamma^2 + 13)}{8}, \quad a_2^{(0,*)}(x; \gamma) = -\frac{\gamma (15\gamma^4 - 382\gamma^2 - 657)}{128},$$

$$a_3^{(0,*)}(x; \gamma) = \frac{3\gamma (35\gamma^6 + 327\gamma^4 + 8457\gamma^2 + 7565)}{1024}$$

$$a_4^{(0,*)}(x; \gamma) = \frac{3\gamma (1575\gamma^8 - 860\gamma^6 - 455382\gamma^4 - 2435292\gamma^2 - 1304345)}{32768}$$

$$a_5^{(0,*)}(x; \gamma) = -\frac{3\gamma (24255\gamma^{10} - 74795\gamma^8 + 1750326\gamma^6 + 76252650\gamma^4 + 190548859\gamma^2 + 67043025)}{262144}$$

$$a_6^{(0,*)}(x; \gamma) =$$

$$\frac{45\gamma (63063\gamma^{12} - 295722\gamma^{10} + 1295545\gamma^8 - 137114124\gamma^6 - 1469273511\gamma^4 - 2157119402\gamma^2 - 532523145)}{4194304}$$

$$a_0^{(1,*)}(x; \gamma) = -1, \quad a_1^{(1,*)}(x; \gamma) = \frac{7\gamma^2 + 9}{8}, \quad a_2^{(1,*)}(x; \gamma) = \frac{57\gamma^4 + 622\gamma^2 + 345}{128},$$

$$a_3^{(1,*)}(x; \gamma) = \frac{195\gamma^6 - 8921\gamma^4 - 30871\gamma^2 - 9555}{1024}$$

$$a_4^{(1,*)}(x; \gamma) = -\frac{7035\gamma^8 + 100692\gamma^6 + 4097826\gamma^4 + 7006164\gamma^2 + 1371195}{32768}$$

$$a_5^{(1,*)}(x; \gamma) = -\frac{97335\gamma^{10} - 38595\gamma^8 - 54339354\gamma^6 - 442588230\gamma^4 - 449504301\gamma^2 - 60259815}{262144}$$

$$a_6^{(1,*)}(x; \gamma) = \frac{3565485 \gamma^{12} - 12841710 \gamma^{10} + 423532419 \gamma^8 + 25838749116 \gamma^6 + 96291507171 \gamma^4 + 64464832914 \gamma^2 + 6264182925}{4194304}$$

$$b_0^{(0,*)}(x; \gamma) = \gamma, \quad b_1^{(0,*)}(x; \gamma) = -\frac{\gamma(3\gamma^2 + 13)}{8} = a_1^{(0,*)}, \quad b_2^{(0,*)}(x; \gamma) = \frac{\gamma(15\gamma^4 - 382\gamma^2 - 657)}{128} = -a_2^{(0,*)},$$

$$b_3^{(0,*)}(x; \gamma) = \frac{3\gamma(35\gamma^6 + 327\gamma^4 + 8457\gamma^2 + 7565)}{1024} = a_3^{(0,*)}$$

$$b_4^{(0,*)}(x; \gamma) = -\frac{3\gamma(1575\gamma^8 - 860\gamma^6 - 455382\gamma^4 - 2435292\gamma^2 - 1304345)}{32768} = -a_4^{(0,*)}$$

$$b_5^{(0,*)}(x; \gamma) = -\frac{3\gamma(24255\gamma^{10} - 74795\gamma^8 + 1750326\gamma^6 + 76252650\gamma^4 + 190548859\gamma^2 + 67043025)}{262144} = a_5^{(0,*)}$$

$$b_6^{(0,*)}(x; \gamma) = -a_6^{(0,*)} =$$

$$\frac{45\gamma(63063\gamma^{12} - 295722\gamma^{10} + 1295545\gamma^8 - 137114124\gamma^6 - 1469273511\gamma^4 - 2157119402\gamma^2 - 532523145)}{4194304}$$

$$b_0^{(1,*)}(x; \gamma) = -1, \quad b_1^{(1,*)}(x; \gamma) = -\frac{7\gamma^2 + 9}{8} = -a_1^{(1,*)}, \quad b_2^{(1,*)}(x; \gamma) = \frac{57\gamma^4 + 622\gamma^2 + 345}{128} = a_2^{(1,*)},$$

$$b_3^{(1,*)}(x; \gamma) = \frac{195\gamma^6 - 8921\gamma^4 - 30871\gamma^2 - 9555}{1024} = -a_3^{(1,*)}$$

$$b_4^{(1,*)}(x; \gamma) = -\frac{7035\gamma^8 + 100692\gamma^6 + 4097826\gamma^4 + 7006164\gamma^2 + 1371195}{32768} = a_4^{(1,*)}$$

$$b_5^{(1,*)}(x; \gamma) = \frac{97335\gamma^{10} - 38595\gamma^8 - 54339354\gamma^6 - 442588230\gamma^4 - 449504301\gamma^2 - 60259815}{262144} = -a_5^{(1,*)}$$

$$b_6^{(1,*)}(x; \gamma) = a_6^{(1,*)} =$$

$$\frac{3565485 \gamma^{12} - 12841710 \gamma^{10} + 423532419 \gamma^8 + 25838749116 \gamma^6 + 96291507171 \gamma^4 + 64464832914 \gamma^2 + 6264182925}{4194304}$$

When $\gamma \ll 1$ one has approximately

$$A_0^*(x; \gamma) \approx \gamma \frac{\partial A_0^*}{\partial \gamma}(x; 0) = \gamma \left[-1 - \frac{1.625}{x} + \frac{5.1328}{x^2} + \frac{22.163}{x^3} - \frac{119.42}{x^4} - \frac{767.25}{x^5} + \frac{5713.4}{x^6} + \dots \right]$$

$$B_0^*(x; \gamma) \approx \gamma \frac{\partial B_0^*}{\partial \gamma}(x; 0) = \gamma \left[1 - \frac{1.625}{x} - \frac{5.1328}{x^2} + \frac{22.163}{x^3} + \frac{119.42}{x^4} - \frac{767.25}{x^5} - \frac{5713.4}{x^6} + \dots \right]$$

$$A_1^*(x; \gamma) \approx A_1^*(x; 0) = -1 + \frac{1.125}{x} + \frac{2.6953}{x^2} - \frac{9.3311}{x^3} - \frac{41.846}{x^4} + \frac{229.87}{x^5} + \frac{1493.5}{x^6} + \dots$$

$$B_1^*(x; \gamma) \approx B_1^*(x; 0) = -1 - \frac{1.125}{x} + \frac{2.6953}{x^2} + \frac{9.3311}{x^3} - \frac{41.846}{x^4} - \frac{229.87}{x^5} + \frac{1493.5}{x^6} + \dots$$

$$\left| \frac{a_3^{(1,*)}(x; 0)}{a_2^{(1,*)}(x; 0)} \right| = \left| \frac{b_3^{(1,*)}(x; 0)}{b_2^{(1,*)}(x; 0)} \right| = 3.46, \quad \left| \frac{a_4^{(1,*)}(x; 0)}{a_3^{(1,*)}(x; 0)} \right| = 4.48, \quad \left| \frac{a_5^{(1,*)}(x; 0)}{a_4^{(1,*)}(x; 0)} \right| = 5.49, \quad \left| \frac{a_6^{(1,*)}(x; 0)}{a_5^{(1,*)}(x; 0)} \right| = 6.50$$

The summand $a_k^{(0,*)}(x; \gamma)/[(1 - \gamma^2)^{k+1} x^k]$ can be used if $|x| > |a_k^{(0,*)}(x; \gamma)/a_{k-1}^{(0)}(x; \gamma)|$.

The same holds for $b_k^{(0,*)}(x; \gamma)$.

Let

$$\Delta_n^*(x; \gamma) = -\Theta_1(x; \gamma) +$$

$$+ \frac{1}{\sqrt{\pi x}} \left[A_0^{(n,*)}(x; \gamma) \cos x J_0(\gamma x) + A_1^{(n,*)}(x; \gamma) \cos x J_1(\gamma x) + B_0^{(n,*)}(x; \gamma) \sin x J_0(\gamma x) + B_1^{(n,*)}(x; \gamma) \sin x J_1(\gamma x) \right]$$

with

$$A_\mu^{(n,*)}(x; \gamma) = \sum_{k=0}^n \frac{a_k^{(\mu,*)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k} \quad \text{and} \quad B_\mu^{(n,*)}(x; \gamma) = \sum_{k=0}^n \frac{b_k^{(\mu,*)}(x; \gamma)}{(1 - \gamma^2)^{k+1} x^k} .$$

For the case $\gamma = 0.1$ some of these differences are shown:




FIGURE 14 : Differences $\Delta_0^*(x; \gamma)$ and $\Delta_1^*(x; \gamma)$ with $\gamma = 0.1$




FIGURE 15 : Differences $\Delta_1^*(x; \gamma)$ and $\Delta_2^*(x; \gamma)$ with $\gamma = 0.1$




FIGURE 16 : Differences $\Delta_2^*(x; \gamma)$ and $\Delta_3^*(x; \gamma)$ with $\gamma = 0.1$




FIGURE 17 : Differences $\Delta_3^*(x; \gamma)$ and $\Delta_4^*(x; \gamma)$ with $\gamma = 0.1$

b) Integrals:

Holds (with $0 < \beta < \alpha$ and $\beta/\alpha = \gamma < 1$)

$$\int J_0(\alpha x) J_0(\beta x) dx = \frac{1}{\alpha} \Theta_0 \left(ax; \frac{b}{a} \right), \quad \int J_1(\alpha x) J_1(\beta x) dx = \frac{1}{\alpha} \Theta_1 \left(ax; \frac{b}{a} \right)$$

Let

$$\boxed{\alpha^2 + \beta^2 = \sigma \quad \text{and} \quad \alpha^2 - \beta^2 = \Delta .}$$

$$\int I_0(\alpha x) I_0(\beta x) dx = \frac{1}{\alpha} \Omega_0 \left(ax; \frac{b}{a} \right), \quad \int I_1(\alpha x) I_1(\beta x) dx = \frac{1}{\alpha} \Omega_1 \left(ax; \frac{b}{a} \right)$$

(Θ_ν and Ω_ν as defined on pages 310 and 312.)

$$\begin{aligned} \int x^2 \cdot J_0(\alpha x) J_0(\beta x) dx &= \frac{\sigma x}{\Delta^2} J_0(\alpha x) J_0(\beta x) - \frac{\beta x^2}{\Delta} J_0(\alpha x) J_1(\beta x) + \frac{\alpha x^2}{\Delta} J_1(\alpha x) J_0(\beta x) + \\ &+ \frac{2\alpha\beta x}{\Delta^2} J_1(\alpha x) J_1(\beta x) - \frac{\sigma}{\Delta^2} \int J_0(\alpha x) J_0(\beta x) dx + \frac{2\alpha\beta}{\Delta^2} \int J_1(\alpha x) J_1(\beta x) dx \end{aligned}$$

$$\begin{aligned} \int x^2 \cdot J_1(\alpha x) J_1(\beta x) dx &= \frac{2\alpha\beta x}{\Delta^2} J_0(\alpha x) J_0(\beta x) - \frac{\alpha x^2}{\Delta} J_0(\alpha x) J_1(\beta x) + \frac{\beta x^2}{\Delta} J_1(\alpha x) J_0(\beta x) + \\ &+ \frac{\sigma x}{\Delta^2} J_1(\alpha x) J_1(\beta x) + \frac{2\alpha\beta}{\Delta^2} \int J_0(\alpha x) J_0(\beta x) dx - \frac{\sigma}{\Delta^2} \int J_1(\alpha x) J_1(\beta x) dx \end{aligned}$$

$$\begin{aligned} \int x^2 \cdot I_0(\alpha x) I_0(\beta x) dx &= -\frac{\sigma x}{\Delta^2} I_0(\alpha x) I_0(\beta x) - \frac{\beta x^2}{\Delta} I_0(\alpha x) I_1(\beta x) + \frac{\alpha x^2}{\Delta} I_1(\alpha x) I_0(\beta x) + \\ &+ \frac{2\alpha\beta x}{\Delta^2} I_1(\alpha x) I_1(\beta x) + \frac{\sigma}{\Delta^2} \int I_0(\alpha x) I_0(\beta x) dx + \frac{2\alpha\beta}{\Delta^2} \int I_1(\alpha x) I_1(\beta x) dx \end{aligned}$$

$$\begin{aligned} \int x^2 \cdot I_1(\alpha x) I_1(\beta x) dx &= \frac{2\alpha\beta x}{\Delta^2} I_0(\alpha x) I_0(\beta x) + \frac{\alpha x^2}{\Delta} I_0(\alpha x) I_1(\beta x) - \frac{\beta x^2}{\Delta} I_1(\alpha x) I_0(\beta x) - \\ &- \frac{\sigma x}{\Delta^2} I_1(\alpha x) I_1(\beta x) - \frac{2\alpha\beta}{\Delta^2} \int I_0(\alpha x) I_0(\beta x) dx - \frac{\sigma}{\Delta^2} \int I_1(\alpha x) I_1(\beta x) dx \end{aligned}$$

$$\begin{aligned}
& \int x^4 \cdot J_0(\alpha x) J_0(\beta x) dx = \frac{3[\sigma \Delta^2 x^2 - 3\sigma^2 - 4\alpha^2 \beta^2] x}{\Delta^4} J_0(\alpha x) J_0(\beta x) - \\
& - \frac{(\Delta^2 x^2 - 15\alpha^2 - 9\beta^2)\beta x^2}{\Delta^3} J_0(\alpha x) J_1(\beta x) + \frac{(\Delta^2 x^2 - 9\alpha^2 - 15\beta^2)\alpha x^2}{\Delta^3} J_1(\alpha x) J_0(\beta x) + \\
& + \frac{6(\Delta^2 x^2 - 4\sigma)\alpha \beta x}{\Delta^4} J_1(\alpha x) J_1(\beta x) + \frac{9\sigma^2 + 12\alpha^2 \beta^2}{\Delta^4} \int J_0(\alpha x) J_0(\beta x) dx - \frac{24\alpha \beta \sigma}{\Delta^4} \int J_1(\alpha x) J_1(\beta x) dx \\
& \int x^4 \cdot J_1(\alpha x) J_1(\beta x) dx = \frac{6(\Delta^2 x^2 \alpha^4 - 4\sigma)\beta \alpha x}{\Delta^4} J_0(\alpha x) J_0(\beta x) - \\
& - \frac{(\Delta^2 x^2 - 3\alpha^2 - 21\beta^2)\alpha x^2}{\Delta^3} J_0(\alpha x) J_1(\beta x) + \frac{(\Delta^2 x^2 - 21\alpha^2 - 3\beta^2)\beta x^2}{\Delta^3} J_1(\alpha x) J_0(\beta x) + \\
& + \frac{3[\sigma \Delta^2 x^2 - \sigma^2 - 12\alpha^2 \beta^2] x}{\Delta^4} J_1(\alpha x) J_1(\beta x) - \\
& + \frac{24\alpha \beta \sigma}{\Delta^4} \int J_0(\alpha x) J_0(\beta x) dx - \frac{3\sigma^2 + 36\alpha^2 \beta^2}{\Delta^4} \int J_1(\alpha x) J_1(\beta x) dx \\
& \int x^4 \cdot I_0(\alpha x) I_0(\beta x) dx = -\frac{3[\sigma \Delta^2 x^2 + 3\sigma^2 + 4\alpha^2 \beta^2] x}{\Delta^4} I_0(\alpha x) I_0(\beta x) - \\
& - \frac{(\Delta^2 x^2 + 15\alpha^2 + 9\beta^2)\beta x^2}{\Delta^3} I_0(\alpha x) I_1(\beta x) + \frac{(\Delta^2 x^2 + 9\alpha^2 + 15\beta^2)\alpha x^2}{\Delta^3} I_1(\alpha x) I_0(\beta x) + \\
& + \frac{6(\Delta^2 x^2 + 4\sigma)\alpha \beta x}{\Delta^4} I_1(\alpha x) I_1(\beta x) - \\
& + \frac{3(3\sigma^2 + 4\alpha^2 \beta^2)}{\Delta^4} \int I_0(\alpha x) I_0(\beta x) dx + \frac{24\alpha \beta \sigma}{\Delta^4} \int I_1(\alpha x) I_1(\beta x) dx \\
& \int x^4 \cdot I_1(\alpha x) I_1(\beta x) dx = \frac{6(\Delta^2 x^2 + 4\sigma)\alpha \beta x}{\Delta^4} I_0(\alpha x) I_0(\beta x) + \\
& + \frac{(\Delta^2 x^2 + 3\alpha^2 + 21\beta^2)\alpha x^2}{\Delta^3} I_0(\alpha x) I_1(\beta x) - \frac{(\Delta^2 x^2 + 21\alpha^2 + 3\beta^2)\beta x^2}{\Delta^3} I_1(\alpha x) I_0(\beta x) - \\
& - \frac{3(\sigma \Delta^2 x^2 + \sigma^2 + 12\alpha^2 \beta^2) x}{\Delta^4} I_1(\alpha x) I_1(\beta x) - \\
& - \frac{24\alpha \beta \sigma}{\Delta^4} \int I_0(\alpha x) I_0(\beta x) dx - \frac{3\sigma^2 + 36\alpha^2 \beta^2}{\Delta^4} \int I_1(\alpha x) I_1(\beta x) dx
\end{aligned}$$

Let

$$\begin{aligned}
\int x^n \cdot J_\nu(\alpha x) J_\nu(\beta x) dx &= \frac{P_n^{(\nu)}(x)}{\Delta^n} J_0(\alpha x) J_0(\beta x) + \frac{Q_n^{(\nu)}(x)}{\Delta^{n-1}} J_0(\alpha x) J_1(\beta x) + \\
& + \frac{R_n^{(\nu)}(x)}{\Delta^{n-1}} J_1(\alpha x) J_0(\beta x) + \frac{S_n^{(\nu)}(x)}{\Delta^n} J_1(\alpha x) J_1(\beta x) + \\
& + \frac{U_n^{(\nu)}(x)}{\Delta^n} \int J_0(\alpha x) J_0(\beta x) dx + \frac{V_n^{(\nu)}(x)}{\Delta^n} \int J_1(\alpha x) J_1(\beta x) dx
\end{aligned}$$

and

$$\begin{aligned}
\int x^n \cdot I_\nu(\alpha x) I_\nu(\beta x) dx &= \frac{\bar{P}_n^{(\nu)}(x)}{\Delta^n} I_0(\alpha x) I_0(\beta x) + \frac{\bar{Q}_n^{(\nu)}(x)}{\Delta^{n-1}} I_0(\alpha x) I_1(\beta x) + \\
& + \frac{\bar{R}_n^{(\nu)}(x)}{\Delta^{n-1}} I_1(\alpha x) I_0(\beta x) + \frac{\bar{S}_n^{(\nu)}(x)}{\Delta^n} I_1(\alpha x) I_1(\beta x) + \\
& + \frac{\bar{U}_n^{(\nu)}(x)}{\Delta^n} \int I_0(\alpha x) I_0(\beta x) dx + \frac{\bar{V}_n^{(\nu)}(x)}{\Delta^n} \int I_1(\alpha x) I_1(\beta x) dx .
\end{aligned}$$

$$P_6^{(0)} = 5x[\sigma \Delta^4 x^4 - 3(5\sigma^2 + 12\alpha^2 \beta^2)\Delta^2 x^2 + 3\sigma(15\sigma^2 + 68\alpha^2 \beta^2)]$$

$$\begin{aligned}
Q_6^{(0)} &= -\beta x^2 [\Delta^4 x^4 - 5(11\alpha^2 + 5\beta^2)\Delta^2 x^2 + 465\alpha^4 + 1230\alpha^2\beta^2 + 225\beta^4] \\
R_6^{(0)} &= \alpha x^2 [\Delta^4 x^4 - 5(5\alpha^2 + 11\beta^2)\Delta^2 x^2 + 225\alpha^4 + 1230\alpha^2\beta^2 + 465\beta^4] \\
S_6^{(0)} &= 10\alpha\beta x [\Delta^4 x^4 - 24\sigma\Delta^2 x^2 + 69\sigma^2 + 108\alpha^2\beta^2] \\
U_6^{(0)} &= -15\sigma(15\sigma^2 + 68\alpha^2\beta^2), \quad V_6^{(0)} = 30\alpha\beta(23\sigma^2 + 36\alpha^2\beta^2)
\end{aligned}$$

$$\begin{aligned}
P_6^{(1)} &= 10\alpha\beta [\Delta^4 x^4 - 24\sigma\Delta^2 x^2 + 81\sigma^2 + 60\alpha^2\beta^2] x \\
Q_6^{(1)} &= -\alpha [\Delta^4 x^4 - 5(3\alpha^2 + 13\beta^2)\Delta^2 x^2 + 45\alpha^4 + 1110\alpha^2\beta^2 + 765\beta^4] x^2 \\
R_6^{(1)} &= \beta [\Delta^4 x^4 - 5(13\alpha^2 + 3\beta^2)\Delta^2 x^2 + 765\alpha^4 + 1110\alpha^2\beta^2 + 45\beta^4] x^2 \\
S_6^{(1)} &= 5[\sigma\Delta^4 x^4 - 3(3\sigma^2 + 20\alpha^2\beta^2)\Delta^2 x^2 + 3\sigma(3\sigma^2 + 116\alpha^2\beta^2)] x \\
U_6^{(1)} &= -30(27\sigma^2 + 10\alpha^2\beta^2)\alpha\beta, \quad V_6^{(1)} = 15\sigma(3\sigma^2 + 116\alpha^2\beta^2)
\end{aligned}$$

$$\begin{aligned}
\bar{P}_6^{(0)} &= -5[\sigma\Delta^4 x^4 + 3(5\sigma^2 + 12\alpha^2\beta^2)\Delta^2 x^2 + 3\sigma(15\sigma^2 + 68\alpha^2\beta^2)] x \\
\bar{Q}_6^{(0)} &= -\beta [\Delta^4 x^4 + 5(11\alpha^2 + 5\beta^2)\Delta^2 x^2 + 465\alpha^4 + 1230\alpha^2\beta^2 + 225\beta^4] x^2 \\
\bar{R}_6^{(0)} &= \alpha [\Delta^4 x^4 + 5(5\alpha^2 + 11\beta^2)\Delta^2 x^2 + 225\alpha^4 + 1230\alpha^2\beta^2 + 465\beta^4] x^2 \\
\bar{S}_6^{(0)} &= 10\alpha\beta [\Delta^4 x^4 + 24\sigma\Delta^2 x^2 + 69\sigma^2 + 108\alpha^2\beta^2] x \\
\bar{U}_6^{(0)} &= 15\sigma(15\sigma^2 + 68\alpha^2\beta^2), \quad \bar{V}_6^{(0)} = 30\alpha\beta(23\sigma^2 + 36\alpha^2\beta^2)
\end{aligned}$$

$$\begin{aligned}
\bar{P}_6^{(1)} &= 10\alpha\beta [\Delta^4 x^4 + 24\sigma\Delta^2 x^2 + 81\sigma^2 + 60\alpha^2\beta^2] x \\
\bar{Q}_6^{(1)} &= \alpha [\Delta^4 x^4 + 5(3\alpha^2 + 13\beta^2)\Delta^2 x^2 + 45\alpha^4 + 1110\alpha^2\beta^2 + 765\beta^4] x^2 \\
\bar{R}_6^{(1)} &= -\beta [\Delta^4 x^4 + 5(13\alpha^2 + 3\beta^2)\Delta^2 x^2 + 765\alpha^4 + 1110\alpha^2\beta^2 + 45\beta^4] x^2 \\
\bar{S}_6^{(1)} &= -5x[\sigma\Delta^4 x^4 + 3(3\sigma^2 + 20\alpha^2\beta^2)\Delta^2 x^2 + 3\sigma(3\sigma^2 + 116\alpha^2\beta^2)] \\
\bar{U}_6^{(1)} &= -30(27\sigma^2 + 20\alpha^2\beta^2)\alpha\beta, \quad \bar{V}_6^{(1)} = -15\sigma(3\sigma^2 + 116\alpha^2\beta^2)
\end{aligned}$$

$$\begin{aligned}
P_8^{(0)} &= 7[\sigma\Delta^6 x^6 - 5(7\sigma^2 + 20\alpha^2\beta^2)\Delta^4 x^4 + 15\sigma(35\sigma^2 + 244\alpha^2\beta^2)\Delta^2 x^2 - \\
&\quad -1575\sigma^4 - 15240\alpha^2\beta^2\sigma^2 - 6000\alpha^4\beta^4] x \\
Q_8^{(0)} &= -\beta [\Delta^6 x^6 - 7(17\alpha^2 + 7\beta^2)\Delta^4 x^4 + 35(107\alpha^4 + 242\alpha^2\beta^2 + 35\beta^4)\Delta^2 x^2 - \\
&\quad -25935\alpha^6 - 160755\alpha^4\beta^2 - 124845\alpha^2\beta^4 - 11025\beta^6] x^2 \\
R_8^{(0)} &= \alpha [\Delta^6 x^6 - 7(7\alpha^2 + 17\beta^2)\Delta^4 x^4 + 35(35\alpha^4 + 242\alpha^2\beta^2 + 107\beta^4)\Delta^2 x^2 - \\
&\quad -11025\alpha^6 - 124845\alpha^4\beta^2 - 160755\alpha^2\beta^4 - 25935\beta^6] x^2 \\
S_8^{(0)} &= 14\alpha\beta [\Delta^6 x^6 - 60\sigma\Delta^4 x^4 + 15(71\sigma^2 + 100\alpha^2\beta^2)\Delta^2 x^2 - 240\sigma(11\sigma^2 + 52\alpha^2\beta^2)] x \\
U_8^{(0)} &= 11025\sigma^4 + 106680\alpha^2\beta^2\sigma^2 + 42000\alpha^4\beta^4 \\
V_8^{(0)} &= -3360\alpha\beta\sigma(11\sigma^2 + 52\alpha^2\beta^2)
\end{aligned}$$

$$\begin{aligned}
P_8^{(1)} &= 14\alpha\beta [\Delta^6 x^6 - 60\sigma\Delta^4 x^4 + 45(25\sigma^2 + 28\alpha^2\beta^2)\Delta^2 x^2 - 720\sigma(5\sigma^2 + 12\alpha^2\beta^2)] x \\
Q_8^{(1)} &= -\alpha [\Delta^6 x^6 - 7(5\alpha^2 + 19\beta^2)\Delta^4 x^4 + \\
&\quad + 105(5\alpha^2 + 3\beta^2)(\alpha^2 + 15\beta^2)\Delta^2 x^2 - 1575\alpha^6 - 85995\alpha^4\beta^2 - 186165\alpha^2\beta^4 - 48825\beta^6] x^2 \\
R_8^{(1)} &= \beta [\Delta^6 x^6 - 7(19\alpha^2 + 5\beta^2)\Delta^4 x^4 +
\end{aligned}$$

$$\begin{aligned}
& +105(3\alpha^2 + 5\beta^2)(15\alpha^2 + \beta^2)\Delta^2 x^2 - 48825\alpha^6 - 186165\alpha^4\beta^2 - 85995\alpha^2\beta^4 - 1575\beta^6]x^2 \\
& S_8^{(1)} = 7[\sigma\Delta^6 x^6 - 5(5\sigma^2 + 28\alpha^2\beta^2)\Delta^2 x^4 + 45\sigma(5\sigma^2 + 108\alpha^2\beta^2)\Delta^2 x^2 - \\
& \quad - 225\sigma^4 - 18360\alpha^2\beta^2\sigma^2 - 15120\alpha^4\beta^4]x \\
& U_8^{(1)} = 10080\alpha\beta\sigma(5\sigma^2 + 12\alpha^2\beta^2) \\
& V_8^{(1)} = -(1575\sigma^4 + 128520\alpha^2\beta^2\sigma^2 + 105840\alpha^4\beta^4) \\
& \bar{P}_8^{(0)} = -7[\sigma\Delta^6 x^6 + 5(7\sigma^2 + 20\alpha^2\beta^2)\Delta^4 x^4 + 15\sigma(35\sigma^2 + 244\alpha^2\beta^2)\Delta^2 x^2 + \\
& \quad + 1575\sigma^4 + 15240\alpha^2\beta^2\sigma^2 + 6000\alpha^4\beta^4]x \\
& \bar{Q}_8^{(0)} = -\beta[\Delta^6 x^6 + 7(17\alpha^2 + 7\beta^2)\Delta^4 x^4 + 35(107\alpha^4 + 242\alpha^2\beta^2 + 35\beta^4)\Delta^2 x^2 + \\
& \quad + 25935\alpha^6 + 160755\alpha^4\beta^2 + 124845\alpha^2\beta^4 + 11025\beta^6]x^2 \\
& \bar{R}_8^{(0)} = \alpha[\Delta^6 x^6 + 7(7\alpha^2 + 17\beta^2)\Delta^4 x^4 + 35(35\alpha^4 + 242\alpha^2\beta^2 + 107\beta^4)\Delta^2 x^2 + \\
& \quad + 11025\alpha^6 + 124845\alpha^4\beta^2 + 160755\alpha^2\beta^4 + 25935\beta^6]x^2 \\
& \bar{S}_8^{(0)} = 14\alpha\beta[\Delta^6 x^6 + 60\sigma\Delta^4 x^4 + 15(71\sigma^2 + 100\alpha^2\beta^2)\Delta^2 x^2 + 240\sigma(11\sigma^2 + 52\alpha^2\beta^2)]x \\
& \bar{U}_8^{(0)} = 11025\sigma^4 + 106680\alpha^2\beta^2\sigma^2 + 42000\alpha^4\beta^4 \\
& \bar{V}_8^{(0)} = 3360\alpha\beta\sigma(11\sigma^2 + 52\alpha^2\beta^2) \\
& \bar{P}_8^{(1)} = 14\alpha\beta[\Delta^6 x^6 + 60\sigma\Delta^4 x^4 + 45(25\sigma^2 + 28\alpha^2\beta^2)\Delta^2 x^2 + 720\sigma(5\sigma^2 + 12\alpha^2\beta^2)]x \\
& \bar{Q}_8^{(1)} = \alpha[\Delta^6 x^6 + 7(5\alpha^2 + 19\beta^2)\Delta^4 x^4 + \\
& +105(5\alpha^2 + 3\beta^2)(\alpha^2 + 15\beta^2)\Delta^2 x^2 + 1575\alpha^6 + 85995\alpha^4\beta^2 + 186165\alpha^2\beta^4 + 48825\beta^6]x^2 \\
& \bar{R}_8^{(1)} = -\beta[\Delta^6 x^6 + 7(19\alpha^2 + 5\beta^2)\Delta^4 x^4 + \\
& +105(3\alpha^2 + 5\beta^2)(15\alpha^2 + \beta^2)\Delta^2 x^2 + 48825\alpha^6 + 186165\alpha^4\beta^2 + 85995\alpha^2\beta^4 + 1575\beta^6]x^2 \\
& \bar{S}_8^{(1)} = -7[\sigma\Delta^6 x^6 + 5(5\sigma^2 + 28\alpha^2\beta^2)\Delta^4 x^4 + 45\sigma(5\sigma^2 + 108\alpha^2\beta^2)\Delta^2 x^2 + \\
& \quad + 225\sigma^4 + 18360\alpha^2\beta^2\sigma^2 + 15120\alpha^4\beta^4]x \\
& \bar{U}_8^{(1)} = -10080\alpha\beta\sigma(5\sigma^2 + 12\alpha^2\beta^2) \\
& \bar{V}_8^{(1)} = -(1575\alpha^8 + 134820\alpha^6\beta^2 + 372330\alpha^4\beta^4 + 134820\alpha^2\beta^6 + 1575\beta^8)
\end{aligned}$$

Recurrence relations: (see also page 309)

$$\begin{aligned}
\int x^{2n+2} J_0(\alpha x) J_0(\beta x) dx &= \frac{(2n+1)\sigma x^{2n+1}}{\Delta^2} J_0(\alpha x) J_0(\beta x) - \frac{\beta x^{2n+2}}{\Delta} J_0(\alpha x) J_1(\beta x) + \\
& + \frac{\alpha x^{2n+2}}{\Delta} J_1(\alpha x) J_0(\beta x) + \frac{(4n+2)\alpha\beta x^{2n+1}}{\Delta^2} J_1(\alpha x) J_1(\beta x) - \\
& - \frac{(2n+1)^2\sigma}{\Delta^2} \int x^{2n} J_0(\alpha x) J_0(\beta x) dx - \frac{(8n^2-2)\alpha\beta}{\Delta^2} \int x^{2n} J_1(\alpha x) J_1(\beta x) dx \\
\int x^{2n+2} J_1(\alpha x) J_1(\beta x) dx &= \frac{(4n+2)\alpha\beta x^{2n+1}}{\Delta^2} J_0(\alpha x) J_0(\beta x) - \frac{\alpha x^{2n+2}}{\Delta} J_0(\alpha x) J_1(\beta x) + \\
& + \frac{\beta x^{2n+2}}{\Delta} J_1(\alpha x) J_0(\beta x) + \frac{(2n+1)\sigma x^{2n+1}}{\Delta^2} J_1(\alpha x) J_1(\beta x) - \\
& - \frac{2(2n+1)^2\alpha\beta}{\Delta^2} \int x^{2n} J_0(\alpha x) J_0(\beta x) dx - \frac{(4n^2-1)\sigma}{\Delta^2} \int x^{2n} J_1(\alpha x) J_1(\beta x) dx
\end{aligned}$$

$$\begin{aligned}
\int x^{2n+2} I_0(\alpha x) I_0(\beta x) dx &= -\frac{(2n+1)\sigma x^{2n+1}}{\Delta^2} I_0(\alpha x) I_0(\beta x) - \frac{\beta x^{2n+2}}{\Delta} I_0(\alpha x) I_1(\beta x) + \\
&\quad + \frac{\alpha x^{2n+2}}{\Delta} I_1(\alpha x) I_0(\beta x) + \frac{(4n+2)\alpha\beta x^{2n+1}}{\Delta^2} I_1(\alpha x) I_1(\beta x) + \\
&\quad + \frac{(2n+1)^2\sigma}{\Delta^2} \int x^{2n} I_0(\alpha x) I_0(\beta x) dx - \frac{(8n^2-2)\alpha\beta}{\Delta^2} \int x^{2n} I_1(\alpha x) I_1(\beta x) dx \\
\int x^{2n+2} I_1(\alpha x) I_1(\beta x) dx &= \frac{(4n+2)\alpha\beta x^{2n+1}}{\Delta^2} I_0(\alpha x) I_0(\beta x) + \frac{\alpha x^{2n+2}}{\Delta} I_0(\alpha x) I_1(\beta x) - \\
&\quad - \frac{\beta x^{2n+2}}{\Delta} I_1(\alpha x) I_0(\beta x) - \frac{(2n+1)\sigma x^{2n+1}}{\Delta^2} I_1(\alpha x) I_1(\beta x) - \\
&\quad - \frac{2(2n+1)^2\alpha\beta}{\Delta^2} \int x^{2n} I_0(\alpha x) I_0(\beta x) dx + \frac{(4n^2-1)\sigma}{\Delta^2} \int x^{2n} I_1(\alpha x) I_1(\beta x) dx
\end{aligned}$$

2.2.2. Integrals of the type $\int x^{2n} Z_0(\alpha x) Z_1(\beta x) dx$ and $\int x^{2n} V_0(\alpha x) W_1(\beta x) dx$, $\alpha^2 \neq \beta^2$

See the remark in 2.2.3, page 332.

Let

$$\alpha^2 + \beta^2 = \sigma \quad \text{and} \quad \alpha^2 - \beta^2 = \Delta .$$

$$\begin{aligned} & \int x^2 \cdot J_0(\alpha x) J_1(\beta x) dx = \\ &= \frac{2\beta x}{\Delta^2} [\beta J_0(\alpha x) J_1(\beta x) - \alpha J_1(\alpha x) J_0(\beta x)] + \frac{x^2}{\Delta} [\beta J_0(\alpha x) J_0(\beta x) + \alpha J_1(\alpha x) J_1(\beta x)] \\ & \int x^2 \cdot I_0(\alpha x) I_1(\beta x) dx = \\ &= -\frac{2\beta x}{\Delta^2} [\beta I_0(\alpha x) I_1(\beta x) - \alpha I_1(\alpha x) I_0(\beta x)] - \frac{x^2}{\Delta} [\beta I_0(\alpha x) I_0(\beta x) - \alpha I_1(\alpha x) I_1(\beta x)] \\ & \int x^2 \cdot K_0(\alpha x) K_1(\beta x) dx = \\ &= -\frac{2\beta x}{\Delta^2} [\beta K_0(\alpha x) K_1(\beta x) - \alpha K_1(\alpha x) K_0(\beta x)] + \frac{x^2}{\Delta} [\beta K_0(\alpha x) K_0(\beta x) - \alpha K_1(\alpha x) K_1(\beta x)] \\ & \int x^2 \cdot J_0(\alpha x) I_1(\beta x) dx = \\ &= -\frac{2\beta x}{\sigma^2} [\beta J_0(\alpha x) I_1(\beta x) + \alpha J_1(\alpha x) I_0(\beta x)] + \frac{x^2}{\sigma} [\beta J_0(\alpha x) I_0(\beta x) + \alpha J_1(\alpha x) I_1(\beta x)] \\ & \int x^2 \cdot J_1(\alpha x) I_0(\beta x) dx = \\ &= \frac{2\alpha x}{\sigma^2} [\beta J_0(\alpha x) I_1(\beta x) + \alpha J_1(\alpha x) I_0(\beta x)] - \frac{x^2}{\sigma} [\alpha J_0(\alpha x) I_0(\beta x) - \beta J_1(\alpha x) I_1(\beta x)] \\ & \int x^2 \cdot J_0(\alpha x) K_1(\beta x) dx = \\ &= -\frac{2\beta x}{\sigma^2} [\beta J_0(\alpha x) K_1(\beta x) - \alpha J_1(\alpha x) K_0(\beta x)] - \frac{x^2}{\sigma} [\beta J_0(\alpha x) K_0(\beta x) - \alpha J_1(\alpha x) K_1(\beta x)] \\ & \int x^2 \cdot J_1(\alpha x) K_0(\beta x) dx = \\ &= -\frac{2\alpha x}{\sigma^2} [\beta J_0(\alpha x) K_1(\beta x) - \alpha J_1(\alpha x) K_0(\beta x)] - \frac{x^2}{\sigma} [\alpha J_0(\alpha x) K_0(\beta x) + \beta J_1(\alpha x) K_1(\beta x)] \\ & \int x^2 \cdot I_0(\alpha x) K_1(\beta x) dx = \\ &= -\frac{2\beta x}{\Delta^2} [\beta I_0(\alpha x) K_1(\beta x) + \alpha I_1(\alpha x) K_0(\beta x)] + \frac{x^2}{\Delta} [\beta I_0(\alpha x) K_0(\beta x) + \alpha I_1(\alpha x) K_1(\beta x)] \\ & \int x^2 \cdot I_1(\alpha x) K_0(\beta x) dx = \\ &= -\frac{2\alpha x}{\Delta^2} [\beta I_0(\alpha x) K_1(\beta x) + \alpha I_1(\alpha x) K_0(\beta x)] + \frac{x^2}{\Delta} [\alpha I_0(\alpha x) K_0(\beta x) + \beta I_1(\alpha x) K_1(\beta x)] \end{aligned}$$

Let

$$\begin{aligned} & \int x^m U_0(\alpha x) W_1(\beta x) dx = \\ &= P_m^{[UW]}(x) U_0(\alpha x) W_0(\beta x) + Q_m^{[UW]}(x) U_0(\alpha x) W_1(\beta x) + R_m^{[UW]}(x) U_1(\alpha x) W_0(\beta x) + S_m^{[UW]}(x) U_1(\alpha x) W_1(\beta x) . \end{aligned}$$

One has

$$P_m^{[JJ]} = P_m^{[YY]} = P_m^{[H^{(1)}H^{(1)}]} = P_m^{[H^{(2)}H^{(2)}]} = P_m^{[JY]} = P_m^{[JH^{(1)}]} = P_m^{[JH^{(2)}]} = P_m^{[YH^{(1)}]} = P_m^{[YH^{(2)}]} = P_m^{[H^{(1)}H^{(2)}]} ,$$

$$P_m^{[JJ]} = P_m^{[YI]} = P_m^{[H^{(1)}I]} = P_m^{[H^{(2)}I]} \quad \text{and} \quad P_m^{[JK]} = P_m^{[YK]} = P_m^{[H^{(1)}K]} = P_m^{[H^{(2)}K]} .$$

The same holds for the polynomials $Q_m(x)$, $R_m(x)$ and $S_m(x)$.

$$P_4^{[JJ]}(x) = \frac{\beta x^4}{\Delta} - \frac{8\beta(2\alpha^2 + \beta^2)x^2}{\Delta^3} , \quad Q_4^{[JJ]}(x) = \frac{2(\alpha^2 + 2\beta^2)x^3}{\Delta^2} - \frac{16\beta^2(2\alpha^2 + \beta^2)x}{\Delta^4}$$

$$R_4^{[JJ]}(x) = -\frac{6\alpha\beta x^3}{\Delta^2} + \frac{16\alpha\beta(2\alpha^2 + \beta^2)x}{\Delta^4} , \quad S_4^{[JJ]}(x) = \frac{\alpha x^4}{\Delta} - \frac{4\alpha(\alpha^2 + 5\beta^2)x^2}{\Delta^3}$$

$$P_4^{[II]}(x) = -P_4^{[KK]}(x) = -\frac{\beta x^4}{\Delta} - \frac{8\beta(2\alpha^2 + \beta^2)x^2}{\Delta^3}$$

$$Q_4^{[II]}(x) = Q_4^{[KK]}(x) = -\frac{2(\alpha^2 + 2\beta^2)x^3}{\Delta^2} - \frac{16\beta^2(2\alpha^2 + \beta^2)x}{\Delta^4}$$

$$R_4^{[II]}(x) = R_4^{[KK]}(x) = \frac{6\alpha\beta x^3}{\Delta^2} + \frac{16\alpha\beta(2\alpha^2 + \beta^2)x}{\Delta^4}$$

$$S_4^{[II]}(x) = -S_4^{[KK]}(x) = \frac{\alpha x^4}{\Delta} + \frac{4\alpha(\alpha^2 + 5\beta^2)x^2}{\Delta^3}$$

$$P_4^{[JI]}(x) = -P_4^{[JK]}(x) = \frac{\beta x^4}{\sigma} - \frac{8\beta(2\alpha^2 - \beta^2)x^2}{\sigma^3}$$

$$Q_4^{[JI]}(x) = Q_4^{[JK]}(x) = \frac{2(\alpha^2 - 2\beta^2)x^3}{\sigma^2} + \frac{16\beta^2(2\alpha^2 - \beta^2)x}{\sigma^4}$$

$$R_4^{[JI]}(x) = -R_4^{[JK]}(x) = -\frac{6\alpha\beta x^3}{\sigma^2} + \frac{16\alpha\beta(2\alpha^2 - \beta^2)x}{\sigma^4}$$

$$S_4^{[JI]}(x) = S_4^{[JK]}(x) = \frac{\alpha x^4}{\sigma} - \frac{4\alpha(\alpha^2 - 5\beta^2)x^2}{\sigma^3}$$

$$P_4^{[IJ]}(x) = P_4^{[KJ]}(x) = -\frac{\beta x^4}{\sigma} - \frac{8\beta(2\alpha^2 - \beta^2)x^2}{\sigma^3}$$

$$Q_4^{[IJ]}(x) = Q_4^{[KJ]}(x) = -\frac{2(\alpha^2 - 2\beta^2)x^3}{\sigma^2} + \frac{16\beta^2(2\alpha^2 - \beta^2)x}{\sigma^4}$$

$$R_4^{[IJ]}(x) = -R_4^{[KJ]}(x) = \frac{6\alpha\beta x^3}{\sigma^2} + \frac{16\alpha\beta(2\alpha^2 - \beta^2)x}{\sigma^4}$$

$$S_4^{[IJ]}(x) = -S_4^{[KJ]}(x) = \frac{\alpha x^4}{\sigma} + \frac{4\alpha(\alpha^2 - 5\beta^2)x^2}{\sigma^3}$$

$$P_4^{[IK]}(x) = -P_4^{[KI]}(x) = \frac{\beta x^4}{\Delta} + \frac{8\beta(2\alpha^2 + \beta^2)x^2}{\Delta^3}$$

$$Q_4^{[IK]}(x) = Q_4^{[KI]}(x) = -\frac{2(\alpha^2 + 2\beta^2)x^3}{\Delta^2} - \frac{16\beta^2(2\alpha^2 + \beta^2)x}{\Delta^4}$$

$$R_4^{[IK]}(x) = R_4^{[KI]}(x) = -\frac{6\alpha\beta x^3}{\Delta^2} - \frac{16\alpha\beta(2\alpha^2 + \beta^2)x}{\Delta^4}$$

$$S_4^{[IK]}(x) = -S_4^{[KI]}(x) = \frac{\alpha x^4}{\Delta} + \frac{4\alpha(\alpha^2 + 5\beta^2)x^2}{\Delta^3}$$

$$P_6^{[JJ]}(x) = \frac{\beta x^6}{\Delta} - \frac{8\beta(7\alpha^2 + 3\beta^2)x^4}{\Delta^3} + \frac{192\beta(3\sigma^2 - 2\beta^4)x^2}{\Delta^5}$$

$$Q_6^{[JJ]}(x) = \frac{2(2\alpha^2 + 3\beta^2)x^5}{\Delta^2} - \frac{32(\alpha^4 + 11\alpha^2\beta^2 + 3\beta^4)x^3}{\Delta^4} + \frac{384\beta^2(3\sigma^2 - 2\beta^4)x}{\Delta^6}$$

$$R_6^{[JJ]}(x) = -\frac{10\alpha\beta x^5}{\Delta^2} + \frac{32\alpha\beta(8\alpha^2 + 7\beta^2)x^3}{\Delta^4} - \frac{384\alpha\beta(3\sigma^2 - 2\beta^4)x}{\Delta^6}$$

$$\begin{aligned}
S_6^{[JJ]}(x) &= \frac{\alpha x^6}{\Delta} - \frac{16\alpha(\alpha^2 + 4\beta^2)x^4}{\Delta^3} + \frac{64\alpha(\alpha^4 + 19\alpha^2\beta^2 + 10\beta^4)x^2}{\Delta^5} \\
P_6^{[II]}(x) &= -P_6^{[KK]}(x) = -\frac{\beta x^6}{\Delta} - \frac{8\beta(7\alpha^2 + 3\beta^2)x^4}{\Delta^3} - \frac{192\beta(3\sigma^2 - 2\beta^4)x^2}{\Delta^5} \\
Q_6^{[II]}(x) &= Q_6^{[KK]}(x) = -\frac{2(2\alpha^2 + 3\beta^2)x^5}{\Delta^2} - \frac{32(\alpha^4 + 11\alpha^2\beta^2 + 3\beta^4)x^3}{\Delta^4} - \frac{384\beta^2(3\sigma^2 - 2\beta^4)x}{\Delta^6} \\
R_6^{[II]}(x) &= R_6^{[KK]}(x) = \frac{10\alpha\beta x^5}{\Delta^2} + \frac{32\alpha\beta(8\alpha^2 + 7\beta^2)x^3}{\Delta^4} + \frac{384\alpha\beta(3\sigma^2 - 2\beta^4)x}{\Delta^6} \\
S_6^{[II]}(x) &= -S_6^{[KK]}(x) = \frac{\alpha x^6}{\Delta} + \frac{16\alpha(\alpha^2 + 4\beta^2)x^4}{\Delta^3} + \frac{64\alpha(\alpha^4 + 19\alpha^2\beta^2 + 10\beta^4)x^2}{\Delta^5} \\
P_6^{[JI]}(x) &= -P_6^{[JK]}(x) = \frac{\beta x^6}{\sigma} - \frac{8\beta(7\alpha^2 - 3\beta^2)x^4}{\sigma^3} + \frac{192\beta(3\Delta^2 - 2\beta^4)x^2}{\sigma^5} \\
Q_6^{[JI]}(x) &= Q_6^{[JK]}(x) = \frac{2(2\alpha^2 - 3\beta^2)x^5}{\sigma^2} - \frac{32(\alpha^4 - 11\beta^2\alpha^2 + 3\beta^4)x^3}{\sigma^4} - \frac{384\beta^2(3\Delta^2 - 2\beta^4)x}{\sigma^6} \\
R_6^{[JI]}(x) &= -R_6^{[JK]}(x) = -\frac{10\alpha\beta x^5}{\sigma^2} + \frac{32\alpha\beta(8\alpha^2 - 7\beta^2)x^3}{\sigma^4} - \frac{384\alpha\beta(3\Delta^2 - 2\beta^4)x}{\sigma^6} \\
S_6^{[JI]}(x) &= S_6^{[JK]}(x) = \frac{\alpha x^6}{\sigma} - \frac{16\alpha(\alpha^2 - 4\beta^2)x^4}{\sigma^3} + \frac{64\alpha(\alpha^4 - 19\beta^2\alpha^2 + 10\beta^4)x^2}{\sigma^5} \\
P_6^{[IJ]}(x) &= P_6^{[KJ]}(x) = -\frac{\beta x^6}{\sigma} - \frac{8\beta(7\alpha^2 - 3\beta^2)x^4}{\sigma^3} - \frac{192\beta(3\Delta^2 - 2\beta^4)x^2}{\sigma^5} \\
Q_6^{[IJ]}(x) &= Q_6^{[KJ]}(x) = -\frac{2(2\alpha^2 - 3\beta^2)x^5}{\sigma^2} - \frac{32(\alpha^4 - 11\alpha^2\beta^2 + 3\beta^4)x^3}{\sigma^4} + \frac{384\beta^2(3\Delta^2 - 2\beta^4)x}{\sigma^6} \\
R_6^{[IJ]}(x) &= -R_6^{[KJ]}(x) = \frac{10\alpha\beta x^5}{\sigma^2} + \frac{32\alpha\beta(8\alpha^2 - 7\beta^2)x^3}{\sigma^4} + \frac{384\alpha\beta(3\Delta^2 - 2\beta^4)x}{\sigma^6} \\
S_6^{[IJ]}(x) &= -S_6^{[KJ]}(x) = \frac{\alpha x^6}{\sigma} + \frac{16\alpha(\alpha^2 - 4\beta^2)x^4}{\sigma^3} + \frac{64\alpha(\alpha^4 - 19\alpha^2\beta^2 + 10\beta^4)x^2}{\sigma^5} \\
P_6^{[IK]}(x) &= -P_6^{[KI]}(x) = \frac{\beta x^6}{\Delta} + \frac{8\beta(7\alpha^2 + 3\beta^2)x^4}{\Delta^3} + \frac{192\beta(3\sigma^2 - 2\beta^2)x^2}{\Delta^5} \\
Q_6^{[IK]}(x) &= Q_6^{[KI]}(x) = -\frac{2(2\alpha^2 + 3\beta^2)x^5}{\Delta^2} - \frac{32(\alpha^4 + 11\beta^2\alpha^2 + 3\beta^4)x^3}{\Delta^4} - \frac{384\beta^2(3\sigma^2 - 2\beta^2)x}{\Delta^6} \\
R_6^{[IK]}(x) &= R_6^{[KI]}(x) = -\frac{10\alpha\beta x^5}{\Delta^2} - \frac{32\alpha\beta(8\alpha^2 + 7\beta^2)x^3}{\Delta^4} - \frac{384\alpha\beta(3\sigma^2 - 2\beta^2)x}{\Delta^6} \\
S_6^{[IK]}(x) &= -S_6^{[KI]}(x) = \frac{\alpha x^6}{\Delta} + \frac{16\alpha(\alpha^2 + 4\beta^2)x^4}{\Delta^3} + \frac{64\alpha(\alpha^4 + 10\beta^4 + 19\beta^2\alpha^2)x^2}{\Delta^5}
\end{aligned}$$

$$\begin{aligned}
P_8^{[JJ]}(x) &= \frac{\beta}{\Delta} x^8 - \frac{24\beta(5\alpha^2 + 2\beta^2)x^6}{\Delta^3} + \frac{192\beta(21\alpha^4 + 43\alpha^2\beta^2 + 6\beta^4)x^4}{\Delta^5} - \\
&\quad - \frac{9216\beta(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x^2}{\Delta^7} \\
Q_8^{[JJ]}(x) &= \frac{2(3\alpha^2 + 4\beta^2)x^7}{\Delta^2} - \frac{48(3\alpha^4 + 26\alpha^2\beta^2 + 6\beta^4)x^5}{\Delta^4} + \frac{384(3\alpha^6 + 86\alpha^4\beta^2 + 109\alpha^2\beta^4 + 12\beta^6)x^3}{\Delta^6} - \\
&\quad - \frac{18432\beta^2(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x}{\Delta^8} \\
R_8^{[JJ]}(x) &= -\frac{14\alpha\beta x^7}{\Delta^2} + \frac{48\alpha\beta(18\alpha^2 + 17\beta^2)x^5}{\Delta^4} - \frac{1920\alpha\beta(9\alpha^4 + 26\alpha^2\beta^2 + 7\beta^4)x^3}{\Delta^6} + \\
&\quad + \frac{18432\alpha\beta(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x}{\Delta^8}
\end{aligned}$$

$$\begin{aligned}
S_8^{[JJ]}(x) &= \frac{\alpha x^8}{\Delta} - \frac{12\alpha(3\alpha^2 + 11\beta^2)x^6}{\Delta^3} + \frac{192\alpha(3\alpha^4 + 44\alpha^2\beta^2 + 23\beta^4)x^4}{\Delta^5} - \\
&\quad - \frac{768\alpha(3\alpha^6 + 131\alpha^4\beta^2 + 239\alpha^2\beta^4 + 47\beta^6)x^2}{\Delta^7} \\
P_8^{[II]}(x) &= -P_8^{[KK]}(x) = -\frac{\beta x^8}{\Delta} - \frac{24\beta(5\alpha^2 + 2\beta^2)x^6}{\Delta^3} - \frac{192\beta(21\alpha^4 + 43\alpha^2\beta^2 + 6\beta^4)x^4}{\Delta^5} - \\
&\quad - \frac{9216\beta(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x^2}{\Delta^7} \\
Q_8^{[II]}(x) &= Q_8^{[KK]}(x) = -\frac{2(3\alpha^2 + 4\beta^2)x^7}{\Delta^2} - \frac{48(3\alpha^4 + 26\alpha^2\beta^2 + 6\beta^4)x^5}{\Delta^4} - \\
&\quad - \frac{384(3\alpha^6 + 86\alpha^4\beta^2 + 109\alpha^2\beta^4 + 12\beta^6)x^3}{\Delta^6} - \frac{18432\beta^2(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x}{\Delta^8} \\
R_8^{[II]}(x) &= R_8^{[KK]}(x) = \frac{14\alpha\beta x^7}{\Delta^2} + \frac{48\alpha\beta(18\alpha^2 + 17\beta^2)x^5}{\Delta^4} + \frac{1920\alpha\beta(9\alpha^4 + 26\alpha^2\beta^2 + 7\beta^4)x^3}{\Delta^6} + \\
&\quad + \frac{18432\alpha\beta(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x}{\Delta^8} \\
S_8^{[II]}(x) &= -S_8^{[KK]}(x) = \frac{\alpha x^8}{\Delta} + \frac{12\alpha(3\alpha^2 + 11\beta^2)x^6}{\Delta^3} + \frac{192\alpha(3\alpha^4 + 44\alpha^2\beta^2 + 23\beta^4)x^4}{\Delta^5} + \\
&\quad + \frac{768\alpha(3\alpha^6 + 131\alpha^4\beta^2 + 239\alpha^2\beta^4 + 47\beta^6)x^2}{\Delta^7} \\
P_8^{[JI]}(x) &= -P_8^{[JK]}(x) = \frac{\beta x^8}{\sigma} - \frac{24\beta(5\alpha^2 - 2\beta^2)x^6}{\sigma^3} + \frac{192\beta(21\alpha^4 - 43\alpha^2\beta^2 + 6\beta^4)x^4}{\sigma^5} - \\
&\quad - \frac{9216\beta(4\alpha^6 - 18\alpha^4\beta^2 + 12\alpha^2\beta^4 - \beta^6)x^2}{\sigma^7} \\
Q_8^{[JI]}(x) &= Q_8^{[JK]}(x) = \frac{2(3\alpha^2 - 4\beta^2)x^7}{\sigma^2} - \frac{48(3\alpha^4 - 26\alpha^2\beta^2 + 6\beta^4)x^5}{\sigma^4} + \\
&\quad + \frac{384(3\alpha^6 - 86\alpha^4\beta^2 + 109\alpha^2\beta^4 - 12\beta^6)x^3}{(\sigma)^6} + \frac{18432\beta^2(4\alpha^6 - 18\alpha^4\beta^2 + 12\alpha^2\beta^4 - \beta^6)x}{\sigma^8} \\
R_8^{[JI]}(x) &= -R_8^{[JK]}(x) = -\frac{14\alpha\beta x^7}{\sigma^2} + \frac{48\alpha\beta(18\alpha^2 - 17\beta^2)x^5}{\sigma^4} - \frac{1920\alpha\beta(9\alpha^4 - 26\alpha^2\beta^2 + 7\beta^4)x^3}{\sigma^6} + \\
&\quad + \frac{18432\alpha\beta(4\alpha^6 - 18\alpha^4\beta^2 + 12\alpha^2\beta^4 - \beta^6)x}{\sigma^8} \\
S_8^{[JI]}(x) &= S_8^{[JK]}(x) = \frac{\alpha x^8}{\sigma} - \frac{12\alpha(3\alpha^2 - 11\beta^2)x^6}{\sigma^3} + \frac{192\alpha(3\alpha^4 - 44\alpha^2\beta^2 + 23\beta^4)x^4}{\sigma^5} - \\
&\quad - \frac{768\alpha(3\alpha^6 - 131\alpha^4\beta^2 + 239\alpha^2\beta^4 - 47\beta^6)x^2}{\sigma^7} \\
P_8^{[IJ]}(x) &= P_8^{[KJ]}(x) = -\frac{\beta x^8}{\sigma} - \frac{24\beta(5\alpha^2 - 2\beta^2)x^6}{\sigma^3} - \frac{192\beta(21\alpha^4 - 43\alpha^2\beta^2 + 6\beta^4)x^4}{\sigma^5} - \\
&\quad - \frac{9216\beta(4\alpha^6 - 18\alpha^4\beta^2 + 12\alpha^2\beta^4 - \beta^6)x^2}{\sigma^7} \\
Q_8^{[IJ]}(x) &= Q_8^{[KJ]}(x) = -\frac{2(3\alpha^2 - 4\beta^2)x^7}{\sigma^2} - \frac{48(3\alpha^4 - 26\alpha^2\beta^2 + 6\beta^4)x^5}{\sigma^4} - \\
&\quad - \frac{384(3\alpha^6 - 86\alpha^4\beta^2 + 109\alpha^2\beta^4 - 12\beta^6)x^3}{\sigma^6} + \frac{18432\beta^2(4\alpha^6 - 18\alpha^4\beta^2 + 12\alpha^2\beta^4 - \beta^6)x}{\sigma^8}
\end{aligned}$$

$$\begin{aligned}
R_8^{[IJ]}(x) &= -R_8^{[KJ]}(x) = \frac{14\alpha\beta x^7}{\sigma^2} + \frac{48\alpha\beta(18\alpha^2 - 17\beta^2)x^5}{\sigma^4} + \frac{1920\alpha\beta(9\alpha^4 - 26\alpha^2\beta^2 + 7\beta^4)x^3}{\sigma^6} + \\
&\quad + \frac{18432\alpha\beta(4\alpha^6 - 18\alpha^4\beta^2 + 12\alpha^2\beta^4 - \beta^6)x}{\sigma^8} \\
S_8^{[IJ]}(x) &= -S_8^{[KJ]}(x) = \frac{\alpha x^8}{\sigma} + \frac{12\alpha(3\alpha^2 - 11\beta^2)x^6}{\sigma^3} + \frac{192\alpha(3\alpha^4 - 44\alpha^2\beta^2 + 23\beta^4)x^4}{\sigma^5} + \\
&\quad + \frac{768\alpha(3\alpha^6 - 131\alpha^4\alpha^2 + 239\alpha^2\beta^4 - 47\beta^6)x^2}{\sigma^7} \\
P_8^{[IK]}(x) &= -P_8^{[KI]}(x) = \frac{\beta x^8}{\Delta} + \frac{24\beta(5\alpha^2 + 2\beta^2)x^6}{\Delta^3} + \frac{192\beta(21\alpha^4 + 43\alpha^2\beta^2 + 6\beta^4)x^4}{\Delta^5} + \\
&\quad + \frac{9216\beta(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x^2}{\Delta^7} \\
Q_8^{[IK]}(x) &= Q_8^{[KI]}(x) = -\frac{2(3\alpha^2 + 4\beta^2)x^7}{\Delta^2} - \frac{48(3\alpha^4 + 26\alpha^2\beta^2 + 6\beta^4)x^5}{\Delta^4} - \\
&\quad - \frac{384(3\alpha^6 + 86\alpha^4\beta^2 + 109\alpha^2\beta^4 + 12\beta^6)x^3}{\Delta^6} - \frac{18432\beta^2(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x}{\Delta^8} \\
R_8^{[IK]}(x) &= R_8^{[KI]}(x) = -\frac{14\alpha\beta x^7}{\Delta^2} - \frac{48\alpha\beta(18\alpha^2 + 17\beta^2)x^5}{\Delta^4} - \\
&\quad - \frac{1920\alpha\beta(9\alpha^4 + 26\alpha^2\beta^2 + 7\beta^4)x^3}{\Delta^6} - \frac{18432\alpha\beta(4\alpha^6 + 18\alpha^4\beta^2 + 12\alpha^2\beta^4 + \beta^6)x}{\Delta^8} \\
S_8^{[IK]}(x) &= -S_8^{[KI]}(x) = \frac{\alpha x^8}{\Delta} + \frac{12\alpha(3\alpha^2 + 11\beta^2)x^6}{\Delta^3} + \frac{192\alpha(3\alpha^4 + 44\alpha^2\beta^2 + 23\beta^4)x^4}{\Delta^5} + \\
&\quad + \frac{768\alpha(3\alpha^6 + 131\alpha^4\beta^2 + 239\alpha^2\beta^4 + 47\beta^6)x^2}{\Delta^7}
\end{aligned}$$

Recurrence relations: See also page 309.

$$\begin{aligned}
&\int x^{2n+2} J_0(\alpha x) J_1(\beta x) dx = x^{2n-1} \left\{ \left[\frac{\beta x^3}{\Delta} - \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\Delta^2} \right] J_0(\alpha x) J_0(\beta x) + \right. \\
&+ \left[\frac{2(n\sigma + \beta^2)x^2}{\Delta^2} + \frac{8n^2(2n+1)(n-1)}{(2n-1)\Delta^2} \right] J_0(\alpha x) J_1(\beta x) - \frac{2(2n+1)\alpha\beta x^2}{\Delta^2} J_1(\alpha x) J_0(\beta x) + \\
&\quad \left. + \left[\frac{\alpha x^3}{\Delta} + \frac{4(2n+1)n^2\alpha x}{(2n-1)\Delta^2} \right] J_1(\alpha x) J_1(\beta x) \right\} - \\
&- \frac{8(2n^2\sigma - \beta^2)}{(2n-1)\Delta^2} \int x^{2n} J_0(\alpha x) J_1(\beta x) dx - \frac{16(n-1)^2 n^2 (2n+1)}{(2n-1)\Delta^2} \int x^{2n-2} J_0(\alpha x) J_1(\beta x) dx
\end{aligned}$$

$$\begin{aligned}
&\int x^{2n+2} J_0(\alpha x) I_1(\beta x) dx = x^{2n-1} \left\{ \left[\frac{\beta x^3}{\sigma} - \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\sigma^2} \right] J_0(\alpha x) I_0(\beta x) + \right. \\
&+ \left[\frac{2(n\sigma - \beta^2)x^2}{\sigma^2} + \frac{8n^2(2n+1)(n-1)}{(2n-1)\sigma^2} \right] J_0(\alpha x) I_1(\beta x) - \frac{2(2n+1)\alpha\beta x^2}{\sigma^2} J_1(\alpha x) I_0(\beta x) + \\
&\quad \left. + \left[\frac{\alpha x^3}{\sigma} + \frac{4(2n+1)n^2\alpha x}{(2n-1)\sigma^2} \right] J_1(\alpha x) I_1(\beta x) \right\} - \\
&- \frac{8(2n^2\sigma + \beta^2)}{(2n-1)\sigma^2} \int x^{2n} J_0(\alpha x) I_1(\beta x) dx + \frac{16(n-1)^2 n^2 (2n+1)}{(2n-1)\sigma^2} \int x^{2n-2} J_0(\alpha x) I_1(\beta x) dx
\end{aligned}$$

$$\int x^{2n+2} J_0(\alpha x) K_1(\beta x) dx = x^{2n-1} \left\{ \left[\frac{\beta x^3}{\sigma} - \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\sigma^2} \right] J_0(\alpha x) K_0(\beta x) + \right.$$

$$\begin{aligned}
& + \left[\frac{2(n\sigma - \beta^2)x^2}{\sigma^2} + \frac{8n^2(2n+1)(n-1)}{(2n-1)\sigma^2} \right] J_0(\alpha x) K_1(\beta x) - \frac{2(2n+1)\alpha\beta x^2}{\sigma^2} J_1(\alpha x) K_0(\beta x) + \\
& \quad + \left[\frac{\alpha x^3}{\sigma} + \frac{4(2n+1)n^2\alpha x}{(2n-1)\sigma^2} \right] J_1(\alpha x) K_1(\beta x) \Big\} - \\
& - \frac{8(2n^2\sigma + \beta^2)}{(2n-1)\sigma^2} \int x^{2n} J_0(\alpha x) K_1(\beta x) dx + \frac{16(n-1)^2n^2(2n+1)}{(2n-1)\sigma^2} \int x^{2n-2} J_0(\alpha x) K_1(\beta x) dx
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} I_0(\alpha x) J_1(\beta x) dx = x^{2n-1} \left\{ - \left[\frac{\beta x^3}{\sigma} + \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\sigma^2} \right] I_0(\alpha x) J_0(\beta x) - \right. \\
& - \left[\frac{2(n\Delta - \beta^2)x^2}{\sigma^2} - \frac{8n^2(2n+1)(n-1)}{(2n-1)\sigma^2} \right] I_0(\alpha x) J_1(\beta x) + \frac{2(2n+1)\alpha\beta x^2}{\sigma^2} I_1(\alpha x) J_0(\beta x) + \\
& \quad \left. + \left[\frac{\alpha x^3}{\sigma} - \frac{4(2n+1)n^2\alpha x}{(2n-1)\sigma^2} \right] I_1(\alpha x) J_1(\beta x) \right\} + \\
& + \frac{8(2n^2\Delta + \beta^2)}{(2n-1)\sigma^2} \int x^{2n} I_0(\alpha x) J_1(\beta x) dx - \frac{16(n-1)^2n^2(2n+1)}{(2n-1)\sigma^2} \int x^{2n-2} I_0(\alpha x) J_1(\beta x) dx
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} I_0(\alpha x) I_1(\beta x) dx = x^{2n-1} \left\{ - \left[\frac{\beta x^3}{\Delta} + \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\Delta^2} \right] I_0(\alpha x) I_0(\beta x) - \right. \\
& - \left[\frac{2(n\sigma + \beta^2)x^2}{\Delta^2} - \frac{8n^2(2n+1)(n-1)}{(2n-1)\Delta^2} \right] I_0(\alpha x) I_1(\beta x) + \frac{2(2n+1)\alpha\beta x^2}{\Delta^2} I_1(\alpha x) I_0(\beta x) + \\
& \quad \left. + \left[\frac{\alpha x^3}{\Delta} - \frac{4(2n+1)n^2\alpha x}{(2n-1)\Delta^2} \right] I_1(\alpha x) I_1(\beta x) \right\} + \\
& + \frac{8(2n^2\sigma - \beta^2)}{(2n-1)\Delta^2} \int x^{2n} I_0(\alpha x) I_1(\beta x) dx - \frac{16(n-1)^2n^2(2n+1)}{(2n-1)\Delta^2} \int x^{2n-2} I_0(\alpha x) I_1(\beta x) dx
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} K_0(\alpha x) J_1(\beta x) dx = x^{2n-1} \left\{ - \left[\frac{\beta x^3}{\sigma} + \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\sigma^2} \right] K_0(\alpha x) J_0(\beta x) - \right. \\
& - \left[\frac{2(n\sigma - \beta^2)x^2}{\sigma^2} - \frac{8n^2(2n+1)(n-1)}{(2n-1)\sigma^2} \right] K_0(\alpha x) J_1(\beta x) - \frac{2(2n+1)\alpha\beta x^2}{\sigma^2} K_1(\alpha x) J_0(\beta x) - \\
& \quad \left. - \left[\frac{\alpha x^3}{\sigma} - \frac{4(2n+1)n^2\alpha x}{(2n-1)\sigma^2} \right] K_1(\alpha x) J_1(\beta x) \right\} + \\
& + \frac{8(2n^2\Delta + \beta^2)}{(2n-1)\sigma^2} \int x^{2n} K_0(\alpha x) J_1(\beta x) dx - \frac{16(n-1)^2n^2(2n+1)}{(2n-1)\sigma^2} \int x^{2n-2} K_0(\alpha x) J_1(\beta x) dx
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} K_0(\alpha x) I_1(\beta x) dx = x^{2n-1} \left\{ - \left[\frac{\beta x^3}{\Delta} + \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\Delta^2} \right] K_0(\alpha x) I_0(\beta x) - \right. \\
& - \left[\frac{2(n\sigma + \beta^2)x^2}{\Delta^2} + \frac{8n^2(2n+1)(n-1)}{(2n-1)\Delta^2} \right] K_0(\alpha x) I_1(\beta x) - \frac{2(2n+1)\alpha\beta x^2}{\Delta^2} K_1(\alpha x) I_0(\beta x) - \\
& \quad \left. - \left[\frac{\alpha x^3}{\Delta} - \frac{4(2n+1)n^2\alpha x}{(2n-1)\Delta^2} \right] K_1(\alpha x) I_1(\beta x) \right\} - \\
& + \frac{8(2n^2\sigma - \beta^2)}{(2n-1)\Delta^2} \int x^{2n} K_0(\alpha x) I_1(\beta x) dx - \frac{16(n-1)^2n^2(2n+1)}{(2n-1)\Delta^2} \int x^{2n-2} K_0(\alpha x) I_1(\beta x) dx
\end{aligned}$$

$$\int x^{2n+2} K_0(\alpha x) K_1(\beta x) dx = x^{2n-1} \left\{ \left[\frac{\beta x^3}{\Delta} + \frac{4(2n+1)(n-1)n\beta x}{(2n-1)\Delta^2} \right] K_0(\alpha x) K_0(\beta x) - \right.$$

$$\begin{aligned}
& - \left[\frac{2(n\sigma + \beta^2)x^2}{\Delta^2} - \frac{8n^2(2n+1)(n-1)}{(2n-1)\Delta^2} \right] K_0(\alpha x) K_1(\beta x) + \frac{2(2n+1)\alpha\beta x^2}{\Delta^2} K_1(\alpha x) K_0(\beta x) - \\
& \quad - \left[\frac{\alpha x^3}{\Delta} - \frac{4(2n+1)n^2\alpha x}{(2n-1)\Delta^2} \right] K_1(\alpha x) K_1(\beta x) \Big\} + \\
& + \frac{8(2n^2\sigma - \beta^2)}{(2n-1)\Delta^2} \int x^{2n} K_0(\alpha x) K_1(\beta x) dx - \frac{16(n-1)^2 n^2 (2n+1)}{(2n-1)\Delta^2} \int x^{2n-2} K_0(\alpha x) K_1(\beta x) dx
\end{aligned}$$

2.2.3. Integrals of the type $\int x^{2n+1} Z_\nu(\alpha x) Z_\nu(\beta x) dx$ and $x^{2n+1} V_\nu(\alpha x) W_\nu(\beta x)$, $\alpha^2 \neq \beta^2$

Let

$$\begin{aligned} & \int x^{2n+1} J_\nu(\alpha x) J_\nu(\beta x) dx = \\ & = A_\nu(x) J_0(\alpha x) J_0(\beta x) + B_\nu(x) J_0(\alpha x) J_1(\beta x) + C_\nu(x) J_1(\alpha x) J_0(\beta x) + D_\nu(x) J_1(\alpha x) J_1(\beta x), \end{aligned}$$

then in this formula $J_\mu(\alpha x)$ or $J_\mu(\beta x)$ may be substituted by $Y_\mu(\alpha x)$, $H_\mu^{(p)}(\alpha x)$, $p = 1, 2$, or $Y_\mu(\beta x)$, $H_\mu^{(p)}(\beta x)$, $p = 1, 2$, respectively. The functions $A_\mu(x)$, $B_\mu(x)$, $C_\mu(x)$ and $D_\mu(x)$ are always the same in all cases. Therefore the integrals are given with $J_\nu(\alpha x) J_\nu(\beta x)$ only.

The same way in

$$\begin{aligned} & \int x^{2n+1} J_\nu(\alpha x) I_\nu(\beta x) dx = \\ & = P_\nu(x) J_0(\alpha x) I_0(\beta x) + Q_\nu(x) J_0(\alpha x) I_1(\beta x) + R_\nu(x) J_1(\alpha x) I_0(\beta x) + S_\nu(x) J_1(\alpha x) I_1(\beta x), \end{aligned}$$

$J_\mu(\alpha x)$ may be substituted by $Y_\mu(\alpha x)$ or $H_\mu^{(p)}(\alpha x)$ without changing the coefficients $P_\nu(x)$ (and so on). The same holds for the integrals $\int x^{2n+1} J_\nu(\alpha x) K_\nu(\beta x) dx$. In both cases the integrals are given with $J_\nu(\alpha x)$ only.

Let

$$\Delta = \alpha^2 - \beta^2 \quad \text{and} \quad \sigma = \alpha^2 + \beta^2.$$

a) $\nu = 0$:

$$\begin{aligned} \int x \cdot J_0(\alpha x) J_0(\beta x) dx &= \frac{\alpha x J_1(\alpha x) J_0(\beta x) - \beta x J_0(\alpha x) J_1(\beta x)}{\Delta} \\ \int x \cdot I_0(\alpha x) I_0(\beta x) dx &= \frac{\alpha x I_1(\alpha x) I_0(\beta x) - \beta x I_0(\alpha x) I_1(\beta x)}{\Delta} \\ \int x \cdot K_0(\alpha x) K_0(\beta x) dx &= -\frac{\alpha x K_1(\alpha x) K_0(\beta x) - \beta x K_0(\alpha x) K_1(\beta x)}{\Delta} \\ \int x \cdot J_0(\alpha x) I_0(\beta x) dx &= \frac{\alpha x J_1(\alpha x) I_0(\beta x) + \beta x J_0(\alpha x) I_1(\beta x)}{\sigma} \\ \int x \cdot J_0(\alpha x) K_0(\beta x) dx &= \frac{\alpha x J_1(\alpha x) K_0(\beta x) - \beta x J_0(\alpha x) K_1(\beta x)}{\sigma} \\ \int x \cdot I_0(\alpha x) K_0(\beta x) dx &= \frac{\alpha x I_1(\alpha x) K_0(\beta x) + \beta x I_0(\alpha x) k_1(\beta x)}{\Delta} \end{aligned}$$

$$\begin{aligned} & \int x^3 \cdot J_0(\alpha x) J_0(\beta x) dx = \\ & = \frac{2x^2}{\Delta^2} [\sigma J_0(\alpha x) J_0(\beta x) + 2\alpha\beta J_1(\alpha x) J_1(\beta x)] + \left[\frac{4\sigma x}{\Delta^3} - \frac{x^3}{\Delta} \right] \cdot [\beta J_0(\alpha x) J_1(\beta x) - \alpha J_1(\alpha x) J_0(\beta x)] \\ & \int x^3 \cdot I_0(\alpha x) I_0(\beta x) dx = \\ & = \frac{-2x^2}{\Delta^2} [\sigma I_0(\alpha x) I_0(\beta x) - 2\alpha\beta I_1(\alpha x) I_1(\beta x)] - \left[\frac{4\sigma x}{\Delta^3} + \frac{x^3}{\Delta} \right] \cdot [\beta I_0(\alpha x) I_1(\beta x) - \alpha I_1(\alpha x) I_0(\beta x)] \\ & \int x^3 \cdot K_0(\alpha x) K_0(\beta x) dx = \\ & = \frac{-2x^2}{\Delta^2} [\sigma K_0(\alpha x) K_0(\beta x) - 2\alpha\beta K_1(\alpha x) K_1(\beta x)] + \left[\frac{4\sigma x}{\Delta^3} + \frac{x^3}{\Delta} \right] \cdot [\beta K_0(\alpha x) K_1(\beta x) - \alpha K_1(\alpha x) K_0(\beta x)] \\ & \int x^3 \cdot J_0(\alpha x) I_0(\beta x) dx = \end{aligned}$$

$$\begin{aligned}
&= \frac{2x^2}{\sigma^2} [\Delta J_0(\alpha x)I_0(\beta x) - 2\alpha\beta J_1(\alpha x)I_1(\beta x)] - \left[\frac{4\Delta x}{\sigma^3} - \frac{x^3}{\sigma} \right] \cdot [\beta J_0(\alpha x)I_1(\beta x) + \alpha J_1(\alpha x)I_0(\beta x)] \\
&\quad \int x^3 \cdot J_0(\alpha x)K_0(\beta x) dx = \\
&= \frac{2x^2}{\sigma^2} [\Delta J_0(\alpha x)K_0(\beta x) + 2\alpha\beta J_1(\alpha x)K_1(\beta x)] + \left[\frac{4\Delta x}{\sigma^3} - \frac{x^3}{\sigma} \right] \cdot [\beta J_0(\alpha x)K_1(\beta x) - \alpha J_1(\alpha x)K_0(\beta x)] \\
&\quad \int x^3 \cdot I_0(\alpha x)K_0(\beta x) dx = \\
&= -\frac{2x^2}{\Delta^2} [\sigma I_0(\alpha x)K_0(\beta x) + 2\alpha\beta I_1(\alpha x)K_1(\beta x)] + \left[\frac{4\sigma x}{\Delta^3} + \frac{x^3}{\Delta} \right] \cdot [\beta I_0(\alpha x)K_1(\beta x) + \alpha I_1(\alpha x)K_0(\beta x)]
\end{aligned}$$

Let

$$\begin{aligned}
&\int x^m F_0(\alpha x)G_0(\beta x) dx = \\
&= P_m^{[FG]}(x)F_0(\alpha x)G_0(\beta x) + Q_m^{[FG]}(x)F_0(\alpha x)G_1(\beta x) + R_m^{[FG]}(x)F_1(\alpha x)G_0(\beta x) + S_m^{[FG]}(x)F_1(\alpha x)G_1(\beta x).
\end{aligned}$$

One has

$$\begin{aligned}
P_m^{[JJ]} = P_m^{[YY]} = P_m^{[H^{(1)}H^{(1)}]} = P_m^{[H^{(2)}H^{(2)}]} = P_m^{[JY]} = P_m^{[JH^{(1)}]} = P_m^{[JH^{(2)}]} = P_m^{[YH^{(1)}]} = P_m^{[YH^{(2)}]} = P_m^{[H^{(1)}H^{(2)}]}, \\
P_m^{[JI]} = P_m^{[YI]} = P_m^{[H^{(1)}I]} = P_m^{[H^{(2)}I]} \quad \text{and} \quad P_m^{[JK]} = P_m^{[YK]} = P_m^{[H^{(1)}K]} = P_m^{[H^{(2)}K]}.
\end{aligned}$$

The same holds analogous for the polynomials $Q_m(x)$, $R_m(x)$ and $S_m(x)$.

$$\begin{aligned}
P_5^{[JJ]}(x) &= \frac{4\sigma x^4}{\Delta^2} - \frac{32(\sigma^2 + 2\alpha^2\beta^2)x^2}{\Delta^4} \\
Q_5^{[JI]}(x) &= -\frac{\beta x^5}{\Delta} + \frac{16\beta(2\alpha^2 + \beta^2)x^3}{\Delta^3} - \frac{64\beta(\sigma^2 + 2\alpha^2\beta^2)x}{\Delta^5} \\
R_5^{[JJ]}(x) &= \frac{\alpha x^5}{\Delta} - \frac{16\alpha(\alpha^2 + 2\beta^2)x^3}{\Delta^3} + \frac{64\alpha(\sigma^2 + 2\alpha^2\beta^2)x}{\Delta^5} \\
S_5^{[JJ]}(x) &= \frac{8\alpha\beta x^4}{\Delta^2} - \frac{96\alpha\beta\sigma x^2}{\Delta^4} \\
P_5^{[II]}(x) &= P_5^{[KK]}(x) = -\frac{4\sigma x^4}{\Delta^2} - \frac{32(\sigma^2 + \alpha^2\beta^2)x^2}{\Delta^4} \\
Q_5^{[II]}(x) &= -Q_5^{[KK]}(x) = -\frac{\beta x^5}{\Delta} - \frac{16\beta(2\alpha^2 + \beta^2)x^3}{\Delta^3} - \frac{64\beta(\sigma^2 + 2\alpha^2\beta^2)x}{\Delta^5} \\
R_5^{[II]}(x) &= -R_5^{[KK]}(x) = \frac{\alpha x^5}{\Delta} + \frac{16\alpha(\alpha^2 + 2\beta^2)x^3}{\Delta^3} + \frac{64\alpha(\sigma^2 + 2\alpha^2\beta^2)x}{\Delta^5} \\
S_5^{[II]}(x) &= S_5^{[KK]}(x) = \frac{8\alpha\beta x^4}{\Delta^2} + \frac{96\alpha\beta\sigma x^2}{\Delta^4}
\end{aligned}$$

$$\begin{aligned}
P_5^{[JI]}(x) &= \frac{4\Delta x^4}{\sigma^2} - \frac{32(\Delta^2 - 2\alpha^2\beta^2)x^2}{\sigma^4} \\
Q_5^{[JI]}(x) &= \frac{\beta x^5}{\sigma} - \frac{16\beta(2\alpha^2 + \beta^2)x^3}{\sigma^3} + \frac{64\beta(\Delta^2 - 2\alpha^2\beta^2)x}{\sigma^5} \\
R_5^{[JI]}(x) &= \frac{\alpha x^5}{\sigma} - \frac{16\alpha(\alpha^2 + 2\beta^2)x^3}{\sigma^3} + \frac{64\alpha(\Delta^2 - 2\alpha^2\beta^2)x}{\sigma^5} \\
S_5^{[JI]}(x) &= -\frac{8\alpha\beta x^4}{\sigma^2} + \frac{96\alpha\beta\Delta x^2}{\sigma^4}
\end{aligned}$$

$$\begin{aligned}
P_5^{[JK]}(x) &= \frac{4 \Delta x^4}{\sigma^2} - \frac{32 (\Delta^2 - 2\alpha^2 \beta^2) x^2}{\sigma^4} \\
Q_5^{[JK]}(x) &= -\frac{\beta x^5}{\sigma} + \frac{16 \beta (2\alpha^2 - \beta^2) x^3}{\sigma^3} - \frac{64 \beta (\Delta^2 - 2\alpha^2 \beta^2) x}{\sigma^5} \\
R_5^{[JK]}(x) &= \frac{\alpha x^5}{\sigma} - \frac{16 \alpha (\alpha^2 - 2\beta^2) x^3}{\sigma^3} + \frac{64 \alpha (\Delta^2 - 2\alpha^2 \beta^2) x}{\sigma^5} \\
S_5^{[JK]}(x) &= \frac{8 \alpha \beta x^4}{\sigma^2} - \frac{96 \alpha \beta \Delta x^2}{\sigma^4}
\end{aligned}$$

$$\begin{aligned}
P_5^{[IK]}(x) &= -\frac{4 \sigma x^4}{\Delta^2} - \frac{32 (\sigma^2 + 2\alpha^2 \beta^2) x^2}{\Delta^4} \\
Q_5^{[IK]}(x) &= \frac{\beta x^5}{\Delta} + \frac{16 \beta (2\sigma^2 - \beta^2) x^3}{\Delta^3} + \frac{64 \beta (\sigma^2 + 2\alpha^2 \beta^2) x}{\Delta^5} \\
R_5^{[IK]}(x) &= \frac{\alpha x^5}{\Delta} + \frac{16 \alpha (2\sigma - \alpha^2) x^3}{\Delta^3} + \frac{64 \alpha (\sigma^2 + 2\alpha^2 \beta^2) x}{\Delta^5} \\
S_5^{[IK]}(x) &= -\frac{8 \alpha \beta x^4}{\Delta^2} - \frac{96 \alpha \beta \sigma x^2}{\Delta^4}
\end{aligned}$$

$$\begin{aligned}
P_7^{[JJ]}(x) &= \frac{6 \sigma x^6}{\Delta^2} - \frac{48 (3 \sigma^2 + 8 \alpha^2 \beta^2) x^4}{\Delta^4} + \frac{1152 \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x^2}{\Delta^6} \\
Q_7^{[JJ]}(x) &= -\frac{\beta x^7}{\Delta} + \frac{12 \beta (7 \alpha^2 + 3 \beta^2) x^5}{\Delta^3} - \\
&\quad - \frac{192 \beta (8 \alpha^4 + 19 \alpha^2 \beta^2 + 3 \beta^4) x^3}{\Delta^5} + \frac{2304 \beta \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x}{\Delta^7} \\
R_7^{[JJ]}(x) &= \frac{\alpha x^7}{\Delta} - \frac{12 \alpha (3 \alpha^2 + 7 \beta^2) x^5}{\Delta^3} + \\
&\quad + \frac{192 \alpha (3 \alpha^4 + 19 \alpha^2 \beta^2 + 8 \beta^4) x^3}{\Delta^5} - \frac{2304 \alpha \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x}{\Delta^7} \\
S_7^{[JJ]}(x) &= \frac{12 \alpha \beta x^6}{\Delta^2} - \frac{480 \alpha \beta \sigma x^4}{\Delta^4} + \frac{384 \alpha \beta (11 \sigma^2 + 16 \alpha^2 \beta^2) x^2}{\Delta^6}
\end{aligned}$$

$$\begin{aligned}
P_7^{[II]}(x) = P_7^{[KK]}(x) &= -\frac{6 \sigma x^6}{\Delta^2} - \frac{48 (3 \sigma^2 + 8 \alpha^2 \beta^2) x^4}{\Delta^4} - \frac{1152 \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x^2}{\Delta^6} \\
Q_7^{[II]}(x) = -Q_7^{[KK]}(x) &= -\frac{\beta x^7}{\Delta} - \frac{12 \beta (7 \alpha^2 + 3 \beta^2) x^5}{\Delta^3} - \\
&\quad - \frac{192 \beta (8 \alpha^4 + 19 \alpha^2 \beta^2 + 3 \beta^4) x^3}{\Delta^5} - \frac{2304 \beta \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x}{\Delta^7} \\
R_7^{[II]}(x) = -R_7^{[KK]}(x) &= \frac{\alpha x^7}{\Delta} + \frac{12 \alpha (3 \alpha^2 + 7 \beta^2) x^5}{\Delta^3} + \\
&\quad + \frac{192 \alpha (3 \alpha^4 + 19 \alpha^2 \beta^2 + 8 \beta^4) x^3}{\Delta^5} + \frac{2304 \alpha \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x}{\Delta^7}
\end{aligned}$$

$$S_7^{[II]}(x) = S_7^{[KK]}(x) = \frac{12 \alpha \beta x^6}{\Delta^2} + \frac{480 \alpha \beta \sigma x^4}{\Delta^4} + \frac{384 \alpha \beta (11 \sigma^2 + 16 \alpha^2 \beta^2) x^2}{\Delta^6}$$

$$P_7^{[JI]}(x) = \frac{6 \Delta x^6}{\sigma^2} - \frac{48 (3 \Delta^2 - 8 \alpha^2 \beta^2) x^4}{\sigma^4} + \frac{1152 \Delta (\Delta^2 - 6 \alpha^2 \beta^2) x^2}{\sigma^6}$$

$$Q_7^{[JI]}(x) = \frac{\beta x^7}{\sigma} - \frac{12 \beta (7 \alpha^2 - 3 \beta^2) x^5}{\sigma^3} + \frac{192 \beta (8 \alpha^4 - 19 \alpha^2 \beta^2 + 3 \beta^4) x^3}{\sigma^5} - \frac{2304 \beta \Delta (\Delta^2 - 6 \alpha^2 \beta^2) x}{\sigma^7}$$

$$R_7^{[JI]}(x) = \frac{\alpha x^7}{\sigma} - \frac{12 \alpha (3 \alpha^2 - 7 \beta^2) x^5}{\sigma^3} + \frac{192 \alpha (3 \alpha^4 - 19 \alpha^2 \beta^2 + 8 \beta^4) x^3}{\sigma^5} - \frac{2304 \alpha \Delta (\Delta^2 - 6 \alpha^2 \beta^2) x}{\sigma^7}$$

$$S_7^{[JI]}(x) = -\frac{12 \alpha \beta x^6}{\sigma^2} + \frac{480 \alpha \beta \Delta x^4}{\sigma^4} - \frac{384 \alpha \beta (11 \Delta^2 - 16 \alpha^2 \beta^2) x^2}{\sigma^6}$$

$$P_7^{[JK]}(x) = \frac{6 \Delta x^6}{\sigma^2} - \frac{48 (3 \Delta^2 - 8 \alpha^2 \beta^2) x^4}{\sigma^4} + \frac{1152 \Delta (\Delta^2 - 6 \alpha^2 \beta^2) x^2}{\sigma^6}$$

$$Q_7^{[JK]}(x) = -\frac{\beta x^7}{\sigma} + \frac{12 \beta (7 \alpha^2 - 3 \beta^2) x^5}{\sigma^3} - \frac{192 \beta (8 \alpha^4 - 19 \alpha^2 \beta^2 + 3 \beta^4) x^3}{\sigma^5} + \frac{2304 \beta \Delta (\Delta^2 - 6 \alpha^2 \beta^2) x}{\sigma^7}$$

$$R_7^{[JK]}(x) = \frac{\alpha x^7}{\sigma} - \frac{12 \alpha (3 \alpha^2 - 7 \beta^2) x^5}{\sigma^3} + \frac{192 \alpha (3 \alpha^4 - 19 \alpha^2 \beta^2 + 8 \beta^4) x^3}{\sigma^5} - \frac{2304 \alpha \Delta (\Delta^2 - 6 \alpha^2 \beta^2) x}{\sigma^7}$$

$$S_7^{[JK]}(x) = \frac{12 \alpha \beta x^6}{\sigma^2} - \frac{480 \alpha \beta \Delta x^4}{\sigma^4} + \frac{384 \alpha \beta (11 \Delta^2 - 16 \alpha^2 \beta^2) x^2}{\sigma^6}$$

$$P_7^{[IK]}(x) = -\frac{6 \sigma x^6}{\Delta^2} - \frac{48 (3 \sigma^2 + 8 \alpha^2 \beta^2) x^4}{\Delta^4} - \frac{1152 \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x^2}{\Delta^6}$$

$$Q_7^{[IK]}(x) = \frac{\beta x^7}{\Delta} + \frac{12 \beta (7 \alpha^2 + 3 \beta^2) x^5}{\Delta^3} + \frac{192 \beta (8 \alpha^4 + 19 \alpha^2 \beta^2 + 3 \beta^4) x^3}{\Delta^5} + \frac{2304 \beta \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x}{\Delta^7}$$

$$R_7^{[IK]}(x) = \frac{\alpha x^7}{\Delta} + \frac{12 \alpha (3 \alpha^2 + 7 \beta^2) x^5}{\Delta^3} + \frac{12 \alpha (3 \alpha^4 + 19 \alpha^2 \beta^2 + 8 \beta^4) x^3}{\Delta^5} + \frac{2304 \alpha \sigma (\sigma^2 + 6 \alpha^2 \beta^2) x}{\Delta^7}$$

$$S_7^{[IK]}(x) = -\frac{12 \alpha \beta x^6}{\Delta^2} - \frac{480 \alpha \beta \sigma x^4}{\Delta^4} - \frac{384 \alpha \beta (11 \sigma^2 + 16 \alpha^2 \beta^2) x^2}{\Delta^6}$$

Recurrence formulas: See also page 309.

$$\int x^{2n+1} J_0(\alpha x) J_0(\beta x) dx = x^{2n-2} \left\{ \frac{[2n\sigma x^2 + 8(n-1)^2] J_0(\alpha x) J_0(\beta x)}{\Delta^2} - \right.$$

$$- \left[\frac{\beta x^3}{\Delta} - \frac{4n(n-1)\beta x}{\Delta^2} \right] J_0(\alpha x) J_1(\beta x) + \left[\frac{\alpha x^3}{\Delta} + \frac{4n(n-1)\alpha x}{\Delta^2} \right] J_1(\alpha x) J_0(\beta x) + \frac{4\alpha\beta n x^2 J_1(\alpha x) J_1(\beta x)}{\Delta^2} \Bigg\} - \\ - \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} J_0(\alpha x) J_0(\beta x) dx - \frac{16(n-1)^3 n}{\Delta^2} \int x^{2n-3} J_0(\alpha x) J_0(\beta x) dx$$

$$\int x^{2n+1} I_0(\alpha x) I_0(\beta x) dx = x^{2n-2} \left\{ - \frac{[2n\sigma x^2 - 8(n-1)^2] I_0(\alpha x) I_0(\beta x)}{\Delta^2} - \right. \\ \left. - \left[\frac{\beta x^3}{\Delta} + \frac{4n(n-1)\beta x}{\Delta^2} \right] I_0(\alpha x) I_1(\beta x) + \left[\frac{\alpha x^3}{\Delta} - \frac{4n(n-1)\alpha x}{\Delta^2} \right] I_1(\alpha x) I_0(\beta x) + \frac{4\alpha\beta n x^2 I_1(\alpha x) I_1(\beta x)}{\Delta^2} \right\} + \\ + \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} I_0(\alpha x) I_0(\beta x) dx - \frac{16(n-1)^3 n}{\Delta^2} \int x^{2n-3} I_0(\alpha x) I_0(\beta x) dx$$

$$\int x^{2n+1} K_0(\alpha x) K_0(\beta x) dx = x^{2n-2} \left\{ - \frac{[2n\sigma x^2 - 8(n-1)^2] K_0(\alpha x) K_0(\beta x)}{\Delta^2} + \right. \\ \left. + \left[\frac{\beta x^3}{\Delta} + \frac{4n(n-1)\beta x}{\Delta^2} \right] K_0(\alpha x) K_1(\beta x) - \left[\frac{\alpha x^3}{\Delta} - \frac{4n(n-1)\alpha x}{\Delta^2} \right] K_1(\alpha x) K_0(\beta x) + \frac{4\alpha\beta n x^2 K_1(\alpha x) K_1(\beta x)}{\Delta^2} \right\} + \\ + \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} K_0(\alpha x) K_0(\beta x) dx - \frac{16(n-1)^3 n}{\Delta^2} \int x^{2n-3} K_0(\alpha x) K_0(\beta x) dx$$

$$\int x^{2n+1} J_0(\alpha x) I_0(\beta x) dx = x^{2n-2} \left\{ \frac{[2n\Delta x^2 + 8(n-1)^2] J_0(\alpha x) I_0(\beta x)}{\sigma^2} + \right. \\ \left. + \left[\frac{\beta x^3}{\sigma} - \frac{4n(n-1)\beta x}{\sigma^2} \right] J_0(\alpha x) I_1(\beta x) + \left[\frac{\alpha x^3}{\sigma} + \frac{4n(n-1)\alpha x}{\sigma^2} \right] J_1(\alpha x) I_0(\beta x) - \frac{4\alpha\beta n x^2 J_1(\alpha x) I_1(\beta x)}{\sigma^2} \right\} - \\ - \frac{4(2n-1)n\Delta}{\sigma^2} \int x^{2n-1} J_0(\alpha x) I_0(\beta x) dx - \frac{16(n-1)^3 n}{\sigma^2} \int x^{2n-3} J_0(\alpha x) I_0(\beta x) dx$$

$$\int x^{2n+1} J_0(\alpha x) K_0(\beta x) dx = x^{2n-2} \left\{ \frac{[2n\Delta x^2 + 8(n-1)^2] J_0(\alpha x) K_0(\beta x)}{\sigma^2} - \right. \\ \left. - \left[\frac{\beta x^3}{\sigma} - \frac{4n(n-1)\beta x}{\sigma^2} \right] J_0(\alpha x) K_1(\beta x) + \left[\frac{\alpha x^3}{\sigma} + \frac{4n(n-1)\alpha x}{\sigma^2} \right] J_1(\alpha x) K_0(\beta x) + \frac{4\alpha\beta n x^2 J_1(\alpha x) K_1(\beta x)}{\sigma^2} \right\} - \\ - \frac{4(2n-1)n\Delta}{\sigma^2} \int x^{2n-1} J_0(\alpha x) K_0(\beta x) dx - \frac{16(n-1)^3 n}{\sigma^2} \int x^{2n-3} J_0(\alpha x) K_0(\beta x) dx$$

$$\int x^{2n+1} I_0(\alpha x) K_0(\beta x) dx = x^{2n-2} \left\{ - \frac{[2n\sigma x^2 - 8(n-1)^2] I_0(\alpha x) K_0(\beta x)}{\Delta^2} + \right. \\ \left. + \left[\frac{\beta x^3}{\Delta} + \frac{4n(n-1)\beta x}{\Delta^2} \right] I_0(\alpha x) K_1(\beta x) + \left[\frac{\alpha x^3}{\Delta} - \frac{4n(n-1)\alpha x}{\Delta^2} \right] I_1(\alpha x) K_0(\beta x) - \frac{4\alpha\beta n x^2 I_1(\alpha x) K_1(\beta x)}{\Delta^2} \right\} + \\ + \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} I_0(\alpha x) K_0(\beta x) dx - \frac{16(n-1)^3 n}{\Delta^2} \int x^{2n-3} I_0(\alpha x) K_0(\beta x) dx$$

b) $\nu = 1$:

Let again

$$\Delta = \alpha^2 - \beta^2 \quad \text{and} \quad \sigma = \alpha^2 + \beta^2 .$$

$$\begin{aligned}
\int x \cdot J_1(\alpha x)J_1(\beta x) dx &= \frac{x}{\Delta} [\beta J_1(\alpha x)J_0(\beta x) - \alpha J_0(\alpha x)J_1(\beta x)] \\
\int x \cdot I_1(\alpha x)I_1(\beta x) dx &= \frac{x}{\Delta} [\alpha I_0(\alpha x)I_1(\beta x) - \beta I_1(\alpha x)I_0(\beta x)] \\
\int x \cdot K_1(\alpha x)K_1(\beta x) dx &= \frac{x}{\Delta} [\beta K_1(\alpha x)K_0(\beta x) - \alpha K_0(\alpha x)K_1(\beta x)] \\
\int x \cdot J_1(\alpha x)I_1(\beta x) dx &= \frac{x}{\sigma} [\beta J_1(\alpha x)I_0(\beta x) - \alpha J_0(\alpha x)I_1(\beta x)] \\
\int x \cdot J_1(\alpha x)K_1(\beta x) dx &= -\frac{x}{\sigma} [\beta J_1(\alpha x)K_0(\beta x) + \alpha J_0(\alpha x)K_1(\beta x)] \\
\int x \cdot I_1(\alpha x)K_1(\beta x) dx &= \frac{x}{\Delta} [\beta I_1(\alpha x)K_0(\beta x) + \alpha I_0(\alpha x)K_1(\beta x)]
\end{aligned}$$

$$\begin{aligned}
\int x^3 \cdot J_1(\alpha x)J_1(\beta x) dx &= \frac{2x^2}{\Delta^2} [2\alpha\beta J_0(\alpha x)J_0(\beta x) + \sigma J_1(\alpha x)J_1(\beta x)] + \\
&+ \frac{8\alpha\beta x}{\Delta^3} \cdot [\beta J_0(\alpha x)J_1(\beta x) - \alpha J_1(\alpha x)J_0(\beta x)] - \frac{x^3}{\Delta} \cdot [\alpha J_0(\alpha x)J_1(\beta x) - \beta J_1(\alpha x)J_0(\beta x)] \\
\int x^3 \cdot I_1(\alpha x)I_1(\beta x) dx &= \frac{2x^2}{\Delta^2} [2\alpha\beta I_0(\alpha x)I_0(\beta x) - \sigma I_1(\alpha x)I_1(\beta x)] + \\
&+ \frac{8\alpha\beta x}{\Delta^3} \cdot [\beta I_0(\alpha x)I_1(\beta x) - \alpha I_1(\alpha x)I_0(\beta x)] + \frac{x^3}{\Delta} \cdot [\alpha I_0(\alpha x)I_1(\beta x) - \beta I_1(\alpha x)I_0(\beta x)] \\
\int x^3 \cdot K_1(\alpha x)K_1(\beta x) dx &= \frac{2x^2}{\Delta^2} [2\alpha\beta K_0(\alpha x)K_0(\beta x) - \sigma K_1(\alpha x)K_1(\beta x)] - \\
&- \frac{8\alpha\beta x}{\Delta^3} \cdot [\beta K_0(\alpha x)K_1(\beta x) - \alpha K_1(\alpha x)K_0(\beta x)] - \frac{x^3}{\Delta} \cdot [\alpha K_0(\alpha x)K_1(\beta x) - \beta K_1(\alpha x)K_0(\beta x)] \\
\int x^3 \cdot J_1(\alpha x)I_1(\beta x) dx &= \frac{2x^2}{\sigma^2} [2\alpha\beta J_0(\alpha x)I_0(\beta x) + \Delta J_1(\alpha x)I_1(\beta x)] - \\
&- \frac{8\alpha\beta x}{\sigma^3} \cdot [\beta J_0(\alpha x)I_1(\beta x) + \alpha J_1(\alpha x)I_0(\beta x)] - \frac{x^3}{\sigma} \cdot [\alpha J_0(\alpha x)I_1(\beta x) - \beta J_1(\alpha x)I_0(\beta x)] \\
\int x^3 \cdot J_1(\alpha x)K_1(\beta x) dx &= \frac{2x^2}{\sigma^2} [-2\alpha\beta J_0(\alpha x)K_0(\beta x) + \Delta J_1(\alpha x)K_1(\beta x)] - \\
&- \frac{8\alpha\beta x}{\sigma^3} \cdot [\beta J_0(\alpha x)K_1(\beta x) - \alpha J_1(\alpha x)K_0(\beta x)] - \frac{x^3}{\sigma} \cdot [\alpha J_0(\alpha x)K_1(\beta x) + \beta J_1(\alpha x)K_0(\beta x)] \\
\int x^3 \cdot I_1(\alpha x)K_1(\beta x) dx &= -\frac{2x^2}{\Delta^2} [2\alpha\beta I_0(\alpha x)K_0(\beta x) + \sigma I_1(\alpha x)K_1(\beta x)] + \\
&+ \frac{8\alpha\beta x}{\Delta^3} \cdot [\beta I_0(\alpha x)K_1(\beta x) + \alpha I_1(\alpha x)K_0(\beta x)] + \frac{x^3}{\Delta} \cdot [\alpha I_0(\alpha x)K_1(\beta x) + \beta I_1(\alpha x)K_0(\beta x)]
\end{aligned}$$

Let

$$\begin{aligned}
&\int x^m F_1(\alpha x)G_1(\beta x) dx = \\
&= T_m^{[FG]}(x)F_0(\alpha x)G_0(\beta x) + U_m^{[FG]}(x)F_0(\alpha x)G_1(\beta x) + V_m^{[FG]}(x)F_1(\alpha x)G_0(\beta x) + W_m^{[FG]}(x)F_1(\alpha x)G_1(\beta x) .
\end{aligned}$$

One has

$$T_m^{[JJ]} = T_m^{[YY]} = T_m^{[H^{(1)}H^{(1)}]} = T_m^{[H^{(2)}H^{(2)}]} = T_m^{[JY]} = T_m^{[JH^{(1)}]} = T_m^{[JH^{(2)}]} = T_m^{[YH^{(1)}]} = T_m^{[YH^{(2)}]} = T_m^{[H^{(1)}H^{(2)}]} ,$$

$$T_m^{[JI]} = T_m^{[YI]} = T_m^{[H^{(1)}I]} = T_m^{[H^{(2)}I]} \quad \text{and} \quad T_m^{[JK]} = T_m^{[YK]} = T_m^{[H^{(1)}K]} = T_m^{[H^{(2)}K]}.$$

The same holds analogous for the polynomials $U_m(x)$, $V_m(x)$ and $W_m(x)$.

$$T_5^{[JJ]}(x) = \frac{8\alpha\beta x^4}{\Delta^2} - \frac{96\alpha\beta\sigma x^2}{\Delta^4}, \quad U_5^{[JJ]}(x) = -\frac{\alpha x^5}{\Delta} + \frac{8\alpha(\alpha^2 + 5\beta^2)x^3}{\Delta^3} - \frac{192\alpha\beta^2\sigma x}{\Delta^5}$$

$$V_5^{[JJ]}(x) = \frac{\beta x^5}{\Delta} - \frac{8\beta(5\alpha^2 + \beta^2)x^3}{\Delta^3} + \frac{192\alpha^2\beta\sigma x}{\Delta^5}, \quad W_5^{[JJ]}(x) = \frac{4\sigma x^4}{\Delta^2} - \frac{16(\sigma^2 + 8\alpha^2\beta^2)x^2}{\Delta^4}$$

$$T_5^{[II]}(x) = T_5^{[KK]}(x) = \frac{8\alpha\beta x^4}{\Delta^2} + \frac{96\alpha\beta\sigma x^2}{\Delta^4}, \quad U_5^{[II]}(x) = -U_5^{[KK]}(x) = \frac{\alpha x^5}{\Delta} + \frac{8\alpha(\alpha^2 + 5\beta^2)x^3}{\Delta^3} + \frac{192\alpha\beta^2\sigma x}{\Delta^5}$$

$$V_5^{[II]}(x) = -V_5^{[KK]}(x) = -\frac{\beta x^5}{\Delta} - \frac{8\beta(5\alpha^2 + \beta^2)x^3}{\Delta^3} - \frac{192\alpha^2\beta\sigma x}{\Delta^5}$$

$$W_5^{[II]}(x) = W_5^{[KK]}(x) = -\frac{4\sigma x^4}{\Delta^2} - \frac{16(\sigma^2 + 8\alpha^2\beta^2)x^2}{\Delta^4}$$

$$T_5^{[JI]}(x) = \frac{8\alpha\beta x^4}{\sigma^2} - \frac{96\alpha\beta\Delta x^2}{\sigma^4}, \quad U_5^{[JI]}(x) = -\frac{\alpha x^5}{\sigma} + \frac{\alpha(\alpha^2 - 5\beta^2)x^3}{\sigma^3} + \frac{192\alpha\beta^2\Delta x}{\sigma^5}$$

$$V_5^{[JI]}(x) = \frac{\beta x^5}{\sigma} - \frac{8\beta(5\alpha^2 - \beta^2)x^3}{\sigma^3} + \frac{192\alpha^2\beta\Delta x}{\sigma^5}, \quad W_5^{[JI]}(x) = \frac{4\Delta x^4}{\sigma^2} - \frac{16(\Delta^2 - 8\alpha^2\beta^2)x^2}{\sigma^4}$$

$$T_5^{[JK]}(x) = -\frac{8\alpha\beta x^4}{\sigma^2} + \frac{96\alpha\beta\Delta x^2}{\sigma^4}, \quad U_5^{[JK]}(x) = -\frac{\alpha x^5}{\sigma} + \frac{8\alpha(\alpha^2 - 5\beta^2)x^3}{\sigma^3} + \frac{192\alpha\beta^2\Delta x}{\sigma^5}$$

$$V_5^{[JK]}(x) = -\frac{\beta x^5}{\sigma} + \frac{8\beta(5\alpha^2 - \beta^2)x^3}{\sigma^3} - \frac{192\alpha^2\beta\Delta x}{\sigma^5}, \quad W_5^{[JK]}(x) = \frac{4\Delta x^4}{\sigma^2} - \frac{16(\Delta^2 - 8\alpha^2\beta^2)x^2}{\sigma^4}$$

$$T_5^{[IK]}(x) = -\frac{8\alpha\beta x^4}{\Delta^2} - \frac{96\alpha\beta\sigma x^2}{\Delta^4}, \quad U_5^{[IK]}(x) = \frac{\alpha x^5}{\Delta} + \frac{8\alpha(\alpha^2 + 5\beta^2)x^3}{\Delta^3} + \frac{192\alpha\beta^2\sigma x}{\Delta^5}$$

$$V_5^{[IK]}(x) = \frac{\beta x^5}{\Delta} + \frac{8\beta(5\alpha^2 + \beta^2)x^3}{\Delta^3} + \frac{192\alpha^2\beta\sigma x}{\Delta^5}, \quad W_5^{[IK]}(x) = -\frac{4\sigma x^4}{\Delta^2} - \frac{16(\sigma^2 + 8\alpha^2\beta^2)x^2}{\Delta^4}$$

$$T_7^{[JJ]}(x) = \frac{12\alpha\beta x^6}{\Delta^2} - \frac{480\alpha\beta\sigma x^4}{\Delta^4} + \frac{4608\alpha\beta(\sigma^2 + \alpha^2\beta^2)x^2}{\Delta^6}$$

$$U_7^{[JJ]}(x) = -\frac{\alpha x^7}{\Delta} + \frac{24\alpha(\alpha^2 + 4\beta^2)x^5}{\Delta^3} - \frac{192\alpha(\alpha^4 + 18\alpha^2\beta^2 + 11\beta^4)x^3}{\Delta^5} + \frac{9216\alpha\beta^2(\sigma^2 + \alpha^2\beta^2)x}{\Delta^7}$$

$$V_7^{[JJ]}(x) = \frac{\beta x^7}{\Delta} - \frac{24\beta(4\alpha^2 + \beta^2)x^5}{\Delta^3} + \frac{192\beta(11\alpha^4 + 18\alpha^2\beta^2 + \beta^4)x^3}{\Delta^5} - \frac{9216\alpha^2\beta(\sigma^2 + \alpha^2\beta^2)x}{\Delta^7}$$

$$W_7^{[JJ]}(x) = \frac{6\sigma x^6}{\Delta^2} - \frac{96(\sigma^2 + 6\alpha^2\beta^2)x^4}{\Delta^4} + \frac{384\sigma(\sigma^2 + 26\alpha^2\beta^2)x^2}{\Delta^6}$$

$$T_7^{[II]}(x) = T_7^{[KK]}(x) = \frac{12\alpha\beta x^6}{\Delta^2} + \frac{480\alpha\beta\sigma x^4}{\Delta^4} + \frac{4608\alpha\beta(\sigma^2 + \alpha^2\beta^2)x^2}{\Delta^6}$$

$$U_7^{[II]}(x) = -U_7^{[KK]}(x) = \frac{\alpha x^7}{\Delta} + \frac{24\alpha(\alpha^2 + 4\beta^2)x^5}{\Delta^3} -$$

$$\begin{aligned}
& + \frac{192 \alpha (\sigma^2 + 16 \alpha^2 \beta^2) x^3}{\Delta^5} + \frac{9216 \alpha \beta^2 (\sigma^2 + 3 \alpha^2 \beta^2) x}{\Delta^7} \\
V_7^{[II]}(x) &= -V_7^{[KK]}(x) = -\frac{\beta x^7}{\Delta} - \frac{24 \beta (4 \alpha^2 + \beta^2) x^5}{\Delta^3} - \\
& - \frac{192 \beta (11 \alpha^4 + 18 \alpha^2 \beta^2 + \beta^4) x^3}{\Delta^5} - \frac{9216 \alpha^2 \beta (\sigma^2 + \alpha^2 \beta^2) x}{\Delta^7} \\
W_7^{[II]}(x) &= W_7^{[KK]}(x) = -\frac{6 \sigma x^6}{\Delta^2} - \frac{96 (\sigma^2 + 6 \alpha^2 \beta^2) x^4}{\Delta^4} - \frac{384 \sigma (\sigma^2 + 26 \alpha^2 \beta^2) x^2}{\Delta^6}
\end{aligned}$$

$$\begin{aligned}
T_7^{[JI]}(x) &= \frac{12 \alpha \beta x^6}{\sigma^2} - \frac{480 \alpha \beta \Delta x^4}{\sigma^4} + \frac{4608 \alpha \beta (\Delta^2 - \alpha^2 \beta^2) x^2}{\sigma^6} \\
U_7^{[JI]}(x) &= -\frac{\alpha x^7}{\sigma} + \frac{24 \alpha (\alpha^2 - 4 \beta^2) x^5}{\sigma^3} - \frac{192 \alpha (\alpha^4 - 18 \alpha^2 \beta^2 + 11 \beta^4) x^3}{\sigma^5} - \\
& - \frac{9216 \alpha \beta^2 (\Delta^2 - 5 \alpha^2 \beta^2) x}{\sigma^7} \\
V_7^{[JI]}(x) &= \frac{\beta x^7}{\sigma} - \frac{24 \beta (4 \alpha^2 - \beta^2) x^5}{\sigma^3} + \frac{192 \beta (11 \alpha^4 - 18 \alpha^2 \beta^2 + \beta^4) x^3}{\sigma^5} - \\
& - \frac{9216 \alpha^2 \beta (\Delta^2 - \alpha^2 \beta^2) x}{\sigma^7} \\
W_7^{[JI]}(x) &= \frac{6 \Delta x^6}{\sigma^2} - \frac{96 (\Delta^2 - 6 \alpha^2 \beta^2) x^4}{\sigma^4} + \frac{384 \Delta (\Delta^2 - 26 \alpha^2 \beta^2) x^2}{\sigma^6}
\end{aligned}$$

$$\begin{aligned}
T_7^{[JK]}(x) &= -\frac{12 \alpha \beta x^6}{\sigma^2} + \frac{480 \alpha \beta \Delta x^4}{\sigma^4} - \frac{4608 \alpha \beta (\Delta^2 - \alpha^2 \beta^2) x^2}{\sigma^6} \\
U_7^{[JK]}(x) &= -\frac{\alpha x^7}{\sigma} + \frac{24 \alpha (\alpha^2 - 4 \beta^2) x^5}{\sigma^3} - \frac{192 \alpha (\alpha^4 - 18 \alpha^2 \beta^2 + 11 \beta^4) x^3}{\sigma^5} - \\
& - \frac{9216 \alpha \beta^2 (\Delta^2 - \alpha^2 \beta^2) x}{\sigma^7} \\
V_7^{[JK]}(x) &= -\frac{\beta x^7}{\sigma} + \frac{24 \beta (4 \alpha^2 - \beta^2) x^5}{\sigma^3} - \frac{192 \beta (11 \alpha^4 - 18 \alpha^2 \beta^2 + \beta^4) x^3}{\sigma^5} + \\
& + \frac{9216 \alpha^2 \beta (\Delta^2 - \alpha^2 \beta^2) x}{\sigma^7} \\
W_7^{[JK]}(x) &= \frac{6 \Delta x^6}{\sigma^2} - \frac{96 (\Delta^2 - 6 \alpha^2 \beta^2) x^4}{\sigma^4} + \frac{384 \Delta (\Delta^2 - 26 \alpha^2 \beta^2) x^2}{\sigma^6}
\end{aligned}$$

$$\begin{aligned}
T_7^{[IK]}(x) &= -\frac{12 \alpha \beta x^6}{\Delta^2} - \frac{480 \alpha \beta \sigma x^4}{\Delta^4} - \frac{4608 \alpha \beta (\sigma^2 + \alpha^2 \beta^2) x^2}{\Delta^6} \\
U_7^{[IK]}(x) &= \frac{\alpha x^7}{\Delta} + \frac{24 \alpha (\alpha^2 + 4 \beta^2) x^5}{\Delta^3} + \frac{192 \alpha (\alpha^4 + 18 \alpha^2 \beta^2 + 11 \beta^4) x^3}{\Delta^5} + \\
& + \frac{9216 \alpha \beta^2 (\sigma^2 + \alpha^2 \beta^2) x}{\Delta^7} \\
V_7^{[IK]}(x) &= \frac{\beta x^7}{\Delta} + \frac{24 \beta (4 \alpha^2 + \beta^2) x^5}{\Delta^3} + \frac{192 \beta (11 \alpha^4 + 18 \alpha^2 \beta^2 + \beta^4) x^3}{\Delta^5} + \\
& + \frac{9216 \alpha^2 \beta (\sigma^2 + \alpha^2 \beta^2) x}{\Delta^7} \\
W_7^{[IK]}(x) &= -\frac{6 \sigma x^6}{\Delta^2} - \frac{96 (\sigma^2 + 6 \alpha^2 \beta^2) x^4}{\Delta^4} - \frac{384 \sigma (\sigma^2 + 26 \alpha^2 \beta^2) x^2}{\Delta^6}
\end{aligned}$$

Recurrence formulas: See also page 309.

$$\int x^{2n+1} J_1(\alpha x) J_1(\beta x) dx = x^{2n-2} \left\{ \frac{4n\alpha\beta x^2 J_0(\alpha x) J_0(\beta x)}{\Delta^2} - \left(\frac{\alpha x^3}{\Delta} + \frac{4n^2\alpha x}{\Delta^2} \right) J_0(\alpha x) J_1(\beta x) + \left(\frac{\beta x^3}{\Delta} - \frac{4n^2\beta x}{\Delta^2} \right) J_1(\alpha x) J_0(\beta x) + \frac{[2n\sigma x^2 + 8n^2(n-1)] J_1(\alpha x) J_1(\beta x)}{\Delta^2} \right\} - \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} J_1(\alpha x) J_1(\beta x) dx - \frac{16n(n-1)(n-2)}{\Delta^2} \int x^{2n-3} J_1(\alpha x) J_1(\beta x) dx$$

$$\int x^{2n+1} I_1(\alpha x) I_1(\beta x) dx = x^{2n-2} \left\{ \frac{4n\alpha\beta x^2 I_0(\alpha x) I_0(\beta x)}{\Delta^2} + \left(\frac{\alpha x^3}{\Delta} - \frac{4n^2\alpha x}{\Delta^2} \right) I_0(\alpha x) I_1(\beta x) - \left(\frac{\beta x^3}{\Delta} + \frac{4n^2\beta x}{\Delta^2} \right) I_1(\alpha x) I_0(\beta x) - \frac{[2n\sigma x^2 - 8n^2(n-1)] I_1(\alpha x) I_1(\beta x)}{\Delta^2} \right\} + \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} I_1(\alpha x) I_1(\beta x) dx - \frac{16n(n-1)(n-2)}{\Delta^2} \int x^{2n-3} I_1(\alpha x) I_1(\beta x) dx$$

$$\int x^{2n+1} K_1(\alpha x) K_1(\beta x) dx = x^{2n-2} \left\{ \frac{4n\alpha\beta x^2 K_0(\alpha x) K_0(\beta x)}{\Delta^2} - \left(\frac{\alpha x^3}{\Delta} - \frac{4n^2\alpha x}{\Delta^2} \right) K_0(\alpha x) K_1(\beta x) + \left(\frac{\beta x^3}{\Delta} + \frac{4n^2\beta x}{\Delta^2} \right) K_1(\alpha x) K_0(\beta x) - \frac{[2n\sigma x^2 - 8n^2(n-1)] K_1(\alpha x) K_1(\beta x)}{\Delta^2} \right\} + \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} K_1(\alpha x) K_1(\beta x) dx - \frac{16n(n-1)(n-2)}{\Delta^2} \int x^{2n-3} K_1(\alpha x) K_1(\beta x) dx$$

$$\int x^{2n+1} J_1(\alpha x) I_1(\beta x) dx = x^{2n-2} \left\{ \frac{4n\alpha\beta x^2 J_0(\alpha x) I_0(\beta x)}{\sigma^2} - \left(\frac{\alpha x^3}{\sigma} + \frac{4n^2\alpha x}{\sigma^2} \right) J_0(\alpha x) I_1(\beta x) + \left(\frac{\beta x^3}{\sigma} - \frac{4n^2\beta x}{\sigma^2} \right) J_1(\alpha x) I_0(\beta x) + \frac{[2n\Delta x^2 + 8n^2(n-1)] J_1(\alpha x) I_1(\beta x)}{\sigma^2} \right\} - \frac{4(2n-1)n\Delta}{\sigma^2} \int x^{2n-1} J_1(\alpha x) I_1(\beta x) dx - \frac{16n(n-1)(n-2)}{\sigma^2} \int x^{2n-3} J_1(\alpha x) I_1(\beta x) dx$$

$$\int x^{2n+1} J_1(\alpha x) K_1(\beta x) dx = x^{2n-2} \left\{ -\frac{4n\alpha\beta x^2 J_0(\alpha x) K_0(\beta x)}{\sigma^2} - \left(\frac{\alpha x^3}{\sigma} + \frac{4n^2\alpha x}{\sigma^2} \right) J_0(\alpha x) K_1(\beta x) - \left(\frac{\beta x^3}{\sigma} - \frac{4n^2\beta x}{\sigma^2} \right) J_1(\alpha x) K_0(\beta x) + \frac{[2n\Delta x^2 + 8n^2(n-1)] J_1(\alpha x) I_1(\beta x)}{\sigma^2} \right\} - \frac{4(2n-1)n\Delta}{\sigma^2} \int x^{2n-1} J_1(\alpha x) K_1(\beta x) dx - \frac{16n(n-1)(n-2)}{\sigma^2} \int x^{2n-3} J_1(\alpha x) K_1(\beta x) dx$$

$$\int x^{2n+1} I_1(\alpha x) K_1(\beta x) dx = x^{2n-2} \left\{ -\frac{4n\alpha\beta x^2 I_0(\alpha x) K_0(\beta x)}{\Delta^2} + \left(\frac{\alpha x^3}{\Delta} - \frac{4n^2\alpha x}{\Delta^2} \right) I_0(\alpha x) K_1(\beta x) + \left(\frac{\beta x^3}{\Delta} + \frac{4n^2\beta x}{\Delta^2} \right) I_1(\alpha x) K_0(\beta x) - \frac{[2n\sigma x^2 - 8n^2(n-1)] I_1(\alpha x) K_1(\beta x)}{\Delta^2} \right\} + \frac{4(2n-1)n\sigma}{\Delta^2} \int x^{2n-1} I_1(\alpha x) K_1(\beta x) dx - \frac{16n(n-1)(n-2)}{\Delta^2} \int x^{2n-3} I_1(\alpha x) K_1(\beta x) dx$$

2.2.4. Integrals of the type $\int x^{2n+1} \cdot J_\nu(\alpha x) Y_\nu(\beta x) dx$

Compare with 2.2.3.b) .

Let

$$\boxed{\alpha^2 + \beta^2 = \sigma \quad \text{and} \quad \alpha^2 - \beta^2 = \Delta .}$$

$$\int x J_0(\alpha x) Y_0(\beta x) dx = \frac{x}{\Delta} [\alpha J_1(\alpha x) Y_0(\beta x) - \beta J_0(\alpha x) Y_1(\beta x)]$$

$$\int x J_1(\alpha x) Y_1(\beta x) dx = \frac{x}{\Delta} [\beta J_1(\alpha x) Y_0(\beta x) - \alpha J_0(\alpha x) Y_1(\beta x)]$$

$$\begin{aligned} \int x^3 J_0(\alpha x) Y_0(\beta x) dx &= \frac{2\sigma x^2}{\Delta^2} J_0(\alpha x) Y_0(\beta x) + \frac{4\alpha\beta x^2}{\Delta^2} J_1(\alpha x) Y_1(\beta x) + \\ &+ \frac{\Delta^2 x^3 - 4\sigma x}{\Delta^3} [\alpha J_1(\alpha x) Y_0(\beta x) - \beta J_0(\alpha x) Y_1(\beta x)] \end{aligned}$$

$$\begin{aligned} \int x^3 J_1(\alpha x) Y_1(\beta x) dx &= \frac{4\alpha\beta x^2}{\Delta^2} J_0(\alpha x) Y_0(\beta x) + \frac{2\sigma x^2}{\Delta^2} J_1(\alpha x) Y_1(\beta x) - \\ &- \frac{\alpha[\Delta^2 x^3 - 8\beta^2 x]}{\Delta^3} J_0(\alpha x) Y_1(\beta x) + \frac{\beta[\Delta^2 x^3 - 8\alpha^2 x]}{\Delta^3} J_1(\alpha x) Y_0(\beta x) \end{aligned}$$

$$\begin{aligned} \int x^5 J_0(\alpha x) Y_0(\beta x) dx &= \frac{4\sigma\Delta^2 x^4 - 32(\Delta^2 + 2\alpha^2\beta^2)x^2}{\Delta^4} J_0(\alpha x) Y_0(\beta x) - \\ &- \frac{\beta[\Delta^4 x^5 - 16(2\alpha^2 + \beta^2)\Delta^2 x^3 + 64(\Delta^2 + 2\alpha^2\beta^2)x]}{\Delta^5} J_0(\alpha x) Y_1(\beta x) + \\ &+ \frac{\alpha[\Delta^4 x^5 - 16(\alpha^2 + 2\beta^2)\Delta^2 x^3 + 64(\Delta^2 + 2\alpha^2\beta^2)x]}{\Delta^5} J_1(\alpha x) Y_0(\beta x) + \\ &+ \frac{8\alpha\beta\Delta^2 x^4 - 96\alpha\beta\sigma x^2}{\Delta^4} J_1(\alpha x) Y_1(\beta x) \end{aligned}$$

$$\begin{aligned} \int x^5 J_1(\alpha x) Y_1(\beta x) dx &= \frac{8\alpha\beta\Delta^2 x^4 - 96\alpha\beta\sigma x^2}{\Delta^4} J_0(\alpha x) Y_0(\beta x) - \\ &- \frac{\alpha[\Delta^4 x^5 - 8(\alpha^2 + 5\beta^2)\Delta^2 x^3 + 192\beta^2\sigma x]}{\Delta^5} J_0(\alpha x) Y_1(\beta x) + \\ &+ \frac{\beta[\Delta^4 x^5 - 8(5\alpha^2 + \beta^2)\Delta^2 x^3 + 192\alpha^2\sigma x]}{\Delta^5} J_1(\alpha x) Y_0(\beta x) + \\ &+ \frac{4(\alpha^2 + \beta^2)\Delta^2 x^4 - 16(\Delta^2 + 8\alpha^2\beta^2)x^2}{\Delta^4} J_1(\alpha x) Y_1(\beta x) \end{aligned}$$

2.2.5. Integrals of the type $\int x^{2n+1} \cdot J_0(\alpha x) \cdot J_1(\beta x) dx$ and $\int x^{2n+1} \cdot I_0(\alpha x) \cdot I_1(\beta x) dx$

Holds (for $\beta \neq \alpha$)

$$\begin{aligned}\int J_0(\alpha x) J_0(\beta x) dx &= \frac{1}{\alpha} \Theta_0 \left(\alpha x; \frac{\beta}{\alpha} \right) = \frac{1}{\beta} \Theta_0 \left(\beta x; \frac{\alpha}{\beta} \right), \\ \int J_1(\alpha x) J_1(\beta x) dx &= \frac{1}{\alpha} \Theta_1 \left(\alpha x; \frac{\beta}{\alpha} \right) = \frac{1}{\beta} \Theta_1 \left(\beta x; \frac{\alpha}{\beta} \right), \\ \int I_0(\alpha x) I_0(\beta x) dx &= \frac{1}{\alpha} \Omega_0 \left(\alpha x; \frac{\beta}{\alpha} \right) = \frac{1}{\beta} \Omega_0 \left(\beta x; \frac{\alpha}{\beta} \right), \\ \int I_1(\alpha x) I_1(\beta x) dx &= \frac{1}{\alpha} \Omega_1 \left(\alpha x; \frac{\beta}{\alpha} \right) = \frac{1}{\beta} \Omega_1 \left(\beta x; \frac{\alpha}{\beta} \right).\end{aligned}$$

Θ_ν and Ω_ν as defined on pages 310 and 312. In these integrals both Bessel functions are of the same order, so one can suppose $\beta < \alpha$. This relation is not presumed for the product $Z_0(\alpha x) \cdot Z_1(\beta x)$, that means for the following integrals. They were expressed by Θ_ν and Ω_ν , so one can use the according right side of the previous equations.

Let

$$\boxed{\alpha^2 + \beta^2 = \sigma \quad \text{and} \quad \alpha^2 - \beta^2 = \Delta .}$$

$$\begin{aligned}\int \frac{J_0(\alpha x) J_1(\beta x) dx}{x} &= -J_0(\alpha x) J_1(\beta x) + \beta \int J_0(\alpha x) J_0(\beta x) dx - \alpha \int J_1(\alpha x) J_1(\beta x) dx \\ \int \frac{I_0(\alpha x) I_1(\beta x) dx}{x} &= -I_0(\alpha x) I_1(\beta x) + \beta \int I_0(\alpha x) I_0(\beta x) dx + \alpha \int I_1(\alpha x) I_1(\beta x) dx \\ &\int x J_0(\alpha x) J_1(\beta x) dx = \\ &= \frac{x}{\Delta} [\beta J_0(\alpha x) J_0(\beta x) + \alpha J_1(\alpha x) J_1(\beta x)] - \frac{\beta}{\Delta} \int J_0(\alpha x) J_0(\beta x) dx + \frac{\alpha}{\Delta} \int J_1(\alpha x) J_1(\beta x) dx \\ &\int x I_0(\alpha x) I_1(\beta x) dx = \\ &= \frac{x}{\Delta} [\alpha I_1(\alpha x) I_1(\beta x) - \beta I_0(\alpha x) I_0(\beta x)] + \frac{\beta}{\Delta} \int I_0(\alpha x) I_0(\beta x) dx + \frac{\alpha}{\Delta} \int I_1(\alpha x) I_1(\beta x) dx\end{aligned}$$

Let $n = 2m + 1$ and

$$\begin{aligned}\int x^n \cdot J_0(\alpha x) J_1(\beta x) dx &= \frac{P_n(x)}{\Delta^n} J_0(\alpha x) J_0(\beta x) + \frac{Q_n(x)}{\Delta^{n-1}} J_0(\alpha x) J_1(\beta x) + \frac{R_n(x)}{\Delta^{n-1}} J_1(\alpha x) J_0(\beta x) + \\ &+ \frac{S_n(x)}{\Delta^n} J_1(\alpha x) J_1(\beta x) + \frac{U_n}{\Delta^n} \int J_0(\alpha x) J_0(\beta x) dx + \frac{V_n}{\Delta^n} \int J_1(\alpha x) J_1(\beta x) dx\end{aligned}$$

and

$$\begin{aligned}\int x^n \cdot I_0(\alpha x) I_1(\beta x) dx &= \frac{\bar{P}_n(x)}{\Delta^n} I_0(\alpha x) I_0(\beta x) + \frac{\bar{Q}_n(x)}{\Delta^{n-1}} I_0(\alpha x) I_1(\beta x) + \frac{\bar{R}_n(x)}{\Delta^{n-1}} I_1(\alpha x) I_0(\beta x) + \\ &+ \frac{\bar{S}_n(x)}{\Delta^n} I_1(\alpha x) I_1(\beta x) + \frac{\bar{U}_n}{\Delta^n} \int I_0(\alpha x) I_0(\beta x) dx + \frac{\bar{V}_n}{\Delta^n} \int I_1(\alpha x) I_1(\beta x) dx ,\end{aligned}$$

then holds

$$\begin{aligned}P_3 &= \beta x(\Delta^2 x^2 - 5\alpha^2 - 3\beta^2), \quad Q_3 = x^2(\alpha^2 + 3\beta^2), \quad R_3 = -4\alpha\beta x^2, \\ S_3 &= \alpha x(\Delta^2 x^2 - \alpha^2 - 7\beta^2), \quad U_3 = \beta(5\alpha^2 + 3\beta^2), \quad V_3 = -\alpha(\alpha^2 + 7\beta^2) \\ \bar{P}_3 &= -\beta x(\Delta^2 x^2 + 5\alpha^2 + 3\beta^2), \quad \bar{Q}_3 = -(\alpha^2 + 3\beta^2)x^2, \quad \bar{R}_3 = 4\alpha\beta x^2 \\ \bar{S}_3 &= \alpha x(\Delta^2 x^2 + \alpha^2 + 7\beta^2), \quad \bar{U}_3 = \beta(5\alpha^2 + 3\beta^2), \quad \bar{V}_3 = \alpha(\alpha^2 + 7\beta^2)\end{aligned}$$

$$\begin{aligned}
P_5 &= \beta x [\Delta^4 x^4 - 3(11\alpha^2 + 5\beta^2)\Delta^2 x^2 + 117\alpha^4 + 222\alpha^2\beta^2 + 45\beta^4] \\
Q_5 &= x^2[(3\alpha^2 + 5\beta^2)\Delta^2 x^2 - 9\alpha^4 - 138\alpha^2\beta^2 - 45\beta^4] \\
R_5 &= -4\alpha\beta x^2[2\Delta^2 x^2 - 27\alpha^2 - 21\beta^2] \\
S_5 &= \alpha x [\Delta^4 x^4 - 3(3\alpha^2 + 13\beta^2)\Delta^2 x^2 + 9\alpha^4 + 246\alpha^2\beta^2 + 129\beta^4] \\
U_5 &= 3\beta(39\alpha^4 + 74\beta^2\alpha^2 + 15\beta^4), \quad V_5 = -3\alpha(3\alpha^4 + 82\alpha^2\beta^2 + 43\beta^4) \\
\bar{P}_5 &= -\beta x (\Delta^4 x^4 + 3(11\alpha^2 + 5\beta^2)\Delta^2 x^2 + 117\alpha^4 + 222\alpha^2\beta^2 + 45\beta^4) \\
\bar{Q}_5 &= -x^2 [(3\alpha^2 + 5\beta^2)\Delta^2 x^2 + 9\alpha^4 + 138\beta^2\alpha^2 + 45\beta^4] \\
\bar{R}_5 &= 4\alpha\beta x^2 [2\Delta^2 x^2 + 27\alpha^2 + 21\beta^2] \\
\bar{S}_5 &= \alpha x [\Delta^4 x^4 + 3(3\alpha^2 + 13\beta^2)\Delta^2 x^2 + 9\alpha^4 + 246\alpha^2\beta^2 + 129\beta^4] \\
\bar{U}_5 &= 3\beta(39\alpha^4 + 74\alpha^2\beta^2 + 15\beta^4), \quad \bar{V}_5 = 3\alpha(3\alpha^4 + 82\alpha^2\beta^2 + 43\beta^4)
\end{aligned}$$

$$\begin{aligned}
P_7 &= \beta x [\Delta^6 x^6 - 5(17\alpha^2 + 7\beta^2)\Delta^4 x^4 + \\
&+ 15(115\alpha^4 + 234\alpha^2\beta^2 + 35\beta^4)\Delta^2 x^2 - 5625\alpha^6 - 22965\alpha^4\beta^2 - 15915\alpha^2\beta^4 - 1575\beta^6] \\
Q_7 &= x^2 [(5\alpha^2 + 7\beta^2)\Delta^4 x^4 - 5(15\alpha^4 + 142\alpha^2\beta^2 + 35\beta^4)\Delta^2 x^2 + \\
&225\alpha^6 + 8805\alpha^4\beta^2 + 12435\alpha^2\beta^4 + 1575\beta^6] \\
R_7 &= -4\alpha\beta x^2 [3\Delta^4 x^4 - 5(25\alpha^2 + 23\beta^2)\Delta^2 x^2 + 1350\alpha^4 + 3540\alpha^2\beta^2 + 870\beta^4] \\
S_7 &= \alpha x [\Delta^6 x^6 - 5(5\alpha^2 + 19\beta^2)\Delta^4 x^4 + \\
&+ 15(15\alpha^4 + 242\alpha^2\beta^2 + 127\beta^4)\Delta^2 x^2 - 225\alpha^6 - 14205\alpha^4\beta^2 - 26595\alpha^2\beta^4 - 5055\beta^6] \\
U_7 &= 15\beta(375\alpha^6 + 1531\alpha^4\beta^2 + 1061\alpha^2\beta^4 + 105\beta^6) \\
V_7 &= -15\alpha(15\alpha^6 + 947\alpha^4\beta^2 + 1773\alpha^2\beta^4 + 337\beta^6)
\end{aligned}$$

$$\begin{aligned}
\bar{P}_7 &= -\beta x [\Delta^6 x^6 + 5(17\alpha^2 + 7\beta^2)\Delta^4 x^4 + \\
&+ 15(115\alpha^4 + 234\alpha^2\beta^2 + 35\beta^4)\Delta^2 x^2 + 5625\alpha^6 + 22965\alpha^4\beta^2 + 15915\alpha^2\beta^4 + 1575\beta^6] \\
\bar{Q}_7 &= -x^2 [(5\alpha^2 + 7\beta^2)\Delta^4 x^4 + 5(15\alpha^4 + 142\alpha^2\beta^2 + 35\beta^4)\Delta^2 x^2 + \\
&+ 225\alpha^6 + 8805\alpha^4\beta^2 + 12435\alpha^2\beta^4 + 1575\beta^6] \\
\bar{R}_7 &= 4\alpha\beta x^2 [3\Delta^4 x^4 + 5(25\alpha^2 + 23\beta^2)\Delta^2 x^2 + 1350\alpha^4 + 3540\alpha^2\beta^2 + 870\beta^4] \\
\bar{S}_7 &= \alpha x [\Delta^6 x^6 + 5(5\alpha^2 + 19\beta^2)\Delta^4 x^4 + \\
&+ 15(15\alpha^4 + 242\alpha^2\beta^2 + 127\beta^4)\Delta^2 x^2 + 225\alpha^6 + 14205\alpha^4\beta^2 + 26595\alpha^2\beta^4 + 5055\beta^6] \\
\bar{U}_7 &= 15\beta(375\alpha^6 + 1531\alpha^4\beta^2 + 1061\alpha^2\beta^4 + 105\beta^6) \\
\bar{V}_7 &= 15\alpha(15\alpha^6 + 947\alpha^4\beta^2 + 1773\alpha^2\beta^4 + 337\beta^6)
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
&\int x^{2n+1} J_0(\alpha x) J_1(\beta x) dx = \frac{x^{2n-2}}{(n-1)\Delta^2} \left\{ bx[(n-1)\Delta x^2 - (2n-1)(2n-3)n] J_0(\alpha x) J_0(\beta x) + \right. \\
&\quad \left. + [(2\sigma n - \Delta)(n-1)x^2 + (2n-1)^2(2n-3)n] J_0(\alpha x) J_1(\beta x) - \right. \\
&\quad \left. - 4\alpha\beta(n-1)n x^2 J_1(\alpha x) J_0(\beta x) + ax[(n-1)\Delta x^2 + (2n-1)^2 n] J_1(\alpha x) J_1(\beta x) \right\} - \\
&-\frac{(2n-1)[4n(n-1)\sigma + \Delta]}{(n-1)\Delta^2} \int x^{2n-1} J_0(\alpha x) J_1(\beta x) dx - \frac{(2n-1)^2(2n-3)^2 n}{(n-1)\Delta^2} \int x^{2n-3} J_0(\alpha x) J_1(\beta x) dx \\
&\int x^{2n+1} I_0(\alpha x) I_1(\beta x) dx = \frac{x^{2n-2}}{(n-1)\Delta^2} \left\{ -bx[(n-1)\Delta x^2 + (2n-1)(2n-3)n] I_0(\alpha x) I_0(\beta x) - \right. \\
&\quad \left. - [(2\sigma n - \Delta)(n-1)x^2 - (2n-1)^2(2n-3)n] I_0(\alpha x) I_1(\beta x) + \right. \\
&\quad \left. + 4\alpha\beta(n-1)n x^2 I_1(\alpha x) I_0(\beta x) + \alpha x[(n-1)\Delta x^2 - (2n-1)^2 n] I_1(\alpha x) I_1(\beta x) \right\} + \\
&+\frac{(2n-1)[4n(n-1)\sigma + \Delta]}{(n-1)\Delta^2} \int x^{2n-1} I_0(\alpha x) I_1(\beta x) dx - \frac{(2n-1)^2(2n-3)^2 n}{(n-1)\Delta^2} \int x^{2n-3} I_0(\alpha x) I_1(\beta x) dx
\end{aligned}$$

2.3. Bessel Functions with different Arguments x and $x + \alpha$:

2.3.1. Integrals of the type $\int x^{-1} Z_\nu(x + \alpha)Z_1(x) dx$ and $\int [x(x + \alpha)]^{-1} Z_1(x + \alpha)Z_1(x) dx$

$$\begin{aligned}
 \int \frac{J_1(x)J_0(x + \alpha)}{x} dx &= \frac{x + \alpha}{\alpha} \left(J_0(x)J_1(x + \alpha) - J_1(x)J_0(x + \alpha) \right) \\
 \int \frac{I_1(x)I_0(x + \alpha)}{x} dx &= \frac{x + \alpha}{\alpha} \left(I_0(x)I_1(x + \alpha) - I_1(x)I_0(x + \alpha) \right) \\
 \int \frac{K_1(x)I_0(x + \alpha)}{x} dx &= \frac{x + \alpha}{\alpha} \left(K_0(x)K_1(x + \alpha) - K_1(x)K_0(x + \alpha) \right) \\
 &\int \frac{J_1(x)J_1(x + \alpha)}{x} dx = \\
 &= -\frac{x + \alpha}{\alpha} J_0(x)J_0(x + \alpha) - \frac{x}{\alpha^2} J_1(x)J_0(x + \alpha) + \frac{x + \alpha}{\alpha^2} J_0(x)J_1(x + \alpha) - \frac{x + \alpha}{\alpha} J_1(x)J_1(x + \alpha) \\
 &\int \frac{I_1(x)I_1(x + \alpha)}{x} dx = \\
 &= \frac{x + \alpha}{\alpha} I_0(x)I_0(x + \alpha) + \frac{x}{\alpha^2} I_1(x)I_0(x + \alpha) - \frac{x + \alpha}{\alpha^2} I_0(x)I_1(x + \alpha) - \frac{x + \alpha}{\alpha} I_1(x)I_1(x + \alpha) \\
 &\int \frac{K_1(x)K_1(x + \alpha)}{x} dx = \\
 &= \frac{x + \alpha}{\alpha} K_0(x)K_0(x + \alpha) - \frac{x}{\alpha^2} K_1(x)K_0(x + \alpha) + \frac{x + \alpha}{\alpha^2} K_0(x)K_1(x + \alpha) - \frac{x + \alpha}{\alpha} K_1(x)K_1(x + \alpha)
 \end{aligned}$$

From this

$$\begin{aligned}
 &\int \frac{J_1(x) J_1(x + \alpha) dx}{x(x + \alpha)} = \\
 &= \frac{1}{\alpha^3} \{2(x + \alpha)J_1(x) J_0(x + \alpha) - 2x J_0(x) J_1(x + \alpha) - \alpha(2x + \alpha) [J_0(x) J_0(x + \alpha) + J_1(x) J_1(x + \alpha)]\} \\
 &\int \frac{I_1(x) I_1(x + \alpha) dx}{x(x + \alpha)} = \\
 &= \frac{1}{\alpha^3} \{-2(x + \alpha)I_1(x) I_0(x + \alpha) + 2x I_0(x) I_1(x + \alpha) + \alpha(2x + \alpha) [I_0(x) I_0(x + \alpha) - I_1(x) I_1(x + \alpha)]\} \\
 &\int \frac{K_1(x) K_1(x + \alpha) dx}{x(x + \alpha)} = \\
 &= \frac{1}{\alpha^3} \{2(x + \alpha)K_1(x) K_0(x + \alpha) - 2x K_0(x) K_1(x + \alpha) + \alpha(2x + \alpha) [K_0(x) K_0(x + \alpha) - K_1(x) K_1(x + \alpha)]\}
 \end{aligned}$$

2.4. Elementary Function and two Bessel Functions:

2.4.1. Integrals of the type $\int x^{2n+1} \ln x Z_\nu^2(x) dx$ and $\int x^{2n} \ln x Z_0(x) Z_1(x) dx$

In the following integrals $J_\nu(x)$ may be substituted by $Y_\nu(x)$, $H_\nu^{(1)}(x)$ or $H_\nu^{(2)}(x)$.

$$\begin{aligned} \int x \ln x J_0^2(x) dx &= \frac{x^2(\ln x - 1)}{2} [J_0^2(x) + J_1^2(x)] + \frac{x}{2} J_0(x) J_1(x) \\ \int x \ln x I_0^2(x) dx &= \frac{x^2(\ln x - 1)}{2} [I_0^2(x) - I_1^2(x)] + \frac{x}{2} I_0(x) I_1(x) \\ \int x \ln x K_0^2(x) dx &= \frac{x^2(\ln x - 1)}{2} [K_0^2(x) - K_1^2(x)] - \frac{x}{2} K_0(x) K_1(x) \\ \\ \int x \ln x J_1^2(x) dx &= \frac{x^2(\ln x - 1) - 1}{2} J_0^2(x) + \frac{x(1 - 2 \ln x)}{2} J_0(x) J_1(x) + \frac{x^2(\ln x - 1)}{2} J_1^2(x) \\ \int x \ln x I_1^2(x) dx &= \frac{x^2(1 - \ln x) - 1}{2} I_0^2(x) + \frac{x(2 \ln x - 1)}{2} I_0(x) I_1(x) + \frac{x^2(\ln x - 1)}{2} I_1^2(x) \\ \int x \ln x K_1^2(x) dx &= \frac{x^2(\ln x - 1) - 1}{2} K_0^2(x) - \frac{x(2 \ln x - 1)}{2} K_0(x) K_1(x) + \frac{x^2(\ln x - 1)}{2} K_1^2(x) \\ \\ \int x^2 \ln x J_0(x) J_1(x) dx &= -\frac{x^2}{4} J_0^2(x) + \frac{x}{2} J_0(x) J_1(x) + \frac{x^2(2 \ln x - 1)}{4} J_1^2(x) \\ \int x^2 \ln x I_0(x) I_1(x) dx &= \frac{x^2}{4} I_0^2(x) - \frac{x}{2} I_0(x) I_1(x) + \frac{x^2(2 \ln x - 1)}{4} I_1^2(x) \\ \int x^2 \ln x K_0(x) K_1(x) dx &= -\frac{x^2}{4} K_0^2(x) - \frac{x}{2} K_0(x) K_1(x) + \frac{x^2(1 - 2 \ln x)}{4} K_1^2(x) \\ \\ \int x^3 \ln x J_0^2(x) dx &= \\ &= \frac{3x^2 - x^4 + 3x^4 \ln x}{18} J_0^2(x) + \frac{x^3 - 6x + 6x^3 \ln x}{18} J_0(x) J_1(x) - \frac{x^2 + x^4 + (6x^2 - 3x^4) \ln x}{18} J_1^2(x) \\ \int x^3 \ln x I_0^2(x) dx &= \\ &= \frac{-3x^2 - x^4 + 3x^4 \ln x}{18} I_0^2(x) + \frac{x^3 + 6x + 6x^3 \ln x}{18} I_0(x) I_1(x) - \frac{x^2 - x^4 + (6x^2 + 3x^4) \ln x}{18} I_1^2(x) \\ \int x^3 \ln x K_0^2(x) dx &= \\ &= \frac{-3x^2 - x^4 + 3x^4 \ln x}{18} K_0^2(x) - \frac{x^3 + 6x + 6x^3 \ln x}{18} K_0(x) K_1(x) - \frac{x^2 - x^4 + (6x^2 + 3x^4) \ln x}{18} K_1^2(x) \\ \\ \int x^3 \ln x J_1^2(x) dx &= \\ &= -\frac{6x^2 + x^4 - 3x^4 \ln x}{18} J_0^2(x) + \frac{12x + x^3 - 12x^3 \ln x}{18} J_0(x) J_1(x) - \frac{x^2 + x^4 - (12x^2 + 3x^4) \ln x}{18} J_1^2(x) \\ \int x^3 \ln x I_1^2(x) dx &= \\ &= \frac{-6x^2 + x^4 - 3x^4 \ln x}{18} I_0^2(x) + \frac{12x - x^3 + 12x^3 \ln x}{18} I_0(x) I_1(x) + \frac{x^2 - x^4 - (12x^2 - 3x^4) \ln x}{18} I_1^2(x) \\ \int x^3 \ln x K_1^2(x) dx &= \end{aligned}$$

$$\begin{aligned}
&= \frac{-6x^2 + x^4 - 3x^4 \ln x}{18} K_0^2(x) - \frac{12x - x^3 + 12x^3 \ln x}{18} K_0(x) K_1(x) + \frac{x^2 - x^4 - (12x^2 - 3x^4) \ln x}{18} K_1^2(x) \\
&\quad \int x^4 \ln x J_0(x) J_1(x) dx = \frac{12x^2 - x^4 - 6x^4 \ln x}{36} J_0^2(x) + \\
&\quad + \frac{5x^3 - 12x + 12x^3 \ln x}{18} J_0(x) J_1(x) - \frac{10x^2 + x^4 + (24x^2 - 12x^4) \ln x}{36} J_1^2(x) \\
&\quad \int x^4 \ln x I_0(x) I_1(x) dx = \frac{12x^2 + x^4 + 6x^4 \ln x}{36} I_0^2(x) - \\
&\quad - \frac{5x^3 + 12x + 12x^3 \ln x}{18} I_0(x) I_1(x) + \frac{10x^2 - x^4 + (24x^2 + 12x^4) \ln x}{36} I_1^2(x) \\
&\quad \int x^4 \ln x K_0(x) K_1(x) dx = -\frac{12x^2 + x^4 + 6x^4 \ln x}{36} K_0^2(x) - \\
&\quad - \frac{5x^3 + 12x + 12x^3 \ln x}{18} K_0(x) K_1(x) - \frac{10x^2 - x^4 + (24x^2 + 12x^4) \ln x}{36} K_1^2(x)
\end{aligned}$$

Let

$$\begin{aligned}
&\int x^{2n+1} \ln x J_0^2(x) dx = \\
&= \frac{A_n(x) + B_n(x) \ln x}{N_n^{(20,20)}} J_0^2(x) + \frac{C_n(x) + D_n(x) \ln x}{N_n^{(20,11)}} J_0(x) J_1(x) + \frac{E_n(x) + F_n(x) \ln x}{N_n^{(20,02)}} J_1^2(x), \\
&\quad \int x^{2n} \ln x J_0(x) J_1(x) dx = \\
&= \frac{G_n(x) + H_n(x) \ln x}{N_n^{(11,20)}} J_0^2(x) + \frac{I_n(x) + K_n(x) \ln x}{N_n^{(11,11)}} J_0(x) J_1(x) + \frac{L_n(x) + M_n(x) \ln x}{N_n^{(11,02)}} J_1^2(x), \\
&\quad \int x^{2n+1} \ln x J_1^2(x) dx = \\
&= \frac{P_n(x) + Q_n(x) \ln x}{N_n^{(02,20)}} J_0^2(x) + \frac{R_n(x) + S_n(x) \ln x}{N_n^{(02,11)}} J_0(x) J_1(x) + \frac{T_n(x) + U_n(x) \ln x}{N_n^{(02,02)}} J_1^2(x),
\end{aligned}$$

and let the integrals with $I_\nu(x)$ be described with the polynomials $A_n^*(x), \dots$ and such with $K_\nu(x)$ written with $A_n^{**}(x) \dots$ (the denominators $N_n^{(\mu, \nu, \lambda, \kappa)}$ are the same), then holds

$$\begin{aligned}
N_2^{(20,20)} &= 450, & A_2(x) &= -9x^6 + 56x^4 - 240x^2, & B_2(x) &= 45x^6 + 120x^4, \\
N_2^{(20,11)} &= 450, & C_2(x) &= 9x^5 - 344x^3 + 480x, & D_2(x) &= 180x^5 - 480x^3, \\
N_2^{(20,02)} &= 450, & E_2(x) &= -9x^6 - 52x^4 + 344x^2, & F_2(x) &= 45x^6 - 240x^4 + 480x^2,
\end{aligned}$$

$$\begin{aligned}
A_2^*(x) &= -9x^6 - 56x^4 - 240x^2, & B_2^*(x) &= 45x^6 - 120x^4, \\
C_2^*(x) &= 9x^5 + 344x^3 + 480x, & D_2^*(x) &= 180x^5 + 480x^3, \\
E_2^*(x) &= 9x^6 - 52x^4 - 344x^2, & F_2^*(x) &= -45x^6 - 240x^4 - 480x^2,
\end{aligned}$$

$$\begin{aligned}
A_2^{**}(x) &= -9x^6 - 56x^4 - 240x^2, & B_2^{**}(x) &= 45x^6 - 120x^4, \\
C_2^{**}(x) &= -9x^5 - 344x^3 - 480x, & D_2^{**}(x) &= -180x^5 - 480x^3, \\
E_2^{**}(x) &= 9x^6 - 52x^4 - 344x^2, & F_2^{**}(x) &= -45x^6 - 240x^4 - 480x^2,
\end{aligned}$$

$\int x^4 \ln x Z_0(x) Z_1(x) dx$ see before.

$$\begin{aligned}
N_2^{(02,02)} &= 150, & P_2(x) &= -3x^6 - 23x^4 + 120x^2, & Q_2(x) &= 15x^6 - 60x^4, \\
N_2^{(02,11)} &= 150, & R_2(x) &= 3x^5 + 152x^3 - 240x, & S_2(x) &= -90x^5 + 240x^3,
\end{aligned}$$

$$N_2^{(02,02)} = 150, \quad T_2(x) = -3x^6 + 16x^4 - 152x^2, \quad U_2(x) = 15x^6 + 120x^4 - 240x^2,$$

$$\begin{aligned} P_2^*(x) &= 3x^6 - 23x^4 - 120x^2, & Q_2^*(x) &= -15x^6 - 60x^4, \\ R_2^*(x) &= -3x^5 + 152x^3 + 240x, & S_2^*(x) &= 90x^5 + 240x^3, \\ T_2^*(x) &= -3x^6 - 16x^4 - 152x^2, & U_2^*(x) &= 15x^6 - 120x^4 - 240x^2, \end{aligned}$$

$$\begin{aligned} P_2^{**}(x) &= 3x^6 - 23x^4 - 120x^2, & Q_2^{**}(x) &= -15x^6 - 60x^4, \\ R_2^{**}(x) &= 3x^5 - 152x^3 - 240x, & S_2^{**}(x) &= -90x^5 - 240x^3, \\ T_2^{**}(x) &= -3x^6 - 16x^4 - 152x^2, & U_2^{**}(x) &= 15x^6 - 120x^4 - 240x^2, \end{aligned}$$

$$N_3^{(20,20)} = 2450, \quad A_3(x) = -25x^8 + 303x^6 - 4152x^4 + 10080x^2, \quad B_3(x) = 175x^8 + 1260x^6 - 5040x^4,$$

$$N_3^{(20,11)} = 2450, \quad C_3(x) = 25x^7 - 3078x^5 + 21648x^3 - 20160x, \quad D_3(x) = 1050x^7 - 7560x^5 + 20160x^3,$$

$$N_3^{(20,02)} = 2450, \quad E_3(x) = -25x^8 - 297x^6 + 5784x^4 - 21648x^2, \quad F_3(x) = 175x^8 - 1890x^6 + 10080x^4 - 20160x^2,$$

$$\begin{aligned} A_3^*(x) &= -25x^8 - 303x^6 - 4152x^4 - 10080x^2, & B_3^*(x) &= 175x^8 - 1260x^6 - 5040x^4, \\ C_3^*(x) &= 25x^7 + 3078x^5 + 21648x^3 + 20160x, & D_3^*(x) &= 1050x^7 + 7560x^5 + 20160x^3, \\ E_3^*(x) &= 25x^8 - 297x^6 - 5784x^4 - 21648x^2, & F_3^*(x) &= -175x^8 - 1890x^6 - 10080x^4 - 20160x^2, \end{aligned}$$

$$\begin{aligned} A_3^{**}(x) &= -25x^8 - 303x^6 - 4152x^4 - 10080x^2, & B_3^{**}(x) &= 175x^8 - 1260x^6 - 5040x^4, \\ C_3^{**}(x) &= -25x^7 - 3078x^5 - 21648x^3 - 20160x, & D_3^{**}(x) &= -1050x^7 - 7560x^5 - 20160x^3, \\ E_3^{**}(x) &= 25x^8 - 297x^6 - 5784x^4 - 21648x^2, & F_3^{**}(x) &= -175x^8 - 1890x^6 - 10080x^4 - 20160x^2, \end{aligned}$$

$$N_3^{(11,20)} = 300, \quad G_3(x) = -3x^6 + 152x^4 - 480x^2, \quad H_3(x) = -60x^6 + 240x^4,$$

$$N_3^{(11,11)} = 150, \quad I_3(x) = 39x^5 - 424x^3 + 480x, \quad K_3(x) = 180x^5 - 480x^3,$$

$$N_3^{(11,02)} = 300, \quad L_3(x) = -3x^6 - 184x^4 + 848x^2, \quad M_3(x) = 90x^6 - 480x^4 + 960x^2,$$

$$\begin{aligned} G_3^*(x) &= 3x^6 + 152x^4 + 480x^2, & H_3^*(x) &= 60x^6 + 240x^4, \\ I_3^*(x) &= -39x^5 - 424x^3 - 480x, & K_3^*(x) &= -180x^5 - 480x^3, \\ L_3^*(x) &= -3x^6 + 184x^4 + 848x^2, & M_3^*(x) &= 90x^6 + 480x^4 + 960x^2, \end{aligned}$$

$$\begin{aligned} G_3^{**}(x) &= -3x^6 - 152x^4 - 480x^2, & H_3^{**}(x) &= -60x^6 - 240x^4, \\ I_3^{**}(x) &= -39x^5 - 424x^3 - 480x, & K_3^{**}(x) &= -180x^5 - 480x^3, \\ L_3^{**}(x) &= 3x^6 - 184x^4 - 848x^2, & M_3^{**}(x) &= -90x^6 - 480x^4 - 960x^2, \end{aligned}$$

$$N_3^{(02,20)} = 2450, \quad P_3(x) = -25x^8 - 334x^6 + 5256x^4 - 13440x^2, \quad Q_3(x) = 175x^8 - 1680x^6 + 6720x^4,$$

$$N_3^{(02,11)} = 2450, \quad R_3(x) = 25x^7 + 3684x^5 - 27744x^3 + 26880x, \quad S_3(x) = -1400x^7 + 10080x^5 - 26880x^3,$$

$$N_3^{(02,02)} = 2450, \quad T_3(x) = -25x^8 + 291x^6 - 7152x^4 + 27744x^2, \quad U_3(x) = 175x^8 + 2520x^6 - 13440x^4 + 26880x^2,$$

$$\begin{aligned} P_3^*(x) &= 25x^8 - 334x^6 - 5256x^4 - 13440x^2, & Q_3^*(x) &= -175x^8 - 1680x^6 - 6720x^4, \\ R_3^*(x) &= -25x^7 + 3684x^5 + 27744x^3 + 26880x, & S_3^*(x) &= 1400x^7 + 10080x^5 + 26880x^3, \end{aligned}$$

$$T_3^*(x) = -25x^8 - 291x^6 - 7152x^4 - 27744x^2, \quad U_3^*(x) = 175x^8 - 2520x^6 - 13440x^4 - 26880x^2,$$

$$P_3^{**}(x) = 25x^8 - 334x^6 - 5256x^4 - 13440x^2, \quad Q_3^{**}(x) = -175x^8 - 1680x^6 - 6720x^4,$$

$$R_3^{**}(x) = 25x^7 - 3684x^5 - 27744x^3 - 26880x, \quad S_3^{**}(x) = -1400x^7 - 10080x^5 - 26880x^3,$$

$$T_3^{**}(x) = -25x^8 - 291x^6 - 7152x^4 - 27744x^2, \quad U_3^{**}(x) = 175x^8 - 2520x^6 - 13440x^4 - 26880x^2,$$

$$N_4^{(20,20)} = 198450, \quad A_4(x) = -1225x^{10} + 24600x^8 - 732096x^6 + 6315264x^4 - 11612160x^2,$$

$$B_4(x) = 11025x^{10} + 151200x^8 - 1451520x^6 + 5806080x^4,$$

$$N_4^{(20,11)} = 198450, \quad C_4(x) = 1225x^9 - 348000x^7 + 5844096x^5 - 31067136x^3 + 23224320x,$$

$$D_4(x) = 88200x^9 - 1209600x^7 + 8709120x^5 - 23224320x^3,$$

$$N_4^{(20,02)} = 198450, \quad E_4(x) = -1225x^{10} - 24400x^8 + 916704x^6 - 9727488x^4 + 31067136x^2,$$

$$F_4(x) = 11025x^{10} - 201600x^8 + 2177280x^6 - 11612160x^4 + 23224320x^2,$$

$$A_4^*(x) = -1225x^{10} - 24600x^8 - 732096x^6 - 6315264x^4 - 11612160x^2,$$

$$B_4^*(x) = 11025x^{10} - 151200x^8 - 1451520x^6 - 5806080x^4,$$

$$C_4^*(x) = 1225x^9 + 348000x^7 + 5844096x^5 + 31067136x^3 + 23224320x,$$

$$D_4^*(x) = 88200x^9 + 1209600x^7 + 8709120x^5 + 23224320x^3,$$

$$E_4^*(x) = 1225x^{10} - 24400x^8 - 916704x^6 - 9727488x^4 - 31067136x^2,$$

$$F_4^*(x) = -11025x^{10} - 201600x^8 - 2177280x^6 - 11612160x^4 - 23224320x^2,$$

$$A_4^{**}(x) = -1225x^{10} - 24600x^8 - 732096x^6 - 6315264x^4 - 11612160x^2,$$

$$B_4^{**}(x) = 11025x^{10} - 151200x^8 - 1451520x^6 - 5806080x^4,$$

$$C_4^{**}(x) = -1225x^9 - 348000x^7 - 5844096x^5 - 31067136x^3 - 23224320x,$$

$$D_4^{**}(x) = -88200x^9 - 1209600x^7 - 8709120x^5 - 23224320x^3,$$

$$E_4^{**}(x) = 1225x^{10} - 24400x^8 - 916704x^6 - 9727488x^4 - 31067136x^2,$$

$$F_4^{**}(x) = -11025x^{10} - 201600x^8 - 2177280x^6 - 11612160x^4 - 23224320x^2,$$

$$N_4^{(11,20)} = 4900, \quad G_4(x) = -25x^8 + 3684x^6 - 38256x^4 + 80640x^2, \quad H_4(x) = -1050x^8 + 10080x^6 - 40320x^4,$$

$$N_4^{(11,11)} = 2450, \quad I_4(x) = 625x^7 - 16092x^5 + 96672x^3 - 80640x, \quad K_4(x) = 4200x^7 - 30240x^5 + 80640x^3,$$

$$N_4^{(11,02)} = 4900, \quad L_4(x) = -25x^8 - 4266x^6 + 56352x^4 - 193344x^2,$$

$$M_4(x) = 1400x^8 - 15120x^6 + 80640x^4 - 161280x^2,$$

$$G_4^*(x) = 25x^8 + 3684x^6 + 38256x^4 + 80640x^2, \quad H_4^*(x) = 1050x^8 + 10080x^6 + 40320x^4,$$

$$I_4^*(x) = -625x^7 - 16092x^5 - 96672x^3 - 80640x, \quad K_4^*(x) = -4200x^7 - 30240x^5 - 80640x^3,$$

$$L_4^*(x) = -25x^8 + 4266x^6 + 56352x^4 + 193344x^2, \quad M_4^*(x) = 1400x^8 + 15120x^6 + 80640x^4 + 161280x^2,$$

$$G_4^{**}(x) = -25x^8 - 3684x^6 - 38256x^4 - 80640x^2, \quad H_4^{**}(x) = -1050x^8 - 10080x^6 - 40320x^4,$$

$$I_4^{**}(x) = -625x^7 - 16092x^5 - 96672x^3 - 80640x, \quad K_4^{**}(x) = -4200x^7 - 30240x^5 - 80640x^3,$$

$$L_4^{**}(x) = 25x^8 - 4266x^6 - 56352x^4 - 193344x^2, \quad M_4^{**}(x) = -1400x^8 - 15120x^6 - 80640x^4 - 161280x^2,$$

$$N_4^{(02,20)} = 39690, \quad P_4(x) = -245x^{10} - 5205x^8 + 173952x^6 - 1542528x^4 + 2903040x^2,$$

$$Q_4(x) = 2205x^{10} - 37800x^8 + 362880x^6 - 1451520x^4,$$

$$N_4^{(02,11)} = 39690, \quad R_4(x) = 245x^9 + 79440x^7 - 1406592x^5 + 7621632x^3 - 5806080x,$$

$$S_4(x) = -22050x^9 + 302400x^7 - 2177280x^5 + 5806080x^3,$$

$$N_4^{(02,02)} = 39690, \quad T_4(x) = -245x^{10} + 4840x^8 - 215568x^6 + 2359296x^4 - 7621632x^2,$$

$$U_4(x) = 2205x^{10} + 50400x^8 - 544320x^6 + 2903040x^4 - 5806080x^2,$$

$$P_4^*(x) = 245x^{10} - 5205x^8 - 173952x^6 - 1542528x^4 - 2903040x^2,$$

$$Q_4^*(x) = -2205x^{10} - 37800x^8 - 362880x^6 - 1451520x^4,$$

$$R_4^*(x) = -245x^9 + 79440x^7 + 1406592x^5 + 7621632x^3 + 5806080x,$$

$$S_4^*(x) = 22050x^9 + 302400x^7 + 2177280x^5 + 5806080x^3,$$

$$T_4^*(x) = -245x^{10} - 4840x^8 - 215568x^6 - 2359296x^4 - 7621632x^2,$$

$$U_4^*(x) = 2205x^{10} - 50400x^8 - 544320x^6 - 2903040x^4 - 5806080x^2,$$

$$P_4^{**}(x) = 245x^{10} - 5205x^8 - 173952x^6 - 1542528x^4 - 2903040x^2,$$

$$Q_4^{**}(x) = -2205x^{10} - 37800x^8 - 362880x^6 - 1451520x^4,$$

$$R_4^{**}(x) = 245x^9 - 79440x^7 - 1406592x^5 - 7621632x^3 - 5806080x,$$

$$S_4^{**}(x) = -22050x^9 - 302400x^7 - 2177280x^5 - 5806080x^3,$$

$$T_4^{**}(x) = -245x^{10} - 4840x^8 - 215568x^6 - 2359296x^4 - 7621632x^2,$$

$$U_4^{**}(x) = 2205x^{10} - 50400x^8 - 544320x^6 - 2903040x^4 - 5806080x^2,$$

$$N_5^{(20,20)} = 960498, \quad A_5(x) = -3969x^{12} + 119315x^{10} - 6183600x^8 + 113915520x^6 - 828218880x^4 + 1277337600x^2,$$

$$B_5(x) = 43659x^{12} + 970200x^{10} - 16632000x^8 + 159667200x^6 - 638668800x^4,$$

$$N_5^{(20,11)} = 960498, \quad C_5(x) = 3969x^{11} - 2163350x^9 + 66100800x^7 - 843160320x^5 + 3951544320x^3 - 2554675200x,$$

$$D_5(x) = 436590x^{11} - 9702000x^9 + 133056000x^7 - 958003200x^5 + 2554675200x^3,$$

$$N_5^{(20,02)} = 960498, \quad E_5(x) = -3969x^{12} - 118825x^{10} + 7320800x^8 - 150914880x^6 + 1337103360x^4 - 3951544320x^2,$$

$$F_5(x) = 43659x^{12} - 1212750x^{10} + 22176000x^8 - 239500800x^6 + 1277337600x^4 - 2554675200x^2,$$

$$A_5^*(x) = -3969x^{12} - 119315x^{10} - 6183600x^8 - 113915520x^6 - 828218880x^4 - 1277337600x^2,$$

$$B_5^*(x) = 43659x^{12} - 970200x^{10} - 16632000x^8 - 159667200x^6 - 638668800x^4,$$

$$C_5^*(x) = 3969x^{11} + 2163350x^9 + 66100800x^7 + 843160320x^5 + 3951544320x^3 + 2554675200x,$$

$$D_5^*(x) = 436590x^{11} + 9702000x^9 + 133056000x^7 + 958003200x^5 + 2554675200x^3,$$

$$E_5^*(x) = 3969x^{12} - 118825x^{10} - 7320800x^8 - 150914880x^6 - 1337103360x^4 - 3951544320x^2,$$

$$F_5^*(x) = -43659x^{12} - 1212750x^{10} - 22176000x^8 - 239500800x^6 - 1277337600x^4 - 2554675200x^2,$$

$$A_5^{**}(x) = -3969x^{12} - 119315x^{10} - 6183600x^8 - 113915520x^6 - 828218880x^4 - 1277337600x^2,$$

$$B_5^{**}(x) = 43659x^{12} - 970200x^{10} - 16632000x^8 - 159667200x^6 - 638668800x^4,$$

$$\begin{aligned}
C_5^{**}(x) &= -3969x^{11} - 2163350x^9 - 66100800x^7 - 843160320x^5 - 3951544320x^3 - 2554675200x, \\
D_5^{**}(x) &= -436590x^{11} - 9702000x^9 - 133056000x^7 - 958003200x^5 - 2554675200x^3, \\
E_5^{**}(x) &= 3969x^{12} - 118825x^{10} - 7320800x^8 - 150914880x^6 - 1337103360x^4 - 3951544320x^2, \\
F_5^{**}(x) &= -43659x^{12} - 1212750x^{10} - 22176000x^8 - 239500800x^6 - 1277337600x^4 - 2554675200x^2,
\end{aligned}$$

$$\begin{aligned}
N_5^{(11,20)} &= 79380, \quad G_5(x) = -245x^{10} + 79440x^8 - 1754496x^6 + 13791744x^4 - 23224320x^2, \\
H_5(x) &= -17640x^{10} + 302400x^8 - 2903040x^6 + 11612160x^4, \\
N_5^{(11,11)} &= 39690, \quad I_5(x) = 10045x^9 - 468960x^7 + 6715008x^5 - 33389568x^3 + 23224320x, \\
K_5(x) &= 88200x^9 - 1209600x^7 + 8709120x^5 - 23224320x^3, \\
N_5^{(11,02)} &= 79380, \quad L_5(x) = -245x^{10} - 89120x^8 + 2268864x^6 - 21777408x^4 + 66779136x^2, \\
M_5(x) &= 22050x^{10} - 403200x^8 + 4354560x^6 - 23224320x^4 + 46448640x^2,
\end{aligned}$$

$$\begin{aligned}
G_5^*(x) &= 245x^{10} + 79440x^8 + 1754496x^6 + 13791744x^4 + 23224320x^2, \\
H_5^*(x) &= 17640x^{10} + 302400x^8 + 2903040x^6 + 11612160x^4, \\
I_5^*(x) &= -10045x^9 - 468960x^7 - 6715008x^5 - 33389568x^3 - 23224320x, \\
K_5^*(x) &= -88200x^9 - 1209600x^7 - 8709120x^5 - 23224320x^3, \\
L_5^*(x) &= -245x^{10} + 89120x^8 + 2268864x^6 + 21777408x^4 + 66779136x^2, \\
M_5^*(x) &= 22050x^{10} + 403200x^8 + 4354560x^6 + 23224320x^4 + 46448640x^2,
\end{aligned}$$

$$\begin{aligned}
G_5^{**}(x) &= -245x^{10} - 79440x^8 - 1754496x^6 - 13791744x^4 - 23224320x^2, \\
H_5^{**}(x) &= -17640x^{10} - 302400x^8 - 2903040x^6 - 11612160x^4, \\
I_5^{**}(x) &= -10045x^9 - 468960x^7 - 6715008x^5 - 33389568x^3 - 23224320x, \\
K_5^{**}(x) &= -88200x^9 - 1209600x^7 - 8709120x^5 - 23224320x^3, \\
L_5^{**}(x) &= 245x^{10} - 89120x^8 - 2268864x^6 - 21777408x^4 - 66779136x^2, \\
M_5^{**}(x) &= -22050x^{10} - 403200x^8 - 4354560x^6 - 23224320x^4 - 46448640x^2,
\end{aligned}$$

$$\begin{aligned}
N_5^{(02,20)} &= 320166, \quad P_5(x) = -1323x^{12} - 41258x^{10} + 2362560x^8 - 44501760x^6 + 327029760x^4 - 510935040x^2, \\
Q_5(x) &= 14553x^{12} - 388080x^{10} + 6652800x^8 - 63866880x^6 + 255467520x^4, \\
N_5^{(02,11)} &= 320166, \quad R_5(x) = 1323x^{11} + 800660x^9 - 25553280x^7 + 330877440x^5 - 1563586560x^3 + 1021870080x, \\
S_5(x) &= -174636x^{11} + 3880800x^9 - 53222400x^7 + 383201280x^5 - 1021870080x^3, \\
N_5^{(02,02)} &= 320166, \quad T_5(x) = -1323x^{12} + 39445x^{10} - 2780480x^8 + 58769280x^6 - 526325760x^4 + 1563586560x^2, \\
U_5(x) &= 14553x^{12} + 485100x^{10} - 8870400x^8 + 95800320x^6 - 510935040x^4 + 1021870080x^2,
\end{aligned}$$

$$\begin{aligned}
P_5^*(x) &= 1323x^{12} - 41258x^{10} - 2362560x^8 - 44501760x^6 - 327029760x^4 - 510935040x^2, \\
Q_5^*(x) &= -14553x^{12} - 388080x^{10} - 6652800x^8 - 63866880x^6 - 255467520x^4, \\
R_5^*(x) &= -1323x^{11} + 800660x^9 + 25553280x^7 + 330877440x^5 + 1563586560x^3 + 1021870080x, \\
S_5^*(x) &= 174636x^{11} + 3880800x^9 + 53222400x^7 + 383201280x^5 + 1021870080x^3, \\
T_5^*(x) &= -1323x^{12} - 39445x^{10} - 2780480x^8 - 58769280x^6 - 526325760x^4 - 1563586560x^2,
\end{aligned}$$

$$U_5^*(x) = 14553 x^{12} - 485100 x^{10} - 8870400 x^8 - 95800320 x^6 - 510935040 x^4 - 1021870080 x^2,$$

$$P_5^{**}(x) = 1323 x^{12} - 41258 x^{10} - 2362560 x^8 - 44501760 x^6 - 327029760 x^4 - 510935040 x^2,$$

$$Q_5^{**}(x) = -14553 x^{12} - 388080 x^{10} - 6652800 x^8 - 63866880 x^6 - 255467520 x^4,$$

$$R_5^{**}(x) = 1323 x^{11} - 800660 x^9 - 25553280 x^7 - 330877440 x^5 - 1563586560 x^3 - 1021870080 x,$$

$$S_5^{**}(x) = -174636 x^{11} - 3880800 x^9 - 53222400 x^7 - 383201280 x^5 - 1021870080 x^3,$$

$$T_5^{**}(x) = -1323 x^{12} - 39445 x^{10} - 2780480 x^8 - 58769280 x^6 - 526325760 x^4 - 1563586560 x^2,$$

$$U_5^{**}(x) = 14553 x^{12} - 485100 x^{10} - 8870400 x^8 - 95800320 x^6 - 510935040 x^4 - 1021870080 x^2,$$

Recurrence relations:

$$\begin{aligned} & \int x^{2n+1} \ln x J_0^2(x) dx = \\ & = -\frac{x^{2n}}{2(2n+1)^2} \{x^2 + n(4n^2 + n - 2) - [(2n+1)x^2 + 2n^2(4n^2 + n - 2)] \ln x\} J_0^2(x) - \\ & -\frac{x^{2n}}{2(2n+1)^2} \{x^2 + (4n+3)n^2 - [(2n+1)x^2 + 2(4n+3)(n-1)n^2] \ln x\} J_1^2(x) + \\ & + \frac{x^{2n+1}}{2(2n+1)^2} [1 + 2n(2n+1) \ln x] J_0(x) J_1(x) - \\ & - \frac{2(4n^2 + n - 2)n^3}{(2n+1)^2} \int x^{2n-1} \ln x J_0^2(x) dx - \frac{2(4n+3)(n-1)^2 n^2}{(2n+1)^2} \int x^{2n-1} \ln x J_1^2(x) dx \\ & \int x^{2n} \ln x J_0(x) J_1(x) dx = \frac{x^{2n}}{4} \{(1 - 2n \ln x) J_0^2(x) + [1 - 2(n-1) \ln x] J_1^2(x)\} + \\ & + n^2 \int x^{2n-1} \ln x J_0^2(x) dx + (n-1)^2 \int x^{2n-1} \ln x J_1^2(x) dx \\ & \int x^{2n+1} \ln x J_1^2(x) dx = \\ & = \frac{x^{2n}}{2(2n+1)^2} \{-x^2 + 4n^3 + 3n^2 - 1 + [(2n+1)x^2 - 2n(4n^3 + 3n^2 - 1)] \ln x\} J_0^2(x) + \\ & + \frac{x^{2n}}{2(2n+1)^2} \{-x^2 + (4n^2 + 5n + 2)n + [(2n+1)x^2 - 2(n-1)(4n^2 + 5n + 2)n] \ln x\} J_1^2(x) + \\ & + \frac{x^{2n+1}}{2(2n+1)^2} [1 - 2(n+1)(2n+1) \ln x] J_0(x) J_1(x) + \\ & + \frac{2(4n^3 + 3n^2 - 1)n^2}{(2n+1)^2} \int x^{2n-1} \ln x J_0^2(x) dx + \frac{2(4n^2 + 5n + 2)(n-1)^2 n}{(2n+1)^2} \int x^{2n-1} \ln x J_1^2(x) dx \end{aligned}$$

$$\begin{aligned} & \int x^{2n+1} \ln x I_0^2(x) dx = \\ & = -\frac{x^{2n}}{2(2n+1)^2} \{x^2 - n(4n^2 + n - 2) + [-(2n+1)x^2 + 2n^2(4n^2 + n - 2)] \ln x\} I_0^2(x) + \\ & + \frac{x^{2n}}{2(2n+1)^2} \{x^2 - (4n+3)n^2 - [(2n+1)x^2 - 2(4n+3)(n-1)n^2] \ln x\} I_1^2(x) + \\ & + \frac{x^{2n+1}}{2(2n+1)^2} [1 + 2n(2n+1) \ln x] I_0(x) I_1(x) + \end{aligned}$$

$$\begin{aligned}
& + \frac{2(4n^2 + n - 2)n^3}{(2n+1)^2} \int x^{2n-1} \ln x I_0^2(x) dx - \frac{2(4n+3)(n-1)^2 n^2}{(2n+1)^2} \int x^{2n-1} \ln x I_1^2(x) dx \\
& \int x^{2n} \ln x I_0(x) I_1(x) dx = -\frac{x^{2n}}{4} \{ (1 - 2n \ln x) I_0^2(x) - [1 - 2(n-1) \ln x] I_1^2(x) \} + \\
& -n^2 \int x^{2n-1} \ln x I_0^2(x) dx + (n-1)^2 \int x^{2n-1} \ln x I_1^2(x) dx \\
& \int x^{2n+1} \ln x I_1^2(x) dx = \\
& = \frac{x^{2n}}{2(2n+1)^2} \{ x^2 + 4n^3 + 3n^2 - 1 - [(2n+1)x^2 + 2n(4n^3 + 3n^2 - 1)] \ln x \} I_0^2(x) - \\
& - \frac{x^{2n}}{2(2n+1)^2} \{ x^2 + (4n^2 + 5n + 2)n - [(2n+1)x^2 + 2(n-1)(4n^2 + 5n + 2)n] \ln x \} I_1^2(x) + \\
& - \frac{x^{2n+1}}{2(2n+1)^2} [1 - 2(n+1)(2n+1) \ln x] I_0(x) I_1(x) + \\
& + \frac{2(4n^3 + 3n^2 - 1)n^2}{(2n+1)^2} \int x^{2n-1} \ln x I_0^2(x) dx - \frac{2(4n^2 + 5n + 2)(n-1)^2 n}{(2n+1)^2} \int x^{2n-1} \ln x I_1^2(x) dx
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+1} \ln x K_0^2(x) dx = \\
& = -\frac{x^{2n}}{2(2n+1)^2} \{ x^2 - n(4n^2 + n - 2) - [(2n+1)x^2 - 2n^2(4n^2 + n - 2)] \ln x \} K_0^2(x) + \\
& + \frac{x^{2n}}{2(2n+1)^2} \{ x^2 - (4n+3)n^2 - [(2n+1)x^2 - 2(4n+3)(n-1)n^2] \ln x \} K_1^2(x) + \\
& - \frac{x^{2n+1}}{2(2n+1)^2} [1 + 2n(2n+1) \ln x] K_0(x) K_1(x) + \\
& + \frac{2(4n^2 + n - 2)n^3}{(2n+1)^2} \int x^{2n-1} \ln x K_0^2(x) dx - \frac{2(4n+3)(n-1)^2 n^2}{(2n+1)^2} \int x^{2n-1} \ln x K_1^2(x) dx \\
& \int x^{2n} \ln x K_0(x) K_1(x) dx = \frac{x^{2n}}{4} \{ (1 - 2n \ln x) K_0^2(x) - [1 - 2(n-1) \ln x] K_1^2(x) \} + \\
& + n^2 \int x^{2n-1} \ln x K_0^2(x) dx - (n-1)^2 \int x^{2n-1} \ln x K_1^2(x) dx \\
& \int x^{2n+1} \ln x K_1^2(x) dx = \\
& = \frac{x^{2n}}{2(2n+1)^2} \{ x^2 + 4n^3 + 3n^2 - 1 - [(2n+1)x^2 + 2n(4n^3 + 3n^2 - 1)] \ln x \} K_0^2(x) - \\
& - \frac{x^{2n}}{2(2n+1)^2} \{ x^2 + (4n^2 + 5n + 2)n - [(2n+1)x^2 + 2(n-1)(4n^2 + 5n + 2)n] \ln x \} K_1^2(x) + \\
& + \frac{x^{2n+1}}{2(2n+1)^2} [1 - 2(n+1)(2n+1) \ln x] K_0(x) K_1(x) + \\
& + \frac{2(4n^3 + 3n^2 - 1)n^2}{(2n+1)^2} \int x^{2n-1} \ln x K_0^2(x) dx - \frac{2(4n^2 + 5n + 2)(n-1)^2 n}{(2n+1)^2} \int x^{2n-1} \ln x K_1^2(x) dx
\end{aligned}$$

2.4.2. Integrals of the Type $\int x^n \ln x Z_\mu(x) Z_\nu^*(x) dx$:

Integrals were found in the following cases:

n	$J_0 I_0$	$J_0 K_0$	$J_1 I_1$	$J_1 K_1$	$I_0 K_0$	$I_0 K_1$	$I_1 K_0$	$I_1 K_1$
1			*	*	*			*
2						*	*	
3	*	*			*			*
4						*	*	
5			*	*	*			*
6						*	*	
7	*	*			*			*
8						*	*	
9			*	*	*			*
10						*	*	

Therefore one can expect, that integrals of the types

$$\int x^{4n+3-2\nu} \ln x J_\nu(x) I_\nu(x) dx \quad \text{and} \quad \int x^{4n+3-2\nu} \ln x J_\nu(x) K_\nu(x) dx$$

may be expressed.

For the integrals $\int x^{2n+1} \ln x I_\nu(x) K_\nu(x) dx$ and $\int x^{2n} \ln x I_\nu(x) K_{1-\nu}(x) dx$ recurrence relations were found. Holds $x[I_0(x)K_1(x) + I_1(x)K_0(x)] = 1$ ([5], XIII B. 2.), so any multiple of this expression may be added to these antiderivatives.

a) Integrals with $J_0(x) Z_0(x)$:

$$\begin{aligned} \int x^3 \ln x J_0(x) I_0(x) dx &= \frac{x^2 \ln x}{2} [x J_0(x) I_1(x) + x J_1(x) I_0(x) - 2 J_1(x) I_1(x)] - \\ &\quad - \frac{x}{2} [J_0(x) I_1(x) - J_1(x) I_0(x) + x J_1(x) I_1(x)] \\ \int x^3 \ln x J_0(x) K_0(x) dx &= \frac{x^2 \ln x}{2} [-x J_0(x) K_1(x) + x J_1(x) K_0(x) + 2 J_1(x) K_1(x)] + \\ &\quad + \frac{x}{2} [J_0(x) K_1(x) + J_1(x) K_0(x) + x J_1(x) K_1(x)] \\ \int x^7 \ln x J_0(x) I_0(x) dx &= \frac{x^2 \ln x}{2} [48x^2 J_0(x) I_0(x) + x(x^4 - 12x^2 - 96) J_0(x) I_1(x) + \\ &\quad + x(x^4 + 12x^2 - 96) J_1(x) I_0(x) + (192 - 6x^4) J_1(x) I_1(x)] + \frac{x}{2} [32x^3 J_0(x) I_0(x) + \\ &\quad + (96 - 88x^2 - 5x^4) J_0(x) I_1(x) + (5x^4 - 96 - 88x^2) J_1(x) I_0(x) + x(272 - x^4) J_1(x) I_1(x)] \\ \int x^7 \ln x J_0(x) K_0(x) dx &= \frac{x^2 \ln x}{2} [48x^2 J_0(x) K_0(x) - x(x^4 - 12x^2 - 96) J_0(x) K_1(x) + \\ &\quad + x(x^4 + 12x^2 - 96) J_1(x) K_0(x) + (6x^4 - 192) J_1(x) K_1(x)] + \frac{x}{2} [32x^3 J_0(x) K_0(x) + \\ &\quad + (88x^2 + 5x^4 - 96) J_0(x) K_1(x) + (5x^4 - 96 - 88x^2) J_1(x) K_0(x) + x(x^4 - 272) J_1(x) K_1(x)] \end{aligned}$$

b) Integrals with $J_1(x) Z_1(x)$:

$$\int x \ln x J_1(x) I_1(x) dx = \frac{x \ln x}{2} [J_1(x) I_0(x) - J_0(x) I_1(x)] + \frac{J_0(x) I_0(x)}{2}$$

$$\begin{aligned}
\int x \ln x J_1(x) K_1(x) dx &= -\frac{x \ln x}{2} [J_1(x)K_0(x) + J_0(x)K_1(x)] - \frac{J_0(x)K_0(x)}{2} \\
& \\
\int x^5 \ln x J_1(x) I_1(x) dx &= \\
&= \frac{x^2 \ln x}{2} [4x^2 J_0(x) I_0(x) - x(x^2 + 8) J_0(x) I_1(x) + x(x^2 - 8) J_1(x) I_1(x) + 16 J_1(x) I_1(x)] + \\
&\quad + \frac{x}{2} [x^3 J_0(x) I_0(x) + (8 - 4x^2) J_0(x) I_1(x) - (4x^2 + 8) J_1(x) I_0(x) + 16x J_1(x) I_1(x)] \\
\int x^5 \ln x J_1(x) K_1(x) dx &= \\
&= \frac{x^2 \ln x}{2} [-4x^2 J_0(x) K_0(x) - x(x^2 + 8) J_0(x) K_1(x) - x(x^2 - 8) J_1(x) K_0(x) + 16 J_1(x) K_1(x)] + \\
&\quad + \frac{x}{2} [-x^3 J_0(x) K_0(x) + (8 - 4x^2) J_0(x) K_1(x) + (8 + 4x^2) J_1(x) K_0(x) + 16x J_1(x) K_1(x)] \\
& \\
\int x^9 \ln x J_1(x) I_1(x) dx &= \frac{x^2 \ln x}{2} [8x^2 (x^4 - 192) J_0(x) I_0(x) + \\
&\quad + x(3072 + 384x^2 - 32x^4 - x^6) J_0(x) I_1(x) + x(3072 - 384x^2 - 32x^4 + x^6) J_1(x) I_0(x) - \\
&\quad - (6144 - 192x^4) J_1(x) I_1(x)] + \frac{x}{2} [x^3 (x^4 - 1408) J_0(x) I_0(x) + \\
&\quad + (-3072 + 3584x^2 + 256x^4 - 8x^6) J_0(x) I_1(x) + (3072 + 3584x^2 - 256x^4 - 8x^6) J_1(x) I_0(x) + \\
&\quad + 80x(x^4 - 128) J_1(x) K_1(x)] \\
\int x^9 \ln x J_1(x) K_1(x) dx &= \frac{x^2 \ln x}{2} [8x^2 (192 - x^4) J_0(x) K_0(x) + \\
&\quad + x(3072 + 384x^2 - 32x^4 - x^6) J_0(x) K_1(x) - x(3072 - 384x^2 - 32x^4 + x^6) J_1(x) K_0(x) - \\
&\quad - (6144 - 192x^4) J_1(x) K_1(x)] + \frac{x}{2} [x^3 (1408 - x^4) J_0(x) K_0(x) + \\
&\quad + (-3072 + 3584x^2 + 256x^4 - 8x^6) J_0(x) K_1(x) + (-3072 - 3584x^2 + 256x^4 + 8x^6) J_1(x) K_0(x) + \\
&\quad + 80x(x^4 - 128) J_1(x) K_1(x)]
\end{aligned}$$

c) Integrals with $I_\nu(x) K_\nu(x)$:

$$\begin{aligned}
\int x \ln x I_0(x) K_0(x) dx &= \\
&= \frac{x^2 \ln x}{2} [I_0(x)K_0(x) + I_1(x)K_1(x)] - \frac{x}{2} [x I_0(x)K_0(x) + I_0(x)K_1(x) + x I_1(x)K_1(x)] \\
\int x \ln x I_1(x) K_1(x) dx &= \frac{x \ln x}{2} [x I_0(x)K_0(x) + I_0(x)K_1(x) - I_1(x)K_0(x) + x I_1(x)K_1(x)] + \\
&\quad + \frac{1}{2} [(1 - x^2) I_0(x)K_0(x) - x I_0(x)K_1(x) - x^2 I_1(x)K_1(x)] \\
& \\
\int x^3 \ln x I_0(x) K_0(x) dx &= \\
&= \frac{x^2 \ln x}{6} [x^2 I_0(x)K_0(x) - x I_0(x)K_1(x) + x I_1(x)K_0(x) + (x^2 + 2) I_1(x)K_1(x)] - \\
&\quad - \frac{x}{36} [2x(x^2 + 3) I_0(x)K_0(x) + (x^2 - 4) I_0(x)K_1(x) - (x^2 + 16) I_1(x)K_0(x) + 2x(x^2 - 1) I_1(x)K_1(x)]
\end{aligned}$$

$$\begin{aligned}
& \int x^3 \ln x I_1(x) K_1(x) dx = \\
& = \frac{x^2 \ln x}{6} [x^2 I_0(x)K_0(x) + 2x I_0(x)K_1(x) - 2x I_1(x)K_0(x) + (x^2 - 4) I_1(x)K_1(x)] - \\
& - \frac{x}{36} [2x(x^2 - 6) I_0(x)K_0(x) + (x^2 - 4) I_0(x)K_1(x) - (x^2 - 20) I_1(x)K_0(x) + 2x(x^2 - 1) I_1(x)K_1(x)] \\
& \\
& \int x^5 \ln x I_0(x) K_0(x) dx = \\
& = \frac{x^2 \ln x}{30} [x^2 (3x^2 - 8) I_0(x) K_0(x) - 2x (8 + 3x^2) I_0(x) K_1(x) + \\
& + 2x (8 + 3x^2) I_1(x) K_0(x) + (32 + 16x^2 + 3x^4) I_1(x) K_1(x)] + \\
& + \frac{x}{900} [-2x (240 + 56x^2 + 9x^4) I_0(x) K_0(x) + (-9x^4 - 344x^2 + 1376) I_1(x) K_0(x) + \\
& + (9x^4 + 344x^2 + 2336) I_0(x) K_1(x) - 2x (9x^4 - 52x^2 - 344) I_1(x) K_1(x)] \\
& \\
& \int x^5 \ln x I_1(x) K_1(x) dx = \\
& = \frac{x^2 \ln x}{10} [x^2(x^2 + 4) I_0(x) K_0(x) + x(3x^2 + 8) I_0(x) K_1(x) - x(3x^2 + 8) I_1(x) K_0(x) + \\
& + (x^4 - 8x^2 - 16) I_1(x) K_1(x)] + \frac{x}{300} [2x (120 + 23x^2 - 3x^4) I_0(x) K_0(x) - \\
& - (3x^4 + 608 - 152x^2) I_0(x) K_1(x) + (3x^4 - 152x^2 - 1088) I_1(x) K_0(x) - 2x (152 + 16x^2 + 3x^4) I_1(x) K_1(x)] \\
& \\
& \int x^7 \ln x I_0(x) K_0(x) dx = \frac{x^2 \ln x}{70} [x^2 (5x^4 - 144 - 36x^2) I_0(x) K_0(x) - \\
& - 3x (96 + 36x^2 + 5x^4) I_0(x) K_1(x) + 3x (96 + 36x^2 + 5x^4) I_1(x) K_0(x) + \\
& + (576 + 288x^2 + 54x^4 + 5x^6) I_1(x) K_1(x)] + \frac{x}{4900} [-2x (10080 + 4152x^2 + 303x^4 + 25x^6) I_0(x) K_0(x) - \\
& - (86592 + 21648x^2 + 3078x^4 + 25x^6) I_0(x) K_1(x) + (126912 + 21648x^2 + 3078x^4 + 25x^6) I_1(x) K_0(x) + \\
& + 2x (21648 + 5784x^2 + 297x^4 - 25x^6) I_1(x) K_1(x)] \\
& \\
& \int x^7 \ln x I_1(x) K_1(x) dx = \frac{x^2 \ln x}{70} [x^2 (192 + 48x^2 + 5x^4) I_0(x) K_0(x) + \\
& + 4x (96 + 36x^2 + 5x^4) I_0(x) K_1(x) - 4x (96 + 36x^2 + 5x^4) I_1(x) K_0(x) + \\
& + (5x^6 - 768 - 384x^2 - 72x^4) I_1(x) K_1(x)] + \frac{x}{4900} [2x (13440 + 5256x^2 + 334x^4 - 25x^6) I_0(x) K_0(x) + \\
& + (27744x^2 + 3684x^4 - 25x^6 - 110976) I_0(x) K_1(x) + (25x^6 - 3684x^4 - 27744x^2 - 164736) I_1(x) K_0(x) - \\
& - 2x (27744 + 7152x^2 + 291x^4 + 25x^6) I_1(x) K_1(x)] \\
& \\
& \int x^9 \ln x I_0(x) K_0(x) dx = \frac{x^2 \ln x}{630} [x^2 (35x^6 - 18432 - 4608x^2 - 480x^4) I_0(x) K_0(x) - \\
& - 4x (9216 + 3456x^2 + 480x^4 + 35x^6) I_0(x) K_1(x) + 4x (9216 + 3456x^2 + 480x^4 + 35x^6) I_1(x) K_0(x) + \\
& + (73728 + 36864x^2 + 6912x^4 + 640x^6 + 35x^8) I_1(x) K_1(x)] + \\
& + \frac{x}{396900} [-2x (11612160 + 6315264x^2 + 732096x^4 + 24600x^6 + 1225x^8) I_0(x) K_0(x) - \\
& - (31067136x^2 + 5844096x^4 + 348000x^6 + 1225x^8 - 124268544) I_0(x) K_1(x) +
\end{aligned}$$

$$\begin{aligned}
& + (170717184 + 31067136x^2 + 5844096x^4 + 348000x^6 + 1225x^8) I_1(x) K_0(x) + \\
& + 2x (31067136 + 9727488x^2 + 916704x^4 + 24400x^6 - 1225x^8) I_1(x) K_1(x) \Big] \\
& \int x^9 \ln x I_1(x) K_1(x) dx = \frac{x^2 \ln x}{126} [x^2 (4608 + 1152x^2 + 120x^4 + 7x^6) I_0(x) K_0(x) + \\
& + x (9216 + 3456x^2 + 480x^4 + 35x^6) I_0(x) K_1(x) - x (9216 + 3456x^2 + 480x^4 + 35x^6) I_1(x) K_0(x) + \\
& + (7x^8 - 18432 - 9216x^2 - 1728x^4 - 160x^6) I_1(x) K_1(x)] + \\
& + \frac{x}{79380} [2x (2903040 + 1542528x^2 + 173952x^4 + 5205x^6 - 245x^8) I_0(x) K_0(x) + \\
& + (7621632x^2 + 1406592x^4 + 79440x^6 - 245x^8 - 30486528) I_0(x) K_1(x) + \\
& + (245x^8 - 7621632x^2 - 1406592x^4 - 79440x^6 - 42098688) I_1(x) K_0(x) - \\
& - 2x (7621632 + 2359296x^2 + 215568x^4 + 4840x^6 + 245x^8) I_1(x) K_1(x)]
\end{aligned}$$

About recurrence relations see page 358.

d) Integrals with $I_\nu(x) K_{1-\nu}(x)$:

$$\begin{aligned}
& \int x^2 \ln x I_0(x) K_1(x) dx = \frac{x^2 \ln x}{4} [x I_0(x) K_1(x) + x I_1(x) K_0(x) + 2 I_1(x) K_1(x)] - \\
& - \frac{x}{8} [2x I_0(x) K_0(x) + (x^2 + 4) I_0(x) K_1(x) + x^2 I_1(x) K_0(x) + 2x I_1(x) K_1(x)] \\
& \int x^2 \ln x I_1(x) K_0(x) dx = \frac{x^2 \ln x}{4} [x I_1(x) K_0(x) + x I_0(x) K_1(x) - 2 I_1(x) K_1(x)] + \\
& + \frac{x}{8} [2x I_0(x) K_0(x) - (x^2 + 4) I_1(x) K_0(x) - x^2 I_0(x) K_1(x) + 2x I_1(x) K_1(x)] \\
& \int x^4 \ln x I_0(x) K_1(x) dx = \\
& = \frac{x^2 \ln x}{24} [-4x^2 I_0(x) K_0(x) + x(3x^2 - 8) I_0(x) K_1(x) + x(3x^2 + 8) I_1(x) K_0(x) + 8(x^2 + 2) I_1(x) K_1(x)] - \\
& - \frac{x}{288} [8x(x^2 + 12) I_0(x) K_0(x) + (9x^4 + 40x^2 - 160) I_0(x) K_1(x) + \\
& + (9x^4 - 40x^2 - 352) I_1(x) K_0(x) + 8x(x^2 - 10) I_1(x) K_1(x)] \\
& \int x^4 \ln x I_1(x) K_0(x) dx = \\
& = \frac{x^2 \ln x}{24} [4x^2 I_0(x) K_0(x) + x(3x^2 + 8) I_0(x) K_1(x) + x(3x^2 - 8) I_1(x) K_0(x) - 8(x^2 + 2) I_1(x) K_1(x)] + \\
& + \frac{x}{288} [8x(x^2 + 12) I_0(x) K_0(x) - (160 - 40x^2 + 9x^4) I_0(x) K_1(x) - \\
& - (9x^4 + 40x^2 + 352) I_1(x) K_0(x) + 8x(x^2 - 10) I_1(x) K_1(x)] \\
& \int x^6 \ln x I_0(x) K_1(x) dx = \\
& = \frac{x^2 \ln x}{60} [-12x^2 (4 + x^2) I_0(x) K_0(x) + x (-96 - 36x^2 + 5x^4) I_0(x) K_1(x) + \\
& + x (96 + 36x^2 + 5x^4) I_1(x) K_0(x) + (192 + 96x^2 + 18x^4) I_1(x) K_1(x)] + \\
& + \frac{x}{1800} [-6x (480 + 152x^2 + 3x^4) I_0(x) K_0(x) - (25x^6 + 234x^4 + 2544x^2 - 10176) I_1(x) K_0(x) - \\
& - (25x^6 - 234x^4 - 2544x^2 - 15936) I_0(x) K_1(x) + 6x (848 + 184x^2 - 3x^4) I_1(x) K_1(x)]
\end{aligned}$$

$$\begin{aligned}
& \int x^6 \ln x I_1(x) K_0(x) dx = \\
& = \frac{x^2 \ln x}{60} [12x^2(4+x^2) I_0(x) K_0(x) + x(5x^4 + 36x^2 + 96) I_0(x) K_1(x) + \\
& \quad + x(5x^4 - 36x^2 - 96) I_1(x) K_0(x) - (192 + 96x^2 + 18x^4) I_1(x) K_1(x)] + \\
& + \frac{x}{1800} [6x(480 + 152x^2 + 3x^4) I_0(x) K_0(x) + (-10176 + 2544x^2 + 234x^4 - 25x^6) I_0(x) K_1(x) - \\
& \quad - (15936 + 2544x^2 + 234x^4 + 25x^6) I_1(x) K_0(x) + 6x(3x^4 - 848 - 184x^2) I_1(x) K_1(x)] \\
& \\
& \int x^8 \ln x I_0(x) K_1(x) dx = \frac{x^2 \ln x}{560} [-24x^2(192 + 48x^2 + 5x^4) I_0(x) K_0(x) + \\
& + x(35x^6 - 9216 - 3456x^2 - 480x^4) I_0(x) K_1(x) + x(9216 + 3456x^2 + 480x^4 + 35x^6) I_1(x) K_0(x) + \\
& \quad + (18432 + 9216x^2 + 1728x^4 + 160x^6) I_1(x) K_1(x)] + \\
& + \frac{x}{156800} [-32x(80640 + 38256x^2 + 3684x^4 + 25x^6) I_0(x) K_0(x) - \\
& \quad - (3093504x^2 + 514944x^4 + 20000x^6 + 1225x^8 - 12374016) I_0(x) K_1(x) + \\
& \quad + (17534976 + 3093504x^2 + 514944x^4 + 20000x^6 - 1225x^8) I_1(x) K_0(x) + \\
& \quad + 32x(193344 + 56352x^2 + 4266x^4 - 25x^6) I_1(x) K_1(x)] \\
& \\
& \int x^8 \ln x I_1(x) K_0(x) dx = \frac{x^2 \ln x}{560} [24x^2(192 + 48x^2 + 5x^4) I_0(x) K_0(x) + \\
& + x(9216 + 3456x^2 + 480x^4 + 35x^6) I_0(x) K_1(x) + x(35x^6 - 9216 - 3456x^2 - 480x^4) I_1(x) K_0(x) - \\
& \quad - (18432 + 9216x^2 + 1728x^4 + 160x^6) I_1(x) K_1(x)] + \\
& + \frac{x}{156800} [32x(80640 + 38256x^2 + 3684x^4 + 25x^6) I_0(x) K_0(x) + \\
& \quad + (3093504x^2 + 514944x^4 + 20000x^6 - 1225x^8 - 12374016) I_0(x) K_1(x) - \\
& \quad - (17534976 + 3093504x^2 + 514944x^4 + 20000x^6 + 1225x^8) I_1(x) K_0(x) + \\
& \quad + 32x(-193344 - 56352x^2 - 4266x^4 + 25x^6) I_1(x) K_1(x)] \\
& \\
& \int x^{10} \ln x I_0(x) K_1(x) dx = \frac{x^2 \ln x}{1260} [-40x^2(4608 + 1152x^2 + 120x^4 + 7x^6) I_0(x) K_0(x) + \\
& \quad + x(63x^8 - 368640 - 138240x^2 - 19200x^4 - 1400x^6) I_0(x) K_1(x) + \\
& \quad + x(368640 + 138240x^2 + 19200x^4 + 1400x^6 + 63x^8) I_1(x) K_0(x) + \\
& \quad + (737280 + 368640x^2 + 69120x^4 + 6400x^6 + 350x^8) I_1(x) K_1(x)] + \\
& + \frac{x}{793800} [-10x(23224320 + 13791744x^2 + 1754496x^4 + 79440x^6 + 245x^8) I_0(x) K_0(x) - \\
& \quad - (333895680x^2 + 67150080x^4 + 4689600x^6 + 100450x^8 + 3969x^{10} - 1335582720) I_0(x) K_1(x) - \\
& \quad - (3969x^{10} - 1800069120 - 333895680x^2 - 67150080x^4 - 4689600x^6 - 100450x^8) I_1(x) K_0(x) - \\
& \quad - 10x(245x^8 - 66779136 - 21777408x^2 - 2268864x^4 - 89120x^6) I_1(x) K_1(x)] \\
& \\
& \int x^{10} \ln x I_1(x) K_0(x) dx = \frac{x^2 \ln x}{1260} [40x^2(4608 + 1152x^2 + 120x^4 + 7x^6) I_0(x) K_0(x) + \\
& \quad + x(368640 + 138240x^2 + 19200x^4 + 1400x^6 + 63x^8) I_0(x) K_1(x) + \\
& \quad + x(63x^8 - 368640 - 138240x^2 - 19200x^4 - 1400x^6) I_1(x) K_0(x) -
\end{aligned}$$

$$\begin{aligned}
& -(737280 + 368640x^2 + 69120x^4 + 6400x^6 + 350x^8) I_1(x) K_1(x) + \\
& + \frac{x}{793800} [10x(23224320 + 13791744x^2 + 1754496x^4 + 79440x^6 + 245x^8) I_0(x) K_0(x) + \\
& + (333895680x^2 + 67150080x^4 + 4689600x^6 + 100450x^8 - 3969x^{10} - 1335582720) I_0(x) K_1(x) - \\
& - (1800069120 + 333895680x^2 + 67150080x^4 + 4689600x^6 + 100450x^8 + 3969x^{10}) I_1(x) K_0(x) + \\
& + 10x(245x^8 - 66779136 - 21777408x^2 - 2268864x^4 - 89120x^6) I_1(x) K_1(x)]
\end{aligned}$$

Recurrence Relations:

$$\begin{aligned}
\int x^{2n+1} \ln x I_0(x) K_0(x) dx &= \frac{x^{2n-1}}{2(2n+1)^2} \left\{ \left[((2n+1)x^3 + 4n^2(n+1)x) I_0(x) K_0(x) - 2n^2x^2 I_0(x) K_1(x) + \right. \right. \\
& \left. \left. + 2n(n+1)x^2 I_1(x) K_0(x) + (2n+1)x^3 I_1(x) K_1(x) \right] \ln x - x[x^2 + 2n(n+1)] I_0(x) K_0(x) - x^2 I_0(x) K_1(x) - \right. \\
& \left. - x^3 I_1(x) K_1(x) \right\} - \frac{4n^3(n+1)}{(2n-1)^2} \int x^{2n+1} \ln x I_0(x) K_0(x) dx + \frac{2n^2}{2n+1} \int x^{2n} \ln x I_0(x) K_1(x) dx - \\
& \quad - \frac{4n^2(n+1)}{(2n+1)^2} \int x^{2n} \ln x I_1(x) K_0(x) dx \\
\int x^{2n+1} \ln x I_1(x) K_1(x) dx &= \frac{x^{2n-1}}{2(2n+1)^2} \left\{ \left[((2n+1)x^3 - 2n(2n^2 + 2n+1)x) I_0(x) K_0(x) + \right. \right. \\
& \left. \left. + (2n^2 + 4n+1)x^2 I_0(x) K_1(x) - (2n^2 + 2n+1)x^2 I_1(x) K_0(x) + (2n+1)x^3 I_1(x) K_1(x) \right] \ln x - \right. \\
& \left. - [x^3 - (2n^2 + 2n+1)x] I_0(x) K_0(x) - x^2 I_0(x) K_1(x) - x^3 I_1(x) K_1(x) \right\} + \\
& + \frac{2n^2(2n^2 + 2n+1)}{(2n+1)^2} \int x^{2n-1} \ln x I_0(x) K_0(x) dx - \frac{2n(n+1)}{2n+1} \int x^{2n} \ln x I_0(x) K_1(x) dx + \\
& \quad + \frac{2n(2n^2 + 2n+1)}{(2n+1)^2} \int x^{2n} \ln x I_1(x) K_0(x) dx \\
\int x^{2n+2} \ln x I_0(x) K_1(x) dx &= \frac{x^{2n-1}}{2(2n+1)^2} \left\{ \left[(2n^2(4n^2 + 5n+2)x - n(2n+1)x^3) I_0(x) K_0(x) + \right. \right. \\
& \left. \left. + \left(\frac{(2n+1)^2x^2}{2(n+1)} - n^2 \right) x^2 I_0(x) K_1(x) + \left(\frac{(2n+1)^2x^2}{2(n+1)} + n(4n^2 + 5n+2) \right) x^2 I_1(x) K_0(x) + \right. \right. \\
& \left. \left. + (2n+1)(n+1)x^3 I_1(x) K_1(x) \right] \ln x - \frac{x^3 + 2n(4n^2 + 5n+2)x}{2} I_0(x) K_0(x) - \right. \\
& \left. - \left(\frac{(2n+1)^2x^2}{2(n+1)^2} + 2n^2 + 2n+1 \right) x^2 I_0(x) K_1(x) - \frac{(2n+1)^2x^4}{4(n+1)^2} I_1(x) K_0(x) - \frac{x^3}{2} I_1(x) K_1(x) \right\} - \\
& \quad - \frac{2n^3(4n^2 + 5n+2)}{(2n+1)^2} \int x^{2n-1} \ln x I_0(x) K_0(x) dx + \\
& \quad + \frac{2n^2(n+1)}{2n+1} \int x^{2n} \ln x I_0(x) K_1(x) dx - \frac{2n^2(4n^2 + 5n+2)}{(2n+1)^2} \int x^{2n} \ln x I_1(x) K_0(x) dx \\
\int x^{2n+2} \ln x I_1(x) K_0(x) dx &= \frac{x^{2n-1}}{2(2n+1)^2} \left\{ \left[((2n+1)nx^3 - 2n^2(4n^2 + 5n+2)x) I_0(x) K_0(x) + \right. \right. \\
& \left. \left. + \left(\frac{(2n+1)^2}{2(n+1)} x^2 + n^2 \right) x^2 I_0(x) K_1(x) + \left(\frac{(2n+1)^2}{2(n+1)} x^2 - n(4n^2 + 5n+2) \right) x^2 I_1(x) K_0(x) - \right. \right. \\
& \left. \left. - (2n+1)(n+1)x^3 I_1(x) K_1(x) \right] \ln x + \left(\frac{x^3}{2} + n(4n^2 + 5n+2)x \right) I_0(x) K_0(x) + \right.
\end{aligned}$$

$$\begin{aligned}
& \left(2n^2 + 2n + 1 - \frac{(2n+1)^2 x^2}{4(n+1)^2} \right) x^2 I_0(x) K_1(x) - \frac{(2n+1)^2 x^4}{(2n+2)^2} I_1(x) K_0(x) + \\
& \left. + \frac{x^3}{2} I_1(x) K_1(x) \right\} + \frac{2n^3(4n^2 + 5n + 2)}{(2n+1)^2} \int x^{2n-1} \ln x I_0(x) K_0(x) dx - \\
& - \frac{2n^2(n+1)}{2n+1} \int x^{2n} \ln x I_0(x) K_1(x) dx + \frac{2n^2(4n^2 + 5n + 2)}{(2n+1)^2} \int x^{2n} \ln x I_1(x) K_0(x) dx
\end{aligned}$$

2.4.3. Some Cases of $\int x^n \ln x Z_\mu(x) Z_\nu^*(\alpha x) dx$:

Some integrals of the type $\int x^n Z_0(\alpha x) Z_1^*(\beta x) dx$ are already found. Then the integral

$$\int x^n \ln x Z_\mu\left(\frac{x}{\alpha}\right) Z_\nu^*(x) dx \quad \text{may be expressed by} \quad \int x^n \ln x Z_\mu(x) Z_\nu^*(\alpha x) dx ,$$

but nevertheless both integrals are given in the following.

Numerical values of some α :

$$(\sqrt{3} + 1)/\sqrt{2} = \sqrt{2 + \sqrt{3}} = 1.93185\ 16526, \quad (\sqrt{3} - 1)/\sqrt{2} = \sqrt{2 - \sqrt{3}} = 0.51763\ 80902$$

$$\sqrt{3 + \sqrt{6}} = 2.33441\ 42183, \quad \sqrt{3 - \sqrt{6}} = 0.74196\ 37843$$

n = 4

$$\begin{aligned} & \int x^4 \ln x J_1(x) I_0\left(\frac{x}{\sqrt{2}}\right) dx = \\ = & \frac{x^2 \ln x}{3} \left[-2x^2 J_0(x) I_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2} x J_0(x) I_1\left(\frac{x}{\sqrt{2}}\right) + 4x J_1(x) I_0\left(\frac{x}{\sqrt{2}}\right) + \sqrt{2}(x^2 - 8) J_1(x) I_1\left(\frac{x}{\sqrt{2}}\right) \right] - \\ & - \frac{x}{81} \left[24x J_0(x) I_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2}(32 - 9x^2) J_0(x) I_1\left(\frac{x}{\sqrt{2}}\right) - (18x^2 + 176) J_1(x) I_0\left(\frac{x}{\sqrt{2}}\right) + \right. \\ & \quad \left. + 168\sqrt{2} x J_1(x) I_1\left(\frac{x}{\sqrt{2}}\right) \right] \\ & \int x^4 \ln x J_1(x) K_0\left(\frac{x}{\sqrt{2}}\right) dx = \\ = & - \frac{x^2 \ln x}{3} \left[2x^2 J_0(x) K_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2} x J_0(x) K_1\left(\frac{x}{\sqrt{2}}\right) - 4x J_1(x) K_0\left(\frac{x}{\sqrt{2}}\right) + \right. \\ & \left. + \sqrt{2}(x^2 - 8) J_1(x) K_1\left(\frac{x}{\sqrt{2}}\right) \right] - \frac{x}{81} \left[24x J_0(x) K_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2}(9x^2 - 32) J_0(x) K_1\left(\frac{x}{\sqrt{2}}\right) - \right. \\ & \quad \left. - (18x^2 + 176) J_1(x) K_0\left(\frac{x}{\sqrt{2}}\right) - 168\sqrt{2} x J_1(x) K_1\left(\frac{x}{\sqrt{2}}\right) \right] \\ & \int x^4 \ln x J_0\left(\frac{x}{\sqrt{2}}\right) I_1(x) dx = \\ = & \frac{x^2 \ln x}{3} \left[2x^2 I_0(x) J_0\left(\frac{x}{\sqrt{2}}\right) - 4\sqrt{2} x I_1(x) J_0\left(\frac{x}{\sqrt{2}}\right) - 4x I_0(x) J_1\left(\frac{x}{\sqrt{2}}\right) + \right. \\ & \left. + \sqrt{2}(x^2 + 8) I_1(x) J_1\left(\frac{x}{\sqrt{2}}\right) \right] - \frac{x}{81} \left[24x I_0(x) J_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2}(32 + 9x^2) I_1(x) J_0\left(\frac{x}{\sqrt{2}}\right) + \right. \\ & \quad \left. + (18x^2 - 176) I_0(x) J_1\left(\frac{x}{\sqrt{2}}\right) - 168\sqrt{2} x I_1(x) J_1\left(\frac{x}{\sqrt{2}}\right) \right] \\ & \int x^4 \ln x K_1(x) J_0\left(\frac{x}{\sqrt{2}}\right) dx = \frac{x^2 \ln x}{3} \cdot \\ \cdot & \left[-2x^2 K_0(x) J_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2} x K_0(x) J_1\left(\frac{x}{\sqrt{2}}\right) - 4x K_1(x) J_0\left(\frac{x}{\sqrt{2}}\right) + \sqrt{2}(x^2 + 8) K_1(x) J_1\left(\frac{x}{\sqrt{2}}\right) \right] + \\ & + \frac{x}{81} \left[24x K_0(x) J_0\left(\frac{x}{\sqrt{2}}\right) + 4\sqrt{2}(9x^2 + 32) K_0(x) J_1\left(\frac{x}{\sqrt{2}}\right) + (176 - 18x^2) K_1(x) J_0\left(\frac{x}{\sqrt{2}}\right) + \right. \\ & \quad \left. + 168\sqrt{2} x K_1(x) J_1\left(\frac{x}{\sqrt{2}}\right) \right] \\ & \int x^4 \ln x J_0(x) I_1(\sqrt{2}x) dx = \\ = & \frac{x^2 \ln x}{3} \left[\sqrt{2} x^2 J_0(x) I_0(\sqrt{2}x) - 2x J_0(x) I_1(\sqrt{2}x) - 2\sqrt{2} x J_1(x) I_0(\sqrt{2}x) + (x^2 + 4) J_1(x) I_1(\sqrt{2}x) \right] - \end{aligned}$$

$$\begin{aligned}
& -\frac{81}{x} \left[6\sqrt{2}x J_0(x) I_0(\sqrt{2}x) + (9x^2 - 44) J_0(x) I_1(\sqrt{2}x) + \right. \\
& \quad \left. + 2\sqrt{2}(9x^2 + 16) J_1(x) I_0(\sqrt{2}x) - 84x J_1(x) I_1(\sqrt{2}x) \right] \\
& \int x^4 \ln x J_0(x) K_1(\sqrt{2}x) dx = \frac{x^2 \ln x}{3} \left[-\sqrt{2}x^2 J_0(x) K_0(\sqrt{2}x) - 2x J_0(x) K_1(\sqrt{2}x) + \right. \\
& \quad \left. + 2\sqrt{2}x J_1(x) K_0(\sqrt{2}x) + (x^2 + 4) J_1(x) K_1(\sqrt{2}x) \right] + \frac{x}{81} \left[6\sqrt{2}x J_0(x) K_0(\sqrt{2}x) + \right. \\
& \quad \left. + (44 - 9x^2) J_0(x) K_1(\sqrt{2}x) + 2\sqrt{2}(9x^2 + 16) J_1(x) K_0(\sqrt{2}x) + 84x J_1(x) K_1(\sqrt{2}x) \right] \\
& \int x^4 \ln x I_0(x) J_1(\sqrt{2}x) dx = \frac{x^2 \ln x}{3} \left[-2\sqrt{2}x I_0(x) J_0(\sqrt{2}x) + \right. \\
& \quad \left. + 2x I_0(x) J_0(\sqrt{2}x) + 2\sqrt{2}x I_1(x) J_0(\sqrt{2}x) + (x^2 - 4) I_1(x) J_1(\sqrt{2}x) \right] + \frac{x}{81} \left[-6\sqrt{2}x I_0(x) J_0(\sqrt{2}x) + \right. \\
& \quad \left. + (9x^2 + 44) I_0(x) J_1(\sqrt{2}x) + 2\sqrt{2}(9x^2 - 16) I_1(x) J_0(\sqrt{2}x) - 84x I_1(x) J_1(\sqrt{2}x) \right] \\
& \int x^4 \ln x K_0(x) J_1(\sqrt{2}x) dx = \frac{x^2 \ln x}{3} \left[-\sqrt{2}x^2 K_0(x) J_0(\sqrt{2}x) + 2x K_0(x) J_1(\sqrt{2}x) - \right. \\
& \quad \left. - 2\sqrt{2}x K_1(x) J_0(\sqrt{2}x) - (x^2 - 4) K_1(x) J_1(\sqrt{2}x) \right] + \frac{x}{81} \left[-6\sqrt{2}x K_0(x) J_0(\sqrt{2}x) + \right. \\
& \quad \left. + (9x^2 + 44) K_0(x) J_1(\sqrt{2}x) - 2\sqrt{2}(9x^2 - 16) K_1(x) J_0(\sqrt{2}x) + 84x K_1(x) J_1(\sqrt{2}x) \right]
\end{aligned}$$

m = 5

$$\begin{aligned}
& \int x^5 \ln x J_0(x) \cdot I_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) dx = \frac{x^2 \ln x}{18} \left[-12x^2 (\sqrt{3}-1) J_0(x) \cdot I_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) + \right. \\
& \quad + 3x\sqrt{2} (-8\sqrt{3} + 16 + \sqrt{3}x^2) J_0(x) \cdot I_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) - \\
& \quad - 3x (8 - 8\sqrt{3} - 3x^2 + \sqrt{3}x^2) J_1(x) \cdot I_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) - \\
& \quad \left. - 12\sqrt{2} (-4\sqrt{3} + 8 + \sqrt{3}x^2 - x^2) J_1(x) \cdot I_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) \right] + \\
& \quad + \frac{x}{594} \left[33 (\sqrt{3}-1) x (4\sqrt{3} - 4 - 3x^2) J_0(x) \cdot I_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) - \right. \\
& \quad - 2\sqrt{2} (8\sqrt{3} - 15) (4\sqrt{3} - 64 + 33x^2) J_0(x) \cdot I_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) - \\
& \quad - 2 (-3 + 5\sqrt{3}) (-116 + 56\sqrt{3} - 33x^2) J_1(x) \cdot I_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) - \\
& \quad \left. - 33\sqrt{2} (\sqrt{3}-1) x (26\sqrt{3} - 26 + 3x^2) J_1(x) \cdot I_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) \right] \\
& \int x^5 \ln x J_0(x) \cdot K_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) dx = \frac{x^2 \ln x}{18} \left[-12x^2 (\sqrt{3}-1) J_0(x) \cdot K_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) + \right. \\
& \quad - \sqrt{2}\sqrt{3}x (16\sqrt{3} - 24 + 3x^2) J_0(x) \cdot K_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) + (3 - \sqrt{3}) x (8\sqrt{3} + 3x^2) J_1(x) \cdot K_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right) +
\end{aligned}$$

$$\begin{aligned}
& +12\sqrt{2}(\sqrt{3}-1)(x^2+2\sqrt{3}-2)J_1(x)\cdot K_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right)\ln x+ \\
& +\frac{x}{594}\left[33(\sqrt{3}-1)x(4\sqrt{3}-4-3x^2)J_0(x)\cdot K_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right)+\right. \\
& +2\sqrt{2}(-15+8\sqrt{3})(4\sqrt{3}-64+33x^2)J_0(x)\cdot K_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right)- \\
& -2(-3+5\sqrt{3})(-116+56\sqrt{3}-33x^2)J_1(x)\cdot K_0\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right)+ \\
& \left.+33\sqrt{2}(\sqrt{3}-1)x(-26+26\sqrt{3}+3x^2)J_1(x)\cdot K_1\left(\frac{\sqrt{3}+1}{\sqrt{2}}x\right)\right] \\
\int x^5 \ln x J_0(x)\cdot I_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right) dx = & \frac{x^2 \ln x}{18}\left[12x^2(1+\sqrt{3})J_0(x)\cdot I_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)+\right. \\
& +3x\sqrt{2}(-8\sqrt{3}-16+\sqrt{3}x^2)J_0(x)\cdot I_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)+ \\
& +3x(-8-8\sqrt{3}+3x^2+\sqrt{3}x^2)J_1(x)\cdot I_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)- \\
& \left.-12\sqrt{2}(-4\sqrt{3}-8+\sqrt{3}x^2+x^2)J_1(x)\cdot I_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)\right]+ \\
& +\frac{x}{594}\left[33(1+\sqrt{3})(4\sqrt{3}+4+3x^2)xJ_0(x)\cdot I_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)+\right. \\
& +2\sqrt{2}(15+8\sqrt{3})(4\sqrt{3}+64-33x^2)J_0(x)\cdot I_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)- \\
& -2(3+5\sqrt{3})(116+56\sqrt{3}+33x^2)J_1(x)\cdot I_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)+ \\
& \left.+33\sqrt{2}(1+\sqrt{3})(26+26\sqrt{3}-3x^2)xJ_1(x)\cdot I_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)\right] \\
\int x^5 \ln x J_0(x)\cdot K_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right) dx = & \frac{x^2 \ln x}{18}\left[12x^2(1+\sqrt{3})J_0(x)\cdot K_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)-\right. \\
& -3x\sqrt{2}(-8\sqrt{3}-16+\sqrt{3}x^2)J_0(x)\cdot K_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)+ \\
& +3x(-8-8\sqrt{3}+3x^2+\sqrt{3}x^2)J_1(x)\cdot K_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)+ \\
& +12\sqrt{2}(-4\sqrt{3}-8+\sqrt{3}x^2+x^2)J_1(x)\cdot K_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)\ln x+ \\
& +\frac{x}{594}\left[33(1+\sqrt{3})(4\sqrt{3}+4+3x^2)xJ_0(x)\cdot K_0\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)-\right. \\
& \left.-2\sqrt{2}(15+8\sqrt{3})(4\sqrt{3}+64-33x^2)J_0(x)\cdot K_1\left(\frac{\sqrt{3}-1}{\sqrt{2}}x\right)-\right.
\end{aligned}$$

$$\begin{aligned}
& -2 \left(3 + 5\sqrt{3} \right) \left(116 + 56\sqrt{3} + 33x^2 \right) J_1(x) \cdot K_0 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) - \\
& -33\sqrt{2} \left(1 + \sqrt{3} \right) x \left(26 + 26\sqrt{3} - 3x^2 \right) J_1(x) \cdot K_1 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) \Big] \\
& \int x^5 \ln x I_0(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) dx = \frac{x^2 \ln x}{6} \left[4 \left(\sqrt{3}-1 \right) x^2 I_0(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) + \right. \\
& + \sqrt{2} \left(8\sqrt{3} - 16 + \sqrt{3}x^2 \right) x I_0(x) \cdot J_1 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \left(-8 + 8\sqrt{3} - 3x^2 + \sqrt{3}x^2 \right) x I_1(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \\
& \quad \left. -4\sqrt{2} \left(4\sqrt{3} - 8 + \sqrt{3}x^2 - x^2 \right) I_1(x) \cdot J_1 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) \right] + \\
& + \frac{x}{594} \left[33 \left(\sqrt{3}-1 \right) x \left(4\sqrt{3} - 4 + 3x^2 \right) I_0(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \right. \\
& -2\sqrt{2} \left(8\sqrt{3} - 15 \right) \left(4\sqrt{3} - 64 - 33x^2 \right) I_0(x) \cdot J_1 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \\
& -2 \left(-3 + 5\sqrt{3} \right) \left(-116 + 56\sqrt{3} + 33x^2 \right) I_1(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) + \\
& \quad \left. +33\sqrt{2} \left(\sqrt{3}-1 \right) \left(-26 + 26\sqrt{3} - 3x^2 \right) x I_1(x) \cdot J_1 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) \right] \\
& \int x^5 \ln x I_0(x) \cdot J_0 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) dx = \frac{x^2 \ln x}{18} \left[-12x^2 \left(1 + \sqrt{3} \right) I_0(x) \cdot J_0 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) + \right. \\
& + \sqrt{6}x \left(24 + 16\sqrt{3} + 3x^2 \right) I_0(x) \cdot J_1 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) + \left(3 + \sqrt{3} \right) \left(8\sqrt{3} + 3x^2 \right) x I_1(x) \cdot J_0 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) - \\
& \quad \left. -12\sqrt{2} \left(1 + \sqrt{3} \right) \left(2 + 2\sqrt{3} + x^2 \right) I_1(x) \cdot J_1 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) \right] + \\
& + \frac{x}{594} \left[33 \left(1 + \sqrt{3} \right) x \left(4\sqrt{3} + 4 - 3x^2 \right) I_0(x) \cdot J_0 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) + \right. \\
& + 2\sqrt{2} \left(8\sqrt{3} + 15 \right) \left(4\sqrt{3} + 64 + 33x^2 \right) I_0(x) \cdot J_1 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) - \\
& -2 \left(3 + 5\sqrt{3} \right) \left(116 + 56\sqrt{3} - 33x^2 \right) I_1(x) \cdot J_0 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) - \\
& \quad \left. -33\sqrt{2} \left(1 + \sqrt{3} \right) \left(26 + 26\sqrt{3} + 3x^2 \right) x I_1(x) \cdot J_1 \left(\frac{\sqrt{3}-1}{\sqrt{2}} x \right) \right] \\
& \int x^5 \ln x K_0(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) dx = \frac{x^2 \ln x}{18} \left[12 \left(\sqrt{3}-1 \right) x^2 K_0(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \right. \\
& -\sqrt{6} \left(-24 + 16\sqrt{3} - 3x^2 \right) x K_0(x) \cdot J_1 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \left(-3 + \sqrt{3} \right) \left(8\sqrt{3} - 3x^2 \right) x K_1(x) \cdot J_0 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) - \\
& \quad \left. -12\sqrt{2} \left(\sqrt{3}-1 \right) \left(-2 + 2\sqrt{3} - x^2 \right) K_1(x) \cdot J_1 \left(\frac{\sqrt{3}+1}{\sqrt{2}} x \right) \right] +
\end{aligned}$$

$$\begin{aligned}
& + \frac{x}{594} \left[33 (\sqrt{3} - 1) (4\sqrt{3} - 4 + 3x^2) x K_0(x) \cdot J_0 \left(\frac{\sqrt{3} + 1}{\sqrt{2}} x \right) - \right. \\
& - 2\sqrt{2} (-15 + 8\sqrt{3}) (4\sqrt{3} - 64 - 33x^2) K_0(x) \cdot J_1 \left(\frac{\sqrt{3} + 1}{\sqrt{2}} x \right) + \\
& + 2 (-3 + 5\sqrt{3}) (-116 + 56\sqrt{3} + 33x^2) K_1(x) \cdot J_0 \left(\frac{\sqrt{3} + 1}{\sqrt{2}} x \right) - \\
& \left. - 33\sqrt{2} (\sqrt{3} - 1) (-26 + 26\sqrt{3} - 3x^2) x K_1(x) \cdot J_1 \left(\frac{\sqrt{3} + 1}{\sqrt{2}} x \right) \right] \\
& \int x^5 \ln x K_0(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) dx = \frac{x^2 \ln x}{18} \left[-12x^2 (1 + \sqrt{3}) K_0(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) + \right. \\
& + \sqrt{6} (24 + 16\sqrt{3} + 3x^2) x K_0(x) \cdot J_1 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) - (3 + \sqrt{3}) x (8\sqrt{3} + 3x^2) K_1(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) + \\
& \left. + 12\sqrt{2} (1 + \sqrt{3}) (2 + 2\sqrt{3} + x^2) K_1(x) \cdot J_1 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) \right] + \\
& + \frac{x}{594} \left[33 (1 + \sqrt{3}) (4\sqrt{3} + 4 - 3x^2) x K_0(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) + \right. \\
& + 2\sqrt{2} (15 + 8\sqrt{3}) (4\sqrt{3} + 64 + 33x^2) K_0(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) + \\
& + 2 (3 + 5\sqrt{3}) (116 + 56\sqrt{3} - 33x^2) K_0(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) + \\
& \left. + 33\sqrt{2} (1 + \sqrt{3}) x (26\sqrt{3} + 26 + 3x^2) K_0(x) \cdot J_0 \left(\frac{\sqrt{3} - 1}{\sqrt{2}} x \right) \right]
\end{aligned}$$

n = 6

$$\begin{aligned}
& \int x^6 \ln x J_0(x) \cdot I_1 \left(\sqrt{3 + \sqrt{6}} x \right) dx = \\
& = \frac{x^2 \ln x}{70 + 30\sqrt{6}} \left[5\sqrt{3 + \sqrt{6}} (2 + \sqrt{6}) (-8 + x^2 + 4\sqrt{6}) x^2 J_0(x) \cdot I_0 \left(\sqrt{3 + \sqrt{6}} x \right) + \right. \\
& + 10 (5 + 2\sqrt{6}) x (-40 - x^2 + 16\sqrt{6}) J_0(x) \cdot I_1 \left(\sqrt{3 + \sqrt{6}} x \right) - \\
& - 2\sqrt{3 + \sqrt{6}} (1 + \sqrt{6}) x (-8 + 8\sqrt{6} + 5x^2) J_1(x) \cdot I_0 \left(\sqrt{3 + \sqrt{6}} x \right) + \\
& \left. + 5 (2 + \sqrt{6}) (-32 + 8x^2 + x^4 + 16\sqrt{6}) J_1(x) \cdot I_1 \left(\sqrt{3 + \sqrt{6}} x \right) \right] + \\
& + \frac{x}{625 (4 + \sqrt{6})^3 (2 + \sqrt{6}) (11 + 4\sqrt{6})} \cdot \\
& \cdot \left[-\frac{100}{73} \sqrt{3 + \sqrt{6}} (331 + 134\sqrt{6}) x (-1825x^2 + 436\sqrt{6} + 176) J_0(x) \cdot I_0 \left(\sqrt{3 + \sqrt{6}} x \right) + \right. \\
& + 2 (664 + 271\sqrt{6}) (-18552\sqrt{6} + 47168 + 11850x^2\sqrt{6} - 30400x^2 - 625x^4) J_0(x) \cdot I_1 \left(\sqrt{3 + \sqrt{6}} x \right) - \\
& \left. - 4\sqrt{3 + \sqrt{6}} (149 + 61\sqrt{6}) (5472\sqrt{6} - 11448 - 2850x^2 + 3650x^2\sqrt{6} + 625x^4) J_1(x) \cdot I_0 \left(\sqrt{3 + \sqrt{6}} x \right) + \right.
\end{aligned}$$

$$\begin{aligned}
& + \frac{100}{67} \left(1672 + 683\sqrt{6} \right) x \left(1675x^2 - 21804 + 10706\sqrt{6} \right) J_1(x) \cdot I_1 \left(\sqrt{3 + \sqrt{6}x} \right) \Big] \\
& \quad \int x^6 \ln x J_0(x) \cdot I_1 \left(\sqrt{3 - \sqrt{6}x} \right) dx = \\
& = \frac{x^2 \ln x}{70 - 30\sqrt{6}} \left[5\sqrt{3 - \sqrt{6}} (2 - \sqrt{6}) (-8 + x^2 + 4\sqrt{6}) x^2 J_0(x) \cdot I_0 \left(\sqrt{3 - \sqrt{6}x} \right) - \right. \\
& \quad - 10 (5 - 2\sqrt{6}) x (40 + x^2 + 16\sqrt{6}) J_0(x) \cdot I_1 \left(\sqrt{3 - \sqrt{6}x} \right) + \\
& \quad + 2\sqrt{3 - \sqrt{6}} (1 - \sqrt{6}) x (8 + 8\sqrt{6} - 5x^2) J_1(x) \cdot I_0 \left(\sqrt{3 - \sqrt{6}x} \right) + \\
& \quad \left. + 5 (2 - \sqrt{6}) (-32 + 8x^2 + x^4 - 16\sqrt{6}) J_1(x) \cdot I_1 \left(\sqrt{3 - \sqrt{6}x} \right) \right] + \\
& \quad + \frac{x}{625 (4 - \sqrt{6})^4 (-2 + \sqrt{6})} \cdot \\
& \cdot \left[\frac{100}{73} \sqrt{3 - \sqrt{6}} (-104 + 41\sqrt{6}) x (1825x^2 - 176 + 436\sqrt{6}) J_0(x) \cdot I_0 \left(\sqrt{3 - \sqrt{6}x} \right) - \right. \\
& - 4 (-103 + 42\sqrt{6}) (-18552\sqrt{6} - 47168 + 11850x^2\sqrt{6} + 30400x^2 + 625x^4) J_0(x) \cdot I_1 \left(\sqrt{3 - \sqrt{6}x} \right) + \\
& + 4\sqrt{3 - \sqrt{6}} (-46 + 19\sqrt{6}) (11448 + 5472\sqrt{6} + 3650x^2\sqrt{6} + 2850x^2 - 625x^4) J_1(x) \cdot I_0 \left(\sqrt{3 - \sqrt{6}x} \right) - \\
& \left. - \frac{200}{67} (-259 + 106\sqrt{6}) x (-1675x^2 + 10706\sqrt{6} + 21804) J_1(x) \cdot I_1 \left(\sqrt{3 - \sqrt{6}x} \right) \right] \\
& \quad \int x^6 \ln x J_0(x) \cdot K_1 \left(\sqrt{3 + \sqrt{6}x} \right) dx = \\
& = \frac{x^2 \ln x}{70 + 30\sqrt{6}} \left[-5\sqrt{3 + \sqrt{6}} (2 + \sqrt{6}) (-8 + x^2 + 4\sqrt{6}) x^2 J_0(x) \cdot K_0 \left(\sqrt{3 + \sqrt{6}x} \right) + \right. \\
& \quad + 10 (5 + 2\sqrt{6}) x (-40 - x^2 + 16\sqrt{6}) J_0(x) \cdot K_1 \left(\sqrt{3 + \sqrt{6}x} \right) + \\
& \quad + 2\sqrt{3 + \sqrt{6}} (\sqrt{6} + 1) x (8\sqrt{6} - 8 + 5x^2) J_1(x) \cdot K_0 \left(\sqrt{3 + \sqrt{6}x} \right) + \\
& \quad \left. + 5 (2 + \sqrt{6}) (-32 + 8x^2 + x^4 + 16\sqrt{6}) J_1(x) \cdot K_1 \left(\sqrt{3 + \sqrt{6}x} \right) \right] + \\
& + \frac{x}{152843750} \cdot \left[670\sqrt{3 + \sqrt{6}} (-337 + 143\sqrt{6}) x (176 + 436\sqrt{6} - 1825x^2) J_0(x) \cdot K_0 \left(\sqrt{3 + \sqrt{6}x} \right) + \right. \\
& + 4891 (3\sqrt{6} - 2) (47168 - 18552\sqrt{6} + 11850x^2\sqrt{6} - 30400x^2 - 625x^4) J_0(x) \cdot K_1 \left(\sqrt{3 + \sqrt{6}x} \right) - \\
& - 9782\sqrt{3 + \sqrt{6}} (4\sqrt{6} - 11) (-11448 + 5472\sqrt{6} - 2850x^2 + 3650x^2\sqrt{6} + 625x^4) J_1(x) \cdot K_0 \left(\sqrt{3 + \sqrt{6}x} \right) - \\
& \left. - 730 (37\sqrt{6} - 158) x (-21804 + 10706\sqrt{6} + 1675x^2) J_1(x) \cdot K_1 \left(\sqrt{3 + \sqrt{6}x} \right) \right] \\
& \quad \int x^6 \ln x J_0(x) \cdot K_1 \left(\sqrt{3 - \sqrt{6}x} \right) dx = \\
& = \frac{x^2 \ln x}{70 - 30\sqrt{6}} \left[-5\sqrt{3 - \sqrt{6}} (-2 + \sqrt{6}) (8 - x^2 + 4\sqrt{6}) x^2 J_0(x) \cdot K_0 \left(\sqrt{3 - \sqrt{6}x} \right) + \right.
\end{aligned}$$

$$\begin{aligned}
& +10 \left(-5 + 2\sqrt{6}\right) \left(40 + x^2 + 16\sqrt{6}\right) x J_0(x) \cdot K_1 \left(\sqrt{3 - \sqrt{6}x}\right) + \\
& +2\sqrt{3 - \sqrt{6}} \left(-1 + \sqrt{6}\right) \left(8 - 5x^2 + 8\sqrt{6}\right) x J_1(x) \cdot K_0 \left(\sqrt{3 - \sqrt{6}x}\right) + \\
& +5 \left(-2 + \sqrt{6}\right) \left(32 - 8x^2 - x^4 + 16\sqrt{6}\right) J_1(x) \cdot K_1 \left(\sqrt{3 - \sqrt{6}x}\right) \Big] + \frac{x}{61180296250 - 24977725625\sqrt{6}} \cdot \\
& \cdot \left[1675\sqrt{3 - \sqrt{6}} \left(867\sqrt{6} - 2128\right) \left(436\sqrt{6} - 176 + 1825x^2\right) x J_0(x) \cdot K_0 \left(\sqrt{3 - \sqrt{6}x}\right) + \right. \\
& +4891 \left(874\sqrt{6} - 2141\right) \left(-47168 - 18552\sqrt{6} + 30400x^2 + 11850x^2\sqrt{6} + 625x^4\right) J_0(x) \cdot K_1 \left(\sqrt{3 - \sqrt{6}x}\right) + \\
& +4891\sqrt{3 - \sqrt{6}} \left(393\sqrt{6} - 962\right) \left(11448 + 5472\sqrt{6} + 3650x^2\sqrt{6} + 2850x^2 - 625x^4\right) J_1(x) \cdot K_0 \left(\sqrt{3 - \sqrt{6}x}\right) + \\
& \left. +3650 \left(2202\sqrt{6} - 5393\right) \left(10706\sqrt{6} + 21804 - 1675x^2\right) x J_1(x) \cdot K_1 \left(\sqrt{3 - \sqrt{6}x}\right) \Big] \\
& \int x^6 \ln x K_0(x) \cdot J_1 \left(\sqrt{3 + \sqrt{6}x}\right) dx = \\
& = \frac{x^2 \ln x}{70 + 30\sqrt{6}} \left[5\sqrt{3 + \sqrt{6}} \left(2 + \sqrt{6}\right) \left(-8 - x^2 + 4\sqrt{6}\right) x^2 K_0(x) \cdot J_0 \left(\sqrt{3 + \sqrt{6}x}\right) - \right. \\
& -10 \left(5 + 2\sqrt{6}\right) \left(x - 4 + 2\sqrt{6}\right) \left(-x - 4 + 2\sqrt{6}\right) x K_0(x) \cdot J_1 \left(\sqrt{3 + \sqrt{6}x}\right) - \\
& -2\sqrt{3 + \sqrt{6}} \left(1 + \sqrt{6}\right) \left(8\sqrt{6} - 8 - 5x^2\right) x K_1(x) \cdot J_0 \left(\sqrt{3 + \sqrt{6}x}\right) - \\
& \left. -5 \left(2 + \sqrt{6}\right) \left(-32 - 8x^2 + x^4 + 16\sqrt{6}\right) K_1(x) \cdot J_1 \left(\sqrt{3 + \sqrt{6}x}\right) \right] + \\
& + \frac{x}{152843750} \left[670\sqrt{3 + \sqrt{6}} \left(-337 + 143\sqrt{6}\right) \left(176 + 436\sqrt{6} + 1825x^2\right) x K_0(x) \cdot J_0 \left(\sqrt{3 + \sqrt{6}x}\right) + \right. \\
& +4891 \left(3\sqrt{6} - 2\right) \left(-47168 + 18552\sqrt{6} - 30400x^2 + 11850x^2\sqrt{6} + 625x^4\right) K_0(x) \cdot J_1 \left(\sqrt{3 + \sqrt{6}x}\right) - \\
& -9782\sqrt{3 + \sqrt{6}} \left(-11 + 4\sqrt{6}\right) \left(-5472\sqrt{6} + 11448 - 2850x^2 + 3650x^2\sqrt{6} - 625x^4\right) K_1(x) \cdot J_0 \left(\sqrt{3 + \sqrt{6}x}\right) + \\
& \left. +730 \left(37\sqrt{6} - 158\right) \left(-21804 + 10706\sqrt{6} - 1675x^2\right) x K_1(x) \cdot J_1 \left(\sqrt{3 + \sqrt{6}x}\right) \right] \\
& \int x^6 \ln x K_0(x) \cdot J_1 \left(\sqrt{3 - \sqrt{6}x}\right) dx = \\
& = \frac{x^2 \ln x}{70 - 30\sqrt{6}} \left[5\sqrt{3 - \sqrt{6}} \left(-2 + \sqrt{6}\right) \left(8 + x^2 + 4\sqrt{6}\right) x^2 K_0(x) \cdot J_0 \left(\sqrt{3 - \sqrt{6}x}\right) + \right. \\
& +10 \left(-5 + 2\sqrt{6}\right) \left(-x + 4 + 2\sqrt{6}\right) x \left(x + 4 + 2\sqrt{6}\right) K_0(x) \cdot J_1 \left(\sqrt{3 - \sqrt{6}x}\right) + \\
& +2\sqrt{3 - \sqrt{6}} \left(-1 + \sqrt{6}\right) x \left(8 + 5x^2 + 8\sqrt{6}\right) K_1(x) \cdot J_0 \left(\sqrt{3 - \sqrt{6}x}\right) - \\
& \left. -5 \left(-2 + \sqrt{6}\right) \left(32 + 8x^2 - x^4 + 16\sqrt{6}\right) K_1(x) \cdot J_1 \left(\sqrt{3 - \sqrt{6}x}\right) \right] + \\
& + \frac{x}{152843750} \left[670\sqrt{3 - \sqrt{6}} \left(337 + 143\sqrt{6}\right) \left(436\sqrt{6} - 176 - 1825x^2\right) x K_0(x) \cdot J_0 \left(\sqrt{3 - \sqrt{6}x}\right) + \right.
\end{aligned}$$

$$\begin{aligned}
& +4891 \left(3\sqrt{6} + 2 \right) \left(47168 + 18552\sqrt{6} + 30400x^2 + 11850x^2\sqrt{6} - 625x^4 \right) K_0(x) \cdot J_1 \left(\sqrt{3 - \sqrt{6}}x \right) - \\
& -9782 \sqrt{3 - \sqrt{6}} \left(11 + 4\sqrt{6} \right) \left(-11448 - 5472\sqrt{6} + 3650x^2\sqrt{6} + 2850x^2 + 625x^4 \right) K_1(x) \cdot J_0 \left(\sqrt{3 - \sqrt{6}}x \right) + \\
& +730 \left(158 + 37\sqrt{6} \right) x \left(10706\sqrt{6} + 21804 + 1675x^2 \right) K_1(x) \cdot J_1 \left(\sqrt{3 - \sqrt{6}}x \right) \Big]
\end{aligned}$$

2.4.4. Integrals of the type $\int x^{-1} \cdot \exp/\sin/\cos(2x) Z_\nu(x) Z_1(x) dx$

$$\begin{aligned} \int \frac{e^{2x} I_0(x) I_1(x) dx}{x} &= e^{2x} [(1-x) I_0^2(x) + (2x-1) I_0(x) I_1(x) - x I_1^2(x)] \\ \int \frac{e^{2x} K_0(x) K_1(x) dx}{x} &= e^{2x} [(x-1) K_0^2(x) + (2x-1) K_0(x) K_1(x) + x K_1^2(x)] \\ \int \frac{e^{-2x} I_0(x) I_1(x) dx}{x} &= -e^{-2x} [(1+x) I_0^2(x) + (2x+1) I_0(x) I_1(x) + x I_1^2(x)] \\ \int \frac{e^{-2x} K_0(x) K_1(x) dx}{x} &= e^{-2x} [(1+x) K_0^2(x) - (2x+1) K_0(x) K_1(x) + x K_1^2(x)] \\ \int \frac{e^{2x} I_1^2(x) dx}{x} &= \frac{e^{2x}}{2} [(1-2x) I_0^2(x) + 4x I_0(x) I_1(x) - (2x+1) I_1^2(x)] \\ \int \frac{e^{2x} K_1^2(x) dx}{x} &= \frac{e^{2x}}{2} [(1-2x) K_0^2(x) - 4x K_0(x) K_1(x) - (2x+1) K_1^2(x)] \\ \int \frac{e^{-2x} I_1^2(x) dx}{x} &= \frac{e^{-2x}}{2} [(1+2x) I_0^2(x) + 4x I_0(x) I_1(x) + (2x-1) I_1^2(x)] \\ \int \frac{e^{-2x} K_1^2(x) dx}{x} &= \frac{e^{-2x}}{2} [(1+2x) K_0^2(x) - 4x K_0(x) K_1(x) + (2x-1) K_1^2(x)] \\ \int \frac{\sin 2x J_0(x) J_1(x) dx}{x} &= \sin 2x [-x J_0^2(x) - J_0(x) J_1(x) + x J_1^2(x)] + \cos 2x [2x J_0(x) J_1(x) - J_0^2(x)] \\ \int \frac{\cos 2x J_0(x) J_1(x) dx}{x} &= \sin 2x [J_0^2(x) - 2x J_0(x) J_1(x)] - \cos 2x [x J_0^2(x) + J_0(x) J_1(x) - x J_1^2(x)] \\ \int \frac{\sin 2x J_1^2(x) dx}{x} &= \frac{\sin 2x}{2} [-J_0^2(x) + 4x J_0(x) J_1(x) - J_1^2(x)] + x \cos 2x [J_0^2(x) - J_1^2(x)] \\ \int \frac{\cos 2x J_1^2(x) dx}{x} &= \frac{\cos 2x}{2} [-J_0^2(x) + 4x J_0(x) J_1(x) - J_1^2(x)] - x \sin 2x [J_0^2(x) - J_1^2(x)] \end{aligned}$$

From this:

$$\begin{aligned} &\int \frac{\sin^2 x J_0(x) J_1(x) dx}{x} = \\ &= \frac{1}{2} [x J_0^2(x) - J_0(x) J_1(x) + x J_1^2(x)] + \frac{\sin 2x}{2} [J_0^2(x) - 2x J_0(x) J_1(x)] + \\ &\quad + \frac{\cos 2x}{2} [x J_0^2(x) + J_0(x) J_1(x) - x J_1^2(x)] \\ &\quad \int \frac{\cos^2 x J_0(x) J_1(x) dx}{x} = \\ &= \frac{1}{2} [x J_0^2(x) - J_0(x) J_1(x) + x J_1^2(x)] + \frac{\sin 2x}{2} [J_0^2(x) - 2x J_0(x) J_1(x)] - \\ &\quad - \frac{\cos 2x}{2} [x J_0^2(x) + J_0(x) J_1(x) - x J_1^2(x)] \\ &\quad \int \frac{\sin^2 x J_1^2(x) dx}{x} = \\ &= -\frac{J_0^2(x) + J_1^2(x)}{4} + \frac{\cos 2x}{4} [J_0^2(x) - 4x J_0(x) J_1(x) + J_1^2(x)] + \frac{x \sin 2x}{2} [J_0^2(x) - J_1^2(x)] \\ &\quad \int \frac{\cos^2 x J_1^2(x) dx}{x} = \\ &= -\frac{J_0^2(x) + J_1^2(x)}{4} - \frac{\cos 2x}{4} [J_0^2(x) - 4x J_0(x) J_1(x) + J_1^2(x)] - \frac{x \sin 2x}{2} [J_0^2(x) - J_1^2(x)] \end{aligned}$$

2.3.5. Some Cases of $\int x^n \cdot \exp(\alpha x) \cdot Z_\mu(x) Z_\nu(\beta x) dx$

n = 1 :

$$\begin{aligned}
 & \int x e^{4x} I_0(x) I_1(3x) dx = \\
 &= \frac{e^{4x}}{16} \left[-4x I_0(x) I_0(3x) + (4x + 3) I_0(x) I_1(3x) + (4x - 1) I_0(x) I_1(3x) - 4x I_1(x) I_1(3x) \right] \\
 & \int x e^{-4x} I_0(x) I_1(3x) dx = \\
 &= \frac{e^{-4x}}{16} \left[4x I_0(x) I_0(3x) + (4x - 3) I_0(x) I_1(3x) + (4x + 1) I_0(x) I_1(3x) + 4x I_1(x) I_1(3x) \right] \\
 & \int x e^{4x} K_0(x) K_1(3x) dx = \\
 &= \frac{e^{4x}}{16} \left[4x K_0(x) K_0(3x) + (4x + 3) K_0(x) K_1(3x) + (4x - 1) K_0(x) K_1(3x) + 4x K_1(x) K_1(3x) \right] \\
 & \int x e^{-4x} K_0(x) K_1(3x) dx = \\
 &= \frac{e^{-4x}}{16} \left[-4x K_0(x) K_0(3x) + (4x - 3) K_0(x) K_1(3x) + (4x + 1) K_0(x) K_1(3x) - 4x K_1(x) K_1(3x) \right] \\
 & \int x e^{4x} I_0(x) K_1(3x) dx = \\
 &= \frac{e^{4x}}{16} \left[4x I_0(x) K_0(3x) + (4x + 3) I_0(x) K_1(3x) - (4x - 1) I_0(x) K_1(3x) - 4x I_1(x) K_1(3x) \right] \\
 & \int x e^{-4x} I_0(x) K_1(3x) dx = \\
 &= \frac{e^{-4x}}{16} \left[-4x I_0(x) K_0(3x) + (4x - 3) I_0(x) K_1(3x) - (4x + 1) I_0(x) K_1(3x) + 4x I_1(x) K_1(3x) \right] \\
 & \int x e^{4x} K_0(x) I_1(3x) dx = \\
 &= \frac{e^{4x}}{16} \left[-4x K_0(x) I_0(3x) + (4x + 3) K_0(x) I_1(3x) - (4x - 1) K_0(x) I_1(3x) + 4x K_1(x) I_1(3x) \right] \\
 & \int x e^{-4x} K_0(x) I_1(3x) dx = \\
 &= \frac{e^{-4x}}{16} \left[4x K_0(x) I_0(3x) + (4x - 3) K_0(x) I_1(3x) - (4x + 1) K_0(x) I_1(3x) - 4x K_1(x) I_1(3x) \right]
 \end{aligned}$$

n = 2 :

$$\begin{aligned}
 & \int x^2 \exp\left(\frac{8x}{3}\right) \cdot I_0(x) I_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(\frac{5x}{3}\right) \left[(-64x^2 + 24x) I_0(x) I_0\left(\frac{5x}{3}\right) + \right. \\
 & \left. + (64x^2 + 120x - 45) I_0(x) I_1\left(\frac{5x}{3}\right) + (64x^2 - 72x + 27) I_1(x) I_0\left(\frac{5x}{3}\right) + (-64x^2 + 24x) I_1(x) I_1\left(\frac{5x}{3}\right) \right] \\
 & \int x^2 \exp\left(-\frac{8x}{3}\right) \cdot I_0(x) I_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(-\frac{8x}{3}\right) \left[(64x^2 + 24x) I_0(x) I_0\left(\frac{5x}{3}\right) + \right. \\
 & \left. + (64x^2 - 120x - 45) I_0(x) I_1\left(\frac{5x}{3}\right) + (64x^2 + 72x + 27) I_1(x) I_0\left(\frac{5x}{3}\right) + (64x^2 + 24x) I_1(x) I_1\left(\frac{5x}{3}\right) \right] \\
 & \int x^2 \exp\left(\frac{8x}{3}\right) \cdot I_0(x) K_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(\frac{8x}{3}\right) \left[(64x^2 - 24x) I_0(x) K_0\left(\frac{5x}{3}\right) + \right.
 \end{aligned}$$

$$\begin{aligned}
& +(64x^2 + 120x - 45) I_0(x) K_1\left(\frac{5x}{3}\right) - (64x^2 - 72x + 27) I_1(x) K_0\left(\frac{5x}{3}\right) + (-64x^2 + 24x) I_1(x) K_1\left(\frac{5x}{3}\right) \Big] \\
& \int x^2 \exp\left(-\frac{8x}{3}\right) \cdot I_0(x) K_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(-\frac{8x}{3}\right) \left[-(64x^2 + 24x) I_0(x) K_0\left(\frac{5x}{3}\right) + \right. \\
& +(64x^2 - 120x - 45) I_0(x) K_1\left(\frac{5x}{3}\right) - (64x^2 + 72x + 27) I_1(x) K_0\left(\frac{5x}{3}\right) + (64x^2 + 24x) I_1(x) K_1\left(\frac{5x}{3}\right) \Big] \\
& \int x^2 \exp\left(\frac{8x}{3}\right) \cdot K_0(x) I_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(\frac{8x}{3}\right) \left[(-64x^2 + 24x) K_0(x) I_0\left(\frac{5x}{3}\right) + \right. \\
& +(64x^2 + 120x - 45) K_0(x) I_1\left(\frac{5x}{3}\right) - (64x^2 - 72x + 27) K_1(x) I_0\left(\frac{5x}{3}\right) + (64x^2 - 24x) K_1(x) I_1\left(\frac{5x}{3}\right) \Big] \\
& \int x^2 \exp\left(-\frac{8x}{3}\right) \cdot K_0(x) I_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(-\frac{8x}{3}\right) \left[(64x^2 + 24x) K_0(x) I_0\left(\frac{5x}{3}\right) + \right. \\
& +(64x^2 - 120x - 45) K_0(x) I_1\left(\frac{5x}{3}\right) - (64x^2 + 72x + 27) K_1(x) I_0\left(\frac{5x}{3}\right) - (64x^2 + 24x) K_1(x) I_1\left(\frac{5x}{3}\right) \Big] \\
& \int x^2 \exp\left(\frac{8x}{3}\right) \cdot K_0(x) K_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(\frac{8x}{3}\right) \left[(64x^2 - 24x) K_0(x) K_0\left(\frac{5x}{3}\right) + \right. \\
& +(64x^2 + 120x - 45) K_0(x) K_1\left(\frac{5x}{3}\right) + (64x^2 - 72x + 27) K_1(x) K_0\left(\frac{5x}{3}\right) + \\
& \left. +(64x^2 - 24x) K_1(x) K_1\left(\frac{5x}{3}\right) \right] \\
& \int x^2 \exp\left(-\frac{8x}{3}\right) \cdot K_0(x) K_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \exp\left(-\frac{8x}{3}\right) \left[-(64x^2 + 24x) K_0(x) K_0\left(\frac{5x}{3}\right) + \right. \\
& +(64x^2 - 120x - 45) K_0(x) K_1\left(\frac{5x}{3}\right) + (64x^2 + 72x + 27) K_1(x) K_0\left(\frac{5x}{3}\right) - \\
& \left. -(64x^2 + 24x) K_1(x) K_1\left(\frac{5x}{3}\right) \right]
\end{aligned}$$

n = 3 :

$$8/\sqrt{51} = 1.12022\ 40672, \quad \sqrt{35/51} = 0.82841\ 68696$$

$$\begin{aligned}
& \int x^3 \exp\left(\frac{8x}{\sqrt{51}}\right) \cdot J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) dx = \\
& = \frac{x}{20480} \exp\left(\frac{8x}{\sqrt{51}}\right) \left[\sqrt{35} (-64\sqrt{51}x^2 + 408x) J_0(x) J_0\left(\sqrt{\frac{35}{51}} x\right) + \right. \\
& \left. +(1600\sqrt{51}x^2 - 14280x + 1785\sqrt{51}) J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) + \right. \\
& \left. +\sqrt{35} (-1088x^2 + 408\sqrt{51}x - 2601) J_1(x) J_0\left(\sqrt{\frac{35}{51}} x\right) + (5440x^2 - 680\sqrt{51}x) J_1(x) J_1\left(\sqrt{\frac{35}{51}} x\right) \right]
\end{aligned}$$

n = 4 :

$$2\sqrt{3}/5 = 0.69282\ 03230, \quad \sqrt{13}/5 = 0.72111\ 02551$$

$$\begin{aligned}
& \int x^4 \exp\left(\frac{2\sqrt{3}x}{5}\right) \cdot J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) dx = \\
& = \frac{x}{96} \exp\left(\frac{2\sqrt{3}x}{5}\right) \left[(40\sqrt{3}x^3 - 180x^2 + 150\sqrt{3}x) J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + \right.
\end{aligned}$$

$$\begin{aligned}
& +\sqrt{13} (20 \sqrt{3} x^2 - 150 x + 125 \sqrt{3}) J_0(x) J_1 \left(\frac{\sqrt{13} x}{5} \right) + \\
& +(48 x^3 - 140 \sqrt{3} x^2 + 750 x - 625 \sqrt{3}) J_1(x) J_0 \left(\frac{\sqrt{13} x}{5} \right) + \\
& \left. +\sqrt{13} (8 \sqrt{3} x^3 - 60 x^2 + 50 \sqrt{3} x) J_1(x) J_1 \left(\frac{\sqrt{13} x}{5} \right) \right]
\end{aligned}$$

$$4/\sqrt{5} = 1.78885\ 43820, \quad \sqrt{7/15} = 0.68313\ 00511$$

$$\begin{aligned}
& \int x^4 \exp \left(\frac{4x}{\sqrt{5}} \right) \cdot J_0(x) J_1 \left(\sqrt{\frac{7}{15}} x \right) dx = \\
& = \frac{x}{7168} \exp \left(\frac{4x}{\sqrt{5}} \right) \left[\sqrt{21} (-64 \sqrt{5} x^3 + 240 x^2 - 60 \sqrt{5} x) J_0(x) J_0 \left(\sqrt{\frac{7}{15}} x \right) + \right. \\
& \quad + (1344 \sqrt{5} x^3 - 3360 x^2 + 1260 \sqrt{5} x - 1575) J_0(x) J_1 \left(\sqrt{\frac{7}{15}} x \right) + \\
& \quad + \sqrt{21} (-192 x^3 + 288 \sqrt{5} x^2 - 900 x + 225 \sqrt{5}) J_1(x) J_0 \left(\sqrt{\frac{7}{15}} x \right) + \\
& \quad \left. + (1344 x^3 - 1008 \sqrt{5} x^2 + 1260 x) J_1(x) J_1 \left(\sqrt{\frac{7}{15}} x \right) \right]
\end{aligned}$$

2.4.6. Some Cases of $\int x^n \cdot \left\{ \begin{array}{l} \sin / \cos \\ \sinh / \cosh \end{array} \right\} \alpha x \cdot Z_\mu(x) Z_\nu(\beta x) dx$

Some integrals, where α and β are roots of cubic equations, are left out.

With the integral $\int w(\alpha x) Z_\nu(x) Z_\nu(\beta x) dx$ the integral

$$\int w\left(\frac{\alpha}{\beta}x\right) Z_\nu(x) Z_\nu\left(\frac{x}{\beta}\right) dx$$

may be found. So in the following tables only one of both integrals is given.

Numerical values of the coefficients:

α		β		α/β	$1/\beta$
$8/\sqrt{51}$	1.12022 40672	$\sqrt{35/51}$	0.82841 68696	1.35224 68076	1.20712 17242
$2\sqrt{3/13}$	0.96076 89228	$5/\sqrt{13}$	1.38675 04906	0.69282 03230	0.72111 02551
$4/\sqrt{5}$	1.78885 43820	$\sqrt{7/15}$	0.68313 00511	2.61861 46828	1.46385 01094
$2/\sqrt{7}$	0.75592 89460	$\sqrt{3/7}$	0.65465 36707	1.15470 05384	1.52752 52317
$2\sqrt{3/5}$	0.69282 03230	$\sqrt{13/5}$	0.72111 02551	.96076 89228	1.38675 04906
$4/\sqrt{11}$	1.20604 53783	$\sqrt{3/11}$	0.52223 29679	2.30940 10768	1.91485 42155

2.4.6 a) $\int x^n \cdot \left\{ \begin{array}{l} \sin \\ \cos \end{array} \right\} \alpha x \cdot Z_\mu(x) Z_\nu(\beta x) dx:$

n = 1 :

$$\begin{aligned} \int x \sin 4x \cdot J_0(x) J_1(3x) dx &= \frac{x^2 \sin 4x}{4} [J_0(x) J_1(3x) + J_1(x) J_0(3x)] + \\ &+ \frac{x \cos 4x}{16} [4x J_0(x) J_0(3x) - 3 J_0(x) J_1(3x) + J_1(x) J_0(3x) - 4x J_1(x) J_1(3x)] \\ \int x \cos 4x \cdot J_0(x) J_1(3x) dx &= \frac{x^2 \cos 4x}{4} [J_0(x) J_1(3x) + J_1(x) J_0(3x)] + \\ &- \frac{x \sin 4x}{16} [4x J_0(x) J_0(3x) - 3 J_0(x) J_1(3x) + J_1(x) J_0(3x) - 4x J_1(x) J_1(3x)] \end{aligned}$$

n = 2 :

$$\begin{aligned} \int x^2 \sin \frac{8x}{3} \cdot J_0(x) J_1\left(\frac{5x}{3}\right) dx &= \frac{x}{512} \cdot \sin \frac{8x}{3} \cdot \\ &\cdot \left[-24x J_0(x) J_0\left(\frac{5x}{3}\right) + (64x^2 + 45) J_0(x) J_1\left(\frac{5x}{3}\right) + (64x^2 - 27) J_1(x) J_0\left(\frac{5x}{3}\right) + 24x J_1(x) J_1\left(\frac{5x}{3}\right) \right] + \\ &+ \frac{x^2}{64} \cdot \cos \frac{8x}{3} \left[8x J_0(x) J_0\left(\frac{5x}{3}\right) - 15 J_0(x) J_1\left(\frac{5x}{3}\right) + 9 J_1(x) J_0\left(\frac{5x}{3}\right) - 8x J_1(x) J_1\left(\frac{5x}{3}\right) \right] \\ \int x^2 \cos \frac{8x}{3} \cdot J_0(x) J_1\left(\frac{5x}{3}\right) dx &= \frac{x}{512} \cdot \cos \frac{8x}{3} \cdot \\ &\cdot \left[-24x J_0(x) J_0\left(\frac{5x}{3}\right) + (64x^2 + 45) J_0(x) J_1\left(\frac{5x}{3}\right) + (64x^2 - 27) J_1(x) J_0\left(\frac{5x}{3}\right) + 24x J_1(x) J_1\left(\frac{5x}{3}\right) \right] - \\ &- \frac{x^2}{64} \cdot \sin \frac{8x}{3} \left[8x J_0(x) J_0\left(\frac{5x}{3}\right) - 15 J_0(x) J_1\left(\frac{5x}{3}\right) + 9 J_1(x) J_0\left(\frac{5x}{3}\right) - 8x J_1(x) J_1\left(\frac{5x}{3}\right) \right] \end{aligned}$$

n = 3 :

$$\begin{aligned} \int x^3 \sin\left(\frac{8x}{\sqrt{51}}\right) \cdot I_0(x) I_1\left(\sqrt{\frac{35}{51}}x\right) dx &= \frac{x^2}{2560} \left[8\sqrt{1785}x I_0(x) I_0\left(\sqrt{\frac{35}{51}}x\right) + 1785 I_0(x) I_1\left(\sqrt{\frac{35}{51}}x\right) - \right. \\ &\left. - 51\sqrt{1785} I_1(x) I_0\left(\sqrt{\frac{35}{51}}x\right) + 680x I_1(x) I_1\left(\sqrt{\frac{35}{51}}x\right) \right] \sin\left(\frac{8x}{\sqrt{51}}\right) + \end{aligned}$$

$$\begin{aligned}
& + \frac{x}{20480} \left[408 \sqrt{35} x I_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + \sqrt{51} (1785 - 1600 x^2) I_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + \sqrt{35} (1088 x^2 - 2601) I_1(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 \sqrt{51} x I_1(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \cos \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \cos \left(\frac{8x}{\sqrt{51}} \right) \cdot I_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) dx = \frac{x}{20480} \left[-408 \sqrt{35} x I_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + \sqrt{51} (1600 x^2 - 1785) I_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) + \sqrt{35} (2601 - 1088 x^2) I_1(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) - \\
& - 680 \sqrt{51} x I_1(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \sin \left(\frac{8x}{\sqrt{51}} \right) + \frac{x^2}{2560} \left[8 \sqrt{1785} x I_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + 1785 I_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) - 51 \sqrt{1785} I_1(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 x I_1(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \cos \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \sin \left(\frac{8x}{\sqrt{51}} \right) \cdot K_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) dx = - \frac{x^2}{2560} \left[8 \sqrt{1785} x K_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - \right. \\
& - 1785 K_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + 51 \sqrt{1785} K_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 x K_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \sin \left(\frac{8x}{\sqrt{51}} \right) - \\
& - \frac{x}{20480} \left[408 \sqrt{35} x K_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - \sqrt{51} (1785 - 1600 x^2) K_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& - \sqrt{35} (1088 x^2 - 2601) K_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 \sqrt{51} x K_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \cos \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \cos \left(\frac{8x}{\sqrt{51}} \right) \cdot K_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) dx = \frac{x}{20480} \left[408 \sqrt{35} x K_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + \sqrt{51} (1600 x^2 - 1785) K_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + \sqrt{35} (2601 - 1088 x^2) K_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + \\
& + 680 \sqrt{51} x K_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \sin \left(\frac{8x}{\sqrt{51}} \right) - \frac{x^2}{2560} \left[8 \sqrt{1785} x K_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - \right. \\
& - 1785 K_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + 51 \sqrt{1785} K_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 x K_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \cos \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \sin \left(\frac{8x}{\sqrt{51}} \right) \cdot I_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) dx = \frac{x^2}{2560} \left[-8 \sqrt{1785} x I_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + 1785 I_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + 51 \sqrt{1785} I_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 x I_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \sin \left(\frac{8x}{\sqrt{51}} \right) - \\
& - \frac{x}{20480} \left[408 \sqrt{35} x I_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - \sqrt{51} (1785 - 1600 x^2) I_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + \sqrt{35} (1088 x^2 - 2601) I_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - 680 \sqrt{51} x I_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \left. \right] \cos \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \cos \left(\frac{8x}{\sqrt{51}} \right) \cdot I_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) dx = \frac{x^2}{2560} \left[-8 \sqrt{1785} x I_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + \right.
\end{aligned}$$

$$\begin{aligned}
& +1785 I_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + 51\sqrt{1785} I_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + 680x I_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \Big] \cos \left(\frac{8x}{\sqrt{51}} \right) + \\
& + \frac{x}{20480} \left[408 \sqrt{35} x I_0(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - \sqrt{51} (1785 - 1600x^2) I_0(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + \sqrt{35} (1088x^2 - 2601) I_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) - 680 \sqrt{51} x I_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \Big] \sin \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \sin \left(\frac{8x}{\sqrt{51}} \right) \cdot K_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) dx = \frac{x^2}{2560} \left[8\sqrt{1785} x K_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + 1785 K_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) + 51\sqrt{1785} K_1(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) - 680x K_1(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) \Big] \sin \left(\frac{8x}{\sqrt{51}} \right) + \\
& + \frac{x}{20480} \left[408 \sqrt{35} x K_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + \sqrt{51} (1785 - 1600x^2) K_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) - \right. \\
& - \sqrt{35} (1088x^2 - 2601) K_1(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) - 680 \sqrt{51} x K_1(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) \Big] \cos \left(\frac{8x}{\sqrt{51}} \right) \\
& \int x^3 \cos \left(\frac{8x}{\sqrt{51}} \right) \cdot K_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) dx = \frac{x^2}{2560} \left[8\sqrt{1785} x K_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + 1785 K_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) + 51\sqrt{1785} K_1(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) - 680x K_1(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) \Big] \cos \left(\frac{8x}{\sqrt{51}} \right) + \\
& + \frac{x}{20480} \left[-408 \sqrt{35} x K_0(x) I_0 \left(\sqrt{\frac{35}{51}} x \right) - \sqrt{51} (1785 - 1600x^2) K_0(x) I_1 \left(\sqrt{\frac{35}{51}} x \right) + \right. \\
& + \sqrt{35} (1088x^2 - 2601) I_1(x) K_0 \left(\sqrt{\frac{35}{51}} x \right) + 680 \sqrt{51} x I_1(x) K_1 \left(\sqrt{\frac{35}{51}} x \right) \Big] \sin \left(\frac{8x}{\sqrt{51}} \right)
\end{aligned}$$

n = 4 :

$$\begin{aligned}
& \int x^4 \sin \left(2\sqrt{\frac{3}{13}} x \right) I_0(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) dx = \frac{x^2}{80} \left[78x I_0(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) + \sqrt{13}(8x^2 - 65) I_0(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) + \right. \\
& + 169 I_1(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) - 26 \sqrt{13} x I_1(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) \Big] \sin \left(2\sqrt{\frac{3}{13}} x \right) + \frac{x}{480} \left[\sqrt{39} x (78 - 40x^2) I_0(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) + \right. \\
& + \sqrt{3} (364x^2 - 845) I_0(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) + \sqrt{39} (169 - 52x^2) I_1(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) + \\
& \left. + \sqrt{3} x (104x^2 - 338) I_1(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) \right] \cos \left(2\sqrt{\frac{3}{13}} x \right) \\
& \int x^4 \cos \left(2\sqrt{\frac{3}{13}} x \right) I_0(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) dx = \frac{x^2}{80} \left[78x I_0(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) + \sqrt{13}(8x^2 - 65) I_0(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) + \right. \\
& + 169 I_1(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) - 26 \sqrt{13} x I_1(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) \Big] \cos \left(2\sqrt{\frac{3}{13}} x \right) + \frac{x}{480} \left[\sqrt{39} x (40x^2 - 78) I_0(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) - \right. \\
& - \sqrt{3} (364x^2 - 845) I_0(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) - \sqrt{39} (169 - 52x^2) I_1(x) I_0 \left(\frac{5x}{\sqrt{13}} \right) - \\
& \left. + \sqrt{3} x (104x^2 - 338) I_1(x) I_1 \left(\frac{5x}{\sqrt{13}} \right) \right] \sin \left(2\sqrt{\frac{3}{13}} x \right)
\end{aligned}$$

$$\begin{aligned}
& -\sqrt{3}x(104x^2 - 338) I_1(x) I_1\left(\frac{5x}{\sqrt{13}}\right) \Big] \sin\left(2\sqrt{\frac{3}{13}}x\right) \\
& \int x^4 \sin\left(2\sqrt{\frac{3}{13}}x\right) K_0(x) K_0\left(\frac{5x}{\sqrt{13}}\right) dx = \frac{x^2}{80} \left[78x K_0(x) K_0\left(\frac{5x}{\sqrt{13}}\right) + \right. \\
& +\sqrt{13}(65 - 8x^2) K_0(x) K_1\left(\frac{5x}{\sqrt{13}}\right) - 169 K_1(x) K_0\left(\frac{5x}{\sqrt{13}}\right) - 26\sqrt{13}x K_1(x) K_1\left(\frac{5x}{\sqrt{13}}\right) \Big] \sin\left(2\sqrt{\frac{3}{13}}\right) + \\
& +\frac{x}{480} \left[\sqrt{39}x(78 - 40x^2) K_0(x) K_0\left(\frac{5x}{\sqrt{13}}\right) + \sqrt{3}(845 - 364x^2) K_0(x) K_1\left(\frac{5x}{\sqrt{13}}\right) + \right. \\
& -\sqrt{39}(169 - 52x^2) K_1(x) K_0\left(\frac{5x}{\sqrt{13}}\right) - \sqrt{3}x(338 - 104x^2) K_1(x) K_1\left(\frac{5x}{\sqrt{13}}\right) \Big] \cos\left(2\sqrt{\frac{3}{13}}\right) \\
& \int x^4 \cos\left(2\sqrt{\frac{3}{13}}x\right) K_0(x) K_0\left(\frac{5x}{\sqrt{13}}\right) dx = \frac{x^2}{80} \left[78x K_0(x) K_0\left(\frac{5x}{\sqrt{13}}\right) + \right. \\
& +\sqrt{13}(65 - 8x^2) K_0(x) K_1\left(\frac{5x}{\sqrt{13}}\right) - 169 K_1(x) K_0\left(\frac{5x}{\sqrt{13}}\right) - 26\sqrt{13}x K_1(x) K_1\left(\frac{5x}{\sqrt{13}}\right) \Big] \cos\left(2\sqrt{\frac{3}{13}}\right) - \\
& -\frac{x}{480} \left[\sqrt{39}x(78 - 40x^2) K_0(x) K_0\left(\frac{5x}{\sqrt{13}}\right) - \sqrt{3}(845 - 364x^2) K_0(x) K_1\left(\frac{5x}{\sqrt{13}}\right) - \right. \\
& -\sqrt{39}(169 - 52x^2) K_1(x) K_0\left(\frac{5x}{\sqrt{13}}\right) - \sqrt{3}x(338 - 104x^2) K_1(x) K_1\left(\frac{5x}{\sqrt{13}}\right) \Big] \sin\left(2\sqrt{\frac{3}{13}}\right) \\
& \int x^4 \sin\frac{4x}{\sqrt{5}} \cdot I_0(x) I_1\left(\sqrt{\frac{7}{15}}x\right) dx = \frac{x}{7168} \left[\sqrt{105}(64x^3 - 60x) I_0(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \right. \\
& + (3360x^2 - 1575) I_0(x) I_1\left(\sqrt{\frac{7}{15}}x\right) + \sqrt{105}(225 - 288x^2) I_1(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \\
& + (1344x^3 - 1260x) I_1(x) I_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \sin\frac{4x}{\sqrt{5}} + \frac{x^2}{1792} \left[60\sqrt{21}x I_0(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \right. \\
& +\sqrt{5}(315 - 336x^2) I_0(x) I_1\left(\sqrt{\frac{7}{15}}x\right) + \sqrt{21}(48x^2 - 225) I_1(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \\
& \left. +252\sqrt{5}x I_1(x) I_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \cos\frac{4x}{\sqrt{5}} \\
& \int x^4 \cos\frac{4x}{\sqrt{5}} \cdot I_0(x) I_1\left(\sqrt{\frac{7}{15}}x\right) dx = \frac{x^2}{1792} \left[-60\sqrt{21}x I_0(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \right. \\
& +\sqrt{5}(336x^2 - 315) I_0(x) I_1\left(\sqrt{\frac{7}{15}}x\right) + \sqrt{21}(225 - 48x^2) I_1(x) I_0\left(\sqrt{\frac{7}{15}}x\right) - \\
& -252\sqrt{5}x I_1(x) I_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \sin\frac{4x}{\sqrt{5}} + \frac{x}{7168} \left[\sqrt{105}x(64x^2 - 60) I_0(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \right. \\
& + (3360x^2 - 1575) I_0(x) I_1\left(\sqrt{\frac{7}{15}}x\right) + \sqrt{105}(225 - 288x^2) I_1(x) I_0\left(\sqrt{\frac{7}{15}}x\right) + \\
& \left. + (1344x^3 - 1260x) I_1(x) I_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \cos\frac{4x}{\sqrt{5}}
\end{aligned}$$

$$\begin{aligned}
& \int x^4 \sin \frac{4x}{\sqrt{5}} \cdot K_0(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) dx = \frac{x}{7168} \left[-\sqrt{105} (64x^3 - 60x) K_0(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \right. \\
& \quad + (3360x^2 - 1575) K_0(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) + \sqrt{105} (225 - 288x^2) K_1(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \\
& \quad - (1344x^3 - 1260x) K_1(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) \left. \sin \frac{4x}{\sqrt{5}} - \frac{x^2}{1792} \left[60\sqrt{21} x K_0(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \right. \right. \\
& \quad - \sqrt{5} (315 - 336x^2) K_0(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) - \sqrt{21} (48x^2 - 225) K_1(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \\
& \quad \left. \left. + 252\sqrt{5} x K_1(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) \right] \cos \frac{4x}{\sqrt{5}} \right. \\
& \int x^4 \cos \frac{4x}{\sqrt{5}} \cdot K_0(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) dx = \frac{x^2}{1792} \left[60\sqrt{21} x K_0(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \right. \\
& \quad + \sqrt{5} (336x^2 - 315) K_0(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) + \sqrt{21} (225 - 48x^2) K_1(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \\
& \quad + 252\sqrt{5} x K_1(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) \left. \sin \frac{4x}{\sqrt{5}} + \frac{x}{7168} \left[-\sqrt{105} x (64x^2 - 60) K_0(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) + \right. \right. \\
& \quad + (3360x^2 - 1575) K_0(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) + \sqrt{105} (225 - 288x^2) K_1(x) K_0 \left(\sqrt{\frac{7}{15}} x \right) - \\
& \quad \left. \left. - (1344x^3 - 1260x) K_1(x) K_1 \left(\sqrt{\frac{7}{15}} x \right) \right] \cos \frac{4x}{\sqrt{5}} \right. \\
& \int x^4 \sin \frac{2x}{\sqrt{7}} \cdot I_1(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) dx = \frac{x^2}{16} \left[-6\sqrt{21} x I_0(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + (8x^2 - 63) I_0(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) + \right. \\
& \quad + 21\sqrt{21} I_1(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + 14x I_1(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) \left. \sin \frac{2x}{\sqrt{7}} + \frac{x}{32} \left[\sqrt{3} (8x^3 - 42x) I_0(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + \right. \right. \\
& \quad + \sqrt{7} (20x^2 - 63) I_0(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) + \sqrt{3} (147 - 28x^2) I_1(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + \\
& \quad \left. \left. + \sqrt{7} (14x - 8x^3) I_1(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) \right] \cos \frac{2x}{\sqrt{7}} \right. \\
& \int x^4 \cos \frac{2x}{\sqrt{7}} \cdot I_1(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) dx = \frac{x}{32} \left[\sqrt{3} (42x - 8x^3) I_0(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + \right. \\
& \quad + \sqrt{7} (63 - 20x^2) I_0(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) + \sqrt{3} (28x^2 - 147) I_1(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + \\
& \quad + \sqrt{7} (8x^3 - 14x) I_1(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) \left. \sin \frac{2x}{\sqrt{7}} + \frac{x^2}{16} \left[-6\sqrt{21} x I_0(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + \right. \right. \\
& \quad + (8x^2 - 63) I_0(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) + 21\sqrt{21} I_1(x) I_0 \left(\sqrt{\frac{3}{7}} x \right) + 14x I_1(x) I_1 \left(\sqrt{\frac{3}{7}} x \right) \left. \right] \cos \frac{2x}{\sqrt{7}} \\
& \int x^4 \sin \frac{2x}{\sqrt{7}} \cdot K_1(x) K_1 \left(\sqrt{\frac{3}{7}} x \right) dx = \frac{x^2}{16} \left[-6\sqrt{21} x K_0(x) K_0 \left(\sqrt{\frac{3}{7}} x \right) - (8x^2 - 63) K_0(x) K_1 \left(\sqrt{\frac{3}{7}} x \right) - \right.
\end{aligned}$$

$$\begin{aligned}
& -21\sqrt{21}K_1(x)K_0\left(\sqrt{\frac{3}{7}}x\right) + 14xK_1(x)K_1\left(\sqrt{\frac{3}{7}}x\right) \left[\sin\frac{2x}{\sqrt{7}} + \frac{x}{32} \left[\sqrt{3}(8x^3 - 42x)K_0(x)K_0\left(\sqrt{\frac{3}{7}}x\right) - \right. \right. \\
& \quad \left. \left. -\sqrt{7}(20x^2 - 63)K_0(x)K_1\left(\sqrt{\frac{3}{7}}x\right) - \sqrt{3}(147 - 28x^2)K_1(x)K_0\left(\sqrt{\frac{3}{7}}x\right) + \right. \right. \\
& \quad \left. \left. +\sqrt{7}(14x - 8x^3)K_1(x)K_1\left(\sqrt{\frac{3}{7}}x\right) \right] \cos\frac{2x}{\sqrt{7}} \right. \\
& \int x^4 \cos\frac{2x}{\sqrt{7}} \cdot K_1(x)K_1\left(\sqrt{\frac{3}{7}}x\right) dx = \frac{x}{32} \left[\sqrt{3}(42x - 8x^3)K_0(x)K_0\left(\sqrt{\frac{3}{7}}x\right) + \right. \\
& \quad \left. -\sqrt{7}(63 - 20x^2)K_0(x)K_1\left(\sqrt{\frac{3}{7}}x\right) - \sqrt{3}(28x^2 - 147)K_1(x)K_0\left(\sqrt{\frac{3}{7}}x\right) + \right. \\
& \quad \left. +\sqrt{7}(8x^3 - 14x)K_1(x)K_1\left(\sqrt{\frac{3}{7}}x\right) \right] \sin\frac{2x}{\sqrt{7}} - \frac{x^2}{16} \left[6\sqrt{21}xK_0(x)K_0\left(\sqrt{\frac{3}{7}}x\right) + \right. \\
& \quad \left. + (8x^2 - 63)K_0(x)K_1\left(\sqrt{\frac{3}{7}}x\right) + 21\sqrt{21}K_1(x)K_0\left(\sqrt{\frac{3}{7}}x\right) - 14xK_1(x)K_1\left(\sqrt{\frac{3}{7}}x\right) \right] \cos\frac{2x}{\sqrt{7}}
\end{aligned}$$

n = 5 :

$$\begin{aligned}
& \int x^5 \sin\frac{4x}{\sqrt{11}} \cdot I_1(x)I_1\left(\sqrt{\frac{3}{11}}x\right) dx = \frac{x}{24576} \left[\sqrt{33}x(7260 - 4224x^2)I_0(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& + (8448x^4 - 52272x^2 + 59895)I_0(x)I_1\left(\sqrt{\frac{3}{11}}x\right) + \sqrt{33}(256x^4 + 11088x^2 - 19965x)I_1(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \\
& \left. + (12672x^3 - 4356x)I_1(x)I_1\left(\sqrt{\frac{3}{11}}x\right) \right] \sin\frac{4x}{\sqrt{11}} + \frac{x^2}{6144} \left[\sqrt{3}(704x^3 - 7260x)I_0(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& \quad \left. +\sqrt{11}(2112x^2 - 5445)I_0(x)I_1\left(\sqrt{\frac{3}{11}}x\right) + \sqrt{3}(19965 - 1408x^2)I_1(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& \quad \left. +\sqrt{11}(396x - 960x^3)I_1(x)I_1\left(\sqrt{\frac{3}{11}}x\right) \right] \cos\frac{4x}{\sqrt{11}} \\
& \int x^5 \cos\frac{4x}{\sqrt{11}} \cdot I_1(x)I_1\left(\sqrt{\frac{3}{11}}x\right) dx = \frac{x^2}{6144} \left[\sqrt{3}(7260x - 704x^3)I_0(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& \quad \left. +\sqrt{11}(5445 - 2112x^2)I_0(x)I_1\left(\sqrt{\frac{3}{11}}x\right) + \sqrt{3}(1408x^2 - 19965)I_1(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& \quad \left. +\sqrt{11}(960x^3 - 396x)I_1(x)I_1\left(\sqrt{\frac{3}{11}}x\right) \right] \sin\frac{4x}{\sqrt{11}} + \frac{x}{24576} \left[\sqrt{33}(7260x - 4224x^3)I_0(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& \quad \left. + (8448x^4 - 52272x^2 + 59895)I_0(x)I_1\left(\sqrt{\frac{3}{11}}x\right) + \sqrt{33}(256x^4 + 11088x^2 - 19965x)I_1(x)I_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \\
& \quad \left. + (12672x^3 - 4356x)I_1(x)I_1\left(\sqrt{\frac{3}{11}}x\right) \right] \cos\frac{4x}{\sqrt{11}} \\
& \int x^5 \sin\frac{4x}{\sqrt{11}} \cdot K_1(x)K_1\left(\sqrt{\frac{3}{11}}x\right) dx = \frac{x}{24576} \left[-\sqrt{33}x(4224x^2 - 7260)K_0(x)K_0\left(\sqrt{\frac{3}{11}}x\right) - \right.
\end{aligned}$$

$$\begin{aligned}
& -(8448x^4 - 52272x^2 + 59895) K_0(x) K_1\left(\sqrt{\frac{3}{11}}x\right) - \sqrt{33}(256x^4 + 11088x^2 - 19965x) K_1(x) K_0\left(\sqrt{\frac{3}{11}}x\right) + \\
& + (12672x^3 - 4356x) K_1(x) K_1\left(\sqrt{\frac{3}{11}}x\right) \left[\sin \frac{4x}{\sqrt{11}} + \frac{x^2}{6144} \left[\sqrt{3}(704x^3 - 7260x) K_0(x) K_0\left(\sqrt{\frac{3}{11}}x\right) - \right. \right. \\
& \quad \left. \left. - \sqrt{11}(2112x^2 - 5445) K_0(x) K_1\left(\sqrt{\frac{3}{11}}x\right) - \sqrt{3}(19965 - 1408x^2) K_1(x) K_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \right. \\
& \quad \left. \left. + \sqrt{11}(396x - 960x^3) K_1(x) K_1\left(\sqrt{\frac{3}{11}}x\right) \right] \cos \frac{4x}{\sqrt{11}} \right. \\
& \int x^5 \cos \frac{4x}{\sqrt{11}} \cdot K_1(x) K_1\left(\sqrt{\frac{3}{11}}x\right) dx = \frac{x}{24576} \left[\sqrt{33}x(7260 - 4224x^2) K_0(x) K_0\left(\sqrt{\frac{3}{11}}x\right) - \right. \\
& -(8448x^4 - 52272x^2 + 59895) K_0(x) K_1\left(\sqrt{\frac{3}{11}}x\right) - \sqrt{33}(256x^4 + 11088x^2 - 19965x) K_1(x) K_0\left(\sqrt{\frac{3}{11}}x\right) + \\
& + (12672x^3 - 4356x) K_1(x) K_1\left(\sqrt{\frac{3}{11}}x\right) \left[\cos \frac{4x}{\sqrt{11}} - \frac{x^2}{6144} \left[\sqrt{3}(704x^3 - 7260x) K_0(x) K_0\left(\sqrt{\frac{3}{11}}x\right) - \right. \right. \\
& \quad \left. \left. - \sqrt{11}(2112x^2 - 5445) K_0(x) K_1\left(\sqrt{\frac{3}{11}}x\right) - \sqrt{3}(19965 - 1408x^2) K_1(x) K_0\left(\sqrt{\frac{3}{11}}x\right) + \right. \right. \\
& \quad \left. \left. + \sqrt{11}(396x - 960x^3) K_1(x) K_1\left(\sqrt{\frac{3}{11}}x\right) \right] \sin \frac{4x}{\sqrt{11}} \right.
\end{aligned}$$

2.4.6 b) $\int x^n \cdot \left\{ \begin{array}{l} \sinh \\ \cosh \end{array} \right\} \alpha x \cdot Z_\mu(x) Z_\nu(\beta x) dx$:

n = 1 :

$$\begin{aligned}
& \int x \sinh 4x \cdot I_0(x) I_1(3x) dx = \frac{x^2}{4} [I_0(x) I_1(3x) + I_1(x) I_0(3x)] \sinh 4x - \\
& - \frac{x}{16} [4x I_0(x) I_0(3x) - 3 I_0(x) I_1(3x) + I_1(x) I_0(3x) + 4x I_1(x) I_1(3x)] \cosh 4x \\
& \int x \cosh 4x \cdot I_0(x) I_1(3x) dx = \frac{x^2}{4} [I_0(x) I_1(3x) + I_1(x) I_0(3x)] \cosh 4x - \\
& - \frac{x}{16} [4x I_0(x) I_0(3x) - 3 I_0(x) I_1(3x) + I_1(x) I_0(3x) + 4x I_1(x) I_1(3x)] \sinh 4x \\
& \int x \sinh 4x \cdot K_0(x) K_1(3x) dx = \frac{x^2}{4} [K_0(x) K_1(3x) + K_1(x) K_0(3x)] \sinh 4x + \\
& + \frac{x}{16} [4x K_0(x) K_0(3x) + 3 K_0(x) K_1(3x) - K_1(x) K_0(3x) + 4x K_1(x) K_1(3x)] \cosh 4x \\
& \int x \cosh 4x \cdot K_0(x) K_1(3x) dx = \frac{x^2}{4} [K_0(x) K_1(3x) + K_1(x) K_0(3x)] \cosh 4x + \\
& + \frac{x}{16} [4x K_0(x) K_0(3x) + 3 K_0(x) K_1(3x) - K_1(x) K_0(3x) + 4x K_1(x) K_1(3x)] \sinh 4x
\end{aligned}$$

n = 2 :

$$\begin{aligned}
& \int x^2 \sinh \frac{8x}{3} \cdot I_0(x) I_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \left[24x I_0(x) I_0\left(\frac{5x}{3}\right) + (64x^2 - 45) I_0(x) I_1\left(\frac{5x}{3}\right) + \right. \\
& \quad \left. + (64x^2 + 27) I_1(x) I_0\left(\frac{5x}{3}\right) + 24x I_1(x) I_1\left(\frac{5x}{3}\right) \right] \sinh \frac{8x}{3} -
\end{aligned}$$

$$\begin{aligned}
& -\frac{x^2}{64} \left[8x I_0(x) I_0\left(\frac{5x}{3}\right) - 15 I_0(x) I_1\left(\frac{5x}{3}\right) + 9 I_1(x) I_0\left(\frac{5x}{3}\right) + 8x I_1(x) I_1\left(\frac{5x}{3}\right) \right] \cosh \frac{8x}{3} \\
& \int x^2 \cosh \frac{8x}{3} \cdot I_0(x) I_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \left[24x I_0(x) I_0\left(\frac{5x}{3}\right) + (64x^2 - 45) J_0(x) J_1\left(\frac{5x}{3}\right) + \right. \\
& \quad \left. + (64x^2 + 27) I_1(x) I_0\left(\frac{5x}{3}\right) + 24x I_1(x) I_1\left(\frac{5x}{3}\right) \right] \cosh \frac{8x}{3} - \\
& -\frac{x^2}{64} \left[8x I_0(x) I_0\left(\frac{5x}{3}\right) - 15 I_0(x) I_1\left(\frac{5x}{3}\right) + 9 I_1(x) I_0\left(\frac{5x}{3}\right) + 8x I_1(x) I_1\left(\frac{5x}{3}\right) \right] \sinh \frac{8x}{3} \\
& \int x^2 \sinh \frac{8x}{3} \cdot K_0(x) K_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \left[-24x K_0(x) K_0\left(\frac{5x}{3}\right) + (64x^2 - 45) K_0(x) K_1\left(\frac{5x}{3}\right) + \right. \\
& \quad \left. + (64x^2 + 27) K_1(x) K_0\left(\frac{5x}{3}\right) - 24x K_1(x) K_1\left(\frac{5x}{3}\right) \right] \sinh \frac{8x}{3} + \\
& +\frac{x^2}{64} \left[8x K_0(x) K_0\left(\frac{5x}{3}\right) + 15 K_0(x) K_1\left(\frac{5x}{3}\right) - 9 K_1(x) K_0\left(\frac{5x}{3}\right) + 8x K_1(x) K_1\left(\frac{5x}{3}\right) \right] \cosh \frac{8x}{3} \\
& \int x^2 \cosh \frac{8x}{3} \cdot K_0(x) K_1\left(\frac{5x}{3}\right) dx = \frac{x}{512} \left[-24x K_0(x) K_0\left(\frac{5x}{3}\right) + (64x^2 - 45) K_0(x) K_1\left(\frac{5x}{3}\right) + \right. \\
& \quad \left. + (64x^2 + 27) K_1(x) K_0\left(\frac{5x}{3}\right) - 24x K_1(x) K_1\left(\frac{5x}{3}\right) \right] \cosh \frac{8x}{3} + \\
& +\frac{x^2}{64} \left[8x K_0(x) K_0\left(\frac{5x}{3}\right) + 15 K_0(x) K_1\left(\frac{5x}{3}\right) - 9 K_1(x) K_0\left(\frac{5x}{3}\right) + 8x K_1(x) K_1\left(\frac{5x}{3}\right) \right] \sinh \frac{8x}{3}
\end{aligned}$$

n = 3 :

$$\begin{aligned}
& \int x^3 \sinh \frac{8x}{\sqrt{51}} \cdot J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) dx = \frac{x^2}{2560} \left[-8\sqrt{1785} x J_0(x) J_0\left(\sqrt{\frac{35}{51}} x\right) - 1785 J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) + \right. \\
& \quad \left. + 51\sqrt{1785} J_1(x) J_0\left(\sqrt{\frac{35}{51}} x\right) + 680x J_1(x) J_1\left(\sqrt{\frac{35}{51}} x\right) \right] \sinh \frac{8x}{\sqrt{51}} + \\
& +\frac{x}{20480} \left[408\sqrt{35} x J_0(x) J_0\left(\sqrt{\frac{35}{51}} x\right) + \sqrt{51}(1600x^2 + 1785) J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) - \right. \\
& \quad \left. - \sqrt{35}(1088x^2 + 2601) J_1(x) J_0\left(\sqrt{\frac{35}{51}} x\right) - 680\sqrt{51} x J_1(x) J_1\left(\sqrt{\frac{35}{51}} x\right) \right] \cosh \frac{8x}{\sqrt{51}} \\
& \int x^3 \cosh \frac{8x}{\sqrt{51}} \cdot J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) dx = \frac{x}{20480} \left[408\sqrt{35} x J_0(x) J_0\left(\sqrt{\frac{35}{51}} x\right) + \right. \\
& \quad \left. + \sqrt{51}(1600x^2 + 1785) J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) - \sqrt{35}(1088x^2 + 2601) J_1(x) J_0\left(\sqrt{\frac{35}{51}} x\right) - \right. \\
& \quad \left. - 680\sqrt{51} x J_1(x) J_1\left(\sqrt{\frac{35}{51}} x\right) \right] \sinh \frac{8x}{\sqrt{51}} + \frac{x^2}{2560} \left[-8\sqrt{1785} x J_0(x) J_0\left(\sqrt{\frac{35}{51}} x\right) - 1785 J_0(x) J_1\left(\sqrt{\frac{35}{51}} x\right) + \right. \\
& \quad \left. + 51\sqrt{1785} J_1(x) J_0\left(\sqrt{\frac{35}{51}} x\right) + 680x J_1(x) J_1\left(\sqrt{\frac{35}{51}} x\right) \right] \cosh \frac{8x}{\sqrt{51}}
\end{aligned}$$

n = 4 :

$$\int x^4 \sinh \frac{2\sqrt{3}x}{5} J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) dx = \left[-\frac{15x^3}{8} J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) - \frac{25\sqrt{13}x^2}{16} J_0(x) J_1\left(\frac{\sqrt{13}x}{5}\right) + \right.$$

$$\begin{aligned}
& + \frac{8x^4 + 125x^2}{16} J_1(x) J_0\left(\frac{\sqrt{13}x}{5}\right) - \frac{5\sqrt{13}x^3}{8} J_1(x) J_1\left(\frac{\sqrt{13}x}{5}\right) \Big] \sinh \frac{2\sqrt{3}x}{5} + \\
& + \left[\frac{5\sqrt{3}(4x^4 + 15x^2)}{48} J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + \frac{5\sqrt{39}(4x^3 + 25x)}{96} J_0(x) J_1\left(\frac{\sqrt{13}x}{5}\right) - \right. \\
& - \frac{5\sqrt{3}(28x^3 + 125x)}{96} J_1(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + \frac{\sqrt{39}(4x^4 + 25x^2)}{48} J_1(x) J_1\left(\frac{\sqrt{13}x}{5}\right) \Big] \cosh \frac{2\sqrt{3}x}{5} \\
& \int x^4 \cosh \frac{2\sqrt{3}x}{5} J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) dx = \frac{\sqrt{3}x}{96} \left[(40x^3 + 150x) J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + \right. \\
& + \sqrt{13}(20x^2 + 125) J_0(x) J_1\left(\frac{\sqrt{13}x}{5}\right) - (140x^2 + 625) J_1(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + \\
& + \sqrt{13}(8x^3 + 50x) J_1(x) J_1\left(\frac{\sqrt{13}x}{5}\right) \Big] \sinh \frac{2\sqrt{3}x}{5} - \frac{x^2}{16} \left[30x J_0(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + 25\sqrt{13} J_0(x) J_1\left(\frac{\sqrt{13}x}{5}\right) - \right. \\
& - (8x^2 + 125) J_1(x) J_0\left(\frac{\sqrt{13}x}{5}\right) + 10\sqrt{13}x J_1(x) J_1\left(\frac{\sqrt{13}x}{5}\right) \Big] \cosh \frac{2\sqrt{3}x}{5} \\
& \int x^4 \sinh \frac{4x}{\sqrt{5}} \cdot J_0(x) J_1\left(\sqrt{\frac{7}{15}}x\right) dx = \frac{x}{7168} \left[-\sqrt{105}(64x^3 + 60x) J_0(x) J_0\left(\sqrt{\frac{7}{15}}x\right) - \right. \\
& - (3360x^2 + 1575) J_0(x) J_1\left(\sqrt{\frac{7}{15}}x\right) + \sqrt{105}(288x^2 + 225) J_1(x) J_0\left(\sqrt{\frac{7}{15}}x\right) + \\
& + (1344x^3 + 1260x) J_1(x) J_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \sinh \frac{4x}{\sqrt{5}} + \frac{x^2}{1792} \left[60\sqrt{21}x J_0(x) J_0\left(\sqrt{\frac{7}{15}}x\right) + \right. \\
& + \sqrt{5}(336x^2 + 315) J_0(x) J_1\left(\sqrt{\frac{7}{15}}x\right) - \sqrt{21}(48x^2 + 225) J_1(x) J_0\left(\sqrt{\frac{7}{15}}x\right) - \\
& - 252\sqrt{5}x J_1(x) J_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \cosh \frac{4x}{\sqrt{5}} \\
& \int x^4 \cosh \frac{4x}{\sqrt{5}} \cdot J_0(x) J_1\left(\sqrt{\frac{7}{15}}x\right) dx = \frac{x^2}{1792} \left[60\sqrt{21}x J_0(x) J_0\left(\sqrt{\frac{7}{15}}x\right) + \right. \\
& + \sqrt{5}(336x^2 + 315) J_0(x) J_1\left(\sqrt{\frac{7}{15}}x\right) - \sqrt{21}(48x^2 + 225) J_1(x) J_0\left(\sqrt{\frac{7}{15}}x\right) - \\
& - 252\sqrt{5}x J_1(x) J_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \sinh \frac{4x}{\sqrt{5}} + \frac{x}{7168} \left[-\sqrt{105}(64x^3 + 60x) J_0(x) J_0\left(\sqrt{\frac{7}{15}}x\right) - \right. \\
& - (3360x^2 + 1575) J_0(x) J_1\left(\sqrt{\frac{7}{15}}x\right) + \sqrt{105}(288x^2 + 225) J_1(x) J_0\left(\sqrt{\frac{7}{15}}x\right) + \\
& + (1344x^3 + 1260x) J_1(x) J_1\left(\sqrt{\frac{7}{15}}x\right) \Big] \cosh \frac{4x}{\sqrt{5}} \\
& \int x^4 \sinh \frac{2x}{\sqrt{7}} \cdot J_1(x) J_1\left(\sqrt{\frac{3}{7}}x\right) dx = \frac{x^2}{16} \left[-6\sqrt{21}x J_0(x) J_0\left(\sqrt{\frac{3}{7}}x\right) - \right. \\
& - (8x^2 + 63) J_0(x) J_1\left(\sqrt{\frac{3}{7}}x\right) + 21\sqrt{21} J_1(x) J_0\left(\sqrt{\frac{3}{7}}x\right) - 14x J_1(x) J_1\left(\sqrt{\frac{3}{7}}x\right) \Big] \sinh \frac{2x}{\sqrt{7}} +
\end{aligned}$$

$$\begin{aligned}
& + \frac{x}{32} \left[\sqrt{3} (8x^3 + 42x) J_0(x) J_0 \left(\sqrt{\frac{3}{7}} x \right) + \sqrt{7} (20x^2 + 63) J_0(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) - \right. \\
& - \sqrt{3} (28x^2 + 147) J_1(x) J_0 \left(\sqrt{\frac{3}{7}} x \right) + \left. \sqrt{7} (8x^3 + 14x) J_1(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) \right] \cosh \frac{2x}{\sqrt{7}} \\
& \int x^4 \cosh \frac{2x}{\sqrt{7}} \cdot J_1(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) dx = \frac{x^2}{16} \left[-6\sqrt{21} x J_0(x) J_0 \left(\sqrt{\frac{3}{7}} x \right) - \right. \\
& - (8x^2 + 63) J_0(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) + 21\sqrt{21} J_1(x) J_0 \left(\sqrt{\frac{3}{7}} x \right) - 14x J_1(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) \left. \right] \cosh \frac{2x}{\sqrt{7}} + \\
& + \frac{x}{32} \left[\sqrt{3} (8x^3 + 42x) J_0(x) J_0 \left(\sqrt{\frac{3}{7}} x \right) + \sqrt{7} (20x^2 + 63) J_0(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) - \right. \\
& - \sqrt{3} (28x^2 + 147) J_1(x) J_0 \left(\sqrt{\frac{3}{7}} x \right) + \left. \sqrt{7} (8x^3 + 14x) J_1(x) J_1 \left(\sqrt{\frac{3}{7}} x \right) \right] \sinh \frac{2x}{\sqrt{7}}
\end{aligned}$$

n = 5 :

$$\begin{aligned}
& \int x^5 \sinh \frac{4x}{\sqrt{11}} \cdot J_1(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) dx = \frac{x}{24576} \left[-\sqrt{33} (4224x^3 + 7260x) J_0(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) - \right. \\
& - (8448x^4 + 52272x^2 + 59895) J_0(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) + \\
& + \sqrt{33} (-256x^4 + 11088x^2 + 19965) J_1(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) - \\
& \left. - (12672x^3 + 4356x) J_1(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) \right] \sinh \frac{4x}{\sqrt{11}} + \\
& + \frac{x^2}{6144} \left[\sqrt{3} (704x^3 + 7260x) J_0(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) + \sqrt{11} (2112x^2 + 5445) J_0(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) - \right. \\
& - \sqrt{3} (1408x^2 + 19965) J_1(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) + \left. \sqrt{11} (960x^3 + 396x) J_1(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) \right] \cosh \frac{4x}{\sqrt{11}} \\
& \int x^5 \cosh \frac{4x}{\sqrt{11}} \cdot J_1(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) dx = \frac{x^2}{6144} \left[\sqrt{3} (704x^3 + 7260x) J_0(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) + \right. \\
& + \sqrt{11} (2112x^2 + 5445) J_0(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) - \sqrt{3} (1408x^2 + 19965) J_1(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) + \\
& \left. + \sqrt{11} (960x^3 + 396x) J_1(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) \right] \sinh \frac{4x}{\sqrt{11}} - \\
& - \frac{x}{24576} \left[\sqrt{33} (4224x^3 + 7260x) J_0(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) + (8448x^4 + 52272x^2 + 59895) J_0(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) - \right. \\
& - \sqrt{33} (-256x^4 + 11088x^2 + 19965) J_1(x) J_0 \left(\sqrt{\frac{3}{11}} x \right) + \left. (12672x^3 + 4356x) J_1(x) J_1 \left(\sqrt{\frac{3}{11}} x \right) \right] \cosh \frac{4x}{\sqrt{11}}
\end{aligned}$$


3. Products of three Bessel Functions

3.1. Integrals of the type $\int x^n Z_0^m(x) Z_1^{3-m}(x) dx$

These integrals are expressed by three basic integrals with $m = 0, 1, 3$. One has obviously

$$\int J_0^2(x) J_1(x) dx = -\frac{1}{3} J_0^3(x) \quad , \quad \int I_0^2(x) I_1(x) dx = \frac{1}{3} I_0^3(x) .$$

a) Basic integral $\int Z_0^3(x) dx$:



$$\int_0^\infty J_0^3(x) dx = \frac{\Gamma\left(\frac{1}{6}\right)}{3 \Gamma\left(\frac{5}{6}\right) \cdot \Gamma^2\left(\frac{2}{3}\right)} = \frac{2\pi}{3 \Gamma^2\left(\frac{5}{6}\right) \cdot \Gamma^2\left(\frac{2}{3}\right)} = 0.89644 \ 07887 \ 76762 \ 86423 \ \dots$$

Formula 2.12.42.4 from [4] gives $2\sqrt{3}/3\pi = 0.36755\dots$. This does not fit to the result of computations. The formula 2.12.42.18 offers $2\Gamma(1/6)/[3\Gamma(5/6) \cdot \Gamma^2(2/3)] = 2 \cdot 0.896\dots$.


With $-8 \leq x \leq 8$ the following expansion in series of Chebyshev polynomials (based on [2], 9.7.) holds:

$$\int_0^x J_0^3(t) dt = \sum_{k=0}^\infty c_k^{(30)} T_{2k+1}\left(\frac{x}{8}\right) .$$

The first coefficients are

k	$c_k^{(30)}$	k	$c_k^{(30)}$
0	1.14145 15823 43066 65430	15	-0.00001 19647 92899 04163
1	-0.37698 69057 03625 95863	16	0.00000 19134 34477 76782
2	0.24193 82520 26895 89401	17	-0.00000 02652 90698 65709
3	-0.15672 12348 70401 19757	18	0.00000 00322 34936 59711
4	0.09593 25955 24494 24624	19	-0.00000 00034 64486 68661
5	-0.06183 39745 85568 16834	20	0.00000 00003 31986 30964
6	0.04061 90786 50027 57290	21	-0.00000 00000 28561 98591
7	-0.02860 28881 71908 58991	22	0.00000 00000 02219 71843
8	0.02158 63885 61883 43325	23	-0.00000 00000 00156 67592
9	-0.01457 50343 38917 46000	24	0.00000 00000 00010 09261
10	0.00781 65287 61390 63536	25	-0.00000 00000 00000 59593
11	-0.00326 40051 49421 93383	26	0.00000 00000 00000 03238
12	0.00107 89280 58820 94395	27	-0.00000 00000 00000 00162
13	-0.00028 89222 57879 12574	28	0.00000 00000 00000 00008
14	0.00006 40382 21736 47959	-	-

The given approximation differs from the true function as shown in the following figure:



Asymptotic formula:

$$\int_0^x J_0^3(t) dt \sim 0.89644\ 07887\ 76762\ 86423 \dots +$$

$$+ \sqrt{\frac{2}{\pi^3 x}} \sum_{k=1}^{\infty} \frac{1}{x^k} \left[a_k^{(30)} \sin\left(3x + \frac{7-2k}{4} \pi\right) + b_k^{(30)} \sin\left(x + \frac{1-2k}{4} \pi\right) \right]$$

with the first values

k	$a_k^{(30)}$	$a_k^{(30)}$
1	1/6	0.16666 66666 66666 66667
2	7/48	0.14583 33333 33333 33333
3	379/2304	0.16449 65277 77777 77778
4	13141/55296	0.23764 82928 24074 07407
5	250513/589824	0.42472 50027 12673 61111
6	12913841/14155776	0.91226 65546 55852 14120
7	1565082415/679477248	2.30336 25034 63839 30724
8	36535718855/5435817984	6.72129 18023 63631 16606
9	23344744269635/1043677052928	22.36778 53260 66262 13087
10	2103860629922855/25048249270272	83.99232 24662 16381 92796
k	$b_k^{(30)}$	$b_k^{(30)}$
1	3/2	1.50000 00000 00000 00000
2	39/16	2.43750 00000 00000 00000
3	1635/256	6.38671 87500 00000 00000
4	46053/2048	22.48681 64062 50000 00000
5	6664257/65536	101.68849 18212 89062 5000
6	293433849/524288	559.68065 07110 595703 125
7	30538511055/8388608	3640.47420 68052 2918 70
8	1832502818925/67108864	27306.41989 29816 48445 1
9	996997642437465/4294967296	2 32131.60281 01055 41721
10	75773171001327165/34359738368	22 05289.52199 17166 1050

The first consecutive maxima and minima of

$$\Delta_n^{(30)}(x) = 0.896 \dots + \sqrt{\frac{2}{\pi^3 x}} \sum_{k=1}^n \frac{1}{x^k} \left[a_k^{(30)} \sin \left(3x + \frac{7-2k}{4} \pi \right) + b_k^{(30)} \sin \left(x + \frac{1-2k}{4} \pi \right) \right] - \int_0^x J_0^3(t) dt :$$

i	x_i	$\Delta_1^{(30)}(x_i)$	x_i	$\Delta_2^{(30)}(x_i)$	x_i	$\Delta_3^{(30)}(x_i)$	x_i	$\Delta_4^{(30)}(x_i)$	x_i	$\Delta_5^{(30)}(x_i)$
1	3.953	-1.551E-02	2.356	3.014E-02	3.933	5.971E-03	2.356	-4.857E-02	3.928	-6.275E-03
2	7.084	4.314E-03	5.498	-2.889E-03	7.072	-6.255E-04	5.498	1.167E-03	7.069	2.440E-04
3	10.221	-1.832E-03	8.639	7.036E-04	10.213	1.380E-04	8.639	-1.302E-04	10.211	-2.818E-05
4	13.360	9.631E-04	11.781	-2.547E-04	13.354	-4.417E-05	11.781	2.690E-05	13.352	5.533E-06
5	16.500	-5.762E-04	14.923	1.153E-04	16.495	1.771E-05	14.923	-7.843E-06	16.494	-1.496E-06
6	19.641	3.758E-04	18.064	-6.022E-05	19.636	-8.262E-06	18.064	2.852E-06	19.635	5.014E-07
7	22.781	-2.607E-04	21.206	3.478E-05	22.778	4.297E-06	21.206	-1.211E-06	22.777	-1.962E-07
8	25.922	1.894E-04	24.347	-2.161E-05	25.919	-2.426E-06	24.347	5.757E-07	25.918	8.626E-08
9	29.064	-1.427E-04	27.489	1.421E-05	29.061	1.460E-06	27.489	-2.988E-07	29.060	-4.154E-08
10	32.205	1.106E-04	30.631	-9.769E-06	32.202	-9.244E-07	30.631	1.662E-07	32.202	2.152E-08
i	x_i	$\Delta_6^{(30)}(x_i)$	x_i	$\Delta_7^{(30)}(x_i)$	x_i	$\Delta_8^{(30)}(x_i)$	x_i	$\Delta_9^{(30)}(x_i)$	x_i	$\Delta_{10}^{(30)}(x_i)$
1	5.498	-1.017E-03	3.927	1.332E-02	5.498	1.579E-03	3.927	-4.858E-02	5.498	-3.900E-03
2	8.639	5.162E-05	7.069	-1.853E-04	8.639	-3.588E-05	7.069	2.333E-04	8.639	3.891E-05
3	11.781	-6.116E-06	10.210	1.115E-05	11.781	2.431E-06	10.210	-7.235E-06	11.781	-1.498E-06
4	14.923	1.154E-06	13.352	-1.345E-06	14.923	-2.973E-07	13.352	5.351E-07	14.923	1.186E-07
5	18.064	-2.934E-07	16.493	2.458E-07	18.064	5.293E-08	16.493	-6.616E-08	18.064	-1.479E-08
6	21.206	9.182E-08	19.635	-5.934E-08	21.206	-1.224E-08	19.635	1.152E-08	21.206	2.528E-09
7	24.347	-3.349E-08	22.777	1.750E-08	24.347	3.429E-09	22.777	-2.565E-09	24.347	-5.448E-10
8	27.489	1.374E-08	25.918	-6.004E-09	27.489	-1.114E-09	25.918	6.874E-10	27.489	1.403E-10
9	30.631	-6.192E-09	29.060	2.317E-09	30.631	4.071E-10	29.060	-2.129E-10	30.631	-4.162E-11
10	33.772	3.009E-09	32.201	-9.833E-10	33.772	-1.636E-10	32.201	7.404E-11	33.772	1.384E-11

In the case $x \geq 8$ one has $g_n^{(30)} \leq \Delta_n^{(30)}(x) \leq G_n^{(30)}$ with such values:

n	$g_n^{(30)}$	$G_n^{(30)}$	n	$g_n^{(30)}$	$G_n^{(30)}$
1	-1.832E-03	2.384E-03	6	5.162E-05	-6.116E-06
2	-2.547E-04	7.036E-04	7	-9.887E-05	1.115E-05
3	-3.729E-04	1.380E-04	8	-3.588E-05	2.431E-06
4	-1.302E-04	2.690E-05	9	1.129E-04	-7.235E-06
5	1.404E-04	-2.818E-05	10	3.891E-05	-1.498E-06

The following sum gives on the interval $8 \leq x \leq 30$ a better approximation than the asymptotic formula:

$$F_{30}(x) = 0.896 \dots + \sum_{k=1}^{10} \frac{1}{x^{k+1/2}} \left[\tilde{a}_k^{(30)} \sin \left(3x + \frac{7-2k}{4} \pi \right) + \tilde{b}_k^{(30)} \sin \left(x + \frac{1-2k}{4} \pi \right) \right] .$$

The values of the coefficients are

k	$\tilde{a}_k^{(30)}$	$\tilde{b}_k^{(30)}$
1	0.042328861175	0.380959694283
2	0.037041314549	0.619046345961
3	0.041506694202	1.619134748282
4	0.063280735888	5.687020985444
5	0.009657085591	24.391624641402
6	0.955932046063	129.687141434225
7	-12.477953789465	581.699380578201
8	57.157092072696	3774.819577903598
9	-530.170189213242	9530.689591084210
10	649.179657827779	65374.322605554143

With $8 \leq x \leq 30$ holds

$$-1.8 \cdot 10^{-9} \leq F_{30}(x) - \int_0^x J_0^3(t) dt \leq 1.1 \cdot 10^{-9} .$$

Power series for the modified Bessel function:

$$\int_0^x I_0^3(t) dt = \sum_{k=0}^{\infty} d_k^{(30)} x^{2k+1} = x + \frac{1}{4} x^3 + \frac{3}{64} x^5 + \frac{31}{5376} x^7 + \frac{71}{147456} x^9 + \frac{47}{1638400} x^{11} + \frac{11723}{9201254400} x^{13} + \dots$$

With $n \geq 1$ the following recurrence relation holds:

$$d_{n+1}^{(30)} = \frac{4\sigma_1^{(30)}(n, d) + 9\sigma_2^{(30)}(n, d)}{12(2n+3)(n+1)^2}$$

with

$$\sigma_1^{(30)}(n, d) = \sum_{k=1}^n (2k+1)k(2n-2k+3)(2n-5k+2) \cdot d_k^{(30)} \cdot d_{n-k+1}^{(30)}$$

and

$$\sigma_2^{(30)}(n, d) = \sum_{k=0}^n (2k+1)(2n-2k+1) \cdot d_k^{(30)} \cdot d_{n-k}^{(30)}$$

Asymptotic formula for the modified Bessel function:

$$\int_0^x I_0^3(t) dt \sim \frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^{\infty} \frac{c_k^{(30)}}{x^k}$$

with the first values

k	$c_k^{(30)}$	$c_k^{(30)}$
1	1/12	0.08333 33333 33333 3
2	7/96	0.07291 66666 66666 7
3	379/4608	0.08224 82638 88888 9
4	13141/110592	0.11882 41464 12037
5	250513/1179648	0.21236 25013 56337
6	12913841/28311552	0.45613 32773 27926
7	1565082415/1358954496	1.15168 12517 3192
8	36535718855/10871635968	3.36064 59011 8182
9	23344744269635/2087354105856	11.18389 26630 331
10	2103860629922855/50096498540544	41.99616 12331 082


Let

$$\delta_n^{(30)}(x) = \left[\frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^n \frac{c_k^{(30)}}{x^k} \right] \cdot \left[\int_0^x I_0^3(t) dt \right]^{-1} - 1$$

be the relative error, then one has the following values of $\delta_n^{(30)}(x)$:

n	$x = 5$	$x = 10$	$x = 15$	$x = 20$	$x = 25$
1	-1.897E-01	-9.019E-02	-5.944E-02	-4.435E-02	-3.538E-02
2	-4.794E-02	-1.058E-02	-4.579E-03	-2.545E-03	-1.618E-03
3	-1.595E-02	-1.597E-03	-4.529E-04	-1.874E-04	-9.492E-05
4	-6.704E-03	-3.000E-04	-5.555E-05	-1.710E-05	-6.896E-06
5	-3.400E-03	-6.813E-05	-8.209E-06	-1.877E-06	-6.026E-07
6	-1.981E-03	-1.833E-05	-1.430E-06	-2.427E-07	-6.198E-08
7	-1.264E-03	-5.756E-06	-2.887E-07	-3.632E-08	-7.376E-09
8	-8.462E-04	-2.087E-06	-6.672E-08	-6.211E-09	-1.002E-09
9	-5.678E-04	-8.660E-07	-1.747E-08	-1.201E-09	-1.539E-10
10	-3.588E-04	-4.075E-07	-5.140E-09	-2.603E-10	-2.647E-11

b) Basic integral $\int Z_0(x) Z_1^2(x) dx$:



$$\int_0^\infty J_0(x) J_1^2(x) dx = 0.18578\ 75214\ 63065\ 82253\ \dots$$

It differs from formula 2.12.42.4 in [4].


With $-8 \leq x \leq 8$ the following expansion in series of Chebyshev polynomials (based on [2], 9.7.) holds:

$$\int_0^x J_0(t) J_1^2(t) dt = \sum_{k=0}^{\infty} c_k^{(12)} T_{2k+1} \left(\frac{x}{8} \right).$$

The first coefficients are

k	$c_k^{(12)}$	k	$c_k^{(12)}$
0	0.23402 35970 33006 35445	15	0.00001 04741 31410 16206
1	-0.07444 03661 88704 59538	16	-0.00000 16973 09596 00078
2	0.04383 45295 19423 05343	17	0.00000 02378 37605 87389
3	-0.02088 20217 52543 47233	18	-0.00000 00291 52869 89193
4	0.00418 98619 72133 53415	19	0.00000 00031 56305 17549
5	0.00544 25004 57533 63387	20	-0.00000 00003 04352 15694
6	-0.00771 94350 97286 08113	21	0.00000 00000 26326 39770
7	0.00909 15741 08442 81722	22	-0.00000 00000 02055 66180
8	-0.01063 96487 30041 15062	23	0.00000 00000 00145 70197
9	0.00922 86127 36398 55548	24	-0.00000 00000 00009 42056
10	-0.00564 70826 05794 70935	25	0.00000 00000 00000 55809
11	0.00254 11445 11845 57857	26	-0.00000 00000 00000 03042
12	-0.00087 99927 23272 67696	27	0.00000 00000 00000 00153
13	0.00024 31559 72294 70777	28	-0.00000 00000 00000 00007
14	-0.00005 51197 58270 08008	-	-

The given approximation differs from the true function as shown in the following figure:



Asymptotic formula:

$$\int_0^x J_0(t) J_1^2(t) dt \sim 0.18578\ 75214\ 63065\ 82253 \dots + \sqrt{\frac{2}{\pi^3 x}} \left\{ \frac{\left[a_0^{(12)} \sin\left(3x + \frac{\pi}{4}\right) + b_0^{(12)} \sin\left(x + \frac{7\pi}{4}\right) \right]}{x} + \sum_{k=2}^{\infty} \frac{1}{x^k} \left[a_k^{(12)} \sin\left(3x + \frac{7-2k}{4}\pi\right) + b_k^{(12)} \sin\left(x + \frac{1-2k}{4}\pi\right) \right] \right\}$$

with the first values

k	$a_k^{(12)}$	$a_k^{(12)}$
1	1/6	0.16666 66666 66666 66667
2	1/48	0.02083 33333 33333 33333
3	85/2304	0.03689 23611 11111 11111
4	3379/55296	0.06110 74942 12962 96296
5	69967/589824	0.11862 35215 92881 94444
6	3833063/14155776	0.27077 73137 97562 21065
7	487468417/679477248	0.71741 68354 19925 64260
8	11835711665/5435817984	2.17735 61402 97136 1890
9	7811427811325/1043677052928	7.48452 57825 78345 0049
10	722951995177505/25048249270272	28.86237 62633 79242 299
k	$b_k^{(12)}$	$b_k^{(12)}$
1	1/2	0.50000 00000 00000 00000
2	21/16	1.31250 00000 00000 00000
3	753/256	2.94140 62500 00000 00000
4	21375/2048	10.43701 17187 50000 0000
5	3061323/65536	46.71208 19091 79687 5000
6	134966187/524288	257.42757 22503 66210 938
7	14029169013/8388608	1672.40727 10275 65002 44
8	842027324535/67108864	12547.18489 25203 08494 6
9	458031686444595/4294967296	1 06643.81236 87624 46567
10	34812460139616855/34359738368	10 13175.93768 52090 6451

The first consecutive maxima and minima of

$$\Delta_n^{(12)}(x) = 0.185 \dots + \sqrt{\frac{2}{\pi^3 x}} \sum_{k=1}^n \frac{1}{x^k} \left[a_k^{(12)} \sin(3x + \dots) + b_k^{(12)} \sin(x + \dots) \right] - \int_0^x J_0(t) J_1^2(t) dt \quad :$$

i	x_i	$\Delta_1^{(12)}(x_i)$	x_i	$\Delta_2^{(12)}(x_i)$	x_i	$\Delta_3^{(12)}(x_i)$	x_i	$\Delta_4^{(12)}(x_i)$	x_i	$\Delta_5^{(12)}(x_i)$
1	3.880	-8.324E-03	2.365	1.432E-02	3.923	2.771E-03	2.358	-2.242E-02	3.927	-2.887E-03
2	7.042	2.261E-03	5.503	-1.356E-03	7.066	-2.895E-04	5.499	5.375E-04	7.068	1.122E-04
3	10.192	-9.530E-04	8.643	3.293E-04	10.209	6.382E-05	8.640	-5.993E-05	10.210	-1.296E-05
4	13.338	4.995E-04	11.784	-1.191E-04	13.351	-2.042E-05	11.782	1.238E-05	13.352	2.544E-06
5	16.482	-2.984E-04	14.925	5.386E-05	16.492	8.184E-06	14.923	-3.609E-06	16.493	-6.876E-07
6	19.625	1.944E-04	18.066	-2.813E-05	19.634	-3.818E-06	18.065	1.313E-06	19.635	2.305E-07
7	22.768	-1.348E-04	21.207	1.624E-05	22.776	1.986E-06	21.206	-5.571E-07	22.776	-9.018E-08
8	25.911	9.790E-05	24.349	-1.009E-05	25.918	-1.121E-06	24.348	2.649E-07	25.918	3.965E-08
9	29.053	-7.371E-05	27.490	6.636E-06	29.059	6.745E-07	27.489	-1.375E-07	29.060	-1.910E-08
10	32.196	5.712E-05	30.632	-4.561E-06	32.201	-4.271E-07	30.631	7.645E-08	32.201	9.893E-09
i	x_i	$\Delta_6^{(12)}(x_i)$	x_i	$\Delta_7^{(12)}(x_i)$	x_i	$\Delta_8^{(12)}(x_i)$	x_i	$\Delta_9^{(12)}(x_i)$	x_i	$\Delta_{10}^{(12)}(x_i)$
1	2.356	8.374E-02	3.927	6.119E-03	2.356	-6.023E-01	3.927	-2.232E-02	2.356	7.281E+00
2	5.498	-4.673E-04	7.069	-8.515E-05	5.498	7.255E-04	7.069	1.072E-04	5.498	-1.792E-03
3	8.640	2.372E-05	10.210	5.122E-06	8.639	-1.649E-05	10.210	-3.324E-06	8.639	1.788E-05
4	11.781	-2.810E-06	13.352	-6.178E-07	11.781	1.117E-06	13.352	2.458E-07	11.781	-6.882E-07
5	14.923	5.304E-07	16.493	1.129E-07	14.923	-1.366E-07	16.493	-3.040E-08	14.923	5.448E-08
6	18.064	-1.348E-07	19.635	-2.726E-08	18.064	2.432E-08	19.635	5.293E-09	18.064	-6.794E-09
7	21.206	4.219E-08	22.777	8.042E-09	21.206	-5.621E-09	22.777	-1.179E-09	21.206	1.161E-09
8	24.347	-1.539E-08	25.918	-2.759E-09	24.347	1.575E-09	25.918	3.158E-10	24.347	-2.503E-10
9	27.489	6.316E-09	29.060	1.065E-09	27.489	-5.119E-10	29.060	-9.780E-11	27.489	6.446E-11
10	30.631	-2.845E-09	32.201	-4.518E-10	30.631	1.871E-10	32.201	3.402E-11	30.631	-1.912E-11

In the case $x \geq 8$ one has $g_n^{(12)} \leq \Delta_n^{(12)}(x) \leq G_n^{(12)}$ with such values:

n	$g_n^{(12)}$	$G_n^{(12)}$	n	$g_n^{(12)}$	$G_n^{(12)}$
1	-9.530E-04	1.314E-03	6	-2.810E-06	2.372E-05
2	-1.191E-04	3.293E-04	7	-4.543E-05	5.122E-06
3	-1.735E-04	6.382E-05	8	-1.649E-05	1.117E-06
4	-5.993E-05	1.238E-05	9	-3.324E-06	5.189E-05
5	6.457E-05	1.238E-05	10	1.788E-05	-6.882E-07

The following sum gives on the interval $8 \leq x \leq 30$ a better approximation than the asymptotic formula:

$$F_{12}(x) = 0.18578\ 75214\ 63 + \sum_{k=1}^{10} \frac{1}{x^{k+1/2}} \left[\tilde{a}_k^{(12)} \sin \left(3x + \frac{7-2k+4\delta_{1k}}{4} \pi \right) + \tilde{b}_k^{(12)} \sin \left(x + \frac{1-2k}{4} \pi \right) \right] .$$

Here δ_{kl} denotes the Kronecker symbol.

The values of the coefficients are

k	$\tilde{a}_k^{(12)}$	$\tilde{b}_k^{(12)}$
1	0.042329196006	0.126986297337
2	0.005292679875	0.333333960255
3	0.009245148401	0.745696621275
4	0.016862928651	2.639682546435
5	-0.014976122776	11.204590967086
6	0.401440149083	59.656792209975
7	-5.815950738680	267.223468914520
8	26.023951772804	1734.742283706764
9	-244.011181624276	4378.452764670006
10	296.167068374575	30038.714778003193

With $8 \leq x \leq 30$ holds

$$-8.1 \cdot 10^{-10} \leq F_{12}(x) - \int_0^x J_0(t) J_1^2(t) dx \leq 5.5 \cdot 10^{-10} .$$

Power series for the modified Bessel functions:

$$\int_0^x I_0(t) I_1^2(t) dt = \sum_{k=1}^{\infty} d_k^{(12)} x^{2k+1} = \frac{x^3}{12} - \frac{x^5}{40} + \frac{5}{1344} x^7 - \frac{19}{55296} x^9 + \frac{707}{32440320} x^{11} - \frac{581}{575078400} x^{13} + \dots$$

With $n \geq 1$ the coefficients $d_k^{(12)}$ are represented bei $d_k^{(03)}$ (see page 392):

$$d_k^{(12)} = \frac{4(k+1)(k+2)}{6k+3} d_{k+1}^{(03)} .$$

Asymptotic formula for the modified Bessel function:

$$\int_0^x I_0(t) I_1^2(t) dt \sim \frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^{\infty} \frac{c_k^{(12)}}{x^k}$$

with the first values

k	$c_k^{(12)}$	$c_k^{(12)}$
1	1/12	0.08333 33333 33333 3
2	-1/96	-0.010416666666667
3	-85/4608	-0.018446180555556
4	-3379/110592	-0.030553747106481
5	-69967/1179648	-0.059311760796441
6	-3833063/28311552	-0.135388656898781
7	-487468417/1358954496	-0.358708417709963
8	-11835711665/10871635968	-1.088678070148568
9	-7811427811325/2087354105856	-3.742262891289173
10	-722951995177505/50096498540544	-14.431188131689621


Let

$$\delta_n^{(12)}(x) = \left[\frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^n \frac{c_k^{(12)}}{x^k} \right] \cdot \left[\int_0^x I_0(t) I_1^2(t) dt \right]^{-1} - 1$$

be the relative error, then one has the following values of $\delta_n^{(12)}(x)$:

n	$x = 5$	$x = 10$	$x = 15$	$x = 20$	$x = 25$
1	4.085E-02	1.541E-02	9.532E-03	6.902E-03	5.409E-03
2	1.483E-02	2.715E-03	1.120E-03	6.084E-04	3.817E-04
3	5.617E-03	4.676E-04	1.265E-04	5.122E-05	2.561E-05
4	2.564E-03	9.526E-05	1.684E-05	5.070E-06	2.019E-06
5	1.379E-03	2.299E-05	2.643E-06	5.914E-07	1.875E-07
6	8.376E-04	6.492E-06	4.829E-07	8.020E-08	2.023E-08
7	5.508E-04	2.121E-06	1.014E-07	1.248E-08	2.503E-09
8	3.768E-04	7.943E-07	2.419E-08	2.204E-09	3.513E-10
9	2.571E-04	3.383E-07	6.500E-09	4.374E-10	5.537E-11
10	1.648E-04	1.624E-07	1.952E-09	9.679E-11	9.724E-12

c) Basic integral $\int Z_1^3(x) dx$:




$$\int_0^\infty J_1^3(x) dx = \frac{\sqrt{3}}{2\pi} = 0.27566 44477 10896 02476 \dots$$

Formula 2.12.42.18 from [4] gives $2 \cdot 0.27566 \dots$

With $-8 \leq x \leq 8$ the following expansion in series of Chebyshev polynomials (based on [2], 9.7.) holds:

$$\int_0^x J_1^3(t) dt = \sum_{k=0}^\infty c_k^{(03)} T_{2k+1} \left(\frac{x}{8} \right) .$$

Using 30 items of the series, the given approximation differs from the true function as shown in the following figure:



The first coefficients of the series are

k	$c_k^{(03)}$	k	$c_k^{(03)}$
0	0.23821 24114 31419 64234	15	-0.00002 28518 02498 15054
1	0.05565 99710 46458 43436	16	0.00000 40330 04736 70912
2	-0.07298 97702 38741 38530	17	-0.00000 06104 34965 75114
3	0.06987 40694 66707 70829	18	0.00000 00802 87294 38422
4	-0.04171 62455 49522 66601	19	-0.00000 00092 76147 24624
5	0.01717 16060 47354 59698	20	0.00000 00009 50125 56893
6	-0.00484 82605 99791 99458	21	-0.00000 00000 86955 13371
7	-0.00029 03839 52557 94438	22	0.00000 00000 07159 24024
8	0.00492 11828 87493 16152	23	-0.00000 00000 00533 44393
9	-0.00739 18550 17718 86749	24	0.00000 00000 00036 16224
10	0.00611 65128 72946 06394	25	-0.00000 00000 00002 24086
11	-0.00338 52693 70801 23544	26	0.00000 00000 00000 12747
12	0.00137 35573 01229 79344	27	-0.00000 00000 00000 00668
13	-0.00043 18988 45664 76700	28	0.00000 00000 00000 00032
14	0.00010 92654 18291 14430	29	-0.00000 00000 00000 00001

Asymptotic formula:

$$\int_0^x J_1^3(t) dt \sim \frac{\sqrt{3}}{2\pi} + \sqrt{\frac{2}{\pi^3 x}} \left\{ \frac{a_1^{(03)} \sin(3x - \frac{\pi}{4}) + b_1^{(03)} \sin(x + \frac{5\pi}{4})}{x} + \sum_{k=2}^{\infty} \frac{1}{x^k} \left[a_k^{(03)} \sin\left(3x + \frac{5-2k}{4}\pi\right) + b_k^{(03)} \sin\left(x + \frac{7-2k}{4}\pi\right) \right] \right\}$$

with $\sqrt{3}/2\pi = 0.27566 44477 10896 02476 \dots$ (see [8], 13.46) and the first values

k	$a_k^{(03)}$	$a_k^{(03)}$
1	1/6	0.16666 66666 66666 66667
2	5/48	0.10416 66666 66666 66667
3	173/2304	0.07508 68055 55555 55556
4	5735/55296	0.10371 45543 98148 14815
5	112415/589824	0.19059 07524 95659 72222
6	6113875/14155776	0.43189 96712 01352 71991
7	790059305/679477248	1.16274 57833 58444 40225
8	19738125085/5435817984	3.63112 32537 76703 35181
9	13496143234525/13496143234525	12.93134 03956 34871 2675
10	1298437733131525/25048249270272	51.83746 45318 04589 8562
k	$b_k^{(03)}$	$b_k^{(03)}$
1	3/2	1.50000 00000 00000 00000
2	27/16	1.68750 00000 00000 00000
3	891/256	3.48046 87500 00000 00000
4	25065/2048	12.23876 95312 50000 0000
5	3564945/65536	54.39674 37744 14062 5000
6	156773205/156773205	299.02115 82183 83789 063
7	1627745015/8388608	1940.45841 87269 21081 54
8	976536193185/67108864	14551.52322 62760 40077 2
9	531096920069625/4294967296	1 23655.63774 23985 39558
10	40362305845577625/34359738368	11 74697.70617 25228 8503

The first consecutive maxima and minima of

$$\Delta_n^{(03)}(x) = \frac{\sqrt{3}}{2\pi} + \sqrt{\frac{2}{\pi^3 x}} \left\{ \frac{a_1^{(03)} \sin(3x - \frac{\pi}{4}) + b_1^{(03)} \sin(x + \frac{5\pi}{4})}{x} + \sum_{k=1}^n \frac{1}{x^k} \left[a_k^{(03)} \sin\left(3x + \frac{7-2k}{4}\pi\right) + b_k^{(03)} \sin\left(x + \frac{1-2k}{4}\pi\right) \right] \right\} - \int_0^x J_0^3(t) dt \quad :$$

i	x_i	$\Delta_1^{(03)}(x_i)$	x_i	$\Delta_2^{(03)}(x_i)$	x_i	$\Delta_3^{(03)}(x_i)$	x_i	$\Delta_4^{(03)}(x_i)$	x_i	$\Delta_5^{(03)}(x_i)$
1	2.023	2.977E-02	3.933	4.556E-03	2.338	-1.901E-02	3.927	-2.969E-03	2.354	4.614E-02
2	5.336	-4.810E-03	7.072	-7.718E-04	5.487	9.013E-04	7.069	1.899E-04	5.496	-5.376E-04
3	8.533	1.690E-03	10.213	2.352E-04	8.632	-1.477E-04	10.210	-3.029E-05	8.638	4.048E-05
4	11.702	-8.051E-04	13.354	-9.624E-05	11.775	4.028E-05	13.352	7.586E-06	11.780	-6.330E-06
5	14.860	4.533E-04	16.495	4.706E-05	14.918	-1.461E-05	16.493	-2.496E-06	14.922	1.484E-06
6	18.013	-2.838E-04	19.636	-2.593E-05	18.060	6.359E-06	19.635	9.863E-07	18.063	-4.510E-07
7	21.162	1.911E-04	22.778	1.557E-05	21.203	-3.145E-06	22.777	-4.448E-07	21.205	1.643E-07
8	24.309	-1.358E-04	25.919	-9.966E-06	24.345	1.709E-06	25.918	2.215E-07	24.347	-6.841E-08
9	27.455	1.005E-04	29.061	6.707E-06	27.486	-9.979E-07	29.060	-1.192E-07	27.488	3.156E-08
10	30.600	-7.684E-05	32.202	-4.698E-06	30.628	6.168E-07	32.201	6.828E-08	30.630	-1.579E-08
i	x_i	$\Delta_6^{(03)}(x_i)$	x_i	$\Delta_7^{(03)}(x_i)$	x_i	$\Delta_8^{(03)}(x_i)$	x_i	$\Delta_9^{(03)}(x_i)$	x_i	$\Delta_{10}^{(03)}(x_i)$
1	3.927	4.522E-03	2.356	-2.426E-01	3.927	-1.276E-02	2.356	2.291E+00	3.927	5.861E-02
2	7.069	-1.056E-04	5.497	6.337E-04	7.069	1.047E-04	5.498	-1.254E-03	7.069	-1.634E-04
3	10.210	8.813E-06	8.639	-2.157E-05	10.210	-4.529E-06	8.639	1.893E-05	10.210	3.623E-06
4	13.352	-1.356E-06	11.781	1.933E-06	13.352	4.279E-07	11.781	-9.676E-07	13.352	-2.095E-07
5	16.493	3.014E-07	14.922	-2.937E-07	16.493	-6.433E-08	14.923	9.523E-08	16.493	2.130E-08
6	19.635	-8.572E-08	18.064	6.248E-08	19.635	1.319E-08	18.064	-1.419E-08	19.635	-3.150E-09
7	22.777	2.911E-08	21.206	-1.680E-08	22.777	-3.380E-09	21.206	2.820E-09	22.777	6.096E-10
8	25.918	-1.130E-08	24.347	5.371E-09	25.918	1.025E-09	24.347	-6.931E-10	25.918	-1.444E-10
9	29.060	4.873E-09	27.489	-1.961E-09	29.060	-3.542E-10	27.489	2.005E-10	29.060	4.007E-11
10	32.201	-2.284E-09	30.630	7.955E-10	32.201	1.361E-10	30.631	-6.600E-11	32.201	-1.262E-11

In the case $x \geq 8$ one has $g_n^{(03)} \leq \Delta_n^{(03)}(x) \leq G_n^{(03)}$ with such values:

n	g_n	G_n	n	g_n	G_n
1	-8.051E-04	1.690E-03	6	-5.870E-05	8.813E-06
2	-4.559E-04	2.352E-04	7	-2.157E-05	1.933E-06
3	-1.477E-04	4.028E-05	8	-4.529E-06	5.333E-05
4	-3.029E-05	1.120E-04	9	-9.676E-07	1.893E-05
5	-6.330E-06	4.048E-05	10	-7.485E-05	3.623E-06

The following sum gives on the interval $8 \leq x \leq 30$ a better approximation than the asymptotic formula:

$$F_{03}(x) = \frac{\sqrt{3}}{2\pi} + \sum_{k=1}^{10} \frac{1}{x^{k+1/2}} \left[\tilde{a}_k^{(03)} \sin\left(3x + \frac{5-2k+4\delta_{1k}}{4}\pi\right) + \tilde{b}_k^{(03)} \sin\left(x + \frac{7-2k}{4}\pi\right) \right] \quad .$$

Here δ_{kl} denotes the Kronecker symbol.

The values of the coefficients are

k	$\tilde{a}_k^{(12)}$	$\tilde{b}_k^{(12)}$
1	0.042329125987	0.380960729687
2	0.026455529094	0.428583324556
3	0.019031312665	0.882368927951
4	0.026093503230	3.106884244014
5	0.036754295203	13.006466163819
6	-0.015099663650	73.274117576600
7	-0.742020898226	297.966084182852
8	-21.408004618587	2526.040556452494
9	-6.362414618305	4245.043677286622
10	-1177.354351044844	55725.065225312970

With $8 \leq x \leq 30$ holds

$$-1.0 \cdot 10^{-9} \leq F_{03}(x) \leq 4.5 \cdot 10^{-10} \quad .$$

Power series for the modified Bessel function:

$$\int_0^x I_1^3(t) dt = \sum_{k=2}^{\infty} d_k^{(03)} x^{2k} = \frac{x^4}{32} + \frac{x^6}{128} + \frac{x^8}{1024} + \frac{19}{245760} x^{10} + \frac{101}{23592960} x^{12} + \frac{83}{471859200} x^{14} + \dots$$

With $n \geq 3$ the following recurrence relation holds:

$$d_n^{(03)} = \frac{16 \sigma_1^{(03)}(n, d) + 36 \sigma_2^{(03)}(n, d)}{3n(n-1)(n-2)}$$

with

$$\sigma_1^{(03)}(n, d) = \sum_{k=3}^{n-1} k(n-k+2)(2nk-n+7k-5k^2) \cdot d_k^{(03)} \cdot d_{n-k+2}^{(03)}$$

and

$$\sigma_2^{(03)}(n, d) = \sum_{k=2}^{n-1} k(n-k+1) \cdot d_k^{(03)} \cdot d_{n-k+1}^{(03)}.$$

Asymptotic formula for the modified Bessel function:

$$\int_0^x I_1^3(t) dt \sim \frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^{\infty} \frac{c_k^{(03)}}{x^k}$$

with the first values

k	$c_k^{(03)}$	$c_k^{(03)}$
1	1/12	0.08333 33333 33333 3
2	-5/96	-0.0520833333333333
3	-173/4608	-0.0375434027777778
4	-5735/110592	-0.051857277199074
5	-112415/1179648	-0.095295376247830
6	-6113875/28311552	-0.215949835600676
7	-790059305/1358954496	-0.581372891679222
8	-19738125085/10871635968	-1.815561626888352
9	-13496143234525/2087354105856	-6.465670197817436
10	-1298437733131525/50096498540544	-25.918732265902295

Let


$$\delta_n^{(03)}(x) = \left[\frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^n \frac{c_k^{(03)}}{x^k} \right] \cdot \left[\int_0^x I_1^3(t) dt \right]^{-1} - 1$$

be the relative error, then one has the following values of $\delta_n^{(03)}(x)$:

n	$x = 5$	$x = 10$	$x = 15$	$x = 20$	$x = 25$
1	1.791E-01	7.271E-02	4.589E-02	3.355E-02	2.645E-02
2	3.170E-02	5.662E-03	2.315E-03	1.253E-03	7.841E-04
3	1.046E-02	8.293E-04	2.209E-04	8.875E-05	4.419E-05
4	4.587E-03	1.618E-04	2.801E-05	8.358E-06	3.311E-06
5	2.429E-03	3.912E-05	4.387E-06	9.712E-07	3.060E-07
6	1.451E-03	1.132E-05	8.179E-07	1.342E-07	3.362E-08
7	9.250E-04	3.840E-06	1.774E-07	2.154E-08	4.288E-09
8	5.962E-04	1.503E-06	4.399E-08	3.949E-09	6.244E-10
9	3.620E-04	6.710E-07	1.232E-08	8.161E-10	1.024E-10
10	1.742E-04	3.374E-07	3.863E-09	1.882E-10	1.874E-11

d) Basic integral $\int x^{-1} \cdot Z_0^3(x) dx$:

$$\int \frac{Z_0^3(x) dx}{x} = \ln|x| + \int_0^x \frac{Z_0^3(t) - 1}{t} dt$$



$$\begin{aligned} \int_0^x \frac{J_0^3(t) - 1}{t} dt &= -\frac{1}{4}x^3 + \frac{3}{64}x^5 - \frac{31}{5376}x^7 + \frac{71}{147456}x^9 - \frac{47}{1638400}x^{11} + \frac{11723}{9201254400}x^{13} - \frac{2021}{46242201600}x^{15} + \\ &+ \frac{1567}{1315333734400}x^{17} - \frac{5773279}{218624250662092800}x^{19} + \frac{3125957}{6443662124777472000}x^{21} - \frac{1114457}{148511069923442688000}x^{23} + \dots \\ &= -0.25x^3 + 0.046875x^5 - 0.005766369047619x^7 + 0.000481499565972x^9 - \\ &- 0.000028686523438x^{11} + 0.000001274065414x^{13} - 0.000000043704667x^{15} + 0.000000001191333x^{17} - \\ &- 0.000000000026407x^{19} + 0.00000000000485x^{21} - 0.00000000000008x^{23} + \dots \end{aligned}$$


With $-8 \leq x \leq 8$ the following expansion in series of Chebyshev polynomials (based on [2], 9.7.) holds:

$$\int_0^x \frac{J_0^3(t) - 1}{t} dt = \sum_{k=0}^{\infty} c_k^{(-)} T_{2k} \left(\frac{x}{8} \right).$$

The first coefficients are

k	$c_k^{(-)}$	k	$c_k^{(-)}$
0	-1.66487772839693011416	15	-0.00000370566539255354
1	-0.85731855220711666821	16	0.00000057633802528230
2	0.35797423128412846686	17	-0.00000007814654021909
3	-0.18824568501714899999	18	0.00000000932468761665
4	0.10690149363496148802	19	-0.00000000098725238622
5	-0.06393636091495798502	20	0.00000000009342113704
6	0.03911001491993894893	21	-0.00000000000795204305
7	-0.02409344095904841252	22	0.00000000000061237408
8	0.01437795892387628520	23	-0.00000000000004288320
9	-0.00768362174411199843	24	0.00000000000000274344
10	0.00345368891420790184	25	-0.00000000000000016101
11	-0.00127440919485714551	26	0.00000000000000000870
12	0.00038620719490337840	27	-0.00000000000000000043
13	-0.00009714124269423777	28	0.00000000000000000002
14	0.00002055168104878868	-	-

The given approximation differs from the true function as shown in the following figure:



Asymptotic formula:

$$\int_1^x \frac{J_0^3(t) dt}{t} \sim 0.11548\ 77825\ 09057\ 98226 \dots +$$

$$+ \sqrt{\frac{2}{\pi^3 x}} \sum_{k=1}^{\infty} \frac{1}{x^{k+1}} \left[a_k^{(01)} \sin \left(3x + \frac{7-2k}{4} \pi \right) + b_k^{(01)} \sin \left(x + \frac{1-2k}{4} \pi \right) \right]$$

with the first values

k	$a_k^{(01)}$	$a_k^{(01)}$
1	1/6	0.16666 66666 66666 66667
2	29/144	0.20138 88888 88888 88889
3	1921/6912	0.27792245370370370370
4	8527/18432	0.46261 93576 38888 88889
5	1621523/1769472	0.91638 80524 81192 12963
6	89993003/42467328	2.11911 14967 25200 13503
7	3821763071/679477248	5.62456 37101 89160 00555
8	275582100493/16307453952	16.89914 93892 39986 24700
9	177961856737289/3131031158784	56.83809 82852 95930 27586
k	$b_k^{(01)}$	$b_k^{(01)}$
1	3/2	1.50000 00000 00000 00000
2	63/16	3.93750 00000 00000 00000
3	3603/256	14.07421 87500 00000 00000
4	129981/2048	63.46728 51562 50000 00000
5	22909281/65536	349.56788 63525 39062 5000
6	1191489153/524288	2272.58520 69854 73632 813
7	143000089119/8388608	17046.93902 95743 94226 07
8	9724198215717/67108864	1 44901.84509 33247 80464 2
9	5912428624098201/4294967296	13 76594.56210 63469 44347

The first consecutive maxima and minima of

$$\Delta_n^{(-1)}(x) = 0.115 \dots + \sqrt{\frac{2}{\pi^3}} x \sum_{k=1}^n \frac{1}{x^{k+1}} \left[a_k^{(-1)} \sin(3x + \dots) + b_k^{(-1)} \sin(x + \dots) \right] - \int_1^x t^{-1} \cdot J_0^3(t) dt \quad .$$

i	x_i	$\Delta_1^{(-1)}(x_i)$	x_i	$\Delta_2^{(-1)}(x_i)$	x_i	$\Delta_3^{(-1)}(x_i)$	x_i	$\Delta_4^{(-1)}(x_i)$	x_i	$\Delta_5^{(-1)}(x_i)$
1	3.944	-5.284E-03	2.356	2.066E-02	3.929	3.477E-03	2.356	-5.340E-02	3.927	-5.296E-03
2	7.079	8.972E-04	5.498	-1.010E-03	7.070	-2.223E-04	5.498	6.258E-04	7.069	1.237E-04
3	10.217	-2.736E-04	8.639	1.668E-04	10.211	3.547E-05	8.639	-4.719E-05	10.210	-1.032E-05
4	13.357	1.120E-04	11.781	-4.561E-05	13.353	-8.883E-06	11.781	7.385E-06	13.352	1.589E-06
5	16.498	-5.477E-05	14.923	1.656E-05	16.494	2.923E-06	14.923	-1.732E-06	16.493	-3.531E-07
6	19.639	3.018E-05	18.064	-7.216E-06	19.635	-1.155E-06	18.064	5.264E-07	19.635	1.004E-07
7	22.780	-1.812E-05	21.206	3.571E-06	22.777	5.209E-07	21.206	-1.918E-07	22.777	-3.411E-08
8	25.921	1.160E-05	24.347	-1.941E-06	25.919	-2.594E-07	24.347	7.986E-08	25.918	1.324E-08
9	29.062	-7.806E-06	27.489	1.134E-06	29.060	1.396E-07	27.489	-3.685E-08	29.060	-5.709E-09
10	32.204	5.468E-06	30.631	-7.008E-07	32.202	-7.996E-08	30.631	1.844E-08	32.201	2.676E-09

i	x_i	$\Delta_6^{(-1)}(x_i)$	x_i	$\Delta_7^{(-1)}(x_i)$	x_i	$\Delta_8^{(-1)}(x_i)$	x_i	$\Delta_9^{(-1)}(x_i)$
1	2.356	2.837E-01	3.927	1.495E-02	2.356	-2.685E+00	3.927	-6.868E-02
2	5.498	-7.418E-04	7.069	-1.227E-04	5.498	1.470E-03	7.069	1.915E-04
3	8.639	2.526E-05	10.210	5.307E-06	8.639	-2.218E-05	10.210	-4.245E-06
4	11.781	-2.264E-06	13.352	-5.014E-07	11.781	1.134E-06	13.352	2.455E-07
5	14.923	3.441E-07	16.493	7.538E-08	14.923	-1.116E-07	16.493	-2.496E-08
6	18.064	-7.318E-08	19.635	-1.546E-08	18.064	1.663E-08	19.635	3.692E-09
7	21.206	1.968E-08	22.777	3.961E-09	21.206	-3.305E-09	22.777	-7.143E-10
8	24.347	-6.291E-09	25.918	-1.201E-09	24.347	8.122E-10	25.918	1.692E-10
9	27.489	2.297E-09	29.060	4.150E-10	27.489	-2.350E-10	29.060	-4.695E-11
10	30.631	-9.319E-10	32.201	-1.594E-10	30.631	7.734E-11	32.201	1.479E-11

In the case $x \geq 8$ one has $g_n^{(-1)} \leq \Delta_n^{(-1)}(x) \leq G_n^{(-1)}$ with the following values:

n	$g_n^{(-1)}$	$G_n^{(-1)}$	n	$g_n^{(-1)}$	$G_n^{(-1)}$
1	-2.736E-04	4.984E-04	6	-2.264E-06	2.526E-05
2	-4.561E-05	1.668E-04	7	-6.249E-05	5.307E-06
3	-1.301E-04	3.547E-05	8	-2.218E-05	1.134E-06
4	-4.719E-05	7.385E-06	9	-4.245E-06	8.772E-05
5	-1.032E-05	6.871E-05	-	-	-

The following sum gives on the interval $8 \leq x \leq 30$ a better approximation than the asymptotic formula:

$$F_{-1}(x) = 0.115 \dots + \sum_{k=1}^9 \frac{1}{x^{k+3/2}} \left[\tilde{a}_k^{(-1)} \sin \left(3x + \frac{7-2k}{4} \pi \right) + \tilde{b}_k^{(-1)} \sin \left(x + \frac{1-2k}{4} \pi \right) \right] \quad .$$

The values of the coefficients are

k	$\tilde{a}_k^{(-1)}$	$\tilde{b}_k^{(-1)}$
1	0.042328265593	0.380960857219
2	0.051124895140	0.999204230732
3	0.069839136706	3.573795779326
4	0.108172780150	15.423626931601
5	-0.035881146333	86.734624679653
6	-0.183965343668	370.667415902952
7	-39.511920554495	3145.668270195769
8	23.037919369082	5512.467112432406
9	-1996.507320270070	73698.065312438298

With $8 \leq x \leq 30$ holds

$$-2.0 \cdot 10^{-9} \leq F_{-1}(x) - \int_1^x t^{-1} \cdot J_0^3(t) dt \leq 3.2 \cdot 10^{-9} \quad .$$

Power series for the modified Bessel function:

$$\int_0^x \frac{I_0^3(t) - 1}{t} dt = \sum_{k=1}^{\infty} d_k^{(-1)} x^{2k} = \frac{3}{8} x^2 + \frac{15}{256} x^4 + \frac{31}{4608} x^6 + \frac{71}{131072} x^8 + \frac{517}{16384000} x^{10} + \frac{11723}{8493465600} x^{12} + \dots$$

From this:

$$\int_1^x I_0^3(t) dt = \ln|x| - 0.44089\ 58511\ 01198\ 85318 + \sum_{k=1}^{\infty} d_k^{(-1)} x^{2k}$$

With $n \geq 1$ the following recurrence relation holds:

$$d_{n+1}^{(-1)} = \frac{1}{24(n+1)^3} \left[16 \sum_{k=1}^{n-1} k(n+1-k)(3n^2 + 5k^2 - 8kn + 5n - 6k + 2) d_k^{(-1)} d_{n+1-k}^{(-1)} - 36 \sum_{k=1}^{n-1} k(n-k) d_k^{(-1)} d_{n-k}^{(-1)} - 36n d_n^{(-1)} \right]$$

Asymptotic formula for the modified Bessel function:

$$\int_1^x \frac{I_0^3(t) dt}{t} \sim \frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^{\infty} \frac{c_k}{x^{k+1}}$$

with the first values

k	c_k	c_k
1	1/12	0.08333 33333 33333 3
2	29/288	0.10069 44444 44444 4
3	1921/13824	0.13896 12268 51851 9
4	8527/36864	0.2313 09678 81944 4
5	1621523/3538944	0.45819 40262 40596 1
6	89993003/84934656	1.05955 57483 62600 1
7	3821763071/1358954496	2.81228 18550 94580 0
8	275582100493/32614907904	8.44957 46946 19993 1
9	177961856737289/6262062317568	28.41904 91426 47965
10	5312592054074687/50096498540544	106.04717 31327 7115

Let

$$\delta_n(x) = \left[\frac{\sqrt{2} e^{3x}}{\sqrt{\pi^3} x} \sum_{k=1}^n \frac{c_k}{x^{k+1}} - \frac{\sqrt{2} e^3}{\sqrt{\pi^3}} \sum_{k=1}^n c_k \right] \cdot \left[\int_1^x t^{-1} I_0^3(t) dt \right]^{-1} - 1,$$

then one has the following values of $\delta_n(x)$:

n	$x = 5$	$x = 10$	$x = 15$	$x = 20$	$x = 25$
1	-2.591E-01	-1.236E-01	-8.166E-02	-6.101E-02	-4.870E-02
2	-8.036E-02	-1.768E-02	-7.680E-03	-4.277E-03	-2.722E-03
3	-3.135E-02	-3.069E-03	-8.738E-04	-3.624E-04	-1.838E-04
4	-1.560E-02	-6.368E-04	-1.185E-04	-3.658E-05	-1.478E-05
5	-1.048E-02	-1.549E-04	-1.881E-05	-4.316E-06	-1.388E-06
6	-1.070E-02	-4.350E-05	-3.431E-06	-5.850E-07	-1.498E-07
7	-1.769E-02	-1.394E-05	-7.097E-07	-8.985E-08	-1.831E-08
8	-4.254E-02	-5.103E-06	-1.647E-07	-1.547E-08	-2.507E-09
9	-1.287E-01	-2.292E-06	-4.254E-08	-2.958E-09	-3.813E-10
10	-4.521E-01	-1.839E-06	-1.214E-08	-6.242E-10	-6.393E-11

e) Integrals of the type $\int x^n Z_0^3(x) dx$:

$$\begin{aligned} \int x J_0^3(x) dx &= x J_0^2(x) J_1(x) + \frac{2x}{3} J_1^3(x) + \frac{4}{3} \int J_1^3(x) dx \\ \int x I_0^3(x) dx &= x I_0^2(x) I_1(x) - \frac{2x}{3} I_1^3(x) - \frac{4}{3} \int I_1^3(x) dx \\ \int x^2 J_0^3(x) dx &= \\ &= -\frac{x}{9} J_0^3(x) + x^2 J_0^2(x) J_1(x) - \frac{2x}{3} J_0(x) J_1^2(x) + \frac{2x^2}{3} J_1^3(x) + \frac{1}{9} \int J_0^3(x) dx - \frac{2}{3} \int J_0(x) J_1^2(x) dx \\ \int x^2 I_0^3(x) dx &= \\ &= \frac{x}{9} I_0^3(x) + x^2 I_0^2(x) I_1(x) - \frac{2x}{3} I_0(x) I_1^2(x) - \frac{2x^2}{3} I_1^3(x) - \frac{1}{9} \int I_0^3(x) dx - \frac{2}{3} \int I_0(x) I_1^2(x) dx \\ \int x^3 J_0^3(x) dx &= \frac{2x^2}{3} J_0^3(x) + \frac{3x^3 - 4x}{3} J_0^2(x) J_1(x) + \frac{6x^3 - 8x}{9} J_1^3(x) - \frac{16}{9} \int J_1^3(x) dx \\ \int x^3 I_0^3(x) dx &= -\frac{2x^2}{3} I_0^3(x) + \frac{3x^3 + 4x}{3} I_0^2(x) I_1(x) - \frac{6x^3 + 8x}{9} I_1^3(x) - \frac{16}{9} \int I_1^3(x) dx \end{aligned}$$

Let

$$\begin{aligned} \int x^n J_0^3(x) dx &= \mathcal{P}_n(x) J_0^3(x) + \mathcal{Q}_n(x) J_0^2(x) J_1(x) + \mathcal{R}_n(x) J_0(x) J_1^2(x) + \mathcal{S}_n(x) J_1^3(x) + \\ &+ \mathcal{U}_n \int J_0^3(x) dx + \mathcal{V}_n \int J_0(x) J_1(x)^2 dx + \mathcal{W}_n \int J_1^3(x) dx + \mathcal{X}_n \int \frac{J_0^3(x) dx}{x} \end{aligned}$$

and

$$\begin{aligned} \int x^n I_0^3(x) dx &= \mathcal{P}_n^*(x) I_0^3(x) + \mathcal{Q}_n^*(x) I_0^2(x) I_1(x) + \mathcal{R}_n^*(x) I_0(x) I_1^2(x) + \mathcal{S}_n^*(x) I_1^3(x) + \\ &+ \mathcal{U}_n^* \int I_0^3(x) dx + \mathcal{V}_n^* \int I_0(x) I_1(x)^2 dx + \mathcal{W}_n^* \int I_1^3(x) dx + \mathcal{X}_n^* \int \frac{I_0^3(x) dx}{x} . \end{aligned}$$

If $\mathcal{X}_n = 0$ or $\mathcal{X}_n^* = 0$, then they are omitted from the following table.

$$\begin{aligned} \mathcal{P}_4(x) &= \frac{39x^3 + 17x}{27}, \quad \mathcal{Q}_4(x) = \frac{3x^4 - 13x^2}{3}, \quad \mathcal{R}_4(x) = \frac{6x^3 + 28x}{9}, \quad \mathcal{S}_4(x) = \frac{6x^4 - 28x^2}{9}, \\ \mathcal{U}_4 &= -\frac{17}{24}, \quad \mathcal{V}_4 = \frac{28}{9}, \quad \mathcal{W}_4 = 0. \\ \mathcal{P}_4^*(x) &= \frac{-39x^3 + 17x}{27}, \quad \mathcal{Q}_4^*(x) = \frac{3x^4 + 13x^2}{3}, \quad \mathcal{R}_4^*(x) = \frac{6x^3 - 28x}{9}, \quad \mathcal{S}_4^*(x) = -\frac{6x^4 + 28x^2}{9}, \\ \mathcal{U}_4^* &= -\frac{17}{27}, \quad \mathcal{V}_4^* = -\frac{28}{9}, \quad \mathcal{W}_4^* = 0 \\ \mathcal{P}_5(x) &= \frac{60x^4 - 160x^2}{27}, \quad \mathcal{Q}_5(x) = \frac{27x^5 - 240x^3 + 320x}{27}, \quad \mathcal{R}_5(x) = \frac{4x^4}{3}, \\ \mathcal{S}_5(x) &= \frac{54x^5 - 552x^3 + 640x}{81}, \quad \mathcal{U}_5 = 0, \quad \mathcal{V}_5 = 0, \quad \mathcal{W}_5 = \frac{1280}{81} \\ \mathcal{P}_5^*(x) &= -\frac{60x^4 + 160x^2}{27}, \quad \mathcal{Q}_5^*(x) = \frac{27x^5 + 240x^3 + 320x}{27}, \quad \mathcal{R}_5^*(x) = \frac{4x^4}{3}, \\ \mathcal{S}_5^*(x) &= -\frac{54x^5 + 552x^3 + 640x}{81}, \quad \mathcal{U}_5^* = 0, \quad \mathcal{V}_5^* = 0, \quad \mathcal{W}_5^* = -\frac{1280}{81} \\ \mathcal{P}_6(x) &= \frac{9x^5 - 69x^3 - 31x}{3}, \quad \mathcal{Q}_6(x) = x^6 - 15x^4 + 69x^2, \quad \mathcal{R}_6(x) = 2x^5 - 12x^3 - 50x, \\ \mathcal{S}_6(x) &= \frac{2x^6 - 36x^4 + 150x^2}{3}, \quad \mathcal{U}_6 = \frac{31}{3}, \quad \mathcal{V}_6 = -50, \quad \mathcal{W}_6 = 0 \end{aligned}$$

$$\mathcal{P}_6^*(x) = \frac{-9x^5 - 69x^3 + 31x}{3}, \quad \mathcal{Q}_6^*(x) = x^6 + 15x^4 + 69x^2, \quad \mathcal{R}_6^*(x) = 2x^5 + 12x^3 - 50x,$$

$$\mathcal{S}_6^*(x) = -\frac{2x^6 + 36x^4 + 150x^2}{3}, \quad \mathcal{U}_6^* = -\frac{31}{3}, \quad \mathcal{V}_6^* = -50, \quad \mathcal{W}_6^* = 0$$

$$\mathcal{P}_7(x) = \frac{102x^6 - 1488x^4 + 3968x^2}{27}, \quad \mathcal{Q}_7(x) = \frac{27x^7 - 612x^5 + 5952x^3 - 7936x}{27},$$

$$\mathcal{R}_7(x) = \frac{8x^6 - 112x^4}{3}, \quad \mathcal{S}_7(x) = \frac{54x^7 - 1512x^5 + 13920x^3 - 15872x}{81},$$

$$\mathcal{U}_7 = 0, \quad \mathcal{V}_7 = 0, \quad \mathcal{W}_7 = -\frac{31744}{81}$$

$$\mathcal{P}_7^*(x) = -\frac{102x^6 + 1488x^4 + 3968x^2}{27}, \quad \mathcal{Q}_7^*(x) = \frac{27x^7 + 612x^5 + 5952x^3 + 7936x}{27},$$

$$\mathcal{R}_7^*(x) = \frac{8x^6 + 112x^4}{3}, \quad \mathcal{S}_7^*(x) = -\frac{54x^7 + 1512x^5 + 13920x^3 + 15872x}{81},$$

$$\mathcal{U}_7^* = 0, \quad \mathcal{V}_7^* = 0, \quad \mathcal{W}_7^* = -\frac{31744}{81},$$

$$\mathcal{P}_8(x) = \frac{1107x^7 - 25947x^5 + 200427x^3 + 90373x}{243}, \quad \mathcal{Q}_8(x) = \frac{27x^8 - 861x^6 + 14415x^4 - 66809x^2}{27},$$

$$\mathcal{R}_8(x) = \frac{270x^7 - 6516x^5 + 35346x^3 + 145400x}{81}, \quad \mathcal{S}_8(x) = \frac{54x^8 - 2172x^6 + 35346x^4 - 145400x^2}{81}$$

$$\mathcal{U}_8 = -\frac{90373}{243}, \quad \mathcal{V}_8 = \frac{145400}{81}, \quad \mathcal{W}_8 = 0$$

$$\mathcal{P}_8^*(x) = \frac{-1107x^7 - 25947x^5 - 200427x^3 + 90373x}{243}, \quad \mathcal{Q}_8^*(x) = \frac{27x^8 + 861x^6 + 14415x^4 + 66809x^2}{27},$$

$$\mathcal{R}_8^*(x) = \frac{270x^7 + 6516x^5 + 35346x^3 - 145400x}{81}, \quad \mathcal{S}_8^*(x) = -\frac{54x^8 + 2172x^6 + 35346x^4 + 145400x^2}{81}$$

$$\mathcal{U}_8^* = -\frac{90373}{243}, \quad \mathcal{V}_8^* = -\frac{145400}{81}, \quad \mathcal{W}_8^* = 0$$

$$\int \frac{J_0^3(x) dx}{x^2} = -\frac{J_0^3(x)}{x} + 3J_0^2(x)J_1(x) + 6 \int J_0(x)J_1^2(x) dx - 3 \int J_0^3(x) dx$$

$$\int \frac{I_0^3(x) dx}{x^2} = -\frac{I_0^3(x)}{x} - 3I_0^2(x)I_1(x) + 6 \int I_0(x)I_1^2(x) dx + 3 \int I_0^3(x) dx$$

$$\int \frac{J_0^3(x) dx}{x^3} = -\frac{x^2+1}{2x^2} J_0^3(x) + \frac{3}{4x} J_0^2(x)J_1(x) - \frac{3}{4} J_0(x)J_1^2(x) - \frac{3}{4} \int \frac{J_0^3(x) dx}{x} - \frac{3}{4} \int J_1^3(x) dx$$

$$\int \frac{I_0^3(x) dx}{x^3} = -\frac{x^2-1}{2x^2} I_0^3(x) - \frac{3}{4x} I_0^2(x)I_1(x) - \frac{3}{4} I_0(x)I_1^2(x) + \frac{3}{4} \int \frac{I_0^3(x) dx}{x} + \frac{3}{4} \int I_1^3(x) dx$$

$$\int \frac{J_0^3(x) dx}{x^4} = \frac{x^2-1}{3x^3} J_0^3(x) - \frac{13x^2-3}{9x^2} J_0^2(x)J_1(x) - \frac{2}{9x} J_0(x)J_1^2(x) + \frac{2}{27} J_1^3(x) +$$

$$+ \frac{13}{9} \int J_0^3(x) dx - \frac{28}{9} \int J_0(x)J_1^2(x) dx$$

$$\int \frac{I_0^3(x) dx}{x^4} = -\frac{x^2+1}{3x^3} J_0^3(x) - \frac{13x^2+3}{9x^2} I_0^2(x)I_1(x) - \frac{2}{9x} I_0(x)I_1^2(x) - \frac{2}{27} I_1^3(x) +$$

$$+ \frac{13}{9} \int I_0^3(x) dx + \frac{28}{9} \int I_0(x)I_1^2(x) dx$$

$$\mathcal{P}_{-5}(x) = \frac{23x^4 + 12x^2 - 32}{128x^4}, \quad \mathcal{Q}_{-5}(x) = \frac{-15x^2 + 12}{64x^3}, \quad \mathcal{R}_{-5}(x) = \frac{69x^2 - 24}{256x^2}, \quad \mathcal{S}_{-5}(x) = \frac{3}{128x}$$

$$\begin{aligned}
& \mathcal{U}_{-5} = \frac{15}{64}, \quad \mathcal{V}_{-5} = 0, \quad \mathcal{W}_{-5} = 0, \quad \mathcal{X}_{-5} = \frac{69}{256} \\
\mathcal{P}_{-5}^*(x) &= \frac{23x^4 - 12x^2 - 32}{128x^4}, \quad \mathcal{Q}_{-5}^*(x) = \frac{-15x^2 - 12}{64x^3}, \quad \mathcal{R}_{-5}^*(x) = \frac{-69x^2 - 24}{256x^2}, \quad \mathcal{S}_{-5}^*(x) = \frac{-3}{128x} \\
& \mathcal{U}_{-5}^* = \frac{15}{64}, \quad \mathcal{V}_{-5}^* = 0, \quad \mathcal{W}_{-5}^* = 0, \quad \mathcal{X}_{-5}^* = \frac{69}{256} \\
\mathcal{P}_{-6}(x) &= \frac{-9x^4 + 5x^2 - 25}{125x^5}, \quad \mathcal{Q}_{-6}(x) = \frac{207x^4 - 45x^2 + 75}{625x^4}, \quad \mathcal{R}_{-6}(x) = \frac{36x^2 - 30}{625x^3}, \\
\mathcal{S}_{-6}(x) &= \frac{-12x^2 + 6}{625x^2}, \quad \mathcal{U}_{-6} = -\frac{207}{625}, \quad \mathcal{V}_{-6} = \frac{18}{25}, \quad \mathcal{W}_{-6} = 0 \\
\mathcal{P}_{-6}^*(x) &= -\frac{9x^4 + 5x^2 + 25}{125x^5}, \quad \mathcal{Q}_{-6}^*(x) = -\frac{207x^4 + 45x^2 + 75}{625x^4}, \quad \mathcal{R}_{-6}^*(x) = -\frac{36x^2 + 30}{625x^3}, \\
\mathcal{S}_{-6}^*(x) &= -\frac{12x^2 + 6}{625x^2}, \quad \mathcal{U}_{-6}^* = \frac{207}{625}, \quad \mathcal{V}_{-6}^* = \frac{18}{25}, \quad \mathcal{W}_{-6}^* = 0 \\
\mathcal{P}_{-7}(x) &= \frac{-145x^6 - 68x^4 + 96x^2 - 768}{4608x^6}, \quad \mathcal{Q}_{-7}(x) = \frac{93x^4 - 68x^2 + 192}{2304x^5}, \\
\mathcal{R}_{-7}(x) &= \frac{-435x^4 + 168x^2 - 256}{9216x^4}, \quad \mathcal{S}_{-7}(x) = \frac{-63x^2 + 64}{13824x^3} \\
\mathcal{U}_{-7} &= -\frac{31}{768}, \quad \mathcal{V}_{-7} = 0, \quad \mathcal{W}_{-7} = 0, \quad \mathcal{X}_{-7} = -\frac{145}{3072} \\
\mathcal{P}_{-7}^*(x) &= \frac{145x^6 - 68x^4 - 96x^2 - 768}{4608x^6}, \quad \mathcal{Q}_{-7}^*(x) = \frac{-93x^4 - 68x^2 - 192}{2304x^5}, \\
\mathcal{R}_{-7}^*(x) &= \frac{-435x^4 - 168x^2 - 256}{9216x^4}, \quad \mathcal{S}_{-7}^*(x) = \frac{-63x^2 - 64}{13824x^3} \\
\mathcal{U}_{-7}^* &= \frac{31}{768}, \quad \mathcal{V}_{-7}^* = 0, \quad \mathcal{W}_{-7}^* = 0, \quad \mathcal{X}_{-7}^* = \frac{145}{3072} \\
\mathcal{P}_{-8}(x) &= \frac{2883x^6 - 1435x^4 + 3675x^2 - 42875}{300125x^7}, \quad \mathcal{Q}_{-8}(x) = \frac{-66809x^6 + 14415x^4 - 21525x^2 + 91875}{1500625x^6}, \\
\mathcal{R}_{-8}(x) &= \frac{-11782x^4 + 10860x^2 - 26250}{1500625x^5}, \quad \mathcal{S}_{-8}(x) = \frac{11782x^4 - 6516x^2 + 11250}{4501875x^4}, \\
\mathcal{U}_{-8} &= \frac{66809}{1500625}, \quad \mathcal{V}_{-8} = \frac{5816}{60025}, \quad \mathcal{W}_{-8} = 0 \\
\mathcal{P}_{-8}^*(x) &= -\frac{2883x^6 + 1435x^4 + 3675x^2 + 42875}{300125x^7}, \quad \mathcal{Q}_{-8}^*(x) = -\frac{66809x^6 + 14415x^4 + 21525x^2 + 91875}{1500625x^6}, \\
\mathcal{R}_{-8}^*(x) &= -\frac{11782x^4 + 10860x^2 + 26250}{1500625x^5}, \quad \mathcal{S}_{-8}^*(x) = -\frac{11782x^4 + 6516x^2 + 11250}{4501875x^4}, \\
\mathcal{U}_{-8}^* &= \frac{66809}{1500625}, \quad \mathcal{V}_{-8}^* = -\frac{5816}{60025}, \quad \mathcal{W}_{-8}^* = 0
\end{aligned}$$

f) Integrals of the type $\int x^n Z_0^2(x) Z_1(x) dx$:

$$\begin{aligned} \int J_0^2(x) J_1(x) dx &= -\frac{1}{3} J_0^3(x) \\ \int I_0^2(x) I_1(x) dx &= \frac{1}{3} I_0^3(x) \\ \int x J_0^2(x) J_1(x) dx &= -\frac{x}{3} J_0^3(x) + \frac{1}{3} \int J_0^3(x) dx \\ \int x I_0^2(x) I_1(x) dx &= \frac{x}{3} I_0^3(x) - \frac{1}{3} \int I_0^3(x) dx \\ \int x^2 J_0^2(x) J_1(x) dx &= -\frac{x^2}{3} J_0^3(x) + \frac{2x}{3} J_0^2(x) J_1(x) + \frac{4x}{9} J_1^3(x) + \frac{8}{9} \int J_1^3(x) dx \\ \int x^2 I_0^2(x) I_1(x) dx &= \frac{x^2}{3} I_0^3(x) - \frac{2x}{3} I_0^2(x) I_1(x) + \frac{4x}{9} I_1^3(x) + \frac{8}{9} \int I_1^3(x) dx \\ \int x^3 J_0^2(x) J_1(x) dx &= -\frac{3x^3+x}{9} J_0^3(x) + x^2 J_0^2(x) J_1(x) - \frac{2x}{3} J_0(x) J_1^2(x) + \frac{2x^2}{3} J_1^3(x) + \\ &\quad + \frac{1}{9} \int J_0^3(x) dx - \frac{2}{3} \int J_0(x) J_1^2(x) dx \\ \int x^3 I_0^2(x) I_1(x) dx &= \frac{3x^3-x}{9} I_0^3(x) - x^2 I_0^2(x) I_1(x) + \frac{2x}{3} I_0(x) I_1^2(x) + \frac{2x^2}{3} I_1^3(x) + \\ &\quad + \frac{1}{9} \int I_0^3(x) dx + \frac{2}{3} \int I_0(x) I_1^2(x) dx \\ \int x^4 J_0^2(x) J_1(x) dx &= \frac{-3x^4+8x^2}{9} J_0^3(x) + \frac{12x^3-16x}{9} J_0^2(x) J_1(x) + \frac{24x^3-32x}{27} J_1^3(x) - \frac{64}{27} \int J_1^3(x) dx \\ \int x^4 I_0^2(x) I_1(x) dx &= \frac{3x^4+8x^2}{9} I_0^3(x) - \frac{12x^3+16x}{9} I_0^2(x) I_1(x) + \frac{24x^3+32x}{27} I_1^3(x) + \frac{64}{27} \int I_1^3(x) dx \end{aligned}$$

Let

$$\begin{aligned} \int x^n J_0^2(x) J_1(x) dx &= \mathcal{P}_n(x) J_0^3(x) + \mathcal{Q}_n(x) J_0^2(x) J_1(x) + \mathcal{R}_n(x) J_0(x) J_1^2(x) + \mathcal{S}_n(x) J_1^3(x) + \\ &\quad + \mathcal{U}_n \int J_0^3(x) dx + \mathcal{V}_n \int J_0(x) J_1(x)^2 dx + \mathcal{W}_n \int J_1(x)^3 dx + \mathcal{X}_n \int \frac{J_0^3(x) dx}{x} \end{aligned}$$

and

$$\begin{aligned} \int x^n I_0^2(x) I_1(x) dx &= \mathcal{P}_n^*(x) I_0^3(x) + \mathcal{Q}_n^*(x) I_0^2(x) I_1(x) + \mathcal{R}_n^*(x) I_0(x) I_1^2(x) + \mathcal{S}_n^*(x) I_1^3(x) + \\ &\quad + \mathcal{U}_n^* \int I_0^3(x) dx + \mathcal{V}_n^* \int I_0(x) I_1(x)^2 dx + \mathcal{W}_n^* \int I_1(x)^3 dx + \mathcal{X}_n^* \int \frac{I_0^3(x) dx}{x} . \end{aligned}$$

If $\mathcal{X}_n = 0$ or $\mathcal{X}_n^* = 0$, then they are omitted from the following table.

$$\begin{aligned} \mathcal{P}_5(x) &= \frac{-27x^5 + 195x^3 + 85x}{81}, \quad \mathcal{Q}_5(x) = \frac{15x^4 - 65x^2}{9}, \quad \mathcal{R}_5(x) = \frac{30x^3 + 140x}{27}, \\ \mathcal{S}_5(x) &= \frac{30x^4 - 140x^2}{27}, \quad \mathcal{U}_5 = -\frac{85}{81}, \quad \mathcal{V}_5 = \frac{140}{27}, \quad \mathcal{W}_5 = 0 \\ \mathcal{P}_5^*(x) &= \frac{27x^5 + 195x^3 - 85x}{81}, \quad \mathcal{Q}_5^*(x) = -\frac{15x^4 + 65x^2}{9}, \quad \mathcal{R}_5^*(x) = \frac{-30x^3 + 140x}{27}, \\ \mathcal{S}_5^*(x) &= \frac{30x^4 + 140x^2}{27}, \quad \mathcal{U}_5^* = \frac{85}{81}, \quad \mathcal{V}_5^* = \frac{140}{27}, \quad \mathcal{W}_5^* = 0 \end{aligned}$$

$$\begin{aligned}
\mathcal{P}_6(x) &= \frac{-9x^6 + 120x^4 - 320x^2}{27}, & \mathcal{Q}_6(x) &= \frac{54x^5 - 480x^3 + 640x}{27}, & \mathcal{R}_6(x) &= \frac{8x^4}{3}, \\
\mathcal{S}_6(x) &= \frac{108x^5 - 1104x^3 + 1280x}{81}, & \mathcal{U}_6 &= 0, & \mathcal{V}_6 &= 0, & \mathcal{W}_6 &= \frac{2560}{81} \\
\mathcal{P}_6^*(x) &= \frac{9x^6 + 120x^4 + 320x^2}{27}, & \mathcal{Q}_6^*(x) &= -\frac{54x^5 + 480x^3 + 640x}{9}, & \mathcal{R}_6^*(x) &= -\frac{8x^4}{3}, \\
\mathcal{S}_6^*(x) &= \frac{108x^5 + 1104x^3 + 1280x}{81}, & \mathcal{U}_6^* &= 0, & \mathcal{V}_6^* &= 0, & \mathcal{W}_6^* &= \frac{2560}{81} \\
\mathcal{P}_7(x) &= \frac{-3x^7 + 63x^5 - 483x^3 - 217x}{9}, & \mathcal{Q}_7(x) &= \frac{7x^6 - 105x^4 + 483x^2}{3}, \\
\mathcal{R}_7(x) &= \frac{14x^5 - 84x^3 - 350x}{3}, & \mathcal{S}_7(x) &= \frac{14x^6 - 252x^4 + 1050x^2}{9}, \\
\mathcal{U}_7 &= \frac{217}{9}, & \mathcal{V}_7 &= -\frac{350}{3}, & \mathcal{W}_7 &= 0 \\
\mathcal{P}_7^*(x) &= \frac{3x^7 + 63x^5 + 483x^3 - 217x}{9}, & \mathcal{Q}_7^*(x) &= -\frac{7x^6 + 105x^4 + 483x^2}{3}, \\
\mathcal{R}_7^*(x) &= \frac{-14x^5 - 84x^3 + 350x}{3}, & \mathcal{S}_7^*(x) &= \frac{14x^6 + 252x^4 + 1050x^2}{9}, \\
\mathcal{U}_7^* &= \frac{217}{9}, & \mathcal{V}_7^* &= \frac{350}{3}, & \mathcal{W}_7^* &= 0 \\
\mathcal{P}_8(x) &= \frac{-27x^8 + 816x^6 - 11904x^4 + 31744x^2}{81}, & \mathcal{Q}_8(x) &= \frac{216x^7 - 4896x^5 + 47616x^3 - 63488x}{81}, \\
\mathcal{R}_8(x) &= \frac{64x^6 - 896x^4}{9}, & \mathcal{S}_8(x) &= \frac{432x^7 - 12096x^5 + 111360x^3 - 126976x}{243}, \\
\mathcal{U}_8 &= 0, & \mathcal{V}_8 &= 0, & \mathcal{W}_8 &= -\frac{253952}{243} \\
\mathcal{P}_8^*(x) &= \frac{27x^8 + 816x^6 + 11904x^4 + 31744x^2}{81}, & \mathcal{Q}_8^*(x) &= -\frac{216x^7 + 4896x^5 + 47616x^3 + 63488x}{81}, \\
\mathcal{R}_8^*(x) &= -\frac{64x^6 + 896x^4}{9}, & \mathcal{S}_8^*(x) &= \frac{432x^7 + 12096x^5 + 111360x^3 + 126976x}{243}, \\
\mathcal{U}_8^* &= 0, & \mathcal{V}_8^* &= 0, & \mathcal{W}_8^* &= \frac{253952}{243} \\
\int \frac{J_0^2(x) J_1(x) dx}{x} &= -J_0^2(x) J_1(x) + \int J_0^3(x) dx - 2 \int J_0(x) J_1^2(x) dx \\
\int \frac{I_0^2(x) I_1(x) dx}{x} &= -I_0^2(x) I_1(x) + \int I_0^3(x) dx + 2 \int I_0(x) I_1^2(x) dx \\
\int \frac{J_0^2(x) J_1(x) dx}{x^2} &= \frac{1}{3} J_0^3(x) - \frac{1}{2x} J_0^2(x) J_1(x) + \frac{1}{2} J_0(x) J_1^2(x) + \frac{1}{2} \int J_1^3(x) dx + \frac{1}{2} \int \frac{J_0^3(x) dx}{x} \\
\int \frac{I_0^2(x) I_1(x) dx}{x^2} &= \frac{1}{3} I_0^3(x) - \frac{1}{2x} I_0^2(x) I_1(x) - \frac{1}{2} I_0(x) I_1^2(x) + \frac{1}{2} \int I_1^3(x) dx + \frac{1}{2} \int \frac{I_0^3(x) dx}{x} \\
\int \frac{J_0^2(x) J_1(x) dx}{x^3} &= -\frac{1}{3x} J_0^3(x) + \frac{13x^2 - 3}{9x^2} J_0^2(x) J_1(x) + \frac{2}{9x} J_0(x) J_1^2(x) - \frac{2}{27} J_1^3(x) - \\
&\quad -\frac{13}{9} \int J_0^3(x) dx + \frac{28}{9} \int J_0(x) J_1^2(x) dx \\
\int \frac{I_0^2(x) I_1(x) dx}{x^3} &= -\frac{1}{3x} I_0^3(x) - \frac{13x^2 + 3}{9x^2} I_0^2(x) I_1(x) - \frac{2}{9x} I_0(x) I_1^2(x) - \frac{2}{27} I_1^3(x) + \\
&\quad + \frac{13}{9} \int I_0^3(x) dx + \frac{28}{9} \int I_0(x) I_1^2(x) dx
\end{aligned}$$

$$\begin{aligned}
\mathcal{P}_{-4}(x) &= \frac{-23x^2 - 12}{96x^2}, & \mathcal{Q}_{-4}(x) &= \frac{5x^2 - 4}{16x^3}, & \mathcal{R}_{-4}(x) &= \frac{-23x^2 + 8}{64x^2}, & \mathcal{S}_{-4}(x) &= -\frac{1}{32x}, \\
\mathcal{U}_{-4} &= 0, & \mathcal{V}_{-4} &= 0, & \mathcal{W}_{-4} &= -\frac{23}{64}, & \mathcal{X}_{-4} &= -\frac{5}{16} \\
\mathcal{P}_{-4}^*(x) &= \frac{23x^2 - 12}{96x^2}, & \mathcal{Q}_{-4}^*(x) &= \frac{-5x^2 - 4}{16x^3}, & \mathcal{R}_{-4}^*(x) &= \frac{-23x^2 - 8}{64x^2}, & \mathcal{S}_{-4}^*(x) &= -\frac{1}{32x}, \\
\mathcal{U}_{-4}^* &= 0, & \mathcal{V}_{-4}^* &= 0, & \mathcal{W}_{-4}^* &= \frac{23}{64}, & \mathcal{X}_{-4}^* &= \frac{5}{16} \\
\mathcal{P}_{-5}(x) &= \frac{9x^2 - 5}{75x^3}, & \mathcal{Q}_{-5}(x) &= \frac{-69x^4 + 15x^2 - 25}{125x^4}, & \mathcal{R}_{-5}(x) &= \frac{-12x^2 + 10}{125x^3}, \\
\mathcal{S}_{-5}(x) &= \frac{4x^2 - 2}{125x^2}, & \mathcal{U}_{-5} &= \frac{69}{125}, & \mathcal{V}_{-5} &= -\frac{6}{5}, & \mathcal{W}_{-5} &= 0 \\
\mathcal{P}_{-5}^*(x) &= -\frac{9x^2 + 5}{75x^3}, & \mathcal{Q}_{-5}^*(x) &= -\frac{69x^4 + 15x^2 + 25}{125x^4}, & \mathcal{R}_{-5}^*(x) &= -\frac{12x^2 + 10}{125x^3}, \\
\mathcal{S}_{-5}^*(x) &= -\frac{4x^2 + 2}{125x^2}, & \mathcal{U}_{-5}^* &= \frac{69}{125}, & \mathcal{V}_{-5}^* &= \frac{6}{5}, & \mathcal{W}_{-5}^* &= 0 \\
\mathcal{P}_{-6}(x) &= \frac{145x^4 + 68x^2 - 96}{2304x^4}, & \mathcal{Q}_{-6}(x) &= \frac{-93x^4 + 68x^2 - 192}{1152x^5}, & \mathcal{R}_{-6}(x) &= \frac{435x^4 - 168x^2 + 256}{4608x^4}, \\
\mathcal{S}_{-6}(x) &= \frac{63x^2 - 64}{6912x^3}, & \mathcal{U}_{-6} &= 0, & \mathcal{V}_{-6} &= 0, & \mathcal{W}_{-6} &= \frac{145}{1536}, & \mathcal{X}_{-6} &= \frac{31}{384} \\
\mathcal{P}_{-6}^*(x) &= \frac{145x^4 - 68x^2 - 96}{2304x^4}, & \mathcal{Q}_{-6}^*(x) &= \frac{-93x^4 - 68x^2 - 192}{1152x^5}, & \mathcal{R}_{-6}^*(x) &= \frac{-435x^4 - 168x^2 - 256}{4608x^4}, \\
\mathcal{S}_{-6}^*(x) &= \frac{-63x^2 - 64}{6912x^3}, & \mathcal{U}_{-6}^* &= 0, & \mathcal{V}_{-6}^* &= 0, & \mathcal{W}_{-6}^* &= \frac{145}{1536}, & \mathcal{X}_{-6}^* &= \frac{31}{384} \\
\mathcal{P}_{-7}(x) &= \frac{-2883x^4 + 1435x^2 - 3675}{128625x^5}, & \mathcal{Q}_{-7}(x) &= \frac{66809x^6 - 14415x^4 + 21525x^2 - 91875}{643125x^6}, \\
\mathcal{R}_{-7}(x) &= \frac{11782x^4 - 10860x^2 + 26250}{643125x^5}, & \mathcal{S}_{-7}(x) &= \frac{-11782x^4 + 6516x^2 - 11250}{1929375x^4}, \\
\mathcal{U}_{-7} &= -\frac{66809}{643125}, & \mathcal{V}_{-7} &= \frac{5816}{25725}, & \mathcal{W}_{-7} &= 0 \\
\mathcal{P}_{-7}^*(x) &= -\frac{2883x^4 + 1435x^2 + 3675}{128625x^5}, & \mathcal{Q}_{-7}^*(x) &= -\frac{66809x^6 + 14415x^4 + 21525x^2 + 91875}{643125x^6}, \\
\mathcal{R}_{-7}^*(x) &= -\frac{11782x^4 + 10860x^2 + 26250}{643125x^5}, & \mathcal{S}_{-7}^*(x) &= -\frac{11782x^4 + 6516x^2 + 11250}{1929375x^4}, \\
\mathcal{U}_{-7}^* &= \frac{66809}{643125}, & \mathcal{V}_{-7}^* &= \frac{5816}{25725}, & \mathcal{W}_{-7}^* &= 0 \\
\mathcal{P}_{-8}(x) &= \frac{-1331x^6 - 616x^4 + 768x^2 - 3072}{147456x^6}, & \mathcal{Q}_{-8}(x) &= \frac{213x^6 - 154x^4 + 384x^2 - 2304}{18432x^7}, \\
\mathcal{R}_{-8}(x) &= \frac{-3993x^6 + 1560x^4 - 2624x^2 + 9216}{294912x^6}, & \mathcal{S}_{-8}(x) &= \frac{-585x^4 + 656x^2 - 1728}{442368x^5}, \\
\mathcal{U}_{-8} &= 0, & \mathcal{V}_{-8} &= 0, & \mathcal{W}_{-8} &= -\frac{1331}{98304}, & \mathcal{X}_{-8} &= -\frac{71}{6144} \\
\mathcal{P}_{-8}^*(x) &= \frac{1331x^6 - 616x^4 - 768x^2 - 3072}{147456x^6}, & \mathcal{Q}_{-8}^*(x) &= \frac{-213x^6 - 154x^4 - 384x^2 - 2304}{18432x^7}, \\
\mathcal{R}_{-8}^*(x) &= \frac{-3993x^6 - 1560x^4 - 2624x^2 - 9216}{294912x^6}, & \mathcal{S}_{-8}^*(x) &= \frac{-585x^4 - 656x^2 - 1728}{442368x^5}, \\
\mathcal{U}_{-8}^* &= 0, & \mathcal{V}_{-8}^* &= 0, & \mathcal{W}_{-8}^* &= \frac{1331}{98304}, & \mathcal{X}_{-8}^* &= \frac{71}{6144}
\end{aligned}$$

g) Integrals of the type $\int x^n Z_0(x) Z_1^2(x) dx$:

$$\int x J_0(x) J_1^2(x) dx = \frac{x}{3} J_1^3(x) + \frac{2}{3} \int J_1^3(x) dx$$

$$\int x I_0(x) I_1^2(x) dx = \frac{x}{3} I_1^3(x) + \frac{2}{3} \int I_1^3(x) dx$$

$$\int x^2 J_0(x) J_1^2(x) dx = -\frac{2x}{9} J_0^3(x) - \frac{x}{3} J_0(x) J_1^2(x) + \frac{x^2}{3} J_0^3(x) + \frac{2}{9} \int J_0^3(x) dx - \frac{1}{3} \int J_0(x) J_1^2(x) dx$$

$$\int x^2 I_0(x) I_1^2(x) dx = -\frac{2x}{9} I_0^3(x) + \frac{x}{3} I_0(x) I_1^2(x) + \frac{x^2}{3} I_0^3(x) + \frac{2}{9} \int I_0^3(x) dx + \frac{1}{3} \int I_0(x) I_1^2(x) dx$$

$$\int x^3 J_0(x) J_1^2(x) dx = \frac{x^3}{3} J_1^3(x)$$

$$\int x^3 I_0(x) I_1^2(x) dx = \frac{x^3}{3} I_1^3(x)$$

$$\begin{aligned} \int x^4 J_0(x) J_1^2(x) dx &= \frac{6x^3 + 4x}{27} J_0^3(x) - \frac{2x^2}{3} J_0^2(x) J_1(x) + \frac{3x^3 + 5x}{9} J_0(x) J_1^2(x) + \frac{3x^4 - 5x^2}{9} J_1^3(x) - \\ &\quad - \frac{4}{27} \int J_0^3(x) dx + \frac{5}{9} \int J_0(x) J_1^2(x) dx \end{aligned}$$

$$\begin{aligned} \int x^4 I_0(x) I_1^2(x) dx &= \frac{6x^3 - 4x}{27} I_0^3(x) - \frac{2x^2}{3} I_0^2(x) I_1(x) + \frac{-3x^3 + 5x}{9} I_0(x) I_1^2(x) + \frac{3x^4 + 5x^2}{9} I_1^3(x) + \\ &\quad + \frac{4}{27} \int I_0^3(x) dx + \frac{5}{9} \int I_0(x) I_1^2(x) dx \end{aligned}$$

Let

$$\begin{aligned} \int x^n J_0(x) J_1^2(x) dx &= \mathcal{P}_n(x) J_0^3(x) + \mathcal{Q}_n(x) J_0^2(x) J_1(x) + \mathcal{R}_n(x) J_0(x) J_1^2(x) + \mathcal{S}_n(x) J_1^3(x) + \\ &\quad + \mathcal{U}_n \int J_0^3(x) dx + \mathcal{V}_n \int J_0(x) J_1(x)^2 dx + \mathcal{W}_n \int J_1(x)^3 dx + \mathcal{X}_n \int \frac{J_0^3(x) dx}{x} \end{aligned}$$

and

$$\begin{aligned} \int x^n I_0(x) I_1^2(x) dx &= \mathcal{P}_n^*(x) I_0^3(x) + \mathcal{Q}_n^*(x) I_0^2(x) I_1(x) + \mathcal{R}_n^*(x) I_0(x) I_1^2(x) + \mathcal{S}_n^*(x) I_1^3(x) + \\ &\quad + \mathcal{U}_n^* \int I_0^3(x) dx + \mathcal{V}_n^* \int I_0(x) I_1(x)^2 dx + \mathcal{W}_n^* \int I_1(x)^3 dx + \mathcal{X}_n^* \int \frac{I_0^3(x) dx}{x} \end{aligned}$$

If $\mathcal{X}_n = 0$ or $\mathcal{X}_n^* = 0$, then they are omitted from the following table.

$$\mathcal{P}_5(x) = \frac{12x^4 - 32x^2}{27}, \quad \mathcal{Q}_5(x) = \frac{-48x^3 + 64x}{27}, \quad \mathcal{R}_5(x) = \frac{6x^4}{9}, \quad \mathcal{S}_5(x) = \frac{27x^5 - 132x^3 + 128x}{81},$$

$$\mathcal{U}_5 = 0, \quad \mathcal{V}_5 = 0, \quad \mathcal{W}_5 = \frac{256}{81}$$

$$\mathcal{P}_5^*(x) = \frac{12x^4 + 32x^2}{27}, \quad \mathcal{Q}_5^*(x) = -\frac{48x^3 + 64x}{27}, \quad \mathcal{R}_5^*(x) = -\frac{6x^4}{9}, \quad \mathcal{S}_5^*(x) = \frac{27x^5 + 132x^3 + 128x}{81},$$

$$\mathcal{U}_5^* = 0, \quad \mathcal{V}_5^* = 0, \quad \mathcal{W}_5^* = \frac{256}{81}$$

$$\mathcal{P}_6(x) = \frac{54x^5 - 444x^3 - 206x}{81}, \quad \mathcal{Q}_6(x) = \frac{-30x^4 + 148x^2}{9}, \quad \mathcal{R}_6(x) = \frac{27x^5 - 87x^3 - 325x}{27},$$

$$\mathcal{S}_6(x) = \frac{9x^6 - 87x^4 + 325x^2}{27}, \quad \mathcal{U}_6 = \frac{206}{81}, \quad \mathcal{V}_6 = -\frac{325}{27}, \quad \mathcal{W}_6 = 0$$

$$\mathcal{P}_6^*(x) = \frac{54x^5 + 444x^3 - 206x}{81}, \quad \mathcal{Q}_6^*(x) = -\frac{30x^4 + 148x^2}{9}, \quad \mathcal{R}_6^*(x) = \frac{-27x^5 - 87x^3 + 325x}{27},$$

$$\begin{aligned}
\mathcal{S}_6^*(x) &= \frac{9x^6 + 87x^4 + 325x^2}{27}, \quad \mathcal{U}_6^* = \frac{206}{81}, \quad \mathcal{V}_6^* = \frac{325}{27}, \quad \mathcal{W}_6^* = 0 \\
\mathcal{P}_7(x) &= \frac{24x^6 - 384x^4 + 1024x^2}{27}, \quad \mathcal{Q}_7(x) = \frac{-144x^5 + 1536x^3 - 2048x}{27}, \quad \mathcal{R}_7(x) = \frac{4x^6 - 32x^4}{3}, \\
\mathcal{S}_7(x) &= \frac{27x^7 - 432x^5 + 3648x^3 - 4096x}{81}, \quad \mathcal{U}_7 = 0, \quad \mathcal{V}_7 = 0, \quad \mathcal{W}_7 = -\frac{8192}{81} \\
\mathcal{P}_7^*(x) &= \frac{24x^6 + 384x^4 + 1024x^2}{27}, \quad \mathcal{Q}_7^*(x) = -\frac{144x^5 + 1536x^3 + 2048x}{27}, \quad \mathcal{R}_7^*(x) = -\frac{4x^6 + 32x^4}{3}, \\
\mathcal{S}_7^*(x) &= \frac{27x^7 + 432x^5 + 3648x^3 + 4096x}{81}, \quad \mathcal{U}_7^* = 0, \quad \mathcal{V}_7^* = 0, \quad \mathcal{W}_7^* = \frac{8192}{81} \\
\mathcal{P}_8(x) &= \frac{270x^7 - 7020x^5 + 54570x^3 + 24680x}{243}, \quad \mathcal{Q}_8(x) = \frac{-210x^6 + 3900x^4 - 18190x^2}{27}, \\
\mathcal{R}_8(x) &= \frac{135x^7 - 1935x^5 + 9735x^3 + 39625x}{81}, \quad \mathcal{S}_8(x) = \frac{27x^8 - 645x^6 + 9735x^4 - 39625x^2}{81}, \\
\mathcal{U}_8 &= -\frac{24680}{243}, \quad \mathcal{V}_8 = \frac{39625}{81}, \quad \mathcal{W}_8 = 0 \\
\mathcal{P}_8^*(x) &= \frac{270x^7 + 7020x^5 + 54570x^3 - 24680x}{243}, \quad \mathcal{Q}_8^*(x) = -\frac{210x^6 + 3900x^4 + 18190x^2}{27}, \\
\mathcal{R}_8^*(x) &= -\frac{135x^7 + 1935x^5 + 9735x^3 - 39625x}{81}, \quad \mathcal{S}_8^*(x) = \frac{27x^8 + 645x^6 + 9735x^4 + 39625x^2}{81}, \\
\mathcal{U}_8^* &= \frac{24680}{243}, \quad \mathcal{V}_8^* = \frac{39625}{81}, \quad \mathcal{W}_8^* = 0 \\
&\int \frac{J_0(x) J_1^2(x) dx}{x} = -\frac{1}{2} J_0(x) J_1^2(x) - \frac{1}{3} J_0^3(x) - \frac{1}{2} \int J_1^3(x) dx \\
&\int \frac{I_0(x) I_1^2(x) dx}{x} = -\frac{1}{2} I_0(x) I_1^2(x) + \frac{1}{3} I_0^3(x) + \frac{1}{2} \int I_1^3(x) dx \\
&\int \frac{J_0(x) J_1^2(x) dx}{x^2} = -\frac{2}{3} J_0^2(x) J_1(x) - \frac{1}{3x} J_0(x) J_1^2(x) + \frac{1}{9} J_1^3(x) - \frac{5}{3} \int J_0(x) J_1^2(x) dx + \frac{2}{3} \int J_0^3(x) dx \\
&\int \frac{I_0(x) I_1^2(x) dx}{x^2} = -\frac{2}{3} I_0^2(x) I_1(x) - \frac{1}{3x} I_0(x) I_1^2(x) - \frac{1}{9} I_1^3(x) + \frac{5}{3} \int I_0(x) I_1^2(x) dx + \frac{2}{3} \int I_0^3(x) dx \\
&\int \frac{J_0(x) J_1^2(x) dx}{x^3} = \\
&= \frac{11}{48} J_0^3(x) - \frac{1}{4x} J_0^2(x) J_1(x) + \frac{11x^2 - 8}{32x^2} J_0(x) J_1^2(x) + \frac{1}{16} J_0(x) J_1^3(x) + \frac{11}{32} \int J_1^3(x) dx + \frac{1}{4} \int \frac{J_0^3(x) dx}{x} \\
&\int \frac{I_0(x) I_1^2(x) dx}{x^3} = \\
&= \frac{11}{48} I_0^3(x) - \frac{1}{4x} I_0^2(x) I_1(x) - \frac{11x^2 + 8}{32x^2} I_0(x) I_1^2(x) - \frac{1}{16x} I_0(x) I_1^3(x) + \frac{11}{32} \int I_1^3(x) dx + \frac{1}{4} \int \frac{I_0^3(x) dx}{x} \\
&\int \frac{J_0(x) J_1^2(x) dx}{x^4} = -\frac{2}{15x} J_0^3(x) + \frac{148x^2 - 30}{225x^2} J_0^2(x) J_1(x) + \frac{29x^2 - 45}{225x^3} J_0(x) J_1^2(x) + \frac{-29x^2 + 27}{675x^2} J_1^3(x) - \\
&\quad - \frac{148}{225} \int J_0^3(x) dx + \frac{13}{9} \int J_0(x) J_1^2(x) dx \\
&\int \frac{I_0(x) I_1^2(x) dx}{x^4} = -\frac{2}{15x} I_0^3(x) - \frac{148x^2 + 30}{225x^2} I_0^2(x) I_1(x) - \frac{29x^2 + 45}{225x^3} I_0(x) I_1^2(x) - \frac{29x^2 + 27}{675x^2} I_1^3(x) + \\
&\quad + \frac{148}{225} \int I_0^3(x) dx + \frac{13}{9} \int I_0(x) I_1^2(x) dx \\
\mathcal{P}_{-5}(x) &= \frac{-19x^2 - 8}{192x^2}, \quad \mathcal{Q}_{-5}(x) = \frac{3x^2 - 2}{24x^3}, \quad \mathcal{R}_{-5}(x) = \frac{-57x^4 + 24x^2 - 64}{384x^4}, \quad \mathcal{S}_{-5}(x) = \frac{-9x^2 + 16}{576x^3},
\end{aligned}$$

$$\begin{aligned}
& \mathcal{U}_{-5} = 0, \quad \mathcal{V}_{-5} = 0, \quad \mathcal{W}_{-5} = -\frac{19}{128}, \quad \mathcal{X}_{-5} = -\frac{1}{8} \\
\mathcal{P}_{-5}^*(x) &= \frac{19x^2 - 8}{192x^2}, \quad \mathcal{Q}_{-5}^*(x) = \frac{-3x^2 - 2}{24x^3}, \quad \mathcal{R}_{-5}^*(x) = \frac{-57x^4 - 24x^2 - 64}{384x^4}, \quad \mathcal{S}_{-5}^*(x) = \frac{-9x^2 - 16}{576x^3}, \\
& \mathcal{U}_{-5}^* = 0, \quad \mathcal{V}_{-5}^* = 0, \quad \mathcal{W}_{-5}^* = \frac{19}{128}, \quad \mathcal{X}_{-5}^* = \frac{1}{8} \\
\mathcal{P}_{-6}(x) &= \frac{156x^2 - 70}{3675x^3}, \quad \mathcal{Q}_{-6}(x) = \frac{-3638x^4 + 780x^2 - 1050}{18375x^4}, \quad \mathcal{R}_{-6}(x) = \frac{-649x^4 + 645x^2 - 2625}{18375x^5}, \\
\mathcal{S}_{-6}(x) &= \frac{649x^4 - 387x^2 + 1125}{55125x^4}, \quad \mathcal{U}_{-6} = \frac{3638}{18375}, \quad \mathcal{V}_{-6} = -\frac{317}{735}, \quad \mathcal{W}_{-6} = 0 \\
\mathcal{P}_{-6}^*(x) &= -\frac{156x^2 + 70}{3675x^3}, \quad \mathcal{Q}_{-6}^*(x) = -\frac{3638x^4 + 780x^2 + 1050}{18375x^4}, \quad \mathcal{R}_{-6}^*(x) = -\frac{649x^4 + 645x^2 + 2625}{18375x^5}, \\
\mathcal{S}_{-6}^*(x) &= -\frac{649x^4 + 387x^2 + 1125}{55125x^4}, \quad \mathcal{U}_{-6}^* = \frac{3638}{18375}, \quad \mathcal{V}_{-6}^* = \frac{317}{735}, \quad \mathcal{W}_{-6}^* = 0 \\
\mathcal{P}_{-7}(x) &= \frac{751x^4 + 344x^2 - 384}{36864x^4}, \quad \mathcal{Q}_{-7}(x) = \frac{-60x^4 + 43x^2 - 96}{2304x^5}, \\
\mathcal{R}_{-7}(x) &= \frac{2253x^6 - 888x^4 + 1600x^2 - 9216}{73728x^6}, \quad \mathcal{S}_{-7}(x) = \frac{333x^4 - 400x^2 + 1728}{110592x^5}, \\
& \mathcal{U}_{-7} = 0, \quad \mathcal{V}_{-7} = 0, \quad \mathcal{W}_{-7} = \frac{751}{24576}, \quad \mathcal{X}_{-7} = \frac{5}{192} \\
\mathcal{P}_{-7}^*(x) &= \frac{751x^4 - 344x^2 - 384}{36864x^4}, \quad \mathcal{Q}_{-7}^*(x) = \frac{-60x^4 - 43x^2 - 96}{2304x^5}, \\
\mathcal{R}_{-7}^*(x) &= \frac{-2253x^6 - 888x^4 - 1600x^2 - 9216}{73728x^6}, \quad \mathcal{S}_{-7}^*(x) = \frac{-333x^4 - 400x^2 - 1728}{110592x^5}, \\
& \mathcal{U}_{-7}^* = 0, \quad \mathcal{V}_{-7}^* = 0, \quad \mathcal{W}_{-7}^* = \frac{751}{24576}, \quad \mathcal{X}_{-7}^* = \frac{5}{192} \\
\mathcal{P}_{-8}(x) &= \frac{-22758x^4 + 11060x^2 - 22050}{3472875x^5}, \quad \mathcal{Q}_{-8}(x) = \frac{528184x^6 - 113790x^4 + 165900x^2 - 551250}{17364375x^6}, \\
\mathcal{R}_{-8}(x) &= \frac{93407x^6 - 87735x^4 + 249375x^2 - 1929375}{17364375x^7}, \quad \mathcal{S}_{-8}(x) = \frac{-93407x^6 + 52641x^4 - 106875x^2 + 643125}{52093125x^6}, \\
& \mathcal{U}_{-8} = -\frac{528184}{17364375}, \quad \mathcal{V}_{-8} = \frac{45991}{694575}, \quad \mathcal{W}_{-8} = 0 \\
\mathcal{P}_{-8}^*(x) &= -\frac{22758x^4 + 11060x^2 + 22050}{3472875x^5}, \quad \mathcal{Q}_{-8}^*(x) = -\frac{528184x^6 + 113790x^4 + 165900x^2 + 551250}{17364375x^6}, \\
\mathcal{R}_{-8}^*(x) &= -\frac{93407x^6 + 87735x^4 + 249375x^2 + 1929375}{17364375x^7}, \quad \mathcal{S}_{-8}^*(x) = -\frac{93407x^6 + 52641x^4 + 106875x^2 + 643125}{52093125x^6}, \\
& \mathcal{U}_{-8}^* = \frac{528184}{17364375}, \quad \mathcal{V}_{-8}^* = \frac{45991}{694575}, \quad \mathcal{W}_{-8}^* = 0
\end{aligned}$$

h) Integrals of the type $\int x^n Z_1^3(x) dx$:

$$\begin{aligned}
\int x J_1^3(x) dx &= -\frac{2x}{3} J_0^3(x) - x J_0(x) J_1^2(x) + \frac{2}{3} \int J_0^3(x) dx - \int J_0(x) J_1^2(x) dx \\
\int x I_1^3(x) dx &= -\frac{2x}{3} I_0^3(x) + x I_0(x) I_1^2(x) + \frac{2}{3} \int I_0^3(x) dx + \int I_0(x) I_1^2(x) dx \\
\int x^2 J_1^3(x) dx &= -\frac{2x^2}{3} J_0^3(x) + \frac{4x}{3} J_0^2 J_1(x) - x^2 J_0(x) J_1^2(x) + \frac{8x}{9} J_1^3(x) + \frac{16}{9} \int J_1^3(x) dx \\
\int x^2 I_1^3(x) dx &= -\frac{2x^2}{3} I_0^3(x) + \frac{4x}{3} I_0^2 I_1(x) + x^2 I_0(x) I_1^2(x) - \frac{8x}{9} I_1^3(x) - \frac{16}{9} \int I_1^3(x) dx
\end{aligned}$$

$$\begin{aligned}
\int x^3 J_1^3(x) dx &= -\frac{6x^3+4x}{9} J_0^3(x) + 2x^2 J_0^2 J_1(x) - \frac{3x^3+5x}{3} J_0(x) J_1^2(x) + \frac{5x^2}{3} J_1^3(x) + \\
&\quad + \frac{4}{9} \int J_0^3(x) dx - \frac{5}{3} \int J_0(x) J_1^2(x) dx \\
\int x^3 I_1^3(x) dx &= \frac{-6x^3+4x}{9} I_0^3(x) + 2x^2 I_0^2 I_1(x) + \frac{3x^3-5x}{3} I_0(x) I_1^2(x) - \frac{5x^2}{3} I_1^3(x) - \\
&\quad - \frac{4}{9} \int I_0^3(x) dx - \frac{5}{3} \int I_0(x) I_1^2(x) dx \\
&\quad \int x^4 J_1^3(x) dx = \\
&= \frac{-6x^4+16x^2}{9} J_0^3(x) + \frac{24x^3-32x}{9} J_0^2 J_1(x) - x^4 J_0(x) J_1^2(x) + \frac{66x^3-64x}{27} J_1^3(x) - \frac{128}{27} \int J_1^3(x) dx \\
&\quad \int x^4 I_1^3(x) dx = \\
&= -\frac{6x^4+16x^2}{9} I_0^3(x) + \frac{24x^3+32x}{9} I_0^2 I_1(x) + x^4 I_0(x) I_1^2(x) - \frac{66x^3+64x}{27} I_1^3(x) - \frac{128}{27} \int I_1^3(x) dx
\end{aligned}$$

Let

$$\begin{aligned}
\int x^n J_1^3(x) dx &= \mathcal{P}_n(x) J_0^3(x) + \mathcal{Q}_n(x) J_0^2(x) J_1(x) + \mathcal{R}_n(x) J_0(x) J_1^2(x) + \mathcal{S}_n(x) J_1^3(x) + \\
&\quad + \mathcal{U}_n \int J_0^3(x) dx + \mathcal{V}_n \int J_0(x) J_1(x)^2 dx + \mathcal{W}_n \int J_1^3(x) dx + \mathcal{X}_n \int \frac{I_0^3(x) dx}{x}
\end{aligned}$$

and

$$\begin{aligned}
\int x^n I_1^3(x) dx &= \mathcal{P}_n^*(x) I_0^3(x) + \mathcal{Q}_n^*(x) I_0^2(x) I_1(x) + \mathcal{R}_n^*(x) I_0(x) I_1^2(x) + \mathcal{S}_n^*(x) I_1^3(x) + \\
&\quad + \mathcal{U}_n^* \int I_0^3(x) dx + \mathcal{V}_n^* \int I_0(x) I_1(x)^2 dx + \mathcal{W}_n^* \int I_1^3(x) dx + \mathcal{X}_n^* \int \frac{I_0^3(x) dx}{x}
\end{aligned}$$

If $\mathcal{X}_n = 0$ or $\mathcal{X}_n^* = 0$, then they are omitted from the following table.

$$\begin{aligned}
\mathcal{P}_5(x) &= \frac{-54x^5+444x^3+206x}{81}, \quad \mathcal{Q}_5(x) = \frac{30x^4-148x^2}{9}, \quad \mathcal{R}_5(x) = \frac{-27x^5+87x^3+325x}{27}, \\
\mathcal{S}_5(x) &= \frac{87x^4-325x^2}{27}, \quad \mathcal{U}_5 = -\frac{206}{81}, \quad \mathcal{V}_5 = \frac{325}{27}, \quad \mathcal{W}_5 = 0 \\
\mathcal{P}_5^*(x) &= \frac{-54x^5-444x^3+206x}{81}, \quad \mathcal{Q}_5^*(x) = \frac{30x^4+148x^2}{9}, \quad \mathcal{R}_5^*(x) = \frac{27x^5+87x^3-325x}{27}, \\
\mathcal{S}_5^*(x) &= -\frac{87x^4+325x^2}{27}, \quad \mathcal{U}_5^* = -\frac{206}{81}, \quad \mathcal{V}_5^* = -\frac{325}{27}, \quad \mathcal{W}_5^* = 0 \\
\mathcal{P}_6(x) &= \frac{-6x^6+96x^4-256x^2}{9}, \quad \mathcal{Q}_6(x) = \frac{36x^5-384x^3+512x}{9}, \quad \mathcal{R}_6(x) = -x^6+8x^4, \\
\mathcal{S}_6(x) &= \frac{108x^5-912x^3+1024x}{27}, \quad \mathcal{U}_6 = 0, \quad \mathcal{V}_6 = 0, \quad \mathcal{W}_6 = \frac{2048}{27} \\
\mathcal{P}_6^*(x) &= -\frac{6x^6+96x^4+256x^2}{9}, \quad \mathcal{Q}_6^*(x) = \frac{36x^5+384x^3+512x}{9}, \quad \mathcal{R}_6^*(x) = x^6+8x^4, \\
\mathcal{S}_6^*(x) &= -\frac{108x^5+912x^3+1024x}{27}, \quad \mathcal{U}_6^* = 0, \quad \mathcal{V}_6^* = 0, \quad \mathcal{W}_6^* = -\frac{2048}{27} \\
\mathcal{P}_7(x) &= \frac{-54x^7+1404x^5-10914x^3-4936x}{81}, \quad \mathcal{Q}_7(x) = \frac{42x^6-780x^4+3638x^2}{9}, \\
\mathcal{R}_7(x) &= \frac{-27x^7+387x^5-1947x^3-7925x}{27}, \quad \mathcal{S}_7(x) = \frac{129x^6-1947x^4+7925x^2}{27}, \\
\mathcal{U}_7 &= \frac{4936}{81}, \quad \mathcal{V}_7 = -\frac{7925}{27}, \quad \mathcal{W}_7 = 0
\end{aligned}$$

$$\begin{aligned}
\mathcal{P}_7^*(x) &= -\frac{54x^7 + 1404x^5 + 10914x^3 - 4936x}{81}, & \mathcal{Q}_7^*(x) &= \frac{42x^6 + 780x^4 + 3638x^2}{9}, \\
\mathcal{R}_7^*(x) &= \frac{27x^7 + 387x^5 + 1947x^3 - 7925x}{27}, & \mathcal{S}_7^*(x) &= -\frac{129x^6 + 1947x^4 + 7925x^2}{27}, \\
\mathcal{U}_7^* &= \frac{4936}{81}, & \mathcal{V}_7^* &= \frac{7925}{27}, & \mathcal{W}_7^* &= 0 \\
\mathcal{P}_8(x) &= \frac{-54x^8 + 2064x^6 - 30720x^4 + 81920x^2}{81}, & \mathcal{Q}_8(x) &= \frac{432x^7 - 12384x^5 + 122880x^3 - 163840x}{81}, \\
\mathcal{R}_8(x) &= \frac{-9x^8 + 200x^6 - 2368x^4}{9}, & \mathcal{S}_8(x) &= \frac{1350x^7 - 31968x^5 + 288384x^3 - 327680x}{243}, \\
\mathcal{U}_8 &= 0, & \mathcal{V}_8 &= 0, & \mathcal{W}_8 &= -\frac{655360}{243} \\
\mathcal{P}_8^*(x) &= -\frac{54x^8 + 2064x^6 + 30720x^4 + 81920x^2}{81}, & \mathcal{Q}_8^*(x) &= \frac{432x^7 + 12384x^5 + 122880x^3 + 163840x}{81}, \\
\mathcal{R}_8^*(x) &= \frac{9x^8 + 200x^6 + 2368x^4}{9}, & \mathcal{S}_8^*(x) &= -\frac{1350x^7 + 31968x^5 + 288384x^3 + 327680x}{243}, \\
\mathcal{U}_8^* &= 0, & \mathcal{V}_8^* &= 0, & \mathcal{W}_8^* &= -\frac{655360}{243} \\
\int \frac{J_1^3(x) dx}{x} &= -\frac{1}{3} J_1^3(x) + \int J_0(x) J_1^2(x) dx \\
\int \frac{I_1^3(x) dx}{x} &= -\frac{1}{3} I_1^3(x) + \int I_0(x) I_1^2(x) dx \\
\int \frac{J_1^3(x) dx}{x^2} &= -\frac{1}{8} J_0^3(x) - \frac{3}{8} J_0(x) J_1^2(x) - \frac{1}{4x} J_1^3(x) + \frac{3}{4} \int J_0(x) J_1^2(x) dx - \frac{3}{8} \int J_1^3(x) dx \\
\int \frac{I_1^3(x) dx}{x^2} &= \frac{1}{4} I_0^3(x) - \frac{3}{8} I_0(x) I_1^2(x) - \frac{1}{4x} I_1^3(x) + \frac{3}{4} \int I_0(x) I_1^2(x) dx + \frac{3}{8} \int I_1^3(x) dx \\
\int \frac{J_1^3(x) dx}{x^3} &= -\frac{2}{5} J_0^2(x) J_1(x) - \frac{1}{5x} J_0(x) J_1^2(x) + \frac{x^2 - 3}{15x^2} J_1^3(x) + \frac{2}{5} \int J_0(x)^3 dx - \int J_0(x) J_1^2(x) dx \\
\int \frac{I_1^3(x) dx}{x^3} &= -\frac{2}{5} I_0^2(x) I_1(x) - \frac{1}{5x} I_0(x) I_1^2(x) - \frac{x^2 + 3}{15x^2} I_1^3(x) + \frac{2}{5} \int I_0(x)^3 dx + \int I_0(x) I_1^2(x) dx \\
\int \frac{J_1^3(x) dx}{x^4} &= \\
&= \frac{11}{96} J_0^3(x) - \frac{1}{8x} J_0^2(x) J_1(x) + \frac{11x^2 - 8}{64x^2} J_0(x) J_1^2(x) + \frac{3x^2 - 16}{96x^3} J_0(x) J_1^3(x) + \frac{11}{64} \int J_1^3(x) dx + \frac{1}{8} \int \frac{J_0^3(x) dx}{x} \\
&\int \frac{I_1^3(x) dx}{x^4} = \\
&= \frac{11}{96} I_0^3(x) - \frac{1}{8x} I_0^2(x) I_1(x) - \frac{11x^2 + 8}{64x^2} I_0(x) I_1^2(x) - \frac{3x^2 + 16}{96x^3} I_0(x) I_1^3(x) + \frac{11}{64} \int I_1^3(x) dx + \frac{1}{8} \int \frac{I_0^3(x) dx}{x} \\
\mathcal{P}_{-5}(x) &= -\frac{2}{35x}, & \mathcal{Q}_{-5}(x) &= \frac{148x^2 - 30}{525x^2}, & \mathcal{R}_{-5}(x) &= \frac{29x^2 - 45}{525x^3}, & \mathcal{S}_{-5}(x) &= \frac{-29x^4 + 27x^2 - 225}{1575x^4}, \\
\mathcal{U}_{-5} &= -\frac{148}{525}, & \mathcal{V}_{-5} &= \frac{13}{21}, & \mathcal{W}_{-5} &= 0 \\
\mathcal{P}_{-5}^*(x) &= -\frac{2}{35x}, & \mathcal{Q}_{-5}^*(x) &= -\frac{148x^2 + 30}{525x^2}, & \mathcal{R}_{-5}^*(x) &= -\frac{29x^2 + 45}{525x^3}, & \mathcal{S}_{-5}^*(x) &= -\frac{29x^4 + 27x^2 + 225}{1575x^4}, \\
\mathcal{U}_{-5}^* &= \frac{148}{525}, & \mathcal{V}_{-5}^* &= \frac{13}{21}, & \mathcal{W}_{-5}^* &= 0 \\
\mathcal{P}_{-6}(x) &= \frac{-19x^2 - 8}{512x^2}, & \mathcal{Q}_{-6}(x) &= \frac{3x^2 - 2}{64x^3}, & \mathcal{R}_{-6}(x) &= \frac{-57x^4 + 24x^2 - 64}{1024x^4},
\end{aligned}$$

$$\begin{aligned}
\mathcal{S}_{-6}(x) &= \frac{-9x^4 + 16x^2 - 192}{1536x^5}, \quad \mathcal{U}_{-6} = 0, \quad \mathcal{V}_{-6} = 0, \quad \mathcal{W}_{-6} = -\frac{57}{1024}, \quad \mathcal{X}_{-6} = -\frac{3}{64} \\
\mathcal{P}_{-6}^*(x) &= \frac{19x^2 - 8}{512x^2}, \quad \mathcal{Q}_{-6}^*(x) = \frac{-3x^2 - 2}{64x^3}, \quad \mathcal{R}_{-6}^*(x) = \frac{-57x^4 - 24x^2 - 64}{1024x^4}, \\
\mathcal{S}_{-6}^*(x) &= \frac{-9x^4 - 16x^2 - 192}{1536x^5}, \quad \mathcal{U}_{-6}^* = 0, \quad \mathcal{V}_{-6}^* = 0, \quad \mathcal{W}_{-6}^* = \frac{57}{1024}, \quad \mathcal{X}_{-6}^* = \frac{3}{64} \\
\mathcal{P}_{-7}(x) &= \frac{156x^2 - 70}{11025x^3}, \quad \mathcal{Q}_{-7}(x) = \frac{-3638x^4 + 780x^2 - 1050}{55125x^4}, \quad \mathcal{R}_{-7}(x) = \frac{-649x^4 + 645x^2 - 2625}{55125x^5}, \\
\mathcal{S}_{-7}(x) &= \frac{649x^6 - 387x^4 + 1125x^2 - 18375}{165375x^6}, \quad \mathcal{U}_{-7} = \frac{3638}{55125}, \quad \mathcal{V}_{-7} = -\frac{317}{2205}, \quad \mathcal{W}_{-7} = 0 \\
\mathcal{P}_{-7}^*(x) &= -\frac{156x^2 + 70}{11025x^3}, \quad \mathcal{Q}_{-7}^*(x) = -\frac{3638x^4 + 780x^2 + 1050}{55125x^4}, \quad \mathcal{R}_{-7}^*(x) = -\frac{649x^4 + 645x^2 + 2625}{55125x^5}, \\
\mathcal{S}_{-7}^*(x) &= -\frac{649x^6 + 387x^4 + 1125x^2 + 18375}{165375x^6}, \quad \mathcal{U}_{-7}^* = \frac{3638}{55125}, \quad \mathcal{V}_{-7}^* = \frac{317}{2205}, \quad \mathcal{W}_{-7}^* = 0 \\
\mathcal{P}_{-8}(x) &= \frac{751x^4 + 344x^2 - 384}{122880x^4}, \quad \mathcal{Q}_{-8}(x) = \frac{-60x^4 + 43x^2 - 96}{7680x^5}, \\
\mathcal{R}_{-8}(x) &= \frac{2253x^6 - 888x^4 + 1600x^2 - 9216}{245760x^6}, \quad \mathcal{S}_{-8}(x) = \frac{333x^6 - 400x^4 + 1728x^2 - 36864}{368640x^7}, \\
\mathcal{U}_{-8} &= 0, \quad \mathcal{V}_{-8} = 0, \quad \mathcal{W}_{-8} = \frac{751}{81920}, \quad \mathcal{X}_{-8} = \frac{1}{128} \\
\mathcal{P}_{-8}^*(x) &= \frac{751x^4 - 344x^2 - 384}{122880x^4}, \quad \mathcal{Q}_{-8}^*(x) = \frac{-60x^4 - 43x^2 - 96}{7680x^5}, \\
\mathcal{R}_{-8}^*(x) &= \frac{-2253x^6 - 888x^4 - 1600x^2 - 9216}{245760x^6}, \quad \mathcal{S}_{-8}^*(x) = \frac{-333x^6 - 400x^4 - 1728x^2 - 36864}{368640x^7}, \\
\mathcal{U}_{-8}^* &= 0, \quad \mathcal{V}_{-8}^* = 0, \quad \mathcal{W}_{-8}^* = \frac{751}{81920}, \quad \mathcal{X}_{-8}^* = \frac{1}{128}
\end{aligned}$$

i) Recurrence Relations:

Let

$$\mathcal{J}_n^{(kl)} = \int x^n J_0^k(x) J_1^l(x) dx \quad \text{and} \quad \mathcal{I}_n^{(kl)} = \int x^n I_0^k(x) I_1^l(x) dx$$

with $k + l = 3$, $k, l \geq 0$. Then the following formulas hold:

Ascending recurrence:

$$\begin{aligned} \mathcal{J}_{n+1}^{(30)} &= x^{n+1} \left[J_0^2(x) J_1(x) + \frac{2}{3} J_1^3(x) \right] - n \mathcal{J}_n^{(21)} - \frac{2}{3}(n-2) \mathcal{J}_n^{(03)} \\ \mathcal{J}_{n+1}^{(21)} &= \frac{n+1}{3} \mathcal{J}_n^{(30)} - \frac{x^{n+1}}{3} J_0^3(x) \\ \mathcal{J}_{n+1}^{(12)} &= \frac{x^{n+1}}{3} J_1^3(x) - \frac{n-2}{3} \mathcal{J}_n^{(03)} \\ \mathcal{J}_{n+1}^{(03)} &= -x^{n+1} \left[J_0(x) J_1^2(x) + \frac{2}{3} J_0^3(x) \right] + (n-1) \mathcal{J}_n^{(12)} + \frac{2}{3}(n+1) \mathcal{J}_n^{(30)} \\ \mathcal{I}_{n+1}^{(30)} &= x^{n+1} \left[I_0^2(x) I_1(x) - \frac{2}{3} I_1^3(x) \right] - n \mathcal{I}_n^{(21)} + \frac{2}{3}(n-2) \mathcal{I}_n^{(03)} \\ \mathcal{I}_{n+1}^{(21)} &= -\frac{n+1}{3} \mathcal{I}_n^{(30)} + \frac{x^{n+1}}{3} I_0^3(x) \\ \mathcal{I}_{n+1}^{(12)} &= \frac{x^{n+1}}{3} I_1^3(x) - \frac{n-2}{3} \mathcal{I}_n^{(03)} \\ \mathcal{I}_{n+1}^{(03)} &= x^{n+1} \left[I_0(x) I_1^2(x) - \frac{2}{3} I_0^3(x) \right] - (n-1) \mathcal{I}_n^{(12)} + \frac{2}{3}(n+1) \mathcal{I}_n^{(30)} \end{aligned}$$

Descending recurrence:

$$\begin{aligned} \mathcal{J}_n^{(30)} &= \frac{x^{n+1} J_0^3(x) + 3\mathcal{J}_{n+1}^{(21)}}{n+1}, & \mathcal{J}_n^{(21)} &= \frac{x^{n+1} J_0^2(x) J_1(x) + 2\mathcal{J}_{n+1}^{(12)} - \mathcal{J}_{n+1}^{(30)}}{n} \\ \mathcal{J}_n^{(12)} &= \frac{2\mathcal{J}_{n+1}^{(21)} - x^{n+1} J_0(x) J_1^2(x) - \mathcal{J}_{n+1}^{(03)}}{n-1}, & \mathcal{J}_n^{(03)} &= \frac{x^{n+1} J_1^3(x) - 3\mathcal{J}_{n+1}^{(12)}}{n-2} \end{aligned}$$

Holds

$$\begin{aligned} J_0^3(x) + 3\mathcal{J}_0^{(21)} &= x J_0^2(x) J_1(x) + 2\mathcal{J}_1^{(12)} - \mathcal{J}_1^{(30)} = 2\mathcal{J}_2^{(21)} - x^2 J_0(x) J_1^2(x) - \mathcal{J}_2^{(03)} = \\ &= x^3 J_1^3(x) - 3\mathcal{J}_3^{(12)} = 0. \end{aligned}$$

$$\begin{aligned} \mathcal{I}_n^{(30)} &= \frac{x^{n+1} I_0^3(x) - 3\mathcal{I}_{n+1}^{(21)}}{n+1}, & \mathcal{I}_n^{(21)} &= \frac{x^{n+1} I_0^2(x) I_1(x) - 2\mathcal{I}_{n+1}^{(12)} - \mathcal{I}_{n+1}^{(30)}}{n} \\ \mathcal{I}_n^{(12)} &= \frac{2\mathcal{I}_{n+1}^{(21)} + \mathcal{I}_{n+1}^{(03)} - x^{n+1} I_0(x) I_1^2(x)}{n-1}, & \mathcal{I}_n^{(03)} &= \frac{x^{n+1} I_1^3(x) - 3\mathcal{I}_{n+1}^{(12)}}{n-2} \end{aligned}$$

Holds

$$\begin{aligned} I_0^3(x) - 3\mathcal{I}_0^{(21)} &= x I_0^2(x) I_1(x) - 2\mathcal{I}_1^{(12)} - \mathcal{I}_1^{(30)} = x^2 I_0(x) I_1^2(x) - 2\mathcal{I}_2^{(21)} - \mathcal{I}_2^{(03)} = \\ &= x^3 I_1^3(x) - 3\mathcal{I}_3^{(12)} = 0. \end{aligned}$$

j) Different Functions and Different Arguments

Let $Z_\nu(x), Z_\nu^*(x) \in \{J_\nu(x), Y_\nu(x), H_\nu^{(1)}(x), H_\nu^{(2)}(x)\}$ with $Z_\nu(x) \neq Z_\nu^*(x)$ and $Z_\nu(x)$ and $Z_{1-\nu}(x)$ as well as $Z_\nu^*(x)$ and $Z_{1-\nu}^*(x)$ of the same type, then holds

$$\begin{aligned}
 & \int x^3 Z_1^2(x) Z_0^*(x) dx = \\
 & = \frac{x^2}{3} \{ -2 Z_0(x) Z_1(x) [x Z_0^*(x) + 2 Z_1^*(x)] + Z_1^2(x) [4 Z_0^*(x) + x Z_1^*(x)] + 2x Z_0^2(x) Z_1^*(x) \} \\
 \text{and} \\
 & \int x^3 Z_0(x) Z_1(x) Z_1^*(x) dx = \\
 & = \frac{x^2}{3} \{ Z_0(x) Z_1(x) [x Z_0^*(x) + 2 Z_1^*(x)] - Z_1^2(x) [2 Z_0^*(x) - x Z_1^*(x)] - x Z_0^2(x) Z_1^*(x) \} . \\
 & \int x^3 I_1^2(x) K_0(x) dx = \\
 & = \frac{1}{3} [-4x^2 I_0(x) I_1(x) K_1(x) + 2 I_0(x) I_1(x) K_0(x) x^3 - x^3 I_1^2(x) K_1(x) + 2 x^3 I_0^2(x) K_1(x) - 4 x^2 I_1^2(x) K_0(x)] \\
 & \int x^3 K_1^2(x) I_0(x) dx = \\
 & = \frac{1}{3} [-2x^3 I_0(x) K_0(x) K_1(x) - 4x^2 I_1(x) K_0(x) K_1(x) + x^3 I_1(x) K_1^2(x) - 4x^2 I_0(x) K_1^2(x) - 2x^3 I_1(x) K_0^2(x)] \\
 & \int Z_1^2(x) Z_1^*(2x) dx = \frac{x}{2} \{ [Z_0^2(x) - Z_1^2(x)] Z_1^*(2x) - 2Z_0(x) Z_1(x) Z_0^*(2x) \} \\
 & \int x Z_0^2(x) Z_0^*(2x) dx = \frac{x^2}{2} \{ [Z_0^2(x) - Z_1^2(x)] Z_0^*(2x) + 2Z_0(x) Z_1(x) Z_1^*(2x) \} \\
 & \int x Z_1^2(x) Z_0^*(2x) dx = \\
 & = \frac{x}{2} \{ x [Z_1^2(x) - Z_0^2(x)] Z_0^*(2x) + 2Z_0^2(x) Z_1^*(2x) - 2Z_0(x) Z_1(x) [Z_0^*(2x) + x Z_1^*(2x)] \} \\
 & \int x Z_1^2(x) Z_0^*(\sqrt{2}x) dx = \frac{\sqrt{2}x}{2} Z_0^2(x) Z_1^*(\sqrt{2}x) - x Z_0(x) Z_1(x) Z_0^*(\sqrt{2}x) \\
 & \int x Z_0(x) Z_1(x) Z_1^*(2x) dx = \frac{x}{2} \{ x [Z_0^2(x) - Z_1^2(x)] Z_0^*(2x) + Z_0(x) Z_1^*(2x) [2x Z_1(x) - Z_0(x)] \} \\
 & \int x^2 Z_0^2(x) Z_1^*(2x) dx = \\
 & = \frac{x^2}{6} \{ x [Z_0^2(x) - Z_1^2(x)] Z_1^*(2x) - 2Z_1^2(x) Z_0^*(2x) - 2Z_0(x) Z_1(x) [x Z_0^*(2x) - 2Z_1^*(2x)] \} \\
 & \int x^2 Z_0^2(x) Z_1^*(\sqrt{2}x) dx = x^2 Z_0(x) Z_1(x) Z_1^*(\sqrt{2}x) - \frac{\sqrt{2}x^2}{2} Z_1^2(x) Z_0^*(\sqrt{2}x) \\
 & \int x^2 Z_1^2(x) Z_1^*(2x) dx = \\
 & = \frac{x^2}{6} \{ x [Z_1^2(x) - Z_0^2(x)] Z_1^*(2x) + 2Z_0(x) Z_1(x) [x Z_0^*(2x) + Z_1^*(2x)] - 4Z_1^2(x) Z_0^*(2x) \} \\
 & \int x^2 Z_0(x) Z_1(x) Z_0^*(2x) dx = \\
 & = \frac{x^2}{6} \{ x [Z_1^2(x) - Z_0^2(x)] Z_1^*(2x) + 2Z_0(x) Z_1(2x) [x Z_0^*(2x) + Z_1^*(2x)] - Z_1^2(x) Z_0^*(2x) \} \\
 & \int x^3 I_1^2(x) K_0(x) dx =
 \end{aligned}$$

$$\begin{aligned}
&= \frac{x^2}{3} \{2 I_0(x) I_1(x) [x K_0(x) - 2 K_1(x)] - I_1^2(x) [4 K_0(x) + x K_1(x)] + 2 x I_0^2(x) K_1(x)\} \\
&\quad \int x^3 K_1^2(x) I_0(x) dx = \\
&= -\frac{x^2}{3} \{2 K_0(x) K_1(x) [x I_0(x) + 2 I_1(x)] + K_1^2(x) [4 I_0(x) - x I_1(x)] + 2 x K_0^2(x) I_1(x)\} \\
&\quad \int x^3 I_0(x) I_1(x) K_1(x) dx = \\
&= \frac{x^2}{3} \{I_0(x) I_1(x) [x K_0(x) - 2 K_1(x)] + I_1^2(x) [x K_1(x) - 2 K_0(x)] + x I_0^2(x) K_1(x)\} \\
&\quad \int x^3 K_0(x) K_1(x) I_1(x) dx = \\
&= -\frac{x^2}{3} \{K_0(x) K_1(x) [x I_0(x) + 2 I_1(x)] + K_1^2(x) [x I_1(x) + 2 I_0(x)] + x K_0^2(x) I_1(x)\} \\
&\quad \int I_1^2(x) K_1(2x) dx = -\frac{x}{2} [I_0^2(x) + I_1^2(x)] K_1(2x) + 2 I_0(x) I_1(x) K_0(2x) \\
&\quad \int K_1^2(x) I_1(2x) dx = -\frac{x}{2} [K_0^2(x) + K_1^2(x)] I_1(2x) + 2 K_0(x) K_1(x) I_0(2x) \\
&\quad \int x I_0^2(x) K_0(2x) dx = \frac{x^2}{2} \{[I_1^2(x) + I_0^2(x)] K_0(2x) + 2 I_0(x) I_1(x) K_1(2x)\} \\
&\quad \int x K_0^2(x) I_0(2x) dx = \frac{x^2}{2} \{[K_1^2(x) + K_0^2(x)] I_0(2x) + 2 K_0(x) K_1(x) I_1(2x)\} \\
&\quad \int x I_1^2(x) K_0(2x) dx = \\
&= \frac{x}{2} \{x [I_0^2(x) + I_1^2(x)] K_0(2x) + 2 I_0^2(x) K_1(2x) + 2 I_0(x) I_1(x) [K_0(2x) + x K_1(2x)]\} \\
&\quad \int x K_1^2(x) I_0(2x) dx = \\
&= \frac{x}{2} \{x [K_0^2(x) + K_1^2(x)] I_0(2x) - 2 K_0^2(x) I_1(2x) - 2 K_0(x) K_1(x) [I_0(2x) - x I_1(2x)]\} \\
&\quad \int x I_1^2(x) K_0(\sqrt{2}x) dx = \frac{\sqrt{2}x}{2} I_0^2(x) K_1(\sqrt{2}x) + x I_0(x) I_1(x) K_0(\sqrt{2}x) \\
&\quad \int x K_1^2(x) I_0(\sqrt{2}x) dx = -\frac{\sqrt{2}x}{2} K_0^2(x) I_1(\sqrt{2}x) - x K_0(x) K_1(x) I_0(\sqrt{2}x) \\
&\quad \int x I_0(x) I_1(x) K_1(2x) dx = \frac{x}{2} \{x [I_0^2(x) + I_1^2(x)] K_0(2x) + I_0(x) K_1(2x) [2x I_1(x) + I_0(x)]\} \\
&\quad \int x K_0(x) K_1(x) I_1(2x) dx = \frac{x}{2} \{x [K_0^2(x) + K_1^2(x)] I_0(2x) + K_0(x) I_1(2x) [2x K_1(x) - K_0(x)]\} \\
&\quad \int x^2 I_0^2(x) K_1(2x) dx = \\
&= \frac{x^2}{6} \{x [I_0^2(x) + I_1^2(x)] K_1(2x) + 2 I_1^2(x) K_0(2x) + 2 I_0(x) I_1(x) [x K_0(2x) + 2 K_1(2x)]\} \\
&\quad \int x^2 K_0^2(x) I_1(2x) dx = \\
&= \frac{x^2}{6} \{x [K_0^2(x) + K_1^2(x)] I_1(2x) - 2 K_1^2(x) I_0(2x) + 2 K_0(x) K_1(x) [x I_0(2x) - 2 I_1(2x)]\} \\
&\quad \int x^2 I_0^2(x) K_1(\sqrt{2}x) dx = x^2 I_0(x) I_1(x) K_1(\sqrt{2}x) + \frac{\sqrt{2}x^2}{2} I_1^2(x) K_0(\sqrt{2}x)
\end{aligned}$$

$$\begin{aligned}
& \int x^2 K_0^2(x) I_1(\sqrt{2}x) dx = -x^2 K_0(x) K_1(x) I_1(\sqrt{2}x) - \frac{\sqrt{2}x^2}{2} K_1^2(x) I_0(\sqrt{2}x) \\
& \qquad \qquad \qquad \int x^2 I_1^2(x) K_1(2x) dx = \\
& = \frac{x^2}{6} \{x [I_0^2(x) + I_1^2(x)] K_1(2x) + 2I_0(x) I_1(x) [xK_0(2x) - K_1(2x)] - 4I_1^2(x) K_0(2x)\} \\
& \qquad \qquad \qquad \int x^2 K_1^2(x) I_1(2x) dx = \\
& = \frac{x^2}{6} \{x [K_1^2(x) + K_0^2(x)] I_1(2x) + 2K_0(x) K_1(x) [xI_0(2x) + I_1(2x)] + 4K_1^2(x) I_0(2x)\} \\
& \qquad \qquad \qquad \int x^2 I_0(x) I_1(x) K_0(2x) dx = \\
& = \frac{x^2}{6} \{x [I_0^2(x) + I_1^2(x)] K_1(2x) + 2I_0(x) I_1(2x) [x K_0(2x) - K_1(2x)] - I_1^2(x) K_0(2x)\} \\
& \qquad \qquad \qquad \int x^2 K_0(x) K_1(x) I_0(2x) dx = \\
& = \frac{x^2}{6} \{x [K_0^2(x) + K_1^2(x)] I_1(2x) + 2K_0(x) K_1(2x) [x I_0(2x) + I_1(2x)] + K_1^2(x) I_0(2x)\}
\end{aligned}$$

3.2. Integrals of the type $\int x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu(\gamma x) dx$

The general case is discussed in [12]. In the following some special solutions are given.

a) $x^n Z_\kappa(x) Z_\mu(x) Z_\nu(2x)$

With $\kappa, \mu, \nu \in \{0, 1\}$ the following integrals may be expressed by functions of the same kind:

$$\int x^{2n+1} Z_0^2(x) Z_0(2x) dx, \quad \int x^{2n+1} Z_0(x) Z_1(x) Z_1(2x) dx, \quad \int x^{2n+1} Z_1^2(x) Z_0(2x) dx, \quad n \geq 0,$$

and

$$\int x^{2n} Z_0(x) Z_1(x) Z_0(2x) dx, \quad \int x^{2n} Z_0^2(x) Z_1(2x) dx, \quad \int x^{2n} Z_1^2(x) Z_1(x) Z_1(2x) dx, \quad n \geq 1.$$

$$\int J_1^2(x) J_1(2x) dx = \frac{x}{2} [J_0^2(x) J_1(2x) - J_1^2(x) J_1(2x) - 2J_0(x) J_1(x) J_0(2x)]$$

$$\int I_1^2(x) I_1(2x) dx = -\frac{x}{2} [I_0^2(x) I_1(2x) + I_1^2(x) I_1(2x) - 2I_0(x) I_1(x) I_0(2x)]$$

$$\int K_1^2(x) K_1(2x) dx = -\frac{x}{2} [K_0^2(x) K_1(2x) + K_1^2(x) K_1(2x) - 2K_0(x) K_1(x) K_0(2x)]$$

$$\int x J_0^2(x) J_0(2x) dx = \frac{x^2}{2} [J_0^2(x) J_0(2x) - J_1^2(x) J_0(2x) + 2J_0(x) J_1(x) J_1(2x)]$$

$$\int x I_0^2(x) I_0(2x) dx = \frac{x^2}{2} [I_0^2(x) I_0(2x) + I_1^2(x) I_0(2x) - 2I_0(x) I_1(x) I_1(2x)]$$

$$\int x K_0^2(x) K_0(2x) dx = \frac{x^2}{2} [K_0^2(x) K_0(2x) + K_1^2(x) K_0(2x) - 2K_0(x) K_1(x) K_1(2x)]$$

$$\int x J_0(x) J_1(x) J_1(2x) dx = \frac{x}{2} [x J_0^2(x) J_0(2x) - J_0^2(x) J_1(2x) - x J_1^2(x) J_0(2x) + 2x J_0(x) J_1(x) J_1(2x)]$$

$$\int x I_0(x) I_1(x) I_1(2x) dx = \frac{x}{2} [-x I_0^2(x) I_0(2x) + I_0^2(x) I_1(2x) - x I_1^2(x) I_0(2x) + 2x I_0(x) I_1(x) I_1(2x)]$$

$$\int x K_0(x) K_1(x) K_1(2x) dx =$$

$$= \frac{x}{2} [-x K_0^2(x) K_0(2x) - K_0^2(x) K_1(2x) - x K_1^2(x) K_0(2x) + 2x K_0(x) K_1(x) K_1(2x)]$$

$$\int x J_1^2(x) J_0(2x) dx =$$

$$= \frac{x}{2} [-x J_0^2(x) J_0(2x) + 2J_0^2(x) J_1(2x) + x J_1^2(x) J_0(2x) - 2J_0(x) J_1(x) J_0(2x) - 2x J_0(x) J_1(x) J_1(2x)]$$

$$\int x I_1^2(x) I_0(2x) dx =$$

$$= \frac{x}{2} [x I_0^2(x) I_0(2x) - 2I_0^2(x) I_1(2x) + x I_1^2(x) I_0(2x) + 2I_0(x) I_1(x) I_0(2x) - 2x I_0(x) I_1(x) I_1(2x)]$$

$$\int x K_1^2(x) K_0(2x) dx =$$

$$= \frac{x}{2} [x K_0^2(x) K_0(2x) + 2K_0^2(x) K_1(2x) + x K_1^2(x) K_0(2x) - 2K_0(x) K_1(x) K_0(2x) - 2x K_0(x) K_1(x) K_1(2x)]$$

$$\begin{aligned}
& \int x^2 J_0(x) J_1(x) J_0(2x) dx = \\
&= \frac{x^2}{6} [-x J_0^2(x) J_1(2x) - J_1^2(x) J_0(2x) + x J_1^2(x) J_1(2x) + 2x J_0(x) J_1(x) J_0(2x) + 2J_0(x) J_1(x) J_1(2x)] \\
& \quad \int x^2 I_0(x) I_1(x) I_0(2x) dx = \\
&= \frac{x^2}{6} [-x I_0^2(x) I_1(2x) - I_1^2(x) I_0(2x) - x I_1^2(x) I_1(2x) + 2x I_0(x) I_1(x) I_0(2x) + 2I_0(x) I_1(x) I_1(2x)] \\
& \quad \int x^2 K_0(x) K_1(x) K_0(2x) dx = \\
&= \frac{x^2}{6} [-x K_0^2(x) K_1(2x) + K_1^2(x) K_0(2x) - x K_1^2(x) K_1(2x) + 2x K_0(x) K_1(x) K_0(2x) - 2K_0(x) K_1(x) K_1(2x)] \\
& \quad \int x^2 J_0^2(x) J_1(2x) dx = \\
&= \frac{x^2}{6} [x J_0^2(x) J_1(2x) - 2 J_1^2(x) J_0(2x) - x J_1^2(x) J_1(2x) - 2x J_0(x) J_1(x) J_0(2x) + 4J_0(x) J_1(x) J_1(2x)] \\
& \quad \int x^2 I_0^2(x) I_1(2x) dx = \\
&= \frac{x^2}{6} [x I_0^2(x) I_1(2x) - 2 I_1^2(x) I_0(2x) + x I_1^2(x) I_1(2x) - 2x I_0(x) I_1(x) I_0(2x) + 4I_0(x) I_1(x) I_1(2x)] \\
& \quad \int x^2 K_0^2(x) K_1(2x) dx = \\
&= \frac{x^2}{6} [x K_0^2(x) K_1(2x) + 2 K_1^2(x) K_0(2x) + x K_1^2(x) K_1(2x) - 2x K_0(x) K_1(x) K_0(2x) - 4K_0(x) K_1(x) K_1(2x)] \\
& \quad \int x^2 J_1^2(x) J_1(2x) dx = \\
&= \frac{x^2}{6} [-x J_0^2(x) J_1(2x) - 4 J_1^2(x) J_0(2x) + x J_1^2(x) J_1(2x) + 2x J_0(x) J_1(x) J_0(2x) + 2J_0(x) J_1(x) J_1(2x)] \\
& \quad \int x^2 I_1^2(x) I_1(2x) dx = \\
&= \frac{x^2}{6} [x I_0^2(x) I_1(2x) + 4 I_1^2(x) I_0(2x) + x I_1^2(x) I_1(2x) - 2x I_0(x) I_1(x) I_0(2x) - 2I_0(x) I_1(x) I_1(2x)] \\
& \quad \int x^2 K_1^2(x) K_1(2x) dx = \\
&= \frac{x^2}{6} [x K_0^2(x) K_1(2x) - 4 K_1^2(x) K_0(2x) + x K_1^2(x) K_1(2x) - 2x K_0(x) K_1(x) K_0(2x) + 2K_0(x) K_1(x) K_1(2x)] \\
& \int x^3 J_0^2(x) J_0(2x) dx = \frac{x^2}{10} [x^2 J_0^2(x) J_0(2x) + 2x J_0(x) J_1(x) J_0(2x) + (2-x^2) J_1^2(x) J_0(2x) + 2x J_0^2(x) J_1(2x) + \\
& \quad + (2x^2 - 4) J_0(x) J_1(x) J_1(2x) + 2x J_1^2(x) J_1(2x)] \\
& \int x^3 I_0^2(x) I_0(2x) dx = \frac{x^2}{10} [x^2 I_0^2(x) I_0(2x) + 2x I_0(x) I_1(x) I_0(2x) + (x^2 + 2) I_1^2(x) I_0(2x) + 2x I_0^2(x) I_1(2x) - \\
& \quad - (2x^2 + 4) I_0(x) I_1(x) I_1(2x) - 2x I_1^2(x) I_1(2x)] \\
& \int x^3 K_0^2(x) K_0(2x) dx = \frac{x^2}{10} [x^2 K_0^2(x) K_0(2x) - 2x K_0(x) K_1(x) K_0(2x) + (x^2 + 2) K_1^2(x) K_0(2x) - \\
& \quad - 2x K_0^2(x) K_1(2x) - (2x^2 + 4) K_0(x) K_1(x) K_1(2x) + 2x K_1^2(x) K_1(2x)]
\end{aligned}$$

$$\begin{aligned}
\int x^3 J_1^2(x) J_0(2x) dx &= \frac{x^2}{10}[-x^2 J_0^2(x) J_0(2x) + 2x J_0(x) J_1(x) J_0(2x) + (2-x^2) J_1^2(x) J_0(2x) + \\
&\quad + 2x J_0^2(x) J_1(2x) + (2x^2-4) J_0(x) J_1(x) J_1(2x) + 2x J_1^2(x) J_1(2x)] \\
\int x^3 I_1^2(x) I_0(2x) dx &= \frac{x^2}{10}[x^2 I_0^2(x) I_0(2x) + 2x I_0(x) I_1(x) I_0(2x) + (x^2+2) I_1^2(x) I_0(2x) + \\
&\quad + 2x I_0^2(x) I_1(2x) - (2x^2+4) I_0(x) I_1(x) I_1(2x) - 2x I_1^2(x) I_1(2x)] \\
\int x^3 K_1^2(x) K_0(2x) dx &= \frac{x^2}{10}[x^2 K_0^2(x) K_0(2x) - 2x K_0(x) K_1(x) K_0(2x) + (x^2+2) K_1^2(x) K_0(2x) - \\
&\quad - 2x K_0^2(x) K_1(2x) - (2x^2+4) K_0(x) K_1(x) K_1(2x) + 2x K_1^2(x) K_1(2x)] \\
\int x^3 J_0(x) J_1(x) J_1(2x) dx &= \frac{x^2}{30}[3x^2 J_0^2(x) J_0(2x) - 4x J_0(x) J_1(x) J_0(2x) - (3x^2+4) J_1^2(x) J_0(2x) - \\
&\quad - 4x J_0^2(x) J_1(2x) + (6x^2+8) J_0(x) J_1(x) J_1(2x) + x J_1^2(x) J_1(2x)] \\
\int x^3 I_0(x) I_1(x) I_1(2x) dx &= \frac{x^2}{30}[-3x^2 I_0^2(x) I_0(2x) + 4x I_0(x) I_1(x) I_0(2x) + (4-3x^2) I_1^2(x) I_0(2x) + \\
&\quad + 4x I_0^2(x) I_1(2x) + (6x^2-8) I_0(x) I_1(x) I_1(2x) + x I_1^2(x) I_1(2x)] \\
\int x^3 K_0(x) K_1(x) K_1(2x) dx &= \frac{x^2}{30}[-3x^2 K_0^2(x) K_0(2x) - 4x K_0(x) K_1(x) K_0(2x) + (4-3x^2) K_1^2(x) K_0(2x) - \\
&\quad - 4x K_0^2(x) K_1(2x) + (6x^2-8) K_0(x) K_1(x) K_1(2x) - x K_1^2(x) K_1(2x)] \\
\int x^4 J_0(x) J_1(x) J_0(2x) dx &= \frac{x^2}{42}[-3x^2 J_0^2(x) J_0(2x) + (6x^3+4x) J_0(x) J_1(x) J_0(2x) + 4 J_1^2(x) J_0(2x) + \\
&\quad + (4x-3x^3) J_0^2(x) J_1(2x) + (6x^2-8) J_0(x) J_1(x) J_1(2x) + (3x^3+2x) J_1^2(x) J_1(2x)] \\
\int x^4 I_0(x) I_1(x) I_0(2x) dx &= \frac{x^2}{42}[3x^2 I_0^2(x) I_0(2x) + (6x^3-4x) I_0(x) I_1(x) I_0(2x) - 4 I_1^2(x) I_0(2x) - \\
&\quad - (3x^3+4x) I_0^2(x) I_1(2x) + (6x^2+8) I_0(x) I_1(x) I_1(2x) + (2x-3x^3) I_1^2(x) I_1(2x)] \\
\int x^4 K_0(x) K_1(x) K_0(2x) dx &= \frac{x^2}{42}[-3x^2 K_0^2(x) K_0(2x) + (6x^3-4x) K_0(x) K_1(x) K_0(2x) + 4 K_1^2(x) K_0(2x) - \\
&\quad - (3x^3+4x) K_0^2(x) K_1(2x) - (6x^2+8) K_0(x) K_1(x) K_1(2x) + (2x-3x^3) K_1^2(x) K_1(2x)] \\
\int x^4 J_0^2(x) J_1(2x) dx &= \frac{x^2}{210}[-48x^2 J_0^2(x) J_0(2x) + (-30x^3+64x) J_0(x) J_1(x) J_0(2x) + \\
&\quad + (-42x^2+64) J_1^2(x) J_0(2x) + (15x^3+64x) J_0^2(x) J_1(2x) + (54x^2-128) J_0(x) J_1(x) J_1(2x) + \\
&\quad + (-15x^3+74x) J_1^2(x) J_1(2x)] \\
\int x^4 I_0^2(x) I_1(2x) dx &= \frac{x^2}{210}[48x^2 I_0^2(x) I_0(2x) - (30x^3+64x) I_0(x) I_1(x) I_0(2x) - (42x^2+64) I_1^2(x) I_0(2x) + \\
&\quad + (15x^3-64x) I_0^2(x) I_1(2x) + (54x^2+128) I_0(x) I_1(x) I_1(2x) + (15x^3+74x) I_1^2(x) I_1(2x)] \\
\int x^4 K_0^2(x) K_1(2x) dx &= \frac{x^2}{210}[-48x^2 K_0^2(x) K_0(2x) - (30x^3+64x) K_0(x) K_1(x) K_0(2x) + \\
&\quad + (42x^2+64) K_1^2(x) K_0(2x) + (15x^3-64x) K_0^2(x) K_1(2x) - (54x^2+128) K_0(x) K_1(x) K_1(2x) + \\
&\quad + (15x^3+74x) K_1^2(x) K_1(2x)]
\end{aligned}$$

$$\begin{aligned}
\int x^4 J_1^2(x) J_1(2x) dx &= \frac{x^2}{70} [-12x^2 J_0^2(x) J_0(2x) + (10x^3 + 16x) J_0(x) J_1(x) J_0(2x) + (-28x^2 + 16) J_1^2(x) J_0(2x) + \\
&\quad + (-5x^3 + 16x) J_0^2(x) J_1(2x) - (4x^2 + 32) J_0(x) J_1(x) J_1(2x) + (5x^3 + 36x) J_1^2(x) J_1(2x)] \\
\int x^4 I_1^2(x) I_1(2x) dx &= \frac{x^2}{70} [-12x^2 I_0^2(x) I_0(2x) + (-10x^3 + 16x) I_0(x) I_1(x) I_0(2x) + (28x^2 + 16) I_1^2(x) I_0(2x) + \\
&\quad + (5x^3 + 16x) I_0^2(x) I_1(2x) + (4x^2 - 32) I_0(x) I_1(x) I_1(2x) + (5x^3 - 36x) I_1^2(x) I_1(2x)] \\
\int x^4 K_1^2(x) K_1(2x) dx &= \frac{x^2}{70} [12x^2 K_0^2(x) K_0(2x) + (-10x^3 + 16x) K_0(x) K_1(x) K_0(2x) - \\
&\quad - (28x^2 + 16) K_1^2(x) K_0(2x) + (5x^3 + 16x) K_0^2(x) K_1(2x) + (-4x^2 + 32) K_0(x) K_1(x) K_1(2x) + \\
&\quad + (5x^3 - 36x) K_1^2(x) K_1(2x)] \\
\int x^5 J_0^2(x) J_0(2x) dx &= \frac{x^2}{630} [(35x^4 + 216x^2) J_0^2(x) J_0(2x) + (100x^3 - 288x) J_0(x) J_1(x) J_0(2x) + \\
&\quad + (-35x^4 + 224x^2 - 288) J_1^2(x) J_0(2x) + (160x^3 - 288x) J_0^2(x) J_1(2x) + (70x^4 - 208x^2 + 576) J_0(x) J_1(x) J_1(2x) + \\
&\quad + (120x^3 - 368x) J_1^2(x) J_1(2x)] \\
\int x^5 I_0^2(x) I_0(2x) dx &= \frac{x^2}{630} [(35x^4 - 216x^2) I_0^2(x) I_0(2x) + (100x^3 + 288x) I_0(x) I_1(x) I_0(2x) + \\
&\quad + (35x^4 + 224x^2 + 288) I_1^2(x) I_0(2x) + (160x^3 + 288x) I_0^2(x) I_1(2x) - (70x^4 + 208x^2 + 576) I_0(x) I_1(x) I_1(2x) - \\
&\quad - (120x^3 + 368x) I_1^2(x) I_1(2x)] \\
\int x^5 K_0^2(x) K_0(2x) dx &= \frac{x^2}{630} [(35x^4 - 216x^2) K_0^2(x) K_0(2x) - (100x^3 + 288x) K_0(x) K_1(x) K_0(2x) + \\
&\quad + (35x^4 + 224x^2 + 288) K_1^2(x) K_0(2x) - (160x^3 + 288x) K_0^2(x) K_1(2x) - \\
&\quad - (70x^4 + 208x^2 + 576) K_0(x) K_1(x) K_1(2x) + (120x^3 + 368x) K_1^2(x) K_1(2x)] \\
\int x^5 J_1^2(x) J_0(2x) dx &= \frac{x^2}{630} [(-35x^4 + 180x^2) J_0^2(x) J_0(2x) + (100x^3 - 288x) J_0(x) J_1(x) J_0(2x) + \\
&\quad + (-35x^4 + 244x^2 - 288) J_1^2(x) J_0(2x) + (160x^3 - 288x) J_0^2(x) J_1(2x) + (70x^4 - 208x^2 + 576) J_0(x) J_1(x) J_1(2x) + \\
&\quad + (120x^3 - 368x) J_1^2(x) J_1(2x)] \\
\int x^5 I_1^2(x) I_0(2x) dx &= \frac{x^2}{630} [(35x^4 + 180x^2) I_0^2(x) I_0(2x) + (100x^3 + 288x) I_0(x) I_1(x) I_0(2x) + \\
&\quad + (35x^4 + 224x^2 + 288) I_1^2(x) I_0(2x) + (160x^3 + 288x) I_0^2(x) I_1(2x) - (70x^4 + 208x^2 + 576) I_0(x) I_1(x) I_1(2x) - \\
&\quad - (120x^3 + 368x) I_1^2(x) I_1(2x)] \\
\int x^5 K_1^2(x) K_0(2x) dx &= \frac{x^2}{630} [(35x^4 + 180x^2) K_0^2(x) K_0(2x) - (100x^3 + 288x) K_0(x) K_1(x) K_0(2x) + \\
&\quad + (35x^4 + 224x^2 + 288) K_1^2(x) K_0(2x) - (160x^3 + 288x) K_0^2(x) K_1(2x) - \\
&\quad - (70x^4 + 208x^2 + 576) K_0(x) K_1(x) K_1(2x) + (120x^3 + 368x) K_1^2(x) K_1(2x)] \\
\int x^5 J_0(x) J_1(x) J_1(2x) dx &= \frac{x^2}{630} [(35x^4 - 72x^2) J_0^2(x) J_0(2x) + (-80x^3 + 96x) J_0(x) J_1(x) J_0(2x) + \\
&\quad + (-35x^4 - 28x^2 + 96) J_1^2(x) J_0(2x) + (-65x^3 + 96x) J_0^2(x) J_1(2x) + (70x^4 + 116x^2 - 192) J_0(x) J_1(x) J_1(2x) +
\end{aligned}$$

$$\begin{aligned}
& +(30x^3 + 76x)J_1^2(x)J_1(2x)] \\
\int x^5 I_0(x)I_1(x)I_1(2x)dx &= \frac{x^2}{630}[-(35x^4 + 72x^2)I_0^2(x)I_0(2x) + (80x^3 + 96x)I_0(x)I_1(x)I_0(2x) + \\
& +(-35x^4 + 28x^2 + 96)I_1^2(x)I_0(2x) + (65x^3 + 96x)I_0^2(x)I_1(2x) + (70x^4 - 116x^2 - 192)I_0(x)I_1(x)I_1(2x) + \\
& +(30x^3 - 76x)I_1^2(x)I_1(2x)] \\
\int x^5 K_0(x)K_1(x)K_1(2x)dx &= \frac{x^2}{630}[-(35x^4 + 72x^2)K_0^2(x)K_0(2x) - (80x^3 + 96x)K_0(x)K_1(x)K_0(2x) + \\
& +(-35x^4 + 28x^2 + 96)K_1^2(x)K_0(2x) - (65x^3 + 96x)K_0^2(x)K_1(2x) + \\
& +(70x^4 - 116x^2 - 192)K_0(x)K_1(x)K_1(2x) + (-30x^3 + 76x)K_1^2(x)K_1(2x)] \\
\int x^6 J_0(x)J_1(x)J_0(2x)dx &= \\
&= \frac{x^2}{6930}[(-490x^4 + 1224x^2)J_0^2(x)J_0(2x) + (630x^5 + 940x^3 - 1632x)J_0(x)J_1(x)J_0(2x) + \\
& +(175x^4 + 896x^2 - 1632)J_1^2(x)J_0(2x) + (-315x^5 + 1000x^3 - 1632x)J_0^2(x)J_1(2x) + \\
& +(910x^4 - 1552x^2 + 3264)J_0(x)J_1(x)J_1(2x) + (315x^5 + 120x^3 - 1712x)J_1^2(x)J_1(2x)] \\
\int x^6 I_0(x)I_1(x)I_0(2x)dx &= \\
&= \frac{x^2}{6930}[(490x^4 + 1224x^2)I_0^2(x)I_0(2x) + (630x^5 - 940x^3 - 1632x)I_0(x)I_1(x)I_0(2x) + \\
& +(175x^4 - 896x^2 - 1632)I_1^2(x)I_0(2x) - (315x^5 + 1000x^3 + 1632x)I_0^2(x)I_1(2x) + \\
& +(910x^4 + 1552x^2 + 3264)I_0(x)I_1(x)I_1(2x) + (-315x^5 + 120x^3 + 1712x)I_1^2(x)I_1(2x)] \\
\int x^6 K_0(x)K_1(x)K_0(2x)dx &= \\
&= \frac{x^2}{6930}[(-490x^4 + 1224x^2)K_0^2(x)K_0(2x) + (630x^5 - 940x^3 - 1632x)K_0(x)K_1(x)K_0(2x) + \\
& +(-175x^4 + 896x^2 + 1632)K_1^2(x)K_0(2x) - (315x^5 + 1000x^3 + 1632x)K_0^2(x)K_1(2x) - \\
& -(910x^4 + 1552x^2 + 3264)K_0(x)K_1(x)K_1(2x) + (-315x^5 + 120x^3 + 1712x)K_1^2(x)K_1(2x)] \\
\int x^6 J_0^2(x)J_1(2x)dx &= \frac{x^2}{6930}[(-1820x^4 + 5904x^2)J_0^2(x)J_0(2x) + \\
& +(-630x^5 + 2360x^3 - 7872x)J_0(x)J_1(x)J_0(2x) + (-1330x^4 + 6496x^2 - 7872)J_1^2(x)J_0(2x) + \\
& +(315x^5 + 4280x^3 - 7872x)J_0^2(x)J_1(2x) + (1400x^4 - 5312x^2 + 15744)J_0(x)J_1(x)J_1(2x) + \\
& +(-315x^5 + 3840x^3 - 10432x)J_1^2(x)J_1(2x)] \\
\int x^6 I_0^2(x)I_1(2x)dx &= \frac{x^2}{6930}[(1820x^4 + 5904x^2)I_0^2(x)I_0(2x) - \\
& -(630x^5 + 2360x^3 + 7872x)I_0(x)I_1(x)I_0(2x) - (1330x^4 + 6496x^2 + 7872)I_1^2(x)I_0(2x) + \\
& +(315x^5 - 4280x^3 - 7872x)I_0^2(x)I_1(2x) + (1400x^4 + 5312x^2 + 15744)I_0(x)I_1(x)I_1(2x) + \\
& +(315x^5 + 3840x^3 + 10432x)I_1^2(x)I_1(2x)] \\
\int x^6 K_0^2(x)K_1(2x)dx &= \frac{x^2}{6930}[(-1820x^4 + 5904x^2)K_0^2(x)K_0(2x) - \\
& -(630x^5 + 2360x^3 + 7872x)K_0(x)K_1(x)I_0(2x) + (1330x^4 + 6496x^2 + 7872)K_1^2(x)K_0(2x) + \\
& +(315x^5 - 4280x^3 - 7872x)K_0^2(x)K_1(2x) - (1400x^4 + 5312x^2 + 15744)K_0(x)K_1(x)K_1(2x) +
\end{aligned}$$

$$+(315x^5 + 3840x^3 + 10432x)K_1^2(x)K_1(2x)]$$

$$\begin{aligned} \int x^6 J_1^2(x) J_1(2x) dx &= \frac{x^2}{770} [(-140x^4 + 576x^2) J_0^2(x) J_0(2x) + \\ &+ (70x^5 + 80x^3 - 768x) J_0(x) J_1(x) J_0(2x) + (-280x^4 + 784x^2 - 768) J_1^2(x) J_0(2x) + \\ &+ (-35x^5 + 380x^3 - 768x) J_0^2(x) J_1(2x) + (-70x^4 - 368x^2 + 1536) J_0(x) J_1(x) J_1(2x) + \\ &+ (35x^5 + 600x^3 - 1168x) J_1^2(x) J_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^6 I_1^2(x) I_1(2x) dx &= \frac{x^2}{770} [-(140x^4 + 576x^2) I_0^2(x) I_0(2x) + \\ &+ (-70x^5 + 80x^3 + 768x) I_0(x) I_1(x) I_0(2x) + (280x^4 + 784x^2 + 768) I_1^2(x) I_0(2x) + \\ &+ (35x^5 + 380x^3 + 768x) I_0^2(x) I_1(2x) + (70x^4 - 368x^2 - 1536) I_0(x) I_1(x) I_1(2x) + \\ &+ (35x^5 - 600x^3 - 1168x) I_1^2(x) I_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^6 K_1^2(x) K_1(2x) dx &= \frac{x^2}{770} [(140x^4 + 576x^2) K_0^2(x) K_0(2x) + \\ &+ (-70x^5 + 80x^3 + 768x) K_0(x) K_1(x) K_0(2x) - (280x^4 + 784x^2 + 768) K_1^2(x) K_0(2x) + \\ &+ (35x^5 + 380x^3 + 768x) K_0^2(x) K_1(2x) + (-70x^4 + 368x^2 + 1536) K_0(x) K_1(x) K_1(2x) + \\ &+ (35x^5 - 600x^3 - 1168x) K_1^2(x) K_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 J_0^2(x) J_0(2x) dx &= \frac{x^2}{1430} [(55x^6 + 900x^4 - 3024x^2) J_0^2(x) J_0(2x) + \\ &+ (210x^5 - 1080x^3 + 4032x) J_0(x) J_1(x) J_0(2x) + (-55x^6 + 810x^4 - 3456x^2 + 4032) J_1^2(x) J_0(2x) + \\ &+ (390x^5 - 2160x^3 + 4032x) J_0^2(x) J_1(2x) + (110x^6 - 540x^4 + 2592x^2 - 8064) J_0(x) J_1(x) J_1(2x) + \\ &+ (270x^5 - 2160x^3 + 5472x) J_1^2(x) J_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 I_0^2(x) I_0(2x) dx &= \frac{x^2}{1430} [(55x^6 - 900x^4 - 3024x^2) I_0^2(x) I_0(2x) + \\ &+ (210x^5 + 1080x^3 + 4032x) I_0(x) I_1(x) I_0(2x) + (55x^6 + 810x^4 + 3456x^2 + 4032) I_1^2(x) I_0(2x) + \\ &+ (390x^5 + 2160x^3 + 4032x) I_0^2(x) I_1(2x) - (110x^6 + 540x^4 + 2592x^2 + 8064) I_0(x) I_1(x) I_1(2x) - \\ &- (270x^5 + 2160x^3 + 5472x) I_1^2(x) I_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 K_0^2(x) K_0(2x) dx &= \frac{x^2}{1430} [(55x^6 - 900x^4 - 3024x^2) K_0^2(x) K_0(2x) - \\ &- (210x^5 + 1080x^3 + 4032x) K_0(x) K_1(x) K_0(2x) + (55x^6 + 810x^4 + 3456x^2 + 4032) K_1^2(x) K_0(2x) - \\ &- (390x^5 + 2160x^3 + 4032x) K_0^2(x) K_1(2x) - (110x^6 + 540x^4 + 2592x^2 + 8064) K_0(x) K_1(x) K_1(2x) + \\ &+ (270x^5 + 2160x^3 + 5472x) K_1^2(x) K_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 J_1^2(x) J_0(2x) dx &= \frac{x^2}{30030} [(-1155x^6 + 15680x^4 - 58176x^2) J_0^2(x) J_0(2x) + \\ &+ (4410x^5 - 22680x^3 + 84672x) J_0(x) J_1(x) J_0(2x) + (-1155x^6 + 17010x^4 - 72576x^2 + 84672) J_1^2(x) J_0(2x) + \\ &+ (8190x^5 - 45360x^3 + 84672x) J_0^2(x) J_1(2x) + (2310x^6 - 11340x^4 + 54432x^2 - 169344) J_0(x) J_1(x) J_1(2x) + \\ &+ (5670x^5 - 45360x^3 + 114912x) J_1^2(x) J_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 I_1^2(x) I_0(2x) dx &= \frac{x^2}{30030} [(1155x^6 + 15680x^4 + 58176x^2) I_0^2(x) I_0(2x) + \\ &+ (4410x^5 + 22680x^3 + 84672x) I_0(x) I_1(x) I_0(2x) + (1155x^6 + 17010x^4 + 72576x^2 + 84672) I_1^2(x) I_0(2x) + \\ &+ (8190x^5 + 45360x^3 + 84672x) I_0^2(x) I_1(2x) - (2310x^6 + 11340x^4 + 54432x^2 + 169344) I_0(x) I_1(x) I_1(2x) - \end{aligned}$$

$$-(5670 x^5 + 45360 x^3 + 114912 x) I_1^2(x) I_1(2x)]$$

$$\begin{aligned} \int x^7 K_1^2(x) K_0(2x) dx &= \frac{x^2}{30030} [(1155 x^6 + 15680 x^4 + 58176 x^2) K_0^2(x) K_0(2x) - \\ &- (4410 x^5 + 22680 x^3 + 84672 x) K_0(x) K_1(x) K_0(2x) + (1155 x^6 + 17010 x^4 + 72576 x^2 + 84672) K_1^2(x) K_0(2x) - \\ &- (8190 x^5 + 45360 x^3 + 84672 x) K_0^2(x) K_1(2x) - (2310 x^6 + 11340 x^4 + 54432 x^2 + 169344) K_0(x) K_1(x) K_1(2x) + \\ &+ (5670 x^5 + 45360 x^3 + 114912 x) K_1^2(x) K_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 J_0(x) J_1(x) J_1(2x) dx &= \frac{x^2}{30030} [(1155 x^6 - 4760 x^4 + 13248 x^2) J_0^2(x) J_0(2x) + \\ &+ (-3780 x^5 + 8000 x^3 - 17664 x) J_0(x) J_1(x) J_0(2x) + (-1155 x^6 - 280 x^4 + 11872 x^2 - 17664) J_1^2(x) J_0(2x) + \\ &+ (-2730 x^5 + 10280 x^3 - 17664 x) J_0^2(x) J_1(2x) + (2310 x^6 + 6860 x^4 - 14624 x^2 + 35328) J_0(x) J_1(x) J_1(2x) + \\ &+ (1575 x^5 + 4560 x^3 - 20704 x) J_1^2(x) J_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 I_0(x) I_1(x) I_1(2x) dx &= \frac{x^2}{30030} [-(1155 x^6 + 4760 x^4 + 13248 x^2) I_0^2(x) I_0(2x) + \\ &+ (3780 x^5 + 8000 x^3 + 17664 x) I_0(x) I_1(x) I_0(2x) + (-1155 x^6 + 280 x^4 + 11872 x^2 + 17664) I_1^2(x) I_0(2x) + \\ &+ (2730 x^5 + 10280 x^3 + 17664 x) I_0^2(x) I_1(2x) + (2310 x^6 - 6860 x^4 - 14624 x^2 - 35328) I_0(x) I_1(x) I_1(2x) + \\ &+ (1575 x^5 - 4560 x^3 - 20704 x) I_1^2(x) I_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^7 K_0(x) K_1(x) K_1(2x) dx &= \frac{x^2}{30030} [-(1155 x^6 + 4760 x^4 + 13248 x^2) K_0^2(x) K_0(2x) - \\ &- (3780 x^5 + 8000 x^3 + 17664 x) K_0(x) K_1(x) K_0(2x) + (-1155 x^6 + 280 x^4 + 11872 x^2 + 17664) K_1^2(x) K_0(2x) - \\ &- (2730 x^5 + 10280 x^3 + 17664 x) K_0^2(x) K_1(2x) + (2310 x^6 - 6860 x^4 - 14624 x^2 - 35328) K_0(x) K_1(x) K_1(2x) + \\ &+ (-1575 x^5 + 4560 x^3 + 20704 x) K_1^2(x) K_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^8 J_0(x) J_1(x) J_0(2x) dx &= \frac{x^2}{30030} [(-2079 x^6 + 10752 x^4 - 32832 x^2) J_0^2(x) J_0(2x) + \\ &+ (2002 x^7 + 5712 x^5 - 15648 x^3 + 43776 x) J_0(x) J_1(x) J_0(2x) + (1078 x^6 + 4872 x^4 - 33600 x^2 + 43776) J_1^2(x) J_0(2x) + \\ &+ (-1001 x^7 + 5460 x^5 - 24432 x^3 + 43776 x) J_0^2(x) J_1(2x) + \\ &+ (3850 x^6 - 11256 x^4 + 32064 x^2 - 87552) J_0(x) J_1(x) J_1(2x) + \\ &+ (1001 x^7 - 378 x^5 - 17568 x^3 + 55488 x) J_1^2(x) J_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^8 I_0(x) I_1(x) I_0(2x) dx &= \frac{x^2}{30030} [(2079 x^6 + 10752 x^4 + 32832 x^2) I_0^2(x) I_0(2x) + \\ &+ (2002 x^7 - 5712 x^5 - 15648 x^3 - 43776 x) I_0(x) I_1(x) I_0(2x) + (1078 x^6 - 4872 x^4 - 33600 x^2 - 43776) I_1^2(x) I_0(2x) - \\ &- (1001 x^7 + 5460 x^5 + 24432 x^3 + 43776 x) I_0^2(x) I_1(2x) + (3850 x^6 + 11256 x^4 + 32064 x^2 + 87552) I_0(x) I_1(x) I_1(2x) + \\ &+ (-1001 x^7 - 378 x^5 + 17568 x^3 + 55488 x) I_1^2(x) I_1(2x)] \end{aligned}$$

$$\begin{aligned} \int x^8 K_0(x) K_1(x) K_0(2x) dx &= \frac{x^2}{30030} [-(2079 x^6 + 10752 x^4 + 32832 x^2) K_0^2(x) K_0(2x) + \\ &+ (2002 x^7 - 5712 x^5 - 15648 x^3 - 43776 x) K_0(x) K_1(x) K_0(2x) + \\ &+ (-1078 x^6 + 4872 x^4 + 33600 x^2 + 43776) K_1^2(x) K_0(2x) - \\ &- (1001 x^7 + 5460 x^5 + 24432 x^3 + 43776 x) K_0^2(x) K_1(2x) - \\ &- (3850 x^6 + 11256 x^4 + 32064 x^2 + 87552) K_0(x) K_1(x) K_1(2x) + \\ &+ (-1001 x^7 - 378 x^5 + 17568 x^3 + 55488 x) K_1^2(x) K_1(2x)] \end{aligned}$$

$$\begin{aligned}
\int x^8 J_0^2(x) J_1(2x) dx &= \frac{x^2}{30030} [(-8316 x^6 + 64848 x^4 - 221184 x^2) J_0^2(x) J_0(2x) + \\
&+ (-2002 x^7 + 11928 x^5 - 75072 x^3 + 294912 x) J_0(x) J_1(x) J_0(2x) + \\
&+ (-5698 x^6 + 63168 x^4 - 256704 x^2 + 294912) J_1^2(x) J_0(2x) + \\
&+ (1001 x^7 + 27300 x^5 - 157008 x^3 + 294912 x) J_0^2(x) J_1(2x) + \\
&+ (5390 x^6 - 34104 x^4 + 185664 x^2 - 589824) J_0(x) J_1(x) J_1(2x) + \\
&+ (-1001 x^7 + 23058 x^5 - 163872 x^3 + 404160 x) J_1^2(x) J_1(2x)] \\
\int x^8 I_0^2(x) I_1(2x) dx &= \frac{x^2}{30030} [(8316 x^6 + 64848 x^4 + 221184 x^2) I_0^2(x) I_0(2x) - \\
&- (2002 x^7 + 11928 x^5 + 75072 x^3 + 294912 x) I_0(x) I_1(x) I_0(2x) - \\
&- (5698 x^6 + 63168 x^4 + 256704 x^2 + 294912) I_1^2(x) I_0(2x) + \\
&+ (1001 x^7 - 27300 x^5 - 157008 x^3 - 294912 x) I_0^2(x) I_1(2x) + \\
&+ (5390 x^6 + 34104 x^4 + 185664 x^2 + 589824) I_0(x) I_1(x) I_1(2x) + \\
&+ (1001 x^7 + 23058 x^5 + 163872 x^3 + 404160 x) I_1^2(x) I_1(2x)] \\
\int x^8 K_0^2(x) K_1(2x) dx &= \frac{x^2}{30030} [-(8316 x^6 + 64848 x^4 + 221184 x^2) K_0^2(x) K_0(2x) - \\
&- (2002 x^7 + 11928 x^5 + 75072 x^3 + 294912 x) K_0(x) K_1(x) K_0(2x) + \\
&+ (5698 x^6 + 63168 x^4 + 256704 x^2 + 294912) K_1^2(x) K_0(2x) + \\
&+ (1001 x^7 - 27300 x^5 - 157008 x^3 - 294912 x) K_0^2(x) K_1(2x) - \\
&- (5390 x^6 + 34104 x^4 + 185664 x^2 + 589824) K_0(x) K_1(x) K_1(2x) + \\
&+ (1001 x^7 + 23058 x^5 + 163872 x^3 + 404160 x) K_1^2(x) K_1(2x)] \\
\int x^8 J_1^2(x) J_1(2x) dx &= \frac{x^2}{30030} [(-5544 x^6 + 57792 x^4 - 207360 x^2) J_0^2(x) J_0(2x) + \\
&+ (2002 x^7 + 672 x^5 - 58368 x^3 + 276480 x) J_0(x) J_1(x) J_0(2x) + \\
&+ (-10472 x^6 + 71232 x^4 - 252672 x^2 + 276480) J_1^2(x) J_0(2x) + \\
&+ (-1001 x^7 + 21840 x^5 - 144192 x^3 + 276480 x) J_0^2(x) J_1(2x) + \\
&+ (-3080 x^6 - 15456 x^4 + 162048 x^2 - 552960) J_0(x) J_1(x) J_1(2x) + \\
&+ (1001 x^7 + 31752 x^5 - 171648 x^3 + 390912 x) J_1^2(x) J_1(2x)] \\
\int x^8 I_1^2(x) I_1(2x) dx &= \frac{x^2}{30030} [-(5544 x^6 + 57792 x^4 + 207360 x^2) I_0^2(x) I_0(2x) + \\
&+ (-2002 x^7 + 672 x^5 + 58368 x^3 + 276480 x) I_0(x) I_1(x) I_0(2x) + \\
&+ (10472 x^6 + 71232 x^4 + 252672 x^2 + 276480) I_1^2(x) I_0(2x) + \\
&+ (1001 x^7 + 21840 x^5 + 144192 x^3 + 276480 x) I_0^2(x) I_1(2x) + \\
&+ (3080 x^6 - 15456 x^4 - 162048 x^2 - 552960) I_0(x) I_1(x) I_1(2x) + \\
&+ (1001 x^7 - 31752 x^5 - 171648 x^3 - 390912 x) I_1^2(x) I_1(2x)] \\
\int x^8 K_1^2(x) K_1(2x) dx &= \frac{x^2}{30030} [(5544 x^6 + 57792 x^4 + 207360 x^2) K_0^2(x) K_0(2x) + \\
&+ (-2002 x^7 + 672 x^5 + 58368 x^3 + 276480 x) K_0(x) K_1(x) K_0(2x) - \\
&- (10472 x^6 + 71232 x^4 + 252672 x^2 + 276480) K_1^2(x) K_0(2x) + \\
&+ (1001 x^7 + 21840 x^5 + 144192 x^3 + 276480 x) K_0^2(x) K_1(2x) + \\
&+ (-3080 x^6 + 15456 x^4 + 162048 x^2 + 552960) K_0(x) K_1(x) K_1(2x) + \\
&+ (1001 x^7 - 31752 x^5 - 171648 x^3 - 390912 x) K_1^2(x) K_1(2x)]
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+1} J_0^2(x) J_0(2x) dx = -\frac{n}{4n+1} \int x^{2n} J_1(2x) [3n J_0^2(x) + (n-1) J_1^2(x)] dx + \\
& + \frac{x^{2n+1}}{2(4n+1)} [x J_0^2(x) J_0(2x) - x J_1^2(x) J_0(2x) + 3n J_0^2(x) J_1(2x) + 2x J_0(x) J_1(x) J_1(2x) + n J_1^2(x) J_1(2x)] \\
& \int x^{2n+1} J_0(x) J_1(x) J_1(2x) dx = \\
& = \frac{1}{2(4n+1)} \int x^{2n} [-n(2n-1) J_0^2(x) J_1(2x) + 2n(4n+1) J_0(x) J_1(x) J_0(2x) + (n-1)(2n+1) J_1^2(x) J_1(2x)] dx + \\
& + \frac{x^{2n+1}}{4(4n+1)} [(2n-1) J_0^2(x) J_1(2x) - 2(4n+1) J_0(x) J_1(x) J_0(2x) - (2n+1) J_1^2(x) J_1(2x) + 2x J_0^2(x) J_0(2x) + \\
& + 4x J_0(x) J_1(x) J_1(2x) - 2x J_1^2(x) J_0(2x)] \\
& \int x^{2n+1} J_1^2(x) J_0(2x) dx = -\frac{1}{4n+1} \int x^{2n} [n(n+1) J_0^2(x) J_1(2x) + (3n+1)(n-1) J_1^2(x) J_1(2x)] dx + \\
& + \frac{x^{2n+1}}{2(4n+1)} [(n+1) J_0^2(x) J_1(2x) + (3n+1) J_1^2(x) J_1(2x) - x J_0^2(x) J_0(2x) - 2x J_0(x) J_1(x) J_1(2x) + x J_1^2(x) J_0(2x)] \\
& \int x^{2n+2} J_0(x) J_1(x) J_0(2x) dx = \\
& = \frac{1}{4(4n+3)} \left\{ -2(n+1)(2n+1) \int x^{2n+1} J_0^2(x) J_0(2x) dx - 4(4n+3) \int x^{2n+1} J_0(x) J_1(x) J_1(2x) dx + \right. \\
& + 2n(2n+3) \int x^{2n+1} J_1^2(x) J_0(2x) dx + x^{2n+2} [(2n+1) J_0^2(x) J_0(2x) - 2x J_0^2(x) J_1(2x) + 4x J_0(x) J_1(x) J_0(2x) - \\
& \left. - (2n+3) J_1^2(x) J_0(2x) + 2(4n+3) J_0(x) J_1(x) J_1(2x) + 2x J_1^2(x) J_1(2x)] \right\} \\
& \int x^{2n+2} J_0^2(x) J_1(2x) dx = \\
& = \frac{1}{2(4n+3)} \left\{ 2(n+1)(3n+2) \int x^{2n+1} J_0^2(x) J_0(2x) dx + 2n^2 \int x^{2n+1} J_1^2(x) J_0(2x) dx + \right. \\
& \left. + x^{2n+2} [-(3n+2) J_0^2(x) J_0(2x) + x J_0^2(x) J_1 - 2x J_0(x) J_1(x) J_0(2x) - n J_1^2(x) J_0(2x) - x J_1^2(x) J_1(2x)] \right\} \\
& \int x^{2n+2} J_1^2(x) J_1(2x) dx = \\
& = \frac{1}{2(4n+3)} \left\{ 2(n+1)^2 \int x^{2n+1} J_0^2(x) J_0(2x) dx + 6n(n+1) \int x^{2n+1} J_1^2(x) J_0(2x) dx + \right. \\
& \left. + x^{2n+2} [-(n+1) J_0^2(x) J_0(2x) - x J_0^2(x) J_1(2x) + 2x J_0(x) J_1(x) J_0(2x) - 3(n+1) J_1^2(x) J_0(2x) + x J_0(x) J_1(x) J_0(2x)] \right\}
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+1} I_0^2(x) I_0(2x) dx = \frac{1}{4n+1} \int x^{2n} [-3n^2 I_0^2(x) I_1(2x) + n(n-1) I_1^2(x) I_1(2x)] dx + \\
& + \frac{x^{2n+1}}{2(4n+1)} [x I_0^2(x) I_0(2x) + x I_1^2(x) I_0(2x) - 2x I_0(x) I_1(x) I_1(2x) + 3n I_0^2(x) I_1(2x) - n I_1^2(x) I_1(2x)] \\
& \int x^{2n+1} I_0(x) I_1(x) I_1(2x) dx = \\
& = \frac{1}{2(4n+1)} \int x^{2n} [n(2n-1) I_0^2(x) I_1(2x) - 2n(4n+1) I_0(x) I_1(x) I_0(2x) + (n-1)(2n+1) I_1^2(x) I_1(2x)] dx + \\
& + \frac{x^{2n+1}}{4(4n+1)} [-(2n-1) I_0^2(x) I_1(2x) + 2(4n+1) I_0(x) I_1(x) I_0(2x) - (2n+1) I_1^2(x) I_1(2x) - \\
& - 2x I_0^2(x) I_0(2x) + 4x I_0(x) I_1(x) I_1(2x) - 2x I_1^2(x) I_0(2x)] \\
& \int x^{2n+1} I_1^2(x) I_0(2x) dx = \frac{1}{4n+1} \int x^{2n} [n(n+1) I_0^2(x) I_1(2x) - (3n+1)(n-1) I_1^2(x) I_1(2x)] dx + \\
& + \frac{x^{2n+1}}{2(4n+1)} [-(n+1) I_0^2(x) I_1(2x) + (3n+1) I_1^2(x) I_1(2x) + x I_0^2(x) I_0(2x) - 2x I_0(x) I_1(x) I_1(2x) + x I_1^2(x) I_0(2x)] \\
& \int x^{2n+2} I_0(x) I_1(x) I_0(2x) dx = \\
& = \frac{1}{2(4n+3)} \int x^{2n+1} [(n+1)(2n+1) I_0^2(x) I_0(2x) - 2n(4n+3) I_0(x) I_1(x) I_1(2x) + n(2n+3) I_1^2(x) I_0(2x)] dx + \\
& + x^{2n+2} [-(2n+1) I_0^2(x) I_0(2x) + 2(4n+3) I_0(x) I_1(x) I_1(2x) - (2n+3) x I_1^2(x) I_0(2x) - \\
& - 2x I_0^2(x) I_1(2x) + 4x I_0(x) I_1(x) I_0(2x) - 3x I_1^2(x) I_1(2x)] \\
& \int x^{2n+2} I_0^2(x) I_1(2x) dx = \\
& = \frac{1}{4n+3} \int x^{2n+1} [-(n+1)(3n+2) I_0^2(x) I_0(2x) + n^2 I_1^2(x) I_0(2x)] dx + \\
& + x^{2n+2} [(3n+2) I_0^2(x) I_0(2x) - n I_1^2(x) I_0(2x) + x I_0^2(x) I_1(2x) - 2x I_0(x) I_1(x) I_0(2x) + x I_1^2(x) I_1(2x)] \\
& \int x^{2n+2} I_1^2(x) I_1(2x) dx = \\
& = \frac{1}{4n+3} \int x^{2n+1} [(n+1)^2 I_0^2(x) I_0(2x) - 3n(n+1) I_1^2(x) I_0(2x)] dx + \\
& + x^{2n+2} [-(n+1) I_0^2(x) I_0(2x) + 3(n+1) I_1^2(x) I_0(2x) + x I_0^2(x) I_1(2x) - 2x I_0(x) I_1(x) I_0(2x) + x I_1^2(x) I_1(2x)]
\end{aligned}$$

$$\int x^{2n+1} K_0^2(x) K_0(2x) dx = \frac{1}{4n+1} \int x^{2n} [3n^2 K_0^2(x) K_1(2x) - n(n-1) K_1^2(x) K_1(2x)] dx +$$

$$+ \frac{x^{2n+1}}{2(4n+1)} [x K_0^2(x) K_0(2x) + x K_1^2(x) K_0(2x) - 2x K_0(x) K_1(x) K_1(2x) - 3n K_0^2(x) K_1(2x) + n K_1^2(x) K_1(2x)]$$

$$\int x^{2n+1} K_0(x) K_1(x) K_1(2x) dx =$$

$$= \frac{1}{2(4n+1)} \int x^{2n} [-n(2n-1) K_0^2(x) K_1(2x) + 2n(4n+1) K_0(x) K_1(x) K_0(2x) - (n-1)(2n+1) K_1^2(x) K_1(2x)] dx +$$

$$+ \frac{x^{2n+1}}{4(4n+1)} [(2n-1) K_0^2(x) K_1(2x) - 2(4n+1) K_0(x) K_1(x) K_0(2x) + (2n+1) K_1^2(x) K_1(2x) -$$

$$- 2x K_0^2(x) K_0(2x) + 4x K_0(x) K_1(x) K_1(2x) - 2x K_1^2(x) K_0(2x)]$$

$$\int x^{2n+1} K_1^2(x) K_0(2x) dx = \frac{1}{4n+1} \int x^{2n} [-n(n+1) K_0^2(x) K_1(2x) + (3n+1)(n-1) K_1^2(x) K_1(2x)] dx +$$

$$+ \frac{x^{2n+1}}{2(4n+1)} [(n+1) K_0^2(x) K_1(2x) - (3n+1) K_1^2(x) K_1(2x) + x K_0^2(x) K_0(2x) - 2x K_0(x) K_1(x) K_1(2x) +$$

$$+ x K_1^2(x) K_0(2x)]$$

$$\int x^{2n+2} K_0(x) K_1(x) K_0(2x) dx = \frac{1}{2(4n+3)} \cdot$$

$$\cdot \int x^{2n+1} [(n+1)(2n+1) K_0^2(x) K_0(2x) - 2n(4n+3) K_0(x) K_1(x) K_1(2x) + n(2n+3) K_1^2(x) K_0(2x)] dx +$$

$$+ \frac{x^{2n+2}}{4(4n+3)} [-(2n+1) K_0^2(x) K_0(2x) + 2(4n+3) K_0(x) K_1(x) K_1(2x) - (3n+2)x K_1^2(x) K_0(2x) -$$

$$- 2x K_0^2(x) K_1(2x) + 4x K_0(x) K_1(x) K_0(2x) - 3x K_1^2(x) K_1(2x)]$$

$$\int x^{2n+2} K_0^2(x) K_1(2x) dx =$$

$$= \frac{1}{4n+3} \int x^{2n+1} [(n+1)(3n+2) K_0^2(x) K_0(2x) - n^2 K_1^2(x) K_0(2x)] dx +$$

$$+ \frac{x^{2n+2}}{2(4n+3)} [-(3n+2) K_0^2(x) K_0(2x) + n K_1^2(x) K_0(2x) + x K_0^2(x) K_1(2x) - 2x K_0(x) K_1(x) K_0(2x) +$$

$$+ x K_1^2(x) K_1(2x)]$$

$$\int x^{2n+2} K_1^2(x) K_1(2x) dx =$$

$$= \frac{1}{4n+3} \int x^{2n+1} [-(n+1)^2 K_0^2(x) K_0(2x) + 3n(n+1) K_1^2(x) K_0(2x)] dx +$$

$$+ \frac{x^{2n+2}}{2(4n+3)} [(n+1) K_0^2(x) K_0(2x) - 3(n+1) K_1^2(x) K_0(2x) + x K_0^2(x) K_1(2x) - 2x K_0(x) K_1(x) K_0(2x) +$$

$$+ x K_1^2(x) K_1(2x)]$$

b) $x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu((\alpha + \beta)x)$

Formulas were found for the following integrals only:

$$\int x^{2n+1} Z_0(\alpha x) Z_0(\beta x) Z_0((\alpha + \beta)x) dx, \quad \int x^{2n+1} Z_0(\alpha x) Z_1(\beta x) Z_1((\alpha + \beta)x) dx,$$

$$\int x^{2n+1} Z_1(\alpha x) Z_1(\beta x) Z_0((\alpha + \beta)x) dx, \quad n \geq 0,$$

and

$$\int x^{2n} Z_0(\alpha x) Z_0(\beta x) Z_1((\alpha + \beta)x) dx, \quad \int x^{2n} Z_0(\alpha x) Z_1(\beta x) Z_0((\alpha + \beta)x) dx,$$

$$\int x^{2n} Z_1(\alpha x) Z_1(\beta x) Z_1((\alpha + \beta)x) dx, \quad n \geq 1.$$

The integrals $\int x^n Z_\nu(\alpha x) Z_\nu(\beta x) Z_{1-\nu}((\alpha + \beta)x) dx$ and $\int x^n Z_{1-\nu}(\alpha x) Z_\nu(\beta x) Z_\nu((\alpha + \beta)x) dx$ may be expressed by each other. Nevertheless, they are both listed.

$$\int J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx = \frac{x}{2} [J_0(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) -$$

$$-J_0(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x) - J_1(\alpha x)J_0(\beta x)J_0((\alpha + \beta)x) - J_1(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x)]$$

$$\int I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx = \frac{x}{2} [-I_0(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) +$$

$$+I_0(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x) + I_1(\alpha x)I_0(\beta x)I_0((\alpha + \beta)x) - I_1(\alpha x)I_1(\beta x)I_1((\alpha + \beta)x)]$$

$$\int K_1(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx = \frac{x}{2} [-K_0(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) +$$

$$+K_0(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x) + K_1(\alpha x)K_0(\beta x)K_0((\alpha + \beta)x) - K_1(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x)]$$

$$\int x J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) dx = \frac{x^2}{2} [J_0(\alpha x)J_0(\beta x)J_0((\alpha + \beta)x) +$$

$$+J_0(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x) + J_1(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) - J_1(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x)]$$

$$\int x I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) dx = \frac{x^2}{2} [I_0(\alpha x)I_0(\beta x)I_0((\alpha + \beta)x) -$$

$$-I_0(\alpha x)I_1(\beta x)I_1((\alpha + \beta)x) - I_1(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) + I_1(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x)]$$

$$\int x K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) dx = \frac{x^2}{2} [K_0(\alpha x)K_0(\beta x)K_0((\alpha + \beta)x) -$$

$$-K_0(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x) - K_1(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) + K_1(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x)]$$

$$\int x J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx = \frac{x}{2\beta(\alpha + \beta)} [(\beta\alpha x + \beta^2 x) J_0(\alpha x)J_0(\beta x)J_0((\alpha + \beta)x) -$$

$$-(\alpha + \beta) J_0(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) - \beta J_0(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x) +$$

$$+(\beta\alpha x + \beta^2 x) J_0(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x) + \alpha J_1(\alpha x)J_0(\beta x)J_0((\alpha + \beta)x) +$$

$$+(\beta\alpha x + \beta^2 x) J_1(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) - (\beta\alpha x + \beta^2 x) J_1(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x)]$$

$$\int x I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx = \frac{x}{2\beta(\alpha + \beta)} [-(\beta\alpha x + \beta^2 x) I_0(\alpha x)I_0(\beta x)I_0((\alpha + \beta)x) +$$

$$+(\alpha + \beta) I_0(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) + \beta I_0(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x) +$$

$$\begin{aligned}
& +(\beta \alpha x + \beta^2 x) I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) - \alpha I_1(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) + \\
& +(\beta \alpha x + \beta^2 x) I_1(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) - (\beta \alpha x + \beta^2 x) I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x)
\end{aligned}$$

$$\begin{aligned}
\int x K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx &= \frac{x}{2\beta(\alpha + \beta)} \left[-(\beta \alpha x + \beta^2 x) K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) - \right. \\
& -(\alpha + \beta) K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) - \beta K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) + \\
& +(\beta \alpha x + \beta^2 x) K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) + \alpha K_1(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) + \\
& \left. +(\beta \alpha x + \beta^2 x) K_1(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) - (\beta \alpha x + \beta^2 x) K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) \right]
\end{aligned}$$

$$\begin{aligned}
\int x J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx &= \frac{x}{2\alpha\beta} \left[-\alpha\beta x J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) + \right. \\
& +(\alpha + \beta) J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - \beta J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) - \\
& -\alpha\beta x J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) - \alpha J_1(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) - \\
& \left. -\alpha\beta x J_1(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) + \alpha\beta x J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) \right]
\end{aligned}$$

$$\begin{aligned}
\int x I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) dx &= \frac{x}{2\alpha\beta} \left[\alpha\beta x I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) - \right. \\
& -(\alpha + \beta) I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) + \beta I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) - \\
& -\alpha\beta x I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) + \alpha I_1(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) - \\
& \left. -\alpha\beta x I_1(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) + \alpha\beta x I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) \right]
\end{aligned}$$

$$\begin{aligned}
\int x K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) dx &= \frac{x}{2\alpha\beta} \left[\alpha\beta x K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) + \right. \\
& +(\alpha + \beta) K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) - \beta K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) - \\
& -\alpha\beta x K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) - \alpha K_1(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) - \\
& \left. -\alpha\beta x K_1(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) + \alpha\beta x K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) \right]
\end{aligned}$$

$$\begin{aligned}
\int x^2 J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) dx &= \frac{x^2}{6\alpha\beta(\alpha + \beta)} \left[\alpha\beta x (\alpha + \beta) J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - \right. \\
& -\alpha\beta x (\alpha + \beta) J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \alpha (\alpha + 3\beta) J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) - \\
& -\alpha\beta (\alpha + \beta) x J_1(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) + \beta (3\alpha + \beta) J_1(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - \\
& \left. -(\alpha + \beta)^2 J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) - \alpha\beta (\alpha + \beta) x J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) \right]
\end{aligned}$$

$$\begin{aligned}
\int x^2 I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) dx &= \frac{x^2}{6\alpha\beta(\alpha + \beta)} \left[\alpha\beta(\alpha + \beta)x I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) - \right. \\
& -\alpha\beta(\alpha + \beta)x I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) + \alpha(\alpha + 3\beta) I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) - \\
& -\alpha\beta(\alpha + \beta)x I_1(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) + \beta(3\alpha + \beta) I_1(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) - \\
& \left. -(\alpha + \beta)^2 I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) \right]
\end{aligned}$$

$$\begin{aligned}
\int x^2 K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) dx &= \frac{x^2}{6\alpha\beta(\alpha + \beta)} \left[\alpha\beta(\alpha + \beta)x K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) - \right. \\
& -\alpha\beta(\alpha + \beta)x K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) - \alpha(\alpha + 3\beta) K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) -
\end{aligned}$$

$$-\alpha\beta(\alpha + \beta)x K_1(\alpha x)K_0(\beta x)K_0((\alpha + \beta)x) - \beta(3\alpha + \beta) K_1(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) + (\alpha + \beta)^2 K_1(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x K_1(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x]$$

$$\int x^2 J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx = \frac{x^2}{6\alpha\beta(\alpha + \beta)} [-\alpha\beta(\alpha + \beta)x J_0(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_0(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x) + \alpha(2\alpha + 3\beta) J_0(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_1(\alpha x)J_0(\beta x)J_0((\alpha + \beta)x) - \beta^2 J_1(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) - (\alpha + \beta)(2\alpha - \beta) J_1(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_1(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x)]$$

$$\int x^2 I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) dx = \frac{x^2}{6\alpha\beta(\alpha + \beta)} [-\alpha\beta(\alpha + \beta)x I_0(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x I_0(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x) + \alpha(2\alpha + 3\beta) I_0(\alpha x)I_1(\beta x)I_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x I_1(\alpha x)I_0(\beta x)I_0((\alpha + \beta)x) - \beta^2 I_1(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) - (\alpha + \beta)(2\alpha - \beta) I_1(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x I_1(\alpha x)I_1(\beta x)I_1((\alpha + \beta)x)]$$

$$\int x^2 K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) dx = \frac{x^2}{6\alpha\beta(\alpha + \beta)} [-\alpha\beta(\alpha + \beta)x K_0(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x K_0(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x) - \alpha(2\alpha + 3\beta) K_0(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x K_1(\alpha x)K_0(\beta x)K_0((\alpha + \beta)x) + \beta^2 K_1(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) + (\alpha + \beta)(2\alpha - \beta) K_1(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x K_1(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x)]$$

$$\int x^2 J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx = \frac{x^2}{6\alpha\beta(\alpha + \beta)} [-\alpha\beta(\alpha + \beta)x J_0(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_0(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x) + 2\alpha^2 J_0(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_1(\alpha x)J_0(\beta x)J_0((\alpha + \beta)x) + 2\beta^2 J_1(\alpha x)J_0(\beta x)J_1((\alpha + \beta)x) - 2(\alpha + \beta)^2 J_1(\alpha x)J_1(\beta x)J_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_1(\alpha x)J_1(\beta x)J_1((\alpha + \beta)x)]$$

$$\int x^2 I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx = \frac{x^2}{6\alpha\beta(\alpha + \beta)} [\alpha\beta(\alpha + \beta)x I_0(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x I_0(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x) - 2\alpha^2 I_0(\alpha x)I_1(\beta x)I_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x I_1(\alpha x)I_0(\beta x)I_0((\alpha + \beta)x) - 2\beta^2 I_1(\alpha x)I_0(\beta x)I_1((\alpha + \beta)x) + 2(\alpha + \beta)^2 I_1(\alpha x)I_1(\beta x)I_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x I_1(\alpha x)I_1(\beta x)I_1((\alpha + \beta)x)]$$

$$\int x^2 K_1(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx = \frac{x^2}{6\alpha\beta(\alpha + \beta)} [\alpha\beta(\alpha + \beta)x K_0(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x K_0(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x) + 2\alpha^2 K_0(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x K_1(\alpha x)K_0(\beta x)K_0((\alpha + \beta)x) + 2\beta^2 K_1(\alpha x)K_0(\beta x)K_1((\alpha + \beta)x) - 2(\alpha + \beta)^2 K_1(\alpha x)K_1(\beta x)K_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x K_1(\alpha x)K_1(\beta x)K_1((\alpha + \beta)x)]$$

Let

$$\int x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu((\alpha + \beta)x) dx = \kappa^{\mu\nu} V_n \sum_{\kappa', \mu', \nu'=0}^1 \kappa^{\mu\nu} P_{n,Z}^{\kappa' \mu' \nu'}(x) Z_{\kappa'}(\alpha x) Z_{\mu'}(\beta x) Z_{\nu'}((\alpha + \beta)x),$$

then holds

$$\begin{aligned} {}^{000}V_3 &= \frac{x^2}{30 \alpha^2 \beta^2 (\alpha + \beta)^2} \\ {}^{000}P_{3,J}^{000}(x) &= 3 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 \\ {}^{000}P_{3,J}^{001}(x) &= 2 \alpha \beta (\alpha + \beta) (\alpha^2 + 4 \alpha \beta + \beta^2) x \\ {}^{000}P_{3,J}^{010}(x) &= 2 \alpha \beta (\alpha + \beta) (2 \alpha^2 + 2 \alpha \beta - \beta^2) x \\ {}^{000}P_{3,J}^{011}(x) &= \alpha^2 [3 \beta^2 (\alpha + \beta)^2 x^2 - 4 \alpha^2 - 10 \alpha \beta - 10 \beta^2] \\ {}^{000}P_{3,J}^{100}(x) &= -2 \alpha \beta (\alpha + \beta) (\alpha^2 - 2 \alpha \beta - 2 \beta^2) x \\ {}^{000}P_{3,J}^{101}(x) &= \beta^2 [3 \alpha^2 (\alpha + \beta)^2 x^2 - 4 \beta^2 - 10 \alpha \beta - 10 \alpha^2] \\ {}^{000}P_{3,J}^{110}(x) &= -(\alpha + \beta)^2 [3 \alpha^2 \beta^2 x^2 - 4 \alpha^2 + 2 \alpha \beta - 4 \beta^2] \\ {}^{000}P_{3,J}^{111}(x) &= 4 \alpha \beta (\alpha + \beta) (\alpha^2 + \alpha \beta + \beta^2) x \\ {}^{000}P_{3,I}^{000}(x) &= 3 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 \\ {}^{000}P_{3,I}^{001}(x) &= 2 \alpha \beta (\alpha + \beta) (\alpha^2 + 4 \alpha \beta + \beta^2) x \\ {}^{000}P_{3,I}^{010}(x) &= 2 \alpha \beta (\alpha + \beta) (2 \alpha^2 + 2 \alpha \beta - \beta^2) x \\ {}^{000}P_{3,I}^{011}(x) &= -\alpha^2 [3 \beta^2 (\alpha + \beta)^2 x^2 + 4 \alpha^2 + 10 \alpha \beta + 10 \beta^2] \\ {}^{000}P_{3,I}^{100}(x) &= -2 \alpha \beta (\alpha + \beta) (\alpha^2 - 2 \alpha \beta - 2 \beta^2) x \\ {}^{000}P_{3,I}^{101}(x) &= -\beta^2 [3 \alpha^2 (\alpha + \beta)^2 x^2 + 10 \alpha^2 + 10 \alpha \beta + 4 \beta^2] \\ {}^{000}P_{3,I}^{110}(x) &= (\alpha + \beta)^2 [3 \alpha^2 \beta^2 x^2 + 4 \alpha^2 - 2 \alpha \beta + 4 \beta^2] \\ {}^{000}P_{3,I}^{111}(x) &= -4 \alpha \beta (\alpha + \beta) (\alpha^2 + \alpha \beta + \beta^2) x \\ {}^{000}P_{3,K}^{000}(x) &= 3 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 \\ {}^{000}P_{3,K}^{001}(x) &= -2 \alpha \beta (\alpha + \beta) (\alpha^2 + 4 \alpha \beta + \beta^2) x \\ {}^{000}P_{3,K}^{010}(x) &= -2 \alpha \beta (\alpha + \beta) (2 \alpha^2 + 2 \alpha \beta - \beta^2) x \\ {}^{000}P_{3,K}^{011}(x) &= -\alpha^2 [3 \beta^2 (\alpha + \beta)^2 x^2 + 4 \alpha^2 + 10 \alpha \beta + 10 \beta^2] \\ {}^{000}P_{3,K}^{100}(x) &= 2 \alpha \beta (\alpha + \beta) (\alpha^2 - 2 \alpha \beta - 2 \beta^2) x \\ {}^{000}P_{3,K}^{101}(x) &= -\beta^2 [3 \alpha^2 (\alpha + \beta)^2 x^2 + 10 \alpha^2 + 10 \alpha \beta + 4 \beta^2] \\ {}^{000}P_{3,K}^{110}(x) &= (\alpha + \beta)^2 [3 \alpha^2 \beta^2 x^2 + 4 \alpha^2 - 2 \alpha \beta + 4 \beta^2] \\ {}^{000}P_{3,K}^{111}(x) &= 4 \alpha \beta (\alpha + \beta) (\alpha^2 + \alpha \beta + \beta^2) x \end{aligned}$$

$$\begin{aligned} {}^{011}V_3 &= \frac{x^2}{30 \alpha^2 \beta^2 (\alpha + \beta)^2} \\ {}^{011}P_{3,J}^{000}(x) &= 3 \beta^2 \alpha^2 (\alpha + \beta)^2 x^2 \\ {}^{011}P_{3,J}^{001}(x) &= -\alpha \beta (\alpha + \beta) (3 \alpha^2 + 7 \alpha \beta - 2 \beta^2) x \end{aligned}$$

$$\begin{aligned}
{}^{011}P_{3,J}^{010}(x) &= -\alpha\beta(\alpha+\beta)(6\alpha^2+11\alpha\beta+2\beta^2)x \\
{}^{011}P_{3,J}^{011}(x) &= \alpha^2[3\beta^2(\alpha+\beta)^2x^2+6\alpha^2+20\alpha\beta+20\beta^2] \\
{}^{011}P_{3,J}^{100}(x) &= \alpha\beta(\alpha+\beta)(3\alpha^2+4\alpha\beta+4\beta^2)x \\
{}^{011}P_{3,J}^{101}(x) &= \beta^2[3\alpha^2(\alpha+\beta)^2x^2-2\beta(5\alpha+2\beta)] \\
{}^{011}P_{3,J}^{110}(x) &= -(\alpha+\beta)^2[3\alpha^2\beta^2x^2+2(\alpha+\beta)(3\alpha-2\beta)] \\
{}^{011}P_{3,J}^{111}(x) &= -2\alpha\beta(\alpha+\beta)(3\alpha^2-2\alpha\beta-2\beta^2)x \\
\\
{}^{011}P_{3,I}^{000}(x) &= -3\beta^2\alpha^2(\alpha+\beta)^2x^2 \\
{}^{011}P_{3,I}^{001}(x) &= \alpha\beta(\alpha+\beta)(3\alpha^2+7\alpha\beta-2\beta^2)x \\
{}^{011}P_{3,I}^{010}(x) &= \alpha\beta(\alpha+\beta)(6\alpha^2+11\alpha\beta+2\beta^2)x \\
{}^{011}P_{3,I}^{011}(x) &= \alpha^2[3\beta^2(\alpha+\beta)^2x^2-6\alpha^2-20\alpha\beta-20\beta^2] \\
{}^{011}P_{3,I}^{100}(x) &= -\alpha\beta(\alpha+\beta)(3\alpha^2+4\alpha\beta+4\beta^2) \\
{}^{011}P_{3,I}^{101}(x) &= \beta^2[3\alpha^2(\alpha+\beta)^2x^2+2\beta(5\alpha+2\beta)] \\
{}^{011}P_{3,I}^{110}(x) &= -(\alpha+\beta)^2[3\alpha^2\beta^2x^2-2(\alpha+\beta)(3\alpha-2\beta)] \\
{}^{011}P_{3,I}^{111}(x) &= -2\alpha\beta(\alpha+\beta)(3\alpha^2-2\alpha\beta-2\beta^2)x \\
\\
{}^{011}P_{3,K}^{000}(x) &= -3\beta^2\alpha^2(\alpha+\beta)^2x^2 \\
{}^{011}P_{3,K}^{001}(x) &= -\alpha\beta(\alpha+\beta)(3\alpha^2+7\alpha\beta-2\beta^2)x \\
{}^{011}P_{3,K}^{010}(x) &= -\alpha\beta(\alpha+\beta)(6\alpha^2+11\alpha\beta+2\beta^2)x \\
{}^{011}P_{3,K}^{011}(x) &= \alpha^2[3\beta^2(\alpha+\beta)^2x^2-6\alpha^2-20\alpha\beta-20\beta^2] \\
{}^{011}P_{3,K}^{100}(x) &= \alpha\beta(\alpha+\beta)(3\alpha^2+4\alpha\beta+4\beta^2)x \\
{}^{011}P_{3,K}^{101}(x) &= \beta^2[3\alpha^2(\alpha+\beta)^2x^2+2\beta(5\alpha+2\beta)] \\
{}^{011}P_{3,K}^{110}(x) &= -(\alpha+\beta)^2[3\alpha^2\beta^2x^2-2(\alpha+\beta)(3\alpha-2\beta)] \\
{}^{011}P_{3,K}^{111}(x) &= 2\alpha\beta(\alpha+\beta)(3\alpha^2-2\alpha\beta-2\beta^2)x
\end{aligned}$$

$${}^{110}V_3 = \frac{x^2}{30\alpha^2\beta^2(\alpha+\beta)^2}$$

$$\begin{aligned}
{}^{110}P_{3,J}^{000}(x) &= -3\beta^2\alpha^2(\alpha+\beta)^2x^2 \\
{}^{110}P_{3,J}^{001}(x) &= \alpha\beta(\alpha+\beta)(3\alpha^2+2\alpha\beta+3\beta^2)x \\
{}^{110}P_{3,J}^{010}(x) &= \alpha\beta(\alpha+\beta)(6\alpha^2+\alpha\beta-3\beta^2)x \\
{}^{110}P_{3,J}^{011}(x) &= -\alpha^2[3\beta^2(\alpha+\beta)^2x^2+2\alpha(3\alpha+5\beta)] \\
{}^{110}P_{3,J}^{100}(x) &= -\alpha\beta(\alpha+\beta)(3\alpha^2-\alpha\beta-6\beta^2)x \\
{}^{110}P_{3,J}^{101}(x) &= -\beta^2[3\alpha^2(\alpha+\beta)^2x^2+2\beta(5\alpha+3\beta)] \\
{}^{110}P_{3,J}^{110}(x) &= (\alpha+\beta)^2[3\alpha^2\beta^2x^2+6\alpha^2-8\alpha\beta+6\beta^2] \\
{}^{110}P_{3,J}^{111}(x) &= 2\alpha\beta(\alpha+\beta)(3\alpha^2+8\alpha\beta+3\beta^2)x \\
\\
{}^{110}P_{3,I}^{000}(x) &= 3\beta^2\alpha^2(\alpha+\beta)^2x^2
\end{aligned}$$

$$\begin{aligned}
^{110}P_{3,I}^{001}(x) &= -\alpha\beta(\alpha+\beta)(3\alpha^2+2\alpha\beta+3\beta^2)x \\
^{110}P_{3,I}^{010}(x) &= -\alpha\beta(\alpha+\beta)(6\alpha^2+\alpha\beta-3\beta^2)x \\
^{110}P_{3,I}^{011}(x) &= -\alpha^2[3\beta^2(\alpha+\beta)^2x^2-2\alpha(3\alpha+5\beta)] \\
^{110}P_{3,I}^{100}(x) &= \alpha\beta(\alpha+\beta)(3\alpha^2-\alpha\beta-6\beta^2)x \\
^{110}P_{3,I}^{101}(x) &= -\beta^2[3\alpha^2(\alpha+\beta)^2x^2-2\beta(5\alpha+3\beta)] \\
^{110}P_{3,I}^{110}(x) &= (\alpha+\beta)^2[3\alpha^2\beta^2x^2-6\alpha^2+8\alpha\beta-6\beta^2] \\
^{110}P_{3,I}^{111}(x) &= 2\alpha\beta(\alpha+\beta)(3\alpha^2+8\alpha\beta+3\beta^2)x \\
\\
^{110}P_{3,K}^{000}(x) &= 3\beta^2\alpha^2(\alpha+\beta)^2x^2 \\
^{110}P_{3,K}^{001}(x) &= \alpha\beta(\alpha+\beta)(3\alpha^2+2\alpha\beta+3\beta^2)x \\
^{110}P_{3,K}^{010}(x) &= \alpha\beta(\alpha+\beta)(6\alpha^2+\alpha\beta-3\beta^2)x \\
^{110}P_{3,K}^{011}(x) &= -\alpha^2[3\beta^2(\alpha+\beta)^2x^2-2\alpha(3\alpha+5\beta)] \\
^{110}P_{3,K}^{100}(x) &= -\alpha\beta(\alpha+\beta)(3\alpha^2-\alpha\beta-6\beta^2)x \\
^{110}P_{3,K}^{101}(x) &= -\beta^2[3\alpha^2(\alpha+\beta)^2x^2-2\beta(5\alpha+3\beta)] \\
^{110}P_{3,K}^{110}(x) &= (\alpha+\beta)^2[3\alpha^2\beta^2x^2-6\alpha^2+8\alpha\beta-6\beta^2] \\
^{110}P_{3,K}^{111}(x) &= -2\alpha\beta(\alpha+\beta)(3\alpha^2+8\alpha\beta+3\beta^2)x
\end{aligned}$$

$$^{001}V_4 = \frac{x^2}{210\alpha^3\beta^3(\alpha+\beta)^3}$$

$$\begin{aligned}
^{001}P_{4,J}^{000}(x) &= -6\alpha^2\beta^2(\alpha+3\beta)(3\alpha+\beta)(\alpha+\beta)^2x^2 \\
^{001}P_{4,J}^{001}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+18\alpha^4+52\alpha^3\beta+116\alpha^2\beta^2+52\alpha\beta^3+18\beta^4] \\
^{001}P_{4,J}^{010}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-36\alpha^4-86\alpha^3\beta-58\alpha^2\beta^2+34\alpha\beta^3+18\beta^4] \\
^{001}P_{4,J}^{011}(x) &= \alpha^2[9\beta^2(\alpha+2\beta)(3\alpha-\beta)(\alpha+\beta)^2x^2-4\alpha(9\alpha^3+35\beta\alpha^2+49\alpha\beta^2+35\beta^3)] \\
^{001}P_{4,J}^{100}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+18\alpha^4+34\alpha^3\beta-58\alpha^2\beta^2-86\alpha\beta^3-36\beta^4] \\
^{001}P_{4,J}^{101}(x) &= -\beta^2[9\alpha^2(2\alpha+\beta)(\alpha-3\beta)(\alpha+\beta)^2x^2+4\beta(35\alpha^3+49\beta\alpha^2+35\alpha\beta^2+9\beta^3)] \\
^{001}P_{4,J}^{110}(x) &= -(\alpha+\beta)^2[3\alpha^2\beta^2(9\alpha^2+10\alpha\beta+9\beta^2)x^2-4(9\alpha^2-10\alpha\beta+9\beta^2)(\alpha+\beta)^2] \\
^{001}P_{4,J}^{111}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-36\alpha^4-86\alpha^3\beta-52\alpha^2\beta^2-86\alpha\beta^3-36\beta^4] \\
\\
^{001}P_{4,I}^{000}(x) &= 6\alpha^2\beta^2(\alpha+3\beta)(3\alpha+\beta)(\alpha+\beta)^2x^2 \\
^{001}P_{4,I}^{001}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-18\alpha^4-52\alpha^3\beta-116\alpha^2\beta^2-52\alpha\beta^3-18\beta^4] \\
^{001}P_{4,I}^{010}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+36\alpha^4+86\alpha^3\beta+58\alpha^2\beta^2-34\alpha\beta^3-18\beta^4] \\
^{001}P_{4,I}^{011}(x) &= \alpha^2[9\beta^2(\alpha+2\beta)(3\alpha-\beta)(\alpha+\beta)^2x^2+4\alpha(9\alpha^3+35\beta\alpha^2+49\alpha\beta^2+35\beta^3)] \\
^{001}P_{4,I}^{100}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-18\alpha^4-34\alpha^3\beta+58\alpha^2\beta^2+86\alpha\beta^3+36\beta^4] \\
^{001}P_{4,I}^{101}(x) &= -\beta^2[9\alpha^2(2\alpha+\beta)(\alpha-3\beta)(\alpha+\beta)^2x^2-4\beta(35\alpha^3+49\beta\alpha^2+35\alpha\beta^2+9\beta^3)] \\
^{001}P_{4,I}^{110}(x) &= -(\alpha+\beta)^2[3\alpha^2\beta^2(9\alpha^2+10\alpha\beta+9\beta^2)x^2+4(9\alpha^2-10\alpha\beta+9\beta^2)(\alpha+\beta)^2] \\
^{001}P_{4,I}^{111}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+36\alpha^4+86\alpha^3\beta+52\alpha^2\beta^2+86\alpha\beta^3+36\beta^4]
\end{aligned}$$

$$\begin{aligned}
{}^{001}P_{4,K}^{000}(x) &= -6\alpha^2\beta^2(\alpha+3\beta)(3\alpha+\beta)(\alpha+\beta)^2x^2 \\
{}^{001}P_{4,K}^{001}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-18\alpha^4-52\alpha^3\beta-116\alpha^2\beta^2-52\alpha\beta^3-18\beta^4] \\
{}^{001}P_{4,K}^{010}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+36\alpha^4+86\alpha^3\beta+58\alpha^2\beta^2-34\alpha\beta^3-18\beta^4] \\
{}^{001}P_{4,K}^{011}(x) &= -\alpha^2[9\beta^2(\alpha+2\beta)(3\alpha-\beta)(\alpha+\beta)^2x^2+4\alpha(9\alpha^3+35\beta\alpha^2+49\alpha\beta^2+35\beta^3)] \\
{}^{001}P_{4,K}^{100}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-18\alpha^4-34\alpha^3\beta+58\alpha^2\beta^2+86\alpha\beta^3+36\beta^4] \\
{}^{001}P_{4,K}^{101}(x) &= \beta^2[9\alpha^2(2\alpha+\beta)(\alpha-3\beta)(\alpha+\beta)^2x^2-4\beta(35\alpha^3+49\beta\alpha^2+35\alpha\beta^2+9\beta^3)] \\
{}^{001}P_{4,K}^{110}(x) &= (\alpha+\beta)^2[3\alpha^2\beta^2(9\alpha^2+10\alpha\beta+9\beta^2)x^2+4(9\alpha^2-10\alpha\beta+9\beta^2)(\alpha+\beta)^2] \\
{}^{001}P_{4,K}^{111}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+36\alpha^4+86\alpha^3\beta+52\alpha^2\beta^2+86\alpha\beta^3+36\beta^4]
\end{aligned}$$

$${}^{010}V_4 = \frac{x^2}{210\alpha^3\beta^3(\alpha+\beta)^3}$$

$$\begin{aligned}
{}^{010}P_{4,J}^{000}(x) &= -6\alpha^2\beta^2(2\alpha+3\beta)(2\alpha-\beta)(\alpha+\beta)^2x^2 \\
{}^{010}P_{4,J}^{001}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-24\alpha^4-60\alpha^3\beta-52\alpha^2\beta^2+38\alpha\beta^3+18\beta^4] \\
{}^{010}P_{4,J}^{010}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+48\alpha^4+96\alpha^3\beta+68\alpha^2\beta^2+20\alpha\beta^3+18\beta^4] \\
{}^{010}P_{4,J}^{011}(x) &= \alpha^2[9\beta^2(\alpha+2\beta)(4\alpha+\beta)(\alpha+\beta)^2x^2-4\alpha(12\alpha^3+42\beta\alpha^2+56\alpha\beta^2+35\beta^3)] \\
{}^{010}P_{4,J}^{100}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-24\alpha^4-36\alpha^3\beta-16\alpha^2\beta^2-58\alpha\beta^3-36\beta^4] \\
{}^{010}P_{4,J}^{101}(x) &= -\beta^2[3\alpha^2(8\alpha^2+8\alpha\beta+9\beta^2)(\alpha+\beta)^2x^2-4\beta^2(28\alpha^2+28\alpha\beta+9\beta^2)] \\
{}^{010}P_{4,J}^{110}(x) &= \\
&= -(\alpha+\beta)^2[9\alpha^2\beta^2(4\alpha+3\beta)(\alpha-\beta)x^2-4(\alpha+\beta)(12\alpha^3-6\beta\alpha^2+8\alpha\beta^2-9\beta^3)] \\
{}^{010}P_{4,J}^{111}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+48\alpha^4+96\alpha^3\beta-10\alpha^2\beta^2-58\alpha\beta^3-36\beta^4]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{4,I}^{000}(x) &= 6\alpha^2\beta^2(2\alpha+3\beta)(2\alpha-\beta)(\alpha+\beta)^2x^2 \\
{}^{010}P_{4,I}^{001}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+24\alpha^4+60\alpha^3\beta+52\alpha^2\beta^2-38\alpha\beta^3-18\beta^4] \\
{}^{010}P_{4,I}^{010}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-48\alpha^4-96\alpha^3\beta-68\alpha^2\beta^2-20\alpha\beta^3-18\beta^4] \\
{}^{010}P_{4,I}^{011}(x) &= \alpha^2[9\beta^2(\alpha+2\beta)(4\alpha+\beta)(\alpha+\beta)^2x^2+4\alpha(12\alpha^3+42\beta\alpha^2+56\alpha\beta^2+35\beta^3)] \\
{}^{010}P_{4,I}^{100}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+24\alpha^4+36\alpha^3\beta+16\alpha^2\beta^2+58\alpha\beta^3+36\beta^4] \\
{}^{010}P_{4,I}^{101}(x) &= -\beta^2[3\alpha^2(8\alpha^2+8\alpha\beta+9\beta^2)(\alpha+\beta)^2x^2+4\beta^2(28\alpha^2+28\alpha\beta+9\beta^2)] \\
{}^{010}P_{4,I}^{110}(x) &= \\
&= -(\alpha+\beta)^2[9\alpha^2\beta^2(4\alpha+3\beta)(\alpha-\beta)x^2+4(\alpha+\beta)(12\alpha^3-6\beta\alpha^2+8\alpha\beta^2-9\beta^3)] \\
{}^{010}P_{4,I}^{111}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-48\alpha^4-96\alpha^3\beta+10\alpha^2\beta^2+58\alpha\beta^3+36\beta^4]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{4,K}^{000}(x) &= -6\alpha^2\beta^2(2\alpha+3\beta)(2\alpha-\beta)(\alpha+\beta)^2x^2 \\
{}^{010}P_{4,K}^{001}(x) &= -\alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2+24\alpha^4+60\alpha^3\beta+52\alpha^2\beta^2-38\alpha\beta^3-18\beta^4] \\
{}^{010}P_{4,K}^{010}(x) &= \alpha\beta(\alpha+\beta)x[15\alpha^2\beta^2(\alpha+\beta)^2x^2-48\alpha^4-96\alpha^3\beta-68\alpha^2\beta^2-20\alpha\beta^3-18\beta^4] \\
{}^{010}P_{4,K}^{011}(x) &= \\
&= -\alpha^2[9\beta^2(\alpha+2\beta)(4\alpha+\beta)(\alpha+\beta)^2x^2+4\alpha(12\alpha^3+42\beta\alpha^2+56\alpha\beta^2+35\beta^3)]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{4,K}^{100}(x) &= \alpha \beta (\alpha + \beta) x [15 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 24 \alpha^4 + 36 \alpha^3 \beta + 16 \alpha^2 \beta^2 + 58 \alpha \beta^3 + 36 \beta^4] \\
{}^{010}P_{4,K}^{101}(x) &= \beta^2 [3 \alpha^2 (8 \alpha^2 + 8 \alpha \beta + 9 \beta^2) (\alpha + \beta)^2 x^2 + 4 \beta^2 (28 \alpha^2 + 28 \alpha \beta + 9 \beta^2)] \\
{}^{010}P_{4,K}^{110}(x) &= \\
&= (\alpha + \beta)^2 [9 \alpha^2 \beta^2 (4 \alpha + 3 \beta) (\alpha - \beta) x^2 + 4 (\alpha + \beta) (12 \alpha^3 - 6 \beta \alpha^2 + 8 \alpha \beta^2 - 9 \beta^3)] \\
{}^{010}P_{4,K}^{111}(x) &= \alpha \beta (\alpha + \beta) x [-15 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 48 \alpha^4 + 96 \alpha^3 \beta - 10 \alpha^2 \beta^2 - 58 \alpha \beta^3 - 36 \beta^4]
\end{aligned}$$

$${}^{111}V_4 = \frac{x^2}{70 \alpha^3 \beta^3 (\alpha + \beta)^3}$$

$$\begin{aligned}
{}^{111}P_{4,J}^{000}(x) &= -8 \alpha^2 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (\alpha + \beta)^2 x^2 \\
{}^{111}P_{4,J}^{001}(x) &= -\alpha x \beta (\alpha + \beta) [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 - 8 \alpha^4 - 20 \alpha^3 \beta - 8 \alpha^2 \beta^2 - 20 \beta^3 \alpha - 8 \beta^4] \\
{}^{111}P_{4,J}^{010}(x) &= \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 16 \alpha^4 + 32 \alpha^3 \beta + 4 \alpha^2 \beta^2 - 12 \beta^3 \alpha - 8 \beta^4] \\
{}^{111}P_{4,J}^{011}(x) &= 4 \alpha^2 [\beta^2 (3 \alpha^2 - 2 \alpha \beta - 2 \beta^2) (\alpha + \beta)^2 x^2 - 2 \alpha^2 (2 \alpha^2 + 7 \alpha \beta + 7 \beta^2)] \\
{}^{111}P_{4,J}^{100}(x) &= \alpha x \beta (\alpha + \beta) [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 - 8 \alpha^4 - 12 \alpha^3 \beta + 4 \alpha^2 \beta^2 + 32 \beta^3 \alpha + 16 \beta^4] \\
{}^{111}P_{4,J}^{101}(x) &= -4 \beta^2 [\alpha^2 (2 \alpha^2 + 2 \alpha \beta - 3 \beta^2) (\alpha + \beta)^2 x^2 + 2 \beta^2 (7 \alpha^2 + 7 \alpha \beta + 2 \beta^2)] \\
{}^{111}P_{4,J}^{110}(x) &= -4 (\alpha + \beta)^2 [\alpha^2 \beta^2 (3 \alpha^2 + 8 \alpha \beta + 3 \beta^2) x^2 - 2 (2 \alpha^2 - 3 \alpha \beta + 2 \beta^2) (\alpha + \beta)^2] \\
{}^{111}P_{4,J}^{111}(x) &= \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 16 (\alpha^2 + \alpha \beta + \beta^2)^2] \\
{}^{111}P_{4,I}^{000}(x) &= -8 \alpha^2 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (\alpha + \beta)^2 x^2 \\
{}^{111}P_{4,I}^{001}(x) &= \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 8 \alpha^4 + 20 \alpha^3 \beta + 8 \alpha^2 \beta^2 + 20 \beta^3 \alpha + 8 \beta^4] \\
{}^{111}P_{4,I}^{010}(x) &= -\alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 - 16 \alpha^4 - 32 \alpha^3 \beta - 4 \alpha^2 \beta^2 + 12 \beta^3 \alpha + 8 \beta^4] \\
{}^{111}P_{4,I}^{011}(x) &= -4 \alpha^2 [\beta^2 (3 \alpha^2 - 2 \alpha \beta - 2 \beta^2) (\alpha + \beta)^2 x^2 + 2 \alpha^2 (2 \alpha^2 + 7 \alpha \beta + 7 \beta^2)] \\
{}^{111}P_{4,I}^{100}(x) &= -\alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 8 \alpha^4 + 12 \alpha^3 \beta - 4 \alpha^2 \beta^2 - 32 \beta^3 \alpha - 16 \beta^4] \\
{}^{111}P_{4,I}^{101}(x) &= 4 \beta^2 [\alpha^2 (2 \alpha^2 + 2 \alpha \beta - 3 \beta^2) (\alpha + \beta)^2 x^2 - 2 \beta^2 (7 \alpha^2 + 7 \alpha \beta + 2 \beta^2)] \\
{}^{111}P_{4,I}^{110}(x) &= 4 (\alpha + \beta)^2 [\alpha^2 \beta^2 (3 \alpha^2 + 8 \alpha \beta + 3 \beta^2) x^2 + 2 (2 \alpha^2 - 3 \alpha \beta + 2 \beta^2) (\alpha + \beta)^2] \\
{}^{111}P_{4,I}^{111}(x) &= \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 - 16 (\alpha^2 + \alpha \beta + \beta^2)^2] \\
{}^{111}P_{4,K}^{000}(x) &= 8 \alpha^2 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (\alpha + \beta)^2 x^2 \\
{}^{111}P_{4,K}^{001}(x) &= \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 8 \alpha^4 + 20 \alpha^3 \beta + 8 \alpha^2 \beta^2 + 20 \beta^3 \alpha + 8 \beta^4] \\
{}^{111}P_{4,K}^{010}(x) &= -\alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 - 16 \alpha^4 - 32 \alpha^3 \beta - 4 \alpha^2 \beta^2 + 12 \beta^3 \alpha + 8 \beta^4] \\
{}^{111}P_{4,K}^{011}(x) &= 4 \alpha^2 [\beta^2 (3 \alpha^2 - 2 \alpha \beta - 2 \beta^2) (\alpha + \beta)^2 x^2 + 2 \alpha^2 (2 \alpha^2 + 7 \alpha \beta + 7 \beta^2)] \\
{}^{111}P_{4,K}^{100}(x) &= -\alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 + 8 \alpha^4 + 12 \alpha^3 \beta - 4 \alpha^2 \beta^2 - 32 \beta^3 \alpha - 16 \beta^4] \\
{}^{111}P_{4,K}^{101}(x) &= -4 \beta^2 [\alpha^2 (2 \alpha^2 + 2 \alpha \beta - 3 \beta^2) (\alpha + \beta)^2 x^2 - 2 \beta^2 (7 \alpha^2 + 7 \alpha \beta + 2 \beta^2)] \\
{}^{111}P_{4,K}^{110}(x) &= -4 (\alpha + \beta)^2 [\alpha^2 \beta^2 (3 \alpha^2 + 8 \alpha \beta + 3 \beta^2) x^2 + 2 (2 \alpha^2 - 3 \alpha \beta + 2 \beta^2) (\alpha + \beta)^2] \\
{}^{111}P_{4,K}^{111}(x) &= \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 - 16 (\alpha^2 + \alpha \beta + \beta^2)^2]
\end{aligned}$$

$$\begin{aligned}
{}^{000}V_5 &= \frac{x^2}{630 \alpha^4 \beta^4 (\alpha + \beta)^4} \\
{}^{000}P_{5,J}^{000}(x) &= [35 \alpha^4 \beta^4 (\alpha + \beta)^4 x^2 + 96 \alpha^2 \beta^2 (\alpha + \beta)^2 (\alpha^2 + \alpha \beta + \beta^2)^2] x^2 \\
{}^{000}P_{5,J}^{001}(x) &= 4 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + 3 \beta) (3 \alpha + \beta) (\alpha + \beta)^2 x^2 - \\
&\quad - 12 (\alpha^2 + \alpha \beta + \beta^2) (2 \beta^4 + 5 \beta^3 \alpha + 2 \alpha^2 \beta^2 + 5 \alpha^3 \beta + 2 \alpha^4)] \\
{}^{000}P_{5,J}^{010}(x) &= 4 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (2 \alpha + 3 \beta) (2 \alpha - \beta) (\alpha + \beta)^2 x^2 - \\
&\quad - 12 (\alpha^2 + \alpha \beta + \beta^2) (-2 \beta^4 - 3 \beta^3 \alpha + \alpha^2 \beta^2 + 8 \alpha^3 \beta + 4 \alpha^4)] \\
{}^{000}P_{5,J}^{011}(x) &= \\
&= \alpha^2 [35 \beta^4 \alpha^2 (\alpha + \beta)^4 x^4 - 8 \beta^2 (18 \alpha^4 + 41 \alpha^3 \beta + 29 \alpha^2 \beta^2 - 24 \beta^3 \alpha - 12 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad + 96 \alpha^2 (7 \beta^2 + 7 \alpha \beta + 2 \alpha^2) (\alpha^2 + \alpha \beta + \beta^2)] \\
{}^{000}P_{5,J}^{100}(x) &= -4 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (3 \alpha + 2 \beta) (\alpha - 2 \beta) (\alpha + \beta)^2 x^2 - \\
&\quad - 12 (\alpha^2 + \alpha \beta + \beta^2) (-4 \beta^4 - 8 \beta^3 \alpha - \alpha^2 \beta^2 + 3 \alpha^3 \beta + 2 \alpha^4)] \\
{}^{000}P_{5,J}^{101}(x) &= \\
&= \beta^2 [35 \beta^2 \alpha^4 (\alpha + \beta)^4 x^4 + 8 \alpha^2 (12 \alpha^4 + 24 \alpha^3 \beta - 29 \alpha^2 \beta^2 - 41 \beta^3 \alpha - 18 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad + 96 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (2 \beta^2 + 7 \alpha \beta + 7 \alpha^2)] \\
{}^{000}P_{5,J}^{110}(x) &= \\
&= -(\alpha + \beta)^2 [35 \alpha^4 \beta^4 (\alpha + \beta)^2 x^4 - 8 \alpha^2 \beta^2 (18 \alpha^4 + 31 \alpha^3 \beta + 14 \alpha^2 \beta^2 + 31 \beta^3 \alpha + 18 \beta^4) x^2 + \\
&\quad + 96 (2 \beta^2 - 3 \alpha \beta + 2 \alpha^2) (\alpha^2 + \alpha \beta + \beta^2) (\alpha + \beta)^2] \\
{}^{000}P_{5,J}^{111}(x) &= 16 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (\alpha + \beta)^2 x^2 - \\
&\quad - 12 \alpha^6 - 36 \alpha^5 \beta - 37 \beta^2 \alpha^4 - 14 \alpha^3 \beta^3 - 37 \beta^4 \alpha^2 - 36 \beta^5 \alpha - 12 \beta^6] \\
{}^{000}P_{5,I}^{000}(x) &= 35 \alpha^4 \beta^4 (\alpha + \beta)^4 x^2 - 96 \alpha^2 \beta^2 (\alpha + \beta)^2 (\alpha^2 + \alpha \beta + \beta^2)^2 x^2 \\
{}^{000}P_{5,I}^{001}(x) &= 4 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (\alpha + 3 \beta) (3 \alpha + \beta) (\alpha + \beta)^2 x^2 + \\
&\quad + 12 (\alpha^2 + \alpha \beta + \beta^2) (2 \beta^4 + 5 \beta^3 \alpha + 2 \alpha^2 \beta^2 + 5 \alpha^3 \beta + 2 \alpha^4)] \\
{}^{000}P_{5,I}^{010}(x) &= 4 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (2 \alpha + 3 \beta) (2 \alpha - \beta) (\alpha + \beta)^2 x^2 + \\
&\quad + 12 (\alpha^2 + \alpha \beta + \beta^2) (-2 \beta^4 - 3 \beta^3 \alpha + \alpha^2 \beta^2 + 8 \alpha^3 \beta + 4 \alpha^4)] \\
{}^{000}P_{5,I}^{011}(x) &= -\alpha^2 [35 \beta^4 \alpha^2 (\alpha + \beta)^4 x^4 + \\
&\quad + 8 \beta^2 (18 \alpha^4 + 41 \alpha^3 \beta + 29 \alpha^2 \beta^2 - 24 \beta^3 \alpha - 12 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad + 96 \alpha^2 (7 \beta^2 + 7 \alpha \beta + 2 \alpha^2) (\alpha^2 + \alpha \beta + \beta^2)] \\
{}^{000}P_{5,I}^{100}(x) &= -4 \alpha \beta (\alpha + \beta) x [5 \alpha^2 \beta^2 (3 \alpha + 2 \beta) (\alpha - 2 \beta) (\alpha + \beta)^2 x^2 + \\
&\quad + 12 (\alpha^2 + \alpha \beta + \beta^2) (-4 \beta^4 - 8 \beta^3 \alpha - \alpha^2 \beta^2 + 3 \alpha^3 \beta + 2 \alpha^4)] \\
{}^{000}P_{5,I}^{101}(x) &= -\beta^2 [35 \beta^2 \alpha^4 (\alpha + \beta)^4 x^4 - \\
&\quad - 8 \alpha^2 (12 \alpha^4 + 24 \alpha^3 \beta - 29 \alpha^2 \beta^2 - 41 \beta^3 \alpha - 18 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad + 96 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (2 \beta^2 + 7 \alpha \beta + 7 \alpha^2)] \\
{}^{000}P_{5,I}^{110}(x) &= (\alpha + \beta)^2 [35 \alpha^4 \beta^4 (\alpha + \beta)^2 x^4 + \\
&\quad + 8 \alpha^2 \beta^2 (18 \alpha^4 + 31 \alpha^3 \beta + 14 \alpha^2 \beta^2 + 31 \beta^3 \alpha + 18 \beta^4) x^2 +
\end{aligned}$$

$$\begin{aligned}
& +96 (\alpha^2 + \alpha\beta + \beta^2) (2\beta^2 - 3\alpha\beta + 2\alpha^2) (\alpha + \beta)^2] \\
{}^{000}P_{5,I}^{111}(x) &= -16\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(\alpha^2 + \alpha\beta + \beta^2)(\alpha + \beta)^2x^2 + \\
& +12\alpha^6 + 36\alpha^5\beta + 37\beta^2\alpha^4 + 14\alpha^3\beta^3 + 37\beta^4\alpha^2 + 36\beta^5\alpha + 12\beta^6] \\
{}^{000}P_{5,K}^{000}(x) &= 35\alpha^4\beta^4(\alpha + \beta)^4x^4 - 96\alpha^2\beta^2(\alpha + \beta)^2(\beta\alpha + \alpha^2 + \beta^2)^2x^2 \\
{}^{000}P_{5,K}^{001}(x) &= -4\alpha\beta(\alpha + \beta)x[5\beta^2\alpha^2(\alpha + 3\beta)(3\alpha + \beta)(\alpha + \beta)^2x^2 + \\
& +12(\beta\alpha + \alpha^2 + \beta^2)(2\beta^4 + 5\alpha\beta^3 + 2\beta^2\alpha^2 + 5\beta\alpha^3 + 2\alpha^4)] \\
{}^{000}P_{5,K}^{010}(x) &= -4\alpha\beta(\alpha + \beta)x[5\beta^2\alpha^2(2\alpha + 3\beta)(2\alpha - \beta)(\alpha + \beta)^2x^2 + \\
& +12(\beta\alpha + \alpha^2 + \beta^2)(-2\beta^4 - 3\alpha\beta^3 + \beta^2\alpha^2 + 8\beta\alpha^3 + 4\alpha^4)] \\
{}^{000}P_{5,K}^{011}(x) &= -\alpha^2[35\beta^4\alpha^2(\alpha + \beta)^4x^4 + \\
& +8\beta^2(18\alpha^4 + 41\beta\alpha^3 + 29\beta^2\alpha^2 - 24\alpha\beta^3 - 12\beta^4)(\alpha + \beta)^2x^2 + \\
& +96\alpha^2(7\beta^2 + 7\beta\alpha + 2\alpha^2)(\beta\alpha + \alpha^2 + \beta^2)] \\
{}^{000}P_{5,K}^{100}(x) &= 4\alpha\beta(\alpha + \beta)x[5\beta^2\alpha^2(3\alpha + 2\beta)(\alpha - 2\beta)(\alpha + \beta)^2x^2 + \\
& +12(\beta\alpha + \alpha^2 + \beta^2)(-4\beta^4 - 8\alpha\beta^3 - \beta^2\alpha^2 + 3\beta\alpha^3 + 2\alpha^4)] \\
{}^{000}P_{5,K}^{101}(x) &= -\beta^2[35\beta^2\alpha^4(\alpha + \beta)^4x^4 - \\
& -8\alpha^2(12\alpha^4 + 24\beta\alpha^3 - 29\beta^2\alpha^2 - 41\alpha\beta^3 - 18\beta^4)(\alpha + \beta)^2x^2 + \\
& +96\beta^2(2\beta^2 + 7\beta\alpha + 7\alpha^2)(\beta\alpha + \alpha^2 + \beta^2)] \\
{}^{000}P_{5,K}^{110}(x) &= \\
& = (\alpha + \beta)^2[35\alpha^4\beta^4(\alpha + \beta)^2x^4 + 8\beta^2\alpha^2(18\alpha^4 + 31\beta\alpha^3 + 14\beta^2\alpha^2 + 31\alpha\beta^3 + 18\beta^4)x^2 + \\
& +96(2\beta^2 - 3\beta\alpha + 2\alpha^2)(\beta\alpha + \alpha^2 + \beta^2)(\alpha + \beta)^2] \\
{}^{000}P_{5,K}^{111}(x) &= 16\alpha\beta(\alpha + \beta)x[5\beta^2\alpha^2(\beta\alpha + \alpha^2 + \beta^2)(\alpha + \beta)^2x^2 + \\
& +12\alpha^6 + 36\alpha^5\beta + 37\beta^2\alpha^4 + 14\beta^3\alpha^3 + 37\beta^4\alpha^2 + 36\beta^5\alpha + 12\beta^6]
\end{aligned}$$

$$\begin{aligned}
{}^{011}V_5 &= \frac{x^2}{630\alpha^4\beta^4(\alpha + \beta)^4} \\
{}^{011}P_{5,J}^{000}(x) &= \alpha^2\beta^2(\alpha + \beta)^2x^2[35\alpha^2\beta^2(\alpha + \beta)^2x^2 - \\
& -120\alpha^4 - 276\alpha^3\beta - 180\alpha^2\beta^2 + 192\beta^3\alpha + 96\beta^4] \\
{}^{011}P_{5,J}^{001}(x) &= -\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(15\alpha^2 + 23\alpha\beta - 12\beta^2)(\alpha + \beta)^2x^2 - \\
& -120\alpha^6 - 456\alpha^5\beta - 624\alpha^4\beta^2 - 384\beta^3\alpha^3 + 384\beta^4\alpha^2 + 336\beta^5\alpha + 96\beta^6] \\
{}^{011}P_{5,J}^{010}(x) &= -\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(20\alpha^2 + 47\alpha\beta + 12\beta^2)(\alpha + \beta)^2x^2 - \\
& -240\alpha^6 - 792\alpha^5\beta - 912\alpha^4\beta^2 - 480\beta^3\alpha^3 - 144\beta^4\alpha^2 - 240\beta^5\alpha - 96\beta^6] \\
{}^{011}P_{5,J}^{011}(x) &= \alpha^2[35\beta^4\alpha^2(\alpha + \beta)^4x^4 + \\
& +4\beta^2(45\alpha^4 + 116\alpha^3\beta + 140\alpha^2\beta^2 + 48\beta^3\alpha + 24\beta^4)(\alpha + \beta)^2x^2 - \\
& -48\alpha^2(5\alpha^4 + 24\alpha^3\beta + 45\alpha^2\beta^2 + 42\beta^3\alpha + 21\beta^4)] \\
{}^{011}P_{5,J}^{100}(x) &= \\
& = \alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(15\alpha^2 + 16\alpha\beta + 16\beta^2)(\alpha + \beta)^2x^2 - \\
& -120\alpha^6 - 336\alpha^5\beta - 288\alpha^4\beta^2 - 96\beta^3\alpha^3 - 528\beta^4\alpha^2 - 576\beta^5\alpha - 192\beta^6]
\end{aligned}$$

$$\begin{aligned}
& {}^{011}P_{5,J}^{101}(x) = \beta^2 [35\alpha^4\beta^2(\alpha+\beta)^4x^4 - \\
& -4\alpha^2(30\alpha^4 + 69\alpha^3\beta + 40\alpha^2\beta^2 + 82\beta^3\alpha + 36\beta^4)(\alpha+\beta)^2x^2 + \\
& +48\beta^3(4\beta^3 + 21\alpha^3 + 30\alpha^2\beta + 18\beta^2\alpha)] \\
& {}^{011}P_{5,J}^{110}(x) = \\
& = -(\alpha+\beta)^2 [35\alpha^4\beta^4(\alpha+\beta)^2x^4 + 4\alpha^2\beta^2(45\alpha^4 + 91\alpha^3\beta - 10\alpha^2\beta^2 - 62\beta^3\alpha - 36\beta^4)x^2 - \\
& -48(5\alpha^3 - 6\alpha^2\beta + 6\beta^2\alpha - 4\beta^3)(\alpha+\beta)^3] \\
& {}^{011}P_{5,J}^{111}(x) = -4\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(5\alpha^2 - 4\alpha\beta - 4\beta^2)(\alpha+\beta)^2x^2 - \\
& -60\alpha^6 - 198\alpha^5\beta - 218\alpha^4\beta^2 + 8\beta^3\alpha^3 + 124\beta^4\alpha^2 + 144\beta^5\alpha + 48\beta^6] \\
& {}^{011}P_{5,I}^{000}(x) = -\alpha^2\beta^2(\alpha+\beta)^2x^2[35\alpha^2\beta^2(\alpha+\beta)^2x^2 + \\
& +120\alpha^4 + 276\alpha^3\beta + 180\alpha^2\beta^2 - 192\beta^3\alpha - 96\beta^4] \\
& {}^{011}P_{5,I}^{001}(x) = \alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(15\alpha^2 + 23\alpha\beta - 12\beta^2)(\alpha+\beta)^2x^2 + \\
& +120\alpha^6 + 456\alpha^5\beta + 624\beta^2\alpha^4 + 384\beta^3\alpha^3 - 384\beta^4\alpha^2 - 336\beta^5\alpha - 96\beta^6] \\
& {}^{011}P_{5,I}^{010}(x) = \alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(20\alpha^2 + 47\alpha\beta + 12\beta^2)(\alpha+\beta)^2x^2 + \\
& +240\alpha^6 + 792\alpha^5\beta + 912\beta^2\alpha^4 + 480\beta^3\alpha^3 + 144\beta^4\alpha^2 + 240\beta^5\alpha + 96\beta^6] \\
& {}^{011}P_{5,I}^{011}(x) = \alpha^2[35\beta^4\alpha^2(\alpha+\beta)^4x^4 - \\
& -4\beta^2(45\alpha^4 + 116\alpha^3\beta + 140\alpha^2\beta^2 + 48\beta^3\alpha + 24\beta^4)(\alpha+\beta)^2x^2 - \\
& -48\alpha^2(21\beta^4 + 45\alpha^2\beta^2 + 24\alpha^3\beta + 42\beta^3\alpha + 5\alpha^4)] \\
& {}^{011}P_{5,I}^{100}(x) = -\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(15\alpha^2 + 16\alpha\beta + 16\beta^2)(\alpha+\beta)^2x^2 + \\
& +120\alpha^6 + 336\alpha^5\beta + 288\beta^2\alpha^4 + 96\beta^3\alpha^3 + 528\beta^4\alpha^2 + 576\beta^5\alpha + 192\beta^6] \\
& {}^{011}P_{5,I}^{101}(x) = \\
& = \beta^2[35\beta^2\alpha^4(\alpha+\beta)^4x^4 + 4\alpha^2(30\alpha^4 + 69\alpha^3\beta + 40\alpha^2\beta^2 + 82\beta^3\alpha + 36\beta^4)(\alpha+\beta)^2x^2 + \\
& +48\beta^3(21\alpha^3 + 30\alpha^2\beta + 18\beta^2\alpha + 4\beta^3)] \\
& {}^{011}P_{5,I}^{110}(x) = \\
& = -(\alpha+\beta)^2 [35\alpha^4\beta^4(\alpha+\beta)^2x^4 - 4\alpha^2\beta^2(45\alpha^4 + 91\alpha^3\beta - 10\alpha^2\beta^2 - 62\beta^3\alpha - 36\beta^4)x^2 - \\
& -48(5\alpha^3 - 6\alpha^2\beta + 6\beta^2\alpha - 4\beta^3)(\alpha+\beta)^3] \\
& {}^{011}P_{5,I}^{111}(x) = -4\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(5\alpha^2 - 4\alpha\beta - 4\beta^2)(\alpha+\beta)^2x^2 + \\
& +60\alpha^6 + 198\alpha^5\beta + 218\beta^2\alpha^4 - 8\beta^3\alpha^3 - 124\beta^4\alpha^2 - 144\beta^5\alpha - 48\beta^6] \\
& {}^{011}P_{5,K}^{000}(x) = \\
& = -\alpha^2\beta^2(\alpha+\beta)^2x^2[35\alpha^2\beta^2(\alpha+\beta)^2x^2 + 120\alpha^4 + 276\alpha^3\beta + 180\alpha^2\beta^2 - 192\beta^3\alpha - 96\beta^4] \\
& {}^{011}P_{5,K}^{001}(x) = -\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(15\alpha^2 + 23\alpha\beta - 12\beta^2)(\alpha+\beta)^2x^2 + \\
& +120\alpha^6 + 456\alpha^5\beta + 624\beta^2\alpha^4 + 384\beta^3\alpha^3 - 384\beta^4\alpha^2 - 336\beta^5\alpha - 96\beta^6] \\
& {}^{011}P_{5,K}^{010}(x) = -\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(20\alpha^2 + 47\alpha\beta + 12\beta^2)(\alpha+\beta)^2x^2 + \\
& +240\alpha^6 + 792\alpha^5\beta + 912\beta^2\alpha^4 + 480\beta^3\alpha^3 + 144\beta^4\alpha^2 + 240\beta^5\alpha + 96\beta^6] \\
& {}^{011}P_{5,K}^{011}(x) = \\
& = \alpha^2[35\beta^4\alpha^2(\alpha+\beta)^4x^4 - 4\beta^2(45\alpha^4 + 116\alpha^3\beta + 140\alpha^2\beta^2 + 48\beta^3\alpha + 24\beta^4)(\alpha+\beta)^2x^2 -
\end{aligned}$$

$$\begin{aligned}
& -48\alpha^2(21\beta^4 + 45\alpha^2\beta^2 + 24\alpha^3\beta + 42\beta^3\alpha + 5\alpha^4)] \\
{}^{011}P_{5,K}^{100}(x) &= \alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(15\alpha^2 + 16\alpha\beta + 16\beta^2)(\alpha + \beta)^2x^2 + \\
& + 120\alpha^6 + 336\alpha^5\beta + 288\beta^2\alpha^4 + 96\beta^3\alpha^3 + 528\beta^4\alpha^2 + 576\beta^5\alpha + 192\beta^6] \\
& {}^{011}P_{5,K}^{101}(x) = \beta^2[35\beta^2\alpha^4(\alpha + \beta)^4x^4 + \\
& + 4\alpha^2(30\alpha^4 + 69\alpha^3\beta + 40\alpha^2\beta^2 + 82\beta^3\alpha + 36\beta^4)(\alpha + \beta)^2x^2 + \\
& + 48\beta^3(21\alpha^3 + 30\alpha^2\beta + 18\beta^2\alpha + 4\beta^3)] \\
& {}^{011}P_{5,K}^{110}(x) = (\alpha + \beta)^2[35\alpha^4\beta^4(\alpha + \beta)^2x^4 - \\
& - 4\alpha^2\beta^2(45\alpha^4 + 91\alpha^3\beta - 10\alpha^2\beta^2 - 62\beta^3\alpha - 36\beta^4)x^2 - \\
& - 48(5\alpha^3 - 6\alpha^2\beta + 6\beta^2\alpha - 4\beta^3)(\alpha + \beta)^3] \\
{}^{011}P_{5,K}^{111}(x) &= 4\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(5\alpha^2 - 4\alpha\beta - 4\beta^2)(\alpha + \beta)^2x^2 + \\
& + 60\alpha^6 + 198\alpha^5\beta + 218\beta^2\alpha^4 - 8\beta^3\alpha^3 - 124\beta^4\alpha^2 - 144\beta^5\alpha - 48\beta^6]
\end{aligned}$$

$$\begin{aligned}
{}^{110}V_5 &= \frac{x^2}{630\alpha^4\beta^4(\alpha + \beta)^4} \\
{}^{110}P_{5,J}^{000}(x) &= -\alpha^2\beta^2(\alpha + \beta)^2x^2[35\alpha^2\beta^2(\alpha + \beta)^2x^2 - \\
& - 120\alpha^4 - 204\beta\alpha^3 - 72\alpha^2\beta^2 - 204\alpha\beta^3 - 120\beta^4] \\
{}^{110}P_{5,J}^{001}(x) &= \alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(15\alpha^2 + 14\alpha\beta + 15\beta^2)(\alpha + \beta)^2x^2 - \\
& - 120\alpha^6 - 384\alpha^5\beta - 408\alpha^4\beta^2 - 96\alpha^3\beta^3 - 408\beta^4\alpha^2 - 384\beta^5\alpha - 120\beta^6] \\
{}^{110}P_{5,J}^{010}(x) &= \alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(20\alpha^2 - 7\alpha\beta - 15\beta^2)(\alpha + \beta)^2x^2 - \\
& - 240\alpha^6 - 648\alpha^5\beta - 552\alpha^4\beta^2 - 48\alpha^3\beta^3 + 144\beta^4\alpha^2 + 264\beta^5\alpha + 120\beta^6] \\
& {}^{110}P_{5,J}^{011}(x) = -\alpha^2[35\beta^4\alpha^2(\alpha + \beta)^4x^4 + \\
& + 4\beta^2(45\alpha^4 + 89\beta\alpha^3 - 13\alpha^2\beta^2 - 51\alpha\beta^3 - 30\beta^4)(\alpha + \beta)^2x^2 - \\
& - 48\alpha^3(21\beta^3 + 5\alpha^3 + 21\beta\alpha^2 + 33\alpha\beta^2)] \\
{}^{110}P_{5,J}^{100}(x) &= -\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(15\alpha^2 + 7\alpha\beta - 20\beta^2)(\alpha + \beta)^2x^2 - \\
& - 120\alpha^6 - 264\alpha^5\beta - 144\alpha^4\beta^2 + 48\alpha^3\beta^3 + 552\beta^4\alpha^2 + 648\beta^5\alpha + 240\beta^6] \\
& {}^{110}P_{5,J}^{101}(x) = -\beta^2[35\alpha^4\beta^2(\alpha + \beta)^4x^4 - \\
& - 4\alpha^2(30\alpha^4 + 51\beta\alpha^3 + 13\alpha^2\beta^2 - 89\alpha\beta^3 - 45\beta^4)(\alpha + \beta)^2x^2 - \\
& - 48\beta^3(21\alpha^3 + 33\beta\alpha^2 + 21\alpha\beta^2 + 5\beta^3)] \\
& {}^{110}P_{5,J}^{110}(x) = (\alpha + \beta)^2[35\alpha^4\beta^4(\alpha + \beta)^2x^4 + \\
& + 4\alpha^2\beta^2(45\alpha^4 + 64\beta\alpha^3 + 62\alpha^2\beta^2 + 64\alpha\beta^3 + 45\beta^4)x^2 - \\
& - 48(5\alpha^4 - 4\beta\alpha^3 + 3\alpha^2\beta^2 - 4\alpha\beta^3 + 5\beta^4)(\alpha + \beta)^2] \\
{}^{110}P_{5,J}^{111}(x) &= 4\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(5\alpha^2 + 14\alpha\beta + 5\beta^2)(\alpha + \beta)^2x^2 - \\
& - 60\alpha^6 - 162\alpha^5\beta - 128\alpha^4\beta^2 - 100\alpha^3\beta^3 - 128\beta^4\alpha^2 - 162\beta^5\alpha - 60\beta^6] \\
& {}^{110}P_{5,I}^{000}(x) = \alpha^2\beta^2(\alpha + \beta)^2x^2[35\alpha^2\beta^2(\alpha + \beta)^2x^2 + \\
& + 120\alpha^4 + 204\beta\alpha^3 + 72\alpha^2\beta^2 + 204\alpha\beta^3 + 120\beta^4] \\
{}^{110}P_{5,I}^{001}(x) &= -\alpha\beta(\alpha + \beta)x[5\alpha^2\beta^2(15\alpha^2 + 14\alpha\beta + 15\beta^2)(\alpha + \beta)^2x^2 +
\end{aligned}$$

$$\begin{aligned}
& +120\alpha^6 + 384\alpha^5\beta + 408\alpha^4\beta^2 + 96\alpha^3\beta^3 + 408\beta^4\alpha^2 + 384\beta^5\alpha + 120\beta^6] \\
^{110}P_{5,I}^{010}(x) &= -\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(20\alpha^2-7\alpha\beta-15\beta^2)(\alpha+\beta)^2x^2+ \\
& +240\alpha^6+648\alpha^5\beta+552\alpha^4\beta^2+48\alpha^3\beta^3-144\beta^4\alpha^2-264\beta^5\alpha-120\beta^6] \\
^{110}P_{5,I}^{011}(x) &= -\alpha^2[35\beta^4\alpha^2(\alpha+\beta)^4x^4- \\
& -4\beta^2(45\alpha^4+89\beta\alpha^3-13\alpha^2\beta^2-51\alpha\beta^3-30\beta^4)(\alpha+\beta)^2x^2- \\
& -48\alpha^3(21\beta^3+5\alpha^3+21\beta\alpha^2+33\alpha\beta^2)] \\
^{110}P_{5,I}^{100}(x) &= \alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(15\alpha^2+7\alpha\beta-20\beta^2)(\alpha+\beta)^2x^2+ \\
& +120\alpha^6+264\alpha^5\beta+144\alpha^4\beta^2-48\alpha^3\beta^3-552\beta^4\alpha^2-648\beta^5\alpha-240\beta^6] \\
^{110}P_{5,I}^{101}(x) &= -\beta^2[35\alpha^4\beta^2(\alpha+\beta)^4x^4+ \\
& +4\alpha^2(30\alpha^4+51\beta\alpha^3+13\alpha^2\beta^2-89\alpha\beta^3-45\beta^4)(\alpha+\beta)^2x^2- \\
& -48\beta^3(21\alpha^3+33\beta\alpha^2+21\alpha\beta^2+5\beta^3)] \\
^{110}P_{5,I}^{110}(x) &= (\alpha+\beta)^2[35\alpha^4\beta^4(\alpha+\beta)^2x^4- \\
& -4\alpha^2\beta^2(45\alpha^4+64\beta\alpha^3+62\alpha^2\beta^2+64\alpha\beta^3+45\beta^4)x^2- \\
& -48(5\alpha^4-4\beta\alpha^3+3\alpha^2\beta^2-4\alpha\beta^3+5\beta^4)(\alpha+\beta)^2] \\
^{110}P_{5,I}^{111}(x) &= 4\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(5\alpha^2+14\alpha\beta+5\beta^2)(\alpha+\beta)^2x^2+ \\
& +60\alpha^6+162\alpha^5\beta+128\alpha^4\beta^2+100\alpha^3\beta^3+128\beta^4\alpha^2+162\beta^5\alpha+60\beta^6] \\
^{110}P_{5,K}^{000}(x) &= \alpha^2\beta^2(\alpha+\beta)^2x^2[35\alpha^2\beta^2(\alpha+\beta)^2x^2+ \\
& +120\alpha^4+204\beta\alpha^3+72\alpha^2\beta^2+204\alpha\beta^3+120\beta^4] \\
^{110}P_{5,K}^{001}(x) &= \alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(15\alpha^2+14\alpha\beta+15\beta^2)(\alpha+\beta)^2x^2+ \\
& +120\alpha^6+384\alpha^5\beta+408\alpha^4\beta^2+96\alpha^3\beta^3+408\beta^4\alpha^2+384\beta^5\alpha+120\beta^6] \\
^{110}P_{5,K}^{010}(x) &= \alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(20\alpha^2-7\alpha\beta-15\beta^2)(\alpha+\beta)^2x^2+ \\
& +240\alpha^6+648\alpha^5\beta+552\alpha^4\beta^2+48\alpha^3\beta^3-144\beta^4\alpha^2-264\beta^5\alpha-120\beta^6] \\
^{110}P_{5,K}^{011}(x) &= -\alpha^2[35\beta^4\alpha^2(\alpha+\beta)^4x^4- \\
& -4\beta^2(45\alpha^4+89\beta\alpha^3-13\alpha^2\beta^2-51\alpha\beta^3-30\beta^4)(\alpha+\beta)^2x^2- \\
& -48\alpha^3(21\beta^3+5\alpha^3+21\beta\alpha^2+33\alpha\beta^2)] \\
^{110}P_{5,K}^{100}(x) &= -\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(15\alpha^2+7\alpha\beta-20\beta^2)(\alpha+\beta)^2x^2+ \\
& +120\alpha^6+264\alpha^5\beta+144\alpha^4\beta^2-48\alpha^3\beta^3-552\beta^4\alpha^2-648\beta^5\alpha-240\beta^6] \\
^{110}P_{5,K}^{101}(x) &= -\beta^2[35\alpha^4\beta^2(\alpha+\beta)^4x^4+ \\
& +4\alpha^2(30\alpha^4+51\beta\alpha^3+13\alpha^2\beta^2-89\alpha\beta^3-45\beta^4)(\alpha+\beta)^2x^2- \\
& -48\beta^3(21\alpha^3+33\beta\alpha^2+21\alpha\beta^2+5\beta^3)] \\
^{110}P_{5,K}^{110}(x) &= (\alpha+\beta)^2[35\alpha^4\beta^4(\alpha+\beta)^2x^4- \\
& -4\alpha^2\beta^2(45\alpha^4+64\beta\alpha^3+62\alpha^2\beta^2+64\alpha\beta^3+45\beta^4)x^2- \\
& -48(5\alpha^4-4\beta\alpha^3+3\alpha^2\beta^2-4\alpha\beta^3+5\beta^4)(\alpha+\beta)^2] \\
^{110}P_{5,K}^{111}(x) &= -4\alpha\beta(\alpha+\beta)x[5\alpha^2\beta^2(5\alpha^2+14\alpha\beta+5\beta^2)(\alpha+\beta)^2x^2+ \\
& +60\alpha^6+162\alpha^5\beta+128\alpha^4\beta^2+100\alpha^3\beta^3+128\beta^4\alpha^2+162\beta^5\alpha+60\beta^6]
\end{aligned}$$

$${}^{001}V_6 = \frac{x^2}{6930 \alpha^5 \beta^5 (\alpha + \beta)^5}$$

$$\begin{aligned}
{}^{001}P_{6,J}^{000}(x) &= -4 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 [35 \alpha^2 \beta^2 (5 \alpha^2 + 16 \alpha \beta + 5 \beta^2) (\alpha + \beta)^2 x^2 - \\
&\quad - 600 \alpha^6 - 1932 \alpha^5 \beta - 2172 \alpha^4 \beta^2 - 2400 \alpha^3 \beta^3 - 2172 \beta^4 \alpha^2 - 1932 \beta^5 \alpha - 600 \beta^6] \\
{}^{001}P_{6,J}^{001}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&\quad + 20 \alpha^2 \beta^2 (75 \alpha^4 + 184 \beta \alpha^3 + 338 \alpha^2 \beta^2 + 184 \alpha \beta^3 + 75 \beta^4) (\alpha + \beta)^2 x^2 - \\
&\quad - 2400 \alpha^8 - 11328 \beta \alpha^7 - 20880 \beta^2 \alpha^6 - 18720 \alpha^5 \beta^3 - 19296 \alpha^4 \beta^4 - 18720 \alpha^3 \beta^5 - 20880 \alpha^2 \beta^6 - \\
&\quad - 11328 \alpha \beta^7 - 2400 \beta^8] \\
{}^{001}P_{6,J}^{010}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&\quad - 20 \alpha^2 \beta^2 (100 \alpha^4 + 222 \beta \alpha^3 + 138 \alpha^2 \beta^2 - 149 \alpha \beta^3 - 75 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad + 4800 \alpha^8 + 20256 \beta \alpha^7 + 32832 \beta^2 \alpha^6 + 25488 \alpha^5 \beta^3 + 9648 \alpha^4 \beta^4 - 6768 \alpha^3 \beta^5 - 11952 \alpha^2 \beta^6 - \\
&\quad - 8928 \alpha \beta^7 - 2400 \beta^8] \\
{}^{001}P_{6,J}^{011}(x) &= \alpha^2 [175 \beta^4 \alpha^2 (5 \alpha^2 + 7 \alpha \beta - 4 \beta^2) (\alpha + \beta)^4 x^4 - \\
&\quad - 16 \beta^2 (225 \alpha^6 + 787 \alpha^5 \beta + 972 \alpha^4 \beta^2 + 495 \alpha^3 \beta^3 - 518 \beta^4 \alpha^2 - 483 \beta^5 \alpha - 150 \beta^6) (\alpha + \beta)^2 x^2 + \\
&\quad + 96 \alpha^3 (671 \beta^2 \alpha^3 + 286 \beta \alpha^4 + 825 \alpha^2 \beta^3 + 561 \beta^4 \alpha + 50 \alpha^5 + 231 \beta^5)] \\
{}^{001}P_{6,J}^{100}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&\quad + 20 \alpha^2 \beta^2 (75 \alpha^4 + 149 \beta \alpha^3 - 138 \alpha^2 \beta^2 - 222 \alpha \beta^3 - 100 \beta^4) (\alpha + \beta)^2 x^2 - \\
&\quad - 2400 \alpha^8 - 8928 \beta \alpha^7 - 11952 \beta^2 \alpha^6 - 6768 \alpha^5 \beta^3 + 9648 \alpha^4 \beta^4 + 25488 \alpha^3 \beta^5 + 32832 \alpha^2 \beta^6 + \\
&\quad + 20256 \alpha \beta^7 + 4800 \beta^8] \\
{}^{001}P_{6,J}^{101}(x) &= -\beta^2 [175 \alpha^4 \beta^2 (4 \alpha^2 - 7 \alpha \beta - 5 \beta^2) (\alpha + \beta)^4 x^4 - \\
&\quad - 16 \alpha^2 (150 \alpha^6 + 483 \alpha^5 \beta + 518 \alpha^4 \beta^2 - 495 \alpha^3 \beta^3 - 972 \beta^4 \alpha^2 - 787 \beta^5 \alpha - 225 \beta^6) (\alpha + \beta)^2 x^2 - \\
&\quad - 96 \beta^3 (825 \beta^2 \alpha^3 + 671 \alpha^2 \beta^3 + 231 \alpha^5 + 561 \beta \alpha^4 + 286 \beta^4 \alpha + 50 \beta^5)] \\
{}^{001}P_{6,J}^{110}(x) &= -(\alpha + \beta)^2 [35 \alpha^4 \beta^4 (25 \alpha^2 + 26 \alpha \beta + 25 \beta^2) (\alpha + \beta)^2 x^4 - \\
&\quad - 16 \alpha^2 \beta^2 (225 \alpha^6 + 662 \alpha^5 \beta + 632 \alpha^4 \beta^2 + 210 \alpha^3 \beta^3 + 632 \beta^4 \alpha^2 + 662 \beta^5 \alpha + 225 \beta^6) x^2 + \\
&\quad + 96 (50 \alpha^4 - 64 \beta \alpha^3 + 69 \alpha^2 \beta^2 - 64 \alpha \beta^3 + 50 \beta^4) (\alpha + \beta)^4] \\
{}^{001}P_{6,J}^{111}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&\quad - 40 \alpha^2 \beta^2 (50 \alpha^4 + 111 \beta \alpha^3 + 62 \alpha^2 \beta^2 + 111 \alpha \beta^3 + 50 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad + 4800 \alpha^8 + 20256 \beta \alpha^7 + 32032 \beta^2 \alpha^6 + 22912 \alpha^5 \beta^3 + 6912 \alpha^4 \beta^4 + 22912 \alpha^3 \beta^5 + 32032 \alpha^2 \beta^6 + \\
&\quad + 20256 \alpha \beta^7 + 4800 \beta^8] \\
{}^{001}P_{6,I}^{000}(x) &= 4 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 [35 \alpha^2 \beta^2 (5 \alpha^2 + 16 \alpha \beta + 5 \beta^2) (\alpha + \beta)^2 x^2 + \\
&\quad + 600 \alpha^6 + 1932 \alpha^5 \beta + 2172 \alpha^4 \beta^2 + 2400 \beta^3 \alpha^3 + 2172 \beta^4 \alpha^2 + 1932 \alpha \beta^5 + 600 \beta^6] \\
{}^{001}P_{6,I}^{001}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&\quad - 20 \alpha^2 \beta^2 (75 \alpha^4 + 184 \alpha^3 \beta + 338 \alpha^2 \beta^2 + 184 \beta^3 \alpha + 75 \beta^4) (\alpha + \beta)^2 x^2 - \\
&\quad - 2400 \alpha^8 - 11328 \beta \alpha^7 - 20880 \beta^2 \alpha^6 - 18720 \alpha^5 \beta^3 - 19296 \alpha^4 \beta^4 - 18720 \beta^5 \alpha^3 - 20880 \beta^6 \alpha^2 - \\
&\quad - 11328 \beta^7 \alpha - 2400 \beta^8] \\
{}^{001}P_{6,I}^{010}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 +
\end{aligned}$$

$$\begin{aligned}
& +20\alpha^2\beta^2(100\alpha^4 + 222\alpha^3\beta + 138\alpha^2\beta^2 - 149\beta^3\alpha - 75\beta^4)(\alpha + \beta)^2x^2 + \\
& +4800\alpha^8 + 20256\beta\alpha^7 + 32832\beta^2\alpha^6 + 25488\alpha^5\beta^3 + 9648\alpha^4\beta^4 - 6768\beta^5\alpha^3 - 11952\beta^6\alpha^2 - \\
& \quad -8928\beta^7\alpha - 2400\beta^8] \\
& {}^{001}P_{6,I}^{011}(x) = \alpha^2[175\beta^4\alpha^2(5\alpha^2 + 7\alpha\beta - 4\beta^2)(\alpha + \beta)^4x^4 + \\
& +16\beta^2(225\alpha^6 + 787\alpha^5\beta + 972\alpha^4\beta^2 + 495\beta^3\alpha^3 - 518\beta^4\alpha^2 - 483\alpha\beta^5 - 150\beta^6)(\alpha + \beta)^2x^2 + \\
& \quad +96\alpha^3(825\beta^3\alpha^2 + 231\beta^5 + 286\alpha^4\beta + 561\beta^4\alpha + 671\alpha^3\beta^2 + 50\alpha^5)] \\
& {}^{001}P_{6,I}^{100}(x) = -\alpha\beta(\alpha + \beta)x[315\alpha^4\beta^4(\alpha + \beta)^4x^4 - \\
& -20\alpha^2\beta^2(75\alpha^4 + 149\alpha^3\beta - 138\alpha^2\beta^2 - 222\beta^3\alpha - 100\beta^4)(\alpha + \beta)^2x^2 - \\
& -2400\alpha^8 - 8928\beta\alpha^7 - 11952\beta^2\alpha^6 - 6768\alpha^5\beta^3 + 9648\alpha^4\beta^4 + 25488\beta^5\alpha^3 + 32832\beta^6\alpha^2 + \\
& \quad +20256\beta^7\alpha + 4800\beta^8] \\
& {}^{001}P_{6,I}^{101}(x) = -\beta^2[175\alpha^4\beta^2(4\alpha^2 - 7\alpha\beta - 5\beta^2)(\alpha + \beta)^4x^4 + \\
& +16\alpha^2(150\alpha^6 + 483\alpha^5\beta + 518\alpha^4\beta^2 - 495\beta^3\alpha^3 - 972\beta^4\alpha^2 - 787\alpha\beta^5 - 225\beta^6)(\alpha + \beta)^2x^2 - \\
& \quad -96\beta^3(825\alpha^3\beta^2 + 231\alpha^5 + 286\beta^4\alpha + 561\alpha^4\beta + 671\beta^3\alpha^2 + 50\beta^5)] \\
& {}^{001}P_{6,I}^{110}(x) = -(\alpha + \beta)^2[35\alpha^4\beta^4(25\alpha^2 + 26\alpha\beta + 25\beta^2)(\alpha + \beta)^2x^4 + \\
& +16\alpha^2\beta^2(225\alpha^6 + 662\alpha^5\beta + 632\alpha^4\beta^2 + 210\beta^3\alpha^3 + 632\beta^4\alpha^2 + 662\alpha\beta^5 + 225\beta^6)x^2 + \\
& \quad +96(50\alpha^4 - 64\alpha^3\beta + 69\alpha^2\beta^2 - 64\beta^3\alpha + 50\beta^4)(\alpha + \beta)^4] \\
& {}^{001}P_{6,I}^{111}(x) = \alpha\beta(\alpha + \beta)x[315\alpha^4\beta^4(\alpha + \beta)^4x^4 + \\
& +40\alpha^2\beta^2(50\alpha^4 + 111\alpha^3\beta + 62\alpha^2\beta^2 + 111\beta^3\alpha + 50\beta^4)(\alpha + \beta)^2x^2 + \\
& +4800\alpha^8 + 20256\beta\alpha^7 + 32032\beta^2\alpha^6 + 22912\alpha^5\beta^3 + 6912\alpha^4\beta^4 + 22912\beta^5\alpha^3 + 32032\beta^6\alpha^2 + \\
& \quad +20256\beta^7\alpha + 4800\beta^8] \\
& {}^{001}P_{6,K}^{000}(x) = -4\alpha^2\beta^2(\alpha + \beta)^2x^2[35\alpha^2\beta^2(5\alpha^2 + 16\alpha\beta + 5\beta^2)(\alpha + \beta)^2x^2 + \\
& +600\alpha^6 + 1932\alpha^5\beta + 2172\alpha^4\beta^2 + 2400\beta^3\alpha^3 + 2172\beta^4\alpha^2 + 1932\alpha\beta^5 + 600\beta^6] \\
& {}^{001}P_{6,K}^{001}(x) = \alpha\beta(\alpha + \beta)x[315\alpha^4\beta^4(\alpha + \beta)^4x^4 - \\
& -20\alpha^2\beta^2(75\alpha^4 + 184\alpha^3\beta + 338\alpha^2\beta^2 + 184\beta^3\alpha + 75\beta^4)(\alpha + \beta)^2x^2 - \\
& -2400\alpha^8 - 11328\beta\alpha^7 - 20880\beta^2\alpha^6 - 18720\alpha^5\beta^3 - 19296\alpha^4\beta^4 - 18720\beta^5\alpha^3 - 20880\beta^6\alpha^2 - \\
& \quad -11328\beta^7\alpha - 2400\beta^8] \\
& {}^{001}P_{6,K}^{010}(x) = -\alpha\beta(\alpha + \beta)x[315\alpha^4\beta^4(\alpha + \beta)^4x^4 + \\
& +20\alpha^2\beta^2(100\alpha^4 + 222\alpha^3\beta + 138\alpha^2\beta^2 - 149\beta^3\alpha - 75\beta^4)(\alpha + \beta)^2x^2 + \\
& +4800\alpha^8 + 20256\beta\alpha^7 + 32832\beta^2\alpha^6 + 25488\alpha^5\beta^3 + 9648\alpha^4\beta^4 - 6768\beta^5\alpha^3 - 11952\beta^6\alpha^2 - \\
& \quad -8928\beta^7\alpha - 2400\beta^8] \\
& {}^{001}P_{6,K}^{011}(x) = -\alpha^2[175\beta^4\alpha^2(5\alpha^2 + 7\alpha\beta - 4\beta^2)(\alpha + \beta)^4x^4 + \\
& +16\beta^2(225\alpha^6 + 787\alpha^5\beta + 972\alpha^4\beta^2 + 495\beta^3\alpha^3 - 518\beta^4\alpha^2 - 483\alpha\beta^5 - 150\beta^6)(\alpha + \beta)^2x^2 + \\
& \quad +96\alpha^3(825\beta^3\alpha^2 + 231\beta^5 + 286\alpha^4\beta + 561\beta^4\alpha + 671\alpha^3\beta^2 + 50\alpha^5)] \\
& {}^{001}P_{6,K}^{100}(x) = -\alpha\beta(\alpha + \beta)x[315\alpha^4\beta^4(\alpha + \beta)^4x^4 - \\
& -20\alpha^2\beta^2(75\alpha^4 + 149\alpha^3\beta - 138\alpha^2\beta^2 - 222\beta^3\alpha - 100\beta^4)(\alpha + \beta)^2x^2 - \\
& -2400\alpha^8 - 8928\beta\alpha^7 - 11952\beta^2\alpha^6 - 6768\alpha^5\beta^3 + 9648\alpha^4\beta^4 + 25488\beta^5\alpha^3 + 32832\beta^6\alpha^2 +
\end{aligned}$$

$$\begin{aligned}
& +20256 \beta^7 \alpha + 4800 \beta^8 \\
{}^{001}P_{6,K}^{101}(x) &= \beta^2 [175 \alpha^4 \beta^2 (4 \alpha^2 - 7 \alpha \beta - 5 \beta^2) (\alpha + \beta)^4 x^4 + \\
& +16 \alpha^2 (150 \alpha^6 + 483 \alpha^5 \beta + 518 \alpha^4 \beta^2 - 495 \beta^3 \alpha^3 - 972 \beta^4 \alpha^2 - 787 \alpha \beta^5 - 225 \beta^6) (\alpha + \beta)^2 x^2 - \\
& -96 \beta^3 (825 \alpha^3 \beta^2 + 231 \alpha^5 + 286 \beta^4 \alpha + 561 \alpha^4 \beta + 671 \beta^3 \alpha^2 + 50 \beta^5)] \\
{}^{001}P_{6,K}^{110}(x) &= (\alpha + \beta)^2 [35 \alpha^4 \beta^4 (25 \alpha^2 + 26 \alpha \beta + 25 \beta^2) (\alpha + \beta)^2 x^4 + \\
& +16 \alpha^2 \beta^2 (225 \alpha^6 + 662 \alpha^5 \beta + 632 \alpha^4 \beta^2 + 210 \beta^3 \alpha^3 + 632 \beta^4 \alpha^2 + 662 \alpha \beta^5 + 225 \beta^6) x^2 + \\
& +96 (50 \alpha^4 - 64 \alpha^3 \beta + 69 \alpha^2 \beta^2 - 64 \beta^3 \alpha + 50 \beta^4) (\alpha + \beta)^4] \\
{}^{001}P_{6,K}^{111}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
& +40 \alpha^2 \beta^2 (50 \alpha^4 + 111 \alpha^3 \beta + 62 \alpha^2 \beta^2 + 111 \beta^3 \alpha + 50 \beta^4) (\alpha + \beta)^2 x^2 + \\
& +4800 \alpha^8 + 20256 \beta \alpha^7 + 32032 \beta^2 \alpha^6 + 22912 \alpha^5 \beta^3 + 6912 \alpha^4 \beta^4 + 22912 \beta^5 \alpha^3 + 32032 \beta^6 \alpha^2 + \\
& +20256 \beta^7 \alpha + 4800 \beta^8]
\end{aligned}$$

$$\begin{aligned}
{}^{010}V_6 &= \frac{x^2}{6930 \alpha^5 \beta^5 (\alpha + \beta)^5} \\
{}^{010}P_{6,J}^{000}(x) &= -4 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 [35 \alpha^2 \beta^2 (6 \alpha^2 + 6 \alpha \beta - 5 \beta^2) (\alpha + \beta)^2 x^2 - \\
& -720 \alpha^6 - 2160 \beta \alpha^5 - 2316 \beta^2 \alpha^4 - 1032 \beta^3 \alpha^3 + 1512 \beta^4 \alpha^2 + 1668 \beta^5 \alpha + 600 \beta^6] \\
{}^{010}P_{6,J}^{001}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
& -20 \alpha^2 \beta^2 (90 \alpha^4 + 201 \alpha^3 \beta + 135 \alpha^2 \beta^2 - 151 \beta^3 \alpha - 75 \beta^4) (\alpha + \beta)^2 x^2 + \\
& +2880 \alpha^8 + 12960 \alpha^7 \beta + 22944 \alpha^6 \beta^2 + 19824 \alpha^5 \beta^3 + 8688 \alpha^4 \beta^4 - 11856 \alpha^3 \beta^5 - 16656 \alpha^2 \beta^6 - \\
& -10272 \beta^7 \alpha - 2400 \beta^8] \\
{}^{010}P_{6,J}^{010}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
& +20 \alpha^2 \beta^2 (120 \alpha^4 + 240 \alpha^3 \beta + 236 \alpha^2 \beta^2 + 116 \beta^3 \alpha + 75 \beta^4) (\alpha + \beta)^2 x^2 - \\
& -5760 \alpha^8 - 23040 \alpha^7 \beta - 35808 \alpha^6 \beta^2 - 26784 \alpha^5 \beta^3 - 10416 \alpha^4 \beta^4 - 3072 \alpha^3 \beta^5 - \\
& -8784 \alpha^2 \beta^6 - 7872 \beta^7 \alpha - 2400 \beta^8] \\
{}^{010}P_{6,J}^{011}(x) &= \alpha^2 [175 \beta^4 \alpha^2 (6 \alpha^2 + 15 \alpha \beta + 4 \beta^2) (\alpha + \beta)^4 x^4 - \\
& -16 \beta^2 (270 \alpha^6 + 885 \beta \alpha^5 + 1041 \beta^2 \alpha^4 + 737 \beta^3 \alpha^3 + 353 \beta^4 \alpha^2 + 417 \beta^5 \alpha + 150 \beta^6) (\alpha + \beta)^2 x^2 + \\
& +96 \alpha^3 (60 \alpha^5 + 748 \alpha^3 \beta^2 + 330 \alpha^4 \beta + 594 \alpha \beta^4 + 891 \beta^3 \alpha^2 + 231 \beta^5)] \\
{}^{010}P_{6,J}^{100}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
& -20 \alpha^2 \beta^2 (90 \alpha^4 + 159 \alpha^3 \beta + 72 \alpha^2 \beta^2 + 178 \beta^3 \alpha + 100 \beta^4) (\alpha + \beta)^2 x^2 + \\
& +2880 \alpha^8 + 10080 \alpha^7 \beta + 12864 \alpha^6 \beta^2 + 6960 \alpha^5 \beta^3 + 1728 \alpha^4 \beta^4 + 14928 \alpha^3 \beta^5 + 25440 \alpha^2 \beta^6 + \\
& +18144 \beta^7 \alpha + 4800 \beta^8] \\
{}^{010}P_{6,J}^{101}(x) &= -\beta^2 [35 \beta^2 \alpha^4 (24 \alpha^2 + 24 \alpha \beta + 25 \beta^2) (\alpha + \beta)^4 x^4 - \\
& -16 \alpha^2 (180 \alpha^6 + 540 \beta \alpha^5 + 549 \beta^2 \alpha^4 + 198 \beta^3 \alpha^3 + 697 \beta^4 \alpha^2 + 688 \beta^5 \alpha + 225 \beta^6) (\alpha + \beta)^2 x^2 + \\
& +96 \beta^4 (561 \alpha^2 \beta^2 + 264 \beta^3 \alpha + 297 \alpha^4 + 594 \alpha^3 \beta + 50 \beta^4)] \\
{}^{010}P_{6,J}^{110}(x) &= -(\alpha + \beta)^2 [175 \alpha^4 \beta^4 (6 \alpha^2 - 3 \alpha \beta - 5 \beta^2) (\alpha + \beta)^2 x^4 - \\
& -16 \alpha^2 \beta^2 (270 \alpha^6 + 735 \beta \alpha^5 + 666 \beta^2 \alpha^4 - 23 \beta^3 \alpha^3 - 412 \beta^4 \alpha^2 - 563 \beta^5 \alpha - 225 \beta^6) x^2 + \\
& +96 (60 \alpha^5 - 30 \alpha^4 \beta + 28 \alpha^3 \beta^2 - 27 \beta^3 \alpha^2 + 36 \alpha \beta^4 - 50 \beta^5) (\alpha + \beta)^3]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,J}^{111}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&+ 40 \alpha^2 \beta^2 (60 \alpha^4 + 120 \alpha^3 \beta - 29 \alpha^2 \beta^2 - 89 \beta^3 \alpha - 50 \beta^4) (\alpha + \beta)^2 x^2 - \\
&- 5760 \alpha^8 - 23040 \alpha^7 \beta - 34848 \alpha^6 \beta^2 - 23904 \alpha^5 \beta^3 - 128 \alpha^4 \beta^4 + 12704 \alpha^3 \beta^5 + 24640 \alpha^2 \beta^6 + \\
&+ 18144 \beta^7 \alpha + 4800 \beta^8]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{000}(x) &= 4 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 [35 \alpha^2 \beta^2 (6 \alpha^2 + 6 \alpha \beta - 5 \beta^2) (\alpha + \beta)^2 x^2 + \\
&+ 720 \alpha^6 + 2160 \alpha^5 \beta + 2316 \alpha^4 \beta^2 + 1032 \beta^3 \alpha^3 - 1512 \beta^4 \alpha^2 - 1668 \beta^5 \alpha - 600 \beta^6]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{001}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&+ 20 \alpha^2 \beta^2 (90 \alpha^4 + 201 \alpha^3 \beta + 135 \alpha^2 \beta^2 - 151 \beta^3 \alpha - 75 \beta^4) (\alpha + \beta)^2 x^2 + \\
&+ 2880 \alpha^8 + 12960 \alpha^7 \beta + 22944 \beta^2 \alpha^6 + 19824 \alpha^5 \beta^3 + 8688 \alpha^4 \beta^4 - 11856 \beta^5 \alpha^3 - 16656 \beta^6 \alpha^2 - \\
&- 10272 \beta^7 \alpha - 2400 \beta^8]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{010}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&- 20 \alpha^2 \beta^2 (120 \alpha^4 + 240 \alpha^3 \beta + 236 \alpha^2 \beta^2 + 116 \beta^3 \alpha + 75 \beta^4) (\alpha + \beta)^2 x^2 - \\
&- 5760 \alpha^8 - 23040 \alpha^7 \beta - 35808 \beta^2 \alpha^6 - 26784 \alpha^5 \beta^3 - 10416 \alpha^4 \beta^4 - 3072 \beta^5 \alpha^3 - 8784 \beta^6 \alpha^2 - \\
&- 7872 \beta^7 \alpha - 2400 \beta^8]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{011}(x) &= \alpha^2 [175 \beta^4 \alpha^2 (6 \alpha^2 + 15 \alpha \beta + 4 \beta^2) (\alpha + \beta)^4 x^4 + \\
&+ 16 \beta^2 (270 \alpha^6 + 885 \alpha^5 \beta + 1041 \alpha^4 \beta^2 + 737 \beta^3 \alpha^3 + 353 \beta^4 \alpha^2 + 417 \beta^5 \alpha + 150 \beta^6) (\alpha + \beta)^2 x^2 + \\
&+ 96 \alpha^3 (594 \alpha \beta^4 + 330 \alpha^4 \beta + 891 \beta^3 \alpha^2 + 748 \alpha^3 \beta^2 + 231 \beta^5 + 60 \alpha^5)]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{100}(x) &= \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&+ 20 \alpha^2 \beta^2 (90 \alpha^4 + 159 \alpha^3 \beta + 72 \alpha^2 \beta^2 + 178 \beta^3 \alpha + 100 \beta^4) (\alpha + \beta)^2 x^2 + \\
&+ 2880 \alpha^8 + 10080 \alpha^7 \beta + 12864 \beta^2 \alpha^6 + 6960 \alpha^5 \beta^3 + 1728 \alpha^4 \beta^4 + 14928 \beta^5 \alpha^3 + 25440 \beta^6 \alpha^2 + \\
&+ 18144 \beta^7 \alpha + 4800 \beta^8]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{101}(x) &= -\beta^2 [35 \alpha^4 \beta^2 (24 \alpha^2 + 24 \alpha \beta + 25 \beta^2) (\alpha + \beta)^4 x^4 + \\
&+ 16 \alpha^2 (180 \alpha^6 + 540 \alpha^5 \beta + 549 \alpha^4 \beta^2 + 198 \beta^3 \alpha^3 + 697 \beta^4 \alpha^2 + 688 \beta^5 \alpha + 225 \beta^6) (\alpha + \beta)^2 x^2 + \\
&+ 96 \beta^4 (561 \alpha^2 \beta^2 + 264 \beta^3 \alpha + 297 \alpha^4 + 594 \alpha^3 \beta + 50 \beta^4)]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{110}(x) &= -(\alpha + \beta)^2 [175 \alpha^4 \beta^4 (6 \alpha^2 - 3 \alpha \beta - 5 \beta^2) (\alpha + \beta)^2 x^4 + \\
&+ 16 \alpha^2 \beta^2 (270 \alpha^6 + 735 \alpha^5 \beta + 666 \alpha^4 \beta^2 - 23 \beta^3 \alpha^3 - 412 \beta^4 \alpha^2 - 563 \beta^5 \alpha - 225 \beta^6) x^2 + \\
&+ 96 (60 \alpha^5 - 30 \alpha^4 \beta + 28 \alpha^3 \beta^2 - 27 \beta^3 \alpha^2 + 36 \alpha \beta^4 - 50 \beta^5) (\alpha + \beta)^3]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,I}^{111}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&- 40 \alpha^2 \beta^2 (60 \alpha^4 + 120 \alpha^3 \beta - 29 \alpha^2 \beta^2 - 89 \beta^3 \alpha - 50 \beta^4) (\alpha + \beta)^2 x^2 - \\
&- 5760 \alpha^8 - 23040 \alpha^7 \beta - 34848 \beta^2 \alpha^6 - 23904 \alpha^5 \beta^3 - 128 \alpha^4 \beta^4 + 12704 \beta^5 \alpha^3 + 24640 \beta^6 \alpha^2 + \\
&+ 18144 \beta^7 \alpha + 4800 \beta^8]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,K}^{000}(x) &= -4 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 [35 \alpha^2 \beta^2 (6 \alpha^2 + 6 \alpha \beta - 5 \beta^2) (\alpha + \beta)^2 x^2 + \\
&+ 720 \alpha^6 + 2160 \alpha^5 \beta + 2316 \alpha^4 \beta^2 + 1032 \beta^3 \alpha^3 - 1512 \beta^4 \alpha^2 - 1668 \beta^5 \alpha - 600 \beta^6]
\end{aligned}$$

$$\begin{aligned}
{}^{010}P_{6,K}^{001}(x) &= -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&+ 20 \alpha^2 \beta^2 (90 \alpha^4 + 201 \alpha^3 \beta + 135 \alpha^2 \beta^2 - 151 \beta^3 \alpha - 75 \beta^4) (\alpha + \beta)^2 x^2 +
\end{aligned}$$

$$\begin{aligned}
&+2880 \alpha^8 + 12960 \alpha^7 \beta + 22944 \beta^2 \alpha^6 + 19824 \alpha^5 \beta^3 + 8688 \alpha^4 \beta^4 - 11856 \beta^5 \alpha^3 - 16656 \beta^6 \alpha^2 - \\
&\quad -10272 \beta^7 \alpha - 2400 \beta^8 \\
&\quad {}^{010}P_{6,K}^{010}(x) = \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&\quad -20 \alpha^2 \beta^2 (120 \alpha^4 + 240 \alpha^3 \beta + 236 \alpha^2 \beta^2 + 116 \beta^3 \alpha + 75 \beta^4) (\alpha + \beta)^2 x^2 - \\
&\quad -5760 \alpha^8 - 23040 \alpha^7 \beta - 35808 \beta^2 \alpha^6 - 26784 \alpha^5 \beta^3 - 10416 \alpha^4 \beta^4 - 3072 \beta^5 \alpha^3 - 8784 \beta^6 \alpha^2 - \\
&\quad -7872 \beta^7 \alpha - 2400 \beta^8] \\
&\quad {}^{010}P_{6,K}^{011}(x) = -\alpha^2 [175 \beta^4 \alpha^2 (6 \alpha^2 + 15 \alpha \beta + 4 \beta^2) (\alpha + \beta)^4 x^4 + \\
&+16 \beta^2 (270 \alpha^6 + 885 \alpha^5 \beta + 1041 \alpha^4 \beta^2 + 737 \beta^3 \alpha^3 + 353 \beta^4 \alpha^2 + 417 \beta^5 \alpha + 150 \beta^6) (\alpha + \beta)^2 x^2 + \\
&\quad +96 \alpha^3 (594 \alpha \beta^4 + 330 \alpha^4 \beta + 891 \beta^3 \alpha^2 + 748 \alpha^3 \beta^2 + 231 \beta^5 + 60 \alpha^5)] \\
&\quad {}^{010}P_{6,K}^{100}(x) = \alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&\quad +20 \alpha^2 \beta^2 (90 \alpha^4 + 159 \alpha^3 \beta + 72 \alpha^2 \beta^2 + 178 \beta^3 \alpha + 100 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad +2880 \alpha^8 + 10080 \alpha^7 \beta + 12864 \beta^2 \alpha^6 + 6960 \alpha^5 \beta^3 + 1728 \alpha^4 \beta^4 + 14928 \beta^5 \alpha^3 + 25440 \beta^6 \alpha^2 + \\
&\quad +18144 \beta^7 \alpha + 4800 \beta^8] \\
&\quad {}^{010}P_{6,K}^{101}(x) = \beta^2 [35 \alpha^4 \beta^2 (24 \alpha^2 + 24 \alpha \beta + 25 \beta^2) (\alpha + \beta)^4 x^4 + \\
&+16 \alpha^2 (180 \alpha^6 + 540 \alpha^5 \beta + 549 \alpha^4 \beta^2 + 198 \beta^3 \alpha^3 + 697 \beta^4 \alpha^2 + 688 \beta^5 \alpha + 225 \beta^6) (\alpha + \beta)^2 x^2 + \\
&\quad +96 \beta^4 (561 \alpha^2 \beta^2 + 264 \beta^3 \alpha + 297 \alpha^4 + 594 \alpha^3 \beta + 50 \beta^4)] \\
&\quad {}^{010}P_{6,K}^{110}(x) = (\alpha + \beta)^2 [175 \alpha^4 \beta^4 (6 \alpha^2 - 3 \alpha \beta - 5 \beta^2) (\alpha + \beta)^2 x^4 + \\
&+16 \alpha^2 \beta^2 (270 \alpha^6 + 735 \alpha^5 \beta + 666 \alpha^4 \beta^2 - 23 \beta^3 \alpha^3 - 412 \beta^4 \alpha^2 - 563 \beta^5 \alpha - 225 \beta^6) x^2 + \\
&\quad +96 (60 \alpha^5 - 30 \alpha^4 \beta + 28 \alpha^3 \beta^2 - 27 \beta^3 \alpha^2 + 36 \alpha \beta^4 - 50 \beta^5) (\alpha + \beta)^3] \\
&\quad {}^{010}P_{6,K}^{111}(x) = -\alpha \beta (\alpha + \beta) x [315 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&\quad -40 \alpha^2 \beta^2 (60 \alpha^4 + 120 \alpha^3 \beta - 29 \alpha^2 \beta^2 - 89 \beta^3 \alpha - 50 \beta^4) (\alpha + \beta)^2 x^2 - \\
&\quad -5760 \alpha^8 - 23040 \alpha^7 \beta - 34848 \beta^2 \alpha^6 - 23904 \alpha^5 \beta^3 - 128 \alpha^4 \beta^4 + 12704 \beta^5 \alpha^3 + 24640 \beta^6 \alpha^2 + \\
&\quad +18144 \beta^7 \alpha + 4800 \beta^8]
\end{aligned}$$

$$\begin{aligned}
&{}^{111}V_6 = \frac{x^2}{2310 \alpha^5 \beta^5 (\alpha + \beta)^5} \\
&{}^{111}P_{6,I}^{000}(x) = -8 \alpha^2 \beta^2 (\alpha + \beta)^2 x^2 [35 \alpha^2 \beta^2 (\alpha^2 + \alpha \beta + \beta^2) (\alpha + \beta)^2 x^2 - \\
&\quad -120 \alpha^6 - 360 \alpha^5 \beta - 342 \alpha^4 \beta^2 - 84 \beta^3 \alpha^3 - 342 \beta^4 \alpha^2 - 360 \beta^5 \alpha - 120 \beta^6 \\
&\quad {}^{111}P_{6,J}^{001}(x) = -\alpha \beta (\alpha + \beta) x [105 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 - \\
&\quad -20 \beta^2 \alpha^2 (30 \alpha^4 + 67 \alpha^3 \beta + 34 \beta^2 \alpha^2 + 67 \alpha \beta^3 + 30 \beta^4) (\alpha + \beta)^2 x^2 + \\
&\quad +960 \alpha^8 + 4320 \alpha^7 \beta + 7296 \alpha^6 \beta^2 + 5376 \alpha^5 \beta^3 + 960 \alpha^4 \beta^4 + 5376 \beta^5 \alpha^3 + 7296 \beta^6 \alpha^2 + \\
&\quad +4320 \beta^7 \alpha + 960 \beta^8] \\
&\quad {}^{111}P_{6,J}^{010}(x) = \alpha \beta (\alpha + \beta) x [105 \alpha^4 \beta^4 (\alpha + \beta)^4 x^4 + \\
&\quad +20 \beta^2 \alpha^2 (40 \alpha^4 + 80 \alpha^3 \beta - 13 \beta^2 \alpha^2 - 53 \alpha \beta^3 - 30 \beta^4) (\alpha + \beta)^2 x^2 - \\
&\quad -1920 \alpha^8 - 7680 \alpha^7 \beta - 11232 \alpha^6 \beta^2 - 6816 \alpha^5 \beta^3 - 480 \alpha^4 \beta^4 + 1440 \beta^5 \alpha^3 + 3936 \beta^6 \alpha^2 + \\
&\quad +3360 \beta^7 \alpha + 960 \beta^8] \\
&\quad {}^{111}P_{6,J}^{011}(x) = 2 \alpha^2 [35 \beta^4 \alpha^2 (5 \alpha^2 - 4 \alpha \beta - 4 \beta^2) (\alpha + \beta)^4 x^4 -
\end{aligned}$$

$$\begin{aligned}
& -8\beta^2(90\alpha^6 + 295\alpha^5\beta + 314\beta^2\alpha^4 - 22\alpha^3\beta^3 - 161\beta^4\alpha^2 - 180\alpha\beta^5 - 60\beta^6)(\alpha + \beta)^2x^2 + \\
& \quad + 96\alpha^4(10\alpha^4 + 121\beta^2\alpha^2 + 55\alpha^3\beta + 132\alpha\beta^3 + 66\beta^4)] \\
& \quad {}^{111}P_{6,J}^{100}(x) = \alpha\beta(\alpha + \beta)x[105\alpha^4\beta^4(\alpha + \beta)^4x^4 - \\
& \quad - 20\beta^2\alpha^2(30\alpha^4 + 53\alpha^3\beta + 13\beta^2\alpha^2 - 80\alpha\beta^3 - 40\beta^4)(\alpha + \beta)^2x^2 + \\
& \quad + 960\alpha^8 + 3360\alpha^7\beta + 3936\alpha^6\beta^2 + 1440\alpha^5\beta^3 - 480\alpha^4\beta^4 - 6816\beta^5\alpha^3 - 11232\beta^6\alpha^2 - \\
& \quad - 7680\beta^7\alpha - 1920\beta^8] \\
& \quad {}^{111}P_{6,J}^{101}(x) = -2\beta^2[35\beta^2\alpha^4(4\alpha^2 + 4\alpha\beta - 5\beta^2)(\alpha + \beta)^4x^4 - \\
& \quad - 8\alpha^2(60\alpha^6 + 180\alpha^5\beta + 161\beta^2\alpha^4 + 22\alpha^3\beta^3 - 314\beta^4\alpha^2 - 295\alpha\beta^5 - 90\beta^6)(\alpha + \beta)^2x^2 - \\
& \quad - 96\beta^4(66\alpha^4 + 132\alpha^3\beta + 121\beta^2\alpha^2 + 55\alpha\beta^3 + 10\beta^4)] \\
& \quad {}^{111}P_{6,J}^{110}(x) = -2(\alpha + \beta)^2[35\alpha^4\beta^4(5\alpha^2 + 14\alpha\beta + 5\beta^2)(\alpha + \beta)^2x^4 - \\
& \quad - 8\beta^2\alpha^2(90\alpha^6 + 245\alpha^5\beta + 189\beta^2\alpha^4 + 128\alpha^3\beta^3 + 189\beta^4\alpha^2 + 245\alpha\beta^5 + 90\beta^6)x^2 + \\
& \quad + 96(10\alpha^4 - 15\alpha^3\beta + 16\beta^2\alpha^2 - 15\alpha\beta^3 + 10\beta^4)(\alpha + \beta)^4] \\
& {}^{111}P_{6,J}^{111}(x) = \alpha\beta(\alpha + \beta)x[105\alpha^4\beta^4(\alpha + \beta)^4x^4 + 800\beta^2\alpha^2(\alpha + \beta)^2(\alpha^2 + \alpha\beta + \beta^2)^2x^2 - \\
& \quad - 32(\alpha^2 + \alpha\beta + \beta^2)(60\beta^6 + 180\alpha\beta^5 + 101\beta^4\alpha^2 - 98\alpha^3\beta^3 + 101\beta^2\alpha^4 + 180\alpha^5\beta + 60\alpha^6)] \\
& \quad {}^{111}P_{6,I}^{000}(x) = -8\alpha^2\beta^2(\alpha + \beta)^2x^2[35\beta^2\alpha^2(\alpha^2 + \alpha\beta + \beta^2)(\alpha + \beta)^2x^2 + \\
& \quad + 120\alpha^6 + 360\alpha^5\beta + 342\beta^2\alpha^4 + 84\alpha^3\beta^3 + 342\beta^4\alpha^2 + 360\alpha\beta^5 + 120\beta^6] \\
& \quad {}^{111}P_{6,I}^{001}(x) = \alpha\beta(\alpha + \beta)x[105\alpha^4\beta^4(\alpha + \beta)^4x^4 + \\
& \quad + 20\beta^2\alpha^2(30\alpha^4 + 67\alpha^3\beta + 34\beta^2\alpha^2 + 67\alpha\beta^3 + 30\beta^4)(\alpha + \beta)^2x^2 + \\
& \quad + 960\alpha^8 + 4320\alpha^7\beta + 7296\alpha^6\beta^2 + 5376\alpha^5\beta^3 + 960\alpha^4\beta^4 + 5376\beta^5\alpha^3 + 7296\beta^6\alpha^2 + \\
& \quad + 4320\beta^7\alpha + 960\beta^8] \\
& \quad {}^{111}P_{6,I}^{010}(x) = -\alpha\beta(\alpha + \beta)x[105\alpha^4\beta^4(\alpha + \beta)^4x^4 - \\
& \quad - 20\beta^2\alpha^2(40\alpha^4 + 80\alpha^3\beta - 13\beta^2\alpha^2 - 53\alpha\beta^3 - 30\beta^4)(\alpha + \beta)^2x^2 - \\
& \quad - 1920\alpha^8 - 7680\alpha^7\beta - 11232\alpha^6\beta^2 - 6816\alpha^5\beta^3 - 480\alpha^4\beta^4 + 1440\beta^5\alpha^3 + 3936\beta^6\alpha^2 + \\
& \quad + 3360\beta^7\alpha + 960\beta^8] \\
& \quad {}^{111}P_{6,I}^{011}(x) = -2\alpha^2[35\beta^4\alpha^2(5\alpha^2 - 4\alpha\beta - 4\beta^2)(\alpha + \beta)^4x^4 + \\
& \quad + 8\beta^2(90\alpha^6 + 295\alpha^5\beta + 314\beta^2\alpha^4 - 22\alpha^3\beta^3 - 161\beta^4\alpha^2 - 180\alpha\beta^5 - 60\beta^6)(\alpha + \beta)^2x^2 + \\
& \quad + 96\alpha^4(10\alpha^4 + 121\beta^2\alpha^2 + 55\alpha^3\beta + 132\alpha\beta^3 + 66\beta^4)] \\
& \quad {}^{111}P_{6,I}^{100}(x) = -\alpha\beta(\alpha + \beta)x[105\alpha^4\beta^4(\alpha + \beta)^4x^4 + \\
& \quad + 20\beta^2\alpha^2(30\alpha^4 + 53\alpha^3\beta + 13\beta^2\alpha^2 - 80\alpha\beta^3 - 40\beta^4)(\alpha + \beta)^2x^2 + \\
& \quad + 960\alpha^8 + 3360\alpha^7\beta + 3936\alpha^6\beta^2 + 1440\alpha^5\beta^3 - 480\alpha^4\beta^4 - 6816\beta^5\alpha^3 - 11232\beta^6\alpha^2 - \\
& \quad - 7680\beta^7\alpha - 1920\beta^8] \\
& \quad {}^{111}P_{6,I}^{101}(x) = 2\beta^2[35\beta^2\alpha^4(4\alpha^2 + 4\alpha\beta - 5\beta^2)(\alpha + \beta)^4x^4 + \\
& \quad + 8\alpha^2(60\alpha^6 + 180\alpha^5\beta + 161\beta^2\alpha^4 + 22\alpha^3\beta^3 - 314\beta^4\alpha^2 - 295\alpha\beta^5 - 90\beta^6)(\alpha + \beta)^2x^2 - \\
& \quad - 96\beta^4(66\alpha^4 + 132\alpha^3\beta + 121\beta^2\alpha^2 + 55\alpha\beta^3 + 10\beta^4)] \\
& \quad {}^{111}P_{6,I}^{110}(x) = 2(\alpha + \beta)^2[35\alpha^4\beta^4(5\alpha^2 + 14\alpha\beta + 5\beta^2)(\alpha + \beta)^2x^4 + \\
& \quad + 8\beta^2\alpha^2(90\alpha^6 + 245\alpha^5\beta + 189\beta^2\alpha^4 + 128\alpha^3\beta^3 + 189\beta^4\alpha^2 + 245\alpha\beta^5 + 90\beta^6)x^2 +
\end{aligned}$$

$$\begin{aligned}
& +96 (10\alpha^4 - 15\alpha^3\beta + 16\beta^2\alpha^2 - 15\alpha\beta^3 + 10\beta^4) (\alpha + \beta)^4] \\
^{111}P_{6,I}^{111}(x) &= \alpha\beta(\alpha + \beta)x [105\alpha^4\beta^4(\alpha + \beta)^4x^4 - 800\beta^2\alpha^2(\alpha + \beta)^2(\alpha^2 + \alpha\beta + \beta^2)^2x^2 - \\
& -32(\alpha^2 + \alpha\beta + \beta^2)(60\beta^6 + 180\alpha\beta^5 + 101\beta^4\alpha^2 - 98\alpha^3\beta^3 + 101\beta^2\alpha^4 + 180\alpha^5\beta + 60\alpha^6)] \\
^{111}P_{6,K}^{000}(x) &= 8\alpha^2\beta^2(\alpha + \beta)^2x^2 [35\beta^2\alpha^2(\alpha^2 + \alpha\beta + \beta^2)(\alpha + \beta)^2x^2 + \\
& +120\alpha^6 + 360\alpha^5\beta + 342\beta^2\alpha^4 + 84\alpha^3\beta^3 + 342\beta^4\alpha^2 + 360\alpha\beta^5 + 120\beta^6] \\
^{111}P_{6,K}^{001}(x) &= \alpha\beta(\alpha + \beta)x [105\alpha^4\beta^4(\alpha + \beta)^4x^4 + \\
& +20\beta^2\alpha^2(30\alpha^4 + 67\alpha^3\beta + 34\beta^2\alpha^2 + 67\alpha\beta^3 + 30\beta^4)(\alpha + \beta)^2x^2 + \\
& +960\alpha^8 + 4320\alpha^7\beta + 7296\alpha^6\beta^2 + 5376\alpha^5\beta^3 + 960\alpha^4\beta^4 + 5376\beta^5\alpha^3 + 7296\beta^6\alpha^2 + \\
& +4320\beta^7\alpha + 960\beta^8] \\
^{111}P_{6,K}^{010}(x) &= -\alpha\beta(\alpha + \beta)x [105\alpha^4\beta^4(\alpha + \beta)^4x^4 - \\
& -20\beta^2\alpha^2(40\alpha^4 + 80\alpha^3\beta - 13\beta^2\alpha^2 - 53\alpha\beta^3 - 30\beta^4)(\alpha + \beta)^2x^2 - \\
& -1920\alpha^8 - 7680\alpha^7\beta - 11232\alpha^6\beta^2 - 6816\alpha^5\beta^3 - 480\alpha^4\beta^4 + 1440\beta^5\alpha^3 + 3936\beta^6\alpha^2 + \\
& +3360\beta^7\alpha + 960\beta^8] \\
^{111}P_{6,K}^{011}(x) &= 2\alpha^2 [35\beta^4\alpha^2(5\alpha^2 - 4\alpha\beta - 4\beta^2)(\alpha + \beta)^4x^4 + \\
& +8\beta^2(90\alpha^6 + 295\alpha^5\beta + 314\beta^2\alpha^4 - 22\alpha^3\beta^3 - 161\beta^4\alpha^2 - 180\alpha\beta^5 - 60\beta^6)(\alpha + \beta)^2x^2 + \\
& +96\alpha^4(10\alpha^4 + 121\beta^2\alpha^2 + 55\alpha^3\beta + 132\alpha\beta^3 + 66\beta^4)] \\
^{111}P_{6,K}^{100}(x) &= -\alpha\beta(\alpha + \beta)x [105\alpha^4\beta^4(\alpha + \beta)^4x^4 + \\
& +20\beta^2\alpha^2(30\alpha^4 + 53\alpha^3\beta + 13\beta^2\alpha^2 - 80\alpha\beta^3 - 40\beta^4)(\alpha + \beta)^2x^2 + \\
& +960\alpha^8 + 3360\alpha^7\beta + 3936\alpha^6\beta^2 + 1440\alpha^5\beta^3 - 480\alpha^4\beta^4 - 6816\beta^5\alpha^3 - 11232\beta^6\alpha^2 - \\
& -7680\beta^7\alpha - 1920\beta^8] \\
^{111}P_{6,K}^{101}(x) &= -2\beta^2 [35\beta^2\alpha^4(4\alpha^2 + 4\alpha\beta - 5\beta^2)(\alpha + \beta)^4x^4 + \\
& +8\alpha^2(60\alpha^6 + 180\alpha^5\beta + 161\beta^2\alpha^4 + 22\alpha^3\beta^3 - 314\beta^4\alpha^2 - 295\alpha\beta^5 - 90\beta^6)(\alpha + \beta)^2x^2 - \\
& -96\beta^4(66\alpha^4 + 132\alpha^3\beta + 121\beta^2\alpha^2 + 55\alpha\beta^3 + 10\beta^4)] \\
^{111}P_{6,K}^{110}(x) &= -2(\alpha + \beta)^2 [35\alpha^4\beta^4(5\alpha^2 + 14\alpha\beta + 5\beta^2)(\alpha + \beta)^2x^4 + \\
& +8\beta^2\alpha^2(90\alpha^6 + 245\alpha^5\beta + 189\beta^2\alpha^4 + 128\alpha^3\beta^3 + 189\beta^4\alpha^2 + 245\alpha\beta^5 + 90\beta^6)x^2 + \\
& +96(10\alpha^4 - 15\alpha^3\beta + 16\beta^2\alpha^2 - 15\alpha\beta^3 + 10\beta^4)(\alpha + \beta)^4] \\
^{111}P_{6,K}^{111}(x) &= \alpha\beta(\alpha + \beta)x [105\alpha^4\beta^4(\alpha + \beta)^4x^4 - 800\beta^2\alpha^2(\alpha + \beta)^2(\alpha^2 + \alpha\beta + \beta^2)^2x^2 - \\
& -32(\alpha^2 + \alpha\beta + \beta^2)(60\beta^6 + 180\alpha\beta^5 + 101\beta^4\alpha^2 - 98\alpha^3\beta^3 + 101\beta^2\alpha^4 + 180\alpha^5\beta + 60\alpha^6)]
\end{aligned}$$

Recurrence relations:

$$\begin{aligned}
& \int x^{2n+1} J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha + \beta)} \left\{ -4n^2\beta(2\alpha + \beta) \int x^{2n} J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) dx - \right. \\
& -4n^2(\alpha^2 - \beta^2) \int x^{2n} J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx - 4n(n-1)\alpha^2 \int x^{2n} J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx + \\
& +x^{2n+1}[\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) + 2n\beta(2\alpha + \beta) J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) + \\
& +2n(\alpha^2 - \beta^2) J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_1(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \\
& \left. + 2n\alpha^2 J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x)] \right\} \\
& \int x^{2n+1} J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha + \beta)} \left\{ 2n\beta(\alpha - 2n\beta) \int x^{2n} J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) dx + \right. \\
& +2n[(2n+1)\alpha + 2n\beta](\alpha + \beta) \int x^{2n} J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx + \\
& +2(2n+1)(n-1)\alpha^2 \int x^{2n} J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx + \\
& +x^{2n+1}[\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) + \\
& +\beta(2n\beta - \alpha) J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - (\alpha + \beta)((2n+1)\alpha + 2n\beta) J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_1(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - \\
& \left. - \alpha\beta(\alpha + \beta)x J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) - (2n+1)\alpha^2 J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x)] \right\} \\
& \int x^{2n+1} J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha + \beta)} \left\{ -2n\beta[(2n+1)\beta + \alpha] \int x^{2n} J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) dx - \right. \\
& -2n(2n+1)(\alpha^2 - \beta^2) \int x^{2n} J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx - \\
& -2(n-1)\alpha[(2n+1)\alpha + (4n+1)\beta] \int x^{2n+1} J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx + \\
& +x^{2n+1}[-\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) + \beta[(2n+1)\beta + \alpha] J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) + \\
& +(2n+1)(\alpha^2 - \beta^2) J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) - \\
& -\alpha\beta(\alpha + \beta)x J_1(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \\
& \left. +\alpha[(4n+1)\beta + (2n+1)\alpha] J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x)] \right\}
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ 2(n+1)\beta[(4n+3)\alpha + (2n+1)\beta] \int x^{2n+1} J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) dx - \right. \\
& -2n(2n+1)(\alpha^2 - \beta^2) \int x^{2n+1} J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx + \\
& +2\alpha n[(2n+1)\alpha - \beta] \int x^{2n+1} J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx + \\
& +x^{2n+2} [-\beta[(4n+3)\alpha + (2n+1)\beta] J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \\
& +(2n+1)(\alpha^2 - \beta^2) J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_1(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) - \\
& \left. -\alpha[(2n+1)\alpha - \beta] J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x)] \right\} \\
& \int x^{2n+2} J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ -2\beta^2(n+1)(2n+1) \int x^{2n+1} J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) dx - \right. \\
& -2n(\alpha + \beta)[2(n+1)\alpha + (2n+1)\beta] \int x^{2n+1} J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx + \\
& +2n\alpha[2(n+1)\alpha + \beta] \int x^{2n+1} J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx + \\
& +x^{2n+2} [(2n+1)\beta^2 J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + (\alpha + \beta)[2(n+1)\alpha + (2n+1)\beta] J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_1(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) - \alpha[2(n+1)\alpha + \beta] J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \\
& \left. +\alpha\beta(\alpha + \beta) J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x)] \right\} \\
& \int x^{2n+2} J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ 4\beta^2(n+1)^2 \int x^{2n+1} J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) dx - \right. \\
& -4n(n+1)(\alpha^2 - \beta^2) \int x^{2n+1} J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) dx + \\
& +4n(n+1)\alpha(\alpha + 2\beta) \int x^{2n+1} J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) dx + \\
& +x^{2n+2} [-2(n+1)\beta^2 J_0(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x J_0(\alpha x) J_0(\beta x) J_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_0(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + 2(n+1)(\alpha^2 - \beta^2) J_0(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x J_1(\alpha x) J_0(\beta x) J_0((\alpha + \beta)x) - 2(n+1)\alpha(\alpha + 2\beta) J_1(\alpha x) J_1(\beta x) J_0((\alpha + \beta)x) + \\
& \left. +\alpha\beta(\alpha + \beta)x J_1(\alpha x) J_1(\beta x) J_1((\alpha + \beta)x)] \right\}
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+1} I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha+\beta)} \left\{ -4n^2\beta(2\alpha+\beta) \int x^{2n} I_0(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) dx - \right. \\
& -4n^2(\alpha^2-\beta^2) \int x^{2n} I_0(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) dx + 4n(n-1)\alpha^2 \int x^{2n} I_1(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) dx + \\
& +x^{2n+1}[\alpha\beta(\alpha+\beta)x I_0(\alpha x) I_0(\beta x) I_0((\alpha+\beta)x) + 2n\beta(2\alpha+\beta) I_0(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) + \\
& +2n(\alpha^2-\beta^2) I_0(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) - \alpha\beta(\alpha+\beta)x I_0(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) - \\
& -\alpha\beta(\alpha+\beta)x I_1(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) + \alpha\beta(\alpha+\beta)x I_1(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) - \\
& \left. -2n\alpha^2 I_1(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x)] \right\} \\
& \int x^{2n+1} I_0(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha+\beta)} \left\{ -2n\beta(\alpha-2n\beta) \int x^{2n} I_0(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) dx - \right. \\
& -2n[(2n+1)\alpha+2n\beta](\alpha+\beta) \int x^{2n} I_0(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) dx + \\
& +2(2n+1)(n-1)\alpha^2 \int x^{2n} I_1(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) dx + \\
& +x^{2n+1}[-\alpha\beta(\alpha+\beta)x I_0(\alpha x) I_0(\beta x) I_0((\alpha+\beta)x) - \\
& -\beta(2n\beta-\alpha) I_0(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) + (\alpha+\beta)((2n+1)\alpha+2n\beta) I_0(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) + \\
& +\alpha\beta(\alpha+\beta)x I_0(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) + \alpha\beta(\alpha+\beta)x I_1(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) - \\
& \left. -\alpha\beta(\alpha+\beta)x I_1(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) - (2n+1)\alpha^2 I_1(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x)] \right\} \\
& \int x^{2n+1} I_1(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha+\beta)} \left\{ 2n\beta[(2n+1)\beta+\alpha] \int x^{2n} I_0(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) dx + \right. \\
& +2n(2n+1)(\alpha^2-\beta^2) \int x^{2n} I_0(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) dx - \\
& -2(n-1)\alpha[(2n+1)\alpha+(4n+1)\beta] \int x^{2n+1} I_1(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) dx + \\
& +x^{2n+1}[\alpha\beta(\alpha+\beta)x I_0(\alpha x) I_0(\beta x) I_0((\alpha+\beta)x) - \beta[(2n+1)\beta+\alpha] I_0(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) - \\
& -(2n+1)(\alpha^2-\beta^2) I_0(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) - \alpha\beta(\alpha+\beta)x I_0(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x) - \\
& -\alpha\beta(\alpha+\beta)x I_1(\alpha x) I_0(\beta x) I_1((\alpha+\beta)x) + \alpha\beta(\alpha+\beta)x I_1(\alpha x) I_1(\beta x) I_0((\alpha+\beta)x) + \\
& \left. +\alpha[(4n+1)\beta+(2n+1)\alpha] I_1(\alpha x) I_1(\beta x) I_1((\alpha+\beta)x)] \right\}
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ -2(n+1)\beta[(4n+3)\alpha + (2n+1)\beta] \int x^{2n+1} I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) dx - \right. \\
& -2n(2n+1)(\alpha^2 - \beta^2) \int x^{2n+1} I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx + \\
& +2\alpha n[(2n+1)\alpha - \beta] \int x^{2n+1} I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) dx + \\
& +x^{2n+2} [\beta[(4n+3)\alpha + (2n+1)\beta] I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) + \\
& +(2n+1)(\alpha^2 - \beta^2) I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x I_1(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) - \\
& \left. -\alpha[(2n+1)\alpha - \beta] I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) \right\} \\
& \int x^{2n+2} I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ 2\beta^2(n+1)(2n+1) \int x^{2n+1} I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) dx - \right. \\
& -2n(\alpha + \beta)[2(n+1)\alpha + (2n+1)\beta] \int x^{2n+1} I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx + \\
& +2n\alpha[2(n+1)\alpha + \beta] \int x^{2n+1} I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) dx + \\
& +x^{2n+2} [- (2n+1)\beta^2 I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) + (\alpha + \beta)[2(n+1)\alpha + (2n+1)\beta] I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) + \\
& +\alpha\beta(\alpha + \beta)x I_1(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) - \alpha[2(n+1)\alpha + \beta] I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) - \\
& \left. -\alpha\beta(\alpha + \beta) I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) \right\} \\
& \int x^{2n+2} I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ 4\beta^2(n+1)^2 \int x^{2n+1} I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) dx + \right. \\
& +4n(n+1)(\alpha^2 - \beta^2) \int x^{2n+1} I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) dx - \\
& -4n(n+1)\alpha(\alpha + 2\beta) \int x^{2n+1} I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) dx + \\
& +x^{2n+2} [- 2(n+1)\beta^2 I_0(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x I_0(\alpha x) I_0(\beta x) I_1((\alpha + \beta)x) - \\
& -\alpha\beta(\alpha + \beta)x I_0(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) - 2(n+1)(\alpha^2 - \beta^2) I_0(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) - \\
& -\alpha\beta(\alpha + \beta)x I_1(\alpha x) I_0(\beta x) I_0((\alpha + \beta)x) + 2(n+1)\alpha(\alpha + 2\beta) I_1(\alpha x) I_1(\beta x) I_0((\alpha + \beta)x) + \\
& \left. +\alpha\beta(\alpha + \beta)x I_1(\alpha x) I_1(\beta x) I_1((\alpha + \beta)x) \right\}
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+1} K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha+\beta)} \left\{ 4n^2\beta(2\alpha+\beta) \int x^{2n} K_0(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) dx + \right. \\
& + 4n^2(\alpha^2-\beta^2) \int x^{2n} K_0(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) dx - 4n(n-1)\alpha^2 \int x^{2n} K_1(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) dx + \\
& + x^{2n+1} [\alpha\beta(\alpha+\beta)x K_0(\alpha x) K_0(\beta x) K_0((\alpha+\beta)x) - 2n\beta(2\alpha+\beta) K_0(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) - \\
& - 2n(\alpha^2-\beta^2) K_0(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) - \alpha\beta(\alpha+\beta)x K_0(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) - \\
& - \alpha\beta(\alpha+\beta)x K_1(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) + \alpha\beta(\alpha+\beta)x K_1(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) + \\
& \left. + 2n\alpha^2 K_1(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) \right\} \\
& \int x^{2n+1} K_0(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha+\beta)} \left\{ 2n\beta(\alpha-2n\beta) \int x^{2n} K_0(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) dx + \right. \\
& + 2n[(2n+1)\alpha+2n\beta](\alpha+\beta) \int x^{2n} K_0(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) dx - \\
& - 2(2n+1)(n-1)\alpha^2 \int x^{2n} K_1(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) dx + \\
& + x^{2n+1} [-\alpha\beta(\alpha+\beta)x K_0(\alpha x) K_0(\beta x) K_0((\alpha+\beta)x) + \\
& + \beta(2n\beta-\alpha) K_0(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) - (\alpha+\beta)((2n+1)\alpha+2n\beta) K_0(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) + \\
& + \alpha\beta(\alpha+\beta)x K_0(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) + \alpha\beta(\alpha+\beta)x K_1(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) - \\
& - \alpha\beta(\alpha+\beta)x K_1(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) + (2n+1)\alpha^2 K_1(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) \left. \right\} \\
& \int x^{2n+1} K_1(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) dx = \\
& = \frac{1}{2(4n+1)\alpha\beta(\alpha+\beta)} \left\{ -2n\beta[(2n+1)\beta+\alpha] \int x^{2n} K_0(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) dx - \right. \\
& - 2n(2n+1)(\alpha^2-\beta^2) \int x^{2n} K_0(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) dx + \\
& + 2(n-1)\alpha[(2n+1)\alpha+(4n+1)\beta] \int x^{2n+1} K_1(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) dx + \\
& + x^{2n+1} [\alpha\beta(\alpha+\beta)x K_0(\alpha x) K_0(\beta x) K_0((\alpha+\beta)x) + \beta[(2n+1)\beta+\alpha] K_0(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) + \\
& + (2n+1)(\alpha^2-\beta^2) K_0(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) - \alpha\beta(\alpha+\beta)x K_0(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) - \\
& - \alpha\beta(\alpha+\beta)x K_1(\alpha x) K_0(\beta x) K_1((\alpha+\beta)x) + \alpha\beta(\alpha+\beta)x K_1(\alpha x) K_1(\beta x) K_0((\alpha+\beta)x) - \\
& \left. - \alpha[(4n+1)\beta+(2n+1)\alpha] K_1(\alpha x) K_1(\beta x) K_1((\alpha+\beta)x) \right\}
\end{aligned}$$

$$\begin{aligned}
& \int x^{2n+2} K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ 2(n+1)\beta[(4n+3)\alpha + (2n+1)\beta] \int x^{2n+1} K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) dx + \right. \\
& + 2n(2n+1)(\alpha^2 - \beta^2) \int x^{2n+1} K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx - \\
& - 2\alpha n[(2n+1)\alpha - \beta] \int x^{2n+1} K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) dx + \\
& + x^{2n+2} [-\beta[(4n+3)\alpha + (2n+1)\beta] K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) + \\
& + \alpha\beta(\alpha + \beta)x K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) - \\
& - (2n+1)(\alpha^2 - \beta^2) K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x K_1(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) + \\
& \left. + \alpha[(2n+1)\alpha - \beta] K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x K_1(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) \right\} \\
& \int x^{2n+2} K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ -2\beta^2(n+1)(2n+1) \int x^{2n+1} K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) dx + \right. \\
& + 2n(\alpha + \beta)[2(n+1)\alpha + (2n+1)\beta] \int x^{2n+1} K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx - \\
& - 2n\alpha[2(n+1)\alpha + \beta] \int x^{2n+1} K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) dx + \\
& + x^{2n+2} [(2n+1)\beta^2 K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) - \alpha\beta(\alpha + \beta)x K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) + \\
& + \alpha\beta(\alpha + \beta)x K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) - (\alpha + \beta)[2(n+1)\alpha + (2n+1)\beta] K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) + \\
& + \alpha\beta(\alpha + \beta)x K_1(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) + \alpha[2(n+1)\alpha + \beta] K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) - \\
& \left. - \alpha\beta(\alpha + \beta) K_1(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) \right\} \\
& \int x^{2n+2} K_1(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx = \\
= & \frac{1}{2(4n+3)\alpha\beta(\alpha + \beta)} \left\{ -4\beta^2(n+1)^2 \int x^{2n+1} K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) dx - \right. \\
& - 4n(n+1)(\alpha^2 - \beta^2) \int x^{2n+1} K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) dx + \\
& + 4n(n+1)\alpha(\alpha + 2\beta) \int x^{2n+1} K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) dx + \\
& + x^{2n+2} [2(n+1)\beta^2 K_0(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) + \alpha\beta(\alpha + \beta)x K_0(\alpha x) K_0(\beta x) K_1((\alpha + \beta)x) - \\
& - \alpha\beta(\alpha + \beta)x K_0(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) + 2(n+1)(\alpha^2 - \beta^2) K_0(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) - \\
& - \alpha\beta(\alpha + \beta)x K_1(\alpha x) K_0(\beta x) K_0((\alpha + \beta)x) - 2(n+1)\alpha(\alpha + 2\beta) K_1(\alpha x) K_1(\beta x) K_0((\alpha + \beta)x) + \\
& \left. + \alpha\beta(\alpha + \beta)x K_1(\alpha x) K_1(\beta x) K_1((\alpha + \beta)x) \right\}
\end{aligned}$$

c) $x^n Z_\kappa(\alpha x) Z_\mu(\beta x) Z_\nu(\sqrt{\alpha^2 \pm \beta^2} x)$

Formulas with $\sqrt{\alpha^2 + \beta^2}$ were found for the following integrals.
 Replacing β by βi one gets some modifications.

$$\begin{aligned}
 & \int x J_1(\alpha x) J_1(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) dx = \\
 &= \frac{x}{2\alpha\beta} \left[\sqrt{\alpha^2 + \beta^2} J_0(\alpha x) J_0(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) - \beta J_0(\alpha x) J_1(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) - \right. \\
 & \quad \left. - \alpha J_1(\alpha x) J_0(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
 & \int x I_1(\alpha x) I_1(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) dx = \\
 &= \frac{x}{2\alpha\beta} \left[-\sqrt{\alpha^2 + \beta^2} I_0(\alpha x) I_0(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) + \beta I_0(\alpha x) I_1(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) + \right. \\
 & \quad \left. + \alpha I_1(\alpha x) I_0(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
 & \int x K_1(\alpha x) K_1(\beta x) K_0(\sqrt{\alpha^2 + \beta^2} x) dx = \\
 &= \frac{x}{2\alpha\beta} \left[\sqrt{\alpha^2 + \beta^2} K_0(\alpha x) K_0(\beta x) K_1(\sqrt{\alpha^2 + \beta^2} x) - \beta K_0(\alpha x) K_1(\beta x) K_0(\sqrt{\alpha^2 + \beta^2} x) - \right. \\
 & \quad \left. - \alpha K_1(\alpha x) K_0(\beta x) K_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
 & \int x J_1(\alpha x) I_1(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) dx = \\
 &= \frac{x}{2\alpha\beta} \left[-\sqrt{\alpha^2 - \beta^2} J_0(\alpha x) I_0(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) - \beta J_0(\alpha x) I_1(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) + \right. \\
 & \quad \left. + \alpha J_1(\alpha x) I_0(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
 & \int x I_1(\alpha x) J_1(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) dx = \\
 &= \frac{x}{2\alpha\beta} \left[\sqrt{\alpha^2 - \beta^2} I_0(\alpha x) J_0(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) + \beta I_0(\alpha x) J_1(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) - \right. \\
 & \quad \left. - \alpha I_1(\alpha x) J_0(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
 & \int x^2 J_0(\alpha x) J_0(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) dx = \frac{x^2}{2\alpha\beta} \left[\alpha J_0(\alpha x) J_1(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) + \right. \\
 & \quad \left. + \beta J_1(\alpha x) J_0(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) - \sqrt{\alpha^2 + \beta^2} J_1(\alpha x) J_1(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
 & \int x^2 I_0(\alpha x) I_0(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) dx = \frac{x^2}{2\alpha\beta} \left[\alpha I_0(\alpha x) I_1(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) + \right. \\
 & \quad \left. + \beta I_1(\alpha x) I_0(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) - \sqrt{\alpha^2 + \beta^2} I_1(\alpha x) I_1(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
 & \int x^2 K_0(\alpha x) K_0(\beta x) K_1(\sqrt{\alpha^2 + \beta^2} x) dx = -\frac{x^2}{2\alpha\beta} \left[\alpha K_0(\alpha x) K_1(\beta x) K_1(\sqrt{\alpha^2 + \beta^2} x) + \right. \\
 & \quad \left. + \beta K_1(\alpha x) K_0(\beta x) K_1(\sqrt{\alpha^2 + \beta^2} x) - \sqrt{\alpha^2 + \beta^2} K_1(\alpha x) K_1(\beta x) K_0(\sqrt{\alpha^2 + \beta^2} x) \right]
 \end{aligned}$$

$$\begin{aligned}
\int x^2 J_0(\alpha x) I_0(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x^2}{2\alpha\beta} \left[\alpha J_0(\alpha x) I_1(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) + \right. \\
&\quad \left. + \beta J_1(\alpha x) I_0(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) - \sqrt{\alpha^2 - \beta^2} J_1(\alpha x) I_1(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x^2 I_0(\alpha x) J_0(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x^2}{2\alpha\beta} \left[\alpha I_0(\alpha x) J_1(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) + \right. \\
&\quad \left. + \beta I_1(\alpha x) J_0(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) - \sqrt{\alpha^2 - \beta^2} I_1(\alpha x) J_1(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x J_0(\alpha x) J_1(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x}{2\beta \sqrt{\alpha^2 - \beta^2}} \left[-\sqrt{\alpha^2 - \beta^2} J_0(\alpha x) J_0(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) - \right. \\
&\quad \left. - \beta J_0(\alpha x) J_1(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) + \alpha J_1(\alpha x) J_0(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x I_0(\alpha x) I_1(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x}{2\beta \sqrt{\alpha^2 - \beta^2}} \left[\sqrt{\alpha^2 - \beta^2} I_0(\alpha x) I_0(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) + \right. \\
&\quad \left. + \beta I_0(\alpha x) I_1(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) - \alpha I_1(\alpha x) I_0(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x K_0(\alpha x) K_1(\beta x) K_1(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x}{2\beta \sqrt{\alpha^2 - \beta^2}} \left[-\sqrt{\alpha^2 - \beta^2} K_0(\alpha x) K_0(\beta x) K_1(\sqrt{\alpha^2 - \beta^2} x) - \right. \\
&\quad \left. - \beta K_0(\alpha x) K_1(\beta x) K_0(\sqrt{\alpha^2 - \beta^2} x) + \alpha K_1(\alpha x) K_0(\beta x) K_0(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x J_0(\alpha x) I_1(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) dx &= \frac{x}{2\beta \sqrt{\alpha^2 + \beta^2}} \left[\sqrt{\alpha^2 + \beta^2} J_0(\alpha x) I_0(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) - \right. \\
&\quad \left. - \beta J_0(\alpha x) I_1(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) - \alpha J_1(\alpha x) I_0(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
\int x I_0(\alpha x) J_1(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) dx &= \frac{x}{2\beta \sqrt{\alpha^2 + \beta^2}} \left[-\sqrt{\alpha^2 + \beta^2} I_0(\alpha x) J_0(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) + \right. \\
&\quad \left. + \beta I_0(\alpha x) J_1(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) + \alpha I_1(\alpha x) J_0(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) \right] \\
\int x^2 J_1(\alpha x) J_0(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x^2}{2\beta \sqrt{\alpha^2 - \beta^2}} \left[\sqrt{\alpha^2 - \beta^2} J_1(\alpha x) J_1(\beta x) J_0(\sqrt{\alpha^2 - \beta^2} x) + \right. \\
&\quad \left. + \beta J_1(\alpha x) J_0(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) - \alpha J_0(\alpha x) J_1(\beta x) J_1(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x^2 I_1(\alpha x) I_0(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x^2}{2\beta \sqrt{\alpha^2 - \beta^2}} \left[\sqrt{\alpha^2 - \beta^2} I_1(\alpha x) I_1(\beta x) I_0(\sqrt{\alpha^2 - \beta^2} x) + \right. \\
&\quad \left. + \beta I_1(\alpha x) I_0(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) - \alpha I_0(\alpha x) I_1(\beta x) I_1(\sqrt{\alpha^2 - \beta^2} x) \right] \\
\int x^2 K_1(\alpha x) K_0(\beta x) K_0(\sqrt{\alpha^2 - \beta^2} x) dx &= \frac{x^2}{2\beta \sqrt{\alpha^2 - \beta^2}} \left[-\sqrt{\alpha^2 - \beta^2} K_1(\alpha x) K_1(\beta x) K_0(\sqrt{\alpha^2 - \beta^2} x) - \right. \\
&\quad \left. - \beta K_1(\alpha x) K_0(\beta x) K_1(\sqrt{\alpha^2 - \beta^2} x) + \alpha K_0(\alpha x) K_1(\beta x) K_1(\sqrt{\alpha^2 - \beta^2} x) \right]
\end{aligned}$$

$$\int x^2 J_1(\alpha x) I_0(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) dx = \frac{x^2}{2\beta \sqrt{\alpha^2 + \beta^2}} \left[\sqrt{\alpha^2 + \beta^2} J_1(\alpha x) I_1(\beta x) J_0(\sqrt{\alpha^2 + \beta^2} x) + \beta J_1(\alpha x) I_0(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) - \alpha J_0(\alpha x) I_1(\beta x) J_1(\sqrt{\alpha^2 + \beta^2} x) \right]$$

$$\int x^2 I_1(\alpha x) J_0(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) dx = \frac{x^2}{2\beta \sqrt{\alpha^2 + \beta^2}} \left[\sqrt{\alpha^2 + \beta^2} I_1(\alpha x) J_1(\beta x) I_0(\sqrt{\alpha^2 + \beta^2} x) + \beta I_1(\alpha x) J_0(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) - \alpha I_0(\alpha x) J_1(\beta x) I_1(\sqrt{\alpha^2 + \beta^2} x) \right]$$

4. Products of four Bessel Functions

4.1. Integrals of the type $\int x^m Z_0^n(x) Z_1^{4-n}(x) dx$

4.1. a) Explicit Integrals

$$\int J_0^3(x) J_1(x) dx = -\frac{1}{4} J_0^4(x)$$

$$\int I_0^3(x) I_1(x) dx = \frac{1}{4} I_0^4(x)$$

$$\int K_0^3(x) K_1(x) dx = -\frac{1}{4} K_0^4(x)$$

$$\int J_0(x) J_1^3(x) dx = \frac{1}{4} [x^2 J_0^4(x) - 2x J_0^3(x) J_1(x) + 2x^2 J_0^2(x) J_1^2(x) - 2x J_0(x) J_1^3(x) + x^2 J_1^4(x)]$$

$$\int I_0(x) I_1^3(x) dx = \frac{1}{4} [-x^2 I_0^4(x) + 2x I_0^3(x) I_1(x) + 2x^2 I_0^2(x) I_1^2(x) - 2x I_0(x) I_1^3(x) - x^2 I_1^4(x)]$$

$$\int K_0(x) K_1^3(x) dx = \frac{1}{4} [x^2 K_0^4(x) + 2x K_0^3(x) K_1(x) - 2x^2 K_0^2(x) K_1^2(x) - 2x K_0(x) K_1^3(x) + x^2 K_1^4(x)]$$

$$\int x^4 J_0(x) J_1^3(x) dx = \frac{x^4}{4} J_1^4(x) \quad (\text{See also p. 508.})$$

$$\int x^4 I_0(x) I_1^3(x) dx = \frac{x^4}{4} I_1^4(x)$$

$$\int x^4 K_0(x) K_1^3(x) dx = -\frac{x^4}{4} K_1^4(x)$$

$$\int \frac{J_0^2(x) J_1^2(x)}{x} dx = -\frac{x^2+1}{4} J_0^4(x) + \frac{x}{2} J_0^3(x) J_1(x) - \frac{x^2+1}{2} J_0^2(x) J_1^2(x) + \frac{x}{2} J_0(x) J_1^3(x) - \frac{x^2}{4} J_1^4(x)$$

$$\int \frac{I_0^2(x) I_1^2(x)}{x} dx = -\frac{x^2-1}{4} I_0^4(x) + \frac{x}{2} I_0^3(x) I_1(x) + \frac{x^2-1}{2} I_0^2(x) I_1^2(x) - \frac{x}{2} I_0(x) I_1^3(x) - \frac{x^2}{4} I_1^4(x)$$

$$\int \frac{K_0^2(x) K_1^2(x)}{x} dx = -\frac{x^2-1}{4} K_0^4(x) - \frac{x}{2} K_0^3(x) K_1(x) + \frac{x^2-1}{2} K_0^2(x) K_1^2(x) + \frac{x}{2} K_0(x) K_1^3(x) - \frac{x^2}{4} K_1^4(x)$$

$$\int \frac{J_0(x) J_1^3(x)}{x^2} dx = -\frac{4x^2+3}{16} J_0^4(x) + \frac{x}{2} J_0^3(x) J_1(x) - \frac{4x^2+3}{8} J_0^2(x) J_1^2(x) + \frac{2x^2-1}{4x} J_0(x) J_1^3(x) - \frac{4x^2-1}{16} J_1^4(x)$$

$$\int \frac{I_0(x) I_1^3(x)}{x^2} dx = -\frac{4x^2-3}{16} I_0^4(x) + \frac{x}{2} I_0^3(x) I_1(x) + \frac{4x^2-3}{8} I_0^2(x) I_1^2(x) - \frac{2x^2+1}{4x} I_0(x) I_1^3(x) - \frac{4x^2+1}{16} I_1^4(x)$$

$$\int \frac{K_0(x) K_1^3(x)}{x^2} dx =$$

$$= \frac{4x^2-3}{16} K_0^4(x) + \frac{x}{2} K_0^3(x) K_1(x) - \frac{4x^2-3}{8} K_0^2(x) K_1^2(x) - \frac{2x^2+1}{4x} K_0(x) K_1^3(x) + \frac{4x^2+1}{16} K_1^4(x)$$

$$\int \frac{J_1^4(x)}{x} dx = \frac{1}{4} [x^2 J_0^4(x) - 2x J_0^3(x) J_1(x) + 2x^2 J_0^2(x) J_1^2(x) - 2x J_0(x) J_1^3(x) + (x^2-1) J_1^4(x)]$$

$$\int \frac{I_1^4(x)}{x} dx = \frac{1}{4} [-x^2 I_0^4(x) + 2x I_0^3(x) I_1(x) + 2x^2 I_0^2(x) I_1^2(x) - 2x I_0(x) I_1^3(x) - (x^2+1) I_1^4(x)]$$

$$\int \frac{K_1^4(x)}{x} dx =$$

$$= \frac{1}{4} [-x^2 K_0^4(x) - 2x K_1^3(x) K_1(x) + 2x^2 K_0^2(x) K_1^2(x) + 2x K_0(x) K_1^3(x) - (x^2 + 1) K_1^4(x)]$$


$$\int \frac{J_1^4(x)}{x^3} dx = -\frac{4x^2 + 3}{24} J_0^4(x) + \frac{x}{3} J_0^3(x) J_1(x) - \frac{4x^2 + 3}{12} J_0^2(x) J_1^2(x) + \frac{2x^2 - 1}{6x} J_0(x) J_1^3(x) - \frac{4x^4 - x^2 + 4}{24x^2} J_1^4(x)$$

$$\int \frac{I_1^4(x)}{x^3} dx = -\frac{4x^2 - 3}{24} I_0^4(x) + \frac{x}{3} I_0^3(x) I_1(x) + \frac{4x^2 - 3}{12} I_0^2(x) I_1^2(x) - \frac{2x^2 + 1}{6x} I_0(x) I_1^3(x) - \frac{4x^4 + x^2 + 4}{24x^2} I_1^4(x)$$

$$\int \frac{K_1^4(x)}{x^3} dx =$$

$$= -\frac{4x^2 - 3}{24} K_0^4(x) - \frac{x}{3} K_0^3(x) K_1(x) + \frac{4x^2 - 3}{12} K_0^2(x) K_1^2(x) + \frac{2x^2 + 1}{6x} K_0(x) K_1^3(x) - \frac{4x^4 + x^2 + 4}{24x^2} K_1^4(x)$$

4.1. b) Basic Integral $Z_0^4(x)$



Power series:

$$\int_0^x J_0^4(t) dt = \sum_{k=0}^{\infty} (-1)^k a_k x^{2k+1} = x - \frac{1}{3} x^3 + \frac{7}{80} x^5 - \frac{1}{63} x^7 + \frac{679}{331776} x^9 - \frac{179}{921600} x^{11} + \frac{6049}{431308800} x^{13} - \dots$$

$$\int_0^x I_0^4(t) dt = \sum_{k=0}^{\infty} a_k x^{2k+1} = x + \frac{1}{3} x^3 + \frac{7}{80} x^5 + \frac{1}{63} x^7 + \frac{679}{331776} x^9 + \frac{179}{921600} x^{11} + \frac{6049}{431308800} x^{13} + \dots$$

k	a_k	a_k
0	1	1.00000 00000 00000 00000
1	$\frac{1}{3}$	0.33333 33333 33333 33333
2	$\frac{7}{80}$	0.08750 00000 00000 00000
3	$\frac{1}{63}$	0.01587 30158 73015 87302
4	$\frac{679}{331776}$	0.00204 65615 35493 82716
5	$\frac{179}{921600}$	0.00019 42274 30555 55556
6	$\frac{6049}{431308800}$	0.00001 40247 54421 88984
7	$\frac{9671}{12192768000}$	0.00000 07931 75101 83086
8	$\frac{16304551}{452803638067200}$	0.00000 00360 07994 70074
9	$\frac{7844077}{5856006714163200}$	0.00000 00013 39492 48744
10	$\frac{752932783}{18122799725936640000}$	0.00000 00000 41546 16253
11	$\frac{93524251}{85775087818506240000}$	0.00000 00000 01090 34282
12	$\frac{36868956721}{1503674582974857216000000}$	0.00000 00000 00024 51924
13	$\frac{131084576323}{274450684884570939064320000}$	0.00000 00000 00000 47763
14	$\frac{134309549357}{16507700453797896482979840000}$	0.00000 00000 00000 00814
15	$\frac{242618760673}{1985193287331729792565248000000}$	0.00000 00000 00000 00012


Approximation by Chebyshev polynomials: For $|x| \leq 8$ holds (based on [2], 9.7)

$$\int_0^x J_0^4(t) dt = \sum_{k=0}^{33} \alpha_k T_{2n+1}\left(\frac{x}{8}\right) + \Delta^{(40)}(x)$$

with the coefficients

k	α_k	k	α_k
0	1.11216 87232 77997 70374	17	-0.00004 87217 67090 45658
1	-0.34519 17415 46385 57003	18	0.00001 20357 15738 11243
2	0.19338 82074 76973 67514	19	-0.00000 25907 87311 63049
3	-0.12647 08183 95063 85502	20	0.00000 04907 99998 13736
4	0.09004 56892 27881 33025	21	-0.00000 00825 41454 11576
5	-0.06770 17817 94869 79248	22	0.00000 00124 18007 27445
6	0.04909 46023 85233 15906	23	-0.00000 00016 82526 91798
7	-0.03372 40353 97394 50397	24	0.00000 00002 06529 29192
8	0.02266 69978 75674 80247	25	-0.00000 00000 23088 90409
9	-0.01515 53930 28431 47066	26	0.00000 00000 02361 98127
10	0.01031 44234 66796 38411	27	-0.00000 00000 00222 04627
11	-0.00711 67527 37994 13547	28	0.00000 00000 00019 25615
12	0.00463 50732 52595 22669	29	-0.00000 00000 00001 54585
13	-0.00263 71375 49146 56248	30	0.00000 00000 00000 11524
14	0.00126 22032 52082 49660	31	-0.00000 00000 00000 00800
15	-0.00050 48484 79216 82394	32	0.00000 00000 00000 00052
16	0.00016 99635 21655 61120	33	-0.00000 00000 00000 00003

The derivation $\Delta^{(40)}(x)$:



Asymptotic formula:

$$\int_0^\infty J_0^4(x) dx = 0.90272\ 85783\ 23834\ 82419 \dots$$

$$\int_0^x J_0^4(t) dt \sim 0.90272 \dots - \frac{1}{\pi^2} \left[\frac{3}{2x} + \frac{8 \cos(2x) + \sin(4x)}{8x^2} - \frac{1 - 10 \sin(2x) + \cos(4x)}{8x^3} + \dots \right] =$$

$$= 0.90272 \dots - \frac{1}{\pi^2} \sum_{k=1}^\infty \frac{p_k + q_k \sin 2x + r_k \sin 4x + s_k \cos 2x + t_k \cos 4x}{n_k \cdot x^k} = 0.90272 \dots - \frac{1}{\pi^2} \sum_{k=1}^\infty \frac{\sigma_k(x)}{x^k}$$

k	p_k	q_k	r_k	s_k	t_k	n_k
1	3	0	0	0	0	2
2	0	0	1	8	0	8
3	-1	10	0	0	-1	8
4	0	0	-9	-138	0	64
5	168	-5770	0	0	245	1280
6	0	0	644	24095	0	2048
7	-27648	2053401	0	0	-35364	57344
8	0	0	-93636	-93636	0	65536
9	1042944	-134972229	0	0	1015836	262144
10	0	0	102333888	19644534099	0	8388608
11	-1979596800	394714074735	0	0	-1482416640	33554432
12	0	0	-48926574720	-17487139338315	0	268435456

Let

$$D_n(x) = 0.90272 \dots - \frac{1}{\pi^2} \sum_{k=1}^n \frac{\sigma_k(x)}{x^k} - \int_0^x J_0^4(t) dt$$

denote the derivation of the partial sums of the asymptotic series. The following table shows consecutive maxima and minima of this functions:

x_k	1.505	3.298	4.622	6.418	7.755	9.552	10.893
$D_1(x_k)$	-3.113E-02	8.502E-03	-4.513E-03	2.446E-03	-1.678E-03	1.126E-03	-8.628E-04
x_k	2.356	3.964	5.498	7.091	8.639	10.226	11.781
$D_2(x_k)$	-6.617E-03	1.749E-03	-6.893E-04	3.361E-04	-1.879E-04	1.152E-04	-7.558E-05

x_k	3.221	4.656	6.355	7.796	9.494	10.936	12.634
$D_3(x_k)$	-1.514E-03	3.813E-04	-1.230E-04	5.450E-05	-2.601E-05	1.463E-05	-8.457E-06
x_k	3.945	5.498	7.080	8.639	10.219	11.781	13.358
$D_4(x_k)$	-3.508E-04	7.283E-05	-2.295E-05	8.509E-06	-3.893E-06	1.881E-06	-1.046E-06
x_k	3.176	4.688	6.314	7.830	9.454	10.971	12.595
$D_5(x_k)$	6.526E-04	-7.890E-05	1.534E-05	-4.427E-06	1.511E-06	-6.268E-07	2.819E-07
x_k	3.937	5.498	7.076	8.639	10.216	11.781	13.356
$D_6(x_k)$	1.452E-04	-1.689E-05	3.288E-06	-8.541E-07	2.789E-07	-1.044E-07	4.469E-08
x_k	3.157	4.702	6.297	7.844	9.438	10.985	12.579
$D_7(x_k)$	-5.521E-04	3.208E-05	-3.752E-06	7.106E-07	-1.734E-07	5.326E-08	-1.868E-08
x_k	3.933	5.498	7.074	8.639	10.214	11.781	13.355
$D_8(x_k)$	-1.077E-04	6.921E-06	-8.432E-07	1.521E-07	-3.594E-08	1.033E-08	-3.490E-09
x_k	3.150	4.708	6.290	7.849	9.431	10.991	12.573
$D_9(x_k)$	7.860E-04	-2.183E-05	1.525E-06	-1.904E-07	3.320E-08	-7.650E-09	2.080E-09
x_k	3.931	5.498	7.072	8.639	10.213	11.781	13.354
$D_{10}(x_k)$	1.271E-04	-4.450E-06	3.409E-07	-4.254E-08	7.270E-09	-1.600E-09	4.100E-10

Holds $D_9(8) = -1.798E-7$ and

$$\min \{D_n(x_k) \mid 8 \leq x\} = |D_{10}(8.639)| = 4.254E - 8 .$$


Therefore using the partial sum of the asymptotic series with $n = 10$ means to get the best uniform approximation of the integral with $x \geq 8$. It is the best way to continue the representation by the sum of Chebyshev polynomials given before.

$$\int_0^x I_0^4(t) dt \sim \frac{e^{4x}}{16\pi^2 x^2} \left[1 + \frac{1}{x} + \frac{9}{8x^2} + \frac{49}{32x^3} + \frac{161}{64x^4} + \frac{1263}{256x^5} + \frac{23409}{2048x^6} + \dots \right] = \frac{e^{4x}}{16\pi^2 x^2} \sum_{k=0}^{\infty} \frac{\mu_k}{x^k}$$

k	μ_k	μ_k	μ_k/μ_{k-1}
0	1	1.000 000 000 000	-
1	1	1.000 000 000 000	1.000
2	$\frac{9}{8}$	1.125 000 000 000	1.125
3	$\frac{49}{32}$	1.531 250 000 000	1.361
4	$\frac{161}{64}$	2.515 625 000 000	1.643
5	$\frac{1263}{256}$	4.933 593 750 000	1.961
6	$\frac{23409}{2048}$	11.430 175 781 25	2.317
7	$\frac{253959}{8192}$	31.000 854 492 19	2.712
8	$\frac{1598967}{16384}$	97.593 200 683 59	3.148
9	$\frac{2895345}{8192}$	353.435 668 945 3	3.622
10	$\frac{382238865}{262144}$	1 458.125 553 131	4.126
11	$\frac{7110791145}{1048576}$	6 781.378 884 315	4.651
12	$\frac{295087625775}{8388608}$	35 177.186 223 864	5.187

For a given $x \gg 0$ the series can be used while $\mu_k/\mu_{k-1} \leq x$.

4.1. c) Basic Integral $x Z_0^2(x) Z_1^2(x)$



Power series:

$$\int_0^x t J_0^2(t) J_1^2(t) dt = \sum_{k=2}^{\infty} (-1)^k b_k x^{2k} = \frac{x^4}{16} - \frac{x^6}{32} + \frac{47}{6144} x^8 - \frac{43}{36864} x^{10} + \frac{17}{138240} x^{12} - \frac{211}{22118400} x^{14} + \dots$$

$$\int_0^x t I_0^2(t) I_1^2(t) dt = \sum_{k=2}^{\infty} b_k x^{2k} = \frac{x^4}{16} + \frac{x^6}{32} + \frac{47}{6144} x^8 + \frac{43}{36864} x^{10} + \frac{17}{138240} x^{12} + \frac{211}{22118400} x^{14} + \dots$$

k	b_k	b_k
2	$\frac{1}{4}$	0.25000 00000 00000 00000
3	$\frac{1}{32}$	0.03125 00000 00000 00000
4	$\frac{47}{6144}$	0.00764 97395 83333 33333
5	$\frac{43}{36864}$	0.00116 64496 52777 77778
6	$\frac{17}{138240}$	0.00012 29745 37037 03704
7	$\frac{211}{22118400}$	0.00000 95395 68865 74074
8	$\frac{540619}{951268147200}$	0.00000 05683 13993 89465

k	b_k	b_k
9	1072333 ----- 39953262182400 19751801	0.00000 00268 39685 70838
10	19177565847552000 ----- 11307553	0.00000 00010 29943 06770
11	345196185255936000 ----- 88869497	0.00000 00000 32756 88864
12	101257547675074560000 ----- 402630853	0.00000 00000 00877 65800
13	20048994439664762880000 ----- 17384556227	0.00000 00000 00020 08235
14	43787003856227842129920000 ----- 16710855809	0.00000 00000 00000 39703
15	2439561643418408347238400000 ----- 58219427293829	0.00000 00000 00000 00685
16	559576891520740833056155238400000	0.00000 00000 00000 00010


Approximation by Chebyshev polynomials: For $|x| \leq 8$ holds (based on [2], 9.7)

$$\int_0^x t J_0^2(t) J_1^2(t) dt = x^4 \sum_{k=0}^{33} \beta_k T_{2n} \left(\frac{x}{8} \right) + \Delta^{(22)}(x)$$

with the coefficients

k	β_k	k	β_k
0	0.00654 92504 91232 31929	16	0.00000 13488 21251 71102
1	-0.01239 97369 78264 31272	17	-0.00000 03066 11870 00840
2	0.01094 53569 42769 10753	18	0.00000 00617 07706 64541
3	-0.00914 38524 55194 87209	19	-0.00000 00110 63931 41290
4	0.00727 27632 79880 71248	20	0.00000 00017 77850 51057
5	-0.00551 50237 23344 53306	21	-0.00000 00002 57472 65556
6	0.00398 42908 14902 62113	22	0.00000 00000 33780 93775
7	-0.00273 36991 93851 90098	23	-0.00000 00000 04034 52317
8	0.00177 13047 44123 60885	24	0.00000 00000 00440 55264
9	-0.00107 36173 62206 65294	25	-0.00000 00000 00044 16078
10	0.00059 89651 07157 49244	26	0.00000 00000 00004 07863
11	-0.00030 12533 67887 99958	27	-0.00000 00000 00000 34826
12	0.00013 40719 51669 75647	28	0.00000 00000 00000 02758
13	-0.00005 21809 55261 86499	29	-0.00000 00000 00000 00203
14	0.00001 76814 63326 68133	30	0.00000 00000 00000 00014
15	-0.00000 52208 90537 98925	31	-0.00000 00000 00000 00001

The derivation $\Delta^{(22)}(x)$:



Asymptotic formula:

$$\int_0^x t J_0^2(t) J_1^2(t) dt \sim 0.09947\ 25799\ 65044\ 03230 \dots +$$

$$+ \frac{1}{\pi^2} \left[\frac{\ln x}{2} + \frac{\sin 4x}{8x} + \frac{\cos 4x - 16 \sin 2x - 6}{8x^2} + \frac{\sin 4x + 12 \cos 2x}{32 x^3} + \dots \right] =$$

$$= 0.09947 \dots + \frac{1}{\pi^2} \left[\frac{\ln x}{2} + \sum_{k=1}^{\infty} \frac{p_k + q_k \sin 2x + r_k \sin 4x + s_k \cos 2x + t_k \cos 4x}{n_k \cdot x^k} \right] =$$

$$= 0.09947 \dots + \frac{1}{\pi^2} \left[\sigma_0(x) + \sum_{k=1}^{\infty} \frac{\sigma_k(x)}{x^k} \right]$$

k	p_k	q_k	r_k	s_k	t_k	n_k
1	0	0	1	0	0	8
2	-6	-16	0	0	1	32
3	0	0	1	12	0	32
4	18	180	0	0	-9	256
5	0	0	-51	-1356	0	1024
6	-576	-15483	0	0	357	4096
7	0	0	3015	182385	0	16384
8	99360	99360	0	0	-60300	131072
9	0	0	-703530	-88668135	0	524288
10	-137687040	-13633922835	0	0	75666960	16777216
11	0	0	1159159680	271539997785	0	67108864
12	67108864	12571439587875	0	0	-40044715200	536870912

Let

$$D_n(x) = 0.09947 \dots + \frac{1}{\pi^2} \left[\sigma_0(x) + \sum_{k=1}^n \frac{\sigma_k(x)}{x^k} \right] - \int_0^x t J_0^2(t) J_1^2(t) dt$$

denote the derivation of the partial sums of the asymptotic series. The following table shows consecutive maxima and minima of this functions:

x_k	3.391	4.211	5.147	5.931	6.602	7.398	8.273
$D_1(x_k)$	-5.002E-04	6.375E-03	-2.955E-03	1.615E-03	-8.607E-04	2.793E-03	-1.744E-03
x_k	3.870	5.505	7.037	8.644	10.188	11.784	13.335
$D_2(x_k)$	4.475E-03	-8.864E-04	1.430E-03	-3.717E-04	6.919E-04	-2.023E-04	4.062E-04
x_k	3.248	4.676	6.384	7.800	9.520	10.934	12.658
$D_3(x_k)$	-1.021E-03	3.135E-04	-1.471E-04	7.402E-05	-4.504E-05	2.779E-05	-1.922E-05
x_k	3.901	5.502	7.053	8.642	10.199	11.783	13.343
$D_4(x_k)$	-2.742E-04	5.650E-05	-3.011E-05	1.011E-05	-7.214E-06	3.019E-06	-2.511E-06
x_k	3.201	4.711	6.340	7.840	9.477	10.975	12.616
$D_5(x_k)$	2.732E-04	-4.339E-05	1.169E-05	-3.970E-06	1.674E-06	-7.807E-07	4.107E-07
x_k	3.175	4.724	6.316	7.857	9.455	10.994	12.594
$D_6(x_k)$	-1.747E-04	1.386E-05	-2.198E-06	4.983E-07	-1.481E-07	5.176E-08	-2.095E-08
x_k	3.921	5.499	7.064	8.640	10.207	11.782	13.349
$D_7(x_k)$	-3.990E-05	3.253E-06	-5.342E-07	1.093E-07	-3.219E-08	9.988E-09	-3.994E-09
x_k	3.161	4.726	6.305	7.863	9.444	11.001	12.584
$D_8(x_k)$	2.032E-04	-7.880E-06	7.394E-07	-1.115E-07	2.348E-08	-6.142E-09	1.922E-09
x_k	3.924	5.499	7.066	8.640	10.208	11.782	13.350
$D_9(x_k)$	3.864E-05	-1.772E-06	1.785E-07	-2.587E-08	5.416E-09	-1.316E-09	4.030E-10
x_k	3.154	4.725	6.299	7.864	9.439	11.003	12.579
$D_{10}(x_k)$	-3.766E-04	7.014E-06	-3.886E-07	3.885E-08	-5.815E-09	1.138E-09	-2.759E-10

Holds

$$\min \{D_n(x_k) \mid 8 \leq x\} = |D_9(9.439)| = 2.587E - 08.$$

Therefore using the partial sum of the asymptotic series with $n = 9$ means to get the best uniform approximation of the integral with $x \geq 8$. It is the best way to continue the representation by the sum of Chebyshev polynomials given before.


$$\int_0^x t I_0^2(t) I_1^2(t) dt \sim \frac{e^{4x}}{16\pi^2 x} \left[1 - \frac{1}{4x} - \frac{1}{4x^2} - \frac{9}{32x^3} - \frac{51}{128x^4} - \frac{357}{512x^5} - \frac{3015}{2048x^6} - \dots \right] =$$

$$= \frac{e^{4x}}{16\pi^2 x} \left(1 - \sum_{k=1}^{\infty} \frac{\mu_k}{x^k} \right)$$

k	μ_k	μ_k	μ_k/μ_{k-1}
1	$\frac{1}{4}$	0.250 000 000 000	-
2	$\frac{1}{4}$	0.250 000 000 000	1.000
3	$\frac{9}{32}$	0.281 250 000 000	1.125
4	$\frac{51}{128}$	0.398 437 500 000	1.417
5	$\frac{357}{512}$	0.697 265 625 000	1.750
6	$\frac{3015}{2048}$	1.472 167 968 750	2.111
7	$\frac{15075}{4096}$	3.680 419 921 875	2.500
8	$\frac{351765}{32768}$	10.735 015 869 14	2.917
9	$\frac{4729185}{131072}$	36.080 818 176 27	3.361
10	$\frac{9055935}{65536}$	138.182 601 928 7	3.830
11	$\frac{625698675}{1048576}$	596.712 756 156 9	4.318
12	$\frac{24131137275}{8388608}$	2 876.655 730 605	4.821

For a given $x \gg 0$ the series can be used while $\mu_k/\mu_{k-1} \leq x$.

4.1. d) Basic Integral $Z_1^4(x)$



Power series:

$$\int_0^x J_1^4(t) dt = \sum_{k=2}^{\infty} (-1)^k c_k x^{2k+1} = \frac{1}{80} x^5 - \frac{1}{224} x^7 + \frac{11}{13824} x^9 - \frac{37}{405504} x^{11} + \frac{11}{1474560} x^{13} - \frac{1223}{2654208000} x^{15} + \dots$$

$$\int_0^x I_1^4(t) dt = \sum_{k=2}^{\infty} c_k x^{2k+1} = \frac{1}{80} x^5 + \frac{1}{224} x^7 + \frac{11}{13824} x^9 + \frac{37}{405504} x^{11} + \frac{11}{1474560} x^{13} + \frac{1223}{2654208000} x^{15} + \dots$$

k	c_k	c_k
2	$\frac{1}{80}$	0.01250 00000 00000 00000
3	$\frac{1}{224}$	0.00446 42857 14285 71429
4	$\frac{11}{13824}$	0.00079 57175 92592 59259
5	$\frac{37}{405504}$	0.00009 12444 76010 10101
6	$\frac{11}{1474560}$	0.00000 74598 52430 55556
7	$\frac{1223}{2654208000}$	0.00000 04607 77753 66512
8	$\frac{45173}{2021444812800}$	0.00000 00223 46887 58949
9	$\frac{221467}{253037327155200}$	0.00000 00008 75234 50587
10	$\frac{2278819}{80545776559718400}$	0.00000 00000 28292 22210
11	$\frac{1524667}{1984878065221632000}$	0.00000 00000 00768 14139

k	c_k	c_k
12	$\frac{33739889}{1898579018907648000000}$	0.00000 00000 00017 77113
13	$\frac{191964463}{541322849870948597760000}$	0.00000 00000 00000 35462
14	$\frac{639303779}{103659029537192442593280000}$	0.00000 00000 00000 00617
15	$\frac{1383459431}{14666940304673097457336320000}$	0.00000 00000 00000 00009


Approximation by Chebyshev polynomials: For $|x| \leq 8$ holds (based on [2], 9.7)

$$\int_0^x J_1^4(t) dt = x^5 \sum_{k=0}^{33} \gamma_k T_{2k} \left(\frac{x}{8} \right) + \Delta^{(04)}(x)$$

with the coefficients

k	γ_k	k	γ_k
0	0.00153 17807 42787 63788	15	-0.00000 01214 49955 80695
1	-0.00288 55180 23979 94997	16	0.00000 00263 11808 30629
2	0.00246 63655 58097 67279	17	-0.00000 00050 87634 73551
3	-0.00194 01230 51814 45392	18	0.00000 00008 82115 64716
4	0.00141 41566 95709 63740	19	-0.00000 00001 37795 20459
5	-0.00095 77666 19168 38344	20	0.00000 00000 19482 53784
6	0.00060 29805 69397 05353	21	-0.00000 00000 02504 22692
7	-0.00035 21217 05640 59655	22	0.00000 00000 00293 84879
8	0.00018 96461 12672 32841	23	-0.00000 00000 00031 59998
9	-0.00009 33179 14008 29393	24	0.00000 00000 00003 12564
10	0.00004 14766 56943 42490	25	-0.00000 00000 00000 28533
11	-0.00001 64773 77688 70038	26	0.00000 00000 00000 02411
12	0.00000 58075 26406 73172	27	-0.00000 00000 00000 00189
13	-0.00000 18093 92101 58874	28	0.00000 00000 00000 00014
14	0.00000 04981 61958 19526	29	-0.00000 00000 00000 00001

The derivation $\Delta^{(04)}(x)$:



Asymptotic formula:

$$\int_0^\infty J_1^4(x) dx = 0.20025 27575 82806 70455 \dots$$

$$\int_0^x J_1^4(t) dt \sim 0.20025 \dots - \frac{1}{\pi^2} \left[\frac{3}{2x} + \frac{8 \cos(2x) - \sin(4x)}{8x^2} - \frac{3 - 2 \sin(2x) + \cos(4x)}{8x^3} + \dots \right] =$$

$$= 0.20025 \dots - \frac{1}{\pi^2} \sum_{k=1}^{\infty} \frac{p_k + q_k \sin 2x + r_k \sin 4x + s_k \cos 2x + t_k \cos 4x}{n_k \cdot x^k} = 0.20025 \dots - \frac{1}{\pi^2} \sum_{k=1}^{\infty} \frac{\sigma_k(x)}{x^k}$$

k	p_k	q_k	r_k	s_k	t_k	n_k
1	3	0	0	0	0	2
2	0	0	1	-8	0	8
3	3	-2	0	0	1	8
4	0	0	3	-6	0	64
5	-216	-30	0	0	-75	1280
6	0	0	-204	1173	0	2048
7	34560	65536	0	0	12348	57344
8	0	0	37116	-586503	0	65536
9	-1267200	-9916623	0	0	-9916623	262144
10	0	0	-52716096	1650714957	0	8388608
11	25778995200	376332256575	0	0	9405918720	369098752
12	0	0	369098752	-1633144646925	0	-1633144646925

Let

$$D_n(x) = 0.20025 \dots - \frac{1}{\pi^2} \sum_{k=1}^n \frac{\sigma_k(x)}{x^k} - \int_0^x J_0^4(t) dt$$

denote the derivation of the partial sums of the asymptotic series. The following table shows consecutive maxima and minima of this functions:

x_k	2.930	4.738	6.115	7.917	9.274	11.073	12.424
$D_1(x_k)$	-9.815E-03	5.061E-03	-2.533E-03	1.764E-03	-1.140E-03	8.883E-04	-6.457E-04
x_k	3.927	4.804	7.069	8.003	10.210	11.962	11.962
$D_2(x_k)$	-6.708E-06	5.006E-04	-5.760E-07	1.111E-04	-1.053E-07	3.014E-05	3.014E-05
x_k	4.118	4.967	5.948	7.057	7.182	8.102	9.122
$D_3(x_k)$	-7.413E-06	1.140E-05	-1.107E-05	-5.756E-07	-5.905E-07	2.135E-06	-1.971E-06
x_k	4.567	5.842	6.168	7.055	7.737	8.858	9.382
$D_4(x_k)$	-1.253E-05	-1.396E-06	-1.515E-06	-5.756E-07	-9.571E-07	-1.679E-07	-2.281E-07
x_k	4.932	6.114	8.037	9.272	11.165	12.418	14.300
$D_5(x_k)$	-2.582E-06	9.433E-07	-1.787E-07	8.754E-08	-2.737E-08	1.592E-08	-6.480E-09
x_k	3.932	5.630	7.072	8.735	10.212	11.855	13.353
$D_6(x_k)$	7.787E-06	-6.017E-07	1.910E-07	-3.239E-08	1.673E-08	-4.050E-09	2.700E-09
x_k	3.044	4.823	6.215	7.943	9.364	11.075	12.507
$D_7(x_k)$	-4.681E-05	1.729E-06	-2.866E-07	4.340E-08	-1.287E-08	3.440E-09	-1.340E-09
x_k	3.927	5.571	7.069	8.696	10.210	11.826	13.352
$D_8(x_k)$	-7.839E-06	4.320E-07	-6.420E-08	9.910E-09	-2.750E-09	7.500E-10	-2.800E-10
x_k	3.092	4.775	6.248	7.905	9.394	11.040	12.537
$D_9(x_k)$	7.406E-05	-1.525E-06	1.346E-07	-1.447E-08	2.910E-09	-5.800E-10	2.100E-10
x_k	3.927	5.542	7.069	8.677	10.210	11.812	13.352
$D_{10}(x_k)$	1.082E-05	-3.483E-07	2.989E-08	-3.330E-09	6.900E-10	-1.500E-10	2.000E-11

Note that $D_2(x)$, $D_3(x)$ and $D_4(x)$ do not have the regular behaviour of the other functions.

Holds

$$\max \{|D_{10}(x)| \mid x \geq 8\} = 4.00E - 9 .$$

Using the partial sum of the asymptotic series with $n = 10$ means to get the best uniform approximation of the integral with $x \geq 8$. It is the best way to continue the representation by the sum of Chebyshev polynomials given before.

$$\int_0^x I_1^4(t) dt \sim \frac{e^{4x}}{16\pi^2 x^2} \left[1 - \frac{1}{x} - \frac{3}{8x^2} - \frac{15}{32x^3} - \frac{51}{64x^4} - \frac{441}{256x^5} - \frac{9279}{2048x^6} - \dots \right] = \frac{e^{4x}}{16\pi^2 x^2} \left(1 - \sum_{k=1}^{\infty} \frac{\mu_k}{x^k} \right)$$

k	μ_k	μ_k	μ_k/μ_{k-1}
1	1	1.000 000 000 000	-
2	$\frac{3}{8}$	0.375 000 000 000	0.375
3	$\frac{15}{32}$	0.468 750 000 000	1.250
4	$\frac{51}{64}$	0.796 875 000 000	1.700
5	$\frac{441}{256}$	1.722 656 250 000	2.162
6	$\frac{9279}{2048}$	4.530 761 718 750	2.630
7	$\frac{115137}{8192}$	14.054 809 570 31	3.102
8	$\frac{823689}{16384}$	50.273 986 816 41	3.577
9	$\frac{1670085}{8192}$	203.867 797 851 6	4.055
10	$\frac{242464455}{262144}$	924.928 493 499 8	4.537
11	$\frac{4871010735}{1048576}$	4 645.357 832 909	5.022
12	$\frac{214767448785}{8388608}$	25 602.274 988 294 5.511	

For a given $x \gg 0$ the series can be used while $\mu_k/\mu_{k-1} \leq x$.

4.1. e) Integrals of $x^m Z_0^4(x)$

With the basic integrals

$$\mathcal{I}_0^{(40)}(x) = \int J_0^4(x) dx, \quad \mathcal{I}_1^{(22)}(x) = \int x J_0^2(x) J_1^2(x) dx, \quad \mathcal{I}_0^{(04)}(x) = \int J_1^4(x) dx$$

and

$$\mathcal{I}_0^{*(40)}(x) = \int I_0^4(x) dx, \quad \mathcal{I}_1^{*(22)}(x) = \int x I_0^2(x) I_1^2(x) dx, \quad \mathcal{I}_0^{*(04)}(x) = \int I_1^4(x) dx$$

holds

$$\begin{aligned} \int x J_0^4(x) dx &= x J_0^3(x) J_1(x) + 3\mathcal{I}_1^{(22)}(x) \\ \int x I_0^4(x) dx &= x I_0^3(x) I_1(x) - 3\mathcal{I}_1^{*(22)}(x) \\ \int x^2 J_0^4(x) dx &= \frac{12x^3 - x}{32} J_0^4(x) - \frac{x^2}{8} J_0^3(x) J_1(x) + \frac{3x^3}{4} J_0^2(x) J_1^2(x) - \frac{3x^2}{8} J_0(x) J_1^3(x) + \\ &\quad + \frac{12x^3 - 3x}{32} J_1^4(x) + \frac{1}{32} \mathcal{I}_0^{(40)}(x) - \frac{9}{32} \mathcal{I}_0^{(04)}(x) \\ \int x^2 I_0^4(x) dx &= \frac{12x^3 + x}{32} I_0^4(x) - \frac{x^2}{8} I_0^3(x) I_1(x) - \frac{3x^3}{4} I_0^2(x) I_1^2(x) + \frac{3x^2}{8} I_0(x) I_1^3(x) + \\ &\quad + \frac{12x^3 + 3x}{32} I_1^4(x) - \frac{1}{32} \mathcal{I}_0^{*(40)}(x) + \frac{9}{32} \mathcal{I}_0^{*(04)}(x) \end{aligned}$$

$$\int x^3 J_0^4(x) dx = \frac{3x^4 + 2x^2}{16} J_0^4(x) + \frac{x^3 - x}{4} J_0^3(x) J_1(x) + \frac{3x^4}{8} J_0^2(x) J_1^2(x) + \frac{3x^4}{16} J_1^4(x) - \frac{3}{4} \mathcal{I}_1^{(22)}(x)$$

$$\int x^3 I_0^4(x) dx = \frac{3x^4 - 2x^2}{16} I_0^4(x) + \frac{x^3 + x}{4} I_0^3(x) I_1(x) - \frac{3x^4}{8} I_0^2(x) I_1^2(x) + \frac{3x^4}{16} I_1^4(x) - \frac{3}{4} \mathcal{I}_1^{*(22)}(x)$$

$$\int x^4 J_0^4(x) dx = \frac{32x^5 - 12x^3 + 9x}{256} J_0^4(x) + \frac{24x^4 + 9x^2}{64} J_0^3(x) J_1(x) + \frac{8x^5 - 21x^3}{32} J_0^2(x) J_1^2(x) +$$

$$+ \frac{8x^4 + 23x^2}{64} J_0(x) J_1^3(x) + \frac{32x^5 - 92x^3 + 23x}{256} J_1^4(x) - \frac{9}{256} \mathcal{I}_0^{(40)}(x) + \frac{69}{256} \mathcal{I}_0^{(04)}(x)$$

$$\int x^4 I_0^4(x) dx = \frac{32x^5 + 12x^3 + 9x}{256} I_0^4(x) + \frac{24x^4 - 9x^2}{64} I_0^3(x) I_1(x) - \frac{8x^5 + 21x^3}{32} I_0^2(x) I_1^2(x) -$$

$$- \frac{8x^4 - 23x^2}{64} I_0(x) I_1^3(x) + \frac{32x^5 + 92x^3 + 23x}{256} I_1^4(x) - \frac{9}{256} \mathcal{I}_0^{*(40)}(x) + \frac{69}{256} \mathcal{I}_0^{*(04)}(x)$$

$$\int x^5 J_0^4(x) dx = \frac{6x^6 + 7x^4 - 14x^2}{64} J_0^4(x) + \frac{7x^5 - 7x^3 + 7x}{16} J_0^3(x) J_1(x) + \frac{6x^6 - 21x^4}{32} J_0^2(x) J_1^2(x) +$$

$$+ \frac{3x^5}{16} J_0(x) J_1^3(x) + \frac{6x^6 - 27x^4}{64} J_1^4(x) + \frac{21}{16} \mathcal{I}_1^{(22)}(x)$$

$$\int x^5 I_0^4(x) dx = \frac{6x^6 - 7x^4 - 14x^2}{64} I_0^4(x) + \frac{7x^5 + 7x^3 + 7x}{16} I_0^3(x) I_1(x) - \frac{6x^6 + 21x^4}{32} I_0^2(x) I_1^2(x) -$$

$$- \frac{3x^5}{16} I_0(x) I_1^3(x) + \frac{6x^6 + 27x^4}{64} I_1^4(x) - \frac{21}{16} \mathcal{I}_1^{*(22)}(x)$$

$$\int x^6 J_0^4(x) dx = \frac{768x^7 + 2496x^5 + 1668x^3 - 1251x}{10240} J_0^4(x) + \frac{1216x^6 - 3120x^4 - 1251x^2}{2560} J_0^3(x) J_1(x) +$$

$$+ \frac{192x^7 - 896x^5 + 2757x^3}{1280} J_0^2(x) J_1^2(x) + \frac{576x^6 - 1328x^4 - 3089x^2}{2560} J_0(x) J_1^3(x) +$$

$$+ \frac{768x^7 - 5312x^5 + 12356x^3 - 3089x}{10240} J_1^4(x) + \frac{1251}{10240} \mathcal{I}_0^{(40)}(x) - \frac{9267}{10240} \mathcal{I}_0^{(04)}(x)$$

$$\int x^6 I_0^4(x) dx = \frac{768x^7 - 2496x^5 + 1668x^3 + 1251x}{10240} I_0^4(x) + \frac{1216x^6 + 3120x^4 - 1251x^2}{2560} I_0^3(x) I_1(x) -$$

$$- \frac{192x^7 + 896x^5 + 2757x^3}{1280} I_0^2(x) I_1^2(x) - \frac{576x^6 + 1328x^4 - 3089x^2}{2560} I_0(x) I_1^3(x) +$$

$$+ \frac{768x^7 + 5312x^5 + 12356x^3 + 3089x}{10240} I_1^4(x) - \frac{1251}{10240} \mathcal{I}_0^{*(40)}(x) + \frac{9267}{10240} \mathcal{I}_0^{*(04)}(x)$$

$$\int x^7 J_0^4(x) dx = \frac{x^8 + 6x^6 - 9x^4 + 18x^2}{16} J_0^4(x) + \frac{2x^7 - 9x^5 + 9x^3 - 9x}{4} J_0^3(x) J_1(x) +$$

$$+ \frac{x^8 - 6x^6 + 27x^4}{8} J_0^2(x) J_1^2(x) + \frac{x^7 - 5x^5}{4} J_0(x) J_1^3(x) + \frac{x^8 - 10x^6 + 37x^4}{16} J_1^4(x) - \frac{27}{4} \mathcal{I}_1^{(22)}(x)$$

$$\int x^7 I_0^4(x) dx = \frac{x^8 - 6x^6 - 9x^4 - 18x^2}{16} I_0^4(x) + \frac{2x^7 + 9x^5 + 9x^3 + 9x}{4} I_0^3(x) I_1(x) -$$

$$- \frac{x^8 + 6x^6 + 27x^4}{8} I_0^2(x) I_1^2(x) - \frac{x^7 + 5x^5}{4} I_0(x) I_1^3(x) + \frac{x^8 + 10x^6 + 37x^4}{16} I_1^4(x) - \frac{27}{4} \mathcal{I}_1^{*(22)}(x)$$

$$\int x^8 J_0^4(x) dx = \frac{15360x^9 + 145024x^7 - 535152x^5 - 364116x^3 + 273087x}{286720} J_0^4(x) +$$

$$\begin{aligned}
& + \frac{37120x^8 - 253792x^6 + 668940x^4 + 273087x^2}{71680} J_0^3(x) J_1(x) + \\
& + \frac{1920x^9 - 14352x^7 + 91726x^5 - 296367x^3}{17920} J_0^2(x) J_1^2(x) + \\
& + \frac{19200x^8 - 158112x^6 + 302036x^4 + 668243x^2}{71860} J_0(x) J_1^3(x) + \\
& + \frac{15360x^9 - 210816x^7 + 1208144x^5 - 2672972x^3 + 668243x}{286720} J_1^4(x) - \frac{273087}{286720} \mathcal{I}_0^{(40)}(x) + \frac{2004729}{286720} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\int x^8 I_0^4(x) dx = \frac{15360x^9 - 145024x^7 - 535152x^5 + 364116x^3 + 273087x}{286720} I_0^4(x) +$$

$$\begin{aligned}
& + \frac{37120x^8 + 253792x^6 + 668940x^4 - 273087x^2}{71680} I_0^3(x) I_1(x) - \\
& - \frac{1920x^9 + 14352x^7 + 91726x^5 + 296367x^3}{17920} I_0^2(x) I_1^2(x) - \\
& - \frac{19200x^8 + 158112x^6 + 302036x^4 - 668243x^2}{71680} I_0(x) I_1^3(x) + \\
& + \frac{15360x^9 + 210816x^7 + 1208144x^5 + 2672972x^3 + 668243x}{286720} I_1^4(x) - \\
& - \frac{273087}{286720} \mathcal{I}_0^{*(40)}(x) + \frac{2004729}{286720} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

$$\int x^9 J_0^4(x) dx = \frac{48x^{10} + 652x^8 - 4074x^6 + 6111x^4 - 12222x^2}{1024} J_0^4(x) +$$

$$\begin{aligned}
& + \frac{136x^9 - 1304x^7 + 6111x^5 - 6111x^3 + 6111x}{256} J_0^3(x) J_1(x) + \\
& + \frac{48x^{10} - 436x^8 + 3750x^6 - 18333x^4}{512} J_0^2(x) J_1^2(x) + \\
& + \frac{72x^9 - 868x^7 + 3611x^5}{256} J_0(x) J_1^3(x) + \frac{48x^{10} - 868x^8 + 7222x^6 - 25555x^4}{1024} J_1^4(x) + \frac{18333}{256} \mathcal{I}_1^{(22)}(x)
\end{aligned}$$

$$\int x^9 I_0^4(x) dx = \frac{48x^{10} - 652x^8 - 4074x^6 - 6111x^4 - 12222x^2}{1024} I_0^4(x) +$$

$$\begin{aligned}
& + \frac{136x^9 + 1304x^7 + 6111x^5 + 6111x^3 + 6111x}{256} I_0^3(x) I_1(x) - \\
& - \frac{48x^{10} + 436x^8 + 3750x^6 + 18333x^4}{512} I_0^2(x) I_1^2(x) - \\
& - \frac{72x^9 + 868x^7 + 3611x^5}{256} I_0(x) I_1^3(x) + \frac{48x^{10} + 868x^8 + 7222x^6 + 25555x^4}{1024} I_1^4(x) - \frac{18333}{256} \mathcal{I}_1^{*(22)}(x)
\end{aligned}$$

$$\int x^{10} J_0^4(x) dx =$$

$$\begin{aligned}
& = \frac{573440x^{11} + 10567680x^9 - 97664256x^7 + 363060288x^5 + 248212404x^3 - 186159303x}{13762560} J_0^4(x) + \\
& + \frac{1863680x^{10} - 23777280x^8 + 170912448x^6 - 453825360x^4 - 186159303x^2}{3440640} J_0^3(x) J_1(x) + \\
& + \frac{143360x^{11} - 1551360x^9 + 17194176x^7 - 122875488x^5 + 402422121x^3}{1720320} J_0^2(x) J_1^2(x) + \\
& + \frac{1003520x^{10} - 16537600x^8 + 113598528x^6 - 208074384x^4 - 454440717x^2}{3440640} J_0(x) J_1^3(x) + \\
& + \frac{573440x^{11} - 13230080x^9 + 151464704x^7 - 832297536x^5 + 1817762868x^3 - 454440717x}{13762560} J_1^4(x) -
\end{aligned}$$

$$\begin{aligned}
& + \frac{62053101}{4587520} \mathcal{I}_0^{(40)}(x) - \frac{454440717}{4587520} \mathcal{I}_0^{(04)}(x) \\
& \int x^{10} I_0^4(x) dx = \\
= & \frac{573440 x^{11} - 10567680 x^9 - 97664256 x^7 - 363060288 x^5 + 248212404 x^3 + 186159303 x}{13762560} I_0^4(x) + \\
& + \frac{1863680 x^{10} + 23777280 x^8 + 170912448 x^6 + 453825360 x^4 - 186159303 x^2}{3440640} I_0^3(x) I_1(x) - \\
& - \frac{143360 x^{11} + 1551360 x^9 + 17194176 x^7 + 122875488 x^5 + 402422121 x^3}{1720320} I_0^2(x) I_1^2(x) - \\
& - \frac{1003520 x^{10} + 16537600 x^8 + 113598528 x^6 + 208074384 x^4 - 454440717 x^2}{3440640} I_0(x) I_1^3(x) + \\
& + \frac{573440 x^{11} + 13230080 x^9 + 151464704 x^7 + 832297536 x^5 + 1817762868 x^3 + 454440717 x}{13762560} I_1^4(x) + \\
& - \frac{62053101}{4587520} \mathcal{I}_0^{*(40)}(x) + \frac{454440717}{4587520} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

$$\int \frac{J_0^4(x) dx}{x^2} = -\frac{6x^2 + 1}{x} J_0^4(x) + 4 J_0^3(x) J_1(x) - 12x J_0^2(x) J_1^2(x) - 6x J_1^4(x) + 2\mathcal{I}_0^{(40)}(x) - 18\mathcal{I}_0^{(04)}(x)$$

$$\int \frac{I_0^4(x) dx}{x^2} = \frac{6x^2 - 1}{x} I_0^4(x) - 4 I_0^3(x) I_1(x) - 12x I_0^2(x) I_1^2(x) + 6x I_1^4(x) - 2\mathcal{I}_0^{*(40)}(x) + 18\mathcal{I}_0^{*(04)}(x)$$

$$\begin{aligned}
\int \frac{J_0^4(x) dx}{x^4} &= \frac{40x^4 + 4x^2 - 3}{9x^3} J_0^4(x) - \frac{24x^2 - 4}{9x^2} J_0^3(x) J_1(x) + \frac{80x^2 - 4}{9x} J_0^2(x) J_1^2(x) + \\
& + \frac{8}{27} J_0(x) J_1^3(x) + \frac{40x}{9} J_1^4(x) - \frac{16}{9} \mathcal{I}_0^{(40)}(x) + \frac{368}{27} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{I_0^4(x) dx}{x^4} &= \frac{40x^4 - 4x^2 - 3}{9x^3} I_0^4(x) - \frac{24x^2 + 4}{9x^2} I_0^3(x) I_1(x) - \frac{80x^2 + 4}{9x} I_0^2(x) I_1^2(x) - \\
& - \frac{8}{27} I_0(x) I_1^3(x) + \frac{40x}{9} I_1^4(x) - \frac{16}{9} \mathcal{I}_0^{*(40)}(x) + \frac{368}{27} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{J_0^4(x) dx}{x^6} &= -\frac{42752x^6 + 3800x^4 - 1500x^2 + 5625}{28125x^5} J_0^4(x) + \frac{4992x^4 - 760x^2 + 900}{5625x^4} J_0^3(x) J_1(x) - \\
& - \frac{85504x^4 - 4880x^2 + 2700}{28125x^3} J_0^2(x) J_1^2(x) - \frac{10624x^2 - 3240}{84375x^2} J_0(x) J_1^3(x) - \frac{42752x^2 + 216}{28125x} J_1^4(x) + \\
& + \frac{17792}{28125} \mathcal{I}_0^{(40)}(x) - \frac{395392}{84375} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{I_0^4(x) dx}{x^6} &= \frac{42752x^6 - 3800x^4 - 1500x^2 - 5625}{28125x^5} I_0^4(x) - \frac{4992x^4 + 760x^2 + 900}{5625x^4} I_0^3(x) I_1(x) - \\
& - \frac{85504x^4 + 4880x^2 + 2700}{28125x^3} I_0^2(x) I_1^2(x) - \frac{10624x^2 + 3240}{84375x^2} I_0(x) I_1^3(x) + \frac{42752x^2 - 216}{28125x} I_1^4(x) + \\
& + \frac{17792}{28125} \mathcal{I}_0^{*(40)}(x) - \frac{395392}{84375} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

4.1. f) Integrals of $x^m Z_0^3(x) Z_1(x)$

Explicit and basic integrals are omitted.

With the basic integrals $\mathcal{I}_0^{(40)}(x)$, $\mathcal{I}_1^{(22)}(x)$, $\mathcal{I}_0^{(04)}(x)$ and $\mathcal{I}_0^{*(40)}(x)$, $\mathcal{I}_1^{*(22)}(x)$, $\mathcal{I}_0^{*(04)}(x)$ as defined on page 465 holds

$$\begin{aligned} \int x J_0^3(x) J_1(x) dx &= -\frac{x}{4} J_0^4(x) + \frac{1}{4} \mathcal{I}_0^{(40)}(x) \\ \int x I_0^3(x) I_1(x) dx &= \frac{x}{4} I_0^4(x) - \frac{1}{4} \mathcal{I}_0^{*(40)}(x) \\ \int x^2 J_0^3(x) J_1(x) dx &= -\frac{x^2}{4} J_0^4(x) + \frac{x}{2} J_0^3(x) J_1(x) + \frac{3}{2} \mathcal{I}_1^{(22)}(x) \\ \int x^2 I_0^3(x) I_1(x) dx &= \frac{x^2}{4} I_0^4(x) - \frac{x}{2} I_0^3(x) I_1(x) + \frac{3}{2} \mathcal{I}_1^{*(22)}(x) \\ \int x^3 J_0^3(x) J_1(x) dx &= \frac{4x^3 - 3x}{128} J_0^4(x) - \frac{3x^2}{32} J_0^3(x) J_1(x) + \frac{9x^3}{16} J_0^2(x) J_1^2(x) - \frac{9x^2}{32} J_0(x) J_1^3(x) + \\ &\quad + \frac{36x^3 - 9x}{128} J_1^4(x) + \frac{3}{128} \mathcal{I}_0^{(40)}(x) - \frac{27}{128} \mathcal{I}_0^{(04)}(x) \\ \int x^3 I_0^3(x) I_1(x) dx &= -\frac{4x^3 + 3x}{128} I_0^4(x) + \frac{3x^2}{32} I_0^3(x) I_1(x) + \frac{9x^3}{16} I_0^2(x) I_1^2(x) - \frac{9x^2}{32} I_0(x) I_1^3(x) - \\ &\quad - \frac{36x^3 + 9x}{128} I_1^4(x) + \frac{3}{128} \mathcal{I}_0^{*(40)}(x) - \frac{27}{128} \mathcal{I}_0^{*(04)}(x) \\ \int x^4 J_0^3(x) J_1(x) dx &= -\frac{x^4 - 2x^2}{16} J_0^4(x) + \frac{x^3 - x}{4} J_0^3(x) J_1(x) + \frac{3x^4}{8} J_0^2(x) J_1^2(x) + \frac{3x^4}{16} J_1^4(x) - \frac{3}{4} \mathcal{I}_1^{(22)}(x) \\ \int x^4 I_0^3(x) I_1(x) dx &= \frac{x^4 + 2x^2}{16} I_0^4(x) - \frac{x^3 + x}{4} I_0^3(x) I_1(x) + \frac{3x^4}{8} I_0^2(x) I_1^2(x) - \frac{3x^4}{16} I_1^4(x) + \frac{3}{4} \mathcal{I}_1^{*(22)}(x) \\ \int x^5 J_0^3(x) J_1(x) dx &= -\frac{96x^5 + 60x^3 - 45x}{1024} J_0^4(x) + \frac{120x^4 + 45x^2}{256} J_0^3(x) J_1(x) + \\ &\quad + \frac{40x^5 - 105x^3}{128} J_0^2(x) J_1^2(x) + \frac{40x^4 + 115x^2}{256} J_0(x) J_1^3(x) + \frac{160x^5 - 460x^3 + 115x}{1024} J_1^4(x) - \\ &\quad - \frac{45}{1024} \mathcal{I}_0^{(40)}(x) + \frac{345}{1024} \mathcal{I}_0^{(04)}(x) \\ \int x^5 I_0^3(x) I_1(x) dx &= \frac{96x^5 - 60x^3 - 45x}{1024} I_0^4(x) - \frac{120x^4 - 45x^2}{256} I_0^3(x) I_1(x) + \\ &\quad + \frac{40x^5 + 105x^3}{128} I_0^2(x) I_1^2(x) + \frac{40x^4 - 115x^2}{256} I_0(x) I_1^3(x) - \frac{160x^5 + 460x^3 + 115x}{1024} I_1^4(x) + \\ &\quad + \frac{45}{1024} \mathcal{I}_0^{*(40)}(x) - \frac{345}{1024} \mathcal{I}_0^{*(04)}(x) \\ \int x^6 J_0^3(x) J_1(x) dx &= -\frac{14x^6 - 21x^4 + 42x^2}{128} J_0^4(x) + \frac{21x^5 - 21x^3 + 21x}{32} J_0^3(x) J_1(x) + \\ &\quad + \frac{18x^6 - 63x^4}{64} J_0^2(x) J_1^2(x) + \frac{9x^5}{32} J_0(x) J_1^3(x) + \frac{18x^6 - 81x^4}{128} J_1^4(x) + \frac{63}{32} \mathcal{I}_1^{(22)}(x) \\ \int x^6 I_0^3(x) I_1(x) dx &= \frac{14x^6 + 21x^4 + 42x^2}{128} I_0^4(x) - \frac{21x^5 + 21x^3 + 21x}{32} I_0^3(x) I_1(x) + \end{aligned}$$

$$\begin{aligned}
& + \frac{18x^6 + 63x^4}{64} I_0^2(x) I_1^2(x) + \frac{9x^5}{32} I_0(x) I_1^3(x) - \frac{18x^6 + 81x^4}{128} I_1^4(x) + \frac{63}{32} \mathcal{I}_1^{*(22)}(x) \\
& \int x^7 J_0^3(x) J_1(x) dx = -\frac{4864x^7 - 17472x^5 - 11676x^3 + 8757x}{40960} J_0^4(x) + \\
& + \frac{8512x^6 - 21840x^4 - 8757x^2}{10240} J_0^3(x) J_1(x) + \frac{1344x^7 - 6272x^5 + 19299x^3}{5120} J_0^2(x) J_1^2(x) + \\
& + \frac{4032x^6 - 9296x^4 - 21623x^2}{10240} J_0(x) J_1^3(x) + \frac{5376x^7 - 37184x^5 + 86492x^3 - 21623x}{40960} J_1^4(x) + \\
& + \frac{8757}{40960} \mathcal{I}_0^{(40)}(x) - \frac{64869}{40960} \mathcal{I}_0^{(04)}(x) \\
& \int x^7 I_0^3(x) I_1(x) dx = \frac{4864x^7 + 17472x^5 - 11676x^3 - 8757x}{40960} I_0^4(x) - \\
& - \frac{8512x^6 + 21840x^4 - 8757x^2}{10240} I_0^3(x) I_1(x) + \frac{1344x^7 + 6272x^5 + 19299x^3}{5120} I_0^2(x) I_1^2(x) + \\
& + \frac{4032x^6 + 9296x^4 - 21623x^2}{10240} I_0(x) I_1^3(x) - \frac{5376x^7 + 37184x^5 + 86492x^3 + 21623x}{40960} I_1^4(x) + \\
& + \frac{8757}{40960} \mathcal{I}_0^{*(40)}(x) - \frac{64869}{40690} \mathcal{I}_0^{*(04)}(x) \\
& \int x^8 J_0^3(x) J_1(x) dx = -\frac{x^8 - 6x^6 + 9x^4 - 18x^2}{8} J_0^4(x) + \frac{2x^7 - 9x^5 + 9x^3 - 9x}{2} J_0^3(x) J_1(x) + \\
& + \frac{x^8 - 6x^6 + 27x^4}{4} J_0^2(x) J_1^2(x) + \frac{x^7 - 5x^5}{2} J_0(x) J_1^3(x) + \frac{x^8 - 10x^6 + 37x^4}{8} J_1^4(x) - \frac{27}{2} \mathcal{I}_1^{(22)}(x) \\
& \int x^8 I_0^3(x) I_1(x) dx = \frac{x^8 + 6x^6 + 9x^4 + 18x^2}{8} I_0^4(x) - \frac{2x^7 + 9x^5 + 9x^3 + 9x}{2} I_0^3(x) I_1(x) + \\
& + \frac{x^8 + 6x^6 + 27x^4}{4} I_0^2(x) I_1^2(x) + \frac{x^7 + 5x^5}{2} I_0(x) I_1^3(x) - \frac{x^8 + 10x^6 + 37x^4}{8} I_1^4(x) + \frac{27}{2} \mathcal{I}_1^{*(22)}(x) \\
& \int x^9 J_0^3(x) J_1(x) dx = -\frac{148480x^9 - 1305216x^7 + 4816368x^5 + 3277044x^3 - 2457783x}{1146880} J_0^4(x) + \\
& + \frac{334080x^8 - 2284128x^6 + 6020460x^4 + 2457783x^2}{286720} J_0^3(x) J_1(x) + \\
& + \frac{17280x^9 - 129168x^7 + 825534x^5 - 2667303x^3}{71680} J_0^2(x) J_1^2(x) + \\
& + \frac{172800x^8 - 1423008x^6 + 2718324x^4 + 6014187x^2}{286720} J_0(x) J_1^3(x) + \\
& + \frac{138240x^9 - 1897344x^7 + 10873296x^5 - 24056748x^3 + 6014187x}{1146880} J_1^4(x) - \\
& - \frac{2457783}{1146880} \mathcal{I}_0^{(40)}(x) + \frac{18042561}{1146880} \mathcal{I}_0^{(04)}(x) \\
& \int x^9 I_0^3(x) I_1(x) dx = \frac{148480x^9 + 1305216x^7 + 4816368x^5 - 3277044x^3 - 2457783x}{1146880} I_0^4(x) - \\
& - \frac{334080x^8 + 2284128x^6 + 6020460x^4 - 2457783x^2}{286720} I_0^3(x) I_1(x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{17280x^9 + 129168x^7 + 825534x^5 + 2667303x^3}{71680} I_0^2(x) I_1^2(x) + \\
& + \frac{172800x^8 + 1423008x^6 + 2718324x^4 - 6014187x^2}{286720} I_0(x) I_1^3(x) - \\
& - \frac{138240x^9 + 1897344x^7 + 10873296x^5 + 24056748x^3 + 6014187x}{1146880} I_1^4(x) + \\
& + \frac{2457783}{1146880} \mathcal{I}_0^{*(40)}(x) - \frac{18042561}{1146880} \mathcal{I}_0^{*(04)}(x) \\
\int x^{10} J_0^3(x) J_1(x) dx = & - \frac{272x^{10} - 3260x^8 + 20370x^6 - 30555x^4 + 61110x^2}{2048} J_0^4(x) + \\
& + \frac{680x^9 - 6520x^7 + 30555x^5 - 30555x^3 + 30555x}{512} J_0^3(x) J_1(x) + \\
& + \frac{240x^{10} - 2180x^8 + 18750x^6 - 91665x^4}{1024} J_0^2(x) J_1^2(x) + \\
& + \frac{360x^9 - 4340x^7 + 18055x^5}{512} J_0(x) J_1^3(x) + \frac{240x^{10} - 4340x^8 + 36110x^6 - 127775x^4}{2048} J_1^4(x) + \frac{91665}{512} \mathcal{I}_1^{(22)}(x) \\
\int x^{10} I_0^3(x) I_1(x) dx = & \frac{272x^{10} + 3260x^8 + 20370x^6 + 30555x^4 + 61110x^2}{2048} I_0^4(x) - \\
& - \frac{680x^9 + 6520x^7 + 30555x^5 + 30555x^3 + 30555x}{512} I_0^3(x) I_1(x) + \\
& + \frac{240x^{10} + 2180x^8 + 18750x^6 + 91665x^4}{1024} I_0^2(x) I_1^2(x) + \\
& + \frac{360x^9 + 4340x^7 + 18055x^5}{512} I_0(x) I_1^3(x) - \frac{240x^{10} + 4340x^8 + 36110x^6 + 127775x^4}{2048} I_1^4(x) + \frac{91665}{512} \mathcal{I}_1^{*(22)}(x) \\
\int \frac{J_0^3(x) J_1(x) dx}{x} = & \frac{3x}{2} J_0^4(x) - J_0^3(x) I_1(x) + 3x J_0^2(x) J_1^2(x) + \frac{3x}{2} J_1^4(x) - \frac{1}{2} \mathcal{I}_0^{(40)}(x) + \frac{9}{2} \mathcal{I}_0^{(04)}(x) \\
\int \frac{I_0^3(x) I_1(x) dx}{x} = & \frac{3x}{2} I_0^4(x) - I_0^3(x) I_1(x) - 3x I_0^2(x) I_1^2(x) + \frac{3x}{2} I_1^4(x) - \frac{1}{2} \mathcal{I}_0^{*(40)}(x) + \frac{9}{2} \mathcal{I}_0^{*(04)}(x) \\
\int \frac{J_0^3(x) J_1(x) dx}{x^3} = & - \frac{10x^2 + 1}{3x} J_0^4(x) + \frac{6x^2 - 1}{3x^2} J_0^3(x) I_1(x) - \frac{20x^2 - 1}{3x} J_0^2(x) J_1^2(x) - \frac{2}{9} J_0(x) J_1^3(x) - \\
& - \frac{10x}{3} J_1^4(x) + \frac{4}{3} \mathcal{I}_0^{(40)}(x) - \frac{92}{9} \mathcal{I}_0^{(04)}(x) \\
\int \frac{I_0^3(x) I_1(x) dx}{x^3} = & \frac{10x^2 - 1}{3x} I_0^4(x) - \frac{6x^2 + 1}{3x^2} I_0^3(x) I_1(x) - \frac{20x^2 + 1}{3x} I_0^2(x) I_1^2(x) - \frac{2}{9} I_0(x) I_1^3(x) + \\
& + \frac{10x}{3} I_1^4(x) - \frac{4}{3} \mathcal{I}_0^{*(40)}(x) + \frac{92}{9} \mathcal{I}_0^{*(04)}(x) \\
\int \frac{J_0^3(x) J_1(x) dx}{x^5} = & \frac{10688x^4 + 950x^2 - 375}{5625x^3} J_0^4(x) - \frac{1248x^4 - 190x^2 + 225}{1125x^4} J_0^3(x) I_1(x) + \\
& + \frac{21376x^4 - 1220x^2 + 675}{5625x^3} J_0^2(x) J_1^2(x) + \frac{2656x^2 - 810}{16875x^2} J_0(x) J_1^3(x) + \frac{10688x^2 + 54}{5625x} J_1^4(x) - \\
& - \frac{4448}{5625} \mathcal{I}_0^{(40)}(x) + \frac{98848}{16875} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned} \int \frac{I_0^3(x) I_1(x) dx}{x^5} &= \frac{10688 x^4 - 950 x^2 - 375}{5625 x^3} I_0^4(x) - \frac{1248 x^4 + 190 x^2 + 225}{1125 x^4} I_0^3(x) I_1(x) - \\ &- \frac{21376 x^4 + 1220 x^2 + 675}{5625 x^3} I_0^2(x) I_1^2(x) - \frac{2656 x^2 + 810}{16875 x^2} I_0(x) I_1^3(x) + \frac{10688 x^2 - 54}{5625 x} I_1^4(x) - \\ &- \frac{4448}{5625} \mathcal{I}_0^{*(40)}(x) + \frac{98848}{16875} \mathcal{I}_0^{*(04)}(x) \end{aligned}$$

4.1. g) Integrals of $x^m Z_0^2(x) Z_1^2(x)$

Explicit and basic integrals are omitted.

With the basic integrals $\mathcal{I}_0^{(40)}(x)$, $\mathcal{I}_1^{(22)}(x)$, $\mathcal{I}_0^{(04)}(x)$ and $\mathcal{I}_0^{*(40)}(x)$, $\mathcal{I}_1^{*(22)}(x)$, $\mathcal{I}_0^{*(04)}(x)$ as defined on page 465 holds

$$\int J_0^2(x) J_1^2(x) dx = -\frac{x}{2} J_0^4(x) - x J_0^2(x) J_1^2(x) - \frac{x}{2} J_1^4(x) + \frac{1}{2} \mathcal{I}_0^{(40)}(x) - \frac{3}{2} \mathcal{I}_0^{(04)}(x)$$

$$\int I_0^2(x) I_1^2(x) dx = \frac{x}{2} I_0^4(x) - x I_0^2(x) I_1^2(x) + \frac{x}{2} I_1^4(x) - \frac{1}{2} \mathcal{I}_0^{*(40)}(x) + \frac{3}{2} \mathcal{I}_0^{*(04)}(x)$$

$$\begin{aligned} \int x^2 J_0^2(x) J_1^2(x) dx &= \frac{4x^3 - 3x}{32} J_0^4(x) - \frac{3x^2}{8} J_0^3(x) J_1(x) + \frac{x^3}{4} J_0^2(x) J_1^2(x) - \frac{x^2}{8} J_0(x) J_1^3(x) + \\ &+ \frac{4x^3 - x}{32} J_1^4(x) + \frac{3}{32} \mathcal{I}_0^{(40)}(x) - \frac{3}{32} \mathcal{I}_0^{(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^2 I_0^2(x) I_1^2(x) dx &= -\frac{4x^3 + 3x}{32} I_0^4(x) + \frac{3x^2}{8} I_0^3(x) I_1(x) + \frac{x^3}{4} I_0^2(x) I_1^2(x) - \frac{x^2}{8} I_0(x) I_1^3(x) - \\ &- \frac{4x^3 + x}{32} I_1^4(x) + \frac{3}{32} \mathcal{I}_0^{*(40)}(x) - \frac{3}{32} \mathcal{I}_0^{*(04)}(x) \end{aligned}$$

$$\int x^3 J_0^2(x) J_1^2(x) dx = \frac{x^4 - 2x^2}{16} J_0^4(x) - \frac{x^3 - x}{4} J_0^3(x) J_1(x) + \frac{x^4}{8} J_0^2(x) J_1^2(x) + \frac{x^4}{16} J_1^4(x) + \frac{3}{4} \mathcal{I}_1^{(22)}(x)$$

$$\int x^3 I_0^2(x) I_1^2(x) dx = -\frac{x^4 + 2x^2}{16} I_0^4(x) + \frac{x^3 + x}{4} I_0^3(x) I_1(x) + \frac{x^4}{8} I_0^2(x) I_1^2(x) - \frac{x^4}{16} I_1^4(x) - \frac{3}{4} \mathcal{I}_1^{*(22)}(x)$$

$$\begin{aligned} \int x^4 J_0^2(x) J_1^2(x) dx &= \frac{32x^5 + 12x^3 - 9x}{768} J_0^4(x) - \frac{40x^4 + 9x^2}{192} J_0^3(x) J_1(x) + \frac{8x^5 + 33x^3}{96} J_0^2(x) J_1^2(x) + \\ &+ \frac{8x^4 - 31x^2}{192} J_0(x) J_1^3(x) + \frac{32x^5 + 124x^3 - 31x}{768} J_1^4(x) + \frac{3}{256} \mathcal{I}_0^{(40)}(x) - \frac{31}{256} \mathcal{I}_0^{(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^4 I_0^2(x) I_1^2(x) dx &= -\frac{32x^5 - 12x^3 - 9x}{768} I_0^4(x) + \frac{40x^4 - 9x^2}{192} I_0^3(x) I_1(x) + \frac{8x^5 - 33x^3}{96} I_0^2(x) I_1^2(x) + \\ &+ \frac{8x^4 + 31x^2}{192} I_0(x) I_1^3(x) - \frac{32x^5 - 124x^3 - 31x}{768} I_1^4(x) - \frac{3}{256} \mathcal{I}_0^{*(40)}(x) + \frac{31}{256} \mathcal{I}_0^{*(04)}(x) \end{aligned}$$

$$\int x^5 J_0^2(x) J_1^2(x) dx = \frac{2x^6 - 3x^4 + 6x^2}{64} J_0^4(x) - \frac{3x^5 - 3x^3 + 3x}{16} J_0^3(x) J_1(x) + \frac{2x^6 + 9x^4}{32} J_0^2(x) J_1^2(x) +$$

$$\begin{aligned}
& + \frac{x^5}{16} J_0(x) J_1^3(x) + \frac{2x^6 + 7x^4}{64} J_1^4(x) - \frac{9}{16} \mathcal{I}_1^{(22)}(x) \\
\int x^5 I_0^2(x) I_1^2(x) dx &= -\frac{2x^6 + 3x^4 + 6x^2}{64} I_0^4(x) + \frac{3x^5 + 3x^3 + 3x}{16} I_0^3(x) I_1(x) + \frac{2x^6 - 9x^4}{32} I_0^2(x) I_1^2(x) + \\
& + \frac{x^5}{16} I_0(x) I_1^3(x) - \frac{2x^6 - 7x^4}{64} I_1^4(x) - \frac{9}{16} \mathcal{I}_1^{*(22)}(x) \\
\int x^6 J_0^2(x) J_1^2(x) dx &= \frac{256x^7 - 768x^5 - 444x^3 + 333x}{10240} J_0^4(x) - \frac{448x^6 - 960x^4 - 333x^2}{2560} J_0^3(x) J_1(x) + \\
& + \frac{64x^7 + 368x^5 - 831x^3}{1280} J_0^2(x) J_1^2(x) + \frac{192x^6 + 224x^4 + 887x^2}{2560} J_0(x) J_1^3(x) + \\
& + \frac{256x^7 + 896x^5 - 3548x^3 + 887x}{10240} J_1^4(x) - \frac{333}{10240} \mathcal{I}_0^{(40)}(x) + \frac{2661}{10240} \mathcal{I}_0^{(04)}(x) \\
\int x^6 I_0^2(x) I_1^2(x) dx &= -\frac{256x^7 + 768x^5 - 444x^3 - 333x}{10240} I_0^4(x) + \frac{448x^6 + 960x^4 - 333x^2}{2560} I_0^3(x) I_1(x) + \\
& + \frac{64x^7 - 368x^5 - 831x^3}{1280} I_0^2(x) I_1^2(x) + \frac{192x^6 - 224x^4 + 887x^2}{2560} I_0(x) I_1^3(x) - \\
& - \frac{256x^7 - 896x^5 - 3548x^3 - 887x}{10240} I_1^4(x) - \frac{333}{10240} \mathcal{I}_0^{*(40)}(x) + \frac{2661}{10240} \mathcal{I}_0^{*(04)}(x) \\
\int x^7 J_0^2(x) J_1^2(x) dx &= \frac{4x^8 - 18x^6 + 27x^4 - 54x^2}{192} J_0^4(x) - \frac{8x^7 - 27x^5 + 27x^3 - 27x}{48} J_0^3(x) J_1(x) + \\
& + \frac{4x^8 + 30x^6 - 81x^4}{96} J_0^2(x) J_1^2(x) + \frac{4x^7 + 7x^5}{48} J_0(x) J_1^3(x) - \frac{4x^8 + 14x^6 - 95x^4}{192} J_1^4(x) + \frac{27}{16} \mathcal{I}_1^{(22)}(x) \\
\int x^7 I_0^2(x) I_1^2(x) dx &= -\frac{4x^8 + 18x^6 + 27x^4 + 54x^2}{192} I_0^4(x) + \frac{8x^7 + 27x^5 + 27x^3 + 27x}{48} I_0^3(x) I_1(x) + \\
& + \frac{4x^8 - 30x^6 - 81x^4}{96} I_0^2(x) I_1^2(x) + \frac{4x^7 - 7x^5}{48} I_0(x) I_1^3(x) - \frac{4x^8 - 14x^6 - 95x^4}{192} I_1^4(x) - \frac{27}{16} \mathcal{I}_1^{*(22)}(x) \\
\int x^8 J_0^2(x) J_1^2(x) dx &= \frac{2560x^9 - 15552x^7 + 53496x^5 + 34668x^3 - 26001x}{143360} J_0^4(x) - \\
& - \frac{5760x^8 - 27216x^6 + 66870x^4 + 26001x^2}{35840} J_0^3(x) J_1(x) + \\
& + \frac{1280x^9 + 12384x^7 - 41292x^5 + 117639x^3}{35840} J_0^2(x) J_1^2(x) + \\
& + \frac{1600x^8 + 3288x^6 - 12789x^4 - 32607x^2}{17920} J_0(x) J_1^3(x) + \\
& + \frac{1280x^9 + 4384x^7 - 51156x^5 + 130428x^3 - 32607x}{71680} J_1^4(x) - \\
& + \frac{26001}{143360} \mathcal{I}_0^{(40)}(x) - \frac{97821}{71680} \mathcal{I}_0^{(04)}(x) \\
\int x^8 I_0^2(x) I_1^2(x) dx &= -\frac{2560x^9 + 15552x^7 + 53496x^5 - 34668x^3 - 26001x}{143360} I_0^4(x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{5760x^8 + 27216x^6 + 66870x^4 - 26001x^2}{35840} I_0^3(x) I_1(x) + \\
& + \frac{1280x^9 - 12384x^7 - 41292x^5 - 117639x^3}{35840} I_0^2(x) I_1^2(x) + \\
& + \frac{1600x^8 - 3288x^6 - 12789x^4 + 32607x^2}{17920} I_0(x) I_1^3(x) - \\
& - \frac{1280x^9 - 4384x^7 - 51156x^5 - 130428x^3 - 32607x}{71680} I_1^4(x) - \frac{26001}{143360} \mathcal{I}_0^{*(40)}(x) + \frac{97821}{71680} \mathcal{I}_0^{*(04)}(x) \\
& \int x^9 J_0^2(x) J_1^2(x) dx = \frac{16x^{10} - 124x^8 + 690x^6 - 1035x^4 + 2070x^2}{1024} J_0^4(x) - \\
& - \frac{40x^9 - 248x^7 + 1035x^5 - 1035x^3 + 1035x}{256} J_0^3(x) J_1(x) + \frac{16x^{10} + 196x^8 - 798x^6 + 3105x^4}{512} J_0^2(x) J_1^2(x) + \\
& + \frac{24x^9 + 52x^7 - 503x^5}{256} J_0(x) J_1^3(x) + \frac{16x^{10} + 52x^8 - 1006x^6 + 4111x^4}{1024} J_1^4(x) - \frac{3105}{256} \mathcal{I}_1^{(22)}(x) \\
& \int x^9 I_0^2(x) I_1^2(x) dx = -\frac{16x^{10} + 124x^8 + 690x^6 + 1035x^4 + 2070x^2}{1024} I_0^4(x) + \\
& + \frac{40x^9 + 248x^7 + 1035x^5 + 1035x^3 + 1035x}{256} I_0^3(x) I_1(x) + \frac{16x^{10} - 196x^8 - 798x^6 - 3105x^4}{512} I_0^2(x) I_1^2(x) + \\
& + \frac{24x^9 - 52x^7 - 503x^5}{256} I_0(x) I_1^3(x) - \frac{16x^{10} - 52x^8 - 1006x^6 - 4111x^4}{1024} I_1^4(x) - \frac{3105}{256} \mathcal{I}_1^{*(22)}(x) \\
& \int x^{10} J_0^2(x) J_1^2(x) dx = \\
& = \frac{573440x^{11} - 5468160x^9 + 43299072x^7 - 157107456x^5 - 105708348x^3 + 79281261x}{41287680} J_0^4(x) - \\
& - \frac{1576960x^{10} - 12303360x^8 + 75773376x^6 - 196384320x^4 - 79281261x^2}{10321920} J_0^3(x) J_1(x) + \\
& + \frac{143360x^{11} + 2181120x^9 - 10706112x^7 + 55439856x^5 - 173715327x^3}{5160960} J_0^2(x) J_1^2(x) + \\
& + \frac{1003520x^{10} + 2124800x^8 - 40086336x^6 + 85504608x^4 + 195091479x^2}{10321920} J_0(x) J_1^3(x) + \\
& + \frac{573440x^{11} + 1699840x^9 - 53448448x^7 + 342018432x^5 - 780365916x^3 + 195091479x}{41287680} J_1^4(x) - \\
& - \frac{8809029}{4587520} \mathcal{I}_0^{(40)}(x) + \frac{65030493}{4587520} \mathcal{I}_0^{(04)}(x) \\
& \int x^{10} I_0^2(x) I_1^2(x) dx = \\
& = -\frac{573440x^{11} + 5468160x^9 + 43299072x^7 + 157107456x^5 - 105708348x^3 - 79281261x}{41287680} I_0^4(x) + \\
& + \frac{1576960x^{10} + 12303360x^8 + 75773376x^6 + 196384320x^4 - 79281261x^2}{10321920} I_0^3(x) I_1(x) + \\
& + \frac{143360x^{11} - 2181120x^9 - 10706112x^7 - 55439856x^5 - 173715327x^3}{5160960} I_0^2(x) I_1^2(x) + \\
& + \frac{1003520x^{10} - 2124800x^8 - 40086336x^6 - 85504608x^4 + 195091479x^2}{10321920} I_0(x) I_1^3(x) - \\
& - \frac{573440x^{11} - 1699840x^9 - 53448448x^7 - 342018432x^5 - 780365916x^3 - 195091479x}{41287680} I_1^4(x) - \\
& - \frac{8809029}{4587520} \mathcal{I}_0^{*(40)}(x) + \frac{65030493}{4587520} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

$$\int \frac{J_0^2(x) J_1^2(x) dx}{x^2} = \frac{4x}{3} J_0^4(x) - \frac{2}{3} J_0^3(x) J_1(x) + \frac{8x^2 - 1}{3x} J_0^2(x) J_1^2(x) + \frac{2}{9} J_0(x) J_1^3(x) + \frac{4x}{3} J_1^4(x) - \frac{2}{3} \mathcal{I}_0^{(40)}(x) + \frac{38}{9} \mathcal{I}_0^{(04)}(x)$$

$$\int \frac{I_0^2(x) I_1^2(x) dx}{x^2} = \frac{4x}{3} I_0^4(x) - \frac{2}{3} I_0^3(x) I_1(x) - \frac{8x^2 + 1}{3x} I_0^2(x) I_1^2(x) - \frac{2}{9} I_0(x) I_1^3(x) + \frac{4x}{3} I_1^4(x) - \frac{2}{3} \mathcal{I}_0^{*(40)}(x) + \frac{38}{9} \mathcal{I}_0^{*(04)}(x)$$

$$\int \frac{J_0^2(x) J_1^2(x) dx}{x^4} = -\frac{632x^2 + 50}{375x} J_0^4(x) + \frac{72x^2 - 10}{75x^2} J_0^3(x) J_1(x) - \frac{1264x^4 - 80x^2 + 75}{375x^3} J_0^2(x) J_1^2(x) - \frac{184x^2 - 90}{1125x^2} J_0(x) J_1^3(x) - \frac{632x^2 + 6}{375x} J_1^4(x) + \frac{272}{375} \mathcal{I}_0^{(40)}(x) - \frac{5872}{1125} \mathcal{I}_0^{(04)}(x)$$

$$\int \frac{I_0^2(x) I_1^2(x) dx}{x^4} = \frac{632x^2 - 50}{375x} I_0^4(x) - \frac{72x^2 + 10}{75x^2} I_0^3(x) I_1(x) - \frac{1264x^4 + 80x^2 + 75}{375x^3} I_0^2(x) I_1^2(x) - \frac{184x^2 + 90}{1125x^2} I_0(x) I_1^3(x) + \frac{632x^2 - 6}{375x} I_1^4(x) - \frac{272}{375} \mathcal{I}_0^{*(40)}(x) + \frac{5872}{1125} \mathcal{I}_0^{*(04)}(x)$$

$$\int \frac{J_0^2(x) J_1^2(x) dx}{x^6} = \frac{1485184x^4 + 124600x^2 - 36750}{1929375x^3} J_0^4(x) - \frac{171264x^4 - 24920x^2 + 22050}{385875x^4} J_0^3(x) J_1(x) + \frac{2970368x^6 - 178960x^4 + 113400x^2 - 275625}{1929375x^5} J_0^2(x) J_1^2(x) + \frac{401408x^4 - 163080x^2 + 236250}{5788125x^4} J_0(x) J_1^3(x) + \frac{1485184x^4 + 10872x^2 - 11250}{1929375x^3} J_1^4(x) - \frac{628864}{1929375} \mathcal{I}_0^{(40)}(x) + \frac{13768064}{5788125} \mathcal{I}_0^{(04)}(x)$$

$$\int \frac{I_0^2(x) I_1^2(x) dx}{x^6} = \frac{1485184x^4 - 124600x^2 - 36750}{1929375x^3} I_0^4(x) - \frac{171264x^4 + 24920x^2 + 22050}{385875x^4} I_0^3(x) I_1(x) - \frac{2970368x^6 + 178960x^4 + 113400x^2 + 275625}{1929375x^5} I_0^2(x) I_1^2(x) - \frac{401408x^4 + 163080x^2 + 236250}{5788125x^4} I_0(x) I_1^3(x) + \frac{1485184x^4 - 10872x^2 - 11250}{1929375x^3} I_1^4(x) - \frac{628864}{1929375} \mathcal{I}_0^{*(40)}(x) + \frac{13768064}{5788125} \mathcal{I}_0^{*(04)}(x)$$

4.1. h) Integrals of $x^m Z_0(x) Z_1^3(x)$

Explicit and basic integrals are omitted.

With the basic integrals $\mathcal{I}_0^{(40)}(x)$, $\mathcal{I}_1^{(22)}(x)$, $\mathcal{I}_0^{(04)}(x)$ and $\mathcal{I}_0^{*(40)}(x)$, $\mathcal{I}_1^{*(22)}(x)$, $\mathcal{I}_0^{*(04)}(x)$ as defined on page 465 holds

$$\int x J_0(x) J_1^3(x) dx = \frac{x}{4} J_1^4(x) + \frac{3}{4} \mathcal{I}_0^{(04)}(x)$$

$$\int x J_0(x) I_1^3(x) dx = \frac{x}{4} I_1^4(x) + \frac{3}{4} \mathcal{I}_0^{*(04)}(x)$$

$$\int x^2 J_0(x) J_1^3(x) dx = -\frac{x^2}{4} J_0^4(x) + \frac{x}{2} J_0^3(x) J_1(x) - \frac{x^2}{2} J_0^2(x) J_1^2(x) + \frac{3}{2} \mathcal{I}_1^{(22)}(x)$$

$$\int x^2 I_0(x) I_1^3(x) dx = -\frac{x^2}{4} I_0^4(x) + \frac{x}{2} I_0^3(x) I_1(x) + \frac{x^2}{2} I_0^2(x) I_1^2(x) - \frac{3}{2} \mathcal{I}_1^{*(22)}(x)$$

$$\begin{aligned} \int x^3 J_0(x) J_1^3(x) dx &= \frac{12x^3 - 9x}{128} J_0^4(x) - \frac{9x^2}{32} J_0^3(x) J_1(x) + \frac{3x^3}{16} J_0^2(x) J_1^2(x) - \frac{11x^2}{32} J_0(x) J_1^3(x) + \\ &+ \frac{44x^3 - 11x}{128} J_1^4(x) + \frac{9}{128} \mathcal{I}_0^{(40)}(x) - \frac{33}{128} \mathcal{I}_0^{(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^3 I_0(x) I_1^3(x) dx &= \frac{12x^3 + 9x}{128} I_0^4(x) - \frac{9x^2}{32} I_0^3(x) I_1(x) - \frac{3x^3}{16} I_0^2(x) I_1^2(x) + \frac{11x^2}{32} I_0(x) I_1^3(x) + \\ &+ \frac{44x^3 + 11x}{128} I_1^4(x) - \frac{9}{128} \mathcal{I}_0^{*(40)}(x) + \frac{33}{128} \mathcal{I}_0^{*(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^5 J_0(x) J_1^3(x) dx &= -\frac{32x^5 + 36x^3 - 27x}{1024} J_0^4(x) + \frac{40x^4 + 27x^2}{256} J_0^3(x) J_1(x) - \frac{8x^5 + 39x^3}{128} J_0^2(x) J_1^2(x) + \\ &+ \frac{56x^4 + 53x^2}{256} J_0(x) J_1^3(x) + \frac{224x^5 - 212x^3 + 53x}{1024} J_1^4(x) - \frac{27}{1024} \mathcal{I}_0^{(40)}(x) + \frac{159}{1024} \mathcal{I}_0^{(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^5 I_0(x) I_1^3(x) dx &= -\frac{32x^5 - 36x^3 - 27x}{1024} I_0^4(x) + \frac{40x^4 - 27x^2}{256} I_0^3(x) I_1(x) + \frac{8x^5 - 39x^3}{128} I_0^2(x) I_1^2(x) - \\ &- \frac{56x^4 - 53x^2}{256} I_0(x) I_1^3(x) + \frac{224x^5 + 212x^3 + 53x}{1024} I_1^4(x) - \frac{27}{1024} \mathcal{I}_0^{*(40)}(x) + \frac{159}{1024} \mathcal{I}_0^{*(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^6 J_0(x) J_1^3(x) dx &= -\frac{6x^6 - 9x^4 + 18x^2}{128} J_0^4(x) + \frac{9x^5 - 9x^3 + 9x}{32} J_0^3(x) J_1(x) - \\ &- \frac{6x^6 + 27x^4}{64} J_0^2(x) J_1^2(x) + \frac{13x^5}{32} J_0(x) J_1^3(x) + \frac{26x^6 - 53x^4}{128} J_1^4(x) + \frac{27}{32} \mathcal{I}_1^{(22)}(x) \end{aligned}$$

$$\begin{aligned} \int x^6 I_0(x) I_1^3(x) dx &= -\frac{6x^6 + 9x^4 + 18x^2}{128} I_0^4(x) + \frac{9x^5 + 9x^3 + 9x}{32} I_0^3(x) I_1(x) + \\ &+ \frac{6x^6 - 27x^4}{64} I_0^2(x) I_1^2(x) - \frac{13x^5}{32} I_0(x) I_1^3(x) + \frac{26x^6 + 53x^4}{128} I_1^4(x) - \frac{27}{32} \mathcal{I}_1^{*(22)}(x) \end{aligned}$$

$$\begin{aligned} \int x^7 J_0(x) J_1^3(x) dx &= -\frac{2304x^7 - 9792x^5 - 7236x^3 + 5427x}{40960} J_0^4(x) + \\ &+ \frac{4032x^6 - 12240x^4 - 5427x^2}{10240} J_0^3(x) J_1(x) - \frac{576x^7 + 2592x^5 - 10989x^3}{5120} J_0^2(x) J_1^2(x) + \\ &+ \frac{5952x^6 - 7056x^4 - 12753x^2}{10240} J_0(x) J_1^3(x) + \frac{7936x^7 - 28224x^5 + 51012x^3 - 12753x}{40960} J_1^4(x) + \\ &+ \frac{5427}{40960} \mathcal{I}_0^{(40)}(x) - \frac{38259}{40960} \mathcal{I}_0^{(04)}(x) \end{aligned}$$

$$\begin{aligned} \int x^7 I_0(x) I_1^3(x) dx &= -\frac{2304x^7 + 9792x^5 - 7236x^3 - 5427x}{40960} I_0^4(x) + \\ &+ \frac{4032x^6 + 12240x^4 - 5427x^2}{10240} I_0^3(x) I_1(x) + \frac{576x^7 - 2592x^5 - 10989x^3}{5120} I_0^2(x) I_1^2(x) - \\ &- \frac{5952x^6 + 7056x^4 - 12753x^2}{10240} I_0(x) I_1^3(x) + \frac{7936x^7 + 28224x^5 + 51012x^3 + 12753x}{40960} I_1^4(x) - \end{aligned}$$

$$-\frac{5427}{40960} \mathcal{I}_0^{*(40)}(x) + \frac{38259}{40960} \mathcal{I}_0^{*(04)}(x)$$

$$\int x^8 J_0(x) J_1^3(x) dx = -\frac{4x^8 - 30x^6 + 45x^4 - 90x^2}{64} J_0^4(x) + \frac{8x^7 - 45x^5 + 45x^3 - 45x}{16} J_0^3(x) J_1(x) -$$

$$-\frac{4x^8 + 18x^6 - 135x^4}{32} J_0^2(x) J_1^2(x) + \frac{12x^7 - 33x^5}{16} J_0(x) J_1^3(x) + \frac{12x^8 - 66x^6 + 201x^4}{64} J_1^4(x) - \frac{135}{16} \mathcal{I}_1^{(22)}(x)$$

$$\int x^8 I_0(x) I_1^3(x) dx = -\frac{4x^8 + 30x^6 + 45x^4 + 90x^2}{64} I_0^4(x) + \frac{8x^7 + 45x^5 + 45x^3 + 45x}{16} I_0^3(x) I_1(x) +$$

$$+\frac{4x^8 - 18x^6 - 135x^4}{32} I_0^2(x) I_1^2(x) - \frac{12x^7 + 33x^5}{16} I_0(x) I_1^3(x) + \frac{12x^8 + 66x^6 + 201x^4}{64} I_1^4(x) - \frac{135}{16} \mathcal{I}_1^{*(22)}(x)$$

$$\int x^9 J_0(x) J_1^3(x) dx = -\frac{15360x^9 - 173952x^7 + 663696x^5 + 461268x^3 - 345951x}{229376} J_0^4(x) +$$

$$+\frac{34560x^8 - 304416x^6 + 829620x^4 + 345951x^2}{57344} J_0^3(x) J_1(x) -$$

$$-\frac{960x^9 + 4248x^7 - 53649x^5 + 184383x^3}{7168} J_0^2(x) J_1^2(x) +$$

$$+\frac{52480x^8 - 247776x^6 + 400428x^4 + 837639x^2}{57344} J_0(x) J_1^3(x) +$$

$$+\frac{41984x^9 - 330368x^7 + 1601712x^5 - 3350556x^3 + 837639x}{229376} J_1^4(x) - \frac{345951}{229376} \mathcal{I}_0^{(40)}(x) + \frac{2512917}{229376} \mathcal{I}_0^{(04)}(x)$$

$$\int x^9 I_0(x) I_1^3(x) dx = -\frac{15360x^9 + 173952x^7 + 663696x^5 - 461268x^3 - 345951x}{229376} I_0^4(x) +$$

$$+\frac{34560x^8 + 304416x^6 + 829620x^4 - 345951x^2}{57344} I_0^3(x) I_1(x) +$$

$$+\frac{3840x^9 - 16992x^7 - 214596x^5 - 737532x^3}{28762} I_0^2(x) I_1^2(x) -$$

$$-\frac{52480x^8 + 247776x^6 + 400428x^4 - 837639x^2}{57344} I_0(x) I_1^3(x) +$$

$$+\frac{41984x^9 + 330368x^7 + 1601712x^5 + 3350556x^3 + 837639x}{229376} I_1^4(x) - \frac{345951}{229376} \mathcal{I}_0^{*(40)}(x) + \frac{2512917}{229376} \mathcal{I}_0^{*(04)}(x)$$

$$\int x^{10} J_0(x) J_1^3(x) dx = -\frac{144x^{10} - 2268x^8 + 14850x^6 - 22275x^4 + 44550x^2}{2048} J_0^4(x) +$$

$$+\frac{360x^9 - 4536x^7 + 22275x^5 - 22275x^3 + 22275x}{512} J_0^3(x) J_1(x) -$$

$$-\frac{144x^{10} + 612x^8 - 12366x^6 + 66825x^4}{1024} J_0^2(x) J_1^2(x) + \frac{552x^9 - 3924x^7 + 14031x^5}{512} J_0(x) J_1^3(x) +$$

$$+\frac{368x^{10} - 3924x^8 + 28062x^6 - 94887x^4}{2048} J_1^4(x) + \frac{66825}{512} \mathcal{I}_1^{(22)}(x)$$

$$\int x^{10} I_0(x) I_1^3(x) dx = -\frac{144x^{10} + 2268x^8 + 14850x^6 + 22275x^4 + 44550x^2}{2048} I_0^4(x) +$$

$$+\frac{360x^9 + 4536x^7 + 22275x^5 + 22275x^3 + 22275x}{512} I_0^3(x) I_1(x) +$$

$$\begin{aligned}
& + \frac{144x^{10} - 612x^8 - 12366x^6 - 66825x^4}{1024} I_0^2(x) I_1^2(x) - \\
& - \frac{552x^9 + 3924x^7 + 14031x^5}{512} I_0(x) I_1^3(x) + \frac{368x^{10} + 3924x^8 + 28062x^6 + 94887x^4}{2048} I_1^4(x) - \frac{66825}{512} \mathcal{I}_1^{*(22)}(x)
\end{aligned}$$

$$\int \frac{J_0(x) J_1^3(x) dx}{x} = -\frac{x}{2} J_0^4(x) - x J_0^2(x) J_1^2(x) - \frac{1}{3} J_0(x) J_1^3(x) - \frac{x}{2} J_1^4(x) + \frac{1}{2} \mathcal{I}_0^{(40)}(x) - \frac{11}{6} \mathcal{I}_0^{(04)}(x)$$

$$\int \frac{I_0(x) I_1^3(x) dx}{x} = \frac{x}{2} I_0^4(x) - x I_0^2(x) I_1^2(x) - \frac{1}{3} I_0(x) I_1^3(x) + \frac{x}{2} I_1^4(x) - \frac{1}{2} \mathcal{I}_0^{*(40)}(x) + \frac{11}{6} \mathcal{I}_0^{*(04)}(x)$$

$$\begin{aligned}
\int \frac{J_0(x) J_1^3(x) dx}{x^3} &= \frac{22x}{25} J_0^4(x) - \frac{2}{5} J_0^3(x) J_1(x) + \frac{44x^2 - 5}{25x} J_0^2(x) J_1^2(x) + \frac{14x^2 - 15}{75x^2} J_0(x) J_1^3(x) + \\
& + \frac{22x^2 + 1}{25x} J_1^4(x) - \frac{12}{25} \mathcal{I}_0^{(40)}(x) + \frac{212}{75} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{I_0(x) I_1^3(x) dx}{x^3} &= \frac{22x}{25} I_0^4(x) - \frac{2}{5} I_0^3(x) I_1(x) - \frac{44x^2 + 5}{25x} I_0^2(x) I_1^2(x) - \frac{14x^2 + 15}{75x^2} I_0(x) I_1^3(x) + \\
& + \frac{22x^2 - 1}{25x} I_1^4(x) - \frac{12}{25} \mathcal{I}_0^{*(40)}(x) + \frac{212}{75} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{J_0(x) J_1^3(x) dx}{x^5} &= -\frac{4864x^2 + 350}{6125x} J_0^4(x) + \frac{544x^2 - 70}{1225x^2} J_0^3(x) J_1(x) - \frac{9728x^4 - 660x^2 + 525}{6125x^3} J_0^2(x) J_1^2(x) - \\
& - \frac{1568x^4 - 930x^2 + 2625}{18375x^4} J_0(x) J_1^3(x) - \frac{4864x^4 + 62x^2 - 125}{6125x^3} J_1^4(x) + \frac{2144}{6125} \mathcal{I}_0^{(40)}(x) - \frac{45344}{18375} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{I_0(x) I_1^3(x) dx}{x^5} &= \frac{4864x^2 - 350}{6125x} I_0^4(x) - \frac{544x^2 + 70}{1225x^2} I_0^3(x) I_1(x) - \frac{9728x^4 + 660x^2 + 525}{6125x^3} I_0^2(x) I_1^2(x) - \\
& - \frac{1568x^4 + 930x^2 + 2625}{18375x^4} I_0(x) I_1^3(x) + \frac{4864x^4 - 62x^2 - 125}{6125x^3} I_1^4(x) - \frac{2144}{6125} \mathcal{I}_0^{*(40)}(x) + \frac{45344}{18375} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

4.1. i) Integrals of $x^m Z_1^4(x)$

Explicit and basic integrals are omitted.

With the basic integrals $\mathcal{I}_0^{(40)}(x)$, $\mathcal{I}_1^{(22)}(x)$, $\mathcal{I}_0^{(04)}(x)$ and $\mathcal{I}_0^{*(40)}(x)$, $\mathcal{I}_1^{*(22)}(x)$, $\mathcal{I}_0^{*(04)}(x)$ as defined on page 465 holds

$$\int x J_1^4(x) dx = -\frac{x^2}{2} J_0^4(x) + x J_0^3(x) J_1(x) - x^2 J_0^2(x) J_1^2(x) - \frac{x^2}{2} J_1^4(x) + 3\mathcal{I}_1^{(22)}(x)$$

$$\int x I_1^4(x) dx = -\frac{x^2}{2} I_0^4(x) + x I_0^3(x) I_1(x) + x^2 I_0^2(x) I_1^2(x) - \frac{x^2}{2} I_1^4(x) - 3\mathcal{I}_1^{*(22)}(x)$$

$$\begin{aligned}
\int x^2 J_1^4(x) dx &= \frac{12x^3 - 9x}{32} J_0^4(x) - \frac{9x^2}{8} J_0^3(x) J_1(x) + \frac{3x^3}{4} J_0^2(x) J_1^2(x) - \frac{11x^2}{8} J_0(x) J_1^3(x) + \\
& + \frac{12x^3 - 11x}{32} J_1^4(x) + \frac{9}{32} \mathcal{I}_0^{(40)}(x) - \frac{33}{32} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int x^2 I_1^4(x) dx &= \frac{12x^3 + 9x}{32} I_0^4(x) - \frac{9x^2}{8} I_0^3(x) I_1(x) - \frac{3x^3}{4} I_0^2(x) I_1^2(x) + \frac{11x^2}{8} I_0(x) I_1^3(x) + \\
&\quad + \frac{12x^3 + 11x}{32} I_1^4(x) - \frac{9}{32} \mathcal{I}_0^{*(40)}(x) + \frac{33}{32} \mathcal{I}_0^{*(04)}(x) \\
&\quad \int x^3 J_1^4(x) dx = \\
&= \frac{3x^4 - 6x^2}{16} J_0^4(x) - \frac{3x^3 - 3x}{4} J_0^3(x) J_1(x) + \frac{3x^4}{8} J_0^2(x) J_1^2(x) - x^3 J_0(x) J_1^3(x) + \frac{3x^4}{16} J_1^4(x) + \frac{9}{4} \mathcal{I}_1^{(22)}(x) \\
&\quad \int x^3 I_1^4(x) dx = \\
&= \frac{3x^4 + 6x^2}{16} I_0^4(x) - \frac{3x^3 + 3x}{4} I_0^3(x) I_1(x) - \frac{3x^4}{8} I_0^2(x) I_1^2(x) + x^3 I_0(x) I_1^3(x) + \frac{3x^4}{16} I_1^4(x) + \frac{9}{4} \mathcal{I}_1^{*(22)}(x) \\
\int x^4 J_1^4(x) dx &= \frac{32x^5 + 36x^3 - 27x}{256} J_0^4(x) - \frac{40x^4 + 27x^2}{64} J_0^3(x) J_1(x) + \frac{8x^5 + 39x^3}{32} J_0^2(x) J_1^2(x) - \\
&\quad - \frac{56x^4 + 53x^2}{64} J_0(x) J_1^3(x) + \frac{32x^5 + 212x^3 - 53x}{256} J_1^4(x) + \frac{27}{256} \mathcal{I}_0^{(40)}(x) - \frac{159}{256} \mathcal{I}_0^{(04)}(x) \\
\int x^4 I_1^4(x) dx &= \frac{32x^5 - 36x^3 - 27x}{256} I_0^4(x) - \frac{40x^4 - 27x^2}{64} I_0^3(x) I_1(x) - \frac{8x^5 - 39x^3}{32} I_0^2(x) I_1^2(x) + \\
&\quad + \frac{56x^4 - 53x^2}{64} I_0(x) I_1^3(x) + \frac{32x^5 - 212x^3 - 53x}{256} I_1^4(x) + \frac{27}{256} \mathcal{I}_0^{*(40)}(x) - \frac{159}{256} \mathcal{I}_0^{*(04)}(x) \\
\int x^5 J_1^4(x) dx &= \frac{6x^6 - 9x^4 + 18x^2}{64} J_0^4(x) - \frac{9x^5 - 9x^3 + 9x}{16} J_0^3(x) J_1(x) + \frac{6x^6 + 27x^4}{32} J_0^2(x) J_1^2(x) - \\
&\quad - \frac{13x^5}{16} J_0(x) J_1^3(x) + \frac{6x^6 + 53x^4}{64} J_1^4(x) - \frac{27}{16} \mathcal{I}_1^{(22)}(x) \\
\int x^5 I_1^4(x) dx &= \frac{6x^6 + 9x^4 + 18x^2}{64} I_0^4(x) - \frac{9x^5 + 9x^3 + 9x}{16} I_0^3(x) I_1(x) - \frac{6x^6 - 27x^4}{32} I_0^2(x) I_1^2(x) + \\
&\quad + \frac{13x^5}{16} I_0(x) I_1^3(x) + \frac{6x^6 - 53x^4}{64} I_1^4(x) + \frac{27}{16} \mathcal{I}_1^{*(22)}(x) \\
\int x^6 J_1^4(x) dx &= \frac{768x^7 - 3264x^5 - 2412x^3 + 1809x}{10240} J_0^4(x) - \frac{1344x^6 - 4080x^4 - 1809x^2}{2560} J_0^3(x) J_1(x) + \\
&\quad + \frac{192x^7 + 864x^5 - 3663x^3}{1280} J_0^2(x) J_1^2(x) - \frac{1984x^6 - 2352x^4 - 4251x^2}{2560} J_0(x) J_1^3(x) + \\
&\quad + \frac{768x^7 + 9408x^5 - 17004x^3 + 4251x}{10240} J_1^4(x) - \frac{1809}{10240} \mathcal{I}_0^{(40)}(x) + \frac{12753}{10240} \mathcal{I}_0^{(04)}(x) \\
\int x^6 I_1^4(x) dx &= \frac{768x^7 + 3264x^5 - 2412x^3 - 1809x}{10240} I_0^4(x) - \frac{1344x^6 + 4080x^4 - 1809x^2}{2560} I_0^3(x) I_1(x) - \\
&\quad - \frac{192x^7 - 864x^5 - 3663x^3}{1280} I_0^2(x) I_1^2(x) + \frac{1984x^6 + 2352x^4 - 4251x^2}{2560} I_0(x) I_1^3(x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{768x^7 - 9408x^5 - 17004x^3 - 4251x}{10240} I_1^4(x) + \frac{1809}{10240} \mathcal{I}_0^{*(40)}(x) - \frac{12753}{10240} \mathcal{I}_0^{*(04)}(x) \\
\int x^7 J_1^4(x) dx &= \frac{4x^8 - 30x^6 + 45x^4 - 90x^2}{64} J_0^4(x) - \frac{8x^7 - 45x^5 + 45x^3 - 45x}{16} J_0^3(x) J_1(x) + \\
& + \frac{4x^8 + 18x^6 - 135x^4}{32} J_0^2(x) J_1^2(x) - \frac{12x^7 - 33x^5}{16} J_0(x) J_1^3(x) + \frac{4x^8 + 66x^6 - 201x^4}{64} J_1^4(x) + \frac{135}{16} \mathcal{I}_1^{(22)}(x) \\
\int x^7 I_1^4(x) dx &= \frac{4x^8 + 30x^6 + 45x^4 + 90x^2}{64} I_0^4(x) - \frac{8x^7 + 45x^5 + 45x^3 + 45x}{16} I_0^3(x) I_1(x) - \\
& - \frac{4x^8 - 18x^6 - 135x^4}{32} I_0^2(x) I_1^2(x) + \frac{12x^7 + 33x^5}{16} I_0(x) I_1^3(x) + \frac{4x^8 - 66x^6 - 201x^4}{64} I_1^4(x) - \frac{135}{16} \mathcal{I}_1^{*(22)}(x) \\
\int x^8 J_1^4(x) dx &= \frac{15360x^9 - 173952x^7 + 663696x^5 + 461268x^3 - 345951x}{286720} J_0^4(x) - \\
& - \frac{34560x^8 - 304416x^6 + 829620x^4 + 345951x^2}{71680} J_0^3(x) J_1(x) + \\
& + \frac{960x^9 + 4248x^7 - 53649x^5 + 184383x^3}{8960} J_0^2(x) J_1^2(x) - \\
& - \frac{52480x^8 - 247776x^6 + 400428x^4 + 837639x^2}{71680} J_0(x) J_1^3(x) + \\
& + \frac{15360x^9 + 330368x^7 - 1601712x^5 + 3350556x^3 - 837639x}{286720} J_1^4(x) + \\
& + \frac{345951}{286720} \mathcal{I}_0^{(40)}(x) - \frac{2512917}{286720} \mathcal{I}_0^{(04)}(x) \\
\int x^8 I_1^4(x) dx &= \frac{15360x^9 + 173952x^7 + 663696x^5 - 461268x^3 - 345951x}{286720} I_0^4(x) - \\
& - \frac{34560x^8 + 304416x^6 + 829620x^4 - 345951x^2}{71680} I_0^3(x) I_1(x) - \\
& - \frac{960x^9 - 4248x^7 - 53649x^5 - 184383x^3}{8960} I_0^2(x) I_1^2(x) + \\
& + \frac{52480x^8 + 247776x^6 + 400428x^4 - 837639x^2}{71680} I_0(x) I_1^3(x) + \\
& + \frac{15360x^9 - 330368x^7 - 1601712x^5 - 3350556x^3 - 837639x}{286720} I_1^4(x) + \\
& + \frac{345951}{286720} \mathcal{I}_0^{*(40)}(x) - \frac{2512917}{286720} \mathcal{I}_0^{*(04)}(x) \\
\int x^9 J_1^4(x) dx &= \frac{48x^{10} - 756x^8 + 4950x^6 - 7425x^4 + 14850x^2}{1024} J_0^4(x) - \\
& - \frac{120x^9 - 1512x^7 + 7425x^5 - 7425x^3 + 7425x}{256} J_0^3(x) J_1(x) + \\
& + \frac{48x^{10} + 204x^8 - 4122x^6 + 22275x^4}{512} J_0^2(x) J_1^2(x) - \frac{184x^9 - 1308x^7 + 4677x^5}{256} J_0(x) J_1^3(x) + \\
& + \frac{48x^{10} + 1308x^8 - 9354x^6 + 31629x^4}{1024} J_1^4(x) - \frac{22275}{256} \mathcal{I}_1^{(22)}(x) \\
\int x^9 I_1^4(x) dx &= \frac{48x^{10} + 756x^8 + 4950x^6 + 7425x^4 + 14850x^2}{1024} I_0^4(x) -
\end{aligned}$$

$$\begin{aligned}
& - \frac{120x^9 + 1512x^7 + 7425x^5 + 7425x^3 + 7425x}{256} I_0^3(x) I_1(x) - \\
& - \frac{48x^{10} - 204x^8 - 4122x^6 - 22275x^4}{512} I_0^2(x) I_1^2(x) + \frac{184x^9 + 1308x^7 + 4677x^5}{256} I_0(x) I_1^3(x) + \\
& + \frac{48x^{10} - 1308x^8 - 9354x^6 - 31629x^4}{1024} I_1^4(x) + \frac{22275}{256} \mathcal{I}_1^{*(22)}(x) \\
& \int x^{10} J_1^4(x) dx = \\
& = \frac{573440x^{11} - 11919360x^9 + 116358912x^7 - 435859776x^5 - 299440908x^3 + 224580681x}{13762560} J_0^4(x) - \\
& - \frac{1576960x^{10} - 26818560x^8 + 203628096x^6 - 544824720x^4 - 224580681x^2}{3440640} J_0^3(x) J_1(x) + \\
& + \frac{143360x^{11} + 568320x^9 - 17842752x^7 + 145570176x^5 - 483478767x^3}{1720320} J_0^2(x) J_1^2(x) - \\
& - \frac{2437120x^{10} - 24166400x^8 + 144152256x^6 - 253684368x^4 - 546899859x^2}{3440640} J_0(x) J_1^3(x) + \\
& + \frac{573440x^{11} + 19333120x^9 - 192203008x^7 + 1014737472x^5 - 2187599436x^3 + 546899859x}{13762560} J_1^4(x) - \\
& - \frac{74860227}{4587520} \mathcal{I}_0^{(40)}(x) + \frac{546899859}{4587520} \mathcal{I}_0^{(04)}(x) \\
\int x^{10} I_1^4(x) dx & = \frac{573440x^{11} + 11919360x^9 + 116358912x^7 + 435859776x^5 - 299440908x^3 - 224580681x}{13762560} I_0^4(x) - \\
& - \frac{1576960x^{10} + 26818560x^8 + 203628096x^6 + 544824720x^4 - 224580681x^2}{3440640} I_0^3(x) I_1(x) - \\
& - \frac{143360x^{11} - 568320x^9 - 17842752x^7 - 145570176x^5 - 483478767x^3}{1720320} I_0^2(x) I_1^2(x) + \\
& + \frac{2437120x^{10} + 24166400x^8 + 144152256x^6 + 253684368x^4 - 546899859x^2}{3440640} I_0(x) I_1^3(x) + \\
& + \frac{573440x^{11} - 19333120x^9 - 192203008x^7 - 1014737472x^5 - 2187599436x^3 - 546899859x}{13762560} I_1^4(x) + \\
& + \frac{74860227}{4587520} \mathcal{I}_0^{*(40)}(x) - \frac{546899859}{4587520} \mathcal{I}_0^{*(04)}(x) \\
& \int \frac{J_1^4(x) dx}{x^2} = \\
& = -\frac{2x}{5} J_0^4(x) - \frac{4x}{5} J_0^2(x) J_1^2(x) - \frac{4}{15} J_0(x) J_1^3(x) - \frac{2x^2 + 1}{5x} J_1^4(x) + \frac{2}{5} \mathcal{I}_0^{(40)}(x) - \frac{22}{15} \mathcal{I}_0^{(04)}(x) \\
& \int \frac{I_1^4(x) dx}{x^2} = \\
& = \frac{2x}{5} I_0^4(x) - \frac{4x}{5} I_0^2(x) I_1^2(x) - \frac{4}{15} I_0(x) I_1^3(x) + \frac{2x^2 - 1}{5x} I_1^4(x) - \frac{2}{5} \mathcal{I}_0^{*(40)}(x) + \frac{22}{15} \mathcal{I}_0^{*(04)}(x) \\
\int \frac{J_1^4(x) dx}{x^4} & = \frac{88x}{175} J_0^4(x) - \frac{8}{35} J_0^3(x) J_1(x) + \frac{176x^2 - 20}{175x} J_0^2(x) J_1^2(x) + \frac{56x^2 - 60}{525x^2} J_0(x) J_1^3(x) + \\
& + \frac{88x^4 + 4x^2 - 25}{175x^3} J_1^4(x) - \frac{48}{175} \mathcal{I}_0^{(40)}(x) + \frac{848}{525} \mathcal{I}_0^{(04)}(x)
\end{aligned}$$

$$\begin{aligned}
\int \frac{I_1^4(x) dx}{x^4} &= \frac{88x}{175} I_0^4(x) - \frac{8}{35} I_0^3(x) I_1(x) - \frac{176x^2 + 20}{175x} I_0^2(x) I_1^2(x) - \frac{56x^2 + 60}{525x^2} I_0(x) I_1^3(x) + \\
&\quad + \frac{88x^4 - 4x^2 - 25}{175x^3} I_1^4(x) - \frac{48}{175} \mathcal{I}_0^{*(40)}(x) + \frac{848}{525} \mathcal{I}_0^{*(04)}(x) \\
\int \frac{J_1^4(x) dx}{x^6} &= -\frac{19456x^2 + 1400}{55125x} J_0^4(x) + \frac{2176x^2 - 280}{11025x^2} J_0^3(x) J_1(x) - \\
&\quad - \frac{38912x^4 - 2640x^2 + 2100}{55125x^3} J_0^2(x) J_1^2(x) - \frac{6272x^4 - 3720x^2 + 10500}{165375x^4} J_0(x) J_1^3(x) - \\
&\quad - \frac{19456x^6 + 248x^4 - 500x^2 + 6125}{55125x^5} J_1^4(x) + \frac{8576}{55125} \mathcal{I}_0^{(40)}(x) - \frac{181376}{165375} \mathcal{I}_0^{(04)}(x) \\
\int \frac{I_1^4(x) dx}{x^6} &= \frac{19456x^2 - 1400}{55125x} I_0^4(x) - \frac{2176x^2 + 280}{11025x^2} I_0^3(x) I_1(x) - \\
&\quad - \frac{38912x^4 + 2640x^2 + 2100}{55125x^3} I_0^2(x) I_1^2(x) - \frac{6272x^4 + 3720x^2 + 10500}{165375x^4} I_0(x) I_1^3(x) + \\
&\quad + \frac{19456x^6 - 248x^4 - 500x^2 - 6125}{55125x^5} I_1^4(x) - \frac{8576}{55125} \mathcal{I}_0^{*(40)}(x) + \frac{181376}{165375} \mathcal{I}_0^{*(04)}(x)
\end{aligned}$$

4.1. j) Recurrence relations

With the integrals

$$\mathcal{I}_n^{(pq)}(x) = \int x^n J_0^p(x) J_1^q(x) dx, \quad p + q = 4$$

and

$$\mathcal{I}_n^{*(pq)}(x) = \int x^n I_0^p(x) I_1^q(x) dx, \quad p + q = 4$$

holds

Ascending recurrence relations:

$$\begin{aligned}
\mathcal{I}_{n+1}^{(40)}(x) &= \frac{x^{n+1}}{8n} \left[3x J_0^4(x) + (5n-6) J_0^3(x) J_1(x) + 6x J_0^2(x) J_1^2(x) + 3(n-2) J_0(x) J_1^3(x) + 3x J_1^4(x) \right] + \\
&\quad - \frac{5n-6}{8} \mathcal{I}_n^{(31)}(x) - \frac{3(n-2)^2}{8n} \mathcal{I}_n^{(13)}(x)
\end{aligned}$$

$$\mathcal{I}_{n+1}^{(31)}(x) = -\frac{x^{n+1}}{4} J_0^4(x) + \frac{n+1}{4} \mathcal{I}_n^{(40)}(x)$$

$$\begin{aligned}
\mathcal{I}_{n+1}^{(22)}(x) &= \frac{x^{n+1}}{8n} \left[x J_0^4(x) - (n+2) J_0^3(x) J_1(x) + 2x J_0^2(x) J_1^2(x) + (n-2) J_0(x) J_1^3(x) + x J_1^4(x) \right] + \\
&\quad + \frac{n+2}{8} \mathcal{I}_{n+1}^{(31)}(x) - \frac{(n-2)^2}{8n} \mathcal{I}_{n+1}^{(13)}(x)
\end{aligned}$$

$$\mathcal{I}_{n+1}^{(13)}(x) = -\frac{x^{n+1}}{4} \left[J_0^4(x) + 2 J_0^2(x) J_1^2(x) \right] + \frac{n+1}{4} \mathcal{I}_{n+1}^{(40)}(x) + \frac{n-1}{2} \mathcal{I}_{n+1}^{(22)}(x)$$

$$\mathcal{I}_{n+1}^{(04)}(x) = \frac{x^{n+1}}{8n} \left[3x J_0^4(x) - 3(n+2) J_0^3(x) J_1(x) + 6x J_0^2(x) J_1^2(x) - (5n+6) J_0(x) J_1^3(x) + 3x J_1^4(x) \right] +$$

$$+ \frac{3(n+2)}{8} \mathcal{I}_{n+1}^{(31)}(x) + \frac{(5n+6)(n-2)}{8n} \mathcal{I}_{n+1}^{(13)}(x)$$

$$\mathcal{I}_{n+1}^{*(40)}(x) = \frac{x^{n+1}}{8n} \left[3x I_0^4(x) + (5n-6) I_0^3(x) I_1(x) - 6x I_0^2(x) I_1^2(x) - 3(n-2) I_0(x) I_1^3(x) + 3x I_1^4(x) \right] -$$

$$- \frac{5n-6}{8} \mathcal{I}_n^{*(31)}(x) + \frac{3(n-2)^2}{8n} \mathcal{I}_n^{*(13)}(x)$$

$$\mathcal{I}_{n+1}^{*(31)}(x) = \frac{x^{n+1}}{4} I_0^4(x) - \frac{n+1}{4} \mathcal{I}_n^{*(40)}(x)$$

$$\mathcal{I}_{n+1}^{*(22)}(x) = \frac{x^{n+1}}{8n} \left[-x I_0^4(x) + (n+2) I_0^3(x) I_1(x) + 2x I_0^2(x) I_1^2(x) + (n-2) I_0(x) I_1^3(x) - x I_1^4(x) \right] -$$

$$- \frac{n+2}{8} \mathcal{I}_{n+1}^{*(31)}(x) - \frac{(n-2)^2}{8n} \mathcal{I}_{n+1}^{*(13)}(x)$$

$$\mathcal{I}_{n+1}^{*(13)}(x) = \frac{x^{n+1}}{4} \left[-I_0^4(x) + 2 I_0^2(x) I_1^2(x) \right] + \frac{n+1}{4} \mathcal{I}_{n+1}^{*(40)}(x) - \frac{n-1}{2} \mathcal{I}_{n+1}^{*(22)}(x)$$

$$\mathcal{I}_{n+1}^{*(04)}(x) = \frac{x^{n+1}}{8n} \left[3x I_0^4(x) - 3(n+2) I_0^3(x) I_1(x) - 6x I_0^2(x) I_1^2(x) + (5n+6) I_0(x) I_1^3(x) + 3x I_1^4(x) \right] +$$

$$+ \frac{3(n+2)}{8} \mathcal{I}_{n+1}^{*(31)}(x) - \frac{(5n+6)(n-2)}{8n} \mathcal{I}_{n+1}^{*(13)}(x)$$

4.2. Different Functions and Different Arguments

a) $x^m Z_0^p(x) Z_1^{3-p}(x) Z_\nu^* \alpha x$:

$$\begin{aligned}
 \int J_1^3(x) J_0(3x) dx &= \frac{1}{4} \{ [-3x^2 J_0^3(x) - 3x J_0^2(x) J_1(x) + 9x^2 J_0(x) J_1^2(x) - 2x J_1^3(x)] J_0(3x) + \\
 &\quad + [3x J_0^3(x) - 9x^2 J_0^2(x) J_1(x) + 3x^2 J_1^3(x)] J_1(3x) \} \\
 \int I_1^3(x) I_0(3x) dx &= \frac{1}{4} \{ [3x^2 I_0^3(x) + 3x I_0^2(x) I_1(x) + 9x^2 I_0(x) I_1^2(x) - 2x I_1^3(x)] I_0(3x) - \\
 &\quad - [3x I_0^3(x) + 9x^2 I_0^2(x) I_1(x) + 3x^2 I_1^3(x)] I_1(3x) \} \\
 \int K_1^3(x) K_0(3x) dx &= \frac{1}{4} \{ [-3x^2 K_0^3(x) + 3x K_0^2(x) K_1(x) - 9x^2 K_0(x) K_1^2(x) - 2x K_1^3(x)] K_0(3x) - \\
 &\quad - [3x K_0^3(x) - 9x^2 K_0^2(x) K_1(x) - 3x^2 K_1^3(x)] K_1(3x) \} \\
 \int \frac{J_1^3(x) J_1(3x) dx}{x} &= \frac{1}{8} \{ [-6x^2 J_0^3(x) - 9x J_0^2(x) J_1(x) + 18x^2 J_0(x) J_1^2(x) - 3x J_1^3(x)] J_0(3x) + \\
 &\quad + [7x J_0^3(x) - 18x^2 J_0^2(x) J_1(x) - 3x J_0(x) J_1^2(x) J_0(x) + (6x^2 - 2) J_1^3(x)] J_1(3x) \} \\
 \int \frac{I_1^3(x) I_1(3x) dx}{x} &= \frac{1}{8} \{ [6x^2 I_0^3(x) + 9x I_0^2(x) I_1(x) + 18x^2 I_0(x) I_1^2(x) - 3x I_1^3(x)] I_0(3x) - \\
 &\quad - [7x I_0^3(x) + 18x^2 I_0^2(x) I_1(x) + 3x I_0(x) I_1^2(x) I_0(x) + (6x^2 + 2) K_1^3(x)] K_1(3x) \} \\
 \int \frac{K_1^3(x) K_1(3x) dx}{x} &= \frac{1}{8} \{ [6x^2 K_0^3(x) - 9x K_0^2(x) K_1(x) + 18x^2 K_0(x) K_1^2(x) + 3x K_1^3(x)] K_0(3x) + \\
 &\quad + [7x K_0^3(x) - 18x^2 K_0^2(x) K_1(x) + 3x K_0(x) K_1^2(x) K_0(x) - (6x^2 + 2) I_1^3(x)] I_1(3x) \} \\
 \int J_0(x) J_1^2(x) J_1(3x) dx &= \frac{x}{12} \{ [-3x J_0^3(x) - 9 J_0^2(x) J_1(x) + 9x J_0(x) J_1^2(x)] J_0(3x) + \\
 &\quad + [5 J_0^3(x) - 9x J_0^2(x) J_1(x) - 6 J_0(x) J_1^2(x) + 3x J_1^3(x)] J_1(3x) \} \\
 \int I_0(x) I_1^2(x) I_1(3x) dx &= \frac{x}{12} \{ [3x I_0^3(x) + 9 I_0^2(x) I_1(x) + 9x I_0(x) I_1^2(x)] I_0(3x) - \\
 &\quad - [5 I_0^3(x) + 9x I_0^2(x) I_1(x) + 6 I_0(x) I_1^2(x) + 3x I_1^3(x)] I_1(3x) \} \\
 \int K_0(x) K_1^2(x) K_1(3x) dx &= \frac{x}{12} \{ [-3x K_0^3(x) + 9 K_0^2(x) K_1(x) - 9x K_0(x) K_1^2(x)] K_0(3x) - \\
 &\quad - [5 K_0^3(x) - 9x K_0^2(x) K_1(x) + 6 K_0(x) K_1^2(x) - 3x K_1^3(x)] K_1(3x) \} \\
 \int x J_0(x) J_1^2(x) J_0(\sqrt{3}x) dx &= \frac{J_0^2(x)x}{6} [\sqrt{3} J_0(x) J_1(\sqrt{3}x) - 3 J_1(x) J_0(\sqrt{3}x)] \\
 \int x I_0(x) I_1^2(x) I_0(\sqrt{3}x) dx &= \frac{I_0^2(x)x}{6} [3 I_1(x) I_0(\sqrt{3}x) - \sqrt{3} I_0(x) I_1(\sqrt{3}x)] \\
 \int x I_0(x) I_1^2(x) K_0(\sqrt{3}x) dx &= \frac{I_0^2(x)x}{6} [3 I_1(x) K_0(\sqrt{3}x) + \sqrt{3} I_0(x) K_1(\sqrt{3}x)] \\
 \int x K_0(x) K_1^2(x) K_0(\sqrt{3}x) dx &= \frac{K_0^2(x)x}{6} [\sqrt{3} K_0(x) K_1(\sqrt{3}x) - 3 K_1(x) K_0(\sqrt{3}x)] \\
 \int x K_0(x) K_1^2(x) I_0(\sqrt{3}x) dx &= -\frac{K_0^2(x)x}{6} [\sqrt{3} K_0(x) I_1(\sqrt{3}x) + 3 K_1(x) I_0(\sqrt{3}x)] \\
 \int x^3 J_0^2(x) J_1(x) J_1(\sqrt{3}x) dx &= \frac{J_1^2(x)x^3}{6} [3 J_0(x) J_1(\sqrt{3}x) - \sqrt{3} J_1(x) J_0(\sqrt{3}x)] \\
 \int x^3 I_0^2(x) I_1(x) I_1(\sqrt{3}x) dx &= \frac{I_1^2(x)x^3}{6} [3 I_0(x) I_1(\sqrt{3}x) - \sqrt{3} I_1(x) I_0(\sqrt{3}x)]
 \end{aligned}$$

$$\begin{aligned}\int x^3 I_0^2(x) I_1(x) K_1(\sqrt{3}x) dx &= \frac{I_1^2(x) x^3}{6} \left[3 I_0(x) K_1(\sqrt{3}x) + \sqrt{3} I_1(x) K_0(\sqrt{3}x) \right] \\ \int x^3 K_0^2(x) K_1(x) K_1(\sqrt{3}x) dx &= \frac{K_1^2(x) x^3}{6} \left[\sqrt{3} K_1(x) K_0(\sqrt{3}x) - 3 K_0(x) K_1(\sqrt{3}x) \right] \\ \int x^3 K_0^2(x) K_1(x) I_1(\sqrt{3}x) dx &= -\frac{K_1^2(x) x^3}{6} \left[\sqrt{3} K_1(x) I_0(\sqrt{3}x) + 3 K_0(x) I_1(\sqrt{3}x) \right]\end{aligned}$$

b) $x^m Z_0^p(x) Z_1^{3-p}(x) Z_\nu^* \alpha x$:

Holds (see [1], 9.6.14)

$$x^2 [I_0^2(x) K_1^2(x) + 2I_0(x) I_1(x) K_0(x) K_1(x) + I_1^2(x) K_0^2(x)] = 1.$$

Therefore each multiple of this expression may be added to the antiderivatives, concerning to this functions.

$$\begin{aligned}\int \frac{I_1^2(x) K_1^2(x) dx}{x} &= \frac{1}{4} \{-x^2 I_0^2(x) K_0^2(x) - x I_0^2(x) K_0(x) K_1(x) + x^2 I_0^2(x) K_1^2(x) + \\ &+ x I_0(x) I_1(x) [K_0^2(x) - K_1^2(x)] + x^2 I_1^2(x) K_0^2(x) + x I_1^2(x) K_0(x) K_1(x) - (x^2 + 1) I_1^2(x) K_1^2(x)\} \\ \int \frac{I_0(x) I_1(x) K_0(x) K_1(x) dx}{x} &= \frac{1}{4} \{(x^2 - 1) I_0^2(x) K_0^2(x) + x I_0^2(x) K_0(x) K_1(x) - \\ &- x^2 I_0^2(x) K_1^2(x) - x I_0(x) I_1(x) K_0^2(x) - 2 I_0(x) I_1(x) K_0(x) K_1(x) + x I_0(x) I_1(x) K_1^2(x) - \\ &- x^2 I_1^2(x) K_0^2(x) - x I_1^2(x) K_0(x) K_1(x) + x^2 I_1^2(x) K_1^2(x)\} \\ \int I_1^2(x) K_0(x) K_1(x) dx &= \frac{x}{4} [x I_0^2(x) K_0^2(x) - 2 I_0^2(x) K_0(x) K_1(x) + \\ &+ 2x I_0(x) I_1(x) K_0(x) K_1(x) - 2 I_0^2(x) K_0(x) K_1(x) + x I_1^2(x) K_1^2(x)] \\ \int I_0(x) I_1(x) K_1^2(x) dx &= -\frac{x}{4} [x I_0^2(x) K_0^2(x) + \\ &+ 2 I_0^2(x) K_0(x) K_1(x) + 2x I_0(x) I_1(x) K_0(x) K_1(x) + 2 I_0(x) I_1(x) K_1^2(x) + x I_1^2(x) K_1^2(x)] \\ \int x^3 J_0^2(x) I_0^2(x) dx &= \frac{x^2}{8} [x^2 J_0^2(x) I_0^2(x) + 2x J_0^2(x) I_0(x) I_1(x) - (x^2 + 1) J_0^2(x) I_1^2(x) + \\ &+ 2x J_0(x) J_1(x) I_0^2(x) - 2 J_0(x) J_1(x) I_0(x) I_1(x) + (x^2 - 1) J_1^2(x) I_0^2(x) - x^2 J_1^2(x) I_1^2(x)] \\ \int x^3 J_0^2(x) K_0^2(x) dx &= \frac{x^2}{8} [x^2 J_0^2(x) K_0^2(x) - 2x J_0^2(x) K_0(x) K_1(x) - (x^2 + 1) J_0^2(x) K_1^2(x) + \\ &+ 2x J_0(x) J_1(x) K_0^2(x) + 2 J_0(x) J_1(x) K_0(x) K_1(x) + (x^2 - 1) J_1^2(x) K_0^2(x) - x^2 J_1^2(x) K_1^2(x)] \\ \int x^3 J_1^2(x) J_0^2\left(\frac{x}{\sqrt{3}}\right) dx &= \frac{x^2}{8} \left[x^2 J_0^2(x) J_0^2\left(\frac{x}{\sqrt{3}}\right) + 2\sqrt{3} x J_0^2(x) J_0\left(\frac{x}{\sqrt{3}}\right) J_1\left(\frac{x}{\sqrt{3}}\right) + \right. \\ &+ (x^2 + 3) J_0^2(x) J_1^2\left(\frac{x}{\sqrt{3}}\right) - 6x J_0(x) J_1(x) J_0^2\left(\frac{x}{\sqrt{3}}\right) - 6\sqrt{3} J_0(x) J_1(x) J_0\left(\frac{x}{\sqrt{3}}\right) J_1\left(\frac{x}{\sqrt{3}}\right) + \\ &\left. + (x^2 + 9) J_1^2(x) J_0^2\left(\frac{x}{\sqrt{3}}\right) + x^2 J_1^2(x) J_1^2\left(\frac{x}{\sqrt{3}}\right) \right] \\ \int x^3 I_0^2(x) K_1^2(\sqrt{3}x) dx &= \frac{x^2}{8} [-x^2 I_0^2(x) K_0^2(\sqrt{3}x) - 2\sqrt{3} x I_0^2(x) K_0(\sqrt{3}x) K_1(\sqrt{3}x) + \\ &+ (x^2 - 3) I_0^2(x) K_1^2(\sqrt{3}x) - 2x I_0(x) I_1(x) K_0^2(\sqrt{3}x) - 2\sqrt{3} I_0(x) I_1(x) K_0(\sqrt{3}x) K_1(\sqrt{3}x) + \\ &+ (x^2 - 1) I_1^2(x) K_0^2(\sqrt{3}x) - x^2 I_1^2(x) K_1^2(\sqrt{3}x)] \\ \int x^3 K_0^2(x) I_1^2(\sqrt{3}x) dx &= \frac{x^2}{8} [-x^2 K_0^2(x) I_0^2(\sqrt{3}x) + 2\sqrt{3} x K_0^2(x) I_0(\sqrt{3}x) K_1(\sqrt{3}x) + \\ &+ (x^2 - 3) K_0^2(x) I_1^2(\sqrt{3}x) + 2x K_0(x) K_1(x) I_0^2(\sqrt{3}x) - 2\sqrt{3} K_0(x) K_1(x) I_0(\sqrt{3}x) I_1(\sqrt{3}x) +\end{aligned}$$

$$\begin{aligned}
& +(x^2 - 1) K_1^2(x) I_0^2(\sqrt{3}x) - x^2 K_1^2(x) I_1^2(\sqrt{3}x) \\
\int x^3 J_1^2(x) I_1^2(x) dx &= \frac{x^2}{8} [-x^2 J_0^2(x) I_0^2(x) + 2x J_0^2(x) I_0(x) I_1(x) + (x^2 - 1) J_0^2(x) I_1^2(x) + \\
& + 2x J_0(x) J_1(x) I_0^2(x) - 2J_0(x) J_1(x) I_0(x) I_1(x) - 4x J_0(x) J_1(x) I_1^2(x) - (x^2 + 1) J_1^2(x) I_0^2(x) + \\
& + 4x J_1^2(x) I_0(x) I_1(x) + x^2 J_1^2(x) I_1^2(x)] \\
\int x^3 J_1^2(x) K_1^2(x) dx &= \frac{x^2}{8} [-x^2 J_0^2(x) K_0^2(x) - 2x J_0^2(x) K_0(x) I_1(x) + (x^2 - 1) J_0^2(x) K_1^2(x) + \\
& + 2x J_0(x) J_1(x) K_1^2(x) + 2J_0(x) J_1(x) K_0(x) K_1(x) - 4x J_0(x) J_1(x) K_1^2(x) - (x^2 + 1) J_1^2(x) K_0^2(x) - \\
& - 4x J_1^2(x) K_0(x) K_1(x) + x^2 J_1^2(x) K_1^2(x)] \\
\int x^4 I_1^2(x) K_0(x) K_1(x) dx &= \frac{x^3}{12} [x^2 I_0^2(x) K_0(x) K_1(x) + 2x I_0^2(x) K_1^2(x) + x^2 I_0(x) I_1(x) K_0^2(x) + \\
& + (x^2 - 4) I_0(x) I_1(x) K_1^2(x) - 2x I_1^2(x) K_0^2(x) + (x^2 - 4) I_1^2(x) K_0(x) K_1(x) - 3x I_1^2(x) K_1^2(x)] \\
\int x^4 I_0(x) I_1(x) K_1^2(x) dx &= \frac{x^3}{12} [x^2 I_0^2(x) K_0(x) K_1(x) + 2x I_0^2(x) K_1^2(x) + x^2 I_0(x) I_1(x) K_0^2(x) + \\
& + (x^2 - 4) I_0(x) I_1(x) K_1^2(x) - 2x I_1^2(x) K_0^2(x) + (x^2 - 4) I_1^2(x) K_0(x) K_1(x) + 3x^2 I_1^2(x) K_1^2(x)] \\
\int x^4 J_0^2(x) I_0(\sqrt{3}x) I_1(\sqrt{3}x) dx &= \frac{x^2}{384} [20\sqrt{3} x^2 J_0^2(x) I_0^2(\sqrt{3}x) - 60x J_0^2(x) I_0(\sqrt{3}x) I_1(\sqrt{3}x) + \\
& + 3\sqrt{3}(12x^2 + 5) J_0^2(x) I_1^2(\sqrt{3}x) - 20\sqrt{3}x J_0(x) J_1(x) I_0^2(\sqrt{3}x) + \\
& + 6(8x^2 + 5) J_0(x) J_1(x) I_0(\sqrt{3}x) I_1(\sqrt{3}x) - 12\sqrt{3}x J_0(x) J_1(x) I_1^2(\sqrt{3}x) - \\
& - \sqrt{3}(4x^2 - 5) J_1^2(x) I_0^2(\sqrt{3}x) - 12x J_1^2(x) I_0(\sqrt{3}x) I_1(\sqrt{3}x) + 12\sqrt{3}x^2 J_1^2(x) I_1^2(\sqrt{3}x)] \\
\int x^4 J_0^2(x) K_0(\sqrt{3}x) K_1(\sqrt{3}x) dx &= \frac{x^2}{384} [-20\sqrt{3} x^2 J_0^2(x) K_0^2(\sqrt{3}x) - 60x J_0^2(x) K_0(\sqrt{3}x) K_1(\sqrt{3}x) - \\
& - 3\sqrt{3}(12x^2 + 5) J_0^2(x) K_1^2(\sqrt{3}x) + 20\sqrt{3}x J_0(x) J_1(x) K_0^2(\sqrt{3}x) + \\
& + 6(8x^2 + 5) J_0(x) J_1(x) K_0(\sqrt{3}x) K_1(\sqrt{3}x) + 12\sqrt{3}x J_0(x) J_1(x) K_1^2(\sqrt{3}x) + \\
& + \sqrt{3}(4x^2 - 5) J_1^2(x) K_0^2(\sqrt{3}x) - 12x J_1^2(x) K_0(\sqrt{3}x) K_1(\sqrt{3}x) - 12\sqrt{3}x^2 J_1^2(x) K_1^2(\sqrt{3}x)] \\
\int x^5 J_0(x) J_1(x) I_0(x) I_1(x) dx &= \frac{x^2}{8} [x^2 J_0^2(x) I_0^2(x) - x(x^2 + 2) J_0^2(x) I_0(x) I_1(x) + (x^2 + 1) J_0^2(x) I_1^2(x) + \\
& + x(x^2 - 2) J_0(x) J_1(x) I_0^2(x) + 2J_0(x) J_1(x) I_0(x) I_1(x) + x^3 J_0(x) J_1(x) I_1^2(x) - (x^2 - 1) J_1^2(x) I_0^2(x) + \\
& + x^3 J_1^2(x) I_0(x) I_1(x)] \\
\int x^5 J_0(x) J_1(x) K_0(x) K_1(x) dx &= \frac{x^2}{8} [-x^2 J_0^2(x) K_0^2(x) - x(x^2 + 2) J_0^2(x) K_0(x) K_1(x) - (x^2 + 1) J_0^2(x) K_1^2(x) - \\
& - x(x^2 - 2) J_0(x) J_1(x) K_0^2(x) + 2J_0(x) J_1(x) K_0(x) K_1(x) - x^3 J_0(x) J_1(x) K_1^2(x) + (x^2 - 1) J_1^2(x) K_0^2(x) + \\
& + x^3 J_1^2(x) K_0(x) K_1(x)]
\end{aligned}$$

$$\eta = \frac{\sqrt{30\sqrt{34} - 15}}{15} = 0.84308\ 57524$$

$$\begin{aligned}
\int x^5 I_1^2(x) K_0^2(\eta x) dx &= -\frac{1}{32} (2x^2 + 73 + 11\sqrt{34}) x^4 I_0^2(x) K_0^2(\eta x) + \\
& + \frac{1}{1440} \sqrt{30\sqrt{34} - 15} (\sqrt{34} + 5) (10x^2 + 228 + 51\sqrt{34}) x^3 I_0^2(x) K_0(\eta x) K_1(\eta x) - \\
& - \frac{1}{64} (-4x^4 + 18\sqrt{34}x^2 + 114x^2 + 801\sqrt{34} + 4653) x^2 I_0^2(x) K_1^2(\eta x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{1}{864} \left(\sqrt{34} + 13 \right) \left(54x^2 + 1396 + 227\sqrt{34} \right) x^3 I_0(x) I_1(x) K_0^2(\eta x) - \\
& - \frac{1}{1440} \sqrt{30\sqrt{34} - 15} \left(8\sqrt{34} + 49 \right) \left(20x^2 + 219 + 33\sqrt{34} \right) x^2 I_0(x) I_1(x) K_0(\eta x) K_1(\eta x) + \\
& + \frac{1}{32} \left(\sqrt{34} + 3 \right) \left(2x^2 + 15\sqrt{34} + 90 \right) x^3 I_0(x) I_1(x) K_1^2(\eta x) - \\
& - \frac{1}{64} \left(-4x^4 + 178x^2 + 26\sqrt{34}x^2 + 1123\sqrt{34} + 6569 \right) x^2 I_1^2(x) K_0^2(\eta x) + \\
& + \frac{1}{15840} \sqrt{30\sqrt{34} - 15} \left(\sqrt{34} + 23 \right) \left(22x^2 + 215\sqrt{34} + 1270 \right) x^3 I_1^2(x) K_0(\eta x) K_1(\eta x) - \\
& - \frac{1}{32} \left(2x^2 + 59 + 13\sqrt{34} \right) x^4 I_1^2(x) K_1^2(\eta x) \\
& \int x^5 K_1^2(x) I_0^2(\eta x) dx = -\frac{1}{32} \left(2x^2 + 73 + 11\sqrt{34} \right) x^4 K_0^2(x) I_0^2(\eta x) - \\
& - \frac{1}{1440} \sqrt{30\sqrt{34} - 15} \left(\sqrt{34} + 5 \right) \left(10x^2 + 228 + 51\sqrt{34} \right) x^3 K_0^2(x) I_0(\eta x) I_1(\eta x) - \\
& - \frac{1}{64} \left(-4x^4 + 18\sqrt{34}x^2 + 114x^2 + 801\sqrt{34} + 4653 \right) x^2 K_0^2(x) I_1^2(\eta x) - \\
& - \frac{1}{864} \left(\sqrt{34} + 13 \right) \left(54x^2 + 1396 + 227\sqrt{34} \right) x^3 K_0(x) K_1(x) I_0^2(\eta x) - \\
& - \frac{1}{1440} \sqrt{30\sqrt{34} - 15} \left(8\sqrt{34} + 49 \right) \left(20x^2 + 219 + 33\sqrt{34} \right) x^2 K_0(x) K_1(x) I_0(\eta x) I_1(\eta x) - \\
& - \frac{1}{32} \left(\sqrt{34} + 3 \right) \left(2x^2 + 15\sqrt{34} + 90 \right) x^3 K_0(x) K_1(x) I_1^2(\eta x) - \\
& - \frac{1}{64} \left(-4x^4 + 178x^2 + 26\sqrt{34}x^2 + 1123\sqrt{34} + 6569 \right) x^2 K_1^2(x) I_0^2(\eta x) - \\
& - \frac{1}{15840} \sqrt{30\sqrt{34} - 15} \left(\sqrt{34} + 23 \right) \left(22x^2 + 215\sqrt{34} + 1270 \right) x^3 K_1^2(x) I_0(\eta x) I_1(\eta x) - \\
& - \frac{1}{32} \left(2x^2 + 59 + 13\sqrt{34} \right) x^4 K_1^2(x) I_1^2(\eta x)
\end{aligned}$$

$$\zeta = \frac{\sqrt{2\sqrt{34} + 1}}{3} = 1.18611\ 89649$$

$$\begin{aligned}
& \int x^5 I_0^2(x) K_1^2(\zeta x) dx = -\frac{1}{32} \left(2x^2 + 9\sqrt{34} + 45 \right) x^4 I_0^2(x) K_0^2(\zeta x) - \\
& - \frac{1}{864} \sqrt{1 + 2\sqrt{34}} \left(5\sqrt{34} + 11 \right) \left(6x^2 + 19\sqrt{34} + 104 \right) x^3 I_0^2(x) K_0(\zeta x) K_1(\zeta x) - \\
& - \frac{1}{64} \left(-4x^4 + 22\sqrt{34}x^2 + 106x^2 + 3321 + 567\sqrt{34} \right) x^2 I_0^2(x) K_1^2(\zeta x) - \\
& - \frac{1}{160} \left(7 + \sqrt{34} \right) \left(10x^2 + 27\sqrt{34} + 216 \right) x^3 I_0(x) I_1(x) K_0^2(\zeta x) - \\
& - \frac{1}{288} \sqrt{1 + 2\sqrt{34}} \left(4\sqrt{34} + 25 \right) \left(20x^2 + 27\sqrt{34} + 135 \right) x^2 I_0(x) I_1(x) K_0(\zeta x) K_1(\zeta x) - \\
& - \frac{1}{352} \left(1 + \sqrt{34} \right) \left(22x^2 + 155\sqrt{34} + 890 \right) x^3 I_0(x) I_1(x) K_1^2(\zeta x) - \\
& - \frac{1}{64} \left(-4x^4 + 74x^2 + 14\sqrt{34}x^2 + 2349 + 405\sqrt{34} \right) x^2 I_1^2(x) K_0^2(\zeta x) - \\
& - \frac{1}{288} \sqrt{1 + 2\sqrt{34}} \left(\sqrt{34} + 13 \right) \left(2x^2 + 11\sqrt{34} + 62 \right) x^3 I_1^2(x) K_0(\zeta x) K_1(\zeta x) - \\
& - \frac{1}{32} \left(2x^2 + 55 + 7\sqrt{34} \right) x^4 I_1^2(x) K_1^2(\zeta x)
\end{aligned}$$

$$\begin{aligned}
& \int x^5 K_0^2(x) I_1^2(\zeta x) dx = -\frac{1}{32} \left(2x^2 + 9\sqrt{34} + 45 \right) x^4 K_0^2(x) I_0^2(\zeta x) + \\
& + \frac{1}{864} \sqrt{1 + 2\sqrt{34}} \left(5\sqrt{34} + 11 \right) \left(6x^2 + 19\sqrt{34} + 104 \right) x^3 K_0^2(x) I_0(\zeta x) I_1(\zeta x) - \\
& - \frac{1}{64} \left(-4x^4 + 22\sqrt{34}x^2 + 106x^2 + 3321 + 567\sqrt{34} \right) x^2 K_0^2(x) I_1^2(\zeta x) + \\
& + \frac{1}{160} \left(7 + \sqrt{34} \right) \left(10x^2 + 27\sqrt{34} + 216 \right) x^3 K_0(x) K_1(x) I_0^2(\zeta x) - \\
& - \frac{1}{288} \sqrt{1 + 2\sqrt{34}} \left(4\sqrt{34} + 25 \right) \left(20x^2 + 27\sqrt{34} + 135 \right) x^2 K_0(x) K_1(x) I_0(\zeta x) I_1(\zeta x) + \\
& + \frac{1}{352} \left(1 + \sqrt{34} \right) \left(22x^2 + 155\sqrt{34} + 890 \right) x^3 K_0(x) K_1(x) I_1^2(\zeta x) - \\
& - \frac{1}{64} \left(-4x^4 + 74x^2 + 14\sqrt{34}x^2 + 2349 + 405\sqrt{34} \right) x^2 K_1^2(x) I_0^2(\zeta x) + \\
& + \frac{1}{288} \sqrt{1 + 2\sqrt{34}} \left(\sqrt{34} + 13 \right) \left(2x^2 + 11\sqrt{34} + 62 \right) x^3 K_1^2(x) I_0(\zeta x) I_1(\zeta x) - \\
& - \frac{1}{32} \left(2x^2 + 55 + 7\sqrt{34} \right) x^4 K_1^2(x) I_1^2(\zeta x)
\end{aligned}$$

$$\lambda = \frac{\sqrt{10\sqrt{19} - 5}}{5} = 1.24240\ 07314$$

$$\begin{aligned}
\int x^6 J_1^2(x) J_0(\lambda x) J_1(\lambda x) dx &= \frac{\sqrt{10\sqrt{19} - 5} (3\sqrt{19} + 14) x^4 (2x^2 - 18\sqrt{19} - 39)}{1600} J_0^2(x) J_0^2(\lambda x) - \\
& - \frac{(14\sqrt{19} + 67) x^3 (102x^2 - 1357 - 349\sqrt{19})}{3264} J_0^2(x) J_0(\lambda x) J_1(\lambda x) - \\
& - \frac{\sqrt{10\sqrt{19} - 5} (\sqrt{19} + 8) x^2 (12x^4 - 124x^2\sqrt{19} - 502x^2 + 9696 + 2217\sqrt{19})}{5760} J_0^2(x) J_1^2(\lambda x) + \\
& + \frac{\sqrt{10\sqrt{19} - 5} (52\sqrt{19} + 251) x^3 (62x^2 - 167\sqrt{19} - 791)}{49600} J_0(x) J_1(x) J_0^2(\lambda x) + \\
& + \frac{(3 + \sqrt{19}) x^2 (16x^4 - 100x^2\sqrt{19} - 420x^2 + 3603 + 831\sqrt{19})}{128} J_0(x) J_1(x) J_0(\lambda x) J_1(\lambda x) - \\
& - \frac{\sqrt{10\sqrt{19} - 5} (38\sqrt{19} + 169) x^3 (6x^2 - 73 - 19\sqrt{19})}{2880} J_0(x) J_1(x) J_1^2(\lambda x) - \\
& - \frac{\sqrt{10\sqrt{19} - 5} (7\sqrt{19} + 16) (108x^4 - 356x^2\sqrt{19} - 1678x^2 + 5727\sqrt{19} + 25026) x^2}{86400} J_1^2(x) J_1^2(\lambda x) + \\
& + \frac{(16\sqrt{19} + 63) x^3 (358x^2 - 885\sqrt{19} - 3955)}{11456} J_1^2(x) J_0(\lambda x) J_1(\lambda x) + \\
& + \frac{\sqrt{10\sqrt{19} - 5} (\sqrt{19} + 2) x^4 (10x^2 - 36\sqrt{19} - 143)}{960} J_1^2(x) J_1^2(\lambda x) \\
\int x^6 I_1^2(x) K_0(\lambda x) K_1(\lambda x) dx &= -\frac{1}{1600} \sqrt{10\sqrt{19} - 5} (3\sqrt{19} + 14) \left(2x^2 + 18\sqrt{19} + 39 \right) x^4 I_0^2(x) K_0^2(\lambda x) - \\
& - \frac{1}{3264} \left(14\sqrt{19} + 67 \right) \left(102x^2 + 349\sqrt{19} + 1357 \right) x^3 I_0^2(x) K_0(\lambda x) K_1(\lambda x) - \\
& - \frac{1}{5760} \sqrt{10\sqrt{19} - 5} (\sqrt{19} + 8) \left(12x^4 + 124\sqrt{19}x^2 + 502x^2 + 2217\sqrt{19} + 9696 \right) x^2 I_0^2(x) K_1^2(\lambda x) - \\
& - \frac{1}{49600} \sqrt{10\sqrt{19} - 5} (251 + 52\sqrt{19}) \left(62x^2 + 791 + 167\sqrt{19} \right) x^3 I_0(x) I_1(x) K_0^2(\lambda x) - \\
& - \frac{1}{128} \left(3 + \sqrt{19} \right) \left(16x^4 + 420x^2 + 100\sqrt{19}x^2 + 3603 + 831\sqrt{19} \right) x^2 I_0(x) I_1(x) K_0(\lambda x) K_1(\lambda x) -
\end{aligned}$$

$$\begin{aligned}
& -\frac{1}{2880} \sqrt{10\sqrt{19}-5} (38\sqrt{19}+169) (6x^2+19\sqrt{19}+73) x^3 I_0(x) I_1(x) K_1^2(\lambda x) - \\
& -\frac{1}{86400} \sqrt{10\sqrt{19}-5} (7\sqrt{19}+16) (108x^4+356\sqrt{19}x^2+1678x^2+5727\sqrt{19}+25026) x^2 I_1^2(x) K_0^2(\lambda x) - \\
& -\frac{1}{11456} (16\sqrt{19}+63) (358x^2+3955+885\sqrt{19}) x^3 I_1^2(x) K_0(\lambda x) K_1(\lambda x) - \\
& -\frac{1}{960} \sqrt{10\sqrt{19}-5} (\sqrt{19}+2) (10x^2+36\sqrt{19}+143) x^4 I_1^2(x) K_1^2(\lambda x) \\
\int x^6 K_1^2(x) I_0(\lambda x) I_1(\lambda x) dx = & \frac{1}{1600} \sqrt{10\sqrt{19}-5} (3\sqrt{19}+14) (2x^2+18\sqrt{19}+39) x^4 K_0^2(x) I_0^2(\lambda x) - \\
& -\frac{1}{3264} (14\sqrt{19}+67) (102x^2+349\sqrt{19}+1357) x^3 K_0^2(x) I_0(\lambda x) I_1(\lambda x) + \\
& +\frac{1}{5760} \sqrt{10\sqrt{19}-5} (\sqrt{19}+8) (12x^4+124\sqrt{19}x^2+502x^2+2217\sqrt{19}+9696) x^2 K_0^2(x) I_1^2(\lambda x) - \\
& -\frac{1}{49600} \sqrt{10\sqrt{19}-5} (251+52\sqrt{19}) (62x^2+791+167\sqrt{19}) x^3 K_0(x) K_1(x) I_0^2(\lambda x) + \\
& +\frac{1}{128} (3+\sqrt{19}) (16x^4+420x^2+100\sqrt{19}x^2+3603+831\sqrt{19}) x^2 K_0(x) K_1(x) I_0(\lambda x) I_1(\lambda x) - \\
& -\frac{1}{2880} \sqrt{10\sqrt{19}-5} (38\sqrt{19}+169) (6x^2+19\sqrt{19}+73) x^3 K_0(x) K_1(x) I_1^2(\lambda x) + \\
& +\frac{1}{86400} \sqrt{10\sqrt{19}-5} (7\sqrt{19}+16) (108x^4+356\sqrt{19}x^2+1678x^2+5727\sqrt{19}+25026) x^2 K_1^2(x) I_0^2(\lambda x) - \\
& -\frac{1}{11456} (16\sqrt{19}+63) (358x^2+3955+885\sqrt{19}) x^3 K_1^2(x) I_0(\lambda x) I_1(\lambda x) + \\
& +\frac{1}{960} \sqrt{10\sqrt{19}-5} (\sqrt{19}+2) (10x^2+36\sqrt{19}+143) x^4 K_1^2(x) I_1^2(\lambda x) \\
\mu = \frac{\sqrt{10\sqrt{19}+5}}{5} = & 1.39411\ 60559 \\
\int x^6 J_1^2(x) I_0(\mu x) I_1(\mu x) dx = & -\frac{\sqrt{10\sqrt{19}+5} (3\sqrt{19}-14) (2x^2+18\sqrt{19}-39) x^4}{1600} J_0^2(x) I_0^2(\mu x) + \\
& +\frac{(14\sqrt{19}-67) (102x^2-1357+349\sqrt{19}) x^3}{3264} J_0^2(x) I_0(\mu x) I_1(\mu x) - \\
& -\frac{\sqrt{10\sqrt{19}+5} (\sqrt{19}-8) (12x^4-502x^2+124\sqrt{19}x^2+9696-2217\sqrt{19}) x^2}{5760} J_0^2(x) I_1^2(\mu x) - \\
& -\frac{\sqrt{10\sqrt{19}+5} (52\sqrt{19}-251) (62x^2+167\sqrt{19}-791) x^3}{49600} J_0(x) J_1(x) I_0^2(\mu x) - \\
& -\frac{(\sqrt{19}-3) (16x^4+100\sqrt{19}x^2-420x^2+3603-831\sqrt{19}) x^2}{128} J_0(x) J_1(x) I_0(\mu x) I_1(\mu x) - \\
& -\frac{\sqrt{10\sqrt{19}+5} (38\sqrt{19}-169) (6x^2+19\sqrt{19}-73) x^3}{2880} J_0(x) J_1(x) I_1^2(\mu x) + \\
& +\frac{\sqrt{10\sqrt{19}+5} (7\sqrt{19}-16) (108x^4+356\sqrt{19}x^2-1678x^2+25026-5727\sqrt{19}) x^2}{86400} J_1^2(x) I_0^2(\mu x) - \\
& -\frac{(16\sqrt{19}-63) (358x^2-3955+885\sqrt{19}) x^3}{11456} J_1^2(x) I_0(\mu x) I_1(\mu x) + \\
& +\frac{\sqrt{10\sqrt{19}+5} (\sqrt{19}-2) (10x^2-143+36\sqrt{19}) x^4}{960} J_1^2(x) I_1^2(\mu x)
\end{aligned}$$

$$\begin{aligned}
\int x^6 J_1^2(x) K_0(\mu x) K_1(\mu x) dx &= \frac{\sqrt{10\sqrt{19}+5} (3\sqrt{19}-14) (2x^2+18\sqrt{19}-39) x^4}{1600} J_0^2(x) K_0^2(x) + \\
&+ \frac{(14\sqrt{19}-67) (102x^2-1357+349\sqrt{19}) x^3}{3264} J_0^2(x) K_0(x) K_1(x) + \\
&+ \frac{\sqrt{10\sqrt{19}+5} (\sqrt{19}-8) (12x^4-502x^2+124\sqrt{19}x^2+9696-2217\sqrt{19}) x^2}{5760} J_0^2(x) K_1^2(x) + \\
&+ \frac{\sqrt{10\sqrt{19}+5} (52\sqrt{19}-251) (62x^2+167\sqrt{19}-791) x^3}{49600} J_0(x) J_1(x) K_0^2(x) - \\
&- \frac{(\sqrt{19}-3) (16x^4+100\sqrt{19}x^2-420x^2+3603-831\sqrt{19}) x^2}{128} J_0(x) J_1(x) K_0(x) K_1(x) + \\
&+ \frac{\sqrt{10\sqrt{19}+5} (38\sqrt{19}-169) (6x^2+19\sqrt{19}-73) x^3}{2880} J_0(x) J_1(x) K_1^2(x) - \\
&- \frac{\sqrt{10\sqrt{19}+5} (7\sqrt{19}-16) (108x^4+356\sqrt{19}x^2-1678x^2+25026-5727\sqrt{19}) x^2}{86400} J_1^2(x) K_0^2(x) - \\
&- \frac{(16\sqrt{19}-63) (358x^2-3955+885\sqrt{19}) x^3}{11456} J_1^2(x) K_0(x) K_1(x) - \\
&- \frac{\sqrt{10\sqrt{19}+5} (\sqrt{19}-2) (10x^2-143+36\sqrt{19}) x^4}{960} J_1^2(x) K_1^2(x)
\end{aligned}$$

$$\nu = \frac{\sqrt{30\sqrt{19}+15}}{15} = 0.80489\ 32802$$

$$\begin{aligned}
\int x^6 J_0(x) J_1(x) J_1^2(\nu x) dx &= \frac{(\sqrt{19}+4) (2x^2-129-12\sqrt{19}) x^4}{64} J_0^2(x) J_0^2(\nu x) + \\
&+ \frac{\sqrt{15+30\sqrt{19}} (41+8\sqrt{19}) (62x^2-1111-283\sqrt{19}) x^3}{9920} J_0^2(x) J_0(\nu x) J_1(\nu x) - \\
&- \frac{(10+\sqrt{19}) (36x^4-790x^2-200\sqrt{19}x^2+4545\sqrt{19}+19890) x^2}{1152} J_0^2(x) J_1^2(\nu x) - \\
&- \frac{(31+8\sqrt{19}) (102x^2-2381-473\sqrt{19}) x^3}{1088} J_0(x) J_1(x) J_1^2(\nu x) + \\
&+ \frac{\sqrt{15+30\sqrt{19}} (7+\sqrt{19}) (16x^4-148\sqrt{19}x^2-676x^2+1983\sqrt{19}+8571) x^2}{1920} J_0(x) J_1(x) J_0(\nu x) J_1(\nu x) + \\
&+ \frac{(22\sqrt{19}+109) (358x^2-5935-1405\sqrt{19}) x^3}{11456} J_0(x) J_1(x) J_1^2(\nu x) - \\
&- \frac{(\sqrt{19}+2) (12x^4-176\sqrt{19}x^2-842x^2+5277\sqrt{19}+23124) x^2}{384} J_1^2(x) J_0^2(\nu x) - \\
&- \frac{\sqrt{15+30\sqrt{19}} (9+2\sqrt{19}) (30x^2-649-127\sqrt{19}) x^3}{960} J_1^2(x) J_0(\nu x) J_1(\nu x) + \\
&+ \frac{(\sqrt{19}+12) (2x^2-10\sqrt{19}-49) x^4}{64} J_1^2(x) J_1^2(\nu x)
\end{aligned}$$

$$\begin{aligned}
\int x^6 I_0(x) I_1(x) K_1^2(\nu x) dx &= \frac{1}{64} (\sqrt{19}+4) (2x^2+129+12\sqrt{19}) x^4 I_0^2(x) K_0^2(\nu x) - \\
&- \frac{1}{9920} \sqrt{15+30\sqrt{19}} (41+8\sqrt{19}) (62x^2+283\sqrt{19}+1111) x^3 I_0^2(x) K_0(\nu x) K_1(\nu x) + \\
&+ \frac{1}{1152} (\sqrt{19}+10) (36x^4+790x^2+200\sqrt{19}x^2+4545\sqrt{19}+19890) x^2 I_0^2(x) K_1^2(\nu x) - \\
&- \frac{1}{1088} (31+8\sqrt{19}) (102x^2+2381+473\sqrt{19}) x^3 I_0(x) I_1(x) K_0^2(\nu x) +
\end{aligned}$$

$$\begin{aligned}
& + \frac{\sqrt{19} + 7}{1920} \sqrt{15 + 30\sqrt{19}} \left(16x^4 + 676x^2 + 148\sqrt{19}x^2 + 1983\sqrt{19} + 8571 \right) x^2 I_0(x) I_1(x) K_0(\nu x) K_1(\nu x) - \\
& \quad - \frac{1}{11456} \left(22\sqrt{19} + 109 \right) \left(358x^2 + 5935 + 1405\sqrt{19} \right) x^3 I_0(x) I_1(x) K_1^2(\nu x) + \\
& \quad + \frac{\sqrt{19} + 2}{384} \left(12x^4 + 176\sqrt{19}x^2 + 842x^2 + 5277\sqrt{19} + 23124 \right) x^2 I_1^2(x) K_0^2(\nu x) - \\
& \quad - \frac{1}{960} \sqrt{15 + 30\sqrt{19}} \left(9 + 2\sqrt{19} \right) \left(30x^2 + 127\sqrt{19} + 649 \right) x^3 I_1^2(x) K_0(\nu x) K_1(\nu x) + \\
& \quad \quad + \frac{1}{64} \left(\sqrt{19} + 12 \right) \left(2x^2 + 10\sqrt{19} + 49 \right) x^4 I_1^2(x) K_1^2(\nu x) \\
\xi & = \frac{\sqrt{30\sqrt{19} - 15}}{15} = 0.71730\ 03967 \\
& \int x^6 J_0(x) J_1(x) I_1^2(\xi x) dx = \frac{(\sqrt{19} - 4) (2x^2 - 129 + 12\sqrt{19}) x^4}{64} J_0^2(x) I_0^2(\xi x) + \\
& \quad + \frac{\sqrt{30\sqrt{19} - 15} (41 - 8\sqrt{19}) (62x^2 + 283\sqrt{19} - 1111) x^3}{9920} J_0^2(x) I_0(\xi x) I_1(\xi x) + \\
& \quad + \frac{(\sqrt{19} - 10) (36x^4 - 790x^2 + 200\sqrt{19}x^2 + 19890 - 4545\sqrt{19}) x^2}{1152} J_0^2(x) I_1^2(\xi x) + \\
& \quad \quad + \frac{(31 - 8\sqrt{19}) (102x^2 - 2381 + 473\sqrt{19}) x^3}{1088} J_0(x) J_1(x) I_0^2(\xi x) + \\
& + \frac{\sqrt{30\sqrt{19} - 15} (7 - \sqrt{19}) (16x^4 + 148\sqrt{19}x^2 - 676x^2 + 8571 - 1983\sqrt{19}) x^2}{1920} J_0(x) J_1(x) I_0(\xi x) I_1(\xi x) + \\
& \quad + \frac{(109 - 22\sqrt{19}) (358x^2 - 5935 + 1405\sqrt{19}) x^3}{11456} J_0(x) J_1(x) I_1^2(\xi x) - \\
& \quad - \frac{(\sqrt{19} - 2) (12x^4 + 176\sqrt{19}x^2 - 842x^2 - 5277\sqrt{19} + 23124) x^2}{384} J_1^2(x) I_0^2(\xi x) - \\
& \quad - \frac{\sqrt{30\sqrt{19} - 15} (9 - 2\sqrt{19}) (30x^2 + 127\sqrt{19} - 649) x^3}{960} J_1^2(x) I_0(\xi x) I_1(\xi x) - \\
& \quad \quad - \frac{(\sqrt{19} - 12) (2x^2 + 10\sqrt{19} - 49) x^4}{64} J_1^2(x) I_1^2(\xi x) \\
& \int x^6 J_0(x) J_1(x) K_1^2(\xi x) dx = \frac{(\sqrt{19} - 4) (2x^2 - 129 + 12\sqrt{19}) x^4}{64} J_0^2(x) K_1^2(\xi x) - \\
& \quad - \frac{\sqrt{30\sqrt{19} - 15} (41 - 8\sqrt{19}) (62x^2 + 283\sqrt{19} - 1111) x^3}{9920} J_0^2(x) K_0(\xi x) K_1(\xi x) + \\
& \quad + \frac{(\sqrt{19} - 10) (36x^4 - 790x^2 + 200\sqrt{19}x^2 + 19890 - 4545\sqrt{19}) x^2}{1152} J_0^2(x) K_1^2(\xi x) + \\
& \quad \quad + \frac{(31 - 8\sqrt{19}) (102x^2 - 2381 + 473\sqrt{19}) x^3}{1088} J_0(x) J_1(x) K_0^2(\xi x) - \\
& - \frac{\sqrt{30\sqrt{19} - 15} (7 - \sqrt{19}) (16x^4 - 676x^2 + 148\sqrt{19}x^2 - 1983\sqrt{19} + 8571) x^2}{1920} J_0(x) J_1(x) K_0(\xi x) K_1(\xi x) + \\
& \quad + \frac{(109 - 22\sqrt{19}) (358x^2 - 5935 + 1405\sqrt{19}) x^3}{11456} J_0(x) J_1(x) K_1^2(\xi x) - \\
& \quad - \frac{(\sqrt{19} - 2) (12x^4 + 176\sqrt{19}x^2 - 842x^2 - 5277\sqrt{19} + 23124) x^2}{384} J_1^2(x) K_0^2(\xi x) + \\
& \quad + \frac{\sqrt{30\sqrt{19} - 15} (9 - 2\sqrt{19}) (30x^2 + 127\sqrt{19} - 649) x^3}{960} J_1^2(x) K_0(\xi x) K_1(\xi x) - \\
& \quad \quad - \frac{(\sqrt{19} - 12) (2x^2 + 10\sqrt{19} - 49) x^4}{64} J_1^2(x) K_1^2(\xi x)
\end{aligned}$$

5. Quotients

In the following formulas $J_\nu(x)$ may be substituted by $Y_\nu(x)$ or $H_\nu^{(p)}(x)$, $p = 1, 2$.

Integrals are omitted, when $f(x)$ turns out to be of a very special kind or when the antiderivative is expressed by Whittaker or other hypergeometric functions.

5.1. Denominator $p(x) Z_0(x) + q(x) Z_1(x)$

a) Typ $f(x) Z_\nu(x) / [p(x) Z_0(x) + q(x) Z_1(x)]$:

$$\int \frac{J_1(x) dx}{J_0(x)} = -\ln |J_0(x)|, \quad \int \frac{I_1(x) dx}{I_0(x)} = \ln |I_0(x)|, \quad \int \frac{K_1(x) dx}{K_0(x)} = -\ln |K_0(x)|$$

$$\int \frac{J_0(x) dx}{J_1(x)} = \ln |x J_1(x)|, \quad \int \frac{I_0(x) dx}{I_1(x)} = \ln |x I_1(x)|, \quad \int \frac{K_0(x) dx}{K_1(x)} = -\ln |x K_1(x)|$$

$$\int \frac{(x^2 + a^2 - 2a) J_1(x) dx}{x[x J_0(x) - a J_1(x)]} = -\ln |x^a J_0(x) - a x^{a-1} J_1(x)|$$

$$\int \frac{(x^2 - a^2 + 2a) I_1(x) dx}{x[x I_0(x) - a I_1(x)]} = \ln |x^a I_0(x) - a x^{a-1} I_1(x)|$$

$$\int \frac{(x^2 - a^2 + 2a) K_1(x) dx}{x[x K_0(x) + a K_1(x)]} = -\ln |x^a K_0(x) + a x^{a-1} K_1(x)|$$

$$\int \frac{\cos x J_1(x) dx}{x[\sin x J_0(x) - \cos x J_1(x)]} = \ln |\sin x J_0(x) - \cos x J_1(x)|$$

$$\int \frac{(2x \sin x + \cos x) I_1(x) dx}{x[\sin x I_0(x) - \cos x I_1(x)]} = \ln |\sin x I_0(x) - \cos x I_1(x)|$$

$$\int \frac{(2x \sin x + \cos x) K_1(x) dx}{x[\sin x K_0(x) + \cos x K_1(x)]} = -\ln |\sin x K_0(x) + \cos x K_1(x)|$$

$$\int \frac{\sin x J_1(x) dx}{x[\cos x J_0(x) + \sin x J_1(x)]} = -\ln |\cos x J_0(x) + \sin x J_1(x)|$$

$$\int \frac{(2x \cos x - \sin x) I_1(x) dx}{x[\cos x I_0(x) + \sin x I_1(x)]} = \ln |\cos x I_0(x) + \sin x I_1(x)|$$

$$\int \frac{(2x \cos x - \sin x) K_1(x) dx}{x[\cos x K_0(x) - \sin x K_1(x)]} = -\ln |\cos x K_0(x) - \sin x K_1(x)|$$

5.2. Denominator $[p(x) Z_0(x) + q(x) Z_1(x)]^2$

a) Typ $f(x) Z_\mu(x) / [p(x) Z_0(x) + q(x) Z_1(x)]^2$:

$$\int \frac{[(a^2 + b^2)x + ab] \exp(-\frac{ax}{b}) J_0(x) dx}{x^2 [a J_0(x) + b J_1(x)]^2} = -\frac{b \exp(-\frac{ax}{b})}{x [a J_0(x) + b J_1(x)]}$$

$$\int \frac{[(a^2 - b^2)x - ab] \exp(\frac{ax}{b}) I_0(x) dx}{x^2 [a I_0(x) + b I_1(x)]^2} = \frac{b \exp(\frac{ax}{b})}{x [a I_0(x) + b I_1(x)]}$$

$$\int \frac{[(a^2 - b^2)x + ab] \exp(-\frac{ax}{b}) K_0(x) dx}{x^2 [a K_0(x) + b K_1(x)]^2} = -\frac{b \exp(-\frac{ax}{b})}{x [a I_0(x) + b I_1(x)]}$$

$$\int \frac{[(a^2 + b^2)x + ab] \exp(\frac{bx}{a}) J_1(x) dx}{x [a J_0(x) + b J_1(x)]^2} = \frac{a \exp(\frac{bx}{a})}{a J_0(x) + b J_1(x)}$$

$$\int \frac{[(a^2 - b^2)x - ab] \exp(\frac{bx}{a}) I_1(x) dx}{x [a I_0(x) + b I_1(x)]^2} = -\frac{a \exp(\frac{bx}{a})}{a I_0(x) + b I_1(x)}$$

$$\int \frac{[(a^2 - b^2)x + ab] \exp(-\frac{bx}{a}) K_1(x) dx}{x [a K_0(x) + b K_1(x)]^2} = \frac{a \exp(-\frac{bx}{a})}{a K_0(x) + b K_1(x)}$$

$$\int \frac{[a^2x^2 + b^2 + 2ab] \exp(-\frac{ax^2}{2b}) J_0(x) dx}{x [ax J_0(x) + b J_1(x)]^2} = -\frac{b \exp(-\frac{ax^2}{2b})}{x [ax J_0(x) + b J_1(x)]}$$

$$\int \frac{[a^2x^2 - b^2 - 2ab] \exp(\frac{ax^2}{2b}) I_0(x) dx}{x [ax I_0(x) + b I_1(x)]^2} = \frac{b \exp(\frac{ax^2}{2b})}{x [ax I_0(x) + b I_1(x)]}$$

$$\int \frac{[a^2x^2 - b^2 + 2ab] \exp(-\frac{ax^2}{2b}) K_0(x) dx}{x [ax K_0(x) + b K_1(x)]^2} = -\frac{b \exp(-\frac{ax^2}{2b})}{x [ax K_0(x) + b K_1(x)]}$$

$$\int \frac{x^{b/a} [a^2x^2 + b^2 + 2ab] J_1(x) dx}{[ax J_0(x) + b J_1(x)]^2} = \frac{a x^{1+b/a}}{ax J_0(x) + b J_1(x)}$$

$$\int \frac{x^{b/a} [a^2x^2 - b^2 - 2ab] I_1(x) dx}{[ax I_0(x) + b I_1(x)]^2} = -\frac{a x^{1+b/a}}{ax I_0(x) + b I_1(x)}$$

$$\int \frac{x^{-b/a} [a^2x^2 - b^2 + 2ab] K_1(x) dx}{[ax K_0(x) + b K_1(x)]^2} = \frac{a x^{1-b/a}}{ax K_0(x) + b K_1(x)}$$

$$\int \frac{x^{-a/b} [a^2 + b^2x^2] J_0(x) dx}{x [a J_0(x) + bx J_1(x)]^2} = -\frac{b x^{-a/b}}{a J_0(x) + bx J_1(x)}$$

$$\int \frac{x^{a/b} [a^2 - b^2x^2] I_0(x) dx}{x [a I_0(x) + bx I_1(x)]^2} = \frac{b x^{a/b}}{a I_0(x) + bx I_1(x)}$$

$$\int \frac{x^{-a/b} [a^2 - b^2x^2] K_0(x) dx}{x [a K_0(x) + bx K_1(x)]^2} = -\frac{b x^{-a/b}}{a K_0(x) + bx K_1(x)}$$

$$\int \frac{[a^2 + b^2x^2] \exp(\frac{bx^2}{2a}) J_1(x) dx}{[a J_0(x) + bx J_1(x)]^2} = \frac{a \exp(\frac{bx^2}{2a})}{a J_0(x) + bx J_1(x)}$$

$$\int \frac{[b^2x^2 - a^2] \exp(\frac{bx^2}{2a}) I_1(x) dx}{[a I_0(x) + bx I_1(x)]^2} = \frac{a \exp(\frac{bx^2}{2a})}{a I_0(x) + bx I_1(x)}$$

$$\int \frac{[b^2x^2 - a^2] \exp(-\frac{bx^2}{2a}) K_1(x) dx}{[a K_0(x) + bx K_1(x)]^2} = -\frac{a \exp(-\frac{bx^2}{2a})}{a K_0(x) + bx K_1(x)}$$

$$\int \frac{[(a^2 + c^2)x^3 + (2ab + ac + 2cd)x^2 + (b^2 + 2ad + d^2)x + bd] (cx + d)^{(da-cb)/c^2} \exp(-\frac{ax}{c}) J_0(x) dx}{x^2 [(ax + b) J_0(x) + (cx + d) J_1(x)]^2} =$$

$$= -\frac{(cx + d)^{1+(da-cb)/c^2} \exp(-\frac{ax}{c})}{x [(ax + b) J_0(x) + (cx + d) J_1(x)]}$$

$$\int \frac{[(a^2 - c^2)x^3 + (2ab - ac - 2cd)x^2 + (b^2 - 2ad - d^2)x - bd] (cx + d)^{(cb-da)/c^2} \exp(\frac{ax}{c}) I_0(x) dx}{x^2 [(ax + b) I_0(x) + (cx + d) I_1(x)]^2} =$$

$$= \frac{(cx + d)^{1+(cb-da)/c^2} \exp(\frac{ax}{c})}{x [(ax + b) I_0(x) + (cx + d) I_1(x)]}$$

$$\int \frac{[(a^2 - c^2)x^3 + (2ab + ac - 2cd)x^2 + (b^2 + 2ad - d^2)x + bd] (cx + d)^{(da-cb)/c^2} \exp(-\frac{ax}{c}) K_0(x) dx}{x^2 [(ax + b) K_0(x) + (cx + d) K_1(x)]^2} =$$

$$= -\frac{(cx + d)^{1+(da-cb)/c^2} \exp(-\frac{ax}{c})}{x [(ax + b) K_0(x) + (cx + d) K_1(x)]}$$

$$\begin{aligned}
& \int \frac{[(a^2 + c^2)x^3 + (2ab + ac + 2cd)x^2 + (b^2 + 2ad + d^2)x + bd] (ax + b)^{(da-cb)/a^2} \exp(\frac{cx}{a}) J_1(x) dx}{x [(ax + b) J_0(x) + (cx + d) J_1(x)]^2} = \\
& \quad = \frac{(ax + b)^{1+(da-cb)/a^2} \exp(\frac{cx}{a})}{(ax + b) J_0(x) + (cx + d) J_1(x)} \\
& \int \frac{[(a^2 - c^2)x^3 + (2ab - ac - 2cd)x^2 + (b^2 - 2ad - d^2)x - bd] (ax + b)^{(da-cb)/a^2} \exp(\frac{cx}{a}) I_1(x) dx}{x [(ax + b) I_0(x) + (cx + d) I_1(x)]^2} = \\
& \quad = - \frac{(ax + b)^{1+(da-cb)/c^2} \exp(\frac{cx}{a})}{(ax + b) I_0(x) + (cx + d) I_1(x)} \\
& \int \frac{[(a^2 - c^2)x^3 + (2ab + ac - 2cd)x^2 + (b^2 + 2ad - d^2)x + bd] (ax + b)^{(cb-da)/c^2} \exp(-\frac{cx}{a}) K_1(x) dx}{x [(ax + b) K_0(x) + (cx + d) K_1(x)]^2} = \\
& \quad = \frac{(ax + b)^{1+(cb-da)/c^2} \exp(-\frac{cx}{a})}{(ax + b) K_0(x) + (cx + d) K_1(x)}
\end{aligned}$$

$$\begin{aligned}
& \int \frac{[2a^2 x^{3/2} + 2b^2 \sqrt{x} + 3ab] \exp(-\frac{2a}{3b} x^{3/2}) J_0(x) dx}{x^{3/2} [a\sqrt{x} J_0(x) + b J_1(x)]^2} = - \frac{2b \exp(-\frac{2a}{3b} x^{3/2})}{x[a\sqrt{x} J_0(x) + b J_1(x)]} \\
& \int \frac{[2a^2 x^{3/2} - 2b^2 \sqrt{x} - 3ab] \exp(\frac{2ax}{3b} x^{3/2}) I_0(x) dx}{x^{3/2} [a\sqrt{x} I_0(x) + b I_1(x)]^2} = \frac{2b \exp(\frac{2a}{3b} x^{3/2})}{x[a\sqrt{x} I_0(x) + b I_1(x)]} \\
& \int \frac{[2a^2 x^{3/2} - 2b^2 \sqrt{x} + 3ab] \exp(-\frac{2a}{3b} x^{3/2}) K_0(x) dx}{x^{3/2} [a\sqrt{x} K_0(x) + b K_1(x)]^2} = - \frac{2b \exp(-\frac{2a}{3b} x^{3/2})}{x[a\sqrt{x} K_0(x) + b K_1(x)]}
\end{aligned}$$

$$\begin{aligned}
& \int \frac{[2a^2 x^{3/2} + 2b^2 \sqrt{x} + 3ab] \exp(\frac{2b}{a} \sqrt{x}) J_1(x) dx}{\sqrt{x} [a\sqrt{x} J_0(x) + b J_1(x)]^2} = \frac{2a \sqrt{x} \exp(\frac{2b}{a} \sqrt{x})}{a\sqrt{x} J_0(x) + b J_1(x)} \\
& \int \frac{[2a^2 x^{3/2} - 2b^2 \sqrt{x} - 3ab] \exp(\frac{2b}{a} \sqrt{x}) I_1(x) dx}{\sqrt{x} [a\sqrt{x} I_0(x) + b I_1(x)]^2} = - \frac{2a \sqrt{x} \exp(\frac{2b}{a} \sqrt{x})}{a\sqrt{x} I_0(x) + b I_1(x)} \\
& \int \frac{[2a^2 x^{3/2} - 2b^2 \sqrt{x} + 3ab] \exp(-\frac{2b}{a} \sqrt{x}) K_1(x) dx}{\sqrt{x} [a\sqrt{x} K_0(x) + b K_1(x)]^2} = \frac{2a \sqrt{x} \exp(-\frac{2b}{a} \sqrt{x})}{a\sqrt{x} K_0(x) + b K_1(x)}
\end{aligned}$$

$$\begin{aligned}
& \int \frac{[2b^2 x^{3/2} + 2a^2 \sqrt{x} + ab] \exp(-\frac{2a}{b} \sqrt{x}) J_0(x) dx}{x^{3/2} [a J_0(x) + b\sqrt{x} J_1(x)]^2} = - \frac{2b \exp(-\frac{2a}{b} \sqrt{x})}{\sqrt{x} [a J_0(x) + b\sqrt{x} J_1(x)]} \\
& \int \frac{[2b^2 x^{3/2} - 2a^2 \sqrt{x} + ab] \exp(\frac{2a}{b} \sqrt{x}) I_0(x) dx}{x^{3/2} [a I_0(x) + b\sqrt{x} I_1(x)]^2} = - \frac{2b \exp(\frac{2a}{b} \sqrt{x})}{\sqrt{x} [a I_0(x) + b\sqrt{x} I_1(x)]} \\
& \int \frac{[2b^2 x^{3/2} - 2a^2 \sqrt{x} - ab] \exp(-\frac{2a}{b} \sqrt{x}) K_0(x) dx}{x^{3/2} [a K_0(x) + b\sqrt{x} K_1(x)]^2} = \frac{2b \exp(-\frac{2a}{b} \sqrt{x})}{\sqrt{x} [a K_0(x) + b\sqrt{x} K_1(x)]}
\end{aligned}$$

$$\begin{aligned}
& \int \frac{[2b^2 x^{3/2} + 2a^2 \sqrt{x} + ab] \exp(\frac{2b}{3a} x^{3/2}) J_1(x) dx}{\sqrt{x} [a J_0(x) + b\sqrt{x} J_1(x)]^2} = \frac{2a \exp(\frac{2b}{3a} x^{3/2})}{a J_0(x) + b\sqrt{x} J_1(x)} \\
& \int \frac{[2b^2 x^{3/2} - 2a^2 \sqrt{x} + ab] \exp(\frac{2b}{3a} x^{3/2}) I_1(x) dx}{\sqrt{x} [a I_0(x) + b\sqrt{x} I_1(x)]^2} = \frac{2a \exp(\frac{2b}{3a} x^{3/2})}{a I_0(x) + b\sqrt{x} I_1(x)} \\
& \int \frac{[2b^2 x^{3/2} - 2a^2 \sqrt{x} - ab] \exp(-\frac{2b}{3a} x^{3/2}) K_1(x) dx}{\sqrt{x} [a K_0(x) + b\sqrt{x} K_1(x)]^2} = - \frac{2a \exp(-\frac{2b}{3a} x^{3/2})}{a K_0(x) + b\sqrt{x} K_1(x)}
\end{aligned}$$

$$\begin{aligned}
\int \frac{[2a^2 x^3 + 5ab\sqrt{x} + 2b^2] \exp(-\frac{2a}{5b} x^{5/2}) J_0(x) dx}{x [ax^{3/2} J_0(x) + b J_1(x)]^2} &= -\frac{2b \exp(-\frac{2a}{5b} x^{5/2})}{x [ax^{3/2} J_0(x) + b J_1(x)]} \\
\int \frac{[2a^2 x^3 - 5ab\sqrt{x} - 2b^2] \exp(\frac{2a}{5b} x^{5/2}) I_0(x) dx}{x [ax^{3/2} I_0(x) + b I_1(x)]^2} &= \frac{2b \exp(\frac{2a}{5b} x^{5/2})}{x [ax^{3/2} I_0(x) + b I_1(x)]} \\
\int \frac{[2a^2 x^3 + 5ab\sqrt{x} - 2b^2] \exp(-\frac{2a}{5b} x^{5/2}) K_0(x) dx}{x [ax^{3/2} K_0(x) + b K_1(x)]^2} &= -\frac{2b \exp(-\frac{2a}{5b} x^{5/2})}{x [ax^{3/2} K_0(x) + b K_1(x)]} \\
\\
\int \frac{[2a^2 x^3 + 5ab\sqrt{x} + 2b^2] \exp(-2b/a\sqrt{x}) J_1(x) dx}{[ax^{3/2} J_0(x) + b J_1(x)]^2} &= \frac{2a x^{3/2} \exp(-2b/a\sqrt{x})}{ax^{3/2} J_0(x) + b J_1(x)} \\
\int \frac{[2a^2 x^3 - 5ab\sqrt{x} - 2b^2] \exp(-2b/a\sqrt{x}) I_1(x) dx}{[ax^{3/2} I_0(x) + b I_1(x)]^2} &= -\frac{2a x^{3/2} \exp(-2b/a\sqrt{x})}{ax^{3/2} I_0(x) + b I_1(x)} \\
\int \frac{[2a^2 x^3 + 5ab\sqrt{x} - 2b^2] \exp(2b/a\sqrt{x}) K_1(x) dx}{[ax^{3/2} K_0(x) + b K_1(x)]^2} &= \frac{2a x^{3/2} \exp(2b/a\sqrt{x})}{ax^{3/2} K_0(x) + b K_1(x)} \\
\\
\int \frac{[2b^2 x^3 - ab\sqrt{x} + 2a^2] \exp(2a/b\sqrt{x}) J_0(x) dx}{x [a J_0(x) + bx^{3/2} J_1(x)]^2} &= -\frac{2b \sqrt{x} \exp(2a/b\sqrt{x})}{a J_0(x) + bx^{3/2} J_1(x)} \\
\int \frac{[2b^2 x^3 - ab\sqrt{x} - 2a^2] \exp(-2a/b\sqrt{x}) I_0(x) dx}{x [a I_0(x) + bx^{3/2} I_1(x)]^2} &= -\frac{2b \sqrt{x} \exp(-2a/b\sqrt{x})}{a I_0(x) + bx^{3/2} I_1(x)} \\
\int \frac{[2b^2 x^3 + ab\sqrt{x} - 2a^2] \exp(2a/b\sqrt{x}) K_0(x) dx}{x [a K_0(x) + bx^{3/2} K_1(x)]^2} &= \frac{2b \sqrt{x} \exp(2a/b\sqrt{x})}{a K_0(x) + bx^{3/2} K_1(x)} \\
\\
\int \frac{[2b^2 x^3 - ab\sqrt{x} + 2a^2] \exp(2bx^{5/2}/5a) J_1(x) dx}{[a J_0(x) + bx^{3/2} J_1(x)]^2} &= \frac{2a \exp(2bx^{5/2}/5a)}{a J_0(x) + bx^{3/2} J_1(x)} \\
\int \frac{[2b^2 x^3 - ab\sqrt{x} - 2a^2] \exp(2bx^{5/2}/5a) I_1(x) dx}{[a I_0(x) + bx^{3/2} I_1(x)]^2} &= \frac{2a \exp(2bx^{5/2}/5a)}{a I_0(x) + bx^{3/2} I_1(x)} \\
\int \frac{[2b^2 x^3 + ab\sqrt{x} - 2a^2] \exp(-2bx^{5/2}/5a) K_1(x) dx}{[a K_0(x) + bx^{3/2} K_1(x)]^2} &= -\frac{2a \exp(-2bx^{5/2}/5a)}{a K_0(x) + bx^{3/2} K_1(x)}
\end{aligned}$$

b) Typ $f(x) Z_0^n(x) Z_1^{2-n}(x)/[p(x) Z_0(x) + q(x) Z_1(x)]^2$, $n = 0, 1, 2$:

$$\int \frac{[(a^2 + b^2)x + ab] \cdot \exp(-\frac{2ax}{b}) \cdot J_0^2(x) dx}{x^2 [a J_0(x) + b J_1(x)]^2} = E_1\left(\frac{2ax}{b}\right) - \frac{b J_0(x)}{x [a J_0(x) + b J_1(x)]} \cdot \exp\left(-\frac{2ax}{b}\right)$$

with the exponential integral $E_1(x)$ (see page 509).

$$\int \frac{[(a^2 - b^2)x - ab] \cdot \exp(\frac{2ax}{b}) \cdot I_0^2(x) dx}{x^2 [a I_0(x) + b I_1(x)]^2} = E_1\left(-\frac{2ax}{b}\right) + \frac{b I_0(x)}{x [a I_0(x) + b I_1(x)]} \cdot \exp\left(\frac{2ax}{b}\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \cdot \exp(-\frac{2ax}{b}) \cdot K_0^2(x) dx}{x^2 [a K_0(x) + b K_1(x)]^2} = E_1\left(\frac{2ax}{b}\right) - \frac{b K_0(x)}{x [a K_0(x) + b K_1(x)]} \cdot \exp\left(-\frac{2ax}{b}\right)$$

$$\int \frac{[(a^2 + b^2)x + ab] \cdot \exp(-\frac{a^2-b^2}{ab} x) \cdot J_0(x) \cdot J_1(x) dx}{x [a J_0(x) + b J_1(x)]^2} = -\frac{ab [b J_0(x) + a J_1(x)]}{(a^2 - b^2) [a J_0(x) + b J_1(x)]} \cdot \exp\left(-\frac{a^2 - b^2}{ab} x\right)$$

$$\int \frac{[(a^2 - b^2)x - ab] \cdot \exp(\frac{a^2+b^2}{ab} x) \cdot I_0(x) \cdot I_1(x) dx}{x [a I_0(x) + b I_1(x)]^2} = -\frac{ab [b J_0(x) - a J_1(x)]}{(a^2 + b^2) [a I_0(x) + b I_1(x)]} \cdot \exp\left(\frac{a^2 + b^2}{ab} x\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \cdot \exp\left(-\frac{a^2+b^2}{ab}x\right) \cdot K_0(x) \cdot K_1(x) dx}{x [a K_0(x) + b K_1(x)]^2} = -\frac{ab [b K_0(x) - a K_1(x)]}{(a^2 + b^2) [a K_0(x) + b K_1(x)]} \cdot \exp\left(-\frac{a^2 + b^2}{ab}x\right)$$

$$\int \frac{[(a^2 + b^2)x + ab] \cdot \exp\left(\frac{2bx}{a}\right) \cdot J_1^2(x) dx}{[a J_0(x) + b J_1(x)]^2} = \frac{a [a(a - 2bx) J_0(x) + b(a + 2bx) J_1(x)]}{4b^2 [a J_0(x) + b J_1(x)]} \cdot \exp\left(\frac{2bx}{a}\right)$$

$$\int \frac{[(a^2 - b^2)x - ab] \cdot \exp\left(\frac{2bx}{a}\right) \cdot I_1^2(x) dx}{[a I_0(x) + b I_1(x)]^2} = -\frac{a [a(a - 2bx) I_0(x) + b(a + 2bx) I_1(x)]}{4b^2 [a I_0(x) + b I_1(x)]} \cdot \exp\left(\frac{2bx}{a}\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \cdot \exp\left(-\frac{2bx}{a}\right) \cdot K_1^2(x) dx}{[a K_0(x) + b K_1(x)]^2} = -\frac{a [a(a + 2bx) K_0(x) + b(a - 2bx) K_1(x)]}{4b^2 [a K_0(x) + b K_1(x)]} \cdot \exp\left(-\frac{2bx}{a}\right)$$

$$\int \frac{[a^2x^2 + b^2 + 2ab] \cdot \exp\left(-\frac{ax^2}{b}\right) \cdot J_0^2(x) dx}{x [ax J_0(x) + b J_1(x)]^2} = \frac{1}{2} E_1\left(\frac{ax^2}{b}\right) - \frac{b J_0(x)}{x [ax J_0(x) + b J_1(x)]} \cdot \exp\left(-\frac{ax^2}{b}\right)$$

$$\int \frac{[a^2x^2 - b^2 - 2ab] \cdot \exp\left(\frac{ax^2}{b}\right) \cdot I_0^2(x) dx}{x [ax I_0(x) + b I_1(x)]^2} = \frac{1}{2} E_1\left(-\frac{ax^2}{b}\right) + \frac{b I_0(x)}{x [ax I_0(x) + b I_1(x)]} \cdot \exp\left(\frac{ax^2}{b}\right)$$

$$\int \frac{[(a^2x^2 - b^2 + 2ab) \cdot \exp\left(-\frac{ax^2}{b}\right) \cdot K_0^2(x) dx}{x [ax K_0(x) + b K_1(x)]^2} = \frac{1}{2} E_1\left(\frac{ax^2}{b}\right) - \frac{b K_0(x)}{x [ax K_0(x) + b K_1(x)]} \cdot \exp\left(-\frac{ax^2}{b}\right)$$

$$\int \frac{(a^2(a+b)x^2 + 2a^2b + 3ab^2 + b^3) x^{1+2b/a} J_1^2(x) dx}{[ax J_0(x) + b J_1(x)]^2} = -\frac{a x^{2+2b/a} [ax J_0(x) - (2a+b) J_1(x)]}{2 [ax J_0(x) + b J_1(x)]}$$

$$\int \frac{(a^2(a+b)x^2 - 2a^2b - 3ab^2 - b^3) x^{1+2b/a} I_1^2(x) dx}{[ax I_0(x) + b I_1(x)]^2} = \frac{a x^{2+2b/a} [ax I_0(x) - (2a+b) I_1(x)]}{2 [ax I_0(x) + b I_1(x)]}$$

$$\int \frac{(a^2(a-b)x^2 + 2a^2b - 3ab^2 + b^3) x^{1+2b/a} K_1^2(x) dx}{[ax K_0(x) + b K_1(x)]^2} = \frac{a x^{2-2b/a} [ax K_0(x) + (2a-b) K_1(x)]}{2 [ax K_0(x) + b K_1(x)]}$$

$$\int \frac{(a^2 + b^2x^2) x^{-1-2a/b} J_0^2(x) dx}{[a J_0(x) + bx J_1(x)]^2} = -\frac{b x^{-2a/b} [a J_0(x) - bx J_1(x)]}{2a [a J_0(x) + bx J_1(x)]}$$

$$\int \frac{(a^2 - b^2x^2) x^{-1+2a/b} I_0^2(x) dx}{[a I_0(x) + bx I_1(x)]^2} = \frac{b x^{2a/b} [a I_0(x) - bx I_1(x)]}{2a [a I_0(x) + bx I_1(x)]}$$

$$\int \frac{(a^2 - b^2x^2) x^{-1-2a/b} K_0^2(x) dx}{[a K_0(x) + bx K_1(x)]^2} = -\frac{b x^{-2a/b} [a K_0(x) - bx K_1(x)]}{2a [a K_0(x) + bx K_1(x)]}$$

$$\int \frac{x(a^2 + b^2x^2) \cdot \exp\left(\frac{bx^2}{a}\right) \cdot J_1^2(x) dx}{[a J_0(x) + bx J_1(x)]^2} = -\frac{a [a J_0(x) - bx J_1(x)]}{2b [a J_0(x) + bx J_1(x)]} \cdot \exp\left(\frac{bx^2}{a}\right)$$

$$\int \frac{x(a^2 - b^2x^2) \cdot \exp\left(\frac{bx^2}{a}\right) \cdot I_1^2(x) dx}{[a I_0(x) + bx I_1(x)]^2} = \frac{a [a I_0(x) - bx I_1(x)]}{2b [a I_0(x) + bx I_1(x)]} \cdot \exp\left(\frac{bx^2}{a}\right)$$

$$\int \frac{x(a^2 - b^2x^2) \cdot \exp\left(-\frac{bx^2}{a}\right) \cdot K_1^2(x) dx}{[a K_0(x) + bx K_1(x)]^2} = -\frac{a [a K_0(x) - bx K_1(x)]}{2b [a K_0(x) + bx K_1(x)]} \cdot \exp\left(-\frac{bx^2}{a}\right)$$

5.3. Denominator $[p(x) Z_0(x) + q(x) Z_1(x)]^3$

b) Typ $f(x) Z_\nu / [p(x) Z_0(x) + q(x) Z_1(x)]^3, :$

$$\int \frac{[(a^2 + b^2)x + ab] \exp\left(-\frac{2ax}{b}\right) J_0(x) dx}{x^3 [a J_0(x) + b J_1(x)]^3} = -\frac{b}{2x^2 [a J_0(x) + b J_1(x)]^2} \exp\left(-\frac{2ax}{b}\right)$$

$$\int \frac{[(a^2 - b^2)x - ab] \exp(\frac{2ax}{b}) I_0(x) dx}{x^3 [a I_0(x) + b I_1(x)]^3} = \frac{b}{2x^2 [a I_0(x) + b I_1(x)]^2} \exp\left(\frac{2ax}{b}\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \exp(-\frac{2ax}{b}) K_0(x) dx}{x^3 [a K_0(x) + b K_1(x)]^3} = -\frac{b}{2x^2 [a K_0(x) + b K_1(x)]^2} \exp\left(-\frac{2ax}{b}\right)$$

$$\int \frac{[(a^2 + b^2)x + ab] \exp(\frac{2bx}{a}) J_1(x) dx}{x [a J_0(x) + b J_1(x)]^3} = \frac{a}{2 [a J_0(x) + b J_1(x)]^2} \exp\left(\frac{2bx}{a}\right)$$

$$\int \frac{[(a^2 - b^2)x - ab] \exp(\frac{2bx}{a}) I_1(x) dx}{x [a I_0(x) + b I_1(x)]^3} = -\frac{a}{2 [a I_0(x) + b I_1(x)]^2} \exp\left(\frac{2bx}{a}\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \exp(-\frac{2bx}{a}) K_1(x) dx}{x [a K_0(x) + b K_1(x)]^3} = \frac{a}{2 [a K_0(x) + b K_1(x)]^2} \exp\left(-\frac{2bx}{a}\right)$$

$$\int \frac{[a^2x^2 + b^2 + 2ab] \exp(-\frac{ax^2}{b}) J_0(x) dx}{x^2 [ax J_0(x) + b J_1(x)]^3} = -\frac{b}{2x^2 [ax J_0(x) + b J_1(x)]^2} \exp\left(-\frac{ax^2}{b}\right)$$

$$\int \frac{[a^2x^2 - b^2 - 2ab] \exp(\frac{ax^2}{b}) I_0(x) dx}{x^2 [ax I_0(x) + b I_1(x)]^3} = \frac{b}{2x^2 [ax I_0(x) + b I_1(x)]^2} \exp\left(\frac{ax^2}{b}\right)$$

$$\int \frac{[a^2x^2 - b^2 + 2ab] \exp(-\frac{ax^2}{b}) K_0(x) dx}{x^2 [ax K_0(x) + b K_1(x)]^3} = -\frac{b}{2x^2 [ax J_0(x) + b J_1(x)]^2} \exp\left(-\frac{ax^2}{b}\right)$$

$$\int \frac{[a^2x^2 + b^2 + 2ab] x^{1+2b/a} J_1(x) dx}{[ax J_0(x) + b J_1(x)]^3} = \frac{ax^{2+2b/a}}{2 [ax J_0(x) + b J_1(x)]^2}$$

$$\int \frac{[a^2x^2 - b^2 - 2ab] x^{1+2b/a} I_1(x) dx}{[ax I_0(x) + b I_1(x)]^3} = -\frac{ax^{2+2b/a}}{2 [ax I_0(x) + b I_1(x)]^2}$$

$$\int \frac{[a^2x^2 - b^2 + 2ab] x^{1-2b/a} K_1(x) dx}{[ax K_0(x) + b K_1(x)]^3} = \frac{ax^{2-2b/a}}{2 [ax K_0(x) + b K_1(x)]^2}$$

$$\int \frac{[a^2 + b^2x^2] x^{-1-2a/b} J_0(x) dx}{[a J_0(x) + bx J_1(x)]^3} = -\frac{bx^{-2a/b}}{2 [a J_0(x) + bx J_1(x)]^2}$$

$$\int \frac{[a^2 - b^2x^2] x^{-1+2a/b} I_0(x) dx}{[a J_0(x) + bx J_1(x)]^3} = \frac{bx^{2a/b}}{2 [a I_0(x) + bx I_1(x)]^2}$$

$$\int \frac{[a^2 - b^2x^2] x^{-1-2a/b} K_0(x) dx}{[a K_0(x) + bx K_1(x)]^3} = \frac{bx^{-2a/b}}{2 [a K_0(x) + bx K_1(x)]^2}$$

$$\int \frac{[a^2 + b^2x^2] \exp(\frac{b}{a}x^2) J_1(x) dx}{[a J_0(x) + bx J_1(x)]^3} = \frac{a}{2 [a J_0(x) + bx J_1(x)]^2} \exp\left(\frac{bx^2}{a}\right)$$

$$\int \frac{[a^2 - b^2x^2] \exp(\frac{b}{a}x^2) I_1(x) dx}{[a I_0(x) + bx I_1(x)]^3} = -\frac{a}{2 [a I_0(x) + bx I_1(x)]^2} \exp\left(\frac{bx^2}{a}\right)$$

$$\int \frac{[a^2 - b^2x^2] \exp(-\frac{b}{a}x^2) K_1(x) dx}{[a K_0(x) + bx K_1(x)]^3} = \frac{a}{2 [a K_0(x) + bx K_1(x)]^2} \exp\left(-\frac{bx^2}{a}\right)$$

5.4. Denominator $[p(x) Z_0(x) + q(x) Z_1(x)]^4$

a) Typ $f(x) Z_\nu / [p(x) Z_0(x) + q(x) Z_1(x)]^4$:

$$\int \frac{[(a^2 + b^2)x + ab] \exp(-\frac{3ax}{b}) J_0(x) dx}{x^4 [a J_0(x) + b J_1(x)]^4} = -\frac{b}{3x^3 [a J_0(x) + b J_1(x)]^3} \exp\left(-\frac{3ax}{b}\right)$$

$$\int \frac{[(a^2 - b^2)x - ab] \exp(\frac{3ax}{b}) I_0(x) dx}{x^4 [a I_0(x) + b I_1(x)]^4} = \frac{b}{3x^3 [a I_0(x) + b I_1(x)]^3} \exp\left(\frac{3ax}{b}\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \exp(-\frac{3ax}{b}) K_0(x) dx}{x^4 [a K_0(x) + b K_1(x)]^4} = -\frac{b}{3x^3 [a J_0(x) + b J_1(x)]^3} \exp\left(-\frac{3ax}{b}\right)$$

$$\int \frac{[(a^2 + b^2)x + ab] \exp(\frac{3bx}{a}) J_1(x) dx}{x [a J_0(x) + b J_1(x)]^4} = -\frac{a}{3 [a J_0(x) + b J_1(x)]^3} \exp\left(\frac{3bx}{a}\right)$$

$$\int \frac{[(a^2 - b^2)x - ab] \exp(\frac{3bx}{a}) I_1(x) dx}{x [a I_0(x) + b I_1(x)]^4} = -\frac{a}{3 [a I_0(x) + b I_1(x)]^3} \exp\left(\frac{3bx}{a}\right)$$

$$\int \frac{[(a^2 - b^2)x + ab] \exp(-\frac{3bx}{a}) K_1(x) dx}{x [a K_0(x) + b K_1(x)]^4} = \frac{a}{3 [a K_0(x) + b K_1(x)]^3} \exp\left(-\frac{3bx}{a}\right)$$

$$\int \frac{[a^2x^2 + b^2 + 2ab] \exp(-\frac{3ax^2}{2b}) J_0(x) dx}{x^3 [ax J_0(x) + b J_1(x)]^4} = -\frac{b}{3x^3 [ax J_0(x) + b J_1(x)]^3} \exp\left(-\frac{3ax^2}{2b}\right)$$

$$\int \frac{[a^2x^2 - b^2 - 2ab] \exp(\frac{3ax^2}{2b}) I_0(x) dx}{x^3 [ax I_0(x) + b I_1(x)]^4} = \frac{b}{3x^3 [ax I_0(x) + b I_1(x)]^3} \exp\left(\frac{3ax^2}{2b}\right)$$

$$\int \frac{[a^2x^2 - b^2 + 2ab] \exp(-\frac{3ax^2}{2b}) K_0(x) dx}{x^3 [ax K_0(x) + b K_1(x)]^4} = -\frac{b}{3x^3 [ax K_0(x) + b K_1(x)]^3} \exp\left(-\frac{3ax^2}{2b}\right)$$

$$\int \frac{[a^2x^2 + b^2 + 2ab] x^{2+3b/a} J_1(x) dx}{[ax J_0(x) + b J_1(x)]^4} = \frac{a x^{3+3b/a}}{3 [ax J_0(x) + b J_1(x)]^3}$$

$$\int \frac{[a^2x^2 - b^2 - 2ab] x^{2+3b/a} I_1(x) dx}{[ax I_0(x) + b I_1(x)]^4} = -\frac{a x^{3+3b/a}}{3 [ax I_0(x) + b I_1(x)]^3}$$

$$\int \frac{[a^2x^2 - b^2 + 2ab] x^{2-3b/a} K_1(x) dx}{[ax K_0(x) + b K_1(x)]^4} = \frac{a x^{3-3b/a}}{3 [ax K_0(x) + b K_1(x)]^3}$$

$$\int \frac{(a^2 + b^2x^2) x^{-1-3a/b} J_0(x) dx}{[a J_0(x) + bx J_1(x)]^4} = -\frac{b x^{-3a/b}}{3 [a J_0(x) + bx J_1(x)]^3}$$

$$\int \frac{(a^2 - b^2x^2) x^{-1+3a/b} I_0(x) dx}{[a I_0(x) + bx I_1(x)]^4} = \frac{b x^{3a/b}}{3 [a I_0(x) + bx I_1(x)]^3}$$

$$\int \frac{(a^2 - b^2x^2) x^{-1-3a/b} K_0(x) dx}{[a K_0(x) + bx K_1(x)]^4} = \frac{b x^{-3a/b}}{3 [a K_0(x) + bx K_1(x)]^3}$$

$$\int \frac{[a^2 + b^2x^2] \exp(\frac{3bx^2}{2a}) J_1(x) dx}{[a J_0(x) + bx J_1(x)]^4} = \frac{a}{3 [a J_0(x) + bx J_1(x)]^3} \exp\left(\frac{3bx^2}{2a}\right)$$

$$\int \frac{[a^2 - b^2x^2] \exp(\frac{3bx^2}{2a}) I_1(x) dx}{[a I_0(x) + bx I_1(x)]^4} = -\frac{a}{3 [a I_0(x) + bx I_1(x)]^3} \exp\left(\frac{3bx^2}{2a}\right)$$

$$\int \frac{[a^2 - b^2x^2] \exp(-\frac{3bx^2}{2a}) K_1(x) dx}{[a K_0(x) + bx K_1(x)]^4} = \frac{a}{3 [a K_0(x) + bx K_1(x)]^3} \exp\left(-\frac{3bx^2}{2a}\right)$$

5.5. Denominator $p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)$

a) Typ $f(x) Z_0^n(x) Z_1^{2-n}(x)/[p(x) Z_0^2(x) + q(x) Z_1^2(x)]$, $n = 0, 1, 2$:

$$\begin{aligned} \int \frac{J_0^2(x) dx}{x [J_0^2(x) + J_1^2(x)]} &= \frac{1}{2} \ln\{x^2 [J_0^2(x) + J_1^2(x)]\} \\ \int \frac{I_0^2(x) dx}{x [I_0^2(x) - I_1^2(x)]} &= \frac{1}{2} \ln\{x^2 [I_0^2(x) - I_1^2(x)]\} \\ \int \frac{K_0^2(x) dx}{x [K_0^2(x) - K_1^2(x)]} &= \frac{1}{2} \ln\{x^2 [K_1^2(x) - K_0^2(x)]\} \\ \\ \int \frac{(x^2 - a) J_0(x) J_1(x) dx}{a J_0^2(x) + x^2 J_1^2(x)} &= \frac{1}{2} \ln[a J_0^2(x) + x^2 J_1^2(x)] \\ \int \frac{(x^2 + a) I_0(x) I_1(x) dx}{a I_0^2(x) + x^2 I_1^2(x)} &= \frac{1}{2} \ln[a I_0^2(x) + x^2 I_1^2(x)] \\ \int \frac{(x^2 + a) K_0(x) K_1(x) dx}{a K_0^2(x) + x^2 K_1^2(x)} &= -\frac{1}{2} \ln[a K_0^2(x) + x^2 K_1^2(x)] \end{aligned}$$

$$\begin{aligned} \int \frac{J_1^2(x) dx}{x [J_0^2(x) + J_1^2(x)]} &= -\frac{1}{2} \ln[J_0^2(x) + J_1^2(x)] \\ \int \frac{I_1^2(x) dx}{x [I_0^2(x) - I_1^2(x)]} &= -\frac{1}{2} \ln[I_0^2(x) - I_1^2(x)] \\ \int \frac{K_1^2(x) dx}{x [K_1^2(x) - K_0^2(x)]} &= -\frac{1}{2} \ln[K_1^2(x) - K_0^2(x)] \end{aligned}$$

b) Typ $f(x) Z_0^n(x) Z_1^{2-n}(x)/[p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)]$, $n = 0, 1, 2$:

$$\begin{aligned} \int \frac{x J_0^2(x) dx}{x^2 J_0^2(x) + 2x J_0(x) J_1(x) + (x^2 - 2) J_1^2(x)} &= \frac{1}{6} \ln|x^4 J_0^2(x) + 2x^3 J_0(x) J_1(x) + (x^4 - 2x^3) J_1^2(x)| \\ \int \frac{x I_0^2(x) dx}{x^2 I_0^2(x) + 2x I_0(x) I_1(x) - (x^2 + 2) I_1^2(x)} &= \frac{1}{6} \ln|x^4 I_0^2(x) + 2x^3 I_0(x) I_1(x) - (x^4 + 2x^2) I_1^2(x)| \\ \int \frac{x K_0^2(x) dx}{x^2 K_0^2(x) - 2x K_0(x) K_1(x) - (x^2 + 2) K_1^2(x)} &= \frac{1}{6} \ln|x^4 K_0^2(x) - 2x^3 K_0(x) K_1(x) - (x^2 + 2) K_1^2(x)| \end{aligned}$$

$$\begin{aligned} \int \frac{J_0(x) J_1(x) dx}{x [x J_0^2(x) - J_0(x) J_1(x) + x J_1^2(x)]} &= \ln|x J_0^2(x) - J_0(x) J_1(x) + x J_1^2(x)| \\ \int \frac{I_0(x) I_1(x) dx}{x [x I_0^2(x) - I_0(x) I_1(x) - x I_1^2(x)]} &= \ln|x I_0^2(x) - I_0(x) I_1(x) - x I_1^2(x)| \\ \int \frac{K_0(x) K_1(x) dx}{x [x K_0^2(x) + K_0(x) K_1(x) + x K_1^2(x)]} &= -\ln|x K_0^2(x) + K_0(x) K_1(x) + x K_1^2(x)| \end{aligned}$$

$$\begin{aligned} \int \frac{(1 + 2 \ln x) x J_0(x) J_1(x) dx}{x J_0^2(x) - 2 J_0(x) J_1(x) - 2x \ln x J_1^2(x)} &= -\frac{1}{2} \ln|x [x J_0^2(x) - 2 J_0(x) J_1(x) - 2x \ln x J_1^2(x)]| \\ \int \frac{(1 + 2 \ln x) x I_0(x) I_1(x) dx}{x I_0^2(x) - 2 I_0(x) I_1(x) + 2x \ln x I_1^2(x)} &= \frac{1}{2} \ln|x [x I_0^2(x) - 2 I_0(x) I_1(x) + 2x \ln x I_1^2(x)]| \\ \int \frac{(1 + 2 \ln x) x K_0(x) K_1(x) dx}{x K_0^2(x) + 2 K_0(x) K_1(x) - 2x \ln x K_1^2(x)} &= -\frac{1}{2} \ln|x [x K_0^2(x) + 2 K_0(x) K_1(x) - 2x \ln x K_1^2(x)]| \end{aligned}$$

$$\begin{aligned}
& \int \frac{(8x^2 + 3) J_0(x) J_1(x) dx}{x[xJ_0^2(x) - 3J_0(x)J_1(x) - 3xJ_1^2(x)]} = -\ln |x^2 (xJ_0^2(x) - 3J_0(x)J_1(x) - 3xJ_1^2(x))| \\
& \int \frac{(8x^2 - 3) I_0(x) I_1(x) dx}{x[xI_0^2(x) - 3I_0(x)I_1(x) + 3xI_1^2(x)]} = \ln |x^2 (xI_0^2(x) - 3I_0(x)I_1(x) + 3xI_1^2(x))| \\
& \int \frac{(8x^2 - 3) K_0(x) K_1(x) dx}{x[xK_0^2(x) + 3K_0(x)K_1(x) + 3xK_1^2(x)]} = -\ln |x^2 (xK_0^2(x) + 3K_0(x)K_1(x) + 3xK_1^2(x))| \\
& \int \frac{x^2 J_0(x) J_1(x) dx}{x^2 J_0^2(x) - 4x J_0(x) J_1(x) - (2x^2 - 4) J_1^2(x)} = -\frac{1}{6} \ln |x^4 J_0^2(x) - 4x^3 J_0(x) J_1(x) - (x^4 - 2x^2) J_1^2(x)| \\
& \int \frac{x^2 I_0(x) I_1(x) dx}{x^2 I_0^2(x) - 4x I_0(x) I_1(x) + (2x^2 + 4) I_1^2(x)} = \frac{1}{6} \ln |x^4 I_0^2(x) - 2x^3 I_0(x) I_1(x) + (2x^4 + 4x^2) I_1^2(x)| \\
& \int \frac{x^2 K_0(x) K_1(x) dx}{x^2 K_0^2(x) + 4x K_0(x) K_1(x) + (2x^2 + 4) K_1^2(x)} = -\frac{1}{6} \ln |x^4 K_0^2(x) + 4x^3 K_0(x) K_1(x) + (2x^4 + 4x^2) K_1^2(x)| \\
& \int \frac{(3x^3 + 4) J_0(x) J_1(x) dx}{x^2 J_0^2(x) - 4x J_0(x) J_1(x) - 2x^2 J_1^2(x)} = -\frac{1}{2} \ln |x^4 J_0^2(x) - 4x^3 J_0(x) J_1(x) - 2x^4 J_1^2(x)| \\
& \int \frac{(3x^2 - 4) I_0(x) I_1(x) dx}{x^2 I_0^2(x) - 4x I_0(x) I_1(x) + 2x^2 I_1^2(x)} = \frac{1}{2} \ln |x^4 I_0^2(x) - 4x^3 I_0(x) I_1(x) + 2x^4 I_1^2(x)| \\
& \int \frac{(3x^2 - 4) K_0(x) K_1(x) dx}{x^2 K_0^2(x) + 4x K_0(x) K_1(x) + 2x^2 K_1^2(x)} = -\frac{1}{2} \ln |x^4 K_0^2(x) + 4x^3 K_0(x) K_1(x) + 2x^4 K_1^2(x)| \\
& \int \frac{J_1^2(x) dx}{xJ_0^2(x) - 2J_0(x)J_1(x) + xJ_1^2(x)} = \frac{1}{2} \ln |x^2 J_0^2(x) - 2x J_0(x)J_1(x) + x^2 J_1^2(x)| \\
& \int \frac{I_1^2(x) dx}{xI_0^2(x) - 2I_0(x)I_1(x) - xI_1^2(x)} = -\frac{1}{2} \ln |x^2 I_0^2(x) - 2x I_0(x)I_1(x) - x^2 I_1^2(x)| \\
& \int \frac{K_1^2(x) dx}{xK_0^2(x) + 2K_0(x)K_1(x) - xK_1^2(x)} = -\frac{1}{2} \ln |x^2 K_0^2(x) + 2x K_0(x)K_1(x) - x^2 K_1^2(x)| \\
& \int \frac{x J_1^2(x) dx}{x^2 J_0^2(x) - 4x J_0(x) J_1(x) + (x^2 + 4) J_1^2(x)} = \frac{1}{6} \ln |x^4 J_0^2(x) - 4x^3 J_0(x) J_1(x) + (x^4 + 4x^2) J_1^2(x)| \\
& \int \frac{x I_1^2(x) dx}{x^2 I_0^2(x) - 4x I_0(x) I_1(x) - (x^2 - 4) I_1^2(x)} = -\frac{1}{6} \ln |x^4 I_0^2(x) - 4x^3 I_0(x) I_1(x) - (x^2 - 4) I_1^2(x)| \\
& \int \frac{x K_1^2(x) dx}{x^2 K_0^2(x) + 4x K_0(x) K_1(x) - (x^2 - 4) K_1^2(x)} = -\frac{1}{6} \ln |x^4 K_0^2(x) + 4x^3 K_0(x) K_1(x) - (x^4 - 4x^2) K_1^2(x)|
\end{aligned}$$

5.6. Denominator $\sqrt{a(x) Z_0(x) + b(x) Z_1(x) + p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)}$

Generally: From

$$\int \varphi(x) Z_0^m(x) Z_1^n(x) dx = a(x) Z_0(x) + b(x) Z_1(x) + p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)$$

follows

$$\begin{aligned} & \int \frac{\varphi(x) Z_0^m(x) Z_1^n(x) dx}{\sqrt{a(x) Z_0(x) + b(x) Z_1(x) + p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)}} = \\ & = 2 \sqrt{a(x) Z_0(x) + b(x) Z_1(x) + p(x) Z_0^2(x) + q(x) Z_0(x) Z_1(x) + r(x) Z_1^2(x)}. \end{aligned}$$

Therefore the formulas from 1. and 2. give a lot of integrals of this kind.

Some special cases:

$$\int \frac{J_1(x) dx}{\sqrt{J_0(x)}} = -2 \sqrt{J_0(x)}, \quad \int \frac{\sqrt{x} J_0(x) dx}{\sqrt{J_1(x)}} = 2 \sqrt{x J_1(x)}$$

$$\int \frac{x^2 J_1(x) dx}{\sqrt{2x J_1(x) - x^2 J_0(x)}} = 2 \sqrt{2x J_1(x) - x^2 J_0(x)} \quad (\text{at least for } 0 < x < 5.1356)$$

$$\int \frac{x^3 J_0(x) dx}{\sqrt{2x^2 J_0(x) + (x^3 - 4x) J_1(x)}} = 2 \sqrt{2x^2 J_0(x) + (x^3 - 4x) J_1(x)} \quad (\text{at least for } 0 < x < 3.0542)$$

$$\int \frac{x \ln x J_0(x) dx}{\sqrt{J_0(x) + x \ln x J_1(x)}} = 2 \sqrt{J_0(x) + x \ln x J_1(x)} \quad (\text{at least for } 0 < x < 3.6265)$$

$$\int \frac{\sin x J_0(x) dx}{\sqrt{x \sin x J_0(x) - x \cos x J_1(x)}} = 2 \sqrt{x \sin x J_0(x) - x \cos x J_1(x)}$$

$$\int \frac{\cos x J_0(x) dx}{\sqrt{x \cos x J_0(x) + x \sin x J_1(x)}} = 2 \sqrt{x \cos x J_0(x) + x \sin x J_1(x)}$$

6. Some Gaussian Quadrature Formulas for special Defined Integrals

About the origin of the formulas see [15], 7.1.

$$\int_0^a \varrho(x) f(x) dx = \sum_{k=1}^n A_k f(x_k) + R_n(f)$$

Assuming that the continuous derivative $d^{2n}f/dx^{2n}$ exists one has with some $\eta \in [0, a]$

$$R_n(f) = r_n \cdot f^{(2n)}(\eta) .$$

The given values of r_n are rounded to up.

Let $z(0) = 2.40482\ 55576\ 95772\ 76862$ denote the first positive zero of $J_0(x)$ and

$z(1) = 3.83170\ 59702\ 07512\ 31561$ the first positive zero of $J_1(x)$.

1. $\varrho(x) = J_0(x)$, $a = z(0)$:

n	k	x_k	A_k	n	r_n
1	1	0.84911 86375 95859 14440	1.47030 00433 84178 98213	1	2.360E-01
2	1	0.39882 92282 29946 50719	0.90108 88277 42624 27265	2	6.834E-03
	2	1.56194 85061 59024 25690	0.56921 12156 41554 70947	3	8.069E-05
3	1	0.22634 80927 64316 44350	0.54778 48193 39959 52854	4	5.145E-07
	2	1.00516 39594 78741 19902	0.70092 58605 26759 67124	5	2.050E-09
	3	1.89505 35380 34339 27541	0.22158 93635 17459 78235	6	5.578E-12
4	1	0.14473 82282 55696 21841	0.35943 22951 47741 12189	7	1.103E-14
	2	0.68411 14453 73497 09001	0.60043 63758 36197 57058	8	1.656E-17
	3	1.41258 23653 31484 08156	0.41175 50421 69162 76320	9	1.950E-20
	4	2.06769 20930 02856 90479	0.09867 63302 31077 52645	10	1.851E-23
5	1	0.10021 38764 64392 85496	0.25188 30914 84562 78217		
	2	0.49030 87468 48216 27800	0.47696 66584 93069 36682		
	3	1.06603 72772 05082 94676	0.45505 16639 82458 95258		
	4	1.67579 09335 27784 59726	0.23687 69005 56173 29393		
	5	2.16668 25320 32995 02545	0.04952 17288 67914 58662		
6	1	0.07339 09066 03133 18519	0.18567 01891 22829 58772		
	2	0.36659 94270 55653 86888	0.37603 00607 89693 99979		
	3	0.82318 89118 45400 56078	0.42592 25681 22988 96567		
	4	1.35083 69247 90597 31458	0.31454 44042 01812 98980		
	5	1.85067 67803 21263 94621	0.14082 51792 75388 66431		
	6	2.22814 70218 71287 87049	0.02730 76418 71464 77484		
7	1	0.05602 45260 34280 52744	0.14228 77583 04715 82762		
	2	0.28359 36021 81776 57522	0.29980 85241 57316 96860		
	3	0.65055 43979 28046 67146	0.37494 72554 54351 71927		
	4	1.09825 71874 06190 64557	0.33591 91612 03562 33066		
	5	1.56062 92196 48622 52565	0.21370 34786 04027 46305		
	6	1.97116 65464 72516 80454	0.08742 58793 99324 47881		
	7	2.26873 98995 48321 17386	0.01620 79862 60880 19412		
8	1	0.04415 16822 70185 67264	0.11241 45281 58959 86690		
	2	0.22550 46441 44908 65760	0.24287 21983 42402 78068		
	3	0.52500 76324 59107 67743	0.32298 95029 80519 02245		
	4	0.90401 79209 12731 39428	0.32551 60301 08802 50497		
	5	1.31711 94427 36933 38632	0.25319 54398 14890 36268		
	6	1.71683 41508 13325 77892	0.14651 48161 74850 95088		
	7	2.05706 85469 40771 30526	0.05660 02199 54023 77307		
	8	2.29687 90390 82795 50272	0.01019 73078 49729 72049		

n	k	x_k	A_k
9	1	0.03568 24385 35339 63793	0.09100 54880 68636 79312
	2	0.18339 95455 20560 72825	0.19994 03942 89885 35994
	3	0.43153 27709 86789 28064	0.27682 48640 75388 09817
	4	0.75378 95449 42819 65529	0.30111 60165 22402 67682
	5	1.11817 72467 97612 79458	0.26594 41351 42704 29766
	6	1.49018 46734 69815 92962	0.18838 00567 60179 29507
	7	1.83510 82326 65444 36893	0.10231 86185 89166 42240
	8	2.12018 77212 80538 58048	0.03804 60533 61272 04146
	9	2.31715 56799 89430 39540	0.00672 44165 74543 99748
10	1	0.02943 20801 70948 03192	0.07515 49753 94236 45992
	2	0.15196 93001 27994 54755	0.16706 34344 69764 88751
	3	0.36038 97622 40754 97575	0.23778 12425 00351 80276
	4	0.63628 72652 14219 79340	0.27240 08422 34623 59420
	5	0.95662 39779 19819 83159	0.26197 96107 07124 04222
	6	1.29588 08007 77129 56440	0.21151 59005 73181 40869
	7	1.62769 77336 04089 43949	0.14039 29837 65469 47691
	8	1.92626 72552 05830 23170	0.07297 54521 24144 36484
	9	2.16779 36949 02068 73559	0.02642 69230 91999 99596
	10	2.33223 52003 55296 43725	0.00460 86785 23282 94911

2. $\varrho(x) = J_1(x)$, $a = z(1)$:

n	k	x_k	A_k
1	1	1.87876 52796 87720 77862	1.40275 93957 02552 97210
2	1	1.06490 35971 77076 73955	0.71352 73057 09344 42983
	2	2.72131 53320 91136 68635	0.68923 20899 93208 54226
3	1	0.67234 43602 14129 71914	0.32906 60341 43142 50045
	2	1.89442 60157 28575 44303	0.76668 74947 14353 05601
	3	3.13276 49538 77173 30814	0.30700 58668 45057 41563
4	1	0.45894 55203 26475 31235	0.16288 77917 03040 35012
	2	1.36622 66845 01665 12141	0.55523 92326 02955 25023
	3	2.43260 54162 85590 13131	0.53670 44151 79575 17804
	4	3.35654 13570 69680 31486	0.14792 79562 16982 19371
5	1	0.33180 20337 36165 55678	0.08770 25071 91829 47300
	2	1.02142 19523 37440 45833	0.36410 09808 94805 82001
	3	1.90084 44312 86510 28562	0.53080 78354 68009 88152
	4	2.78606 68373 94159 50371	0.34208 41472 38969 07093
	5	3.48948 15673 50310 05946	0.07806 39249 08938 72664
6	1	0.25050 63052 28711 97552	0.05081 72006 85742 58212
	2	0.78800 95790 83595 25210	0.23625 18296 43115 36822
	3	1.50976 00320 21313 92188	0.43333 57977 70745 12177
	4	2.29683 53747 01485 20854	0.42085 76435 00112 46757
	5	3.02585 79200 18626 93204	0.21694 12820 42452 78091
	6	3.57417 42088 49931 43235	0.04455 56420 60384 65150
7	1	0.19558 40010 41249 50480	0.03128 48720 61092 70863
	2	0.62427 48418 07360 43163	0.15598 42462 27833 87320
	3	1.22041 72865 27573 05119	0.32922 48592 89470 36004
	4	1.90430 89567 09341 85832	0.40649 88779 46399 56710
	5	2.59089 22472 42858 90095	0.31201 30064 45854 17579
	6	3.19412 16451 13656 70328	0.14063 79161 58331 59436
	7	3.63118 89959 66345 37392	0.02711 56175 73570 69297

n	r_n
1	4.810E-01
2	3.317E-02
3	9.615E-04
4	1.525E-05
5	1.520E-07
6	1.040E-09
7	5.177E-12
8	1.960E-14
9	5.833E-17
10	1.400E-19

n	k	x_k	A_k
8	1	0.15682 33177 08037 94485	0.02024 22670 07056 04918
	2	0.50569 47441 49987 41001	0.10565 63995 87912 13878
	3	1.00301 79183 33490 80019	0.24426 85534 74077 52574
	4	1.59383 56846 69951 78381	0.35160 77800 21817 38025
	5	2.21766 91829 95139 45587	0.34288 84302 64882 18094
	6	2.81224 79584 90927 04488	0.22683 43760 90276 89708
	7	3.31591 27752 75352 15183	0.09387 42676 40371 70507
	8	3.67129 80952 12594 29179	0.01738 73216 16159 09505
9	1	0.12848 64993 58978 72698	0.01364 69714 56644 03898
	2	0.41739 43521 28271 20996	0.07350 42895 51720 43702
	3	0.83678 02396 08545 23386	0.18078 17286 84913 48106
	4	1.34780 40848 24007 81937	0.28859 28656 90951 59125
	5	1.90647 50319 97646 23886	0.32952 79063 95977 39406
	6	2.46660 60964 63479 03024	0.27546 79821 25950 98159
	7	2.98165 22148 56115 11947	0.16506 19568 17501 99304
	8	3.40651 53800 04878 64863	0.06453 73457 74434 07420
	9	3.70053 85543 16270 69345	0.01163 83492 04458 98090
10	1	0.10716 10473 47871 95337	0.00952 20553 84942 54239
	2	0.35003 94839 50296 02288	0.05244 74001 75843 56752
	3	0.70744 95101 06619 77663	0.13474 30147 12181 03556
	4	1.15132 70571 55910 48530	0.23129 32570 81504 53353
	5	1.64907 06313 31381 24496	0.29468 70039 45311 30494
	6	2.16577 21273 78569 27320	0.28831 22736 46923 12496
	7	2.66569 90324 63164 53996	0.21677 46332 60589 06045
	8	3.11347 56523 36544 98403	0.12130 15002 95402 68207
	9	3.47554 69151 98466 54666	0.04560 49082 00260 04102
	10	3.72249 03211 68481 97545	0.00807 33489 99595 07965

3. $\varrho(x) = 1/I_0(x)$, $a = +\infty$:

n	k	x_k	A_k
1	1	1.47310 83641 91783 60064	2.08323 32771 13127 95218
	2	0.85994 11440 15675 54142	1.68527 96108 11361 25049
2	1	4.06978 80826 72085 70164	0.39795 36663 01766 70170
	2	0.59755 34675 56868 22131	1.31493 75299 05595 50844
	3	2.78391 18750 36898 84897	0.73424 13347 08061 85724
3	1	7.01875 89825 32937 25977	0.03405 44124 99470 58650
	2	0.45331 39149 12805 13818	1.05306 26097 75956 07647
	3	2.13558 95289 43486 97404	0.90251 20817 24169 45700
	4	5.12185 75626 39841 77113	0.12563 37834 53695 37282
4	1	10.16728 24266 09517 1802	0.00202 48021 59307 04589
	2	0.36298 25783 15813 27329	0.86853 56833 36953 59899
	3	1.73485 64987 24408 50688	0.96129 35895 64597 42781
	4	4.08840 02959 78222 62846	0.23987 45810 26644 27473
	5	7.73113 12361 47051 67671	0.01343 17967 91856 15687
5	1	13.44227 21087 98979 8510	0.00009 76263 93076 49378
	2	0.30151 68788 09093 54645	0.73449 87050 55025 51775
	3	1.46024 60077 14868 15583	0.96103 53245 61001 79325
	4	3.41763 04991 38670 51478	0.34845 63866 58389 09438
	5	6.33346 62336 46446 50357	0.03815 67869 92360 35923
	6	10.52504 11270 02343 6353	0.00108 19749 48290 46170
6	1	16.80563 48913 20209 8367	0.00000 40988 98060 72587
	2	0.30151 68788 09093 54645	0.73449 87050 55025 51775
	3	1.46024 60077 14868 15583	0.96103 53245 61001 79325
	4	3.41763 04991 38670 51478	0.34845 63866 58389 09438
	5	6.33346 62336 46446 50357	0.03815 67869 92360 35923
	6	10.52504 11270 02343 6353	0.00108 19749 48290 46170
	7	16.80563 48913 20209 8367	0.00000 40988 98060 72587

n	r_n
1	1.659E+00
2	7.008E-01
3	2.463E-01
4	7.923E-02
5	2.427E-02
6	7.159E-03
7	2.065E-03
8	5.849E-04
9	1.634E-04
10	4.515E-05

n	k	x_k	A_k
7	1	0.25719 28130 60929 86946	0.63388 14421 79722 85943
	2	1.25963 30870 75378 31156	0.93148 83147 06274 65778
	3	2.94166 10663 04726 06097	0.43893 34884 50473 10899
	4	5.39356 68489 20765 95279	0.07444 72415 92360 02467
	5	8.78880 43993 86755 55756	0.00441 07658 14508 73668
	6	13.45335 60054 46439 2050	0.00007 18685 05049 87430
	7	20.23479 55816 33220 2576	0.00000 01558 64738 69033
8	1	0.22382 55043 26641 84575	0.55609 91065 39113 92192
	2	1.10647 82752 34951 19485	0.88878 78296 83998 36066
	3	2.58436 85632 76880 28626	0.50855 35314 40214 59842
	4	4.70885 05701 98697 06913	0.11803 55528 25536 67137
	5	7.59021 39321 60880 65158	0.01134 48734 35362 17610
	6	11.40223 93494 86021 5306	0.00040 82335 53367 93791
	7	16.48452 76170 86259 2225	0.00000 41441 36194 91737
	8	23.71516 09184 23344 8341	0.00000 00054 99339 36845
9	1	0.19786 00369 14523 66909	0.49444 05162 73108 20774
	2	0.98569 93319 61811 69138	0.84142 32147 27086 81061
	3	2.30538 20387 32673 00735	0.55894 08015 70505 76109
	4	4.18429 63508 70013 91124	0.16460 33980 34094 18270
	5	6.69919 82101 70259 59420	0.02243 19355 14115 12146
	6	9.95733 80255 39896 41979	0.00136 11916 62248 90737
	7	14.13944 41319 09732 9650	0.00003 20048 45227 02075
	8	19.59733 34118 88961 3254	0.00000 02143 03798 89280
	9	27.23669 59380 24852 2412	0.00000 00001 82943 04765
10	1	0.17711 56423 97524 12307	0.44451 30313 63133 30267
	2	0.88803 66578 43806 85033	0.79375 38890 34493 66663
	3	2.08104 76942 91994 03659	0.59320 76369 61425 61019
	4	3.76801 32238 68663 82652	0.21078 37160 81969 02376
	5	6.00541 80730 87554 18790	0.03751 18505 28639 45894
	6	8.86595 94139 19861 31376	0.00332 46628 58770 68241
	7	12.46050 83159 44928 1065	0.00013 62761 73233 19971
	8	16.97656 44317 08342 6912	0.00000 22039 45477 48061
	9	22.77674 86309 55387 9507	0.00000 00101 60182 75463
	10	30.79217 32438 36959 0984	0.00000 00000 05802 77263

Beside of this, one can change the integrand

$$\int_0^{\infty} \frac{f(x) dx}{I_0(x)} = \int_0^{\infty} e^{-x} \cdot \frac{e^x f(x) dx}{I_0(x)} = \int_0^{\infty} e^{-x} g(x) dx$$

and use the Laguerre quadrature formula, see [1], table 25.9, or [15], 7, §5.

4. $\varrho(x) = K_0(x)$, $a = +\infty$:

n	k	x_k	A_k
1	1	0.63661 97723 67581 34308	1.57079 63267 94896 61923E+00
	2	0.36721 86882 16808 67238	1.39995 12372 93972 84811E+00
2	1	2.84416 56970 81442 72853	1.70845 08950 09237 71119E-01
	2	0.26096 12883 46442 72853	1.22944 21664 78323 37814E+00
	3	1.88024 25951 92307 23720	3.31389 46564 20531 53151E-01
3	1	5.62692 59843 49789 79049	9.96469 46745 20087 94482E-03
	2	0.20346 78616 08216 51366	1.09483 09833 31706 91533E+00
	3	1.42025 85051 16463 38592	4.37739 19226 58012 04252E-01
	4	4.01398 76795 63093 10778	3.77769 61179 76693 12798E-02
4	1	8.67787 18602 95781 85143	4.49190 01762 15683 70873E-04
	2	0.20346 78616 08216 51366	1.09483 09833 31706 91533E+00
	3	1.42025 85051 16463 38592	4.37739 19226 58012 04252E-01
	4	4.01398 76795 63093 10778	3.77769 61179 76693 12798E-02
	5	8.67787 18602 95781 85143	4.49190 01762 15683 70873E-04

n	r_n
1	4.6709E-01
2	1.2218E-01
3	3.1239E-02
4	7.9193E-03
5	1.9991E-03
6	5.0338E-04
7	1.2656E-04
8	3.1783E-05
9	7.9758E-06
10	2.0003E-06
11	5.0146E-07
12	1.2567E-07
13	3.1483E-08
14	7.8855E-09
15	1.9747E-09

n	k	x_k	A_k
5	1	0.16724 81117 75635 19008	9.88881 05969 949954 3270E-01
	2	1.14562 94187 88403 73001	5.03750 00939 28931 22366E-01
	3	3.16287 39844 90265 02804	7.51092 39652 71542 59028E-02
	4	6.49392 78146 52040 42058	3.03857 89524 58977 43499E-03
	5	11.88748 74318 93429 0386	1.74390 97329 55025 71627E-05
6	1	0.14226 07913 50015 95177	9.03772 753858 39543 9448E-01
	2	0.96187 99865 97519 53802	5.43482 69975 45733 51846E-01
	3	2.62201 32377 19443 00296	1.14485 47202 58102 84508E-01
	4	5.26789 04874 99131 39894	8.85829 44081 57636 25731E-03
	5	9.19710 80556 60770 25097	1.96493 93094 09694 52219E-04
	6	15.20345 83591 31339 3193	6.12817 01893 77195 58116E-07
7	1	0.12394 43636 01194 07490	8.33919 89568 75937 18633E-01
	2	0.82988 83221 59694 48432	5.66346 20956 66190 73155E-01
	3	2.24414 54746 20568 87466	1.51866 97126 90954 23456E-01
	4	4.45570 42365 48512 14226	1.78361 62975 61136 50738E-02
	5	7.62115 63463 58316 49173	8.16158 13396 80016 96570E-04
	6	12.05770 47887 46960 7366	1.09091 25532 15799 63666E-05
	7	18.59639 89087 07247 5628	2.00364 76879 22110 73556E-08
8	1	0.10992 12217 79063 47820	7.75487 94104 82396 66325E-01
	2	0.73030 99184 96626 27276	5.78280 43327 62226 41733E-01
	3	1.96392 13601 62659 60774	1.85527 69447 78725 48967E-01
	4	3.87067 52344 22834 48264	2.92897 69299 20942 43596E-02
	5	6.54552 79256 07758 08568	2.14705 89526 54715 50129E-03
	6	10.15637 02498 02973 1618	6.28886 01672 33874 87484E-05
	7	15.03608 50747 98943 6149	5.40518 99097 91903 55114E-07
	8	22.04801 25531 10893 9881	6.20034 30440 66445 76386E-10
9	1	0.09882 78556 23114 63690	7.25811 60449 17844 26489E-01
	2	0.65242 44716 71066 36745	5.83041 21905 83546 68687E-01
	3	1.74726 54508 81345 84395	2.14974 71416 28028 82723E-01
	4	3.42646 28324 00874 32952	4.23961 25905 71691 85370E-02
	5	5.75292 01007 91584 35353	4.35508 12282 78554 50495E-03
	6	8.82893 56824 62934 01474	2.13330 88358 08940 90902E-04
	7	12.83142 52914 87200 0793	4.22653 88832 24398 80839E-06
	8	18.10638 59719 76917 8300	2.45071 26720 89884 24315E-08
	9	25.54606 35566 72559 7562	1.83683 28901 32509 76716E-11
10	1	0.08982 51394 65073 51273	6.82994 89619 94860 36260E-01
	2	0.58979 23377 43165 66686	5.83042 63419 81469 41508E-01
	3	1.57448 14702 83904 92456	2.40305 65626 39476 58196E-01
	4	3.07648 51680 49643 48192	5.64166 06837 67699 52586E-02
	5	5.14011 28674 71344 69787	7.48668 81075 14947 72824E-03
	6	7.83334 36939 12404 28440	5.31342 50451 01792 72256E-04
	7	11.26446 66379 46739 0096	1.82468 37982 20892 53018E-05
	8	15.61778 56548 08941 9316	2.54810 60245 23016 36845E-07
	9	21.25071 58718 07071 5525	1.03450 40580 33080 17366E-09
	10	29.08192 75401 85443 7448	5.25141 74849 18088 84324E-13
11	1	0.08236 77885 11932 84267	6.45656 12245 15324 32620E-01
	2	0.53830 42174 60810 24499	5.79866 59479 16994 90525E-01
	3	1.43332 57406 93156 32340	2.61869 96123 31840 38039E-01
	4	2.79303 70825 51615 23874	7.07683 11295 16245 38708E-02
	5	4.65010 81703 82186 44747	1.14955 85174 84005 90127E-02
	6	7.05248 30651 19581 69108	1.08295 47372 78113 37447E-03
	7	10.07243 67672 01059 8710	5.54001 06526 25586 03069E-05
	8	13.82312 70627 43583 2047	1.38290 62069 38244 65083E-06
	9	18.49514 52561 69282 3437	1.40572 85846 63155 07890E-08
	10	24.45613 73102 10957 4690	4.11664 16272 01518 94937E-11
	11	32.64927 52185 13629 2464	1.45747 80918 09705 44138E-14

n	k	x_k	A_k
12	1	0.07608 57882 50235 63758	6.12765 46804 50956 12505E-01
	2	0.49521 11095 73286 20413	5.74569 06792 87910 51939E-01
	3	1.31576 02596 15865 36831	2.80099 99156 55699 22646E-01
	4	2.55847 37878 47117 54569	8.50248 36738 95814 23795E-02
	5	4.24831 19117 23435 69224	1.62781 15740 64017 67714E-02
	6	6.42060 11559 58385 67849	1.92028 95070 27545 46607E-03
	7	9.12651 33155 54329 64769	1.33382 38197 61008 91425E-04
	8	12.44182 68474 11704 5934	5.07933 68891 68808 01790E-06
	9	16.48378 26734 16144 0524	9.48282 82781 20804 58381E-08
	10	21.44849 55480 31779 1532	7.20106 97808 86132 95653E-10
	11	27.71296 43975 44468 9734	1.55874 40769 12198 79104E-12
	12	36.24331 06958 33002 4413	3.94450 18083 93934 48913E-16
13	1	0.07071 90377 02890 09607	5.83539 67509 87336 90331E-01
	2	0.45860 28154 46093 47768	5.67866 58120 70556 01925E-01
	3	1.21627 76917 77038 65095	2.95430 91088 04601 42422E-01
	4	2.36096 77216 74187 01875	9.88917 14822 79633 78337E-02
	5	3.91229 73216 52154 83253	2.17030 79294 34218 88261E-02
	6	5.89718 96444 74715 05026	3.07679 16187 92118 60211E-03
	7	8.35347 14273 44963 05193	2.72769 30595 49304 57578E-04
	8	11.33497 56978 23805 8848	1.43803 46693 84918 11724E-05
	9	14.92039 85019 19729 1158	4.18209 18105 32645 01122E-07
	10	19.23051 24236 51812 2933	5.97619 29749 14475 02083E-09
	11	24.46640 19811 69534 7053	3.46371 56342 79385 79301E-11
	12	31.01373 96474 88543 7010	5.65646 84480 67588 05362E-14
	13	39.86030 43545 88647 3104	1.04462 88975 82268 15012E-17
14	1	0.06607 92542 87197 05588	5.57372 16924 85212 42542E-01
	2	0.42710 98238 23474 02059	5.60252 11422 07917 17142E-01
	3	1.13097 22321 82868 98669	3.08265 61805 57273 89040E-01
	4	2.19226 73382 20556 28418	1.12176 92995 23107 03927E-01
	5	3.62679 43065 21450 26432	2.76325 24758 20712 50276E-02
	6	5.45563 27696 16088 09515	4.56709 46057 15565 19263E-03
	7	7.70768 37932 07981 76937	4.94626 45737 19349 95842E-04
	8	10.42286 91489 38411 1168	3.38322 27050 15478 35954E-05
	9	13.65723 57500 28335 6339	1.38549 60545 13256 27717E-06
	10	17.49197 68176 73898 5242	3.14212 15796 72591 01046E-08
	11	22.05099 76317 16098 9700	3.50350 47684 73894 10118E-10
	12	27.53993 42961 55962 9685	1.57802 10894 89395 47540E-12
	13	34.35258 73659 97028 3468	1.97838 98315 53400 48757E-15
	14	43.49729 27023 45869 9242	2.71466 96074 78691 64974E-19
15	1	0.06202 67216 56829 93108	5.33785 61428 41967 65974E-01
	2	0.39972 41701 83036 76645	5.52068 65251 72263 02545E-01
	3	1.05699 38427 49686 81902	3.18962 03512 84810 42727E-01
	4	2.04642 73190 92256 48638	1.24764 35585 43809 99258E-01
	5	3.38100 07046 29827 80444	3.39344 92783 74848 32671E-02
	6	5.07758 78900 45886 99813	6.38953 27442 89064 45733E-03
	7	7.15885 71243 61857 47109	8.18421 70743 05650 14719E-04
	8	9.65540 04705 05974 30396	6.93599 04527 53483 27028E-05
	9	12.60888 84012 86229 6717	3.73845 99172 19009 07461E-06
	10	16.07725 14867 41133 4419	1.21209 96048 29684 18562E-07
	11	20.14387 34572 83771 8962	2.18138 00928 92865 22647E-09
	12	24.93549 37021 98155 1603	1.92894 31807 61151 09915E-11
	13	30.66197 25884 29149 5671	6.85674 74694 94063 76532E-14
	14	37.72478 78416 60054 6250	6.69959 94575 86869 67315E-17
	15	47.15187 79364 92118 7526	6.93798 54584 51528 91456E-21

6. Miscellaneous:

$$\int x^n \cdot J_0(x) \cdot J_1^{n-1}(x) dx = \frac{x^n}{n} J_1^n(x), \quad n = \pm 1, \pm 2, \pm 3, \dots$$

$$\int \frac{dx}{x^n \cdot J_0(x) \cdot J_1^{n+1}(x)} = -\frac{1}{n x^n J_1^n(x)}, \quad n = \pm 1, \pm 2, \pm 3, \dots$$

$$\int x^n \cdot I_0(x) \cdot I_1^{n-1}(x) dx = \frac{x^n}{n} I_1^n(x), \quad n = \pm 1, \pm 2, \pm 3, \dots$$

$$\int \frac{dx}{x^n \cdot I_0(x) \cdot I_1^{n+1}(x)} = -\frac{1}{n x^n I_1^n(x)}, \quad n = \pm 1, \pm 2, \pm 3, \dots$$

$$\int \frac{\Phi(x)}{x} dx = \Lambda_1(x) - x J_0(x) - \Phi(x)$$

$$\int \frac{x^5 J_1(px^2 + i) dx}{px^2 + i} = \frac{1}{2p^3} [J_1(px^2 + i) - (px^2 - i)J_0(px^2 + i)]$$

$$\int \frac{x^7 J_1(px^2 + \sqrt{3}i) dx}{px^2 + \sqrt{3}i} = \frac{1}{2p^4} [(2px^2 - \sqrt{3}i) J_1(px^2 + \sqrt{3}i) - (p^2x^4 - \sqrt{3}px^2i - 3)J_0(px^2 + \sqrt{3}i)]$$

7. Used special functions and defined functions:

Used functions:

$J_\nu(x)$	Bessel function of the first kind	
$I_\nu(x)$	Modified Bessel function (of the first kind)	
$Y_\nu(x)$	Bessel function of the second kind, Neumann's function, Weber's function	
$K_\nu(x)$	Modified Bessel function (of the second [third] kind), MacDonald Function	
$H_\nu^{(p)}(x),$ $p = 1, 2$	Bessel function of the third kind, Hankel function	
$\Gamma(x)$	Gamma function $\Gamma(x) = \int_0^\infty t^{x-1} e^{-t} dt$	[1] 6.1, [2] 1.1, [4] II.1., [5] V, [7]
$\Gamma(x, z)$	Upper incomplete Gamma function $\Gamma(x, z) = \int_z^\infty t^{x-1} e^{-t} dt$	[1] 6.5, [6] 8.35
$E_1(x)$	Exponential integral $E_1(x) = \int_x^\infty \frac{e^{-t} dt}{t} = \int_1^\infty \frac{e^{-xt} dt}{t}$	[1] 5.1, [4] II.5.
$\mathbf{H}_\nu(x)$	Struve functions	[1] 12.1, [2] 10.1, [5] XIII 2., [7] 8.55
$\mathbf{L}_\nu(x)$	Modified Struve functions	[1] 12.2, [2] 10.1, [7] 8.55
$Ji_0(x)$	$Ji_0(x) = \int_x^\infty \frac{J_0(t) dt}{t}$	[1] 11.1.19, [9]
$s_{\mu, \nu}(x)$	Lommel functions	[2] 10.1, [7] 8.57
$P_n^m(x)$	(Associated) Legendre functions of the first kind	[1] 8, [5] XII 3.1.
$P_n(x)$	Legendre polynomial	$w(x) \equiv 1$
$T_n(x)$	Chebyshev polynomial, first kind	$w(x) = 1/\sqrt{1-x^2}$
$U_n(x)$	Chebyshev polynomial, second kind	$w(x) = \sqrt{1-x^2}$
$C_n^{(\alpha)}(x)$	Ultraspherical (Gegenbauer) Polynomials	$w(x) = (1-x^2)^{\alpha-1/2}$
$C_n^{(\alpha, \beta)}(x)$	Jacobi Polynomials	$w(x) = (1-x)^\alpha(1+x)^\beta$
$L_n(x)$	Laguerre polynomial	$w(x) = e^{-x}$
$L_n^{(\alpha)}(x)$	Generalized Laguerre polynomial	$w(x) = x^\alpha e^{-x}$
$H_n(x)$	Hermite polynomial	$w(x) = \exp(-x^2)$
$\mathbf{E}(x), \mathbf{K}(x)$	Complete elliptic integrals	[1], 17.3., [5] IX 30., [7] 8.11

Defined functions:

Function	Page
$\Phi(x) = \frac{\pi x}{2} [J_1(x) \cdot \mathbf{H}_0(x) - J_0(x) \cdot \mathbf{H}_1(x)]$	7
$\Phi_Y(x) = \frac{\pi x}{2} [Y_1(x) \cdot \mathbf{H}_0(x) - Y_0(x) \cdot \mathbf{H}_1(x)]$	7
$\Phi_H^{(1)} = \frac{\pi x}{2} [H_1^{(1)}(x) \cdot \mathbf{H}_0(x) - H_0^{(1)}(x) \cdot \mathbf{H}_1(x)]$	7
$\Phi_H^{(2)} = \frac{\pi x}{2} [H_1^{(2)}(x) \cdot \mathbf{H}_0(x) - H_0^{(2)}(x) \cdot \mathbf{H}_1(x)]$	7
$\Psi(x) = \frac{\pi x}{2} [I_0(x) \cdot \mathbf{L}_1(x) - I_1(x) \cdot \mathbf{L}_0(x)]$	7
$\Psi_K(x) = \frac{\pi x}{2} [K_0(x) \cdot \mathbf{L}_1(x) + K_1(x) \cdot \mathbf{L}_0(x)]$	7
$\Theta(x) = \int_0^x J_0^2(t) dt$	278
$\Omega(x) = \int_0^x I_0^2(t) dt$	278
$\Lambda_0(x) = \int_0^x J_0(t) dt$	122
$\Lambda_0^* = \int_0^x I_0(t) dt(x)$	124
$\Lambda_1(x) = \int_0^x t^{-1} \cdot \Lambda_0(t) dt$	124
$\Lambda_1^*(x) = \int_0^x t^{-1} \cdot \Lambda_0^*(t) dt$	126
$\Theta_0(x; \gamma) = \int_0^x J_0(t) J_0(\gamma t) dt$	310
$\Omega_0(x; \gamma) = \int_0^x I_0(t) I_0(\gamma t) dt$	310
$\Theta_1(x; \gamma) = \int_0^x J_1(t) J_1(\gamma t) dt$	312
$\Omega_1(x; \gamma) = \int_0^x I_1(t) I_1(\gamma t) dt$	312
$\mathfrak{H}_p(x, a), p = 0, 1$	79
$\mathfrak{H}_p^*(x, a), p = 0, 1$	85